



ORACLE
NetSuite

Auto Close Back Orders



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Auto Close Back Orders 1
 - Overview of Auto Close Back Orders 1
 - Setting Up Auto Close Back Orders 2
 - Using Auto Close Back Orders 4

Auto Close Back Orders

When a sales order is only partially fulfilled, the remaining quantity becomes a back order. But in many cases, these back order quantities aren't fulfilled, and the sales order is closed instead. The Auto Close Back Orders SuiteApp lets you automatically close these back orders after billing. You can also use the SuiteApp to keep a list of items to exclude or include when automatically closing back orders.

Here's what's included in Auto Close Back Orders:

- [Overview of Auto Close Back Orders](#)
- [Setting Up Auto Close Back Orders](#)
- [Using Auto Close Back Orders](#)

Overview of Auto Close Back Orders

The Auto Close Back Orders SuiteApp works with the following item types:

- Assembly items
- Lot numbered assembly items
- Serialized assembly items
- Inventory items
- Lot numbered inventory items
- Serialized inventory items
- Item groups
- Kit/Package items

Auto Close Back Orders Preference

Select an option in the **Items to Auto Close** preference in the **Custom Preferences** subtab of the General Preferences page (Setup > Company > General Preferences). The preference has the following options:

- **None (or Blank)** – The script won't run on any items.
- **Items in Auto Close Items List** – The script runs on items selected in the Auto Close Items page.
- **Items not in Auto Close Items List** – The script runs on all items except the ones selected in the Auto Close Items page.

Note: In version 1.02.0 of the SuiteApp, the following options in the **Auto Close Back Orders** preference were renamed:

- **Items in Fill Kill Items List** renamed to Items in **Items in Auto Close Items List**
- **Items not in Fill Kill Items List** renamed to **Items not in Auto Close Items List**

If you had previously installed a version older than 1.02.0 of the SuiteApp, you would see the old options even after upgrading to the latest version. Also, translation won't work on the old options.

Criteria for Automatic Closing of Back Orders

A line item on a sales order is automatically closed only when all of the following conditions are met:

- The item is included in the auto close items list.
- The status of the sales order is **Partially Fulfilled** or **Pending Billing/Partially Fulfilled**.
- The item is of one of the following types:
 - Inventory items (except drop ship and special order items)
 - Assembly items
 - Item groups
 - Kit/Package items
- The sales order line item is not in outbound processing, that is, the line item is not in picked or packed state.
- If either of the following conditions is true:
 - **Fulfilled Quantity** and **Invoiced Quantity** for the item is equal as well as greater than zero.
 - **Fulfilled Quantity** for the item is zero and at least one of the line items is closed.
- **Ordered Quantity** is greater than the **Fulfilled Quantity** for the item.

Note: Completely fulfilled sales order lines are not automatically closed.

Setting Up Auto Close Back Orders

Auto Close Back Orders is a managed SuiteApp. It's automatically updated whenever enhancements or new features are added.

Installing Auto Close Back Orders

You need to have the Administrator role or SuiteBundler permission to install the SuiteApp. Here are the bundle details:

- Bundle Name: Auto Close Back Orders
- Bundle ID: 300047

For more information about installing a bundle, see the help topic [Installing a Bundle](#).

Prerequisites

The Auto Close Back Orders SuiteApp is developed and tested for use primarily with NetSuite OneWorld.

The following features are required to use this SuiteApp:

- Custom Records
- Client SuiteScript
- Server SuiteScript

To enable the features:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. Check the boxes next to all the features listed in the following table:

Subtab	Feature Name
SuiteCloud	■ Custom Records ■ Client SuiteScript ■ Server SuiteScript

3. Click **Save**.

Supported Browsers for Auto Close Back Orders

The Auto Close Back Orders SuiteApp supports the following browsers and operating systems:

Browser	Platform
Google Chrome 71 or newer	■ Windows 10 ■ Windows 8.x ■ Windows 7
Microsoft Edge (Anniversary Update and later)	Windows 10 (Anniversary Update)
Mozilla Firefox 60 or newer	■ Windows 10 ■ Windows 8.x ■ Windows 7 ■ Windows Vista

Creating or Customizing Roles to Use Auto Close Back Orders

As an administrator, you can create or customize roles to add Auto Close Back Orders permissions. For more information, see the help topics [Assigning Roles to an Employee](#) and [Customizing or Creating NetSuite Roles](#).

Check the following table for minimum access levels needed for Auto Close Back Orders:

Record	Minimum Access Level
Transaction > Find Transaction	View
Lists > Custom Record Entries	View
Lists > Customers	View
Lists > Documents and Files	View
Lists > Subsidiaries	View
Custom Record > Auto Close Items	View
Custom Record > Item Exceptions	View

Using Auto Close Back Orders

The Auto Close Back Orders script automatically closes back orders. The script runs when you save an invoice. When a line item is marked for auto-closing, the script does the following:

- The line item on the sales order is closed automatically.
- The **back order** quantity is set to zero.

Creating Auto Close Items List

For each customer, create an auto close items list. The the **Items to Auto Close** preference determines whether the script includes or excludes the auto close items.

To create an auto close items list:

1. Go to Lists > Accounting > Auto Close Items > New.
For existing customers, you can also access this page from the Customer record.
2. On the Auto Close Items page, add items to the list.
 - a. Select the customer.
 - b. Select the subsidiary.
 - c. (Optional) To select all items, check the **Select All Items** box.
 - d. In the sublist, select the item.
 - e. Click **Add**.
 - f. Repeat steps d and e above to include more items to the exceptions list.
3. Click **Save**.

Defining Custom Criteria for a Saved Search

The sales orders in the auto close items list are automatically closed when you run the Auto Close Back Orders script. This script searches for sales order transactions that meet the criteria defined in the saved search **AFK Fill Kill Transaction Search** and closes them. The **AFK Fill Kill Transaction Search** saved search is editable and you can define your own criteria to search for specific sales order line items.

The following image shows default saved search criteria:

Saved Transaction Search
AFK Fill Kill Transaction Search

Save Cancel Preview New Template Change ID Actions

Search Title *
AFK Fill Kill Transaction Search

ID
customsearch_afk_transaction_search

Owner *
Public

☒ Public
☒ Available as List View

☐ Available as Dashboard View
☐ Available as Sublist View
☐ Available for Reminders
☐ Show in Menu

Criteria Results Highlighting Available Filters Agilence Rules Email Audit Trail Execution Log

Use this tab to specify criteria that narrow down your search.

☐ Use Expressions

Standard	Summary
Filter *	Description *
Type	is Sales Order
Status	is any of Sales Order Partially Fulfilled, Sales Order Pending Billing/Partially Fulfilled
Quantity Billed	is greater than or equal to 0
Quantity Shipped/Received/Picked Up	is greater than or equal to 0
Formula (numeric)	is 1
Item Type	is none of Description, Discount, Item Group, Markup, Non-inventory Item, Other Charge, Payment, Service, Subtotal

Formula (numeric) CASE WHEN (quantitybilled)=(quantityshipped) THEN (CASE WHEN (quantitybilled) = (quantity) THEN 1 ELSE 0 END) ELSE 0 END

Item Type

Add Cancel Insert Remove

For more information about editing a saved search, see the help topic [Editing or Deleting a Saved Search](#).



Important: On the **Results** subtab of the saved search **AFK Fill Kill Transaction Search**, the following fields are required to process the auto close activity for sales order line items. You can add or remove other fields, but these fields must be available for the SuiteApp to auto close the sales order line items effectively.

- **Line sequence number**
- **Item**
- **Line Unique Key**

Importing Auto Close Items

You can also import auto close items using the CSV Imports feature. For importing auto close items, you must have **Edit** permission for the following records:

- Custom Record > Auto Close Items
- Custom Record > Item Exceptions

For more information, read the help topic [Importing CSV Files with the Import Assistant](#).