



ORACLE
NetSuite

Bill of Lading



2025.2

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Bill of Lading	1
Prerequisites for Bill of Lading SuiteBundle	1
Installing the Bill of Lading SuiteBundle	2
Creating or Customizing Roles to Use in Bill of Lading	2
Setting Bill of Lading Preferences	3
Managing Bill of Lading Templates	5
Creating a Custom Bill of Lading Template	5
Adding a Custom Bill of Lading Template	6
Removing a Custom Bill of Lading Template	6
Entering Bill of Lading Information	7
Adding NMFC Custom Values	7
Custom Fields on Source Transactions	7
Custom Fields on Item Fulfillment Transactions	8
Printing Bill of Lading	9
Printing from Print Bill of Lading Page	10
Printing from Item Fulfillment Transactions	11

Bill of Lading

A bill of lading (BOL) is a document that primarily serves as a legally binding agreement between the carrier and shipper or freight owner. It helps the carrier process the cargo according to the original contract. A bill of lading is presented to the carrier, outlining the individual shipping orders included in a shipment.

Bills of lading are also used internally in a company's own fleet. The summarized contents loaded to the truck and per stop details are included. This information is used as a confirmation on delivery to the customer.

The Bill of Lading SuiteBundle provides you a simplified interface to print the bill of lading document for selected item fulfillments. With this SuiteBundle, you can:

- Print bill of lading directly from item fulfillment transactions.
- Search for and select multiple item fulfillments for which you want to print bill of lading.
- Generate PDF files containing stand-alone bill of lading or master bill of lading.
- Save bill of lading PDF files to file cabinet.
- Use predefined templates or customized templates when generating stand-alone and master bill of lading
- Convert item weights to preferred weight unit and display converted values in the master bill of lading.
- Manage bill of lading preferences.

Read the following topics for more information:

- [Prerequisites for Bill of Lading SuiteBundle](#)
- [Installing the Bill of Lading SuiteBundle](#)
- [Creating or Customizing Roles to Use in Bill of Lading](#)
- [Setting Bill of Lading Preferences](#)
- [Managing Bill of Lading Templates](#)
 - [Creating a Custom Bill of Lading Template](#)
 - [Adding a Custom Bill of Lading Template](#)
 - [Removing a Custom Bill of Lading Template](#)
- [Entering Bill of Lading Information](#)
 - [Adding NMFC Custom Values](#)
 - [Custom Fields on Source Transactions](#)
 - [Custom Fields on Item Fulfillment Transactions](#)
- [Printing Bill of Lading](#)
 - [Printing from Print Bill of Lading Page](#)
 - [Printing from Item Fulfillment Transactions](#)

Prerequisites for Bill of Lading SuiteBundle

The Bill of Lading SuiteBundle is mainly developed and tested for NetSuite OneWorld.



Note: Make sure you turn off the popup blocker of your browser.

You need the following features to use this SuiteBundle.

To enable the features:

1. Go to Setup > Company > Enable Features.
2. Check the boxes next to all the features listed in the following table:

Subtab	Feature Name
Company	Multiple Units of Measure
SuiteCloud	■ Custom Records ■ Client SuiteScript ■ Server SuiteScript ■ Advanced PDF/HTML Templates

3. Click **Save**.

After enabling the required features, here's what to do next:

- [Installing the Bill of Lading SuiteBundle](#)
- [Creating or Customizing Roles to Use in Bill of Lading](#)
- [Setting Bill of Lading Preferences](#)

Installing the Bill of Lading SuiteBundle

Only users with an Administrator role or with SuiteBundler permission can install the SuiteBundle. The following are the bundle details:

- Bundle name: Bill of Lading
- Bundle ID: 312584

For more information, see the help topic [Installing a Bundle](#).

Bill of Lading is a managed SuiteBundle that automatically updates whenever enhancements or new features are added.

After the installation completes, you can start creating or customizing roles to use in bill of lading. Read [Creating or Customizing Roles to Use in Bill of Lading](#)

Creating or Customizing Roles to Use in Bill of Lading

If you are an Administrator, you can create new roles or customize roles for the Bill of Lading SuiteBundle. For more information, see the help topics [Assigning Roles to an Employee](#) and [Customizing or Creating NetSuite Roles](#).

Refer to the following table for minimum access levels for different record types required to use Bill of Lading:

Subtab	Permission	Minimum Permission Level
Transactions	Find Transaction	View

Subtab	Permission	Minimum Permission Level
	Fulfill Orders	Edit
	Item Fulfillment	Edit
	Sales Order	View
	Transfer Order	View
	Vendor Return Authorization	View
Lists	Documents and Files	View
	Items	View
	Locations	View
	Shipping Items	View
	Units	View
Setup	SuiteScript	Edit
	SuiteScript Scheduling	Full
Customer Record	Bill of Lading Preferences	View
	Master Record Type	View
	Standalone Record Type	View

Adding Center Category and Center Types

For custom roles, add the Bill of Lading center category to the Lists tab. Use the following information when creating the center category:

- Center category label – Bill of Lading
- Add the following links:
 - Bill of Lading Preferences
 - Bill of Lading
 - Bill of Lading Template

For more information, see the help topics [Creating Center Categories](#) and [Creating Center Links](#).

Setting Bill of Lading Preferences

To set preferences in the Bill of Lading Preferences page, go to Transactions > Sales > Bill of Lading Preferences.

Item Fulfillment Print Preferences

If you check the **Save to File Cabinet** box, the bill of lading printed from Item Fulfillment page is saved to the file cabinet. The SuiteBundle stores these files in the Documents > Files > Bills of Lading folder.

In the **Default Standalone Template** field, you can select a default template to use when printing the standalone bill of lading from the Item Fulfillment page.

Search Filters

The following table lists the different search filter preferences for the Print Bill of Lading page:

Preference	Description
Transaction Type	Adds the Transaction Type filter in the Print Bill of Lading page. This is a required field and you cannot clear it.
Customer	Adds the Customer filter in the Print Bill of Lading page. This is a required field and you cannot clear it.
Include Printed Items	Adds the Include Printed Items checkbox the Print Bill of Lading page. This is a required field and you cannot clear it.
Location	Adds the Location filter in the Print Bill of Lading page. This is a required field and you cannot clear it.
Shipping Method	If checked, adds the Shipping Method filter to the Print Bill of Lading page.
Ship Date	If checked, adds the Ship Date (Ship From and Ship to) filter to the Print Bill of Lading page.
Status	If checked, adds the Status filter to the Print Bill of Lading page.

Result Columns

The following table lists the item fulfillment result column preferences for the Print Bill of Lading page:

Preference	Description
Ref. No.	Displays the Ref. No. field from Item Fulfillment page in the item fulfillment search result columns. This is a required field and you cannot clear it.
Customer / Vendor	Displays Customer column for sales order transaction type and Vendor column for vendor return authorization transaction type in the item fulfillment search results. This is a required field and you cannot clear it. For transfer order transaction type, this column is not applicable and is hidden.
Status	Displays the Status column in the item fulfillment search results. This is a required field and you cannot clear it.
Created From	Displays the Created From field from Item Fulfillment page into the item fulfillment search result columns. This column displays the source transaction from which the item fulfillment is created. This is a required field and you cannot clear it.
Date	Displays the Date field from Item Fulfillment page into the item fulfillment search result columns. The column displays the date on which you are fulfilling the order. This is a required field and you cannot clear it.
Memo	If checked, displays the Memo column in the item fulfillment search results.
Shipping Carrier	If checked, displays the Shipping Carrier column in the item fulfillment search results.
Shipping Method	If checked, displays the Shipping Method column in the item fulfillment search results.

Preference	Description
Address	If checked, displays the Ship to Address column in the item fulfillment search results.
Box	If checked, displays the Box column in the item fulfillment search results. The column displays the total number of boxes included in the fulfillment.
LBS	If checked, displays the LBS column in the item fulfillment search results. This column displays the total weight of all the boxes included in the fulfillment.

Managing Bill of Lading Templates

Bill of Lading includes predefined templates, which you can readily use to print stand-alone and master bill of lading documents.

You can also create custom templates using Advanced PDF/HTML Templates. For more information, read the following help topics:

- [Creating a Custom Bill of Lading Template](#)
- [Adding a Custom Bill of Lading Template](#)
- [Removing a Custom Bill of Lading Template](#)

On the Bill of Lading Preferences page, you can select the default template to use when printing stand-alone bill of lading. For more information, see [Setting Bill of Lading Preferences](#)

The default template is used when you print directly from an item fulfillment transaction. When you print from the Print Bill of Lading page, you can choose the stand-alone or master bill of lading template that you want to use.

Creating a Custom Bill of Lading Template

To create a custom bill of lading template, you need to copy first the source code from the standard template on the Advanced PDF/HTML Templates page. Future SuiteBundle releases will overwrite any changes applied to the standard templates.

You need Administrator role permission to perform these actions.

To create a custom bill of lading template:

1. Go to Customization > Forms > Advanced PDF/HTML Templates.
2. Click the **Customize** link next to the **Standalone BOL Template** or **Master BOL Template** that you want to customize.
3. From the template page, copy the entire source code.
4. Click **Cancel**.
5. Click the **Customize** link next to Standard Packing Slip PDF/HTML Template.
6. To manually edit the source code, turn on the **Source Code** toggle.
7. Paste the copied source code in this template.
8. Customize the template as desired.
9. Click **Template Setup** and update the following in the Template Setup window:

- a. In the **Title** field, enter a name for the custom template.
 - b. In the **ScriptID** field, enter a script ID.
 - c. Click **Save**.
10. In the Advanced PDF/HTML Template page, click **Save**.

For more information, see the help topic [Advanced PDF/HTML Templates](#).

Adding a Custom Bill of Lading Template

You can add custom bill of lading templates for master as well as stand-alone bill of lading from the Add Bill of Lading Template page. The template name and its script ID can be determined from the Advanced PDF/HTML Templates page. After you add the templates, they are available for selection in the **Master BOL** and **Standalone BOL** dropdown lists on the Print Bill of Lading page.

You need an Administrator role permission to perform these actions.

To add a custom bill of lading template:

1. Go to Transactions > Sales > Bill of Lading Templates.
2. In the Bill of Lading Templates page:
 - a. (Optional) To save as a master bill of lading template, select **Master BOL** from the **Template Type** dropdown list.
 - b. In the **Name** field, enter the name of the template.
 - c. In the **Script ID** field, enter the script ID of the template in uppercase.
 - d. Click **Add**.

 **Note:** Ensure you enter the exact template name and script ID. To avoid error, copy the template name and script ID from the Advanced PDF/HTML Templates page. The page is accessible from Customization > Forms > Advanced HTML/PDF Templates.

Removing a Custom Bill of Lading Template

You can remove a custom bill of lading template from the list that appears on the Bill of Lading Templates page. Only the templates listed on this page will appear in the template dropdown list on the Bill of Lading and Item Fulfillment pages.

You need an Administrator role permission to perform these actions.

To remove a custom bill of lading template:

1. Go to Transactions > Sales > Bill of Lading Templates.
2. On the Bill of Lading Templates page:
 - a. Find the template you want to remove from the list.
 - b. On the Actions column, click the **Remove** link.
 - c. On the Remove a Template popup window, click **OK**.

Entering Bill of Lading Information

When you install the Bill of Lading SuiteBundle, custom fields are added on source transactions (sales order and transfer order) and item fulfillments. The information that you enter in these custom fields is used when generating the bill of lading.

For more information, read the following help topics:

- [Custom Fields on Source Transactions](#)
- [Custom Fields on Item Fulfillment Transactions](#)

In addition, the SuiteBundle lets you add custom NMFC values, which you can select in the NMFC No. field on item fulfillment transactions. For more information, see [Adding NMFC Custom Values](#)

Adding NMFC Custom Values

Administrators can modify the National Motor Freight Classification (NMFC) list to add custom values.

NMFC values appear in the options list when you assign an NMFC code in the Item Fulfillments.

To add an NMFC custom value:

1. Go to Customization > Lists, Records & Fields > Lists.
2. Under the List column, click the **NMFC. List**.
3. In the Value field, enter a custom value for the NMFC. The value can contain alphanumeric and special characters.



Important: Use symbols other than ampersand (&), greater than (>), and less than (<) symbols in the Value field. These characters can cause failure when you print the bill of lading.

4. Click **Add**.
5. Click **Save**.

Custom Fields on Source Transactions

You can add information about the source transaction custom fields which will be used in printing bill of lading. Source transactions include sales orders and transfer orders. For more information, read the help topics [Creating Sales Orders](#) and [Entering a Transfer Order](#)

The following custom fields are added to the **Shipping** subtab of the Sales Order or Transfer Order transactions:

Field	Description
Delivery Instructions	Enter the delivery instructions that you want to print on the bill of lading.
BOL Freight Terms	Enter the freight terms that you want to print on the bill of lading.
Third Party Account #	Enter the account number of the third-party account that you want to print on the bill of lading.

Field	Description
Third Party Billing Address	Enter the billing address of the third-party account that you want to print on the bill of lading.
Accessorials	Select the accessorials that you want to include for this shipment. To select multiple options from the list, press Ctrl and select the options.

The **Standalone BOL Notes** field is also added in the Sales Order or Transfer Order page.

Note: Custom fields on Item Fulfillment page take priority over the same fields in the source transaction page.

Custom Fields on Item Fulfillment Transactions

Similar with source transaction custom fields, the information you enter in item fulfillment custom fields is used when generating the bill of lading. To know more about fulfilling orders, read the help topic [Fulfilling Orders](#)

The following custom fields are added to the Item Fulfillment transactions:

Field	Description
PRO Number	Enter the progressive tracking number (PRO) for the shipment.
Standalone BOL Notes	Enter additional notes that you want to include in the stand-alone bill of lading.
Total Weight (Calculated)	Displays the total item fulfillment weight calculated by adding the total weight of each item.
Total Weight in LB (Override)	By default, displays the same weight as in the Total Weight (Calculated) field. If required, you can enter a different weight in this field. This weight displays in the bill of lading.
	Note: This field does not display the override value on each item fulfillment record when you fulfill orders in bulk using the Fulfill Orders page.
Delivery Instructions (in Shipping subtab)	Enter the delivery instructions that you want to print on the bill of lading.

The following line level fields are added in the sublist of the **Items** subtab:

Column Name	Description
Handling Unit Type	Select the unit type sourced from the Unit of Measure record.
Total Item Weight	This column displays the item weight multiplied by the quantity of each item.
FAK Class	Select the Freight All Kinds (FAK) class for each item.
NMFC No.	Select the National Motor Freight Classification (NMFC) code for each item. You can edit the NMFC list to add a new NMFC code. For more information, see Adding NMFC Custom Values
Item Weight	This column displays the line level item weight.

Column Name	Description
Handling Unit Qty	Enter the handling unit quantity for each item.  Note: When you print a master bill of lading, the #PKGS column displays the accumulated values shown under Handling Unit QTY column of the item fulfillment record.
Weight Units	This column displays the unit of weight for each item.

Printing Bill of Lading

The Bill of Lading SuiteBundle lets you print bill of lading directly from the item fulfillment record.

You can also use the Print Bill of Lading page to search for item fulfillments and to print bills of lading for multiple transactions. On this page, you can choose to print stand-alone or master bill of lading for the selected transactions.

For more information, read the following help topics:

- [Printing from Print Bill of Lading Page](#)
- [Printing from Item Fulfillment Transactions](#)

Both printing options for bill of lading require you to search for item fulfillments before you can continue to the next steps.

Types of Bill of Lading

You can generate two types of bills of lading:

Stand-alone BOL – This creates a separate bill of lading for each item fulfillment.

Master BOL – This is a consolidated bill of lading. Item fulfillments with the same customer (for sales order transaction), location (ship from), shipping address (ship to), and shipping method are grouped. Each group is printed in one master bill of lading file.

Searching Item Fulfillments on Print Bill of Lading Page

Search the item fulfillments on the Print Bill of Lading page.

To search item fulfillments on Print Bill of Lading page:

1. Go to Transactions > Sales > Bill of Lading.
2. From the **Transaction Type** list, select the transaction type.
3. In the **Search Options** section, set the filters for searching item fulfillments.

 **Note:** Some options do not display by default on the Print Bill of Lading page. To view them, set the relevant preferences in the Bill of Lading Preferences page.

Setting	Description
Transaction Type	Select the type of transaction by which you want to search the item fulfillments. Select from the following:

Setting	Description
	■ Sales Order ■ Transfer Order ■ Vendor Return Authorization
Customer	Select the customer for which you want to search the item fulfillments. This option is available only when you select Sales Order from the Transaction Type list. For sales order, you must select either the Customer or Location.
Location	Select the location by which you want to search the item fulfillments. For sales order, you must select either the Customer or Location .
Include Printed Items	If this box is cleared, the search results don't display item fulfillments for which bill of lading has been already printed. If this box is checked, those item fulfillments are also displayed in the search results.
Shipping Method	Select the shipping method by which you want to search the item fulfillments.
Ship Date From	Select the ship date from which you want to search the item fulfillments. This field is not applicable to Vendor Return Authorization transaction type.
Ship Date To	Select the ship date up to which you want to search the item fulfillments. This field is not applicable to Vendor Return Authorization transaction type.
Status	Select the status by which you want to search item fulfillments.

4. Click **Search**.

Printing from Print Bill of Lading Page

After searching the item fulfillments, select the item fulfillments for which you will print the bill of lading.

To print the bill of lading:

1. Go to Transactions > Sales > Bill of Lading.
2. Search item fulfillments. Read [To search item fulfillments on Print Bill of Lading page](#).
3. In the **Print Options** section, choose the applicable settings:

Setting	Description
Format	Select the type of bill of lading to print. Choose from one of the following radio buttons: ■ Standalone BOL- Prints standalone bill of lading for selected item fulfillments. Each bill of lading prints in a separate file and opens in a different browser tab. ■ Master BOL- Prints master bill of lading for selected item fulfillments. Item fulfillments with the same customer (for sales order), location (ship from), shipping address (ship to), and shipping method are included in one bill of lading file. Multiple master bill of lading files open in different browser tabs. ■ Both- Prints standalone as well as master bill of lading for selected item fulfillments. Item fulfillments having the same customer (for sales order), location (ship from), shipping address (ship to), and shipping method are included in one bill of lading file. The file contains the master bill of lading, followed by standalone bills of lading. Multiple bill of lading files open in different browser tabs.
Standalone BOL	Select the standalone bill of lading template format in which you want to print the standalone bill of lading. The standalone bill of lading templates added from the Add Bill of Lading Template page are listed here.

Setting	Description
Master BOL	Select the master bill of lading template format in which you want to print the master bill of lading. The master bill of lading templates added from the Add Bill of Lading Template page are listed here.
Save to File Cabinet	If you check this box, printing the bill of lading also saves the file to the file cabinet.
Total Weight Units on Master BOL	Select the unit of weight for displaying the total weight on the master bill of lading.
Master BOL Notes	Enter additional notes that you want to include in the master bill of lading.

4. In the Item Fulfillments sublist, select the item fulfillments for which you want to print the bill of lading.
5. Click **Print**.

Note: You can open up to 40 bills of lading files, each in a different browser tab. If there are more than 40 files, the files do not open in browser tabs, and you need to save them to the file cabinet.

Printing from Item Fulfillment Transactions

You can print the bill of lading for a single item fulfillment directly from the Item Fulfillment transaction.

To print the bill of lading from the Item Fulfillment:

1. Go to Transactions > Sales > Bill of Lading.
2. Search item fulfillments. Read [To search item fulfillments on Print Bill of Lading page](#).
3. On the Print Bill of Lading page, on the **Item Fulfillments** sublist, click the **View** link for the item fulfillment record.
4. On the Item Fulfillment page:
 - a. Click the **Print BOL** button.
 - b. On the popup window, you can select a template from the **Standalone Template** dropdown list. The SuiteBundle automatically selects the **Default Standalone Template** you set on the Bill of Lading Preferences page.
 - c. Click **Print BOL**.

You can save the printed bill of lading from the Item Fulfillment page in the file cabinet. On the Bill of Lading Preferences page, you can check the **Save to File Cabinet** box to store the printed files in the Bills of Lading folder.

To access the files anytime, go to Documents > Files > Bills of Lading folder.