



ORACLE
NetSuite

Billing and Invoices Guide

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Billing	1
Customer Billing Workflow Charts	2
Deciding Between Invoices and Cash Sales	3
Statement Charges	3
Adding Billing Information to a Transaction	4
Using Billing Classes	5
Creating Billing Classes	5
Using Consolidated Billing for Projects and for Payments	7
Creating Terms of Payment	8
Using Terms of Payment	9
Remittance Forms	10
Printing Remittance Forms	10
Invoices	12
Invoices Overview	12
Custom Workflow Based Invoice Approval	13
Transactional Impact for Workflow Based Invoice Approvals	14
Invoice Approval Workflow	15
Using the Billing Tab and Dashboard	21
Global Invoicing Preferences	23
Invoicing Preferences	23
Subscription Management Preferences	24
Charge Preferences	25
Invoicing Preferences for Individual Forms	26
Classes and Preferences	27
Creating an Invoice	27
Choosing an Invoice Type	29
Invoice Groups Overview	30
Invoice Groups Workflow Diagram	31
Invoice Groups Statuses and State Transitions	31
Invoice Groups and Installments	32
Invoice Groups Setup	32
Enabling the Invoice Groups Feature	32
Numbering Invoice Groups	33
Using Billing Operations to Generate and Group Invoices	33
Customizing the Invoice Group Form	34
Setting a Subsidiary for an Invoice Group	34
Using SuiteFlow to Create an Invoice Groups Workflow	35
Invoice Groups Management	35
Creating an Invoice Group	36
Viewing the Invoice Group Record	37
Viewing an Individual Invoice in an Invoice Group	38
Adding an Invoice to an Invoice Group	39
Removing an Invoice From an Invoice Group	40
Grouped Invoices Due Date	40
Invoice Groups and Closed Periods	41
Accepting Payment for an Invoice Group	41
Generating and Printing an Invoice Group PDF	42
Invoice Groups and Customer Statements	42
Invoice Group Reporting and the A/R Aging Report	42
Billing Operations	43
Viewing and Creating Bill Runs and Credit Memo Runs	43
Creating Billing Groups	45
Creating and Managing Billing Operation Schedules	47

Billing or Invoicing a Sales Order	47
Invoicing Billable Customers	48
Closing or Voiding an Invoice	49
Creating Installments	50
Printing an Invoice	52
Giving Customers Access to Invoices	53
Show the Customer Account Balance Due on Invoices	55
Displaying Deposit Balance on Customer Statements and Remittance Slips	55
Progress Invoices	56
Using Progress Invoicing	56
Creating Invoices from Progress Sales Orders	57
Creating Invoices from Fulfilled Progress Sales Orders	58
Billing Costs to Customers	58
Billing Items to Customers	60
Billing Time to Customers	62
Billing Expenses to Customers	63
Customer Statements	65
Generating Statements	65
Printing a Statement	68
Printing Mini Statements	70
SuiteBilling Overview	72
SuiteBilling Terminology	72
SuiteBilling Process Diagrams	73
Subscription Plan Creation	73
New Stand-Alone Subscription Creation	74
Subscription Creation from a Sales Order	75
Renew and Extend a Subscription from a New Subscription Record	77
Renew a Subscription with a New Subscription Record	77
SuiteBilling Roles and Permissions	78
SuiteBilling Change Orders	80
Renaming SuiteBilling Records	81
Maximum Values in SuiteBilling	82
Maximum Limit on Lines	83
Decimal Precision in SuiteBilling	83
Subscription Total Contract Value Metrics	83
Revenue Recognition for SuiteBilling	84
Revenue Recognition Rules for SuiteBilling	85
Calculations for Revenue Plans Created on Subscription Events	87
Revenue Allocation for One-Time and Recurring Subscription Lines	89
Revenue Recognition and Prepay with Drawdown	91
Example of Prepay with Drawdown and Revenue Recognition	91
SuiteBilling Setup	98
Setting the SuiteBilling Preferences	98
Enabling SuiteBilling Features	99
Optional Preferences for SuiteBilling	100
Setting the Optional Accounting Preference for Advanced Revenue Management	105
Creating Items for Subscription Plans	105
Class, Department, and Location Fields on Subscription Lines	106
Configuring Subscription Items for Revenue Recognition	107
Creating Subscription Plans	108
Adding Renewal Information to Subscription Plans	110
Creating Price Books	111
Creating Price Plans	117
Creating Billing Accounts	119
Copying a Subscription or Billing Account	123

SuiteBilling Management	124
Creating a New Stand-alone Subscription	124
Creating a Subscription from a Transaction	130
Updating a Subscription on a Transaction	131
Using Item Records and Change Orders	132
Closed Subscriptions	132
Changing a Subscription Line's Status on a Subscription Record	132
Activating a Subscription	132
Terminating a Subscription Line Item	135
Suspending a Subscription Line Item	135
Reactivating a Subscription Line Item	136
Removing One-Day Charges	136
Modifying Pricing	138
Adding Line Items to an Existing Subscription	140
Removing an Add-On Item	142
Charges Based on a Fixed Amount	143
Modifying the Class, Department, or Location of a Subscription Line	143
Change Order Type-Specific Revenue Impacts	144
Voiding a Change Order	144
SuiteBilling Subscription Revisions	145
Creating Usage Records	147
Voiding a Usage Record	147
Managing Rating Runs	148
Prepaid Usage with Drawdown	150
Accumulated Rating	150
Billing for Usage and Commit Plus Overage Charges	152
Saved Search Email Alerts	153
Renewing a Subscription	154
Deleting a Subscription	157
SuiteBilling Reports	159
Annual Recurring Revenue (ARR) and Monthly Recurring Revenue (MRR)	159
Total Contract Value Report	160
Billings to Date Report	161
Churn By Customer Report	161
Churn By Revenue Report	162
Fulfillable Items with SuiteBilling	164
Required Features and Module for Fulfillable Items with SuiteBilling	165
Installing Fulfillable Items with SuiteBilling	166
Roles and Permissions for Fulfillable Items with SuiteBilling	166
Supported Item Types for Fulfillable Items with SuiteBilling	167
Process Flow of Fulfillable Items with SuiteBilling	167
(Optional) Linking a Fulfillable Item to a Subscription Item	169
Additional Item Information for Fulfillable Items	170
Creating Additional Item Information Fields in Sale and Subscription Records	170
Setting Item Field Mappings	172
Linking a Fulfillable Item to a Subscription	173
Best Practices When Creating a Sales Order for use with Fulfillable Items with SuiteBilling	175
Entering Additional Item Information in an Item Fulfillment Record	176
Additional Item Information in the Subscription	177
Setting Dashboard Reminders for Subscriptions Pending Activation	177
Setting up a Subscription Activation Email Reminder	178
Merging Same Items in the Printed Invoice	179
Returning and Replacing Fulfillable Items	181
Fulfillable Items with SuiteBilling Support for CSV Import	183
Viewing the Subscription Line Splitting Event Record	183

Limitations of Fulfillable Items with SuiteBilling	184
Advanced Billing	186
Advanced Billing Overview	186
Enabling Advanced Billing	187
Billing Schedules	187
Creating Billing Schedules	188
Creating Billing Schedules From an Estimate or Sales Order	191
Applying Billing Schedules	192
Discount and Markup Items and Billing Schedules	194
Billing Customers Using Billing Schedules	195
Viewing Invoice Schedules	196
Advanced Billing and Advanced Shipping	198
Billing Orders Using Advanced Shipping with Advanced Billing	198
Electronic Invoicing	200
Electronic Invoicing Quick Start	202
Electronic Invoicing Overview	203
E-Document Audit Trail and Statuses	210
Electronic Invoicing Permissions and Access Levels	210
Electronic Invoicing SuiteApp Availability and License Client	213
Electronic Invoicing Limitations and Best Practices	214
Electronic Invoicing Administrator Guide	216
Installing and Setting Up Electronic Invoicing	217
Setting Up Electronic Invoicing Preferences	220
Defining the E-Document Country for Free Use	222
Advanced PDF/HTML Template	223
Granting Access Permission to the E-Documents Portlet	224
Understanding E-Document Transaction Response	224
Providing Access to Custom Roles for Generating and Sending Transaction Response to Avalara	228
Understanding E-Documents and E-Document Packages	233
Creating E-Document Packages	234
Multi-subsidiary Support in the Outbound Process	234
Creating E-Document Templates	234
Creating a Custom Plug-in Implementation for Extend E- Invoicing Plug-in	364
Creating E-Document Transaction Response Template	364
Editing E-Document Templates	366
E-Document Certification in the Outbound Process	366
Avalara for E-Invoicing	367
E-Document Network Status Overview	368
Creating E-Document Sending Methods	369
E-Document Email Custom Templates	377
Selecting a Designated E-Document Sender	379
Setting Up Custom Roles to Send E-Documents	379
Customizing Roles to Restrict E-Document Generation or Sending	380
Deploying the Bulk Generation Script for E-Documents	381
Deploying the Script for Bulk Scheduled Sending of E-Documents	383
Deploying the Script for Bulk Scheduled Certification of E-Documents	384
Scheduled Script for Getting Network Status of E-Documents	385
Updating E-Document Certification Statuses	387
Processing E-Documents Automatically for Individual Transactions	391
Electronic Invoicing Inbound Email Capture	392
Using SOAP Web Services for Inbound Processing	395
Setting Up Custom Roles that can Convert Inbound E-Documents	398
Inbound Validation Plug-ins	399
Deploying Automatic Bulk Conversion Script for Inbound E-Documents	402

Scheduled Script for Generating Transaction Response	403
Scheduled Script for Sending Transaction Response	403
Electronic Invoicing User Guide	404
Setting Up Electronic Invoicing Preferences	405
Displaying the E-Documents Portlet on the Home Page	405
Overview of Outbound E-Document Process	406
Outbound E-Document Statuses	407
Assigning E-Document Packages to Customer or Vendor Records	408
Defining E-Document Email Recipients	409
Selecting E-Document Packages, Templates and Sending Methods on Transactions	409
Enabling PDF File Reference Generation	410
Generating and Regenerating E-Documents	411
Sending and Resending E-Documents	413
E-Document Network Status	416
Overview of Inbound E-Document Processing	417
Inbound E-Document Statuses	417
Receiving Inbound E-Documents by Email Capture	418
Receiving E-Document XML Files from Web Service	419
Uploading Received XML Files as Inbound E-Documents	420
NSEB Inbound Document Conversion to Inbound E-Document	421
Multi Subsidiary Inbound Support	423
Converting Inbound E-Documents into Transaction Records	425
Common Scenarios in Vendor Bill Conversion	429
Converting Individual Inbound E-Documents into Vendor Bills	431
Converting Individual Inbound E-Documents into Vendor Credits	433
Converting Individual Inbound E-Documents into Sales Order	433
Converting Failed Inbound E-Documents	434
Compatibility of Approval Workflows with Vendor Bill Conversion	435
Canceling Inbound E-Documents	436
Electronic Invoicing Builder Kit	436
Electronic Invoicing Errors	452
NetSuite Electronic Business	466
NetSuite Electronic Business Quick Start	466
Prerequisites for Installing the NetSuite Electronic Business SuiteApp	466
Installing the NSEB SuiteApp	467
Assigning NSEB Roles	467
Integrate NetSuite with OBN	467
Connecting NetSuite with Avalara	467
NetSuite Electronic Business Overview	467
Installing and Setting Up NSEB	468
NetSuite Guide to Integrate with OBN	470
Setting Up OBN Processes	470
OBN Role Management	472
Troubleshooting OBN Errors	472
NSEB Limitations and Best Practices for OBN	473
Avalara Managers Guide	474
Prerequisites for Using Avalara	474
Avalara Role Management	474
Avalara Provisioning	475
Avalara Company Creation	476
Avalara Mandate Activation	476
PEPPOL Mandate Activation	477
Troubleshooting Avalara Errors	477
Avalara Limitations and Known Issues in NSEB	479
NetSuite Electronic Business Sandbox	480

What is NetSuite Sandbox	480
Using NetSuite Electronic Business in NetSuite Sandbox	480
NSEB Sandbox Quick Start	481
Limitations	483

Billing

Billing Overview

To receive payment from customers for the correct amount they owe, bill customers for any goods and services that you sell. Customer bills track exactly what goods and services were sold to the customer and the exact amount the customer owes you for each one.

After you've entered customer bills in NetSuite, send the bill to your customer so they know how much they owe you. You can print bills and then mail or fax them, or you can email bills to your customers.

If you enter a bill for all items you sell, you'll be able to track what you charged for each item, what each customer owes, and your total income.

Billing Forms

You can bill customers in several ways: using invoices, cash sales and statement charges. These transactions keep track of what you provided to the customer and how much you charged for each item or service. For more information about billing customers using these forms, read the following:

- [Deciding Between Invoices and Cash Sales](#)
- [Invoices](#)
- [Choosing an Invoice Type](#)
- [Cash Sales](#)
- [Statement Charges](#)

You can also create customer bills by converting a sales order into a bill, so you don't have to re-enter data. For more information, read the help topic [Creating Invoices or Cash Sales from Sales Orders](#).

Terms of Payment

Terms specify when payment is due on your customers' bills. You can create different payment terms for different customers. For example, one customer has terms of Net 30 and must pay the balance due within 30 days.

Using terms helps you track expected income over time. For more information about terms, read [Creating Terms of Payment](#) and [Using Terms of Payment](#).

Advanced Billing

Advanced billing enables you to create billing schedules to invoice sales over a range of time or a contract term. For example, a service company can use advanced billing to manage recurring billing on sales such as a one-year membership billed monthly. Billing schedules manage the billing process to track when to invoice customers and how much to bill. For more information, read the following:

- [Advanced Billing](#)
- [Advanced Billing and Advanced Shipping](#)

Invoice in Advance of Fulfillment


If you want to create invoices for an entire order even if it hasn't been completely fulfilled, turn on the **Invoice in Advance of Fulfillment** preference. Then, even if you've only shipped part of an order, you can still create an invoice or cash sale for the entire transaction. For information about enabling this preference, read the help topic [Accounting Preferences](#).

Customer Billing Workflow Charts

This section includes high-level overview diagrams of the billing process, both with and without the Advanced Shipping feature enabled.


Billing Without Advanced Shipping

The following diagram shows the workflow for billing without Advanced Shipping. For information about how to bill customers without advanced shipping, see [Adding Billing Information to a Transaction](#).



Billing with Advanced Shipping

The following diagram shows the workflow for billing with Advanced Shipping enabled. To enable Advanced Shipping, see the help topic [Advanced Shipping](#). For information about billing customers using the Advanced Billing and Advanced Shipping features, see [Advanced Billing and Advanced Shipping](#).



Deciding Between Invoices and Cash Sales

Generally, you should enter a cash sale only if you're sure you'll get paid at the time of the sale. That could be in the form of credit card, check or cash.

But if you let your customers pay later, you should issue an invoice so you can keep track of who owes you and how much.

Statement Charges

Statement charges work like invoices because they track payments you expect from customers. If you want to add up several charges before sending a billing statement to a customer, use statement charges instead of invoices.

For example, a landscaping company offers weekly lawn service to its customers. Each weekly service costs \$50. You enter a \$50 statement charge each week the lawn service is done. Then, one time each month, you send a statement to the customer showing the total due for services.

To enter a statement charge:

1. Go to Transactions > Sales > Create Statement Charges (Administrator).
2. In the **A/R Account** field, choose the account you want to post this statement charge to.
3. In the **Customer** or **Project** field, select the appropriate customer or project.

The currency selected on the customer's record appears here as well as the exchange rate for this customer's currency.

Note: NetSuite enables you to create a statement charge for intercompany customers and inventory items.

4. Enter a new rate to update this currency's exchange rate.

 **Note:** If the Advanced Pricing feature is enabled, the Rate field on statement charges is determined by your configured price rules. The rate is sourced based on the transaction date for the statement charge. This may result in rates that differ from those shown without Advanced Pricing enabled.

5. In the **Date** field, accept, enter or pick the correct date.
6. In the **Posting Period** field, select the month and year you want this charge to post.
7. In the **Ref. No.** field, accept or enter a reference number.
8. In the **Due Date** field, enter or pick a date this charge is due.
9. In the **Item** field, select the item to which this charge applies.
10. In the **Quantity** field, enter the appropriate quantity.
11. In the **Description** field, accept or enter a description for this customer charge.
In the Rate field, the rate for the item automatically appears.
In the Total field, the amount in the Quantity field is multiplied by the amount in the Rate field.
12. If you track departments, select the appropriate department for this charge in the **Department** field.
13. If you use NetSuite OneWorld and the selected customer is shared with multiple subsidiaries, you can choose any subsidiary assigned to the selected customer. If you haven't shared the customer record with multiple subsidiaries, you'll see the primary subsidiary as read-only.
For information about sharing customer records with multiple subsidiaries, see the help topic [Assigning Subsidiaries to a Customer](#).
14. If you track classes, select the appropriate class for this charge in the **Class** field.
15. Click **Save**.

After you create statement charges, you can send them to your customers by generating statements. How you generate statements depends on your role.

- To generate statements as an Administrator, go to Transactions > Customers > Generate Statements.
- To generate statements using the A/R Clerk role, go to Billing > Sales > Generate Statements.

Adding Billing Information to a Transaction

Select the Billing subtab to add billing related information to a transaction.

To add billing information to a transaction:

1. If you're creating a progress billing sales order, select billing terms for this order in the **Terms** field.

 **Important:** On a sales order, if you enter both a payment method and terms, the payment method comes first, so a cash sale gets created when you bill.

2. If you use the Advanced Billing feature, select the schedule you want to apply to this order in the **Billing Schedule** field.
3. The customer's default billing address shows in the **Bill To** text field.
 - To add an address to be used for this sales order and saved with the customer record, select **New** in the **Bill To Select** field, or click the + icon.

- To add an address to be used for this sales order only and not saved with the customer record, select **Custom** in the **Bill To Select** field.
- Click the **Edit** icon to make changes to the address selected in the **Bill To Select** field. These changes are saved with the customer record.

Using Billing Classes

You can use billing classes to set billable time rates for service items based on employees.

When different employees charge different rates for the same service, create billing classes and assign a billing class to employees. Set the pricing for each billing class on service item records. Then, the correct default pricing shows when an employee enters billable time to invoice the customer.

You can create a billing classes for individual employees or groups, and charge a different rate for each.

For example, a law office can use billing classes to charge specific hourly rates for time billed by partners in the firm:

For example, you run a law firm and create two billing classes called Junior Partner and Senior Partner. You associate the Junior Partner and Senior Partner billing classes with the service item Initial Consultation and set the appropriate billing rates for each. Also, you select the Junior Partner billing class on John Smith's employee record. Then, when John Smith enters billable time for an initial consultation, the time is billed at the junior partner rate by default.

Using Billing Classes requires the four following steps:

1. [Enable the Bill Costs to Customers feature](#)
2. [Creating Billing Classes](#)
3. [Specify Billing Classes on Employee Records](#)
4. [Track Billing Class Pricing on Service Items](#)

Enable the Bill Costs to Customers feature

1. Go to Setup > Company > Enable Features (Administrator).
2. Click the **Transactions** subtab and check the **Bill Costs to Customers** box under Billing.
3. Click the **Employees** subtab and under Time & Expenses, check the **Time Tracking** box .
4. Check the **Per-Employee Billing Rates** box.
5. Click **Save**.

Now that these features are enabled, you can create billing classes. Create a billing class for each category you want to create prices for.

Creating Billing Classes

1. Go to Setup > Accounting > Billing Classes > New.
2. On the Billing Class page, enter the name of the billing class.
For example, enter Junior Partner or Senior Partner.

3. If you're using Multiple Units of Measure and Charge-Based Billing, you can select a Price, Units Type, and Sale Unit to use custom interval billing rates. For more information, see the help topic [Custom Interval Billing Rates](#).
4. Click **Save**.

After you've created billing classes, they appear in the billing class lists on service item records and employee records.



Note: If you're using Project Management and Charge-Based Billing for projects, you can also enable billing rate cards to define different billing rates for groups of billing classes. You can then use these rate cards to set billing rates on charge-based projects using time-based charge rules. For more information, see the help topic [Using Billing Rate Cards](#).

If you're using rate cards, billing class records won't have a field for defining rates. You must define rates for billing classes used for projects on billing rate cards. After you enable the feature, a default billing rate card is automatically created with your existing billing classes and default rates.

Next, you can select the default billing class to determine the rate billed for each employee.

Specify Billing Classes on Employee Records

1. Go to Lists > Employees > Employees.
2. Click **Edit** next to an employee.
3. Under Classification, in the **Billing Class** field, choose a billing class.
4. Click **Save**.

Now, when billable time is entered in Time Tracking for this employee, the default rate charged is the rate set for the billing class on the service item record.

On service item records, enter rates for each billing class to set pricing.

Track Billing Class Pricing on Service Items

1. Go to Lists > Accounting > Items.
2. Click **Edit** next to a service item. The item type must be Service for Sale or Service for Resale.
3. On the item record, click the **Sales/Pricing** subtab.
4. Under Sales, select a billing class.
For example, select Senior Partner to set up senior partner rates.
5. Under Pricing, make sure you've entered default prices on your base currency subtab.
6. Enter the appropriate pricing for that billing class.
Billing classes can't have negative rates.
7. Click **Add**.
8. Set additional billing classes and rates as needed.
9. Click **Save**.

When you enter the service item in Time Tracking for an employee with a billing schedule, the correct pricing shows up automatically.

For more information about invoicing customers for billable time, read [Billing Time to Customers](#).

 **Note:** Because the Billing Classes feature is not compatible with the Quantity Pricing feature, you can't use both features at the same time. If both are enabled, then billing classes replace quantity pricing on service item records.

Using Consolidated Billing for Projects and for Payments

Consolidated billing is a set of accounting features and preferences that affect the way you invoice your customers and take payments.

These features and preferences are described below:

- **Consolidate Projects on Sales Transactions** – When you enable this preference, you can create sales orders and bill customers for charges associated with multiple projects on one invoice. A Project column appears on sales transactions in the list of items so that each item or expense can be attributed to a particular project.
 - You can't issue sales transactions directly to projects. You can only issue sales transactions to customers and subcustomers.
 - If you're using Project Management, one project gets created for each project-tagged line-item on sales transactions.

When you clear this box, you can associate all items on a sales transaction with only one customer or project. You can issue sales transactions to both customers and projects. If you use Project Management, one project is created that contains all project-tagged line-items on the order.

- **Consolidated Payments** – Enable this feature to accept payments for projects or subcustomers either through top-level customer or the individual subcustomer. You can pay multiple invoices for different projects and subcustomers at the same time. For more information, see the help topic [Consolidated Payments](#).

You can use these preferences together or independently. What you choose to enable determines how your sales transactions and payments are handled.

Consolidate Projects on Sales Transactions only:

- Projects are not available in the Project list when creating sales transactions.
- A project column appears in the item list on sales transactions.

Consolidated Payments feature only:

- You can create sales transactions for projects.
- Any balances for projects and subcustomers can be paid through the parent customer or the subcustomer.

Both Consolidate Projects on Sales Transactions and Consolidated Payments:

- Sales transactions can only be created for customers and subcustomers.
- A project column appears in the item list on sales transactions.
- Payments can be made through either the parent customer or the subcustomer.



Important: Projects aren't tracked as subcustomers when the Project Management feature is enabled. For more information, read the help topic [Using Project Management](#).

You can enable the Consolidate Projects on Sales Transactions preference at Setup > Accounting > Preferences > Accounting Preferences. You can enable the Consolidated Payments feature at Setup > Company > Setup Tasks > Enable Features on the Accounting subtab.

To accept a customer payment, go to Transactions > Customers > Accept Customer Payments.

Creating Terms of Payment

Terms are used to specify when payment is due on customer invoices and vendor bills. Define the specific requirements of a term of payment by creating a term record. You can create different payment terms for different customers or vendors.

To create a standard term record:

1. Go to Billing > Setup > Payment Terms > New.
2. On the Add to Accounting List page, select **Term**.
3. On the Term page, select **Standard**.



Note: Standard is selected by default, as opposed to Date Driven.

4. Enter a name for the term in the **Terms** field.
For example, you can name a term **Net 30**.
5. In the **Days Till Net Due** field, enter the number of days until the net amount of the invoice or bill becomes due.
6. In the **% Discount** field, enter the percentage discount if the invoice or bill is paid early.
7. In the **Days Till Discount Expires** field, enter the number of days the early payment discount is available.
For example, if the early payment discount is available for 15 days after the bill is issued, enter **15** in this field.
8. Click **Save**.

To create a date driven term record

1. Go to Billing > Setup > Payment Terms > New.
2. On the Term page, select **Date Driven**. Date driven terms are used when payment is due on a particular calendar date; for example, the 15th of the month.
3. Enter a name for the term in the **Terms** field.
4. In the **Day of Month Net Due** field, enter the day of the month when the net amount of the invoice is due.
If you enter a date that doesn't exist in the month the transaction is due, the last day of the month becomes the due date.
5. In the **Due Next Month If Within Days** field, enter the number of days before the due date during which issued invoices will be carried forward to the next month.
Use this field to make sure customers are always given a minimum number of days to pay after they're invoiced.

For example, if invoices are due on the 30th of each month and you enter **5** in this field, then invoices issued between the 25th and 30th are due for payment by the 30th of the following month.

6. In the **% Discount** field, enter the percentage discount if the invoice is paid early.
7. If you offer a discount for early payment, enter the last day of the month the early payment discount is available in the **Day Discount Expires** field.
For example, if the early payment discount is available through the 20th of each month, enter **20** in this field.
8. Check the **Preferred** box if you want to use this term for customers by default.
9. Click **Save**.

Now this term can be used on customer records, vendor bills and other transactions.

You can create several term records to apply the appropriate terms to individual customers, vendor bills and other transactions. Standard terms include the following:

- 1% 10 Net 30
- 2% 10 Net 30
- Due on receipt
- Net 15
- Net 30
- Net 60

You can apply the terms to invoices by choosing a term on individual invoices or by setting default terms on customer and vendor records. For more information, read [Using Terms of Payment](#).

Using Terms of Payment

After you've created a term record, you can select that term on invoices and customer records to set payment terms. When you select a term on a customer's record, that term becomes the default on bills to the customer. You can also set terms for each invoice individually.

If you always require the same payment terms for a customer, you can set the default terms on the customer record. Then, when you select the customer on an invoice, their terms automatically appear.

To set default terms on an existing customer record:

1. Go to Lists > Relationships > Customers.
2. Click **Edit** next to the customer's name.
3. On the customer record, click the **Financial** subtab.
4. Under Account Information, in the **Terms** field, select the term you want to default for this customer.
5. Click **Save**.

Now, the term you chose defaults on the customer's invoices. After you have set default terms for a customer, you can still change the terms on any individual invoice.

To set payment terms on an invoice:

1. Go to Customers > Sales > Create Invoices.
2. On the Invoice in the **Customer** field, choose the customer you're billing and fill in the details.
3. Click the **Billing** subtab.
4. Under Billing Information, in the **Terms** field, choose the terms of payment for this invoice.
5. Click **Save**.

Now, the terms of payment for this invoice are set based on the term you selected.

Remittance Forms

A remittance slip prints on invoices and statements to help your customers pay you. It also helps you keep track incoming payments.

The remittance slip lists the payment information your customer needs to make a payment. Remittance slips include:

- your company name
- your customer's name
- a blank box for the customer to enter amount paid
- the invoice number (on invoices) or amount due (on statements)
- a box for the customer to enter credit card information
- the name to make checks payable to
- the address to mail the payment to
- an optional message or disclaimer

If the Deposit Balance and Net Amount Due fields are enabled for the customer, these fields also display on the remittance slip. For more information, see [Displaying Deposit Balance on Customer Statements and Remittance Slips](#).

You can activate the remittance slip only on forms that use a standard template. Remittance slips won't show up on customized forms that use advanced PDF/HTML templates.

Customers fill out the information and detach the remittance slip to remit with their payment.

When you receive the payment, the enclosed remittance slip shows the payment method and how the customer wants the payment applied, like on specific invoices or to the statement balance.

For information about printing, see [Printing Remittance Forms](#)

Printing Remittance Forms

You can print a remittance slip on invoices and statements to help your customers pay you. It also helps you keep track incoming payments.

The remittance slip provides details the customer needs to make a payment. Customers fill out the information and detach the remittance slip to remit with their payment.

When you receive the payment, the enclosed remittance slip details the payment method and how the customer intends for the payment to be applied, like on specific invoices or their statement balance.

To activate Print Remittance Slip with Invoices & Statements:

1. Go to Setup > Company > Preferences > Printing and Fax (Administrator).
2. Click the **Printing** subtab.
3. Check the **Print Remittance Slip with Invoices & Statements** box.
4. Click **Save**.

Now, your printed invoices and statements show a remittance slip.

To customize remittance slips, go to Customization > Forms > Transaction Forms. On the Custom Transaction Forms page, click **Customize** next to Standard Remittance Slip.

Invoices

- [Custom Workflow Based Invoice Approval](#)
- [Custom Workflow Based Invoice Approval](#)
- [Using the Billing Tab and Dashboard](#)
- [Global Invoicing Preferences](#)
- [Creating an Invoice](#)
- [Choosing an Invoice Type](#)
- [Invoice Groups Overview](#)
- [Billing Operations](#)
- [Billing or Invoicing a Sales Order](#)
- [Invoicing Billable Customers](#)
- [Closing or Voiding an Invoice](#)
- [Creating Installments](#)
- [Printing an Invoice](#)
- [Progress Invoices](#)
- [Billing Costs to Customers](#)
- [Displaying Deposit Balance on Customer Statements and Remittance Slips](#)

Invoices Overview

An invoice is a record of a sale to a customer. Invoicing is the process of creating bills for goods and services that customers receive. Record an invoice when you don't receive payment at the time of delivery. The invoice amount is the total due to be paid to you by the customer.

The invoice shows payment terms that tell you when you're expected to get paid. Invoice aging tracks how long an amount has been due. NetSuite monitors your outstanding invoices in an account called Accounts Receivable.

All sales in NetSuite involve items from your Items list. Each invoice has several line items that add up to the total. In companies with basic billing procedures, you select items at the time of sale by clicking Items on the Invoice page.

 **Note:** Partially fulfilled Item Groups and partially fulfilled Kit/Packages display a quantity of zero (0) on printed invoices.

If you bill costs back to customers, you'll see additional sections to identify billable costs, mark them up and add them to invoices.

 **Important:** You can't have more than 200 lines per transaction. For more information about line limitations in NetSuite, see the help topic [Line Limitations for Transactions](#).

To enter an invoice, go to Billing > Sales > Create Invoices.

Invoice in Advance of Fulfillment

If you want to create invoices for an entire order even if the order hasn't been fully fulfilled, set the **Invoice in Advance of Fulfillment** preference. Then, even if you ship only part of an order, you can create an invoice or cash sale for the entire order. For information about this preference, read the help topic [Accounting Preferences](#).

Note: If you manually add an item to an invoice, the on-hand item quantity on the invoice and on any linked fulfillment shows the updated amount.

Custom Invoice Forms

To create a custom invoice form or modify your invoice layout, go to Customization > Forms > Transaction Forms. For detailed instructions, read the help topic [Creating Custom Entry and Transaction Forms](#).

Custom Workflow Based Invoice Approval

You can create a custom workflow or use the standard workflow for invoice approvals. A custom workflow gives you the most flexibility for processing approvals. For more information, read the help topic [Using Custom SuiteFlow Workflows for Approval Routing](#).

You can use SuiteFlow to create your own custom workflow to process invoice approvals.

- To use SuiteFlow to create a custom workflow for invoice approvals, enable approval routing for invoices first. To enable approval routing for invoices, go to Setup > Accounting > Accounting Preferences. On the **Approval Routing** subtab, check the **Invoices** box. For more information about approval routing, read the help topic [Approval Routing](#).
- To create workflows using SuiteFlow, enable SuiteFlow by going to Setup > Company > Setup Tasks > Enable Features. Click the **SuiteCloud** tab, and then check the **SuiteFlow** box. Click **Save**.

For workflow based invoice approvals, you can create a custom workflow.

Consider adding these options in your custom invoice approval workflow:

- Hierarchical or custom routing rules
- Email notifications that include links to drill down to records for approval
- Approve and Reject buttons
- Respecting approval limits
- Updating the **Approval Status** and **Next Approver** fields on records
- Preventing pending approval records from being edited
- Designating an alternate approver.

To complete a basic invoice approvals workflow:

1. Go to Customization > Scripting > Workflows > New (Administrator).
2. Under Basic Information:
 - In the **Name** field, enter **Invoice Approval**
 - In the **Record Type** field, select **Transaction**
 - In the **Sub-Types** field, select **Invoice**
 - In the **Release Status** field, select **Released**
3. Under Event Definition:
 - Check the **On Create** box
 - In the **Context** field, select **CSV Import** and use Ctrl+click to also select **User Interface**
4. Click **Save**.
5. Double-click **State 1** to open the Workflow State page.
6. In the **Name** field, enter **Pending Approval**, and then click **Save**.

7. In the bottom, right side of the page, click **New Action**.
8. Click **Set Field Value**.
9. On the Workflow Action page:
 - Under Parameters, in the **Field** field, select **Approval Status**
 - Under Value, select **Static Value**
 - In the **Selection** field, click the double arrows, select **List**, and then select **Pending Approval**
 - Click **Save**
10. Click **New Action**.
11. Click **Add Button**.
12. In the **Event Type** field, select **View**.
13. In the Parameters section, enter **Approve** in the **Label** field.
14. Click **Save**.
15. In the Workspace, click **New State**.
16. Double-click **New State** to open the Workflow State page.
17. In the **Name** field, enter **Approved**, and then click **Save**.
18. In the Diagram frame, click **Approved**.
19. Click the **Actions** subtab, and then click **New Action**.
20. Click **Set Field Value**.
21. Under Parameters, select **Approval Status** in the **Field** field.
22. Under Value:
 - Select **Static Value**
 - In the **Selection** field, click the double arrows, select **List**, and then select **Approved**
23. Click **Save**.
24. Click the icon at the bottom of the **Pending Approval** state then drag the arrow to create a transition to the **Approved** state.
25. Double-click the arrow to open the Transition window and edit the workflow transition properties as needed.

 **Note:** If you use SuiteFlow for invoice approval, all invoices start with Pending Approval status by default.

You can always manually set an invoice to Approved for basic approvals.

 **Note:** The SuiteFlow conditions used for Bulk Approvals for records using custom approvals have been updated for the invoice record. Prior to 2016.2, both the workflow button's condition and the Next Approver condition filtered invoice records for bulk approvals. The Next Approver condition checks that the **Next Approver** field on the record has the current logged-in user. Beginning in 2016.2, the Next Approver condition is no longer used to filter records for bulk approvals for this record. Records are now filtered for bulk approvals using only the workflow button's condition. If you want to continue filtering records based on the **Next Approver** field, add the condition to the workflow button. If you need help, contact Customer Support.

Transactional Impact for Workflow Based Invoice Approvals

Sales Orders – When you create an invoice from a sales order, the sales order status changes from Pending Billing to Fully Billed.

Payments – If an invoice isn't approved, it won't show up in the customer payment queue. When it's approved, the invoice appears in the customer payment queue.

Inventory-standalone invoices – When pending approval invoices are created, there's no inventory impact. When the approval status changes to approved, quantity on-hand and quantity available are both decremented.

Inventory-Advanced Shipping – When Advanced Shipping is on, pending approval invoices created against sales orders don't affect inventory. When Advanced Shipping is on and when the approval status of an invoice changes from pending approval to approved, quantity on-hand decreases in these areas:

- at the location
- inventory number
- bin level

Quantity available is decreased at the inventory numbers level if you didn't enter inventory numbers on the sales order.

Accounting – Transaction are non-posting until their state changes from pending approval to approved.

Revenue recognition – When invoices require approval, related revenue recognition schedules aren't created until they're approved.

Invoice Approval Workflow

The Invoice Approval Workflow handles validation and approval routing of an invoice before you send it to a customer. It uses set criteria to determine whether an invoice needs approval. A supervisor or billing manager is required to review only incorrect or questionable invoices.

The Invoice Approval Workflow runs these checks:

- Identification of a customer's first invoice
- Customers with a credit hold on the account
- Validation of payment terms on the invoice against the customer record
- Validation of tax amount on the invoice
- Identification of flagged customers

For more information about the validations, see [Invoice Approval Workflow Exception Criteria](#).

You can customize the workflow and select only the criteria that fit your business needs. To learn how workflow-based approval affects other transactions, read [Transactional Impact for Workflow Based Invoice Approvals](#).

Availability

The Invoice Approval Workflow is included in the NetSuite Approvals Workflow SuiteApp that must be installed in your account. For the steps, see [Installing the NetSuite Approvals Workflow SuiteApp](#).

Setting Up the Invoice Approval Workflow

Before you can use the Invoice Approval Workflow, complete the following actions:

1. Enable the required features and preference. See [Prerequisites](#).
2. Install the NetSuite Approvals Workflow SuiteApp. See [Installing the NetSuite Approvals Workflow SuiteApp](#).
3. Set up roles and permissions. See [Setting Up Roles and Permissions](#).
4. Run the Invoice Approval Workflow. See [Running the Invoice Approval Workflow](#).

Prerequisites

Before using the Invoice Approval Workflow, as an Administrator, make sure you enable the following features and preference:

- Go to Setup > Company > Setup Tasks > Enable Features, and enable the following:
 - On the **Employees** tab, check the **Approval Routing** box.
 - On the **SuiteCloud** tab, check the **SuiteFlow** box.
- Go to Setup > Accounting > Accounting Preferences. On the **Approval Routing** tab, check the **Invoices** box.

For more information about enabling features and preferences, see the help topic [Enabling Features](#).

Installing the NetSuite Approvals Workflow SuiteApp

The Invoice Approval Workflow is included in the NetSuite Approvals Workflow SuiteApp. If you already have the SuiteApp, go to Customization > SuiteBundler > Search & Install Bundles > List to check if you have the latest version. On the Installed Bundles page, look for the SuiteApp with the following details:

- Bundle Name: **NetSuite Approvals Workflow**
- Bundle ID: **537941**

Click the SuiteApp link to open the Bundle Details page. Under the **Components** tab, look for the Invoice Approval Workflow. If you still need to install the SuiteApp, use the same details to search for it on the Search & Install Bundles page. For more information about installing bundles, see the help topic [Installing a Bundle](#).

 **Note:** This is a managed SuiteApp and is automatically updated whenever there are upgrades. Issue fixes and enhancements are available after the SuiteApp is updated in your account.

Setting Up Roles and Permissions

After you install the SuiteApp, these roles automatically get full permissions for Invoice Approval:

- CEO
- CFO
- Accountant
- Accountant (Reviewer)
- Bookkeeper
- Warehouse Manager

 **Important:** You must assign a supervisor as the approver for each invoice creator. For information about assigning supervisors, see the help topic [Assigning a Supervisor to an Employee](#).

For more information about assigning roles and permissions, see the help topic [Customizing or Creating NetSuite Roles](#).

Running the Invoice Approval Workflow

After you install or create your custom Invoice Approval Workflow, you need to run it by updating the release status.

To run the Invoice Approval Workflow:

1. Go to Customization > Scripting > Workflows.
2. On the Workflows list, do one of the following:
 - If you're running the default workflow, click the workflow name, Invoice Approval Workflow.
 - If you're running your custom workflow, click the Edit link for your workflow.
3. On the **Workflow** subtab, located at the right side of the page, click the pencil icon.
4. In the Workflow popup window, do one of the following:
 - If you're running the default workflow, click **Change Status**.
 - If you're running your custom workflow, in the **Release Status** field, select **Released**.



Important: Before running your custom workflow, disable the original Invoice Approval Workflow by setting the release status to **Not Running**.

5. Click **Save**.

After running the workflow, go back to the list of workflows and check that the release status for Invoice Approval Workflow shows **Released**. For more information about running a workflow, see the help topic [Release Status for Workflow Instances](#).

Customizing the Invoice Approval Workflow

You can modify the Invoice Approval Workflow by enabling only the features that suit your specific business requirements. You can choose which exception criteria to use in your custom workflow, reorder the sequence of actions, and add more components to the workflow.

When planning your customization, review the states and exception criteria in these topics:

- [Invoice Approval Workflow States](#)
- [Invoice Approval Workflow Exception Criteria](#)

To start the customization, you need to create a copy of the workflow. On the workflow page, point to the More link and then click Make Copy. The default workflow states, actions, and other components are copied to your custom workflow. The exception criteria and fields appear in their default settings. For more information, see the topic [Copying a Workflow](#). For instructions on customization, see the following topics:

- [Creating a Custom Invoice Approval Workflow](#)
- [Disabling Exception Criteria](#)

After completing your customization, you need to run the workflow. For instructions on running the workflow, see [Running the Invoice Approval Workflow](#).

Invoice Approval Workflow States

The Invoice Approval Workflow starts when you create an invoice record. It verifies that the invoice creator's account has a designated supervisor before the invoice moves to the first state. After the invoice enters the workflow, it's further validated and processed, depending on the conditions set for each state.



Note: Invoices without an approver are automatically approved because they can't be routed for approval.

Approval Routing Feature Check

In the Approval Routing Feature Check state, the workflow verifies that the **Approval Routing** feature is enabled in the account used to submit the request. If the feature is enabled, the invoice goes through validation using the exception criteria.

For more information about the required features and preferences, see [Setting Up the Invoice Approval Workflow](#).

Invoice Validation

In the Invoice Validation state, the approval status of the invoice is set to **Pending Approval**. The invoice is verified against the exceptions. If any exceptions are found, the invoice is routed for approval. A message for each exception is added to the transaction, which the approver can review. Transactions without any exceptions are automatically approved.

For more information about the exceptions, see [Invoice Approval Workflow Exception Criteria](#).

Pending Approval

When an invoice needs approval, it moves to the Pending Approval state. The invoice creator's supervisor gets an email about the approval request.

Both the **Approve** and **Reject** buttons are enabled for the approver. The **Show Exceptions** button lets them see the list of exceptions. The invoice moves to another state depending on the action of the approver. The record is locked for editing while the invoice is in **Pending Approval** status. At this point, only the administrator can make changes.

Rejected

Requests that aren't approved by the supervisor are sent to this Rejected state. The invoice creator gets an email about the status.

Aside from the invoice creator, another user with access to the record can update a rejected invoice. When the **Resubmit** button is used, the invoice goes through the Approval Routing Feature Check state again to restart the validation.

Approved

Requests move to the Approved state when any of the following conditions are met:

- The invoice is approved by the supervisor.
- No exceptions are found on the invoice.

The invoice creator gets an email about the approval.

Show Exceptions

From Pending Approval, the invoice can move to the Show Exceptions state, so that the approver can see the list of exceptions. The **Show Exceptions** button is enabled on the invoice record while it's in Pending Approval. After an invoice goes through the Show Exceptions state, it returns to Pending Approval.

Invoice Approval Workflow Exception Criteria

When a request enters the Invoice Approval Workflow, it's validated against a set of exceptions to see if it needs approval. All of these exceptions are checked in the Invoice Validation state. For more information about the workflow states, see [Invoice Approval Workflow States](#).

- **Credit Hold:** The workflow validates the customer's account associated with the invoice. If there's a credit hold on the account, invoices for this customer need approval.
- **Terms Validation:** The workflow compares the invoice to the customer record. If the payment terms don't match, the invoice is routed for approval.
- **Tax Amount Exception:** The workflow verifies the tax amount on the invoice. If there's no value for the tax amount, the invoice will require approval.

- **Flagged Customers:** The workflow validates the customer record associated with the invoice. Invoices from flagged customers, such as new customers, are routed for approval.
- **First Invoice:** The workflow verifies that there are no previous invoices for the customer. If it's the customer's first invoice, it will require approval.

If you don't need all of these exceptions, you can disable some of them in the workflow. For instructions on how to disable exceptions, see [Disabling Exception Criteria](#).

Creating a Custom Invoice Approval Workflow

This section shows you how to edit or add conditions, actions, transitions, and other components of the Invoice Approval Workflow. Most customization happens within the workflow states. To learn more about the states, [Invoice Approval Workflow States](#). For more information about workflow customization, see the help topic [Editing a Workflow](#). For more options on customization, see [Disabling Exception Criteria](#).

Note: When you change the workflow components or reorder the sequence of actions, take note of any dependent conditions or triggers that might affect the process flow.

After creating your custom workflow, disable the original Invoice Approval Workflow if it's still running. To do this, set the release status to **Not Running**. When the original workflow is already disabled, you can run your custom workflow by setting its release status to **Released**. For instructions on running a workflow, see [Running the Invoice Approval Workflow](#).

Modifying a condition

You can edit or add a condition for a workflow, group, action, and transition. On the workflow or state page, click the Edit link next to the component you want to customize. The specific component page contains the Condition section where you can edit or add a condition.

The screenshot shows the 'Workflow State' interface. Under the 'Workflow Action' header, there are buttons for 'Save', 'Cancel', 'Make Copy', and 'Change ID'. Below these are two tabs: 'Basic Information' and 'Condition'. The 'Basic Information' tab is selected, showing the following details:

- WORKFLOW:** Invoice Approval Workflow (2)
- STATE:** Pending Approval (selected from a dropdown)
- TYPE:** Send Email
- SCRIPT ID:** workflowaction_jaw_act_emailnxtapp

 The 'Condition' tab is also visible, showing:

- USE:** Radio buttons for 'VISUAL BUILDER' (selected) and 'CUSTOM FORMULA'.
- CONDITION:** A text field containing 'Next Approver Is Not Empty'.

In the Condition section, you can use the Visual Builder or enter your own formula. To edit or add using the Visual Builder, click the Visual Builder icon located beside the **Condition** field. To use the formula, select the **Custom Formula** radio button. In the **Formula** field, enter a new formula or edit the existing one. For more information about adding and editing conditions, see the help topic [Working with Conditions](#).

Reordering an action

Actions are listed within the state where they're executed. On the Workflow State page, drag and drop the action before or after another one.

Actions • Transitions • Fields •									
Move To Top		Move To Bottom		New Action		New Group			
EDIT	NAME	PARAMETERS	TRIGGER ON	EVENT TYPE	CONTEXT	CONDITION	FORMULA	SAVED SEARCH	DELAY
 Edit	Set Field Value	Approval Status=Pending Approval	Entry						
 Edit	Set Field Value	State : invoice creator=Workflow : [IAW] Invoice Creator	Entry						
 Edit	Send Email	To: Next Approver, Subject: Invoice {trandid} for Approval	Entry			Next Approver Is Not Empty			

You can also reorder actions by editing the specific Action page. On the Workflow State page, click the [Edit](#) link for the action you want to reorder. On the Workflow Action page, in the **Insert Before** field, select the action that should run after the one to be transferred. For more information, see the help topic [Reordering Actions](#).

On the Workflow State page, you can also add a new action to the state. Click the **New Action** button to start creating an action. For more information about workflow actions, see the help topic [Working with Actions](#).

Changing an exception message

You can set up or change an existing exception message within the workflow state where its action runs.

To change an exception message:

1. On the Workflow State page, click the [Edit](#) link for the NAW Create Exception Record WS action.
2. On the Workflow Action page, in the Parameters section, enter the new message in the Value column for the exception field.

Workflow State			
 Edit	Set Field Value	Workflow : [IAW] exception flag=T	
 Edit	NAW Create Exception Record WS	exception=There is no tax amount on the invoice.,record ID=Workflow : [IAW] Exceptions Record ID (Into Workflow : [IAW] Exceptions Record ID)	

3. Click **Save**.

Disabling Exception Criteria

By default, the workflow enables and runs all exception criteria. You can disable any exception criteria that don't fit your business needs. In effect, this helps the workflow run faster for each invoice. To do this, change the property of the field that's associated with the exception.

You can find other guidelines and instructions for customizing the workflow in these topics:

- [Customizing the Invoice Approval Workflow](#)
- [Creating a Custom Invoice Approval Workflow](#)

To disable exception criteria:

1. On the **Workflow** tab of the context panel, click the **Fields** subtab.
2. Click the pencil icon for the exception criteria field to be edited.

Exception fields are identified by the [PREF] prefix, for example, [PREF] Terms Validation.



Important: The **Fields** subtab also shows fields with the [IAW] prefix. To avoid disrupting the workflow process, don't change or delete these fields.

Workflow	
Workflow: Invoice Approval Workflow (2)	
Summary	Fields (10)
[IAW] Exceptions Record ID	
[IAW] Invoice Approval Routing	
[IAW] Invoice Creator	
[IAW] Is Customers First Invoice	
[IAW] exception flag	
[PREF] Customer 1st Invoice Validation	
[PREF] Customer Invoice Needs Approval	
[PREF] Customer Validation	
[PREF] Tax Amount check	
[PREF] Terms Validation	
+ New Workflow Field	

3. On the Workflow Field page, click the **Validation & Defaulting** subtab.
4. Clear the **Default Checked** box.
5. Click **Save**.

To help you decide which criteria to run in your custom workflow, refer to the complete list in the topic, [Invoice Approval Workflow Exception Criteria](#). For more information about workflow fields, see the help topic [Workflow Custom Fields](#).

Using the Billing Tab and Dashboard

Use the Billing tab and dashboard to increase productivity for accounts receivables (A/R) teams. The billing dashboard provides a consolidated view and place to process, analyze, and review a large number of invoices.

Using the A/R Clerk role, go to Billing > Billing Overview to access the billing dashboard. The Billing tab is available to all standard and customized roles created from the Accounting Center. Depending on your permissions, you'll see different tasks, menu options, and reminders. You don't need to enable this feature. It's automatically available with the A/R Clerk role. Like other NetSuite dashboards, you can customize the portlets, meters, and metrics in your billing dashboard.

Depending on your permissions, you can access the following options from the Billing tab:

- **Saved Searches**

From here you can access the following reports:

- Customers by Open A/R Balance
- Customers by Outstanding Balance
- Customers by Unbilled Orders
- Sales
 - From here you can:
 - [Creating an Invoice](#)
 - [Entering a Cash Sale](#)
 - [Invoicing Sales Orders](#)
 - [Invoicing Billable Customers](#)
 - [Generating Statements](#)
- Billing Operations
 - From here you can:
 - [Billing Operations](#)
 - [Billing Operations](#)
- [Creating Terms of Payment](#)
- [Access to Reports](#)

Depending on your permissions, the billing dashboard shows these reminders by default:

- Invoices to Approve

 **Note:** This reminder shows how many invoices are in pending approval regardless if you're the next approver. In contrast, the Invoices Pending My Approval reminder in the Worklist portlet only shows invoices that need your approval.

- Invoices Overdue
- Invoices to Print
- Invoices to Reject

New reminders available as of Version 2016 Release 2 but don't display by default include:

- Invoices to Approve Due to Credit Hold
- Invoices to Approve Due to Unknown Tax Amount
- Invoices to Approve to Inconsistent Payment Terms

Depending on your permissions, you can use the billing dashboard Quick Links to access:

- Customer saved searches
- Billing-related tasks
- Billing-related setups
- Reports

Depending on your permissions, the billing dashboard KPIs and Trend Graphs include:

- Receivables KPI meter
- Receivables KPI list
- Monthly receivables trend graph

Depending on your permissions, the billing dashboard Worklists include:

- Invoices Pending My Approval

Note: This reminder only shows invoices in pending approval and you're the next approver. In contrast, the Invoices to Approve reminder shows the number of invoices pending approval regardless of whether you're the next approver.

- Billing Operations From Last 5 Days

For additional information about dashboards and portlets in NetSuite, see the help topic [Dashboard Personalization](#).

Global Invoicing Preferences

Use the Invoicing Preferences page to determine the way billable lines appear on invoices. To set invoicing preferences, go to Setup > Accounting > Preferences > Invoicing Preferences.

As you select different options, the preview at the bottom of the page updates to show how your invoices will look. You can select and clear options until the Preview section reflects the way you prefer for invoices to show.

When the Preview section accurately matches your preference for the appearance of invoices, click **Save**.

The subtabs that appear on the Invoicing Preference page depend on the settings you've enabled. If you have charge-based billing enabled, the Charge subtab appears on the page.

Invoicing Preferences

The following options are available from the Invoicing subtab.

- **Combine Time Items on Invoices**

Check this box to group time items into one total on invoices.

For example, if one employee reports 8 hours of data entry for 20 days to the same customer, the customer will see 160 hours of time at the billable rate on the invoice.

Note: You must first set this preference to use the Group Time by Employees preference.

- **Group Time by Employee**

Check this box to group billable time by employees when you combine time items on invoices.

When you set this preference, you can select Employee as a grouping criteria on invoices when billable time exists with the same employee, service item, and rate. Then, when you print the invoice, the time for each employee is combined in one line.

Note: You must set Combine Time Items on Invoices to use this preference.

- **Combine Expense Items on Invoices**

When you set this preference, expense items are combined into one total on invoices.

If billable expenses have the same expense category, they're grouped on the printed invoice. You can only edit the memo for the first entry listed in each category.

- You can enter a different rate for each line.
- If a billable expense line doesn't have a category, it won't be grouped.

When you clear this box, each billable expense is separate on the invoice and they're not grouped on the printed invoice. You can enter different rates and memos for each expense.

■ **Group Expenses by Employee**

This preference groups billable expenses by employees when you combine expense items on invoices.

When you set this preference, you can select Employee as a grouping criteria on invoices when billable expenses exist with the same employee, service item and rate. Then, when you print the invoice, the expenses for each employee are combined in one line.

■ **Combine Billable Items on Invoices**

Check this box to combine expense items into one total on invoices.

For example, if one employee enters a \$50 expense for 5 days that's billable to the same customer, the customer will see \$250 in expenses on the invoice.

■ **Group Billable Types on Invoices**

When you check this box, similar billable charges are grouped together with their subtotals on your customers' invoices. All billable items, time, and expenses are grouped together by type.

For example, an invoice will show Billable Group as a heading with line items for billable time and a billable time total.

You'll also see a Billable Group heading and total for billable expenses and for billable items.

■ **Show Billable Subtotals on Invoices**

Check this box to show subtotals for grouped billable lines on invoices. Billable time, expenses or items are grouped together by item or category name. Then, these items are grouped with subtotals when you print, e-mail or fax the invoice.

For example, if you enter two expense reports for air travel to bill back to a customer, they're grouped as one total. If you enter another expense report for meals, the expense is still listed separately from the air travel charges.

Billable lines are grouped and subtotaled regardless of whether a markup or discount is applied.

Note: When you add billable subtotals, the subtotal is calculated for the column used to sort the billable list. The secondary sort is by the previously sorted column. For example, to sort and subtotal by project then by category, click on the category header then the project header.

You can change the order of billable items, expenses, and time by customizing the invoice form to reorder the lists under the lists tab. To customize invoices, open the invoice and click the Customize button.

Subscription Management Preferences

The following options are available on the Subscription Management subtab:

Note: You won't see the **Subscription Management** subtab until you enable SuiteBilling.

■ **When Sales Order Gets Approved, Auto-Change Subscription Status to "Pending Activation"**

Check this box to automatically change the subscription lines in the subscription from Draft to Pending Activation when the related sales order is approved.

■ **First Activation Change Order Creation Sets the Subscription Start Date**

Check this box to set the subscription start date to the effective date of the first Activation change order. When you change the effective date of the first Activation change order, this preference no longer applies to that change order.

■ **Request Credit Memo for Off-Cycle Change Orders**

Check this box to automatically generate credit memos for negative charges from the billing operations off-cycle functionality.

■ **Align Charge Amounts with Subscription**

Check this box to align subscription charges with the subscription start date. When you check the Align Charge Amounts with Subscription preference, all lines within an activated subscription align charges with the subscription header start date instead of its bill dates. Multiple-year subscriptions with multiple charge frequencies, such as monthly, quarterly, and annually, recur based on the subscription start date for better alignment of charge periods. Existing subscriptions activated before setting this preference may display the original recurrence pattern. When you activate a subscription, the current preference setting dictates the subscription charge pattern.

■ **Months To Extend Estimated Revenue Recognition End Date**

For recurring subscriptions with an evergreen term, enter an integer from 1 to 120. Suggested values are:

- If you bill subscriptions monthly, set this preference to 1 or greater.
- If you bill subscriptions quarterly, set this preference to 3 or greater.
- If you bill subscriptions annually, set this preference to 12 or greater.
- If you enter a value for this preference, you also need to enter a value between 1 and 120 for the following preference:

■ **Months Prior To Estimated Revenue Recognition End Date To Initiate Auto-Extend**

For recurring subscriptions with an evergreen term, enter an integer from 1 to 120. This value pushes the estimated revenue recognition end date by this many months each time a subscription matches the auto extend.

■ **Create Delta Charges for Changes to Invoiced Service Periods**

If changes to invoiced service periods result in a change to what the customer owes while this preference is enabled, the system generates a Delta charge. The amount on a Delta charge is the difference (+ or -) between the invoiced amount and the new amount for the service period.

To see how to set this preference, view the video:

 [Enabling Delta Charges](#)

For example, you create an invoice of \$1000 on January 1 for an annual recurring service with monthly proration. On July 1, a Modify Pricing change order increases the quantity from 1 to 2. The following chart shows you how setting the **Create Delta Charges for Changes to Invoiced Service Periods** preference simplifies the billing for this change:

Charge Period	Preference Off	Preference On
1/1-12/31	\$1000.00 -\$1000.00	\$1000.00
1/1-6/30	\$500.00	
6/30-12/31	\$1000.00	\$500.00

Charge Preferences

The following options are available on the Charge subtab.

■ **Group Charges By**

Use the dropdown list to choose the field you want to use to group charges on invoices. When you create a customer invoice, all charges with the same information in the selected field are combined on a single line on the invoice.

Note: When you bill charges on the Invoice Billable Customers page, a separate invoice is created for each grouping. The invoices created include line items for each grouped charge.

■ Map To

If you're grouping charges based on a custom field, use the dropdown list to select the invoice field to which you want to map that custom field. When you create an invoice, the information from that custom field populates the field you select.

■ Automatically Add Charges to As-Of Date to Invoices, Cash Sales, Credit Memos, and Cash Refunds

Check this box to provide a distinction between to transaction date (**Date** field) and the as-of date. Checking this box may affect system performance.

Use the **As-of Date** field when you need to separate the date when charges are added to an invoice from the transaction date. The transaction date impacts the general ledger, but the as-of date doesn't.

Note: If you don't check this box, you can add charges on these transaction types by clicking the Add Charges button on the transaction form.

If you create a sales order after running charges, those charges aren't linked to the sales order and won't transfer to the invoice. To view the charges that were created by the sales order, delete the existing charges and rerun the charge.

■ Default Recurring Invoice Date

The Default Recurring Invoice Date preference sets the invoice date for recurring invoices created from the bill run operations or the Invoice Billable Customers page. This option is available when you enable the Charge-based Billing and Billing Account features.

Select from the following options:

- **One Day Before Next Bill Date** – sets the invoice date to the billing account's next bill cycle date minus one day.
- **Next Bill Date** – sets the invoice date to the billing account's next bill cycle date.
- **Invoice Creation Date** (default) – sets the invoice date to the date the invoice was created, or the date of the bill run.
- **System Default Transaction Date**
 - For bill runs, this option sets the invoice date to today plus transaction date offset.
 - For Invoice Billable Customers, this option uses the invoice date you enter on the page.

Note: This preference applies only to recurring invoices. Non-recurring invoices use the date you enter on the transaction.

Invoicing Preferences for Individual Forms

In addition to the company-level settings for invoicing preferences, you can set preferences for invoicing options on customized forms.

For example, you can customize a service invoice form to use different invoicing preferences than the company-level settings for other invoice forms. The customized service invoice can group time items even if all other invoices don't.

To set invoicing preferences for individual forms, go to Setup > Customization > Forms > Transaction Forms (Administrator), and click Customize next to the form. On the Preferences subtab, you can set invoicing preferences for this form based on the setting for the **Use Defaults** box.

- Clear the **Use Defaults** box to allow invoice presentation settings that are individual to this form. The company settings are selected by default, but you can change the settings by checking boxes on this tab.
- If you check the **Use Defaults** box, the invoice presentation determined by company-level settings are also used on this custom form. You can't change the settings on this subtab. They need to be set at the company-level only.

 **Note:** You can set company-level settings at Setup > Accounting > Preferences > Invoicing Preferences.

If the **Use Defaults** box is clear, you can choose your invoice settings for the form.

Classes and Preferences

The billable lines on an invoice get the class from the related purchase transaction if you don't set these preferences:

- Combine Time Items on Invoices
- Combine Expense Items on Invoices
- Combine Billable Items on Invoices

When these are disabled, each billable line gets its own general ledger line. You'll see these billable lines in the GL Impact page. To view this, click the GL Impact link at the top of the form.

However, if you do set these preferences, billable lines won't have a class unless you assign one to the entire invoice at the transaction body level.

Creating an Invoice

An invoice is a record of sale to a customer. Create an invoice when you don't get payment for goods or services at the time of delivery.

To record sales on invoices, add each item you sell from your Items list. Each invoice consists of line items and their sales amounts. The sum of all sales amounts on an invoice add up to the total amount the customer owes.

 **Note:** The fields described below show on standard invoice forms. To create a custom invoice form, go to Setup > Customization > Forms > Transaction Forms.

To create an invoice:

1. Go to Billing > Sales > Create Invoices.
2. Under Primary Information:
 - a. In the **Custom Form** field, select the invoice form you want to use. Invoice forms can be standard or customized.
 - b. Accept or enter the invoice number in the **Invoice #** field.

 **Note:** You can edit an automatically generated invoice number only if your company allows it.

- c. In the **Customer** or **Project** field, select the appropriate customer or project.

 **Note:** If you add, edit, or delete a project after a sales order is billed, the sales order becomes a standalone sales order and is no longer associated with the invoice. Also, the invoice is removed from the Related Records subtab on the sales order.

- d. Accept or enter the date in the **Date** field.

 **Note:** If you edit the date on an invoice later, the new date also becomes the due date, even if a due date was previously set.

- e. In the **Start Date** field, if you use Advanced Billing, enter the creation date for the first invoice.
- f. In the **End Date** field, enter the date when this invoice is no longer valid.
- g. If you use accounting periods, select the posting period for this invoice.
- h. In the **Due Date** field, enter the invoice due date.
- i. In the **PO#** field, enter any customer purchase order number associated with this invoice.
- j. In the **Memo** field, enter a memo to help identify this invoice.

When you use the Search Transactions feature, you can search for specific words and phrases in the **Memo** field.

3. Under Sales Information:

- a. Select the sales reps associated with this invoice.

You can add sales reps to this transaction in these ways:

- If you don't use the Team Selling feature, select the sales rep or sales group in the **Sales Rep** field.

The sales rep or sales group associated with the customer on this transaction is selected by default.

- If you use the Team Selling feature, click the **Sales Team** subtab.

Select the sales team for this transaction. For more information, see the help topic [Associating Sales Teams with Customers and Transactions](#).

- b. In the **Opportunity** field, select the opportunity for this invoice.

You can change the sales effective date for this transaction. The sales effective date decides which commission plan and historical sales team this transaction applies to.

- c. Check **Exclude Commissions** to exclude this transaction and its subordinate transactions from inclusion in all commission calculations. For example, checking this box on a sales order excludes the sales order and the resulting invoice from all commission calculations for all sales people.
- d. In the **Lead Source** field, select the source of the lead for this invoice. If you use Marketing Automation, select the campaign you want to associate with this transaction's revenue.
- e. The partner linked with this customer appears in the **Partner** field. You can select a different partner.

If you have enabled the Multi-Partner Management feature, you can associate partners with this transaction on the Partners subtab. For more information, see the help topic [Associating Partners With Customers and Transactions](#).

- f. Under **Classification**, select a department, class, or location for the invoice.

 **Note:** If you use NetSuite OneWorld and the selected customer is shared with multiple subsidiaries, you can select any subsidiary assigned to the selected customer. For information about sharing customer records with multiple subsidiaries, see the help topic [Assigning Subsidiaries to a Customer](#).

The Invoice page includes several subtabs. For more information about invoice subtabs, see the links in the following list:

- The [Adding Items on a Sales Transaction](#) subtab.
- The [Entering Shipping Information about a Sales Transaction](#) subtab.
- The [Adding Billing Information to a Transaction](#) subtab.
- The [Entering Accounting information about a Sales Transaction](#) subtab.
- The [Entering Relationships on a Transaction](#) subtab.
- The [Associating Sales Teams with Customers and Transactions](#) subtab.
- The [Entering Communication Information to a Transaction](#) subtab.

You can apply terms to invoices by choosing a term on the invoice record or by setting default terms on the customer record. For more information, see [Using Terms of Payment](#).

For information about enabling tax lookup, see the help topic [Enabling U.S. Tax Lookup](#).

Choosing an Invoice Type

NetSuite has these standard invoices types:

- **Finance Charge** – Use this only to assess finance charges, not for regular products and services. It includes the date, finance charge number, bill-to address, terms, due date, project, item, description, amount, and total.

 **Note:** This invoice type doesn't show in the list for UK accounts.

- **Product** – This includes all the information from the standard service invoice. In addition, it includes the ship-to address, sales representative, ship date, FOB, and unit price.
- **Professional** – This is the simplest type. It includes the date, invoice number, bill-to address, terms, due date, project, item name, description, amount, tax, and total.
- **Service** – This includes all the information from the standard professional invoice. In addition, it includes the PO# and itemizes a quantity and rate for each line item in the body of the form.
- **Progress** – Use progress billing to bill for portions of projects as they're completed. It includes details such as date, invoice number, bill-to address, terms, due date, PO#, sales rep, end date, shipping information, item name, current percentage completed, description, amount, and a percentage of the total cost.

To select an invoice type:

1. Go to Billing > Sales > Create Invoices.
2. Under Primary Information, in the **Custom Form** field, select a standard invoice or a custom invoice form.
3. Continue to fill out details on the Invoice page.
4. When you're done, choose one of three options to post the information to your NetSuite account:

- Click **Save** to submit the information and return to the Transactions page.
- Click **Save & New** to submit the information and return to another blank Invoice page.
- Click **Print** to save the information and print the invoice form you created.

Custom Invoice Forms

To create a custom invoice form, go to Customization > Forms > Transaction Forms.

Invoice Groups Overview

The Invoice Groups feature lets you group invoices for your customers. It gives you more flexibility in meeting your customer's expectations for how and when they receive invoices by combining several invoices into one group.

Each customer can have multiple invoice groups.

After [Enabling the Invoice Groups Feature](#) for a customer, you must check the **Group Invoices** box located on the **Financial** subtab of the customer record. If you have a sales order for which you don't want the invoice grouped for this customer, clear the **For Invoice Grouping** box. If there's a sales order associated with an invoice you want to group, you need to check the **For Invoice Grouping** box on the sales order.

An invoice eligible for grouping isn't required to have an associated sales order. For example, invoices from subscriptions, projects, or imported into NetSuite don't always have a sales order.

Invoice groups do not affect the general ledger. Only the individual invoices in the group have a general ledger impact.

You can apply payments to an invoice group. Payments apply to all the invoices in that group. NetSuite supports both full and partial payments for invoice groups. When accepting a partial payment, select the invoices in the group to which you want to apply the payment. Invoice groups also support the Consolidated Payments feature. For more information, see the help topic [Consolidated Payments](#).

Each user has one set of permissions and restrictions for accessing invoice groups. Invoice groups inherit permissions and restrictions from the invoices in the group. If an invoice group has fifty invoices and you have permission to only view ten, you only see those ten invoices. You'll also see the full total of the invoice group, including any invoices for which you don't have permission to view.

This book includes the following chapters and topics:

Invoice Groups Overview

- [Invoice Groups Workflow Diagram](#)
- [Invoice Groups Statuses and State Transitions](#)
- [Invoice Groups and Installments](#)

Invoice Groups Setup

- [Enabling the Invoice Groups Feature](#)
- [Numbering Invoice Groups](#)
- [Using Billing Operations to Generate and Group Invoices](#)
- [Customizing the Invoice Group Form](#)
- [Setting a Subsidiary for an Invoice Group](#)


- Using SuiteFlow to Create an Invoice Groups Workflow

Invoice Groups Management

- Creating an Invoice Group
- Viewing the Invoice Group Record
- Viewing an Individual Invoice in an Invoice Group
- Adding an Invoice to an Invoice Group
- Removing an Invoice From an Invoice Group
- Grouped Invoices Due Date
- Invoice Groups and Closed Periods
- Accepting Payment for an Invoice Group
- Generating and Printing an Invoice Group PDF
- Invoice Groups and Customer Statements
- Invoice Group Reporting and the A/R Aging Report

Invoice Groups Workflow Diagram

The following diagram shows the workflow for the Invoice Groups feature.



Invoice Groups Statuses and State Transitions

The table below shows the sales order, invoice, and invoice group status in various transaction states. The states are listed in order, from creating a sales order to paid invoices.

State	Sales Order Status	Invoice Status	Invoice Group Status
Sales order is created, fulfilled, and billed	Pending fulfillment	Open-ungrouped	Not applicable
	Fulfilled/Billed	Invoice status is open. Label is open-ungrouped	Record not created
Invoice group is created	Pending fulfillment	Open-grouped	Open
	Fulfilled	Invoice status is open. Label is open-grouped	
	Billed	Invoice 1: Open, grouped	
		Invoice 2: Open, grouped	

State	Sales Order Status	Invoice Status	Invoice Group Status
		Invoice 3: Open, grouped	
Invoices 1 and 2 are paid. Invoice 3 is unpaid	Pending fulfillment Fulfilled Billed	Invoice 1: Paid in full Invoice 2: Paid in full Invoice 3: Open, grouped. Unpaid or partially paid	Open-partially paid
All invoices in the group are paid	Pending fulfillment Fulfilled Billed	Invoice 1: Paid in full Invoice 2: Paid in full Invoice 3: Paid in full	Paid in full

Invoice Groups and Installments

If the Installments feature is enabled, you can also enable the Invoice Groups feature, but an invoice with an installment term can't be grouped. If you select an installment term on a sales order or invoice for a customer with invoice grouping enabled, the transaction won't save and you'll see an error message.

To save a transaction with an installment term, you must clear the **For Invoice Grouping** box. If the term changes from installments to a different term, check the **Group Invoices** box to mark the invoice for grouping.

If you mark an invoice for grouping, the **Term** field is dimmed.

For more information about the Installments feature, see [Creating Installments](#)

Invoice Groups Setup

This chapter shows you how to enable and setup the Invoice Groups feature. Here are the topics covered:

- [Enabling the Invoice Groups Feature](#)
- [Numbering Invoice Groups](#)
- [Using Billing Operations to Generate and Group Invoices](#)
- [Customizing the Invoice Group Form](#)
- [Setting a Subsidiary for an Invoice Group](#)
- [Using SuiteFlow to Create an Invoice Groups Workflow](#)

Enabling the Invoice Groups Feature

Enable the Invoice Groups feature from the Enable Features page.



Warning: After the Invoice Groups feature is enabled and an invoice group has been created, it can no longer be disabled. Before enabling this feature in your production account, it is important to test this feature in your sandbox or release preview account. If you need further assistance, contact your NetSuite account manager.

To enable the Invoice Groups feature:

1. Go to Setup > Company > Enable Features.

2. Click the **Transaction** subtab.
3. From the **Billing** section, check the **Invoice Groups** box.



Tip: If you can't see the Invoice Groups feature, switch to an administrative role or contact your NetSuite administrator.

Numbering Invoice Groups

If you don't set up custom numbering for your invoice groups, they'll be numbered sequentially, starting with the number one (1).

An invoice group isn't a transaction. Therefore, it doesn't show up in transaction searches. However, invoice groups are numbered like transactions and show up in the Transaction Numbering Audit log.

You can setup prefixes, suffixes, and a minimum number of digits for an invoice group number.

To customize invoice group numbering:

1. Go to Setup > Company > Auto-Generated Numbers.
2. Click the **Document Numbers** subtab.



Note: Because an invoice group isn't a transaction, it appears under the Document Numbers subtab instead of the Transactions subtab.

3. Locate Invoice Group in the **Type** column.
4. Enter information in the following column fields:
 - Prefix
 - Suffix
 - Minimum Digits
5. If you want to restart numbering, check the **Update Initial Number** box.
6. Click **Save**.

To create subsidiary-set numbering for an invoice group number, check the **Use Subsidiary** box.

For more information about numbering, see the help topic [Set Auto-Generated Numbers](#).

Even though an invoice group isn't a transaction, you can use the Transaction Numbering Audit Log to view its details. For more information, see the help topic [Transaction Numbering Audit Log](#).

Using Billing Operations to Generate and Group Invoices

You can use the Billing Operations feature to group invoices using a common criteria. With this option, you can't group invoices by PO #. For information about enabling the Billing Operations feature, see [Billing Operations](#).

To use Billing Operations to generate and group invoices:

1. Go to Transactions > Billing > Process Billing Operations.
Alternatively, go to Transactions > Billing > Schedule Billing Operations.
2. In the Billing Operation Options section, do the following:

- a. To generate or update charges during the billing operation, check the **Rating Run** box.
- b. To generate credit memos during the billing operation, check the **Credit Memo Run** box.
- c. To generate invoices during the billing operation, check the **Bill Run** box.
- d. To group invoices during the billing operation, check the **Group Invoices** box.
- e. (Optional) To prevent grouping new invoices generated during the billing operation, check the **Do Not Apply Grouping for Bill Run** box.

For new invoices created during the billing operation, the **For Invoice Grouping** box on the invoice record will be cleared. These invoices won't be grouped.

If you also checked the **Group Invoices** box, preexisting invoices created before the billing operation will still be grouped.

3. Click **Save**.



Important: You can use the Billing Operations feature to create invoice groups without billing the sales orders. To group invoices only, clear the **Bill Run** box. When you click **Run** on the Billing Operations page, or **Save** on the Billing Operations Schedule page, invoices are grouped, but sales orders are not billed.

Customizing the Invoice Group Form

NetSuite lets you customize forms, including the Invoice Group form. You can customize the following components:

- Actions
- Custom code
- Fields
- Field groups
- Roles
- Sublists
- Subtabs

To customize the Invoice Group form:

1. Go to Customization > Forms > Entry Forms.
2. Click the **Customize** link on the Standard Invoice Group Form line.
3. Use the Custom Entry Form page to customize the form.
4. You can change the text in the **Name** field to name this customized form.
5. Click **Save**.

You can't use this customized form to generate a PDF statement because it is an entry form, not a transaction form.

For more information, see the help topic [Creating Custom Entry and Transaction Forms](#).

Setting a Subsidiary for an Invoice Group

Use the Invoicing Preferences page to set a default subsidiary for customers who want invoices grouped. You can set this preference for new customers.

To set a subsidiary for a new invoice groups customer:

1. Go to Setup > Accounting > Invoicing Preferences.
2. Select the **Invoice Groups** subtab,
3. Select the appropriate subsidiary from the **Group Invoices for New Customers** list.

 **Note:** The list only shows active subsidiaries. If you're not a OneWorld customer, the only option is Parent Company.

4. Click **Save**.

Using SuiteFlow to Create an Invoice Groups Workflow

Use SuiteFlow to set up and run a workflow for invoice group records. Any workflows that include the invoice group record appear under the System Information subtab on the invoice group record. You can't use SuiteFlow specifically to create an invoice group record.

To create an invoice groups workflow:

1. Go to Customization > Workflow > Workflows > New.
2. From the **Record Type** field, select **Invoice Group**.
3. Complete the following steps:

 **Note:** For detailed information about completing these steps, see the help topic [SuiteFlow \(Workflow\)](#).

- a. Define basic information for your workflow.
 - b. Define initiation information for your workflow.
 - c. Define conditions for your workflow.
 - d. Create workflow states.
 - e. Create actions.
 - f. Create a transition.
 - g. Initiate and validate the workflow.
4. Click **Save**.

Invoice Groups Management

This chapter describes tasks that you perform to manage invoice groups.

For instructions on enabling and setting up the Invoice Groups feature, see:

- [Creating an Invoice Group](#)
- [Viewing the Invoice Group Record](#)
- [Viewing an Individual Invoice in an Invoice Group](#)
- [Adding an Invoice to an Invoice Group](#)
- [Removing an Invoice From an Invoice Group](#)
- [Grouped Invoices Due Date](#)

- [Invoice Groups and Closed Periods](#)
- [Accepting Payment for an Invoice Group](#)
- [Generating and Printing an Invoice Group PDF](#)
- [Invoice Groups and Customer Statements](#)
- [Invoice Group Reporting and the A/R Aging Report](#)

Creating an Invoice Group

When you enable invoice groups on the customer record, you can set sales orders for invoice grouping by checking the **For Invoice Grouping** box. When you invoice the sales order, the invoice becomes available for invoice grouping. When you group invoices, you can:

- print the invoice group details.
- accept payments or apply a credit memo.
- use saved searches for invoice group reports.

You can create an invoice group with a maximum of 100 invoices. If you try to group more than 100 invoices, NetSuite creates a new invoice group. If you require more than 100 invoices per invoice group, contact your account manager.

You can group invoices based on the following criteria:

- Customer
- Terms
- Currency
- Billing Address
- Subsidiary
- Account
- PO # (optional)

 **Warning:** After you enable the Invoice Groups feature and create an invoice group, you can't turn the feature off. Before enabling this feature in your production account, test this feature in your sandbox or release preview account first. If you need further assistance, contact your NetSuite account manager.

To create an invoice group:

1. Go to Lists > Relationships > Customers.
2. Click **Edit** to open the appropriate customer record.
3. Click the **Financial** subtab on the customer record.
4. Check the **Group Invoices** box.

When you check the **Group Invoices** box, all new invoices that can be grouped for this customer appear on the Group Invoices page. If you don't want to group an invoice for this customer, clear the **For Invoice Grouping** box on the associated invoice.

 **Tip:** Before you continue to step 5, make sure you create or generate a new invoice that is eligible for grouping. If you mark a sales order for grouping, you can also transform that sales order into an invoice that's eligible for grouping.

5. Go to Transactions > Sales > Group Invoices to view the list of invoices ready for grouping.

- From the **Customer** list, select the customer for which you want to group invoices. Select **All** to group invoices for all customers.
- If you want to group by purchase order number, check the **Grouped by PO #** box.
- Check the **Group** box next to the invoices that you want to group.

Note: The **Group Indicator** column shows you which invoices are grouped together. For example, a list of 10 invoices with two groupings:

- Invoices with an indicator number of 1 are linked to one purchase order
- Invoices with an indicator number of 2 are linked to a different purchase order

This example assumes that you're using the Group by PO# criteria.

- Click **Submit**.

Group Invoices

Submit Mark All Unmark All

Filters

Customer: - All - Invoice Date On Or Before: 8/8/2024

Options

☐ Grouped By Po #

Additional

Date: 8/8/2024

Group	Invoice #	Order #	Invoice Date	Customer	Subsidiary	Currency	Terms	Account	PO #	Group Indicator
☐	3		2/3/2024	3 Customer 3	Parent Company	US Dollar		Accounts Receivable		1
☐	2		1/31/2024	1 Customer 1	Parent Company	US Dollar		Accounts Receivable		2
☐	7	1	3/1/2024	1 Customer 1	Parent Company	US Dollar		Accounts Receivable		2
☐	8	2	3/6/2024	1 Customer 1	Parent Company	US Dollar		Accounts Receivable		2
☐	9	1	4/1/2024	1 Customer 1	Parent Company	US Dollar		Accounts Receivable		2
☐	10		7/28/2024	1 Customer 1	Parent Company	US Dollar		Accounts Receivable		2

Submit Mark All Unmark All

Note: The Invoice Group feature doesn't support custom addresses.

Viewing the Invoice Group Record

The invoice group record has three views: A/R, All Details, and Summary.

To view the invoice group record:

- Go to Transactions > Sales > Group Invoices > List.
- Click the **Edit** link next to the invoice group you want to view.
- To change your view, click the **Details** subtab, and then select the view you want from the **View** list.

Use these different views to show information in the format that you want:

- **A/R** – The A/R view only shows lines that post to the general ledger. This view includes posting discounts. All other discounts are included in the product price, while subtotals are excluded.
- **All Details** – The details view shows tax information, subtotals, and discount amounts.
- **Summary** – The summary view show a list of invoices linked to the invoice group.

Oracle NetSuite | Search | Help | Feedback | Mark Wheel | One World - Administrator - Administrator

Activities | Transactions | Lists | Reports | Analytics | Documents | Setup | Customization | Commerce | SuiteApps | Support

Invoice Group

2 1 Customer 1 **OPEN**

Edit | Back | Accept Payment | New | Actions

Primary Information

Customer 1 Customer 1	Transaction Date 8/8/2024	Subsidiary Parent Company
Terms	Due Date 8/8/2024	Account Accounts Receivable
Currency US Dollar	Memo	☐ Grouped By PO
Billing Address	Invoice Group Number 2	PO #
Bill Address		Status Open
Map		

Summary

Total Amount 20.00	Tax Total 0.00	Discount Total 0.00
Item Total 20.00	Amount Paid 0.00	Amount Due 20.00

Details | Related Records | Communication | System Information

View *
Summary

Customize View | Remove From Group | Add to Group

Edit	Invoice Number	Item Total	Discount Total	Tax Total	Shipping Total	Handling Total	Amount
Edit	Invoice #2	\$10.00	\$0.00	\$0.00	\$0.00	\$0.00	\$10.00
Edit	Invoice #10	\$10.00	\$0.00	\$0.00	\$0.00	\$0.00	\$10.00

Edit | Back | Accept Payment | New | Actions

Viewing an Individual Invoice in an Invoice Group

After creating an invoice group, you can view individual invoices from the invoice group record.

To view an individual invoice in an invoice group:

1. Go to Transactions > Sales > Group Invoices > List.
2. Find the invoice group containing the invoice you want to view, and then click the **Edit** or **View** link.
3. You have two options to open an individual invoice in a popup window:
 - a. To open the invoice in edit mode, click the **Edit** link.
 - b. To open the invoice in view mode, click the invoice number.

The status of the invoice appears beside the customer name. For example, an unpaid grouped invoice has a status of Open – Grouped.

After you group in invoice, you can still edit the invoice, but there are some fields you can't change, such as:

- Due Date
- PO #
- Terms (located on the **Billing** subtab)

Adding an Invoice to an Invoice Group

After creating an invoice group, you can add more invoices to the group. Any invoice you add to an existing invoice group should have the same criteria as the invoices that are already in the group. For example, if the invoices in the group are in the same subsidiary, then any invoice you add must also have same subsidiary.

To add an invoice to an invoice group from the Invoice Group page:

1. Go to Transactions > Sales > Group Invoices > List.
2. Open the invoice group to which you want to add an invoice by clicking the associated **Edit** or **View** link.
3. On the **Details** subtab, click **Add to Group**.
4. From the Add Invoices to Group dialog, check the box to the left of the invoices you want to add to the group.
5. Click **Add to Group**.

 **Note:** You can only have up to 100 invoices in the group. If the number exceeds the limit, a message appears to indicate that you must remove some of the invoices. While you're adding invoices to a group, you can find the **Number of Transactions** column in the popup window.

To add an invoice to an invoice group from the Group Invoices page:

1. Go to Transactions > Sales > Group Invoices.
2. Find the invoice you want to add, then check the box under the **Group** column.
3. Click **Submit**.
When the Process Status page appears, click **Refresh** until the submission status is complete. If the bulk processing encountered any errors, you can click the link under the **Message** column to view the errors.
4. On the Process Status page, click **Complete**.
5. To view the resulting record, on the Processed Records page, click the link to the invoice group.

If you try to add more than 100 invoices to a group, a message appears indicating that multiple invoice groups will be created.

When you add an invoice to an invoice group, the total amount due for the invoice group is updated. The payment due date doesn't change.

To add an invoice to an invoice group from the Invoice record:

1. Go to Transactions > Sales > Create Invoices > List.
2. Click the **View** link for the invoice you want to add to a group.
3. Click the **Add to Group** button.
4. Select the group to which you want to add the invoice.
The only invoice groups that display are those that match the same criteria as the invoice you want to group. You can only select one invoice group.
5. Click **Add to Group**.

Note: If there are no invoice groups that match the criteria for the invoice, you can't create a new invoice group from the invoice record.

Removing an Invoice From an Invoice Group

If you need to remove an invoice from a group, you can do it only if there aren't any payments applied to the invoice. If a payment has been partially or fully applied, you must first remove the payment. For more information, see the help topic [Reversing or Deleting Customer Payments](#).

After removing the invoice from the invoice group, you can reapply the payment to the remaining invoices.

To remove an invoice from an invoice group:

1. Go to Transactions > Sales > Group Invoices > List.
2. Open the invoice group from which you want to remove an invoice by clicking the associated **View** or **Edit** link.
3. On the **Details** subtab, click **Remove From Group** button.
4. From the Remove Invoices from Group dialog, check the box to the left of the invoice you want to remove from the invoice group.
5. Click **Remove From Group**.

You can also remove an invoice from a group by opening it from the invoice group record. Click the **Edit** link associated with the invoice or click the invoice number, and then click the **Remove From Group** button on the invoice record.

When you remove an invoice from an invoice group, the total amount gets updated, but the payment due date doesn't change.

To delete an invoice group, you should first remove all invoices from the group.

If you don't want the invoice available for future invoice grouping, click **Unmark for Grouping**.

Refresh the invoice group record to view updated information after you remove an invoice from a group.

Grouped Invoices Due Date

The invoice term is a common requirement for grouping invoices. For example, you can group multiple invoices with Net 30 terms if they meet the grouping criteria despite having different due dates.

When you create the invoice group, all invoices within that group follow one common due date set on the invoice group. This due date is calculated based on applying the term on the transaction date on the invoice group record.

The following example illustrates how the due date is calculated for Customer A.

Transaction	Date	Term	Original Due Date
Invoice 1	January 1	Net 30	January 31
Invoice 2	January 15	Net 30	February 14

Invoice Group A contains Invoice 1 and Invoice 2. If the transaction date on the invoice group record is set on January 15, then the invoice group due date becomes February 14.

Therefore, the new invoice due date for Invoice 1 will change to February 14. The invoice due date for Invoice 2 doesn't change because it is the same as the invoice group due date.

Invoice Groups and Closed Periods

Grouped invoices follow the same accounting rules as invoices that aren't in a group. Don't change invoices that can impact previous periods of the general ledger. Here are some scenarios where you might need to edit invoices from a closed period:

- An invoice needs to be removed from an invoice group that is in a closed period.
- An invoice from a closed period needs to be added to an invoice group.
- An invoice group includes invoices from the current period and a closed period.

For more information about accounting rules for closed periods, see the following topics:

- [Using the Period Close Checklist](#)
- [Non-Posting Transactions in Locked and Closed Periods](#)

Accepting Payment for an Invoice Group

You can accept a full or partial payment for an invoice group.

To accept payment for an invoice group:

1. Go to Transactions > Sales > Group Invoices > List.
2. Click the **Edit** or **View** link associated with the invoice group for which you want to accept payment.
3. On the invoice group record, click **Accept Payment**.
4. On the Payment page, click **Pay All** to pay all invoices.
All invoices linked to the invoice group are automatically selected. If you're accepting a partial payment, you can clear the **Apply** box for any invoices you don't want to be paid.
5. Click **Save**.

 **Note:** If a legacy invoice group has invoices with different A/R accounts, you'll see a warning message when you accept payments. To fully pay the invoice group, you must create a separate payment record for each A/R account. When you accept customer payments, the A/R account defaults to the account with the highest number of unpaid invoices in the invoice group.

You can't create a credit memo from an invoice group. If a credit memo exists, you can apply a credit to an invoice linked to the invoice group. You can find the credit memo under the **Related Records** subtab on the invoice group.

An invoice that is part of an invoice group can't accept payments outside of the invoice group. All payments must go through the invoice group.

After applying a payment to an invoice, the invoice can't be removed from the invoice group.

Any discounts on invoices in the group carry over to the invoice group. Discount information appears under the **Disc. Available** and **Disc. Taken** columns on the payment record.

If there's an automatically applied deposit on an invoiced sales order, that deposit carries over to the invoice group. However, you can't apply a deposit after the invoice is grouped.

For more information about customer payments, see the help topic [Customer Payments](#).

Consolidated payments for invoice groups follows the same rules as consolidated payments. For information about consolidated payments, see the help topic [Consolidated Payments](#).

Note: You can't use the Consolidated Payments feature to generate customer statements for invoice groups.

Generating and Printing an Invoice Group PDF

You can generate and print an invoice group PDF statement. By default, the PDF is the summary view of the invoice group record, but you can customize it.

To print an invoice group PDF:

1. Go to Transactions > Sales > Group Invoices > List.
2. Click the **View** link for the invoice group you want to print.
3. Point your mouse to **Actions**, and then click **Print**.

Note: The format of the PDF is determined by the Advanced PDF/HTML template. For more information, see the help topic [Advanced PDF/HTML Templates](#).

Invoice Groups and Customer Statements

You can create and send customers a statement that includes invoice groups.

To generate a customer statement that includes invoice groups:

1. Go to Transactions > Customers > Generate Statements.
You can also go to Transaction > Customers > Individual Statements and continue with the following steps.
2. Enter a date in the **Statement Date** field.
3. Check the box associated with the customer to which you want to send a statement.
4. From the **Form** field, select **Standard Statement**.

Note: The Standard Statement PDF/HTML form lists all invoices in the invoice group. You can customize the template to only show one line for the entire invoice group.

5. Click **Print**.

Invoice Group Reporting and the A/R Aging Report

You can find invoice group details on the A/R aging report and a customized Open Invoices report. Use the Report Builder feature to add invoice grouping fields to the report. For more information about the Report Builder feature, see the help topic [Financial Report Builder](#).

Here's a list of available invoice group fields:

- Bill To
- Date
- Date Due
- Grouping Status

- Invoice Group: Invoice Group Number
- Invoice Group Number

Open invoices that aren't in a group also appear on the report, but information appears only in the **Grouping Status** field (Not for Grouping).

Billing Operations

Billing Operations provide automation tools for billing managers and account receivables professionals. As an administrator, you can access Billing Operations in two ways:

- Transactions > Billing > Process Billing Operations
- Transactions > Billing > Schedule Billing Operations

To access Billing Operations using the A/R clerk role, go to Billing > Billing Operations.

You need to enable Billing Operations to use these features.

To enable billing operations:

1. Go to Setup > Company > Enable Features.
2. Select the **Transactions** subtab.
3. Under **Billing**, check the **Billing Operations** box.
4. Click **Save**.

If you're an administrator, you'll see the menu options for Process Billing Operations and Schedule Billing Operation under the Transactions tab. If you're using the A/R clerk role, you'll find these options under the Billing menu.

When billing operations run, rating runs and credit memo runs happen before invoicing billable customers.

To process Billing Operations for an Intercompany A/R account, select an Intercompany A/R account on the Billing Operations page. If the **Eliminate Intercompany Transactions** box is checked for that account, an A/R account is designated as an Intercompany A/R account. To set the **Eliminate Intercompany Transactions** box, go to Setup > Accounting > Chart of Accounts > New. For more information about Intercompany A/R accounts, see the help topic [Creating Intercompany Accounts](#).

Viewing and Creating Bill Runs and Credit Memo Runs

You can view and create bill runs from Billing > Billing Operations > Process Billing Operations. After creating bill run schedules, you can review the schedule and all bills being created during the times you scheduled.

 **Note:** You can't schedule a billing operation to run after the 28th of the month.

When viewing a list of bill runs, you can view a list of all invoices and cash sales by clicking the Submission ID column.

You can also create a Credit Memo run from the Billing Operations page. By default, both the **Credit Memo Run** and **Bill Run** boxes are checked.

When processing scheduled billing operations, NetSuite uses the database maintenance time zone. In the image below, a user is located on the east coast of the United States (U.S.). The company is located on the U.S. west coast. On the Billing Operations Schedule page, after you enter a **Next Time**, an in-line message

shows when the billing operation will run in the database maintenance time zone. Use the **Next Bill Run As Of Date** to set the date you want charges billed. In the image below, the billing operation is scheduled for January 26 and the **Next Bill Run As Of Date** is January 31. When the January 26 billing operation runs, it will include future charges up to January 31. You can also enter a date before the scheduled billing operation. If you're not sure about your company time zone, you can find it in Setup > Company Information > Time Zone.

When you create an immediate bill run (Process Billing Operations), the billing operation occurs in the user's time zone.

To create a new bill run or credit memo run:

1. Go to Billing > Billing Operations > Process Billing Operations.
2. Under **Primary Information**, enter an optional description for the bill run schedule.
3. Under **Billing Operation Options**, indicate whether you want to create a credit memo run, a bill run, or both.
4. If you're creating an off-cycle bill run, check the **Bill Run (Off-Cycle Only)** box.
Check this box to create invoices from off-cycle requests before the next bill cycle date. To verify if an off-cycle request exists, go to the billing account record. On the **Related Records** subtab, view the list on the **Off-Cycle Request** subtab.

Note: If you're creating an off-cycle bill run, some fields are grayed out and can't be edited.

5. If you're in a One World account, select an option from the Subsidiary list.
6. Under Customer, select a **Customer** or **Group** from the list or check the **All Customers** box.
7. Under Billables, select the types of transactions for which you want to create bills.
8. Under Accounting, indicate if a credit card is approved.

Note: Check the **Credit Card Approved** box if a credit card outside of NetSuite paid for the transaction, and you want to record the transaction in NetSuite.

9. Under Communication, indicate whether bills should be printed, emailed, or faxed.
10. Click **Run**.

The **Next Bill Run As Of Date** field shows the last date when charges are included in the bill run. For example, you're scheduling a bill run to occur on January 15, but you want to bill charges through the end of the month. The date in the **Next Bill Run As Of Date** field would be 1/31/YYYY.



Important: If a billing operation doesn't process all invoices, you have two options:

- Rerun the billing operations
- Schedule a billing operation for a time that works for your business

Here are some reasons why a billing operation might not process all invoices:

- A charge gets created after the billing operations starts processing charges
- A single billing operation can process only up to 100,000 lines

When using billing operations to process billing accounts, you might reach up to 100,000 processing lines. For more information about billing accounts, see [Creating Billing Accounts](#).

Creating Billing Groups

A billing group is a group of customers for which you want to create bills. Billing groups can be dynamic or static. For more information about groups, read the help topic [Working with Groups](#). You can change any group into a billing group by checking the **Billing Group** box.

Dynamic group membership changes to include anyone that meets the criteria defined in a saved search. You can create a dynamic group from an existing saved search or you can create a new saved search when you create the group.

The membership of a static group remains constant. You can create static groups by selecting members from lists and with a search. You can add or remove members from a static group at any time (see the help topic [Adding and Removing Members of Groups](#)).



Note: You can't create a static group with more than 10,000 members. For groups larger than 10,000, you must create a dynamic group.

To create a dynamic billing group:

1. Go to Lists > Relationships > Billing Groups.
2. On the **Create Group** page, choose **Dynamic**.
3. Select the type of members you'd like to include in the group.
4. Click **Continue**.
5. Enter a name for the group.
6. From the **Saved Search** field, select an existing saved search. For more information about saved searches, see the help topic [Saved Searches](#).
7. NetSuite fills in the **Owner** field with your name. If someone else owns the group, select their name from the list.
Only the owner can add and remove members or delete the group.
8. (Optional) If the group shares an email alias, enter the email address in the **Email** field.
9. (Optional) In the **Comments** field, enter the details about the group.
10. If you want to restrict viewing (and also editing) of the group to its members, check the **Private** box.
11. If you want to restrict access to the group to members of another group, select the group from the **Restrict To** list.

 **Note:** You can't mark restricted groups as private.

12. To let only the owner edit the group, check the **Restrict Group Editing to Owner** box. Otherwise, anyone with access can make changes.

 **Note:** The **Billing Group** box is checked by default and is read-only.

13. Click **Save**.

Now, whenever you create a record of this type, it's added to the group if it matches the saved search criteria.

To create a static billing group

1. Go to Lists > Relationships > Billing Groups.
2. On the **Create Group** page, choose **Static**.
3. Select the type of members you'd like to include in the group.
4. Click **Continue**.
5. Enter a name for the group.
6. NetSuite fills in the **Owner** field with your name. If someone else owns the group, select their name from the list.
Only the owner can add and remove members or delete the group.
7. (Optional) If the group shares an email alias, enter the email address in the **Email** field.
8. (Optional) In the **Comments** field, enter other information about the group.
9. If you want to restrict viewing (and also editing) of the group to its members, check the **Private** box.
10. If you want to restrict access to the group to members of another group, select the group from the **Restrict To** list.

 **Note:** You can't mark restricted groups as private.

11. To let only the owner edit the group, check the **Restrict Group Editing to Owner** box. Otherwise, anyone with access can make changes.

 **Note:** The **Billing Group** box is checked by default and is read only.

12. On the Members subtab, do one of the following:
 - To add individual members, in the **Name** column, select a member from the list, and click **Add**. Repeat these steps for each member.
 - To add multiple members, click **Add Multiple**, then click on each member to add them, or use the **Search** field. When you're done, click **Done**.
 - Click **Add With Search** to enter search criteria for the members you want to add.
You can use more than one of these methods to add members to the same group. For example, you can select a few members individually and then add all the members that meet search criteria.

 **Note:** If you select the same member using multiple methods, this adds the member multiple times.

13. Click the **Files** subtab if you'd like to attach a file to the group.

14. Click the **Notes** subtab to add any notes about the group.
15. Click **Save**.

To add or remove members from a static group, see the help topic [Adding and Removing Members of Groups](#).

To deactivate a billing group, open the billing group record, check the **Inactive** box, and then save the record.

Creating and Managing Billing Operation Schedules

After creating Billing Groups, you can create bill run schedules to run billing operations at a specific time. When you create a bill run schedule, you can set parameters like which invoices to create, which customers to bill, and when to start the billing operations.

To create a billing operation schedule:

1. Go to Transactions > Billing > Schedule Billing Operations.
2. Under Primary Information, enter a name and description for the bill run schedule.
If you don't want to make the bill run schedule active right away, check the **Inactive** box.
3. Under Schedule, set up the frequency for this bill run schedule.
4. Under Billing Operation Options, check the **Bill Run** box.
5. Under Billables, select the types of transactions for which you want to create bills.
6. Under Accounting, check the **Credit Card Approved** box if a credit card outside of NetSuite paid for the transaction, and you want to record the transaction in NetSuite.
7. Under Communication, indicate whether bills should be printed, emailed, or faxed.
When you set the **To Be Emailed** field to either Yes or Respect Customer Preference, the **Include Invoices for Grouping** field is enabled. Check this box if you want to send to customers all invoices generated from the bill run that were also marked for grouping.
8. Click **Save**.

To view the status of the bills being created from the bill run schedule, go to Transactions > Billing > Process Billing Operations > Status.

If you want to turn off the Billing Operations feature completely, inactivate all billing operation schedules first. Then, clear the **Billing Operations** box on the **Transactions** subtab of the Enable Features page. This step ensures that no further automatic billing gets processed.

Billing or Invoicing a Sales Order

Billing a sales order creates a record of debt owed to you by your customer for a sale. When you bill a sales order, your accounts receivable ledger increases by the amount of the bill.

Usually, you bill customers for a sale when you ship the items on the order. The process for billing your customers depends on whether you use the Advanced Shipping feature:

- **Without Advanced Shipping** – You use a single transaction to fulfill and bill sales orders at the same time. Fulfilling a sales order automatically creates a bill based on the fulfillment. You can partially fulfill a sales order and any items fulfilled will also be billed.
- **With Advanced Shipping** – You use separate transactions to fulfill and bill sales orders. First, you fulfill the sales order to indicate the items are being shipped. Next, you create a bill for the shipped items. Even if you ship only part of an order, you can still create an invoice or cash sale for the entire order.

To bill orders, fulfill part or all of a sales order, and then create an invoice or cash sale for the shipped items and rendered services. You can bill a single sales order or multiple sales orders.

You can't include a partially processed sales order when bulk billing orders. Partially processed sales orders need to be billed individually.

Note: You can't fulfill or bill sales orders with the status Pending Approval. If you need to make changes to an order that's pending approval, you can remove line items.

Lines from both a vendor bill and any related bill credit appear on the Billable Items list located on the Items subtab.

To convert a sales order to an invoice or cash sale, go to Transactions > Sales > Bill Sales Orders.

If you ship only part of an order, you can ship and create an invoice or cash sale for the rest of the order later.

After billing a sales order, you can view the Items subtab of the order and the Invoiced column, which shows how many of each item you've billed.

To enable Advanced Shipping, go to Setup > Company > Setup Tasks > Enable Features > Transactions > Transactions (Administrator). Check the **Advanced Shipping** box, and click **Save**.

To turn off Advanced Shipping, go to Setup > Company > Setup Tasks > Enable Features > Transactions > Transactions (Administrator). Clear the **Advanced Shipping** box, and click **Save**.

Note: After you enable Advanced Shipping, you can't turn it off unless all fulfilled sales orders are billed.

You can also use the Advanced Shipping feature with the Advanced Billing feature. For more information, read [Advanced Billing and Advanced Shipping](#).

Invoicing Billable Customers

When you use the Bill Costs to Customers feature, you can save time by invoicing customers in bulk for billable expenses, items, and time.

If you use the Multiple Currencies feature, you can create invoices only in each customer's primary currency. For more information, see the help topic [Customers and Multiple Currencies](#).

The Invoice Billable Customers page includes lines from the vendor bill and any applied vendor credit, so you can see which lines are already billed with a credit.

Note: If the Advanced Pricing feature is enabled, the rate displayed in the Estimate column on the Invoice Billable Customers page is determined by your configured price rules. The rate is sourced based on the invoice date, and may differ from the standard rate if Advanced Pricing is not enabled.

Note: You can't fulfill or bill sales orders with the status Pending Approval. You also can't close lines on a sales order with this status. If you need to make changes to an order that's pending approval, you can remove line items.

To bulk bill customers:

1. Go to Billing > Sales > Invoice Billable Customers.

2. Enter the Invoice date to apply to all invoices you're creating.
3. From the **Account** list, select the accounts receivable account to post to.
To set the default A/R account, go to Setup > Accounting > Accounting Preferences (Administrator).
If you want the invoices created to use each customer's default, select **Respect Customer Preference**. You can set the default A/R account for a customer on the Financial subtab of the customer record.
4. From the **Form** list, select the form you want to use for the invoices.
5. Print, email, or fax the invoices.
In the fields **To Be Printed**, **To Be Emailed**, and **To Be Faxed**, set your preferences for sending the completed form. You can select an option in each field individually.
 - Select **Yes** if you want to send the form using the method indicated.
For example, select Yes in the **To Be Faxed** field to fax the form.
 - Select **No** if you don't want to send the form using the method indicated.
For example, select No in the **To Be Emailed** field to not email the form.
 - Select **Respect Customer Preference** to send the form based on the default preference on the customer record.
For example, if the customer's record indicates to send forms by fax, then the completed form is faxed.
Set the preference on the Info subtab of a customer record in the **Send Transactions Via** field.
6. Filter the transactions in the list by checking the **Expenses**, **Items**, or **Time** box. For example, when you check the **Expenses** box, the list shows only transactions for customers with billable expenses.
7. Check the **Charges** box if you want to invoice billable charges.
8. Check the **Credit Card Approved** box if the credit card transaction occurred outside of NetSuite. For example, a charge at a card-swipe terminal.
9. Check the **Show Invoices** box to show a list of invoices created when you submit this page.
10. In the **Bill Date** field, filter the list of transactions by selecting a date range. Then, you can filter the list of transactions to process billable transactions for a particular time frame.
For example, a lawyer can filter the transaction list for billable time during the previous month. Then, customers can be invoiced monthly for billable time accrued during the previous calendar month.
11. Select the invoices to create by checking the **Invoice** box next to the transaction.
12. Click **Submit**.

For each transaction you checked, NetSuite creates an invoice using your preferred invoice form. The Results page lists all invoices created in this bulk process.

Note: When you enter billable time using the Vendor Center for a service item with a price, the billable time shows when you invoice billable customers. The rate shown is the price on the item record.

Closing or Voiding an Invoice

An invoice closes when it's paid in full. However, the status shows Paid in Full instead of Closed.

You can't change invoices in a closed period.

Depending on your company policy or location, deleting an invoice may not be an option.

If your company policy allows, you may be able to void an invoice or issue a credit memo and apply the credit memo to the invoice.

For more information, see the help topic [Voiding, Deleting, or Closing Transactions](#).

Creating Installments

Create installments for your customers who pay for items over time using installment-based payments. The Installments feature is part of the term record. When you check the **Installment** box on the term record, installment-specific fields appear. Other installments-specific fields appear but you can't edit them.

Before using the Installments feature, enable it by going to Setup > Company > Enable Features. Select the Accounting subtab, and check the **Installments** box.

To create an installment term

1. Go to Setup > Accounting > Accounting Lists > New > Term.
2. On the term record, check the **Installment** box.

The screenshot shows the 'Term' record form in NetSuite. The 'Installment' checkbox is checked, which has enabled several installment-specific fields. The 'Terms' field is empty. The 'Standard' radio button is selected. The 'Days Till Net Due' field is empty. The '% Discount' field is empty. The 'Days Till Discount Expires' field is empty. The 'Recurrence Frequency' dropdown is set to 'Monthly'. The 'Recurrence Count' field is empty. The 'Repeat Every' field is empty, with '(month(s))' indicated. The 'Date Driven' radio button is not selected. The 'Day Of Month Net Due' field is empty. The 'Due Next Month If Within Days' field is empty. The '% Discount' field is empty. The 'Day Discount Expires' field is empty. The 'Split Evenly' checkbox is checked. The 'Pay Tax Upfront' checkbox is checked. The 'Save' and 'Cancel' buttons are at the top and bottom of the form.

Note: After you check the **Installment** box, new fields appear. Any non-installment fields become unavailable.

3. In the **Terms** field, enter the installment terms. For example, **Three Month Term**.
4. In the **Days Till Net Due** field, enter the number of days after the invoice date that the payment is due. For payments due upon receipt, enter **0**.
5. From the list, select a recurrence frequency. Options are:
 - Annually
 - Daily
 - Monthly
 - Weekly
6. In the **Recurrence Count** field, enter the number of recurring payments. For example, 3.
7. To split the payments into equal amounts, check the **Split Evenly** box. If you don't want the payments split evenly, clear the box. A list of installment lines appears for you to enter the amount of payment for each installment.
8. To include the total tax amount with the first installment, check the **Pay Tax Upfront** box.

Note: If the **Pay Tax Upfront** box is checked, any shipping fees are split across the installments. However, the total of any shipping taxes is included in the first installment.

9. Click **Save**.

After you check the **Installment** box, fields that aren't supported by installments become unavailable, such as discounts.

After saving the installment term, you can add it to a sales order. On a sales order, you can only view installment details, and can't be edited. Any editing should be done on the invoice.

To add an installment term to a sales order, click the **Billing** subtab, and then select your term from the Terms list. When the sales order is fulfilled and billed, the installment terms appear on an invoice.

To view installment information, click the **Billing** subtab on the invoice. If you're creating a standalone invoice, select a term from the Terms list.

The screenshot displays the NetSuite interface for managing billing information. The 'Billing Information' tab is active, showing a 'Terms' dropdown menu currently set to '3 Month Term'. Below this is an 'Override Installments' checkbox. To the right, the 'Billing Address' section includes a 'Bill To Select' dropdown menu set to '- Custom -' and a 'Bill To' field displaying 'Customer 1 United States'. A 'Map' icon is visible next to the address field. Below the address section, there is a table titled 'Installments' with two columns: 'Due Date' and 'Amount'. The table lists three installments due on 8/8/2024, 9/8/2024, and 10/8/2024, each with an amount of 50.00. At the bottom of the page, there are buttons for 'Add', 'Cancel', 'Save', 'Auto Fill', and 'Actions'.

You have the option to override the installments. To make changes, check the **Override Installments** box. If you override any installments, make sure the total matches the invoice amount.

On the invoice, the header-level due date always indicates the next installment due date. In edit mode, you can't change the header-level due date, but you can change unpaid installments. You can't edit paid installments either. On the sales order, you can only view installments, but you can't edit them.

When you accept payments, the status of the payment changes. If a customer pays more than the amount due for an installment, the overage amount is applied to the next installment. When the overage amount doesn't completely cover the amount due for an installment, the status for that installment is partially paid. The same is true for the aging balance. The aging balance shows a late installment as past due, not the entire balance.

When an installment is unpaid after the due date, only the late installment is marked as past due, not the entire invoice.

Setting the Tax Allocation for a Subsidiary

If you have a OneWorld account, you can set the tax allocation method for each subsidiary by going to the Invoice Preferences page. When you set the tax allocation method for a subsidiary, all invoices with

an installment term use the same method. Each subsidiary can only use one method. When you click the Installments subtab, your available subsidiaries appear in the Upfront Tax Allocation list and the Split Tax Allocation list. Select the subsidiaries that you want to use for one of the two allocation methods.

To set the tax allocation method for a subsidiary:

1. Go to Setup > Accounting > Preferences > Invoicing Preferences
2. Click the **Installments** subtab.
3. From the Split Tax Allocation list or the Upfront tax allocation list, select the subsidiaries you want to associate with a tax allocation method.



Note: You can select more than one subsidiary for each method. Each subsidiary can only have one tax allocation method.

4. Click **Save**.

If you need to change the tax allocation method for a subsidiary, you can do so from the Invoicing Preferences page. The change is applied from that date forward.

Printing an Invoice

When printing, invoice formats you can use are PDF or HTML. Invoice formatting depends on your set preferences:

- If you haven't set the Download PDF Files preference at Home > Set Preferences page, a preview of your invoices pops up in the default Adobe application.
- If you've set the Download PDF Files preference, save your invoices first and then open them with the Adobe application.

To print invoices in PDF format, you can download Adobe® Reader® for free from the [Adobe Web site](#).

To print a single invoice:

1. Go to Billing > Sales > Create Invoices.
2. On the Invoice page, complete the information as appropriate.
3. Click **Save & Print**.
NetSuite shows the printout for your invoice in an Adobe application document.
4. Click the printer button in the Adobe application frame.
5. If you want to print multiple copies, specify the number on the print message that appears.
6. Click **OK**.

You can also print invoices by going to Billing > Sales > Create Invoices > List. Then, on the Invoices page, click Print next to the invoice.

When you view an invoice, you can also hover over the print icon. Then, select **Print in Customer's Locale** to translate the transaction into the customer's predefined language. For more information, see the help topic [Configuring Multiple Languages](#).

When printing an invoice through Advanced PDF/HTML Template, all items, time, and billable items are listed in the Items sublist. For more information, see the help topic [Advanced PDF/HTML Templates](#).

You can print invoices for more than one transaction at a time. To save an invoice in your print queue to print later, on the Communication subtab, check the **To Be Printed** box. Then, follow these steps to print invoices in bulk.



Tip: The page sequence of the printed document depends on how the list appears on the Print Invoices page. Before printing, you can sort the list based on your preference by clicking any of the column headers.

To bulk print invoices from multiple transactions:

1. Go to Customers > Accounts Receivable > Print Checks and Forms.
2. On the Print Checks and Forms page, click **Invoices**.
3. On the Print Invoices page, select the invoices you want to print from the list.
 - a. (Optional) If you use the Locations feature, select the location you want to print invoices from.
 - b. (Optional) To customize the Print Invoices page view and filter the results, click **Customize**. Use these subtabs to see the list of fields on the invoice record.
 - **Additional Columns** – To add a field as a column in the sublist, check the **Include** box for the field, then click **Save**.
For example, if you want to show the status of the invoices you want to print, select the **Status** field.
 - **Additional Filters** – To include a field as an additional search filter on the page, check the **Include** box for the field, then click **Save**.
For example, if you want to print only paid invoices, select the **Status** field. On the Print Invoices page, use the status filter to show only the invoices with Paid In Full status.
 - c. Check the **Print** box next to each invoice you want to print.
4. Click **Print**.
You can also hover over the print button and select **Print in Customer's Locale** to translate the transaction into the customer's language. For more information, see the help topic [Configuring Multiple Languages](#).

Giving Customers Access to Invoices

Giving customers access to their invoices allows them to view past invoices. If you set up the appropriate preferences, you can also allow your customers to pay their open invoices online.

Follow these steps to give customers access to their invoices.

To enable features:

1. Go to Setup > Company > Enable Features (Administrator).
2. Click the **Transactions** subtab.
3. Under Payment Processing, check the **Credit Card Payments** box to let customers pay their invoices online.
4. Click the **Web Presence** subtab.
5. Under Access, check the **Customer Access** box.
6. Click **Save**.
7. Go to Setup > Accounting > Preferences > Accounting Preference.
8. Click the **Items/Transactions** subtab.
9. To let customers pay their invoices online, under Payment Processing, check the **Customers Can Pay Online** box.

10. Click **Save**.

Setting Up Access on Customer Records

You can use customer records in NetSuite to give access to customers and assign roles.

Check the **Send New Access Notification Email** box to send an email so customers can set up their own NetSuite password. However, if you prefer to set their passwords yourself, use the procedure in [Manually Set a Password](#) instead.

To set up access on customer records:

1. Go to Customers > Lists > Customers.
2. Click **Edit** next to the name of the customer you want to give access to.
3. Under Email | Phone | Address, enter your customer's email address.
4. Click the **Access** subtab.
5. In the **Role** field, select the Customer Center role you want to assign to this customer.
6. Check the **Give Access** box.
7. To let your customer know about their new access, check the **Send New Access Notification Email** box. The email includes their login email address, explains login procedures, and gives them a link to set up their NetSuite password.
8. When you're done, click **Save**.

Manually Set a Password

Use the **Send New Access Notification Email** feature to let customers set up a NetSuite password for themselves. However, if you prefer to set their passwords yourself, follow these steps.

To manually set a password:

1. Go to Lists > Relationships > Customers.
2. Next to the customer to whom you want to assign a role, click **Edit**.
3. In the **Email** field, enter the customer's email address.
The customer uses this email address to log in to NetSuite.
4. On the **Access** subtab, check the **Give Access** box.
5. In the **Role** field, select the Customer Center role you want to assign to this customer.
6. Clear the **Send New Access Notification Email** box.
7. Check the **Manually Assign or Change Password** box.
8. Enter a password for your customer.



Note: For details about password requirements, see the help topic [NetSuite Password Requirements](#).

9. Enter the password again for verification.
10. When you're done, click **Save**.
11. Next, ask your customer to go to your customer center login page. To find the URL, a user with an Administrator role can go to Setup > Company > Company Information. The URL is in the

Customer Center Login field. Your customer can log in with the email address and the password you entered on the customer's record. Don't send the customer the password by email.

After your customers log in to NetSuite, they can view and pay their invoices.

Show the Customer Account Balance Due on Invoices

You can inform customers of the outstanding balance due on their account by showing their total account balance on each invoice. This is a good way to keep customers aware of their balance due between statements.

The balance on an invoice is the customer's total amount due on their account, including the amount of the invoice it's printed on.

To show the customer account balance on invoices, you need to customize your standard invoice form. Then, you can select this custom form when creating an invoice.

To customize an invoice to show the Balance field:

1. Go to Customization > Forms > Transaction Forms (Administrator).
2. Next to the invoice form to which you want to add the **Balance** field, click **Customize**.
In the **Name** field, enter a name for this form. For example, **Balance Field Invoice**.
3. Click the **Screen Fields** subtab.
On the **Billing** subtab, check the box in the **Show** column next to Balance.
If you use the Consolidated Payments feature, check the **Consolidated Balance** box to show the consolidated balance.
4. Click the **Printing Fields** subtab.
5. Click the **Body** subtab.
6. Check the box in the **Print/Email** column next to Balance.
If you use the Consolidated Payments feature, check the **Consolidated Balance** box to show the consolidated balance.
7. If you want this to be the preferred form, check the **Form is Preferred** box in the header.
8. Click **Save**.

Now, when you create invoices using this form, the customer's account balance shows in the **Balance** field. This balance shows on the invoice when it's viewed, printed, faxed or emailed.



Note: When you view an old invoice, you'll see the balance due at the time the invoice was created. To update the balance, edit the invoice.

Displaying Deposit Balance on Customer Statements and Remittance Slips

You can add a **Deposit Balance** field to customer statements or remittance slips so customers can see any unapplied deposit amount left on their account. By default, the **Deposit Balance** field doesn't show on customer statements or remittance slips.

Similar to the **Deposit Balance** field, you can also add a **Net Amount Due** field to customer statements and remittance slips. If you show **Net Amount Due**, it's assumed that your company applies the deposit balance to any open invoices on or before the payment due date. Therefore, **Net Amount Due** is the **Statement Balance** less **Deposit Balance**. If you don't plan to apply the deposit balance to any open invoices, for example a security deposit on hold, don't show the **Net Amount Due** field. Please note that even if you add these on customer statements or remittance slips, these fields don't show on printed invoices.

The **Deposit Balance** and **Net Amount Due** fields use the same currency as the statement. For consolidated statements, the **Deposit Balance** on the statement is the consolidated deposit balance for the parent and all sub-customers. The **Net Amount Due** is the amount due of all customers less the consolidated deposit balance.

For more information, see either [Customer Statements](#) or see [Remittance Forms](#).

To enable the Deposit Balance or Net Amount Due field on customer statements:

1. Go to Customization > Forms > Transaction Forms.
2. Click the **Customize** link for Standard Statement.
If you can't see the link, contact your administrator.
3. On the **Custom Transaction Form** record, click the **Body** subtab, and then check the **Print/Email** box for Deposit Bal.
4. To enable the **Net Amount Due** field, check the **Print/Email** box for Net Amount Due.
5. Click **Save**.

To enable the Deposit Balance or Net Amount Due field on the remittance slip:

1. Go to Customization > Forms > Transaction Forms.
2. Click the **Customize** link for Standard Remittance Slip.
If you can't see the link, contact your administrator.
3. On the **Custom Transaction Form** record, click the **Body** subtab, and then check the **Print/Email** box for Deposit Bal.
4. To enable the **Net Amount Due** field, check the **Print/Email** box for Net Amount Due.
5. Click **Save**.

Progress Invoices

- [Using Progress Invoicing](#)
- [Creating Invoices from Progress Sales Orders](#)
- [Creating Invoices from Fulfilled Progress Sales Orders](#)

Using Progress Invoicing

Many service businesses use progress billing to bill for portions of projects as they're completed.

With progress billing, you can create and approve a progress sales order. When a portion of the project is done, fulfill the progress sales order. Then, create a progress invoice for a percentage of the total cost.

To create a progress invoice, create a progress sales order first. Without the corresponding sales order, a progress invoice isn't recorded correctly. For more information about creating a progress sales order, read the help topic [Creating Progress Sales Orders](#).

If you use advanced shipping, there are separate processes for fulfilling progress sales orders and creating corresponding invoices. For more information about advanced shipping, read the help topic [Creating Progress Sales Orders](#).

If you don't use advanced shipping, you use a single process to fulfill and bill progress sales orders. Fulfilling a progress sales order automatically creates an invoice from the sales order.

To create an invoice from a progress sales order:

1. Go to Billing > Sales > Bill Sales Orders.
2. On the Bill Sales Order page, select the customer you want to create an invoice for.
All open sales orders for that customer appear in a list on the page.
3. In the **Process** column, click **Invoice** next to the progress sales order you want to create an invoice for.
4. Under **Primary Information**, in the **Custom Form** field, select **Standard Progress Invoice**.
5. On the **Item** subtab, enter the percentage being billed in one of two ways:
 - Click the number of the line item you want to change.
In the **Current %** field, enter the percentage of the sales order to be billed for, and click **Add**.
 - Click **Fill %**.
Enter the percentage that all line items are to be billed for, and click **OK**.
6. Click **Save**.

When you've completed another portion of this project, repeat these steps to fulfill and invoice the sales order again.

To accept a customer payment for the invoice, go to Customers > Accounts Receivable > Accept Customer Payments.

Creating Invoices from Progress Sales Orders

Many service businesses use progress billing to bill for portions of projects as they're completed.

With progress billing, you can create and approve a progress sales order. When a portion of the project is done, fulfill the progress sales order. Then, create a progress invoice for a percentage of the total cost.

Without advanced shipping, you use a single process to fulfill and bill progress sales orders. Fulfilling a progress sales order automatically creates an invoice from the sales order. Progress sales orders need to be fulfilled individually.

If you use advanced shipping, there are separate processes for fulfilling progress sales orders and creating corresponding invoices. For more information about advanced shipping, read the help topic [Fulfilling Progress Sales Orders Using Advanced Shipping](#).

To create an invoice from a progress sales order:

1. Go to Customers > Sales > Fulfill Orders.
2. Select the customer you want to create an invoice for.
Open sales orders for that customer appear at the bottom of the page.
3. Click the date next to the progress sales order you want to create an invoice for.

4. Click **Bill**.
5. Under **Primary Information**, in the **Custom Form** field, select **Standard Progress Invoice**.
6. Click the number of the line item you want to change, in the **Current %** field, enter the percent of the sales order to be billed, and then click **Done**.
7. Click **Save**.

When you've completed another portion of this project, repeat the above steps to fulfill and invoice the sales order again. You can repeat these steps as many times as necessary to fulfill the entire sales order.

Creating Invoices from Fulfilled Progress Sales Orders

Many service businesses use progress billing to bill for portions of projects as they're completed.

A progress sales order is a commitment to perform services. It doesn't affect your accounting until the work is done and you turn the order into an invoice. With advanced shipping, your shipping and accounting departments use separate processes for fulfilling and billing sales orders.

With progress billing, you can create and approve a progress sales order. When a portion of the project is done, fulfill the progress sales order. Then, create a progress invoice for a percentage of the total cost. Progress sales orders need to be billed individually.

First, fulfill part or all of a sales order, and then create an invoice for the percentage of services you've completed. If you finish only part of an order, you can later fulfill and create an invoice for the rest of the order.

To fulfill a sales order, go to Customers > Sales > Fulfill Orders.

To create an invoice from a fulfilled progress sales order:

1. Go to Customers > Sales > Bill Sales Orders.
2. Select the customer whose sales order you want to turn into an invoice.
Open and fulfilled sales orders for that customer appear at the bottom of the page.
If you only partially fulfilled a sales order, you bill for only the parts of the order you've fulfilled.
3. Click the date next to the sales order you want to bill.
4. Click **Bill**.
The sales order you've selected appears as an invoice or cash sale to save.
5. Under **Primary Information**, in the **Custom Form** field, select **Standard Progress Invoice**.
6. Click **Save**.

When you have completed another portion of the sales order, fulfill the sales order and repeat the above steps to bill the sales order again.

To accept a customer payment for an invoice, go to Customers > Accounts Receivable > Accept Customer Payments.

Billing Costs to Customers

NetSuite lets you to bill costs back to customers for time, items, and expenses you incur while working on a project for them. For example, a locksmith can bill costs to customers in the following ways:

- **Bill Items to Customers** – Bill a customer for a safe that was ordered.

- **Bill Time to Customers** – Bill a customer for the time an employee spent installing a safe.
- **Bill Expenses to Customers** – Bill a customer for subcontractor fees incurred to install a safe in another state.

To bill costs to customers, enable the feature first. An administrator can go to Setup > Company > Enable Features. On the **Transactions** subtab, check the **Bill Costs To Customers** box, and then click **Save**.

 **Note:** Unlike the items added to the Items subtab that are taxed based on the transaction shipping address, billable costs are taxed based on the customer's address.

Bill your costs to customers in one of the following ways:

- **Enter the time, item or expense, and mark it as billable.**

When you enter time transactions, purchase orders, bills, checks or credit card payments for time, an item or expense, check the **Billable** box. Then, assign a customer to be billed for the item or expense. When you bill the customer, the expense appears on a Billable subtab of the invoice or cash sale.



Important: The **Billable** box has the following behavior:

- **Billable** field is disabled if you select a project without customer.
- **Billable** field is disabled if you select a non-billable project task.
- If you select a project without a billing type, the default value depends on accounting preference EXPENSES BILLABLE BY DEFAULT.
- If you select a project with billing type T&M or CB, the default value = T (it doesn't matter what the EXPENSES BILLABLE BY DEFAULT preference is set to).
- If you select a project with billing type FBI or FBM, the default value = F (it doesn't matter what the EXPENSES BILLABLE BY DEFAULT preference is set to).



Note: If you enter the billable item on a purchase order, bill the purchase order before you bill the customer for the item.

- **Create an invoice or cash sale to bill the customer for the cost you entered.**

When you create a customer invoice or cash sale, the costs you bill to customers show on the Billable Items, Billable Expenses and Billable Time subtabs. After you select the customer on the bill, click the appropriate subtab, and check the line items you want to bill the customer for.

Click **Mark All** or **Unmark All** to check or clear all items, expenses or time that show on the subtab.

For more information, read [Creating an Invoice](#) or [Cash Sales](#).

The items and expenses appear as normal line items on the transaction. The customer only sees the selling price that includes the markup spread over the expense items. However, you'll see the markup as a separate entry when you view the invoice or cash sale in NetSuite.

Preferences for Billing Costs

When you use the Bill Costs to Customers feature, set a preference for invoices to include memos you enter on time and expense records. To set this preference, go to Setup > Accounting > Preferences

> Accounting Preferences > Time & Expenses. Check the **Copy Time Memos to Invoices** and **Copy Expense Memos to Invoices** boxes and then click **Save**.

Note: When you set these preferences, the memos you've already entered on existing time and expense records show on invoices you create.

If you want to classify billable costs by class or department, enable the **Allow Per-Line Departments** and **Allow Per-Line Classes** preferences at Setup > Accounting > Preferences > Accounting Preferences > General under Classifications.

To save time, you can create invoices in bulk for billable expenses, time, and items. For more information, read [Invoicing Billable Customers](#).

Tracking Class, Department, and Location for Billable Costs

If you track class and department on the line-item level, the bill's classifications (class, department, and location) are maintained on the billable subtabs, regardless of the invoice header settings.

You can change the classifications on the billable subtabs of the invoice.

Note: If you group class, department, and location on invoices, the billable subtabs will use the classifications from the invoice header.

Billing Items to Customers

Billing items back to customers lets you to purchase items and supplies for an order or project, and then bill the cost to the customer. For example, a locksmith can bill a customer for a special safe they installed.

To bill items to customers, enable the feature first. An administrator can go to Setup > Company > Enable Features > Transactions, check the **Bill Costs To Customers** box, and click **Save**.

When you enable the feature, you can bill items to customers on purchase orders or other purchase transactions.

Note: If the Advanced Pricing feature is enabled, the value displayed in the Rate column on the Billable Items sublist is determined by your configured price rules. The rate will be sourced based on the transaction date specified on the Invoice or Cash Sale form. This may result in a different rate from the standard pricing.

Income from billable items goes to the income account setup in your Chart of Accounts.

Note: For OneWorld accounts, you must also set up at least one tax schedule because Advanced Taxes is enabled in all OneWorld accounts.

Warning: In accounts without OneWorld, you can bill costs to customers using items created before enabling the Advanced Taxes feature. If you enable Advanced Taxes after creating an item, you must assign a tax schedule to the item to bill a customer.

To bill items to customers using purchase orders:

1. Enter a purchase order for an item you want to bill to a customer.

When you enter a purchase order for a billable item, select the item and identify the customer or project, and then check the **Billable** box.

 **Note:** You must bill the purchase order before you can bill the customer for the billable item.

To enter a purchase order for a billable item, go to Transactions > Purchases/Vendors > Enter Purchase Orders.

For more information about purchasing billable items, read the help topic [Entering a Purchase Order](#).

2. Bill the purchase order that includes the item you want to bill to a customer.

The bill for the billable item needs to identify the customer or project and have the **Billable** box checked.

To bill a purchase order, go to Transactions > Purchases/Vendors > Bill Purchase Orders.

For more information, read the help topic [Billing a Purchase Order With Advanced Receiving](#).

After the purchase order is billed, this item can show on the Billable Items subtab of the customer bill.

3. Enter an invoice or cash sale to bill the customer for the billable item.

When you create an invoice, apply the appropriate billable item on the **Billable Items** subtab. Click **Mark All** or **Unmark All** to check or clear all items that show on the subtab.

- To create an invoice, go to Billing > Sales > Create Invoices.
- For more information about creating an invoice, read [Creating an Invoice](#).
- To create a cash sale, go to Billing > Sales > Enter Cash Sales.. For more information, see the help topic [Cash Sales](#).

For more information about creating a cash sale, read the help topic [Entering a Cash Sale](#).

4. If you track class, department, and location at the line-item level, you can change these settings for this billable item.

When you create the invoice or cash sale, the customer is billed for the item.

To bill items to customers using checks:

1. Enter a check to pay a vendor for the item you want to bill to a customer. For more information, read the help topic [Adding Items to a Check](#).
2. On the **Items** subtab of the check, select the item you want to bill to the customer.
3. Identify the customer or project and check the **Billable** box.
4. Complete additional fields on the check as necessary.
5. Click **Save**.

Now, this item can show on the Billable Items subtab of the customer bill.

To bill items to customers using credit card transactions:

1. Enter a credit card transaction to pay a vendor for the item you want to bill to a customer. For more information, read the help topic [Entering Company Credit Card Charges](#).
2. On the **Items** subtab of the credit card transaction, select the item you want to bill to the customer.
3. Identify the customer or project and check the **Billable** box.
4. Complete additional fields on the credit card transaction as necessary.

5. Click **Save**.

Now, this item can show on the Billable Items subtab of the customer bill.

Items Billable By Default

You can set the Items Billable by Default preference. This preference lets you check the **Billable** box by default when you're purchasing items. After you select a customer on an item line of a purchase transaction, the **Billable** box is automatically checked.

You can set the Items Billable by Default preference at Setup > Accounting > Preferences > Accounting Preferences > Time & Expenses. This preference is dependent on the Bill Costs to Customers feature.

When billing items back to customers, you can include the date of service on all custom invoices except finance charge invoices. This is the date the bill for the items was entered.

Billing Time to Customers

Billing time back to customers lets you to enter time spent on a project for customers, and then bill the cost to them. For example, a locksmith can bill a customer for the time an employee spent installing a safe.

To bill time to customers:

1. Enable the Bill Costs to Customers and Time Tracking features:
 - a. Go to Setup > Company > Enable Features.
 - b. On the Transactions subtab, check the **Bill Costs To Customers** box.
 - c. On the **Employees** subtab, check the **Time Tracking** box, and then click **Save**.

Note: For OneWorld accounts, you must also set up at least one tax schedule because Advanced Taxes is enabled in all OneWorld accounts.

Note: In accounts without OneWorld, you can bill costs to customers using items created before enabling the Advanced Taxes feature. If you enable Advanced Taxes after creating an item, you must assign a tax schedule to the item to bill a customer.

2. (Optional) Set preferences to determine ways you track and process the hours that employees work. For more information, see the help topic [Setting Up Time Tracking Preferences](#).
3. Enter a time tracking transaction for time you want to bill.
 - a. Go to Transactions > Employees > Track Time.
 - b. When you enter a time tracking transaction for billable time, select the customer or project and service item, and ensure that the **Billable** box is checked.

Then, when you create an invoice, this time appears on the **Billable Time** subtab.

Note: If the Advanced Pricing feature is enabled, the Rate column on the Billable Time subtab will reflect rates determined by your configured price rules. The rate is sourced according to the transaction date entered on the Invoice or Cash Sale. This may differ from standard rates that do not use rule-based pricing.

For more information about creating a time transaction, read the help topic [Entering a Time Transaction](#).

4. Create an invoice or cash sale that applies the billable time.
 - a. Go to Billing > Sales > Create Invoices.
 - b. When you create an invoice, apply the appropriate billable time on the **Billable Time** subtab. Click **Mark All** or **Unmark All** to check or clear all time that shows on the subtab.

 **Note:** To generate deferred revenue for billable time, you must manually select revenue recognition schedules on the **Billable Time** subtab.

For more information about creating an invoice, read [Creating an Invoice](#).

- c. To create a cash sale, go to Billing > Sales > Enter Cash Sales.. For more information, see the help topic [Cash Sales](#).
5. If you track class, department, and location at the line-item level, you can change these settings for this billable time.

When you create the invoice or cash sale, NetSuite bills the customer for the time.

When you bill time back to customers, you can also use billing classes. Billing classes set billable time rates for service items based on employees. For example, a law office can use billing classes to charge specific hourly rates for time billed by partners in the firm.

For more information about billing classes, read [Using Billing Classes](#).

When billing time to customers, you can select to include the date of service on all custom invoices except finance charge invoices. If you combine time items on invoices, the date of service for all the time items you're billing is grouped under the last date the employee worked.

Billing Expenses to Customers

Billing expenses back to customers lets you to bill customers for the costs you incur while working on a project. For example, a locksmith can bill a customer for subcontractor fees incurred to install a safe for a customer in another state.

To bill expenses back to customers, enable the feature first. An administrator can go to Setup > Company > Enable Features. On the Transactions subtab, check the **Bill Costs To Customers** box, and then click **Save**.

When you enable the feature, you can bill expenses to customers on purchase orders or other purchase transactions.

 **Note:** For OneWorld accounts, you must also set up at least one tax schedule because Advanced Taxes is enabled in all OneWorld accounts.

 **Note:** In accounts without OneWorld, you can bill costs to customers using items created before enabling the Advanced Taxes feature. If you enable Advanced Taxes after creating an item, assign a tax schedule to the item to bill a customer.

To bill expenses to customers using purchase orders:

1. Enter a purchase order for an expense you want to bill to a customer.

When you enter a purchase order for a billable expense, select the expense and identify the customer or project, and then check the **Billable** box.

 **Note:** You must bill the purchase order before you can bill the customer for the billable expense.

To enter a purchase order for a billable expense, go to Transactions > Purchases/Vendors > Enter Purchase Orders.

For more information about purchasing billable expenses, read the help topic [Entering a Purchase Order](#).

2. Bill the purchase order that includes the expense you want to bill to a customer.

The bill for the billable expense needs to identify the customer or project and have the **Billable** box checked.

To bill a purchase order, go to Transactions > Purchases/Vendors > Bill Purchase Orders.

For more information, read the help topic [Billing a Purchase Order With Advanced Receiving](#).

After the purchase order is billed, this expense can show on the Billable Expenses subtab of the customer bill.

3. Enter an invoice or cash sale to bill the customer for the billable expense.

When you create an invoice, apply the appropriate billable expense on the **Billable Expenses** subtab. Click **Mark All** or **Unmark All** to check or clear all expenses that show on the subtab.

- To create an invoice, go to Billing > Sales > Create Invoices.

For more information about creating an invoice, read [Creating an Invoice](#).

- To create a cash sale, go to Billing > Sales > Enter Cash Sales.. For more information, see the help topic [Cash Sales](#).

For more information about creating a cash sale, read the help topic [Entering a Cash Sale](#).

4. If you track class, department, and location at the line-item level, you can change these settings for this billable item.

When you create the invoice or cash sale, the customer is billed for the expense.

To bill expenses to customers using checks:

1. Enter a check to pay a vendor for the item you want to bill to a customer. For more information, read the help topic [Adding Expenses to a Check](#).
2. On the **Expenses** subtab of the check, select the expense you want to bill to the customer.
3. Identify the customer or project and check the **Billable** box.
4. Complete additional fields on the check as necessary.
5. Click **Save**.

Now, this expense can show on the **Billable Items** subtab of the customer bill.

To bill expenses to customers using credit card transactions:

1. Enter a credit card transaction to pay a vendor for the expense you want to bill to a customer. For more information, read the help topic [Entering Company Credit Card Charges](#).
2. On the **Expenses** subtab of the credit card transaction, select the expense you want to bill to the customer.
3. Identify the customer or project and check the **Billable** box.
4. Complete additional fields on the credit card transaction as necessary.
5. Click **Save**.

Now, this expense can show on the Billable Expenses subtab of the customer bill.

Expenses Billable By Default

You can also set the **Expenses Billable by Default** preference to check the **Billable** box by default when you're creating purchase orders. Then, when you select a customer on an item line of a purchase transaction, the **Billable** box is automatically checked.

You can set the **Expenses Billable by Default** preference at Setup > Accounting > Preferences > Accounting Preferences > Time & Expenses subtab. This preference is dependent on the Bill Costs to Customers feature.

Copy Expense Memos to Invoices

You can also set a preference for invoices to include memos entered on billable expenses. To set this preference, go to Setup > Accounting > Preferences > Accounting Preferences > Time & Expenses. Check the **Copy Expense Memos to Invoices** box and then click **Save**.

 **Note:** When you set this preference, the memos you enter on existing expense records show on invoices you create.

When billing expenses back to customers, you can select to include the date of service on all custom invoices except finance charge invoices. This is the date the bill for the expenses was entered.

Customer Statements

A statement reviews a customer's account on a regular basis, usually every month. Send statements to remind your customers to pay their invoices.

A statement lists your customer's transactions, including invoices, finance charges assessed, credit memos issued and payments received. It also contains an aging summary at the bottom that shows how long each amount has been due.

If you use the Multiple Currencies feature, statements include separate pages for each transaction currency for each customer. If you include balance information at the bottom of your invoices (mini statements), the balance amounts shown are in the same currency as the invoice currency. For more information, see the help topic [Customers and Multiple Currencies](#).

Click a link below for more information:

- [Generating Statements](#) – includes instructions on how to print, email or fax customer statements
- [Printing a Statement](#) – includes instructions for printing individual statements or bulk statements
- [Printing Mini Statements](#) – includes instructions for customizing invoices to print mini-statements and setting your PDF form to print mini-statements

Generating Statements

You send statements to remind customers to pay their invoices. Most companies send statements one time each month.

You can print, email or fax statements, in HTML or PDF format.

To generate statements:

1. Go to Customers > Accounts Receivable > Generate Statements.
2. In the **Statement Date** field, accept or enter the date you want to appear on your statements.

 **Note:** The system also uses this date to calculate aging.

3. (Optional) Enter a start date for your statements.
This is the date of the oldest transaction you want to appear on the statement.
If you don't enter a start date, the Balance Forward won't show and all transactions in the customer's history appear on the statement.
4. (Optional) To filter the customer list, from the **Restrict By Group** list, select a customer group.

 **Tip:** To view or edit any Customer Group record in the list, click the  icon to open the selected record in a new tab.

5. (Optional) Check the **Include Zero Balances** box to generate statements for customer accounts that meet these requirements:
 - have a zero balance as of the statement date
 - have accounts receivable transaction activity between the statement date and the start date
6. (Optional) If you want to include only open transactions, check the **Show Only Open Transactions** box.

If you show only open transactions and don't include a start date, the statement includes all open transactions in your customer's history.

If you only show open transactions, the Charge and Payment columns on the statement will show the total transaction amount and won't reflect any payments made toward the invoice. The Balance column shows the remaining balance on each transaction.

The **Statements in Queue** field shows the number of statements that enter the print queue when you submit this page.

 **Note:** The Show Only Open Transactions option is most useful for statements printed as of your current today date. If you select Show Only Open Transactions and are using a date other than today's date, you may have balance discrepancies.

7. (Optional) If you want the printed statements to show the consolidated balance information for customer-subcustomer hierarchies, check the **Consolidated Statement** box. Clear this box if you want to show the individual balance for each customer.
For more information, see the help topic [Consolidated Payments](#).
8. (Optional) Select the form you want to use to generate statements.
You can select the standard form, select a custom form, or let the system decide. For information about creating your own custom forms in NetSuite, see the help topic [Custom Forms](#).
9. Select the customers to receive statements. You can click the box at the top to select all customers in the list. Click the box again to clear the box for all customers.
Click **Customize** to customize the list to filter the customers listed or to add or remove columns.
10. Generate the statements:
 - Click **Print** to print the statements.
You can also hover over the print button and select **Print in Customer's Locale** to translate the transaction into the customer's predefined language. For more information, see the help topic [Configuring Multiple Languages](#).
 - From the **Actions** list, select **Email** to email the statements.

To email the statements, each customer should have an email address entered in the **Email** field of the Email | Phone | Address section on their Customer record.

- From the **Actions** list, click **Fax** to fax the statements.

Note: To fax statements, an administrator must first set up fax service at Setup > Company > Setup Tasks > Company Information > Fax. Each customer must also have a fax number entered on their Customer record.

Important: When processing transactions, submit one page at a time. If you don't submit each page individually, information isn't saved and can be lost when you switch between pages. To process multiple pages of information, always submit each page individually.

Customize to Filter the Customer List

When you generate statements, you can filter the customer list by individual fields. This lets you generate statements only for specific customers.

To filter the customer list:

- Go to Customers > Accounts Receivable > Generate Statements.
- On the Print Statements page, click **Customize**.
- To see additional columns in the customer list, click the **Additional Columns** subtab, then check the **Include** box beside the desired fields.
- To see additional filters, click the **Additional Filters** subtab, then check the **Include** box beside the desired fields.
- Click **Save**.

The additional columns you selected appear to the right of the standard (default) columns.

The additional filters you selected appear in the Filters area of the Print Statements page. When no filters are selected, this area remains hidden.

Print Statements

Print Cancel Mark All Unmark All Actions

Statement Date *
8/8/2024

Start Date
7/8/2024

Restrict By Group
▼

☐ Include Zero Balances

Category: - All - Contact:

Customize

Now you can filter the customer list as needed.

You can also customize invoices to show a mini-statement at the bottom of the form. For more information, read [Printing Mini Statements](#).

Generating Statements Using a Map Reduce Script or Workflow

As an alternative to the standard method, you can generate customer statements for NetSuite customers using one of the following methods:

- a map reduce script
- workflow
- a combination of map reduce script and workflow



Important: Each of these options requires deep knowledge of customizations within NetSuite. Be sure to test in a sandbox or development environment prior to implementing in a production environment.

Option	How It Works
Script	■ Suitescript requires knowledge of how to use the n/record, n/email and n/search modules to generate a map/reduce script to run on a schedule. ■ The map/reduce script loads each customer based on a search criteria such as Balance > 0, Inactive = F. The script then uses the printing module to email the customer their statement.
Workflow	The workflow runs on the customer record with a scheduled action. This action uses the send email action to send a statement to the primary email address or custom field email address. To use this method, in attachments, click the include statement by filling in the statement criteria fields. Add conditions to the action to filter out specific customers who no longer need statements.

Printing a Statement

You can print a customer statement to send to a customer.

Your administrator can customize the layout of your printed forms using advanced PDF/HTML templates. For more information, see the help topic [Advanced PDF/HTML Templates](#).

Click a link below for more information about printing a statement:

- [Bulk Printing Statements](#)
- [Printing Individual Statements](#)

Bulk Printing Statements

Follow this procedure to print many statements at one time.

To bulk print statements:

1. Go to one of the following:
 - Customers > Accounts Receivable > Print Checks and Forms. On the Printing page, click **Statements**.

- Customers > Accounts Receivable > Generate Statements.

2. In the **Statement Date** field, accept or enter the date you want to appear on your statements.

 **Note:** The system also uses this date to calculate aging.

3. (Optional) Enter a start date for your statements.

This is the date of the oldest transaction you want to appear on the statement.

If you don't enter a start date, the Balance Forward doesn't appear and all transactions in the customer's history appear on the statement.

4. (Optional) If you want to generate statements for customers with no outstanding balances, check the **Include Zero Balances** box.
5. (Optional) If you want to include only open transactions, check the **Show Only Open Transactions** box.

If you show only open transactions and don't include a start date, the statement includes all open transactions in your customer's history.

 **Note:** The Show Only Open Transaction option is most useful for statements printed as of your current today date. If you select Show Only Open Transactions and are using a date other than today's date, you may have balance discrepancies.

6. If you use the Consolidated Payments feature, check the **Consolidated Statements** box to print out statements showing the overall balance for the customer-subcustomer hierarchies customers are a part of. Clear this box to print a statement showing only the balance for this customer.

For more information, see the help topic [Consolidated Payments](#).

7. Select the customers to receive statements. You can click the box at the top to select all customers in the list. Click the box again to clear the box for all customers.

Click **Customize** to customize the list to filter the customers listed or to add or remove columns.

8. When you're done, click **Print**.

Printing Individual Statements

Follow this procedure to print a single statement.

To print an individual statement:

1. Go to Customers > Accounts Receivable > Individual Statement.
2. Select the customer you want to generate and print a statement for.
3. In the **Statement Date** field, accept or enter the date you want to appear on the statement.
4. In the **Start Date** field, set the date of the earliest transactions you want to show on this statement. Leave this field blank if you want to show all transactions for this customer.
5. If you use the Consolidated Payments feature, check the **Consolidated Statement** box to print out a statement showing the overall balance for the customer-subcustomer hierarchy this customer is a part of. Clear this box to print a statement showing only the balance for this customer.
For more information, see the help topic [Consolidated Payments](#).
6. Generate the statement:
 - Click **Print** to print the statement.
 - Click **Email** to email the statement.

To email the statement, the customer needs to have an email address in the customer's record first.

- Click **Fax** to fax the statement.



Note: Each customer must also have a fax number entered on the customer's record.

Printing Mini Statements

You can print a mini-statement at the bottom of invoices that show the customer's current balance and aging totals. This is the same information that shows at the bottom of regular customer statements.



Note: If you use the Consolidated Payments feature, mini-statements show the consolidated balance and aging amounts for individual customers instead of the consolidated balance. For more information, see the help topic [Consolidated Payments](#).

To print the mini-statement in HTML or PDF layout, customize your invoice transaction form first. If you print in PDF Layout, you should also set your PDF form layout to do so.

To customize invoices to print mini-statements:

1. Go to Customization > Forms > Transaction Forms (Administrator).
2. Click **Customize** next to the form you want to add the mini-statement to.
3. On the new Custom Transaction Form page, in the **Name** field, enter a name for the new custom form.
4. Check the **Form is Preferred** box.
5. Select **Basic** to set the printing type.
6. Click the Printing Fields subtab.
7. On the Printing Fields subtab, click the Footer subtab, and check the **Print/Email** box for Aging:Current.
8. Click **Save**.

Now, invoices can print the mini-statement in HTML format. If you don't print statements in PDF format, you don't need to take additional steps.

To print mini-statements on invoices using PDF format, you should use a PDF transaction form layout that includes statement aging fields. You can select a standard layout or customize a standard layout.

To set your PDF form to print mini-statements:

1. Go to Customization > Forms > Transaction Form PDF Layouts (administrator).
2. Select a PDF transaction form layout that includes statement aging fields:
 - To select a standard layout, check the **Preferred** box next to the layout you want. There are four layouts that include statement aging fields:
 - Standard Aging Invoice Layout
 - Classic Aging Invoice Layout
 - Standard Aging/Disclaimer Invoice Layout
 - Classic Aging/Disclaimer Invoice Layout

- To customize a layout, click **Customize** next to one of the four layouts that include statement aging fields. Then, enter your customization choices for the layout and check the **Layout is Preferred** box.
3. Click **Save** or **Submit**.

SuiteBilling Overview

SuiteBilling is a collection of features you can use to create subscriptions for your customers. You can create subscriptions to sell services or non-inventory items over time. SuiteBilling isn't for the sale of physical inventory items.

You use SuiteBilling to:

- Create subscription plans, price books, subscriptions, and price plans
- Set up usage and rating, including tier minimums, maximums, included usage, and an included usage multiplier
- Renew an existing subscription
- Modify an existing or renewal subscription by using a change order
- Access billing accounts, charge records, and billing operations

SuiteBilling integrates with [Revenue Recognition for SuiteBilling](#).

SuiteBilling Terminology

The following terms are used when referring to SuiteBilling:

- **Billing Account:** Shows customer or subcustomer billing information, including the billing schedule, bill-to address, ship-to address, and currency.
- **Billing Operation:** Automates the process of rating and invoicing charges.
- **Change Order:** Changes the status of a subscription or subscription line items. For example, a change order would change a subscription from **Pending Activation** to **Active** status.
- **Charge-Based Billing:** Creates charges to bill customers. Examples include project milestones, travel expenses, and time entered.
- **Price Plan:** Sets item prices, including volume or tiered pricing. You enter amounts in price plans. Price plans are defined in a price book.
- **Price Book:** Defines pricing for a collection of items or services that are sold as part of a subscription plan. A single subscription plan can be associated with multiple price books. Price plans are defined in a price book.
- **Ratable Event:** Tasks on a subscription line item that affect charge calculations. Examples of actions that cause ratable events include:
 - Activating, suspending, terminating, renewing and reactivating a line item
 - Modifying quantities, pricing, and rates on a line item
 - Saving a change order
- **Rating:** Creating charges for subscription line items. NetSuite calculates charges for subscription line items using their quantities, pricing shown in the price plan and price book, the usage and effective date of the subscription, and the status of the subscription and its line items. To set and change the status of subscription line items, use a change order. For details, see [Managing Rating Runs](#).
- **Subscription:** Includes the items being sold and the price and quantity for each item. A subscription is specific to one customer.
- **Subscription Plan:** A template of all the items sold as part of a subscription. The subscription plan includes price book information and renewal information. A subscription plan would also show possible bundles a company offers to its customers.

- **Usage:** Defines the subscription line item charge for a consumable resource, like money, time, software licenses, or internet data. For instance, a mobile phone service subscription may have a line item for a monthly fee. The monthly fee includes a specific amount of minutes or data in your customer's plan. When this included amount is exceeded, additional charges may apply. Using commit plus overage line types, you can charge in advance for a committed usage quantity and charge for overage if more than the committed quantity is used. In NetSuite, you account for the usage amount included in a subscription when creating the subscription plan.


SuiteBilling Process Diagrams

This section includes high-level overview diagrams of some of the most common SuiteBilling tasks as follows.

- [Subscription Plan Creation](#)
- [New Stand-Alone Subscription Creation](#)
- [Subscription Creation from a Sales Order](#)
- [Renew and Extend a Subscription from a New Subscription Record](#)
- [Renew a Subscription with a New Subscription Record](#)

Subscription Plan Creation


The following diagram shows how to create a new subscription plan. Click a link icon to open the instructions for a process in the diagram.



New Stand-Alone Subscription Creation


To create a subscription, you need to create and set up its components. Subscription components are items, a price plan, a price book, a subscription plan, and a billing account. The following diagram shows how to create a new subscription. Click a link icon to open the instructions for a process in the diagram.

You can create a new, stand-alone subscription without using an existing transaction or subscription. For the instructions about creating a subscription without using an existing transaction or subscription, see [Creating a New Stand-alone Subscription](#).




Subscription Creation from a Sales Order

The following diagram shows how to create a subscription when using the Sales role. Use this workflow to create a new subscription from a new subscription record, subscription plan, and price book from a transaction. Click a link icon to open the instructions for a process in the diagram.




Renew and Extend a Subscription from a New Subscription Record

The following diagram shows how to renew and extend a subscription by extending the date of an existing subscription. Click a link icon to open the instructions for a process in the diagram.



Renew a Subscription with a New Subscription Record

The following diagram shows how to renew a subscription by creating a new subscription record, with either a new or existing subscription plan. Use this workflow to renew a subscription with a new subscription record. For the instructions for this process, see [Renewing a Subscription](#).



SuiteBilling Roles and Permissions

The following table lists the SuiteBilling permissions and levels for each standard role. The Center Type column shows the associated center for the role. Navigation from Center shows the menu path from each center to Subscriptions. When you use the classic interface, you access subscription-related records from the Transactions menu, Subscriptions group.

Role	Center Type	Navigation from Center	Subscription Plan	Subscriptions	Price Book	Price Plan	Subscription Change Order	Usage
A/P Clerk	Accounting Center	Financial > Subscriptions	Full	None	Full	Full	None	Full
A/R Clerk	Accounting Center	Billing > Subscriptions	Full	Edit	Full	Full	Edit	Full
Accountant	Accounting Center	Billing > Subscriptions	Full	Edit	Full	Full	Edit	Full
Accountant (Reviewer)	Accounting Center	Billing > Subscriptions	View	View	View	View	View	View

Role	Center Type	Navigation from Center	Subscription Plan	Subscriptions	Price Book	Price Plan	Subscription Change Order	Usage
Advanced Partner	Advanced Partner Center	Client > Other Transactions	Full	Full	Full	Full	Full	Full
Bookkeeper	Accounting Center	Billing > Subscriptions	Full	Edit	Full	Full	Edit	Full
CEO	Executive Center	Sales > Marketing > Lists	Full	Full	Full	Full	Full	Full
CEO (Hands Off)	Executive Center	Sales > Marketing > Lists	View	View	View	View	View	View
CFO	Accounting Center	Billing > Subscriptions	Full	Full	Full	Full	Full	Full
Sales Administrator	Sales Center	Customers > Subscriptions	View	Full	Full	Full	Full	View
Sales Manager	Sales Center	Customers > Subscriptions	View	Full	Full	Full	Full	View
Sales Person	Sales Center	Customers > Subscriptions	View	Full	Full	Full	Full	View
Sales Vice President	Sales Center	Customers > Subscriptions	View	View	View	View	View	View
Support Administrator	Support Center	Cases > Other Lists	View	Full	View	View	Full	View
Support Manager	Support Center	Cases > Other Lists	View	Edit	View	View	Edit	View
Support Person	Support Center	Cases > Other Lists	View	Edit	View	View	Edit	View
System Administrator	System Administration Center	Lists > Relationships	Full	Full	Full	Full	Full	Full
Warehouse Manager	Shipping Center	Sales/Marketing > Lists	View	None	View	View	None	None
Consultant	Project Center	use global search	None	View	View	View	View	None
Marketing Administrator	Marketing Center	Customers > Subscriptions	View	Full	View	View	Full	None
Marketing Assistant	Marketing Center	Customers > Subscriptions	View	Full	View	View	Full	None
Marketing Manager	Marketing Center	Customers > Subscriptions	View	Full	View	View	Full	None
PM Manager	Support Center	Cases > Other Lists	None	Full	View	View	Full	None
Partner Center	Partner Center	Client > Other Transactions	None	Edit	View	View	Edit	None
Product Manager	Support Center	Cases > Other Lists	None	Full	View	View	Full	None
Resource Manager	Support Center	Cases > Other Lists	View	Full	View	View	Full	View
Store Manager	E-Commerce Management Center	Sales > Other Transactions	View	Edit	View	View	Edit	View
Customer Center	Customer Center	Customer Center Home Page	None	View	None	View	View	None



Note: The Navigation From Center column shows one path, but more paths may be available. For example, A/P clerks can access Subscriptions from Financial and from Customers.

The standard roles available in your account vary based on your purchased modules and enabled features. The roles available in your account are at Setup > Users/Roles > Manage Roles. To review a role's details, click its link on the Manage Roles page.

For more information about roles and permissions, see the [Standard Roles Permissions Table](#).

Default Permissions for Subscription Records

By default, you have permission to view subscription records. Create and Edit are optional permission levels. Roles with full permission can perform these actions:

- View
- Create
- Edit
- Delete

All roles can view or edit these records:

- Price book
- Price plan
- Subscription change order

Customized roles keep their existing permissions for subscriptions and subscription plans when new permissions are given.

System Administrators can grant full permissions to subscription records. Only System Administrators can set up custom records and templates for SuiteBilling subscription processes and grant access to them. For instructions on granting permissions to subscription processes, see the help topic [Setting Permissions](#).

SuiteBilling Change Orders

Change orders are a key part of SuiteBilling. To edit an active subscription or its components, you use a change order. There are specific change orders for each subscription record type.

Change orders modify a subscription's or line item's status. For example, an activation change order moves a subscription from the Pending Activation status to the Active status. You can use a change order to suspend, renew, or terminate a subscription, or change prices, quantity, or discount.

Here are the rules for change orders:

- Change orders take effect on the Effective Date.
- Changes happen at the start of the day, except the terminate change order takes effect at the end of the day.
- Change orders can be created in any order, if a later change order doesn't conflict with an earlier one. For example, you can't create a Reactivation change order for a subscription or line item that's already active. You can't create a Modify Pricing change order on a subscription line item that's Suspended. Likewise, you can't terminate a subscription or line item that has a Suspend or Modify change order with a later effective date.
- You can have only one change order of a specific type per subscription line item per date. For example, you can't have more than one activation change order for the same subscription line item and date.

The following table includes change order types and their descriptions.

Change Order	Description
Activation	An activation change order begins a subscription. New subscriptions start in the Draft or Not Included status. The Not Included status occurs when you have optional items in the subscription

Change Order	Description
	plan that aren't included in the subscription. After you set line items to Pending Activation, you activate the subscription or subscription line items by submitting the activation change order. You can set the activation date to a past or future date. Activate dependent line items at the same time. For example, a cell phone subscription includes data usage. The amount of data included in the subscription is multiplied by the number of phones in the subscription. The included quantity multiplier is the item for the number of phones. In this case, both line items must be activated at the same time. NetSuite generates charges based on the specified activation date. You can delete activation change orders. Deleting an activation change order deletes associated charges, and the subscription reverts to the Pending Activation status. However, when there are other change orders associated with the subscription, you can't delete the activation change order. For instructions on how to activate a subscription, see Activating a Subscription.
Modify Pricing	A modify pricing change order changes pricing tiers, rates, percent uplift, discounts, and the quantity of active subscription line items. A modify pricing change order's effective date must be after its activation date. Saving a modify pricing change order automatically updates charges to reflect the changes you made. Modify pricing change orders can be deleted. Deleting a modify pricing change order removes the changes made to charges as part of that order. For instructions on how to create a modify pricing change order, see Modifying Pricing. To change to off-cycle pricing, which prorates pricing charges mid-cycle, see Off-Cycle Invoicing with Modify Pricing Change Orders.
Suspend	A suspend change order temporarily suspends a subscription or subscription line item until it's reactivated. You can apply a suspend change order to any number of subscription line items. If you suspend a usage line item, you also must suspend the associated usage multiplier line item. You can't suspend or terminate any line items or subscriptions that are already suspended. Suspended subscription lines aren't billed until they are reactivated. To make changes to a suspended subscription or line item, first reactivate it. You can terminate a line item or subscription that is in the Suspend status using a terminate change order. For instructions, see Suspending a Subscription Line Item.
Reactivate	A reactivate change order restores a suspended subscription or subscription line item. The subscription or line item is reactivated on the effective date and changes to the Active status. For instructions, see Reactivating a Subscription Line Item.
Renew	A renew change order restarts a subscription at the end of its term. You can't delete a renew change order, but you can edit them before their renewal start date. You use a renew change order to create a new subscription or extend an existing subscription. For more information about the different types of subscription renewals, see Renewing a Subscription.
Terminate	A terminate change order ends a subscription line item at the end of the day on the specified effective date. A subscription line item can be terminated only if it's status is Active, Pending Activation, or Suspend. After a terminate change order is saved, no further change orders can be applied to the subscription line item after the termination effective date. Backdating a terminate change order prevents editing or deleting the change order. You can still make changes before the termination effective date. For instructions, see Terminating a Subscription Line Item.

Renaming SuiteBilling Records

You can rename the following SuiteBilling records to better suit your specific business needs:

- Subscription
- Subscription Change Order
- Subscription Plan

When you rename a record, the new name replaces the original name in the NetSuite user interface. For example, after you change the name "subscription" to "contract," you go to Transactions > Contracts > Create Contracts instead of Transactions > Subscriptions > Create Subscriptions. The new name is also used in searches and results. However, it doesn't appear in Help Center searches or topics. The new record name is also used in reports, Key Performance Indicators (KPIs), error messages, and alerts.

 **Note:** If you change the name "subscription" to "contract," the feature name doesn't change at Setup > Company > Enable Features. The same is true with any information or error message on the Enable Features page.

Renaming the subscription record also renames its item and term records. For example, changing the name "subscription" to "contract" updates the item record to "contract item" and the term record to "contract term." Renaming change orders or subscription plans doesn't affect other record names.

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

For specific details and more information about renaming records in NetSuite, see the help topic [Change Record and Transaction Names](#). To learn more, view the video:

 [Renaming Billing Records](#)

To rename a SuiteBilling record:

1. Go to Setup > Company > Rename Records/Transactions.
2. Edit the names of the subscription billing records. For example, in the **Name for Subscription** field, you can change **Subscription** to **Contract**.
3. When you have finished renaming records, click **Save**.

To rename a SuiteBilling record in multiple languages:

1. If you use multiple languages in your account, set your language preference:
 - a. Go to Home > Set Preferences.
 - b. In the Localization section, from the Search Sorting list, select your language preference.
2. Repeat this process for each language in your account.

Maximum Values in SuiteBilling

The maximum number you can enter in the Quantity column of several NetSuite records is 9,999,999,999.99999999. Quantities over one billion cause an error. These records have this maximum quantity limit:

- Subscription record's Pricing subtab
- Items on a subscription Modify Pricing Change Order
- Sales Order
- Invoice
- Credit Memo
- Charge

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Maximum Limit on Lines

The Subscription user interface has a 200-line limit. If you exceed the limit, it may slow loading after actions such as Create, Edit, and Save.

Decimal Precision in SuiteBilling

SuiteBilling's Price, Quantity, and Discount fields show up to eight decimal places. Values with more than eight decimal places in these fields are rounded to the eighth decimal place. These fields are on:

- Modify pricing change orders
- Renewal change orders
- Subscription change orders (activate, suspend, reactivate, terminate)
- **Price Book** subtab of subscription plans
- Price books
- Price plans
- Subscriptions
- Subscription Pricing subtab

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Rounding to eight decimal places is particularly useful for usage and high-volume products. NetSuite uses eight decimal places for subscription rating calculations until the final charge is determined.

Charge amounts and precision depend on your account currency, and invoices show the amounts in that currency. Charge-based billing may show a blended rate. To add to or edit your account currencies, see [Currencies](#).

Uplift Has Higher Decimal Precision

Uplift fields support seven decimal places for precise uplift values and accurate prices.

Subscription Total Contract Value Metrics

The subscription's Summary section shows its total contract value metrics.

- **Total Active Contract Value** – Includes the total amount of all subscription lines with an activation change order.
- **Pending Total Contract Value** – Includes the total amount of all subscription lines with a pending activation status.
- **Total Active One-Time** – One-time service lines with an activation change order.
- **Total Active Recurring** – Recurring service lines with an activation change order.
- **Total Active Usage** – Usage service lines with an activation change order. This value increases even when drawing down a prepaid amount.
- **Total Active Commit Plus Overage** – Commit plus overage service lines with an activation change order. The amount includes both the committed amount and each overage charge, but they aren't shown separately.
- **Total Active Prepaid Amount** – Prepaid lines with an activation change order. When the prepaid amount is drawn down, this value doesn't decrease.

An example of the Total Contract Value Summary is shown in the following image.

Summary	
Active Total Contract Value	\$77,706.39
Pending Total Contract Value	\$0.00
Total Active One-Time	\$2,392.00
Total Active Recurring	\$74,507.40
Total Active Usage	\$0.00
Total Active Commit Plus Overage	\$558.00
Total Active Prepaid Amount	\$248.99

Lines in the Draft status aren't included in the Summary section. You can access these metrics through SuiteAnalytics, REST, SuiteScript, and Saved Search, but not legacy reports. The values change when rating is finished. If you're inserting usage records, the subscription summary value doesn't update until the rating process is done. Each subscription line shows its individual total amount.

Revenue Recognition for SuiteBilling

SuiteBilling works with Advanced Revenue Management (Essentials) and Advanced Revenue Management (Revenue Allocation) when you enable all three features. After setup, each subscription line generates a revenue element. The revenue arrangement for the subscription includes all revenue elements from its subscription lines.

Subscription lines don't make revenue elements when the Advanced Revenue Management (ARM) in Configuration Mode feature is enabled. You must disable this feature before creating revenue arrangements for subscriptions. However, you can still set up advanced revenue recognition for SuiteBilling while ARM is in Configuration Mode. For more information, see the help topic [Advanced Revenue Management in Configuration Mode](#).

Checking the Create Revenue Elements for Subscription Revisions box also triggers modification elements and revenue arrangements for subscription revisions. For more information, see [Setting the Optional Accounting Preference for Advanced Revenue Management](#).

You can use the Create Revenue Element for Subscription Revision preference with the commit plus overage feature. For instructions on using commit plus overage, see [Commit Plus Overage Charges](#).

Note: When you check the **Create Revenue Elements for Subscription Revisions** box, be sure to merge modification elements with the subscription revenue arrangements for accurate accounting. For information, see the help topic [Combination and Modification of Performance Obligations](#).

All ARM processes, Essentials and Revenue Allocation, are available for SuiteBilling. For information about Advanced Revenue Management, see the help topic [Advanced Revenue Management \(Essentials\) and \(Revenue Allocation\)](#).

The following topics have detailed information about setting up advanced revenue recognition for SuiteBilling:

- [Revenue Recognition Rules for SuiteBilling](#)
- [Calculations for Revenue Plans Created on Subscription Events](#)
- [Revenue Allocation for One-Time and Recurring Subscription Lines](#)

After you configure ARM for SuiteBilling, complete the additional month-end recognize revenue steps. Here are the basic month-end revenue recognition processes:

1. Create revenue recognition journal entries. You can schedule this process. For details, see the help topic [Revenue Recognition Journal Entries](#).
2. Reclassify deferred revenue. You can also schedule the reclassification process. For details, see the help topic [Reclassification of Deferred Revenue](#).
3. Recalculate revenue forecast plans. See the help topic [Recalculating Revenue Forecast Plans](#).
4. Run and save the Deferred Revenue Waterfall Report. See the help topics [Run and Save the Deferred Revenue Waterfall Report](#) and the linked topics for the individual reports.

Revenue Recognition Rules for SuiteBilling

Note: The information in this topic applies whether you check the **Create Revenue Elements for Subscription Revisions** accounting preference, except where the accounting preference is clearly identified.

NetSuite has the following default revenue recognition rules for SuiteBilling. You select revenue recognition rules on the item record. For more information, see [Configuring Subscription Items for Revenue Recognition](#) and [Creating Items for Subscription Plans](#).

The following table matches the revenue recognition rules to the rate plans of the subscription line types:

Subscription Line Type	Revenue Recognition Rule
Recurring – Adjustable	Depends on whether the Create Revenue Elements for Subscription Revisions accounting preference is checked: ■ When checked, use Default Fixed Recurring Fee ■ When clear, use Default Adjustable Recurring Fee
Recurring – Fixed	Default Fixed Recurring Fee
One Time	Default Fixed Recurring Fee
Usage	Default Usage
Commit Plus Overage	Commitment: ■ Default Adjustable Recurring Fee – When revenue should be spread evenly but be based on each usage event ■ Default Fixed Recurring Fee – When revenue should be spread evenly regardless of the usage events created ■ Default Usage – When revenue should recognize only when a usage event was created or is used at the end of each period

You can rename these default revenue recognition rules, but you can't change their settings. The default values for these fields are in the following table. For more information about the revenue recognition rules, see the help topic [Revenue Recognition Rules](#).

Revenue Recognition Rule	Recognition Method	Amount Source	Rev Rec Start Date Source	Rev Rec End Date Source
Default Adjustable Recurring Fee	Straight-line, prorate first and last period (period-rate)	Event-Percent based on amount	Subscription Event Start Date	Subscription Event End Date

Revenue Recognition Rule	Recognition Method	Amount Source	Rev Rec Start Date Source	Rev Rec End Date Source
Default Fixed Recurring Fee	Straight-line, prorate first and last period (period-rate)	Event-Percent based on amount	Revenue Element Start Date*	Revenue Element End Date*
Default Usage	Straight-line, prorate first and last period (period-rate)	Event-Percent based on amount	Event Date	Event Date

* To generate revenue plans using these values, you usually enter the **Start Date** and **End Date** in the revenue element. However, when the revenue element source is a subscription, these dates are automatically taken from the subscription lines. For evergreen subscriptions, there is no end date, so the Estimated Revenue Recommended End Date field on the subscription header is used instead.

SuiteBilling's default revenue recognition rules don't use Event-Percent based on quantity as the amount source. This amount source isn't suitable for SuiteBilling.

When the credit memo doesn't have a linked subscription charge, the item record's revenue recognition rule is ignored. Instead, Advanced Revenue Management (Essentials) uses the rule you select with the **Default Standard Revenue Recognition Rule** accounting preference to generate the revenue plan for the credit memo line. For information about accounting preferences for revenue recognition, see the help topic [Setting Advanced Revenue Management \(Essentials\) Preferences](#).

Usage service line types don't create revenue plans until the bill run is executed because usage is calculated during the rating process. Forecasting and reforecasting aren't available for subscription lines with usage. For information about reforecasting, see the help topic [Recalculating Revenue Forecast Plans](#).

Recognition Treatment Rules for SuiteBilling

A recognition treatment rule sets the criteria for applying a recognition treatment to a revenue element. Each rule must specify a recognition treatment. The treatment rule look-up process checks the rules to see if a recognition treatment should be applied to a revenue element.

For each treatment rule, you can define criteria using these subscription line types:

- Commit
- Overage
- One-Time
- Recurring
- Usage

After treatment rules are set up, if the criteria match for each revenue element generated, the treatment rules override the item setup. This allows for different treatment rules between each type of element generated. For more information, see the help topic [Recognition Treatment Rule Management](#).



Note: When using commit plus overage subscription line types, it's key to use treatment rules with any rule except default usage.

Commit Plus Overage Charges

You can use the commit plus overage line type to charge in advance for a set number of committed usage units per period at a specific price. Any additional units over the committed quantity are charged at a different price as overage. The commitment charge period and overage charge period can differ,

such as an annual commitment with monthly overage. Overage can't have a charge period greater than the commitment charge period. Commit plus overage arrangements can be prospectively merged when using delta element functionality.

Calculations for Revenue Plans Created on Subscription Events

Note: This topic describes what happens when you clear the **Create Revenue Elements for Subscription Revisions** accounting preference. When you check the preference, the **Create Revenue Plans On** field, the preferred value is Revenue Arrangement Creation for all subscription items except usage items. For setup instructions and more details, see [Setting the Optional Accounting Preference for Advanced Revenue Management](#).

Warning: After you set the **Create Revenue Elements for Subscription Revisions** preference, you can't change it.

For Recurring – Adjustable, Usage, and Commit Plus Overage subscription line types, the preferred value for the Create Revenue Plans On field is Subscription Events. When a subscription event starts creating a revenue recognition plan, the forecast revenue plan uses the full revenue amount. Instead, actual revenue plans are based on a series of virtual plans that use the subscription event amount. The recognition methods for these virtual plans treat the charge period as the relevant period.

You can use virtual plans to set custom dates for subscription quantity or pricing changes. The revenue recognition plan updates with changes to virtual plans from the period when they occur without recalculating the entire subscription term. Virtual plan details such as subscription charges, start dates, and end dates match the lines on the Billing Account page's Charges subtab.

Because of differences in dates and amounts, the forecast and actual revenue plans may not match at the line level. The following examples show how actual and forecast revenue plans are calculated for subscription events using two revenue recognition methods:

- [Straight-Line, by Even Periods Method](#)
- [Straight-Line, Prorate First & Last Period Method](#)

Note: Don't use a custom revenue recognition method when the **Create Revenue Plans On** field is set to **Subscription Events**. This use case isn't supported.

For information and examples of recognition methods, see the help topic [Straight-Line Revenue Recognition Examples in Advanced Revenue Management \(Essentials\)](#). The examples share the following values:

- **Subscription term** – 6 months, April 9 – October 8
- **Monthly charge** – \$100
- **Total revenue amount** – \$600
- **Billing date** – The ninth day of each month, April – September

Straight-Line, by Even Periods Method

This method divides the revenue amount evenly across all periods. Currency amounts aren't prorated based on the number of days in any period. The virtual actual plans treat the charge period as the period.

The forecast plan spans seven periods with a total revenue of \$600. The last period adjusts for any rounding errors in the previous periods.

Each virtual plan has a revenue amount of \$100. The monthly charge is split evenly between the periods A and B, as shown in the following table. The actual revenue plan line is the sum of calculations for:

- The days after and including the billing date (B)
- The days before the billing date (A)

Period	Billing Date	Charge	Forecast Plan	Virtual Plan A	Virtual Plan B	Actual Plan A + B =
Apr	Apr 9	100.00	85.71		50.00 = Charge a ÷ 2	50.00
May	May 9	100.00	85.71	50.00 = Charge a ÷ 2	50.00 = Charge b ÷ 2	100.00
Jun	Jun 9	100.00	85.71	50.00 = Charge b ÷ 2	50.00 = Charge c ÷ 2	100.00
Jul	Jul 9	100.00	85.71	50.00 = Charge c ÷ 2	50.00 = Charge d ÷ 2	100.00
Aug	Aug 9	100.00	85.71	50.00 = Charge d ÷ 2	50.00 = Charge e ÷ 2	100.00
Sep	Sep 9	100.00	85.71	50.00 = Charge e ÷ 2	50.00 = Charge f ÷ 2	100.00
Oct			85.74	50.00 = Charge f ÷ 2		50.00
Total		600.00	600.00			600.00

Straight-Line, Prorate First & Last Period Method

This method recognizes revenue equally across all periods except the first and last periods, which are adjusted for the number of days in the periods. Currency amounts are prorated for the first and last periods based on its number of days, divided by the total days between the revenue recognition start and end dates, inclusive. The virtual actual plans treat the charge period as the period.

The forecast plan has 183 days with a total revenue of \$600. The last full period adjusts for any rounding errors in the previous periods.

Since each service period in the actual plan spans parts of two months, each is prorated based on the number of days in each month. The actual revenue plan line is the sum of calculations for days before (A) and after and including (B) the billing date:

Period	Billing Date	Charge	Forecast Plan	Virtual Plan A	Virtual Plan B	Actual Plan A + B =
Apr	Apr 9	100.00	72.13 = $600 \div 183 \times 22$		73.33	73.33

Period	Billing Date	Charge	Forecast Plan	Virtual Plan A	Virtual Plan B	Actual Plan A + B =
					= charge a ÷ 30 × 22	
May	May 9	100.00	100.33 = (600 – 72.13 + 26.23) ÷ 5	26.67 = charge a – 73.33	74.19 = charge b ÷ 31 × 23	100.86
Jun	Jun 9	100.00	100.33 = (600 – 72.13 + 26.23) ÷ 5	25.81 = charge b – 74.19	73.33 = charge c ÷ 30 × 22	99.14
Jul	Jul 9	100.00	100.33 = (600 – 72.13 + 26.23) ÷ 5	26.67 = charge c – 73.33	74.19 = charge d ÷ 31 × 23	100.86
Aug	Aug 9	100.00	100.33 = (600 – 72.13 + 26.23) ÷ 5	25.81 = charge d – 74.19	74.19 = charge e ÷ 31 × 23	100.00
Sep	Sep 9	100.00	100.32 = (600 – 72.13 + 26.23) ÷ 5	25.81 = charge e – 74.19	73.33 = charge f ÷ 30 × 22	99.14
Oct			26.23 = 600 ÷ 183 × 8	26.67 = charge f – 73.33		26.67
Total		600.00	600.00			600.00

Revenue Allocation for One-Time and Recurring Subscription Lines

Note: This topic applies whether you check the **Create Revenue Elements for Subscription Revisions** accounting preference, unless specified otherwise. .

You must enable the Advanced Revenue Management (Revenue Allocation) feature to use revenue allocation.

Revenue elements for one-time and recurring subscription lines include an **Alternate Quantity** field for revenue allocation. The alternate quantity is calculated by multiplying the subscription line item quantity by the **recurrence frequency**, the number of charges over the subscription term.

Example:

Consider example A has a 6-year term, annual recurrence, and a quantity of 2, resulting in an alternate quantity of 12. Example B has a 3-year term, monthly recurrence, and a quantity of 5, resulting in an alternate quantity of 180.

	Example A	Example B
Term	6 years	3 years

	Example A	Example B
Recurrence Frequency	Annually	Monthly
Term x Recurrence Frequency	6 year term × 1 charge per year = 6	3 year term × 12 charges per year = 36
Quantity	2	5
Alternate Quantity	$2 \times 6 = 12$	$5 \times 36 = 180$

The fair value price record requires the correct values for Units Type and Units to support the allocation. When you enter a value in Alternate Quantity and other alternate fields, the {quantity} field in fair value formulas uses the alternate quantity. Units Type and Units are displayed on the fair value price record only when the Multiple Units of Measure feature is enabled. For information, see the help topic [Multiple Units of Measure](#).

Alternate Quantity Computation for Activation Revenue Arrangement When the Billing Schedule Starts Mid-Month

The following example shows how the Alternate Quantity is computed for the activation revenue arrangement with a mid-month billing schedule and proration for subscription start and end dates:

- Start Date 8/1/2019
- End Date 11/30/2019
- Recurrence Date 8/16/2019

With the recurrence start date preference enabled, the billing account's invoice periods affect the subscription's recurrence pattern.

The billing account affects the alternate quantity because the charge and rating periods don't align with the start date, resulting in a recurrence start date of 8/16/2019 for the subscription. The first and last charge periods are prorated, as shown in the following table:

Rating Periods	Start Date	End Date	Days	Daily Quantity
7/16/2019	8/15/2019	31	10	0.322581
8/16/2019	9/15/2019	31	10	0.322581
9/16/2019	10/15/2019	30	10	0.333333
10/16/2019	11/15/2019	31	10	0.322581
11/16/2019	12/15/2019	30	10	0.333333
Charge Periods				
8/1/2019	8/15/2019	15	4.8387097	
8/16/2019	9/15/2019	31	10	
9/16/2019	10/15/2019	30	10	
10/16/2019	11/15/2019	31	10	
11/16/2019	11/30/2019	15	5	
			39.8387097	

Revenue Recognition and Prepay with Drawdown

The Advanced Revenue Management (Essentials) feature integrates with the Prepay with Drawdown [Prepaid Usage with Drawdown](#) feature. This integration lets you accurately recognize revenue for both prepay and usage elements.

To enable the Prepay with Drawdown feature, go to Setup > Company > Setup Tasks > Enable Features (Administrator). On the Transactions subtab, in the Billing section, check the **Prepay with Drawdown** box. Prepay with Drawdown can only be enabled if the Advanced Subscription Billing feature is enabled and the Create Revenue Elements for Subscription Revisions accounting preference is disabled.

Using the Prepay with Drawdown feature, customers can pay a set amount before using the service lines in their contract. The upfront payment is the sales amount on the prepay element, which is fully billed at the start of the subscription. As usages are recorded, the service rate determines the amount transferred from the prepay element to the usage elements. Invoices are created to reduce the prepay element's bill amount, which increases the sales and bill amounts for the usage elements.

When the subscription term ends, the service provider can either refund the remaining prepay element amount or recognize it without a refund.

For Prepay and Usage subscription line types, make sure the **Create Revenue Plans On** field is set to **Subscription Events** and the **Allocation Type** field is set to **Exclude**. If these fields have different values, then they are overridden to their earlier values when you create a revenue arrangement for the subscription. For more information about configuring subscription items for revenue recognition, see [Configuring Subscription Items for Revenue Recognition](#). For information about creating the prerequisite parts of a subscription, see [SuiteBilling Management](#).

There are two **Charge Frequency** options when for the price book's prepay line:

- **Auto-Refill** – NetSuite generates another prepayment when the minimum balance is reached. You set the prepay amount and prepay minimum balance in the price plan. For more information, see [Creating Price Plans](#).
- **One Time** – If the prepay amount is used up, NetSuite switches you to pay-as-you-go. As usages are recorded, they are added to the corresponding usage elements, without involving the prepay element. This causes an increase in the sales amount on the usage elements, which are then directly billed.

Example of Prepay with Drawdown and Revenue Recognition

The Advanced Revenue Management (Essentials) feature integrates with the Prepay with Drawdown feature. This integration lets you recognize revenue for both prepay and usage elements.

In this example, Vertex Company pays \$5,000 upfront for a three-month service contract with IT Support Company. IT Support Company has different billing rates for various support types:

- Emergency Support (Usage Support A): Billed at \$2.50 a minute.
- Standard Support (Usage Support B): Billed at \$1.30 a minute.

This example uses the following revenue recognition rule:

Recognition Method	Amount Source	Rev Rec Start Date Source	Rev Rec End Date Source
Straight-line, by even periods	Event-Percent based on amount	Event Date	Term in Days (0)

The fields in the Revenue Recognition/Amortization subtab on the items are set to the following:

- **Create Revenue Plans On:** Subscription Events
- **Allocation Type:** Exclude

For information about configuring subscription items, [Configuring Subscription Items for Revenue Recognition](#).

The Unbilled Receivable Adjustment Journal Grouping accounting preference is set to Element. For information about this accounting preference, [Groupings for Unbilled Receivable Adjustment Journal Entries](#).

May Activity

In May, the following records are created in NetSuite:

- One subscription plan
- One price book
- One subscription
- One invoice
- Two usages
- Six charges
- One revenue arrangement

To learn more about these records, see [SuiteBilling Management](#) and [Advanced Revenue Management \(Essentials\)](#) and [\(Revenue Allocation\)](#).



Note: Charges aren't shown here but are reflected in the revenue arrangement updates for each accounting period.

Three-Month Subscription

The subscription, subscription plan, and price book include three items. The prepay line has a minimum balance of \$300, which triggers a \$5,000 is refilled when the \$300 threshold is met.

Item	Line Type	Billing Mode	Prepay Line	Price	Charge Frequency	Start Date	End Date
Prepaid Service	Prepay	In Advance	—	Prepay Amount: \$5,000.00 Minimum Balance: \$300	Auto-Refill	5/1/2024	7/31/2024
Usage Support A	Usage	In Arrears	Prepaid Service	From 0: \$2.50	Monthly	5/1/2024	7/31/2024
Usage Support B	Usage	In Arrears	Prepaid Service	From 0: \$1.30	Monthly	5/1/2024	7/31/2024

May Invoice

On May 1, the IT Support Company bills the full prepay amount at the start of the subscription.

Item	Quantity	Rate	Amount
Prepaid Service	1	5,000	\$5,000

May Usages

The Vertex Company uses 1,200 minutes of emergency support and 1,500 minutes of standard support in May. The IT Support Company creates two usage records at the end of May to represent this usage.

Item	Quantity	Rate	Amount
Usage Support A	1,200	2.50	\$3,000
Usage Support B	1,500	1.30	\$1,950

May Revenue Arrangement

IT Support Company creates six charges for the prepay amount and the two usages. The revenue arrangement is updated to reflect the charges and the refill, adjusting the quantity and sales amount. The Prepaid Service is refilled because it is set to Auto-Refill at a \$300 minimum balance, and the remaining unused balance is \$50. The Prepaid Service item now has a sales amount balance of \$5,050, combining the \$5,000 refill with the remaining \$50 unused balance.

Item	Quantity	Sales Amount	Revenue Amount	Start Date	End Date
Usage Support A	1,200	\$3,000	\$3,000	5/1/2024	7/31/2024
Usage Support B	1,500	\$1,950	\$1,950	5/1/2024	7/31/2024
Prepaid Service	1	\$5,050	\$5,050	5/1/2024	7/31/2024

May Revenue Plan

The IT Support Company updates their revenue plans. The planned recognition period for the Prepaid Service item is July because the unused prepaid amount is recognized at the end of the subscription term. The subscription term ends July 31, 2024.

Item	Plan Total	Amount (Recognized)	Remaining	Planned Period
Usage Support A	\$3,000	\$0.00	\$3,000	May
Usage Support B	\$1,950	\$0.00	\$1,950	May
Prepaid Service	\$5,050	\$0.00	\$5,050	July

May Revenue Recognition Journal

The IT Support Company recognizes the two usages at the end of May.

Account	Debit	Credit
Usage Support A Deferred Revenue	3,000	
Usage Support A Income		3,000
Usage Support B Deferred Revenue	1,950	

Account	Debit	Credit
Usage Support B Income		1,950

 **Note:** The usages are billed in arrears, so not billed in May.

May Unbilled Receivable Adjustment

The IT Support Company runs reclassification at the end of May. In May, an unbilled receivable adjustment is posted because cumulative billing is lower than cumulative revenue recognition for Usage Support A and B.

The unbilled amounts are calculated as follows:

- For Usage Support A, the billed amount is 0 and the recognized amount is \$3,000, leaving an unbilled amount of \$3,000
- For Usage Support B, the billed amount is 0 and the recognized amount is \$1,950, leaving an unbilled amount of \$1,950.

Account	Debit	Credit
Usage Support A Deferred Revenue	—	3,000
Usage Support B Deferred Revenue	—	1,950
Unbilled Receivable	4,950	—

The IT Support Company closes the May accounting period.

June Activity

In June, the following records are created in NetSuite:

- One invoice
- Two usages
- Four charges
- One revenue recognition journal
- One prior unbilled receivable adjustment
- One unbilled receivable adjustment

June Invoice

On June 1, IT Support Company bills the May usages. \$3,000 is deducted from the Prepaid Service line and added to Usage Support A. Another \$1,950 is deducted from the Prepaid Service line and added to Usage Support B. In sum, \$4,950 is deducted from the Prepaid Service line. Because the Prepaid Service line has an Auto-Refill minimum balance of \$300 and only \$50 remains, the Prepaid Service is refilled and immediately billed \$5,000.

Item	Quantity	Rate	Amount
Usage Support A	1,200	2.50	\$3,000
Usage Support B	1,500	1.30	\$1,950

Item	Quantity	Rate	Amount
Prepaid Service	1	-3,000	\$-3,000
Prepaid Service	1	-1,950	\$-1,950
Prepaid Service (refill)	1	5,000	\$5,000

June Usages

Vertex Company uses 500 minutes of emergency support and 2,000 minutes of standard support in June. IT Support Company creates two usage records at the end of June to represent this usage.

Item	Quantity	Rate	Amount
Usage Support A	500	2.50	\$1,250
Usage Support B	2,000	1.30	\$2,600

Note: The usages aren't billed in June because they are billed in arrears.

June Revenue Arrangement

IT Support Company creates four charges for the two usages. The revenue arrangement quantity and sales amount are updated to reflect the charges. No refill occurs because \$1,200 remains on the Prepaid Service line, which doesn't meet the \$300 auto-refill minimum.

Item	Quantity	Sales Amount	Revenue Amount	Start Date	End Date
Usage Support A	1,700	\$4,250	\$4,250	5/1/2024	7/31/2024
Usage Support B	3,500	\$4,550	\$4,550	5/1/2024	7/31/2024
Prepaid Service	1	\$1,200	\$1,200	5/1/2024	7/31/2024

June Revenue Plan

The IT Support Company updates their revenue plans.

Item	Plan Total	Amount (Recognized)	Remaining	Planned Period
Usage Support A	\$4,250	\$3,000	\$1,250	June
Usage Support B	\$4,550	\$1,950	\$2,600	June
Prepaid Service	\$1,200	\$0.00	\$1,200	July

June Revenue Recognition Journal

IT Support Company recognizes the two usages at the end of June.

Account	Debit	Credit
Usage Support A Deferred Revenue	1,250	—

Account	Debit	Credit
Usage Support A Income	—	1,250
Usage Support B Deferred Revenue	2,600	—
Usage Support B Income	—	2,600

June Unbilled Receivable Adjustments

IT Support Company runs reclassification at the end of June. Two unbilled receivable adjustments are created.

A reversal of the prior unbilled receivable adjustment is created to reverse the May adjustment.

Account	Debit	Credit
Usage Support A Deferred Revenue	3,000	—
Usage Support B Deferred Revenue	1,950	—
Unbilled Receivable	—	4,950

Another unbilled receivable adjustment is created because cumulative billing is less than cumulative revenue recognition for Usage Support A and Usage Support B.

The unbilled receivable calculations are as follows:

- For Usage Support A, the billed amount is \$3,000 and the recognized amount is \$4,250, leaving an unbilled amount of \$1,250.
- For Usage Support B, the billed amount is \$1,950 and the recognized amount is \$4,550, leaving an unbilled amount of \$2,600.

Account	Debit	Credit
Usage Support A Deferred Revenue	—	1,250
Usage Support B Deferred Revenue	—	2,600
Unbilled Receivable	3,850	—

IT Support Company closes the June accounting period.

July Activity

In July, the following records are created in NetSuite:

- One invoice
- One revenue recognition journal
- One prior unbilled receivable adjustment

July Invoice

On July 1, IT Support Company bills the usages from June. \$1,250 is deducted from the Prepaid Service line and added to Usage Support A. Another \$2,600 is deducted from the Prepaid Service line and added

to Usage Support B. In sum, \$3,850 is deducted from the remaining balance of \$5,050 on the Prepaid Service line. No refill occurred because \$1,200 remains on the Prepaid Service line, which doesn't meet the \$300 auto-refill minimum.

Item	Quantity	Rate	Amount
Usage Support A	500	2.50	\$1,250
Usage Support B	2,000	1.30	\$2,600
Prepaid Service	1	-1,250	\$-1,250
Prepaid Service	1	-2,600	\$-2,600

July Revenue Recognition Journal

Because Vertex Company doesn't use any support in July, no usages are created. Because the subscription ends July 31, IT Support Company recognizes the remaining balance of \$1,200 on the Prepaid Service element. The recognized amount now equals the billed amount.

Account	Debit	Credit
Prepaid Service Deferred Revenue	1,200	—
Prepaid Service Income	—	1,200

The subscription term has ended, and all revenue was recognized.

July Unbilled Receivable Adjustment

A reversal of the prior unbilled receivable adjustment is created to reverse the June adjustment.

Account	Debit	Credit
Usage Support A Deferred Revenue	1,250	—
Usage Support B Deferred Revenue	2,600	—
Unbilled Receivable	—	3,850

SuiteBilling Setup

This chapter describes the steps to enable and set up SuiteBilling. You have to set preferences before enabling SuiteBilling's associated features. This chapter includes tasks that you usually need to perform only one time for your initial setup.

Setting the SuiteBilling Preferences

Note: Before you can enable the SuiteBilling feature, you must contact your NetSuite sales or account representative to provision this feature for your NetSuite account.

You can't enable the SuiteBilling features until these actions are completed:

- [Consolidating Projects on Sales Orders](#)
- [Disabling Employee Commissions](#)

You can also set optional preferences for subscription management. See [Setting Optional Preferences](#).

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

Consolidating Projects on Sales Orders

With the Projects feature enabled, you must set the Consolidate Projects on Sales Transactions preference before enabling SuiteBilling. You must enable Projects and Project Management to access the Consolidate Projects on Sales Transactions preference.

To set the accounting preference to consolidate projects on sales orders:

1. Go to Company > Projects.
2. Check the **Projects** and **Project Management** boxes.
3. Go to Setup > Accounting > Accounting Preferences.
4. Click the **Items/Transactions** subtab.
5. Check the **Consolidate Projects on Sales Transactions** box.
6. Click **Save**.

Disabling Employee Commissions

You need to disable the Employee Commissions feature before enabling SuiteBilling.

Note: When your account includes commissions data, that data is inaccessible, although still in the account, when Employee Commissions is disabled. To access commissions data while using SuiteBilling, you can export the data from Reports > Commissions > Commission Overview Report for Employee commissions and Reports > Commissions > Partner Commission Overview Report for Partner commissions. To correctly set the time range of the report, set the **From** field to the employee start date and the **To** field to the current date. For additional instructions, see the help topic [Exporting a Report](#).

To disable the Employee Commissions feature:

1. Go to Setup > Company > Enable Features.
2. Click the **Employees** subtab.
3. In the Commissions section, clear the **Employee Commissions** box.
4. Click **Save**.

Enabling SuiteBilling Features

SuiteBilling has a collection of features to enable.

Before you enable SuiteBilling features, ensure:

- You're logged in to NetSuite using an Administrator role.
- You've set the SuiteBilling preferences as instructed in [Setting the SuiteBilling Preferences](#).

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

To enable SuiteBilling features:

1. Go to Setup > Company > Enable Features.
2. Click the **Transactions** subtab.
3. In the Billing section, check the following boxes:
 - **Bill Costs to Customers**
 - **Advanced Billing**
 - **Charge-Based Billing**
 - **Billing Accounts**
 - **Billing Operations**
 - **Subscription Billing**
 - **Advanced Subscription Billing**

You need Charge-Based Billing is required to see subscription line charge pricing details.

You can check the following boxes for optional features:

- Add-on Items
- Time-Based Pricing for creating multiple time-based pricing intervals. For more information about how to use time-based pricing, see [Time-Based Pricing](#).
 With Time-Based Pricing enabled, you can use the Subscription Billing Enhanced UI SuiteApp. This SuiteApp has the same Time-Based Pricing as SuiteBilling, but with a better user interface. For more information about the Subscription Billing Enhanced UI SuiteApp, see the help topic [Subscription Billing Enhanced UI](#).
- Add-on Items is required to create a subscription without a subscription plan or price book.
 For more information about how to create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).
- Invoice Groups, for creating and managing invoice groups. You can group multiple invoices before sending them to a customer.
- Commit Plus Overage, for charging prepayment for a contracted minimum usage amount at a negotiated rate.

For more information about commit plus overage charges, see [Commit Plus Overage Charges](#).

- Uplift Pricing, for creating price increases for subscription lines using an uplift percentage at defined times during a subscription term.



Warning: The **Uplift Pricing** feature requires time-based pricing to be enabled.

For more information about how to use uplift pricing, see [Uplift Pricing](#).

- Prepaid Usage with Drawdown, a service type for when consumable services can be billed in advance, and usage is drawn down from the assigned service lines.

For more information about prepaid usage with drawdown, see [Prepaid Usage with Drawdown](#).

4. On the Company tab in the Classifications section, you can optionally check any of the following boxes to help segment your recurring revenue:
 - **Departments**
 - **Locations**
 - **Classes**
5. Click **Save**.

Enabling the Multi-Subsidiary Customer Feature for SuiteBilling

With billing accounts across subsidiaries, you can use the Multi-Subsidiary Customer feature. For more information, see the help topic [Assigning Subsidiaries to a Customer](#).

To enable Multi-Subsidiary Customer for SuiteBilling, see the help topic [Enable the Multi-Subsidiary Customer Feature](#).

If the Multi-Subsidiary Customer feature is enabled, the billing account field isn't automatically populated on the Subscription record.

Optional Preferences for SuiteBilling

SuiteBilling has several optional preferences.

Setting Optional Preferences

You can streamline your subscription creation and management process with optional preferences.

To set optional preferences for subscription creation and management:

1. Go to Setup > Accounting > Accounting Preferences.
2. On the **Classifications** subtab, check the box for each preference that you want to set:
 - **Make Classes Mandatory**
 - **Make Departments Mandatory**
 - **Make Locations Mandatory**
 - **Allow Per-Line Classes**

- **Allow Per-Line Departments**
- **Allow Per-Line Locations**

If you check the **Make Classes Mandatory**, **Make Departments Mandatory**, or **Make Locations Mandatory** preferences, these fields are required while you're creating the subscription or subscription line. If any of the Allow Per-Line preferences are checked, the line-level value is used for revenue reporting. If Allow Per-Line preferences are cleared, the class, department, and location values on the subscription line record are sourced from the billing account. For more information about the **Class**, **Department**, and **Location**, see [Class, Department, and Location Fields on Subscription Lines](#).

3. Go to Setup > Accounting > Invoicing Preferences.



Note: The **Subscription Management** subtab doesn't appear until you enable SuiteBilling.

4. On the **Subscription Management** subtab:

- a. Check the box for each preference that you want to set:
 - **When Sales Order Gets Approved, Auto-Change Subscription Status to 'Pending Activation'**. This moves subscription lines in Draft status to Pending Activation status if the subscription is saved on a sales order and the order gets approved.
 - **First Activation Change Order Creation Sets the Subscription Start Date**. With this preference enabled, the start date and activation date need to be the same. Otherwise, the start date changes to the line item activation date.
 - **Request Credit Memo for Off-Cycle Change Orders**. This preference automatically creates credit memos when doing off-cycle invoicing.
 - **Create Delta Charges for Changes to Invoiced Service Periods**. If this preference isn't visible in your account, contact your NetSuite account representative or NetSuite Customer Support. There is no additional cost to activate delta charges.

When set, the global invoicing preference **Create Delta Charges for Changes to Invoiced Service Periods** can generate a delta charge. A delta charge occurs when changes to invoiced service periods result in a change to the amount the customer owes. The amount of the delta charge is the difference between the invoiced amount and the new amount for the service period. If there is a change in quantity, the quantity of the delta charge is the difference between the invoiced quantity and the new quantity for the service period. If there is no change in quantity, the quantity is the new quantity for the service period.



Note: You can't turn off delta charges after the first delta charge is created.

To see how to set this preference, view the video:



[Enabling Delta Charges](#)

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

- b. To align subscription charges with the subscription start date, check the **Align Charge Amounts with Subscription** box.


When you activate a subscription, its current preference setting dictates the subscription charge pattern.

When you check the **Align Charge Amounts with Subscription** preference, and then activate subscriptions:

- All lines within a single activated subscription have a charge pattern aligned with the subscription header start date instead of its bill dates.

- Multiple-year subscriptions with multiple charge frequencies, such as monthly, quarterly, and annual, recur based on the subscription start date for better alignment of charge periods.

The subscription charge patterns of the **Align Charge Amounts with Subscription** preference are shown in the following figure.



Existing subscriptions activated before setting this preference may display the original recurrence pattern.

When you clear the **Align Charge Amounts with Subscription** preference, charges align with the billing schedule of the billing account. When this preference is set, charges align the recurrence start date with the subscription start date. When the preference is set but you haven't selected a billing account for the subscription, the recurrence start date is the

subscription start date. When the subscription has no billing but **Align Charge Amounts with Subscription** is cleared, the start date isn't calculated until you save, when you must select a price book.

When you select a billing account for the subscription and click **Save**, the recurrence start date updates to align with the billing account recurrence pattern. This changes the ratable events that are generated in Draft mode, which may affect the Sales Order synchronization or other processes that depend on the ratable event amounts. When you select a billing account, rating runs.

If you clear **Align Charge Amounts with Subscription**, the total contract value may change when you select a billing account.

- c. To automatically extend the Estimated Revenue Recognition End Date for evergreen subscriptions, enter a value between 1 and 120 for the **Months To Extend Estimated Revenue Recognition End Date** preference.



Tip: Set this preference according to your billing schedule.

- If you bill evergreen subscriptions monthly, set this preference to 1 or greater.
- If you bill evergreen subscriptions quarterly, set this preference to 3 or greater.
- If you bill evergreen subscriptions annually, set this preference to 12 or greater.

Evergreen subscriptions don't have an end date unless there is a Terminate change order for the line. For all other evergreen subscriptions, the Estimated Revenue Recommended End Date field on the subscription header is used as the end date.

For more information about revenue recognition, see [Revenue Recognition for SuiteBilling](#).

- d. If you entered a value for the **Months To Extend Estimated Revenue Recognition End Date** preference, you also must enter a value between 1 and 120 for the following **Months Prior To Estimated Revenue Recognition End Date To Initiate Auto-Extend** preference.
- 5. To prorate days evenly regardless of the number of days in the year, check the **Exclude February 29 When Prorating by Days or Months** preference.
To see how to set this preference, view the video:
 [Setting the Leap Year Preference](#)
- 6. To remove a one-day charge, check the **Default Terminations Effective at Start of Day** preference.
- 7. To use the line item location as the source for invoice, credit memo, and cash sale locations, check the **Use the Location from the Subscription Record on Line Items for Invoices, Credit Memos, and Cash Sales** preference. If the subscription line item location is empty, the location from the employee record is used as the invoice line item location.
- 8. Click **Save**.

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Proration Options

Set the **Exclude February 29 When Prorating by Days or Months** preference in SuiteBilling to ensure that all days are prorated to the same amount regardless of the number of days in the year. When you enable this preference, NetSuite excludes February 29th when calculating prorated amounts in leap years. To locate the preference, go to Setup > Accounting > Invoicing Preferences and click the **Subscription Management** tab.

To see how to set this preference, view the video:

 [Setting the Leap Year Preference](#)

On the subscription line, set the Prorate Start Date and Prorate End Date when you want to charge customers for only the time they use. All subscription items have the same end date as the subscription. If you leave the **Prorate Start Date** and **Prorate End Date** boxes cleared, NetSuite bills for the full charge period. Usually, you either check or clear both boxes.

On recurring subscription plan items:

- To set proration for the start date of an item, check the **Prorate Start Date** box.
- To set proration for the end date of an item, check the **Prorate End Date** box.

By default, if you set the Type field of a subscription plan item to Recurring, NetSuite checks the Prorate Start Date and Prorate End Date boxes.


This is what happens when you check or clear one or both of these boxes:

- If you check the **Prorate Start Date** box for an item, NetSuite bases the charge on the number of days used. If service begins after the start of the charge period, NetSuite charges the customer for the days used, not the entire charge period.
- If you clear the **Prorate Start Date** box for an item, the item start date is the first day of the charge period. Charges may begin earlier than the activation start date. For example, a customer has a one-year subscription that starts December 15, and is charged for an entire year.
- If you check the **Prorate End Date** box for an item, NetSuite stops charging the day the service ends. If service ends early, the customer is billed for only the days used.
- If you clear the **Prorate End Date** box, the item end date is the last day in the charge period. Charges may extend past the subscription end date. For example, a customer cancels their phone subscription December 15 but is still charged to December 31.


Example: A

Consider a subscription with a 12-month term with monthly charges that is activated January 15. Each item costs the customer \$100 US for one month of service.

If you clear the **Prorate Start Date** and **Prorate End Date** boxes, the customer is billed full monthly cost for January.



Checking both the **Prorate Start Date** and **Prorate End Date** boxes reduces the January charge to \$54.84. The reduced charge is based on the customer's service days. If the line is terminated before December 31, 2019, the final charge is also prorated.



Setting the Optional Accounting Preference for Advanced Revenue Management

To create individual revenue elements for each subscription change order, check the **Create Revenue Elements for Subscription Revisions** accounting preference. When you check the preference:

- Each subscription revision creates a separate revenue arrangement and corresponding revenue elements.
- All subscription revisions generate modification elements that account for the impact on revenue.

Check this preference to:

- Generate modification elements that meet ASC-606 accounting policies for subscription modifications with allocated revenue
- Prospectively merge the modification elements

You can also retrospectively merge the modification element. For instructions, see the help topic [Merging to Combine Revenue Arrangements](#). The Revenue Summary window for revenue arrangements shows merged elements. For more information, see the help topic [Revenue Summary Details](#).

For more information about revenue recognition, see [Revenue Recognition for SuiteBilling](#).

To set the optional accounting preference for Advanced Revenue Management:

1. Go to Setup > Accounting > Accounting Preferences.
2. Click the **General** subtab.
3. On the **Subscription Management** section, check the **Create Revenue Elements for Subscription Revisions** box.



Warning: After you set this preference, you can't change it.

4. Click **Save**.

When both the Create Delta Charges for Changes to Invoiced Service Periods and Create Revenue Elements for Subscription Revisions preferences are checked, a subscription line may generate many charges and revenue elements due to change orders. When a subscription line creates a new revision, the process of updating revenue elements creates new revenue elements and delta charges. During this process, the links between every charge and revenue elements are rechecked to ensure correct charge amounts. Many revisions to a subscription can slow charge and revenue element generation. If you notice slow performance when both preferences are checked, terminate the subscription and create a new subscription.

For more information, see [Revenue Recognition for SuiteBilling](#).

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Creating Items for Subscription Plans

A subscription plan is made up of all of the items that define a subscription. These items include recurring services, usage, commit plus overage, and one-time charges. Before you can create a subscription plan, you need to create item records for the products and services you sell as part of subscriptions.

To learn how to create subscription items, view the video:



[Creating Subscription Items](#)

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

To create an item for a subscription plan:

1. Go to Lists > Accounting > Items > New.
2. Subscription items must be either a non-inventory item or a service item for sale. Other item types aren't available on subscription plans. You can either:
 - Add a non-inventory item. Under **Non-inventory Item**, click **For Sale** or **For Resale**.
 - Add a service item. Under **Service Item**, click **For Sale** or **For Resale**.
3. In the **Item Name/Number** field, enter a value.
4. You can define the **Class**, **Department**, and **Location** fields on the Subscription Line record. For more information about class, department, and location, see [Class, Department, and Location Fields on Subscription Lines](#).
5. Complete any additional fields.
6. Click the **Accounting** subtab.
7. From the **Tax Schedule** list, select a tax schedule. To add a new tax schedule to the list, click the **Open** arrow.
8. Click the **Preferences** subtab.
9. Clear the **Can Be Fulfilled/Received** box.



Note: For non-inventory items, this box is checked by default and you must clear it. For service items, this box is already cleared by default.

10. Click **Save**.

For more information about the item record and using items, see the help topic [Using Item Records](#).

To set up revenue recognition for the item, see [Configuring Subscription Items for Revenue Recognition](#). For more information about advanced revenue recognition, see [Revenue Recognition for SuiteBilling](#).

Class, Department, and Location Fields on Subscription Lines

Define the **Class**, **Department**, and **Location** fields on the Subscription and Subscription Line records when they're in the Draft or Pending Activation status. NetSuite automatically fills in these fields in this order:

1. If the Item record has values in any of these fields, the Subscription Line record uses those values.
2. If any of these fields is empty in the Item record, NetSuite checks the subscription plan and uses those values, if any.
3. If a field doesn't have a value in the subscription plan, NetSuite checks the billing account and uses its values, if any, in the field on the Subscription Line record.
4. If none of these records have values in these fields, they are empty on the Subscription Line record.

If you check any of the per-line preferences, e **Allow Per-Line Classes**, **Allow Per-Line Departments**, or **Allow Per-Line Locations**, revenue reporting uses the value from the line level. If the line-level preferences are cleared, the subscription line values come from the billing account. The values of the the subscription line **Class**, **Department**, and **Location** fields are used for reporting charges and revenue elements.

The subscription record and subscription line values flow to the charges and revenue processes, then to the invoice processes, and finally to revenue recognition. Existing subscription lines update to the value on the item or billing account, depending on your per-line preference settings. Any existing revenue elements don't change. Charges may change if you clear per-line preferences.

Configuring Subscription Items for Revenue Recognition

Note: The information in this topic applies whether or not you check the **Create Revenue Elements for Subscription Revisions** accounting preference, except where the accounting preference is clearly identified.

For more information about revenue recognition, see [Revenue Recognition for SuiteBilling](#).

To configure subscription items for revenue recognition:

1. To set up subscription items with different subscription line types, create an item record for each subscription type.

The preferred values for the subscription line types are in the following table.

Subscription Line Type	Revenue Recognition Rule	Create Revenue Plans On	Allocation Type
Subscription item fields for revenue recognition	Default Revenue Recognition Rule	Create Revenue Plans On	Allocation Type
Commit Plus Overage: Recognition based on usage	Default Usage	Subscription Events	Excluded
Commit Plus Overage: Even Amounts not dependent on usage	Default Fixed Recurring Fee	Revenue Arrangement Creation	Normal
Commit Plus Overage: Recognition based on usage with Allocations	Default Adjustable Recurring Fee	Subscription Events	Normal

With **Create Revenue Elements for Subscription Revisions** unchecked, you can't prospectively merge revenue recognition elements when allocating revenue.

Tip: With the Advanced Revenue Management (Essentials) feature enabled, the **Deferred Revenue Account** field on the **Accounting** subtab defaults to the system-generated deferred revenue account. To use a different account, be sure to select it.

For instructions, see [Creating Items for Subscription Plans](#).

2. On the **Revenue Recognition/Amortization** subtab, in the Advanced Revenue Recognition group, set the required fields for revenue recognition as follows:
 - a. Match the Rev Rec Forecast Rule and Revenue Recognition Rule values.
 - b. Leave the defaults for the fields that aren't included in the following table.
 - c. The preferred values for the subscription line types are in the following table.

Subscription Line Type	Revenue Recognition Rule	Create Revenue Plans On	Allocation Type
Recurring – Adjustable , when the Create Revenue Elements for Subscription Revisions box is cleared	Default Adjustable Recurring Fee	Subscription Events	Normal

Subscription Line Type	Revenue Recognition Rule	Create Revenue Plans On	Allocation Type
Recurring – Adjustable , when the Create Revenue Elements for Subscription Revisions box is checked	Default Fixed Recurring Fee	Revenue Arrangement Creation	Normal
Recurring – Fixed	Default Fixed Recurring Fee	Revenue Arrangement Creation	Normal
One-Time	Default Fixed Recurring Fee	Revenue Arrangement Creation	Normal
Usage	Default Usage	Subscription Events	Exclude*
Prepaid	Default Usage	Subscription Events	Exclude*
Commit	Default Adjustable Recurring Fee, Default Fixed Recurring Fee, Default Usage	Subscription Events	Normal, Exclude*
Overage	Default Usage	Subscription Events	Exclude*

* For usage service lines, set the **Allocation Type** to Exclude to prevent errors when merging revenue arrangements. You can allocate revenue for recurring, commit plus overage, and one-time subscriptions. For more information, see [Creating Usage Records](#).

3. On the **Accounting** subtab of the item record, select a **Deferred Revenue Account**.

You don't need to fill Create Revenue Plans On because you can also set it in the revenue element. Avoid using Revenue Arrangement Creation for Create Revenue Plans On when the rule uses subscription events for date sources.

The Default Adjustable Recurring Fee rule is a rule with these start and end date sources. Revenue recognition plans that are created on subscription events don't include start and end dates. For more information about plans created on subscription events, see [Calculations for Revenue Plans Created on Subscription Events](#).

To learn how to set up one-time based service items for subscription billing with advanced revenue management, view the video:

 [Setting Up One-Time Based Service Items for Subscription Billing with Advanced Revenue Management](#)

To learn how to set up usage-based service items for subscription billing with advanced revenue management, view the video:

 [Subscription Billing with Advanced Revenue Management](#)

Creating Subscription Plans

When you create a subscription plan, you choose what to include in the subscription, such as recurring services, usage, commit plus overage, and one-time charges.

A subscription plan and price book aren't required when creating a subscription using the standard form. You can create a subscription with only add-on item lines, making subscription creation simpler. To learn how to create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).

To learn how to set up a subscription plan and price plan in NetSuite, view the video:

 [Setting Up a Subscription Plan and Price Plan](#)

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

To create a subscription plan:

1. Go to Lists > Subscriptions > Subscription Plans > New.
2. In the **Subscription Plan Name** field, enter a name.
3. From the **Initial Term** list, set the term:
 - Select a term from the options:
 - **Standard Term** – The subscription-level end date defines the end date for all of the items, which aligns end dates. The end date is calculated by adding the subscription term to the start date. One-time subscription lines are the exception because they are only active for a day.
 - **Custom Term** – You must set the subscription-level end date at the subscription level. This date defines the end date for all of the items, resulting in the alignment of end dates. One-time subscription lines are the exception because they are only active for a day. For custom terms, you can edit the subscription-level end date until a subscription line is active.
 - **Evergreen Term** – Revenue stops after three years unless you set up automatic invoicing to extend revenue recognition.
 - Create a new term by clicking the plus icon.
4. On the **Lines** subtab, follow these steps for each item you add:
 - a. In the **Item** column, select an item. If the item list doesn't include an item you need for this subscription plan, see [Creating Items for Subscription Plans](#).
 - b. In the **Required** column:
 - Check the box to always include this item in the subscription.
 - Clear the box to let the customer choose whether to include or exclude the item at sale time.
 - c. In the **Type** column, select one of the following types:
 - **One Time** – Items with a single charge, such as a setup or initialization fee.
 - **Recurring** – Items with ongoing charges, such as recurring services.
 - **Usage** – Items charged based on how much a customer uses, such as minutes or data.
 - **Commit Plus Overage** – Items charged up front for a set quantity (committed usage), with more charged when more than the committed quantity is used (overage).
 - d. In the **Mode** column, choose one of the following:
 - **In Advance** – Payment is due at the start of the charge period (for example, the first day of the month).
 - **In Arrears** – Payment is due at the end of the charge period (for example, the last day of the month).
 - e. In the **Include in Renewal Subscription** column, click the down arrow to see the available renewal options and if you want a different option, select it.
 - f. If required, for recurring items, check or clear the **Prorate Start Date** and **Prorate End Date** boxes. For details, see [Proration Options](#).
 - g. Click **Add**.
5. Repeat step 4 to add all items to the subscription plan.

6. Click the **Renewal** subtab and set up the renewal options. You can select the renewal plan and price book when renewing to a new subscription. See [Adding Renewal Information to Subscription Plans](#) to learn how the default from the subscription populates the renewal.
 - With **Uplift Pricing** enabled, you can set a percentage renewal uplift. After renewal setup is done, your settings apply to new subscriptions that have this plan.
 - To automate renewal, check **Automatically Initiate Renewal Process Before Subscription End Date**.
 - When **Uplift Pricing** is enabled, you can set a default percentage renewal uplift. Based on the renewal setup, the renewal description lines show in the uplift table where you set the percentage uplift. To learn how the default from subscription populates the renewal uplift on a subscription, see [Adding Renewal Information to Subscription Plans](#).

After you finish setting up renewal, your settings apply to new subscriptions that use this plan.

7. When **Uplift Pricing** is enabled, you see the **Uplift** subtab. Set the **Uplift Percent** and create intervals using the combination of **Uplift Frequency** and **Repeat Every** fields. These settings apply by default to any new subscriptions created with this plan. See [Uplift Pricing](#) to learn more about uplift for subscription plans.

When you save, the **Price Books** subtab opens. After creating a subscription plan, the next task is creating a price book by creating a price plan for each item. See [Creating Price Books](#).

Adding Renewal Information to Subscription Plans

You can set up subscription renewal details when creating the subscription plan, or add them later by editing the plan. The renewal options you choose for the plan apply to all subscriptions created from it. You can edit the plan when creating a draft subscription. You can edit all renewal subtab values in any status.

To add renewal details to a subscription plan:

1. Go to Lists > Subscriptions > Subscription Plans.
2. Click **Edit** for the subscription to renew.
3. Click the **Renewal** subtab.
4. Choose a term for the renewal subscription from the **Default Renewal Term** list.
5. Choose the default renewal method from the **Default Renewal Method** list.
 - a. If you chose **Extend Existing Subscription**, go to step 6.
 - b. If you chose **Create New Subscription**:
 - i. From the **Default Renewal Subscription Plan** list, choose a default subscription plan for the renewal subscription.
 - ii. From the **Default Renewal Transaction Type** list, select a default (**Do Not Create Sales Transaction, Estimate, Opportunity, or Sales Order**).
6. To automate the renewal process, check **Automatically Initiate Renewal Process** and enter the number of days in **Before Subscription End Date**.
7. With **Uplift Pricing** enabled, the percentage price automatically increases a customer's renewal pricing or interval price when using the **Renewal Uplift** subtab. The percentage uplift increase applies to the minimum and maximum values at both the tier and header level. The default value acts as a template for default renewal settings and the **Renewal Uplift** subtab when creating new subscriptions. When a subscription renewal is created, the price plans are automatically updated to reflect the renewal increase. When extending a renewal, new pricing intervals are automatically generated with the chosen price increase.
8. Click **Save**. The **Price Books** subtab opens.

Next, create a price book by setting up each item's price plan. See [Creating Price Books](#).

With the global Invoicing preference, **Define Percentage Uplift for Subscription Lines**, percentage price increases are automatically applied to customer renewal pricing. The percentage uplift increase applies to the minimum and maximum values at both the tier and header level. The default value acts as a template for default renewal settings when creating new subscriptions. When a subscription renewal is created, the price plans are automatically updated to reflect the renewal increase.

Creating Price Books

After saving a subscription plan, you can create pricing for the items. A price book defines the pricing for a collection of items or services that are sold as part of a subscription plan. Each item on a subscription plan needs a price plan within the price book. A subscription plan can have one or multiple price books. You can use multiple price books to create different pricing options, such as multiple currencies, or monthly, quarterly, and annual pricing.

When creating a subscription using the standard form, you don't need a subscription plan and price book. Creating a subscription using only add-on item lines simplifies the process. To learn how to create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).

To learn how to set up a subscription plan and price book in NetSuite, view the video:



[Setting Up a Subscription Plan and Price Plan](#)

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

When you renew to a new subscription, you can select the renewal plan and price book. Refer to [Adding Renewal Information to Subscription Plans](#) to learn how the default from subscription populates the renewal. After renewal setup is done, your settings apply to new subscriptions created with this plan.

To create a price book:

1. On the saved subscription plan record, click the **Price Books** subtab. This subtab opens by default after you save a subscription plan.
2. Click **New Price Book**.
3. On the price book record, in the **Name** field, enter a name for the price book.
4. From the **Currency** list, select the appropriate currency.
5. On the **Price Book Lines** subtab, in the **Edit** column, click the edit icon for an item to make its price plan. For instructions on making price plans, see [Creating Price Books](#).



Note: You need to make a price plan for each item before saving the price book. Fill the required fields on the price plan, then click **Save** to return to the price book record.

6. From the **Interval** list (if showing), select the time period to set the duration of the interval. You can choose **Day**, **Week**, **Month**, or **Year**.
7. In the **Start On** field, enter a number for when the interval begins.

For example, set the **Interval** to **Month** and the **Start On** field to **1** (one). The interval runs from month 1 until the end of the term. When creating a subscription from this plan, the relative dates are converted to real dates based on the subscription start date. If you set the start date of the subscription to January 1 and the **Start On** field to 1, the interval starts on January 1.

Example:

Consider a price book, AAA Basic Plan Pricing, has currency in US dollars. The items associated with the price book include a one-time item, a recurring item, a usage item, and a commit plus overage item.

Primary Information

Subscription Plan Name: AAA Vending Basic Plan
Initial Term: 50 months
Description:

Classification

Subsidiary: Parent Company
Department: Clinic
Location:

Lines: **Price Books** | Renewal | Upgrade | Accounting | Related Records | Communication | System Information

Price Book

Name: Standard Fees
Item: Magazine
Start Interval: Month 1

Line	Name	Expand All	Collapse All	Required	Item	Type	Start Interval	Price	Price Plan Type	Discount	Charge Frequency	Repeat Every	Private By	Overage Price	Overage Price Plan Type	Overage Discount	Overage Charge Frequency
1	Standard Fees			No	Video Access Rental	Current Plus Overage	Month 1	Above 0: \$175 Above 50: \$170 Above 100: \$160 Above 500: \$145 Above 0: \$175 Above 5: \$530	Tiered		Annually	1	Day	Above 0: \$195 Above 500: \$150 Above 500: \$3.50	Tiered		Monthly
				No	Magazine Usage	Recurring	Month 1	Above 0: \$1009	Tiered		Monthly	1	Day				
				No	Monthly Rental	One Time	Month 1	Above 0: \$4099	Tiered		One Time	0					

8. (Optional) In the **Included Quantity Multiplier** column, enter a number. For more information, see [Creating Usage Records](#).
9. (Optional) If you want to enter a default discount, enter the discount in the **Discount** column.
Enter discounts as a percentage or as a flat rate. For percentage discounts, add the percent sign (%) after the positive number you enter in the **Discount** field. Flat rate discounts don't need a notation.
10. From the **Charge Frequency** list, select **Weekly**, **Monthly**, or **Annually**.
11. For non-one-time items, choose how often the charge occurs from the **Repeat Every** list.
For example, if you want to charge monthly, select a **Monthly** from the **Charge Frequency** list and enter **1** in the **Repeat Every** field.

Example:

Consider a basic price book with tiered pricing (line 1) and volume pricing (line 2), charge frequency, and recurrence. Notice that no discounts are included.

Price Book

Save Cancel Customize Form Actions

Primary Information

NAME * {SUBSCRIPTION PLAN}
PB 2 Medical Records Management Plan 2

Price Book Lines

Add Interval To All

LINE NUMBER	REQUIRED	ITEM	LINE TYPE	INTERVAL *	START ON *	PRICE	EDIT	INCLUDED QUANTITY MULTIPLIER	DISCOUNT	CHARGE FREQUENCY *	REPEAT EVERY *
1		Records Management	Recurring	Month	1	Above 0: \$32.00				Monthly	1
1		Records Management	Recurring	Month	4	Above 0: \$32.00 Above 1: \$34.00				Monthly	1
2		File Storage	Usage	Month	1	5 Included From 0: \$42.00				Monthly	1
2		File Storage	Usage	Month	4	5 Included From 0: \$42.00 From 6: \$44.00				Monthly	1

Save Cancel Customize Form Actions

Price Book

Save Cancel Actions

NAME *
AAA Basic Plan Pricing

SUBSCRIPTION PLAN
AAA Vending Basic Plan

CURRENCY
USA

Price Book Lines

ITEM	SUBSCRIPTION LINE TYPE	PRICE	INCLUDED QUANTITY MULTIPLIER	DISCOUNT	CHARGE FREQUENCY	REPEAT EVERY
NFT - Vending Setup	One Time	Above 0: \$250.00			One Time	0
NFT - Refrigerator Rental & Stocking	Recurring	From 0: \$50.00 From 3: \$45.00 From 5: \$40.00			Monthly	1
NFT - Soda 12oz Can	Usage	12 Included From 0: \$0.25	NFT - Refrigerator Ren... Stocking - Recurring		Monthly	1

Save Cancel Actions

12. From the **Prorate By** column, select Month or Day.

✓ **Tip:** Prorate By Month rounds charges for the billing period. For example, a 12-month subscription costs \$12,000 that is billed monthly. If you select Prorate By Month, the charge for each month is rounded to \$1,000. With Prorate By Day for the same subscription, the monthly charge varies from \$920.55 to \$1019.18 based on the number of days in the month.

Example:

Consider that when you enable proration for an item, charges are created based on the number of days or months in the charge period. The default setting of Prorate By for recurring items is Day.

Price Book

Save Cancel Customize Form Actions

Primary Information

NAME *
PB1

{SUBSCRIPTION PLAN}
Prorate By Month Annual

Price Book Lines

Add Interval To All

LINE NUMBER	REQUIRED	ITEM	LINE TYPE	INTERVAL	START ON	INCLUDED QUANTITY MULTIPLIER	PRICE	EDIT	DISCOUNT	CHARGE FREQUENCY	REPEAT EVERY	PRORATE BY
1	Yes	Labor 1	Recurring	Month	1		Above 0: \$12,000.00			Annually	1	Month
2	Yes	Labor 2	Recurring	Month	1		Above 0: \$300.00			Monthly	3	Month

Save Cancel Customize Form Actions

13. Repeat the previous steps for each price book item until all have pricing information.
14. Click **Save**.

Time-Based Pricing

Use time-based pricing to create pricing models with planned pricing changes over time, also called interval pricing models. Examples include free trials, ramp pricing, and introductory pricing. You use time-based pricing to create intervals for price, quantity, or discount changes over time.

You can define how charges are calculated for time intervals during a subscription term. For example, consider a one-year subscription with an introductory pricing plan. A reduced price applies for the first three months and the full price applies for the last nine months. To set up this price plan, add an interval for the item starting on the fourth month without a discount.

For instructions on enabling time-based pricing, see [Enabling SuiteBilling Features](#).

To learn how to create a subscription plan, price book, and price plans with time-based pricing in NetSuite, view the video:

 [Creating a Subscription Plan, Price Book, and Price Plans with Time-Based Pricing](#)

 **Note:** If you use the SuiteBilling Enhanced UI SuiteApp (formerly called the Time-Based Pricing SuiteApp) with the Time-Based Pricing feature, see the help topic [Subscription Billing Enhanced UI](#).

Creating Intervals for Time-Based Pricing

You can apply a single price interval to all items on a price plan or define different price intervals for each item. Use the time-based pricing feature to add a price interval to all items in the price book and subscription.

Before creating a price interval, you need a subscription plan, price book, and price plan. See [Creating Items for Subscription Plans](#), [Creating Subscription Plans](#), and [Creating Price Books](#).

For example, consider a subscription with two line items, each with two price intervals. The new price for each item starts in the 4th month.

Price Book

[Save](#) [Cancel](#) [Customize Form](#) [Actions](#)

Primary Information

NAME * (SUBSCRIPTION PLAN)
PB1 Medical Records Management Plan

Price Book Lines

[Add Interval To All](#)

LINE NUMBER	REQUIRED	ITEM	LINE TYPE	INTERVAL *	START ON *	PRICE	EDIT	INCLUDED QUANTITY MULTIPLIER	DISCOUNT	CHARGE FREQUENCY *	REPEAT EVERY *
1		Records Management	Recurring	Month	1	Above 0: \$200.00				Monthly	1
1		Records Management	Recurring	Month	4	Above 0: \$200.00 Above 10: \$225.00				Monthly	1
2		File Storage	Usage	Month	1	50 Included From 0: \$350.00				Monthly	1
2		File Storage	Usage	Month	4	50 Included From 0: \$350.00 From 50: \$400.00				Monthly	1

[Save](#) [Cancel](#) [Customize Form](#) [Actions](#)

To create a price interval, set up the price plan using the following processes.

Adding a Price Interval to All Items at Once

You can simultaneously add a price interval to all items in a subscription plan.

To add a price interval to all items in a subscription plan:

1. From the subscription plan on the **Price Book** subtab, click the edit icon for an item. The price plan window opens.

 **Note:** Items with one-time pricing have only one price interval.

2. Click **Add Interval to All** to add a single price interval to all items at once.
3. Edit the price, discount, or quantity for the new price interval. For example, to set a price interval starting after the subscription starts, change the **Start On** value.

 **Note:** Adjacent price interval items must be unique. If you have identical adjacent price intervals, the items are combined into one price interval.

4. Click **Save** to save the intervals
5. When you're done configuring the price interval for all items, click **Save** to save the price book. The **Interval** and **Start On** columns appear on the price book. For information about these columns of the price book, see steps 6 and 7 of [Creating Price Books](#).

Adding a Price Interval to a Single Item

You can add a price interval to one subscription plan item at a time.

To add a price interval to a single item in a subscription plan:

1. Select the item with the price plan you want, and click **Make Copy**.

 **Tip:** When you copy a price interval, you save the effort of completing all the fields that a new price interval requires. For example, if you have tiered pricing and don't want to recreate the tiers for each new price interval.

2. Click the edit icon for an item. The price plan window opens.
3. Edit the price, discount, or quantity for the new price interval. For example, to create a price interval that starts after the subscription start date, change the **Start On** value.

 **Note:** Price interval items that are located next to each other must be unique. If you have two identical adjacent price intervals, the items from each interval are combined into one price interval.

4. Click **Save** to save the intervals in your price plan.
5. Repeat steps 2–4 for each remaining item in the price book.
6. When you're done configuring the price interval for all items, click **Save** to save the price book. The **Interval** and **Start On** columns appear on the price book. For information about these columns of the price book, see steps 6 and 7 of [Creating Price Books](#).

Pass-Through for Time-Based Pricing Intervals

With time-based pricing enabled, you can use pass-through for time-based pricing intervals. Pass-through happens when a change order is created between two time-based pricing intervals and the changed

field(s) are the same in both intervals. Pricing intervals that start after the change order can pass through and update the time-based pricing interval with the new value(s) if they don't change the same quantity, discount, or price field(s) as the change order.

Pass-through on time-based pricing intervals reduces manual effort by updating them automatically, so you don't have to create multiple change orders. Pass-through also makes time-based pricing intervals more consistent.

Example:

Consider a 12-month subscription starting July 18 with the following time-based pricing intervals:

LINE NUMBER	ITEM	LINE TYPE	START DATE	INTERVAL STATUS	CATALOG TYPE	INCLUDED QUANTITY MULTIPLIER	QUANTITY	PRICE	VIEW	DISCOUNT	TOTAL INTERVAL VALUE	RECURRING AMOUNT	CHARGE FREQUENCY	REPEAT EVERY	PRORATE BY
1	Monthly Recurring Subscription Service	Recurring	7/18/2023	Active	Required		1	Above 0 \$100.00		0.00%	100.00	100.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	8/1/2023	Active	Required		1	Above 0 \$200.00		0.00%	203.66	200.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	9/1/2023	Active	Required		1	Above 0 \$300.00		0.00%	294.52	300.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	10/1/2023	Active	Required		3	Above 0 \$400.00		0.00%	1,200.00	1,200.00	Monthly	1	Day

A change order is created and effective August 1, changing the quantity from 1 to 2. This change passes through and updates all subsequent time-based pricing intervals with the same quantity value as the one changed. The updated pricing intervals are as follows:

LINE NUMBER	ITEM	LINE TYPE	START DATE	INTERVAL STATUS	CATALOG TYPE	INCLUDED QUANTITY MULTIPLIER	QUANTITY	PRICE	VIEW	DISCOUNT	TOTAL INTERVAL VALUE	RECURRING AMOUNT	CHARGE FREQUENCY	REPEAT EVERY	PRORATE BY
1	Monthly Recurring Subscription Service	Recurring	7/18/2023	Active	Required		1	Above 0 \$100.00		0.00%	0.00	100.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	8/1/2023	Active	Required		2	Above 0 \$100.00		0.00%	0.00	200.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	8/1/2023	Active	Required		2	Above 0 \$200.00		0.00%	0.00	400.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	9/1/2023	Active	Required		2	Above 0 \$300.00		0.00%	0.00	600.00	Monthly	1	Day
1	Monthly Recurring Subscription Service	Recurring	10/1/2023	Active	Required		3	Above 0 \$400.00		0.00%	0.00	1,200.00	Monthly	1	Day

Deleting a Price Interval

You can delete a price interval from a price book even if it's used in a subscription. You can delete a price interval when the item is in the Draft status.

To delete a price interval:

1. Choose the price interval to delete.
2. Click **Remove**.

Setting Up Standard Pricing

As a System Administrator, you can set up standard pricing that other users can't change.

To set up standard pricing that other users cannot change:

1. Grant access permission to a subscription process with the following restrictions:
 - Limit how many users can edit the subscription pricing.
 - Restrict editing permissions for specific price plans, subscription change orders, or price books.

When access is restricted, non-System Administrators can update discounts or quantities but not the price plans, unless they have price plan permissions. To learn how to grant access permissions to a subscription process, see the help topic [Setting Permissions](#).

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Copying a Price Book

To save effort in filling the fields for a similar price book, copy it. For example, you might want to copy a price book when creating price books for different currencies.

To copy a price book:

1. Open the price book record to copy.
2. From the **Actions** menu, select **Make Copy**.
3. Edit the copy with any needed changes.
4. Click **Save**.

Deleting a Price Book

When a price book hasn't been used to create any subscriptions, you can delete it.

To delete a price book:

1. Open the price book record to delete.
2. From the **Actions** menu, select **Delete**.

Creating Price Plans

Every item in a subscription plan needs a price plan. You also must create price plans for every pricing interval in a price book.

When creating a subscription using the standard form, a subscription plan and price book aren't needed. Creating a subscription with only add-on items simplifies creating a subscription. To learn how to create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).

When creating a price plan, the quantity for each item must be more than zero (0). When modifying the price plan, you can't set the quantity to zero (0) or a negative number.

 **Note:** Volume pricing charges all units at the same rate based on the quantity.

For high-level overview diagrams of the workflows that include this procedure, see [Subscription Plan Creation](#), [New Stand-Alone Subscription Creation](#), and [Subscription Creation from a Sales Order](#).

To create a price plan:

1. From the **Price Books** subtab of the subscription plan record, select an existing price book.
If you haven't already created a price book, follow the instructions in [Creating Price Books](#).
2. Set up the price plan:
 - a. Click an item's edit icon to open the price plan window.

 **Note:** You can also click an existing price plan's edit icon to edit it.

- b. From the **Type** list, choose a type:

- **Tiered** – Typically used for recurring items. Tiered pricing charges a set rate for all items in a tier (for example, the first 10 items). If the quantity sold exceeds the tier upper limit, the extra items are charged the next tier's price.

Example:

Consider a beverage subscription with these tiered pricing levels:

Tier 1: 0–10 items, \$5.00

Tier 2: 11–20 items, \$4.95

Tier 3: 21+ items, \$4.90

For a 22-item order, the charge would be $(10 \times \$5.00) + (10 \times \$4.95) + (2 \times \$4.90) = \109.30 .

- **Volume** – Typically used for usage pricing. With volume pricing, the total quantity determines the charge rate for all items in the order.

Example:

Consider a beverage subscription with these volume pricing levels:

Tier 1: For 0-10 items, \$5.00

Tier 2: For 11-20 items, \$4.95

For an 8-item order, the per-item charge is \$5.00. The total charge would be $(8 \times \$5.00) = \40 . For a 22-item order, the per-item charge drops to \$4.95. The total charge would be $(22 \times \$4.95) = \108.90 .

When creating a price plan, you can set minimum and maximum limits for pricing tiers. See [Price Plan Minimum and Maximum Amounts](#).

- From the **Pricing Option** list, choose an option:
 - **Rate** – Calculates the item amount as (quantity x rate).
 - **Fixed Amount** – The item's charge amount doesn't change with quantity.
 - In the **Value** field, enter the item's charge amount.
 - To set pricing for more quantities, click **Add**.
- Repeat step 2 for each remaining item in the price book. Each item in a subscription plan needs a price plan.
 - Click **Save** to submit the price plan. NetSuite returns to the Price Book page and shows the new price plan.
 - From the **Charge Frequency** list, choose **Weekly**, **Monthly**, or **Annually**.
 - For non-one-time items, from the **Repeat Every** list, set how often to charge. For example, to charge monthly, select **Monthly** from the **Charge Frequency** list and enter **1** in the **Repeat Every** field.
 - Click **Save** to save the price book.

Price Plan Minimum and Maximum Amounts

Use the Minimum Amount and Maximum Amount fields on the Price Plan record to set overall minimum and maximum charges per period. If the tier setup calculates a value below the minimum or above the maximum, the the Minimum Amount and Maximum Amount fields override it. This feature lets you set overall minimum and maximum charges while still calculating tier structures separately.

Only when Advanced Subscription is enabled, the following optional new fields are added to the Price Plan record:

- Minimum Amount
- Maximum Amount

Tier-Level Minimum and Maximum

You can set minimum and maximum limits for pricing tiers. Consider the following pricing tier examples. Prices and discounts are tiered based on the quantity purchased:

- 0–100 recurring licenses, \$3.00
- 101–200 recurring licenses, \$2.00
- 201+ recurring licenses, \$1.00

If you enter a minimum amount of \$150, that would force customers to buy at least 50 licenses, even if they only need 1.

You can also set a discount that caps the cost at a certain price. If you set a maximum charge of \$500.00, customers don't pay extra for licenses after spending that amount.

Volume tiers can have a maximum price. Usually, you only need a maximum price for the top tier.

If a change order updates the price plan mid-period, the minimum and maximum amounts are prorated.

Example: Consider a customer who subscribes to your news website that has a minimum charge of \$10. You submit a change order April 13. The minimum prorated charge for April 1-12 is calculated as:

(days used ÷ total days in the month) x minimum charge

$$4 = (12 \div 30) \times 10$$

The minimum prorated charge for April 13-30 (18 days), is calculated as:

(days remaining ÷ total days in the month) x the minimum charge

$$6 = (18 \div 30) \times 10$$

To learn SuiteBilling change order fundamentals, see [SuiteBilling Change Orders](#).

Creating Billing Accounts

A billing account record shows all billing information, including the billing schedule, default payment terms, ship-to address, and currency, for a customer or sub-customer.

To enable billing accounts, first set the Consolidate Projects on Sales Transactions preference and enable the Charge-Based Billing and Billing Accounts features. For more information, see [Setting the SuiteBilling Preferences](#) and [Enabling SuiteBilling Features](#).

If you have multiple billing accounts for a customer, the default billing account is used to create transactions. For example, when creating a new invoice or new subscription, the default customer billing account is used. You can change the start date of a billing account on the billing account record only if it isn't yet used in an active subscription.

A company can set up multiple billing accounts to set different billing schedules. For example, they can bill annual charges in advance and bill usage monthly, each with a separate billing account.

Example:

Consider a coffee shop franchise that buys software using multiple billing accounts as follows:

- The licensing fees and maintenance are billed to the parent company annually January 1. This is the first billing account, with a fixed bill date of January 1 and the ship to and bill to address is the parent company address.
- The usage for the service is billed to the individual locations. For each location, there is a separate billing account with a monthly billing schedule. The bill to and ship to address for each account is the individual franchise location.

To create a new billing account:

1. Go to Lists > Relationships > Billing Accounts > New.
2. If required, from the **Subsidiary** list, select a subsidiary or change the subsidiary from the primary subsidiary to a secondary subsidiary.
3. Indicate the customer for the billing account:
 - For an existing customer, select the customer name.
 - To create a new customer, click the plus icon.
4. From the **Currency** list, select the customer's currency.
5. From the **Billing Schedule** list, select a billing schedule.
6. Enter or select a **Start Date**.



Note: After you click **Save**, you can't:

- remove the subsidiary from this customer
- delete billing accounts for this customer and their secondary subsidiaries

7. Click **Save**.

The following screen shows a completed Billing Account record.

Billing Account			List	Search	More
Edit Back Actions					
▼ Primary Information Account Number 1005 Customer 10005 Can Cust USD Account Description Subsidiary Can Subsid Name 1005 Currency US Dollar ☒ Customer Default					

You can also create a new billing account from other records, such as the Customer record or Subscription record. To create a new billing account from the Customer record, on the **Billing**

Account subtab, click **-New-**. Follow the previous instructions. To create a new billing account while creating a new subscription, see [Creating a New Stand-alone Subscription](#).

Viewing Records Related to the Billing Account

You can view records related to the billing account, such as subscription records, charge records, and billing schedules.

To view records related to the billing account:

1. Go to the Billing Account page.
2. Click the **Related Records** tab.

Billing Addresses

The billing account's Bill-To Select list sets the account's invoice, cash sale, and credit memo billing address. If you don't select a billing address, the default billing address on the customer record is used. You can change the billing address on the billing account if needed.

Customers with multiple subscriptions on the same billing account get one invoice based on the billing account's schedule.

The Ship-to Select list sets the shipping address. If you don't select a shipping address, the default shipping address on the customer record is used.

Billing Schedules

Billing accounts use charge-based billing schedules. Charge-based billing schedules have two recurrence patterns:

- Fixed bill date schedules generate invoices on a set date. Billing is based on the bill date, frequency, recurrence frequency, and repeat every settings. Fixed date billing schedules work best for invoicing on a specific day of the month, or other set frequency.
- Anniversary bill date schedules generate invoices on an annual basis. Billing is based on the billing account start date, frequency, recurrence frequency, and repeat every settings. Use anniversary billing to invoice on the same date each year as the service start date.

If you set a billing schedule with a date that isn't in every month, the billing schedule adjusts. For example, if you specify billing on the 31st, for months that have fewer days, the bill is on the last day of that month. February 28 and April 30 are two examples.

Changing the Billing Date for Future Invoices to a Billing Account

You need edit permissions for billing accounts to change the next bill cycle date.

To change the billing date for future invoices to a billing account:

1. Go to a saved billing account with a billing schedule.

2. In the Next Bill Cycle Date list, change the date for the next bill cycle.

The list shows possible dates to advance the billing date, up to 10 billing cycles.

You can move the next bill date back, but only to the next date after the last recurring invoice. For example, if you generate a bill run too early and need to run bills for the first bill cycle date, you can move the next bill date back.

Creating Recurring Invoices for Subscriptions with Billing Accounts

You can create subscription invoices that automatically recur with a set frequency.

Usage and overage must be billed in arrears, but recurring, committed, and one-time charges can be billed in advance. For example, electricity bills are based on your usage and is billed in arrears. To get paid as early as possible, most SuiteBilling users bill their customer's recurring charges in advance. For example, cable and internet service companies bill their customers for the coming month at the beginning of the billing cycle. Charges begin the day the service is activated.

There are several ways to create a recurring invoice with a billing account.

To create a recurring invoice with a billing account:

1. Go to Lists > Relationships > Billing Accounts.
2. Click **View** next to the billing account you want to invoice.
3. Click **Next Bill**.



Note: You can also create a recurring invoice from the customer record's **Billing Account** subtab by clicking **Next Bill**.

The Create Invoice page opens with **Recurring Bill** checked. The invoice date defaults to the billing account's next bill date.

You can also create recurring invoices in these ways:

- Invoicing billable customers from the Invoice Customers page
- Using billing operations (Process Billing Operations and Schedule Billing Operations)
- Creating invoices from the Invoice page

Each customer's billing accounts that are eligible for a bill run are reviewed. If there are charges, one recurring invoice per billing account per period is generated. You can send invoices to customers by generating a bill run statement.

The billing account's next bill cycle date is the invoice date. When the invoice is created, the Last Bill Cycle Date and the Last Bill Date change to the invoice date. The Next Bill Cycle Date moves to the next billing date. If you delete the invoice, the Last Bill Cycle Date and Next Bill Cycle Date revert to their previous dates. The Last Bill Date also changes to the previous bill date.

Using Billing Accounts with Off-Cycle Invoices

Use off-cycle invoices for mid-cycle billing of immediate charges. The invoice date is set to the date when you manually enter the invoice.

To create an off-cycle invoice using a billing account:

1. Go to Transactions > Sales > Create Invoices > List.
2. Click Edit for the invoice you want to use for the off-cycle invoice.
3. Clear the **Recurring Bill** box.

When you create the invoice, the Last Bill Date updates to the invoice date. When you delete the invoice, the Last Bill Date reverts to the previous bill date.

Copying a Subscription or Billing Account

Copying a subscription or billing account saves time by reusing existing information.

To copy a subscription or billing account:

1. Under Setup > Company > Enable Features > Transactions > Billing, enable Time-Based Pricing.
2. In billing accounts and subscriptions in View mode > Actions > list view, select **Make Copy**.

Regardless of the subscription status, Make Copy is in billing accounts and subscriptions in View mode > Actions > list view. Copied subscriptions have the default status.

Make Copy creates a billing account or subscription in the Create mode with most fields automatically filled from the original record.

- The start date for copied subscriptions and billing accounts defaults to the current date.
- If the original subscription has an evergreen term, the copied subscription has an evergreen term.
- If the original subscription has a standard term that was extended, the copied subscription's term is customized to include the full period.

Copied subscriptions have the Currency and Subscription Plan locked because changing these values resets all subscription values.

Changes to subscription intervals, such as Modify Pricing change orders, are copied and converted into time-based pricing intervals with the same values. Terminations, suspensions, and reactivations aren't copied.

SuiteBilling Management

This chapter describes frequent tasks for managing subscription billing.

For instructions about creating the prerequisite parts of a subscription, see:

- [Creating Items for Subscription Plans](#)
- [Creating Subscription Plans](#)
- [Creating Price Plans](#)
- [Creating Price Books](#)
- [Creating Billing Accounts](#)

After you've created all its necessary parts, you can create a subscription.

To move the subscription through the approval process, use change orders to change its status. For overview diagrams of creating and renewing subscriptions, see [SuiteBilling Process Diagrams](#). For fundamental information about change orders, see [SuiteBilling Change Orders](#).

A new subscription's status is initially **Draft** or **Not Included**. In the **Draft** status, subscriptions don't affect revenue or charges. An approved subscription's status changes to **Pending Activation**. A subscription's status changes to **Active** when the subscription is activated. You also can manually change the status of individual subscription items.

To move a subscription through its life cycle, use change orders to update the subscription or its components. If a customer decides to temporarily suspend their subscription, create a **Suspend** change order. When the customer is ready to restart their subscription, create a **Reactivate** change order.

You also use change orders to update pricing.

Subscriptions can be created from sales opportunities, estimates, or sales orders. Create subscriptions based on:

- Customer
- Billing Account
- Subscription Plan
- Price Book
- Start Date
- Subscription Term
- Subscription Renewal

You can also create a new stand-alone subscription without using an existing transaction.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Creating a New Stand-alone Subscription

A **stand-alone subscription** is a new subscription created on the Create Subscriptions page, not from another transaction such as a sales order.

You can activate a subscription only after you create and save the subscription's required components. For instructions about creating the necessary parts of a subscription, see the following topics:

- [Creating Items for Subscription Plans](#)

- [Creating Subscription Plans](#)
- [Creating Price Books](#)
- [Creating Billing Accounts](#)

To see a high-level overview diagram of the process for creating a subscription plan, see [Subscription Plan Creation](#).

To create a new stand-alone subscription:

1. Go to Transactions > Subscriptions > Create Subscriptions.
2. Select from the list or enter values in any order:
 - Choose the customer for the subscription:
 - From the **Customer** field, choose an active customer from the list.
 - To create a new customer, click the plus icon next to the **Customer** field and select **New**.

You can choose any active customer, with or without a billing account. When you choose a customer, the **Subsidiary** and **Currency** fields are filled with the customer's values. If you choose **Customer** and **Subsidiary** values and leave **Currency** blank, the **Billing Account** field shows the customer's billing accounts.

 **Note:** The order in which you choose values for **Customer**, **Subsidiary**, **Currency**, and **Billing Account** affects how dependent fields on the Subscription and Billing Account records are filled.

- You can set a subsidiary for a new billing account before creating it. If the customer has subsidiaries, indicate them as follows:
 - From the **Subsidiary** field list, choose an active subsidiary. The Subscription record's **Subsidiary** fields are filled with values from the billing account.
 - You can change the subsidiary from primary to secondary. You can only change the subsidiary when the subscription is in Draft or Pending Activation status.
 - To create a new subsidiary, click the plus icon and choose **New**.
- You can choose the currency for a new billing account before creating it. Indicate the currency as follows:
 - From the **Currency** field list, choose an active currency. The Subscription record's **Currency** fields are filled with the billing account's values.
 - You can change the currency only when the subscription is in Draft or Pending Activation status.
 - To create a new currency, click the plus icon and choose **New**.
- (Optional) You can create a subscription without a billing account until you activate the subscription. You can choose a billing account from the **Billing Account** field list or create a new billing account by clicking the plus icon and choosing **New**. To create a new billing account, follow the instructions in [Creating Billing Accounts](#).

The Subscription record's **Customer**, **Subsidiary**, and **Currency** fields are needed to create a billing account. After choosing a customer, the **Billing Account** field contains the customer's default billing account. When all lines in the subscription are in the Draft or Pending Activation status, you can change the billing account to another account for the same customer. After choosing a billing account, the **Subsidiary** and **Currency** fields are read-only and have the billing account's values.

A billing account isn't required on default forms. Automation and import templates work when a billing account is set during subscription creation.

To activate a subscription, you must choose a billing account with values that match the Subscription record's **Customer**, **Currency**, and **Subsidiary** fields.

Note: To ensure accurate data, choose the **Billing Account**, **Customer**, or **Subsidiary** before choosing the subscription plan and price book

3. From the **Subscription Plan** list, choose a subscription plan. The **Subscription Plan** field shows the plans for the selected billing account. If you haven't selected a billing account, you must choose values for the **Currency** and **Subsidiary** fields to choose a subscription plan.

Only subscription plans with price books with matching currency are available.

Note: You don't need a subscription plan or price book to create a subscription using the standard form. Creating a subscription with only add-on item lines simplifies the process. To create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).

4. If needed, from the **Price Book** list, choose a different price book.
5. From the **Initial Term** list, choose a term, or choose **New** to define a different term.
6. In the **Start Date** field, enter or choose a start date for the subscription. The start date defaults to today's date.
7. You can set the **Class**, **Department**, and **Location** fields on subscriptions in Draft or Pending Activation status. These fields, located in the Plan and Term section, are useful for reporting. These fields are automatically populated in this order:
 - a. If the subscription plan has values in any of the **Class**, **Department**, and **Location** fields, these values are used on the Subscription record.
 - b. If the subscription plan doesn't have a value in the fields, the billing account value, if available, is used.
 - c. If neither the subscription plan nor billing account has values in these fields, the fields are empty on the Subscription record.

You can change the values of the **Class**, **Department**, and **Location** fields when the Subscription or Subscription Line record is in Draft status. You can't change the values when the Subscription or Subscription Line record is in Pending Activation or Active status.

The Subscription record's Lines tab includes columns for **Class**, **Department**, and **Location**.

8. If needed, define add-on items. See [Adding Line Items to an Existing Subscription](#).
9. If Advanced Revenue Recognition is enabled, set revenue recognition options. To enable Advanced Revenue Recognition, see the help topic [Enabling the Revenue Recognition Feature](#).

For evergreen subscriptions with Advanced Revenue Recognition, the Estimated Revenue Recommended End Date field sets the revenue recognition end date.

10. Apply discounts now, if needed.

Discounts can be applied to the plan and line items. Discounts can be set on one-time, usage, commit plus overage, and recurring subscription line items. Discounts work on all line types and pricing options.

Discount can only be applied to a subscription in the **Draft** state. After a subscription is activated, you can't apply a discount. To apply a discount to a draft subscription, edit the discount field directly. For **Active** subscriptions, you can only apply discounts using a Modify Pricing change order.

Charges and invoices dynamically display the net charge amount after discounts are applied, so invoices don't have separate discount line items.

- a. Go to Transactions > Subscriptions > Create Subscriptions > List.

- b. For the draft subscription you want to discount, click the subscription name or **View**.
 - c. On the subscription record, click **Edit**.
 - d. For the desired subscription line item, enter the discount:
 - Discounts can range from 0-100.
 - For percentage discounts, include the percent sign (%), for example, 50%.
 - For flat rate discounts, enter the amount without notation, for example, 50.
 - Discounts can't be and negative or over 100%.
 - e. To add discount to an active subscription, see [Modifying Pricing](#).
11. On the subscription plan Renewal subtab, define the renewal date and default percentage uplift. See [Adding Renewal Information to Subscription Plans](#) to learn how the default from subscription populates the renewal.

 **Note:** After you click **Save**, you can't change the subscription's customer, currency, or subsidiary. Instead, create a new subscription.

12. On the Uplift tab, define the **Uplift Percent** to increase the price. Create intervals using the combination of the **Uplift Frequency** and **Repeat Every** fields. Uplift intervals are created in the **Pricing** subtab with increased prices using the uplift values after saving the subscription. See [Uplift Pricing](#) to learn more about uplift for subscriptions.
13. Click **Save**.

If a billing account doesn't process, run billing operations again or schedule them for a convenient time. A billing account may not process due to:

- A charge created after billing operations start processing charges.
- Each billing operation can process up to 100,000 lines.

Running another billing operation may process remaining invoices. For more information about Billing Operations, see [Billing Operations](#).

After creating the subscription, individually activate each line item. For more information, see [Activating a Subscription](#).

After creating the subscription, you can associate it with a sales transaction or activate it.

For more information about revenue recognition, see [Revenue Recognition for SuiteBilling](#).

Optional Subscription Plan and Price Book

You don't need a subscription plan or price book to create a subscription using the standard form. Creating a subscription with only add-on item simplifies the process.

To create a subscription without a plan or price book:

1. Go to Setup > Company > Enable Features > Transactions > Add-on Items..
2. Go to Transactions > Subscriptions > Create Subscription
3. Supply the subscription information. See [Creating a New Stand-alone Subscription](#) for instructions about creating a new subscription.
4. Leave the **Subscription Plan** and **Price Book** fields blank.

5. Choose an **Item** from its menu.
6. Select a **Line Type** from its menu.
7. Choose a **Catalog Type** from its menu.
8. Click **Add** to create an add-on item.
9. To set the item price, go to the **Pricing** subtab and click **Edit**.
10. From the Price Plan record, choose a **Pricing Option** from its menu and enter a price such as 100.
11. Click **Add**.
12. Click **Save** to save the price. The Subscription record shows the added price.
13. Choose an **Initial Term**.
14. Required fields on the Subscription record are marked with a red asterisk. Fill any missing values for required fields.
15. Click **Save** to save the subscription. Notice that the **Subscription Plan** and **Price Book** fields are empty, and the subscription has one add-on line.
16. Click **Edit**. Notice that after the subscription is saved, the **Subscription Plan** and **Price Book** fields are locked and can't be edited.

When using CSV or scripting to create a subscription without a subscription plan or price book, leave each of these fields blank on the form or null on the script.

To require subscription plan or price book fields, create a custom subscription form that requires those fields.

To make the subscription plan or price book fields required:

1. Open a subscription record and click **Edit**.
2. Select **Customize** and click **Customize Form**.
3. Select **Fields**.
4. From the **Mandatory** column, choose **Subscription Plan** and **Price Book**.
5. Click **Save**.

Uplift Pricing

With uplift pricing, you set a percentage price increase annually or monthly during the subscription term and at renewal. Price increases are automatically applied after defining them on the **Uplift** or **Renewal** subtab. Uplift can be defined on a subscription plan that defaults to the subscription.

Uplift fields now support seven decimal points for precise pricing.

On the subscription **Uplift** subtab, define the **Uplift Percent** to increase the price. Create intervals using both the **Uplift Frequency** and **Repeat Every** fields. Saving the subscription in the pricing subtab creates uplift intervals with price increases based on uplift values. Use fields in the **Uplift** subtab as follows:

- **Uplift Percent:** Enter a percentage to increase the price of each interval after the first interval.
- **Uplift Frequency:** Choose when to create new uplifted intervals, monthly or annually.
- **Repeat Every:** Choose the frequency, months or years, for generating uplift intervals.
- **Uplift Start Date:** View a read-only column showing the first three intervals to be created based on the values you input.

The uplift percentage can be updated for uplift lines or added to time-based pricing lines to increase the price, either when the line is in draft status or through modifying pricing when the line is active. Uplift can't be added to one-time lines or lines using total interval values instead of price plans.

Subscriptions active before enabling uplift pricing can't use percent uplift when modifying pricing. Uplift pricing only works on new subscriptions or those in draft status. For subscriptions active before uplift pricing was enabled, either renew the subscription or create a new one to use the percent uplift column in a modify pricing change order.

The following image is the **Uplift** subtab before saving the subscription.

Lines	Pricing	Renewal	Subscription Change Orders	Uplift	Related Records	System Information
LINE NUMBER	ITEM	LINE TYPE	% UPLIFT	UPLIFT FREQUENCY	REPEAT EVERY	UPLIFT START DATE
1	One Time Service	One Time				
2	Monthly Recurring Service	Recurring	10.0%	Monthly	6	7/1/2023
3	Usage	Usage	10.0%	Monthly	6	7/1/2023

The following image is the **Pricing** subtab before saving the subscription.

Lines

Pricing

Renewal

Subscription Change Orders

Uplift

Related Records

System Information

Add Interval To All

Line Number	Item	Line Type	Start Date	Interval Status	Catalog Type	Included Quantity Multiplier	Quantity	Price	Edit	Discount	% Uplift	Total Interval Value	Recurring Amount	Charge Frequency	Repeat Every	Prorate By
1	One Time Service	One Time	1/1/2023	Draft	Required		1	Above 0: \$1,500.00				1,500.00		One Time	0	
2	Monthly Recurring Service	Recurring	1/1/2023	Draft	Required		1	Above 0: \$45.00				540.00	45.00	Monthly	1	Day
3	Usage	Usage	1/1/2023	Draft	Required			Above 0: \$10.00						Monthly	1	

The following image is the **Pricing** subtab after saving the subscription.

Lines	Pricing	Renewal	Subscription Change Orders	Uplift	Related Records	System Information										
Line Number	Item	Line Type	Start Date	Interval Status	Catalog Type	Included Quantity Multiplier	Quantity	Price	View	Discount	% Uplift	Total Interval Value	Recurring Amount	Charge Frequency	Repeat Every	Prorate By
1	One Time Service	One Time	1/1/2023	Draft	Required		1	Above 0: \$1,500.00				1,500.00		One Time		0
2	Monthly Recurring Service	Recurring	1/1/2023	Draft	Required		1	Above 0: \$45.00				270.00	45.00	Monthly		1 Day
2	Monthly Recurring Service	Recurring	7/1/2023	Draft	Required		1	Above 0: \$49.50			10.0%	297.00	49.50	Monthly		1 Day
3	Usage	Usage	1/1/2023	Draft	Required			Above 0: \$10.00						Monthly		1
3	Usage	Usage	7/1/2023	Draft	Required			Above 0: \$11.00			10.0%			Monthly		1

Editing a Draft Subscription

You can edit a subscription record in Draft status.

To edit a draft subscription:

1. Open the draft subscription record.
2. Click **Edit**.
3. Change the field values as needed.

Note: Changing the billing account doesn't reset the subscription plan, price plan, and term.

4. Click **Save**.

Note: After saving, you can't change the customer, currency, or subsidiary. Instead, create a new subscription.

Customizing the Pricing Sublist Fields on Subscriptions

You can customize the Pricing tab's sublist fields. With the subscription in Edit mode, click the customization link and go to the Sublist Fields tab. You can reorder, relabel, and hide fields. Line Number, Item, Quantity, and Price can't be hidden.

SubtabsField GroupsFieldsActionsSublistsSublist FieldsCustom CodeRoles

Move To TopMove To BottomNew Field

Description	Show	Label
Line Number	☒	Line Number
Item	☒	Item
Line Type	☒	Line Type
Start Date	☒	Start Date
Status	☒	Interval Status
Catalog Type	☒	Catalog Type
Multiplier Line	☒	Included Quantity Multiplier
Quantity	☒	Quantity
Price	☒	Price
Discount	☒	Discount
Total Interval Value	☒	Total Interval Value
Recurring Amount	☒	Recurring Amount
Price Interval Frequency	☒	Charge Frequency
Repeat Every	☒	Repeat Every
Prorate By	☒	Prorate By
Prorate By Option	☐	Prorate By Option

Creating a Subscription from a Transaction

You can create a subscription from an opportunity, estimate, or sales order after setting up the billing account and plan.

- When converting an opportunity to an estimate, the subscription carries over to the estimate.
- When converting an estimate to a sales order, the subscription carries over to the sales order.

You can create a subscription from a transaction, using one of two approaches:

- Add a saved subscription to the transaction to send the sales transaction to the customer.
- Create a new sales transaction to synchronize it with sales or move lines to Pending Activation status.

To create a subscription from a transaction:

1. On the transaction record, choose the customer.

 **Tip:** Use the Quick Search or Recent Records portlet to find the customer record.

2. Fill in required fields based on the transaction type.
3. From **Items** > **Subscription**, choose a subscription to add or choose **New** to create a new one.

 **Tip:** Choose an existing subscription to add if sending the sales transaction to the customer. Choose New if using the transaction to synchronize with sales or move lines to Pending Activation. See [Updating a Subscription on a Transaction](#) and [Activating a Subscription](#).

 **Note:** Only draft subscriptions can be added to sales transactions.

- a. If using an existing subscription, click **Save**.
- b. If creating a new subscription:
 - i. Enter the **Subscription Name**.
 - ii. From the **Billing Account** list, choose the billing account.

 **Note:** For accurate data, choose the **Billing Account**, **Customer**, or **Subsidiary** before choosing the subscription plan and price book.

- iii. Choose the subscription plan from the **Subscription Plan** list, or choose **New** to create a new one.

 **Note:** You don't need a subscription plan or price book for creating a subscription with the standard form. You can use only add-on item lines to simplify creating a subscription. To create a subscription without a subscription plan or price book, see [Optional Subscription Plan and Price Book](#).

- iv. Optionally, from the subscription Renewal subtab, define the renewal and default percentage uplift to apply to the original subscription. See [Adding Renewal Information to Subscription Plans](#) to learn how the subscription default populates the renewal.
 - v. From the **Initial Term** list, choose the subscription's first term.
 - vi. Enter or choose the **Start Date**.
4. Click **Add** to add the subscription to the transaction.
 5. Click **Save**.

If you checked the [Setting Optional Preferences](#) preference, approve the sales order.

All subscription lines automatically move to Pending Activation.

For information about creating a new subscription plan, see [Creating Subscription Plans](#).

Updating a Subscription on a Transaction

You can update the associated sales transactions with any changes made to a subscription. This ensures the transaction has the correct subscription details and totals. Subscriptions must be in **Draft** status. After a subscription is in the **Pending Activation** status, you can't update the associated sales transactions.

When a sales transaction needs updating, NetSuite displays a warning message in the top left corner of the screen.

The screenshot shows the NetSuite interface for a Sales Order. At the top, a navigation bar includes links for Activities, Transactions, Lists, Reports, Analytics, Documents, Setup, Customization, Commerce, SuiteApps, and Support. Below this, a warning banner states: "WARNING: At least one subscription line has changed. [Click here](#) to update." The main header shows "Sales Order" with a search icon and navigation arrows. Below the header, the order details for "9 00001 International Widgets Inc" are displayed, including a "Pending Approval" status. A row of action buttons includes Edit, Back, Approve, Cancel Order, Create Deposit, and Manage Revenue Recognition. The "Primary Information" section lists fields for Order #, End Date, Customer, PO #, Date, Memo, and Start Date. On the right, a "Summary" table shows the following values:

Summary	
Subtotal	1,200.00
Discount Item	
Tax	0.00
Total	1,200.00

To update the subscription information in a sales transaction:

1. Go to the sales transaction for the updated subscription.
2. In the warning message, click the link to update the subscription.
3. Click **Save** to update the sales transaction.

Using Item Records and Change Orders

Closed Subscriptions

When a subscription term ends and doesn't automatically renew, it closes. You can renew a subscription with the Closed status. If you didn't renew the subscription before its end date, renewing pulls information and keeps the original links from the previous subscription so you don't have to re-enter them.

You can also renew a closed subscription by creating a new subscription, or by renewing and extending the existing subscription before it closes. For information about renewal options, see [Renewing a Subscription](#).

Changing a Subscription Line's Status on a Subscription Record

When a subscription record is in **Edit** mode, you can change the subscription line status from **Draft** to **Pending Activation** or from **Pending Activation** to **Draft**. You use sales orders to move subscription lines to **Pending Activation**, which removes the lines from your subscription creation flow and reduces the records you interact with.

Activating a Subscription

To activate a subscription, first move all line items to the Pending Activation status. The Activate button appears when all line items are in Pending Activation status. After you set the effective date on the

Activation change order and check each line item, the subscription becomes active. For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Change orders are date-sensitive.

- NetSuite uses the effective date for future charges.
- You can choose to have the subscription start date set when you create the first activation change order. For details, see [Optional Preferences for SuiteBilling](#).

To activate a subscription:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. Click the subscription name you want to activate to open the subscription in edit mode or click **Edit**.
3. For optional lines in the Not Included status:
 - a. On the **Lines** subtab, check the **Include** preference.
 - b. Click **OK**.
4. Change the **Status** field from **Draft** to **Pending Activation**.
5. Click **Save**.
6. Repeat these steps for each line item.
7. At the top of the page, click **Activate**.
8. On the Subscription Change Order – Activate page, check the **Apply** preference for the items you want to activate. All line items must be in **Pending Activation** status.
9. Click **Save**.

Subscription Change Order - Activate List Search

Primary Information

NUMBER CO_1048	REQUESTER Mark Wheel
EFFECTIVE DATE 2/23/2017	MEMO

☒ REQUEST OFF-CYCLE INVOICE FOR ADVANCE CHARGES

Lines		Subscription	System Notes
INCLUDE	LINE NUMBER A	STATUS	NEW STATUS
Yes	1	Pending Activation	Active
Yes	2	Pending Activation	Active
	3	Pending Activation	

ITEM	PRICE PLAN	QUANTITY	DISCOUNT	START DATE	END DATE
Item_S2_R01_1485798867418	Above 0: \$100.00	1		2/23/2017	2/23/2017
Item_S2_R01_1485799022061	Above 0: \$150.00	1		2/23/2017	2/23/2017
Item_S2_R01_1485798996883	Above 0: \$300.00	1		2/23/2017	2/23/2017

Invoicing and Allocating Before Activating a Subscription Line

Subscription businesses often sell projects, hardware, and subscriptions together. Hardware items and projects are often delivered and invoiced before subscriptions are activated or the service starts. You can invoice the first service period amount and allocate the revenue before activating a subscription line. To invoice and allocate before activation, generate charges and create revenue elements in pending activation status instead of at activation.

To set up a subscription line to invoice the first service period:

1. Go to **Setup > Accounting > Invoicing Preferences**.
2. On the Subscription Management tab, enter a number in the Days prior to Subscription start date field to populate the first bill date.
 - The value can range from 365 days before to 365 days after the subscription line start date.
 - If you enter 0, the First Bill Date column of the subscription line is empty and charges are generated at activation.
 - The First Bill Date must be before the subscription end date.

3. Click **Save**.
4. Go to your subscription in the Draft status.
5. Click **Edit**.
6. You can generate charges before activation on any recurring, one-time, overage, or prepay subscription lines with a defined bill date. In the Status column, change to the **Pending Activation** status and click **OK**.
You can't set the First Bill Date on usage lines.
7. On any usage lines or other lines that you want to charge at activation:
 - Set the **First Bill Date** column to equal the subscription line **Start Date**.
 - Change the **Status** column to the Pending Activation status and click **OK**.
8. Click **Save**.
9. Go to the Related Records tab.
10. For the lines using the first bill date functionality, notice:
 - The **Charges** subtab shows the charges generated for the subscription lines.
 - The **Bill Date** column is automatically filled based on the value set in step 2.
 - The **Charge Stage** column shows the Ready status for the first service period. Remaining service period charges are set to Hold until activation.
11. For usage lines and lines *not* using the first bill date functionality, notice:
 - There are no generated charges.
 - The **First Bill Date** column is empty. When the First Bill Date equals the subscription line start date and you saved the subscription, the **First Bill Date** value is removed. Subscription line charges are generated at activation.
12. In the Lines tab, you can set the First Bill Date on the subscription line, creating an offset between the First Bill Date and the line's start date. If a line's start date changes while in the Draft or Pending Activation status, the First Bill Date changes by the offset amount. The First Bill Date stays unchanged when activating the subscription, even if the **First activation change order sets the start date** preference is checked.

After invoicing the first charge's service period, the First Bill Date locks per line in the Pending Activation status. First Bill Date only updates the Bill Date for the first charge per subscription line. Subsequent charges are set to the Hold status until the subscription line is activated.

To turn off the functionality for generating charges before activation:

1. Go to **Setup > Accounting > Invoicing Preferences**.
2. On the Subscription Management tab, in the Days prior to Subscription start date field, enter 0. This field specifies the first bill date.
Alternatively, on the Subscription record Lines tab, you can either remove the value in the First Bill Date column or set it to the line's start date.
3. Click **Save**.

To show the revenue and invoice functionality for this feature:

1. After setting the Sales Order to the Pending Fulfillment status with one product item and one subscription, go to the Sales Order record for the subscription.
2. Go to the linked subscription, which is in the Pending Activation status. Lines with a first bill date that isn't null or doesn't match the subscription line start date can generate revenue elements.

3. Go to Transactions > Financials > Update Revenue Arrangements and Revenue Plans to **generate Revenue Elements and Revenue Arrangements**.
4. Click the **Revenue Elements** tab. Notice that the revenue elements are generated while the subscription is in the Pending Activation status and the revenue arrangement is generated.
5. After the revenue element for the subscription is generated, you can merge it with the sales order revenue element into one revenue arrangement.
6. Go to the invoice.
7. Generate an invoice for the charge for the first service period of the subscription.
8. Go back to the subscription.
9. Click **Related Records**. The charge is updated to the Processed status.
10. When you activate the subscription, the first charge updates with any amount changes and creates adjustments when needed.

 **Note:** Revenue plans aren't generated until activation. Subscription revenue can be allocated with other revenue streams such as sales orders or projects without requiring the activation change order. However, revenue for the subscription line can't be recognized until an activation change order for the subscription line is created.

Terminating a Subscription Line Item

Terminating a subscription is a line-level action. You can edit a subscription line item on or before its termination date. After a subscription line is closed or terminated, it is locked and can't be edited. To terminate a subscription using the Terminate change order, you must first terminate each of its line items.

After terminating a line item, its status changes to **Terminated** the day after the termination date. For example, if you terminate a subscription at 8:00 a.m. July 1, the termination change order doesn't take effect until 11:59 p.m. that day. If there is a daily charge or prorated charge for the subscription, the customer is charged for July 1. Any future charges are canceled. If a line item is terminated by mistake, enter a new subscription item. You can't change the subscription line item's status after it is set to **Terminated**.

To terminate a subscription line item:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. Click the **Edit** link associated with the subscription with line items you want to terminate.
3. From the **Actions** menu, choose **Terminate**.
4. In the **Effective Date** field, enter or choose a date for the termination.
5. For the line item you want to terminate, check the **Apply** preference.
6. Click **Save**.

Suspending a Subscription Line Item

Use the suspend change order to suspend subscription line items. You can suspend subscription line items when your customer wants to temporarily stop receiving them. Before suspending a subscription item, you must first activate it. For instructions about how to activate a subscription line item, see [Activating a Subscription](#).

A subscription line item can be suspended only if it is the **Active** or **Pending Activation** status.

To suspend a subscription line item:

1. On the subscription record, from the **Actions** menu, choose **Suspend**.
2. In the **Effective Date** field, enter or choose a date for suspending the line item.
3. If necessary, update the **Requester** field.
4. Choose a **Modification Type** from the following options:
 - **New or Churn** - The analytics revenue impact of the change order is classified as New or Churn.
 - **Upsell or Downsell** - The analytics revenue impact of the change order is classified as Upsell or Downsell.
 - **Ignored** - The change order has no analytics revenue impact.
5. Check the **Apply** preference for the item you want to suspend. Note that for items that can't be suspended the **Apply** preference is inactive.
6. Click **Save**.

To reactivate the suspended item, use the reactivate change order.

Reactivating a Subscription Line Item

Restore suspended line items using the reactivate change order.

After an item is suspended, a customer may want to resume receiving a suspended item. To reactivate an item, it must have the **Suspended** status.

To reactivate a subscription line item:

1. On the subscription record, from the **Actions** menu, choose **Reactivate**.
2. In the **Effective Date** field, enter or choose the reactivation date.
3. If necessary, in the **Requester** field, update the requester.
4. In the **Modification Type** field, choose one of the following options:
 - **New or Churn** - The analytics revenue impact of the change order is classified as New or Churn.
 - **Upsell or Downsell** - The analytics revenue impact of the change order is classified as Upsell or Downsell.
 - **Ignored** - The change order has no analytics revenue impact.
5. Check the **Apply** preference for the line item you want to reactivate.
6. Click **Save**.

After submitting a reactivate change order, the subscription item reactivates on the effective date.

To revert a subscription line to the Pending Activation status, you must void all its change orders. For instructions, see [Voiding a Change Order](#).

Removing One-Day Charges

To remove a one-day charge caused by terminating a subscription line, create terminate change orders at the start of the day. Termination change orders can take effect either at the start of or end of the day. Termination change orders can cancel Activation change orders.

To remove a one-day charge for a single suspended day caused when you reactivate a subscription line, create a reactivation change order on the item's suspension date. To reactivate all charges, create a Reactivation change order to take effect on the same day as the Suspend change order.

To remove a one-day charge from a subscription line item:

1. Go to Setup > Accounting > Invoicing Preferences.
2. On the Subscription Management tab, click **Default Terminations Effective at Start of Day**.
3. Click **Save**.

The **Default Terminations Effective at Start of Day** preference determines the default for when termination change orders take effect, at the start or end of day. You can check or clear this preference at any time. The current setting affects all newly created termination change orders.

Removing one-day charges is useful when you accidentally activate a subscription and need to correct it. You need to remove all of the charges from that subscription line. When you create a Termination change order on the same date as the Activation change order, and this preference is checked, all charges for that subscription line are removed. For instance, if you create a Termination change order for January 1 with **Default Terminations Effective at Start of Day** checked, there is no charge for January 1. Termination change orders set to take place at start of day and created on the same day as the activation cancel the activation and remove all charges for the line. There is no single-day charge.

Similarly, you can create a Reactivation change order on the same day as a Suspend change order. Prior to NetSuite version 21.1, Reactivation change orders couldn't be created on the same day as a Suspend change order. A Suspend change order would leave a single-day charge in the On Hold status, preventing it from being billed. For example, you have a subscription that was created with two lines. In Related records, you can see that invoices were sent January and February. One of the lines was suspended on 3/1/2021, so all charges from that date forward are on hold.

Lines Pricing Renewal Subscription Change Orders Uplift Related Records System Information									
Charges • Transactions • Revenue Elements									
View Custom Default Customize View									
#	Subscription Line	Item	Charge Type	Service Start Date ^	Service End Date	Bill Date	Amount	Currency	Charge Stage
1	Mid Market Data Storage: 2	Data Storage	Recurring Service	1/1/2024	1/31/2024	1/1/2024	\$500.00	US Dollar	Processed
2	Mid Market Data Storage: 1	Initial Setup	One-Time	1/1/2024	1/1/2024	1/1/2024	\$2,000.00	US Dollar	Processed
3	Mid Market Data Storage: 2	Data Storage	Recurring Service	2/1/2024	2/29/2024	2/1/2024	\$500.00	US Dollar	Processed
4	Mid Market Data Storage: 2	Data Storage	Recurring Service	3/1/2024	3/31/2024	3/1/2024	\$500.00	US Dollar	Hold
5	Mid Market Data Storage: 2	Data Storage	Recurring Service	4/1/2024	4/30/2024	4/1/2024	\$500.00	US Dollar	Hold
6	Mid Market Data Storage: 2	Data Storage	Recurring Service	5/1/2024	5/31/2024	5/1/2024	\$500.00	US Dollar	Hold
7	Mid Market Data Storage: 2	Data Storage	Recurring Service	6/1/2024	6/30/2024	6/1/2024	\$500.00	US Dollar	Hold

Creating a Reactivation change order to take effect on the same day as a Suspend change order results in the full charge amount returning to the Ready state.

To remove a one-day charge for a single suspended day caused by reactivating a subscription line:

1. From the **Actions** menu, choose **Reactivate**.
2. On the Reactivate change order, set the **Effective Date** to 3/1/2021.
3. For the line item you want to suspend, check the **Apply** preference.
4. Click **Save**.

After saving, all charges are in the Ready status when you return to the Related Records tab.

This cancels the suspension, making the full charge amount billable again. You can only create one suspend or reactivation change order per day for a subscription line. You can't create a second suspend or reactivate change order for the same day.

Modifying Pricing

To change pricing, use the modify pricing change order. Modify pricing change orders update the price of one or more active subscription items by changing the quantity, rate, or discount. For fundamental information about change orders, see [SuiteBilling Change Orders](#).

You may need to update an item's rate, quantity, or discount during the subscription term. For example, a client asks for more licenses three months into the subscription term. Or, a client may need a bigger discount during the term because their service was disrupted.

To modify pricing:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. Click **View** for the subscription you want to change.
3. Click **Modify Pricing**.
4. (Optional) To use off-cycle pricing, check the **Use Off-Cycle Invoice for Advance Charges** preference. For information about off-cycle invoicing, see [Off-Cycle Invoicing with Modify Pricing Change Orders](#).
5. In the **Effective Date** field, enter or choose a date.
6. If necessary, update the **Requester** field.
7. In the **Modification Type** field, choose one of the following options:
 - **New or Churn** - The analytics revenue impact of the change order is classified as New or Churn.
 - **Upsell or Downsell** - The analytics revenue impact of the change order is classified as Upsell or Downsell.
 - **Ignored** - The change order has no analytics revenue impact.
8. Check the **Apply** preference for the line you want to change. You can update the discount, price, quantity, uplift, overage price, or overage discount.
9. If you are modifying the price, click the new price plan and fill in the price plan details.
10. Review and update any other field values as needed.
11. Click **Save**.

When Create Revenue Elements per Subscription Revision is checked and a price changes, the linked modification element won't have a revenue amount. Price changes can be a rate or discount change with no quantity change. Because these types of changes don't affect the performance obligation, you can retrospectively merge them back to the subscription arrangement. You can also prospectively merge the modification element.

Changes that don't start on the previous charge period's start date on the line item require proration. Proration is based on factors such as the charge frequency, prorate by, recurrence start date, and other change orders within the same period.

To go back to the subscription, go to Transactions > Subscriptions > Create Subscriptions > List.

Off-Cycle Invoicing with Modify Pricing Change Orders

For in-advance charges, use the off-cycle invoice with a modify pricing change order to generate an invoice for the charges resulting from the change order. Charges generated with a start date before

the next bill cycle date are invoiced. To confirm if you can perform this action, make sure an Off-Cycle Request is still available under the Related Records tab. When processing the off-cycle invoice, check only the Bill Run (Off-Cycle Transactions) preference to avoid processing the invoice as a normal bill run. For details, see [Billing Operations](#). For fundamental information about change orders, see [SuiteBilling Change Orders](#).

After modifying pricing, you can return to the subscription by going to Transactions > Subscriptions > Create Subscriptions > List.

Pricing Amount Details

On the Subscription record, the Amount Detail column shows information about all charge and transaction lines. The Amount Detail column includes:

- Price plan details
- Quantity breakdowns per price tier
- Proration percentages
- Discount amounts
- The delta charge prior to invoiced amounts if there are invoiced amounts for that charge period

 **Note:** Consider a usage charge in a previously invoiced period with a price modification for the same charge period. When you generate charges, then re-invoice for the delta charge, there aren't values in the pricing amount details if the invoice was generated before version 24.2.

The pricing amount details are a standard column on the invoice.

Prepaid usage drawdown charges have blank amount details because the parent usage charge already includes the amount details.

For prorated charges, the pricing amount detail includes the percentage used to calculate the charge amount.

For delta charges, the pricing amount detail includes the prior invoiced amounts and the total amount calculation. Proration can affect the total invoiced amounts. The total amount calculation might not match because invoiced amounts were individually prorated.

The pricing amount detail shows the pricing section, which is the price plan set up for each tier in the charge. The current charge detail shows the quantity and amount per tier used in the charge. Standard volume pricing has only one tier, because all quantities use that tier.

For commit plus overage charges, the proration percentage is based on the quantity, not the amount.

Example:

Here is a simple example of the Amount Detail:

Charge Quantity: 100, Amount: \$239.35, Rate \$2.39

Pricing:

- Tier 0-5: \$5.00
- Tier 6-10: \$4.00
- Tier 11-40: \$3.00
- Tier 41 and above: \$2.00

The current charge amount details are as follows:

5 x \$5.00 = \$25.00

$5 \times \$4.00 = \20.0

$40 \times \$3.00 = \120.00

$50 \times \$2.00 = \100.00

Prorated at 90.32228% for the partial period

Example:

Here is a complex delta charge refund example:

Charge Quantity: 9, Amount: -\$6.60, Rate -\$0.73318842

Pricing:

- Tier 0-4: \$100.00 Min: \$1.00 Max: \$20.00
- Tier 5-6: Fixed Amount \$5.00
- Tier 7-9: \$200.00 Max: \$20.00
- Tier 10 and above: \$5.00 Min: \$50.00

The current charge amount details are as follows:

$4 \times \$100.00 = \400.00 Max: \$20.00

2 at Fixed Amount \$5.00

$3 \times \$200.00 = \600.00 Max: \$20.00

$1 \times \$5.00 = \5.00 Min \$50.00

Prorated at 67.7419% for the partial period

Discount amount: \$3.22

Previously invoiced charges are:

$1 \times \$74.19 = \74.19

And this charge amount is:

$\$61.13 - \$67.74 = -\$6.60$

Adding Line Items to an Existing Subscription

To add items to an existing subscription, enable the Add-On Items feature. See [Enabling SuiteBilling Features](#).

You can add new line items to a subscription at any time, including after it starts. On the subscription's **Lines** subtab, in the Catalog Type column, new line items are identified as Add-On. After adding an add-on item, the item follows the same workflow as any other subscription line item.

You can add multiple subscription line items at one time.

Add-on items are optional. You set their prices while you create it. There is no predefined pricing. You can add any service or non-inventory item from the subscription catalog to a subscription. After saving, an add-on item is treated like any other subscription line item and can be moved to Pending Activation status, then activated.

You can prorate committed or recurring add-on items, but not one-time, overage, or usage items. You can prorate charges by month or day.

Note: The Prorate By setting can be changed only when the recurring subscription item is in Draft status.

For commit plus overage services, the commitment quantity is prorated based on the prorate setting, not the amounts.

Example:

The following table shows the difference in charges with Proration By Day checked versus Proration By Month for a 12-month contract:

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Days in Month	31	28	31	30	31	30	31	31	30	31	30	31
Monthly Charge with Prorate By Day	1,019.18	920.55	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18	1,019.18
Monthly Charge with Prorate By Month	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000

For more information and an example, see [Proration Options](#).

Included quantity multipliers aren't permitted for usage-based add-on items. You can't define recurring add-on items as an included quantity multiplier for any usage line items. For more information about pricing, see [Creating Price Books](#).

To add a new line item to a subscription:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. Click the subscription name to edit.
3. On the Subscription record, click **Edit**.

A new item with the Catalog Type set to **Add-On** appears at the bottom of the page.

4. On the **Lines** subtab, complete the information for the add-on item:

- a. In the **Item** column, choose the item you want to add.
- b. In the **Subscription Line Type** column, choose the appropriate line type: **One Time**, **Recurring**, **Usage**, or **Commit Plus Overage**.

Using the Commit Plus Overage line type, you can charge in advance for a committed usage quantity and charge for overage if more is used than the committed quantity.

After an add-on item line is saved, the line type can't change even if the line is still in Draft status. For example, if the add-on line is saved as a recurring line type, it can't subsequently be edited and changed to a usage line type. Any change to line type is stopped after the add-on is saved.

- c. Review the following fields and update the values if needed:
 - **Include** – The preference is checked by default to include this item in the subscription.
 - **Billing Mode** – From the list, choose the required billing mode: **In Advance** or **In Arrears**.
 - **Prorate Start Date** and **Prorate End Date** – Click in the field to show the checkbox. Turn proration on or off as needed.
 - **Include in Renewal Subscription** – Click in the field to show the checkbox. Check the checkbox to include this item in any future renewals.
 - **Revenue Recognition Option** – Choose one of the following options:

- **One Time** – Choose this option if it is showing to recognize revenue once at the start of the term (for example, for setup fees).
 - **Over subscription term** – Choose this option to recognize revenue over the term of the subscription.
 - d. Click **Add**.
- 5. On the **Pricing** subtab, add pricing information for the new line item:
 - a. In the **Charge Frequency** column, for recurring, usage, or commit plus overage line items, choose the appropriate charge frequency: **monthly**, **weekly**, or **annually**.
For commit plus overage service types only, set the overage charge frequency, overage repeat every, overage price.
 - b. In the **Repeat Every** column, choose the appropriate option.

 **Tip:** For a monthly charge frequency, in the **Charge Frequency** column, choose **Monthly**, and in the **Repeat Every** column, select **1**. For a quarterly charge frequency, in the **Charge Frequency** column, choose **Repeat Every Monthly**, and in the **Repeat Every** column, select **3**.

The **Repeat Every** column on the subscription pricing line is an integer field. **Repeat Every** can be any positive integer, so you can create non-standard charge frequencies as needed. **Repeat Every** must be a positive integer between 1-120 for Weekly charge frequency, between 1-120 for Monthly charge frequency, or between 1-10 for Annual charge frequency.

 - c. Click the edit icon.
 - d. In the **Pricing Option** column, select **Fixed Amount** or **Rate**.
 - e. In the **Value** column, enter the price.
 - f. In the **Prorate By** column, if desired, change the default setting from **Day** to **Month**.
For example, a 12-month subscription costs \$12,000 and is billed monthly, but only 11 months are active. With the default setting of **Prorate By Day**, the monthly charge is \$1098.08. If you choose **Prorate By Month** instead, the charge for each month is rounded to \$1,000.
 - g. Complete any additional optional fields.
 - h. Click **Save**.
For more information about pricing, see [Creating Price Plans](#).
- 6. Repeat these steps for each additional add-on item.
- 7. When you finish adding items, click **Save**.

Removing an Add-On Item

After creating an add-on item in a subscription, you can't delete it. Like other line items, the add-on item is part of the subscription. If you need to omit the add-on item from the subscription, change the add-on item's status to **Not Included**.

To remove an add-on item from a subscription:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. For the subscription you want to edit, click the subscription name or **Edit**.
3. For the add-on item to remove, clear the preference in the **Include** column.
4. Click **Save**.

Charges Based on a Fixed Amount

You can enter a total amount for a subscription line and charge frequency to calculate recurring amounts, instead of creating a price plan and quantity, when negotiating a total amount over the subscription term. You can enter a total amount for a subscription line as an alternative to a price plan.

You set a total value for a subscription line in the **Total Interval Value** field. When the subscription is saved, the corresponding price plan is generated.

Subscription [Save] [Cancel] List Search Customize More

Primary Information

SUBSCRIPTION ID: To Be Generated
 SUBSCRIPTION NAME: To Be Generated
 CUSTOMER: 2 Continuum Software
 BILLING ACCOUNT: 2: 13 13
 STATUS: Draft
 SUBSIDIARY: Parent Company
 ORIGINATING SALES ORDER

Plan and Term

SUBSCRIPTION PLAN: SMB Konverge Management & Storage
 PRICE BOOK: SMB USD Annual
 INITIAL TERM: 1 Year Term
 START DATE: 1/1/2021
 END DATE: 12/31/2021
 NEXT RENEWAL START DATE
 CLASS: Licensing
 LOCATION: Main

Billing Account

BILLING SCHEDULE: Monthly The First Day of the Month
 BILLING FREQUENCY: Monthly
 START DATE: 1/1/2021
 LAST BILL CYCLE DATE: 1/1/2021
 NEXT BILL CYCLE DATE: 2/1/2021
 LAST BILL DATE: 11/20/2020

Lines Pricing Renewal

Add Interval To All

LINE NUMBER	ITEM	LINE TYPE	START DATE	INTERVAL STATUS	CATALOG TYPE	INCLUDED QUANTITY MULTIPLIER	QUANTITY	PRICE	EDIT	DISCOUNT	TOTAL INTERVAL VALUE	RECURRING AMOUNT	CHARGE FREQUENCY	REPEAT EVERY	PRORATE BY
1	Set-up Fee	One Time	1/1/2021	Draft	Required		1	Above 0: \$1,000.00			1000.00		One Time	0	

When calculating a price plan value, the following parameters affect the Total Interval Value:

- repeat every
- charge frequency
- prorate start
- prorate end
- discount
- subscription term

Populating the total interval value clears the price plan values. Re-entering a price plan value clears the total interval value. Set either the total interval value or the price plan for a subscription line, but not both.

Total interval values can be entered only when a subscription line is in Draft status. You can't use total interval values on usage items or evergreen terms. When a total interval value is entered, generated price plans are always single-tiered price plans.

Modifying the Class, Department, or Location of a Subscription Line

To modify the Class, Department, or Location field of a subscription line, the line must be in the Draft status. Void any change orders for the subscription line. Change the subscription line status to Draft, then update the Class, Department, or Location field.

To move a subscription line back to Draft status when a sales order is attached, change the sales order from the Approved status to Draft status. When changing only one line, you only need to move the line back to Draft status. You don't have to void all change orders. For fundamental information about change orders, see [SuiteBilling Change Orders](#).

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Change Order Type-Specific Revenue Impacts

Different types of subscription change orders have these key differences:

- Activation and Reactivation change orders start revenue generation, and serve as the base element for reporting structures. Each line in the change order creates a revenue element that starts on the change order effective date and ends on the subscription end date.
- In a Modify Pricing change order, a single line change could create multiple revenue elements for one revision. This happens when the line goes through future change orders such as quantity or price modifications. The start and end dates are determined by the number of scheduled future change orders.
- Suspend and Termination change orders reverse all revenue beyond the effective date. Each modify, extend, or activation change order generates a revenue element.
- Renew-Extend change orders create a revenue element for each active subscription line on the extension's start date. The entry date is the effective date for Renew-Extend change orders.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Voiding a Change Order

As of NetSuite version 2020.1, it's impossible to delete a subscription change orders, except for Renew-New change orders. For all other change order types, instead of deleting, void subscription change orders. For information about change order types, see [SuiteBilling Change Orders](#).

A voided change order can't be edited. Suspend and Reactivate change orders can be voided only if their effective date is in the future; otherwise, there is no Void button.

To void a change order:

1. If needed, find and open the change order record to void. For the navigation path of a change order, refer to the procedure for the type of change order you want to find. For example, for an activation change order, see [Activating a Subscription](#).
2. On the change order record, click **Void**.
3. For change orders that are the type that can clear revisions, void the change order first, then clear the revisions. See [Clearing Revisions](#).

Using SuiteScript, you can search for, view, and void change orders. The SuiteScript delete methods, version 1.0 `nlapiDeleteRecord` or version 2.0 `record.delete`, void subscription change orders instead of deleting them. When searching for subscription change orders in SuiteScript, use the Status field to filter out voided change orders and show only active ones.

Viewing a Voided Change Order

Voided records are included in search results to help you track revenue and contract changes.

To view a voided change order:

1. Click a change order that has a Voided status.
2. To see details, click the column heading.

SuiteBilling Subscription Revisions

When you create, edit, or void a subscription change order, a subscription revision with the individual contract modifications and the associated revenue impacts is generated. Saving a change order stores all changes associated in the subscription revision.

Subscription revisions keep a record of all changes made to the subscription. You can track to a specific change order changes to contracts and revenue that are made after activation. You can also monitor changes to values throughout the whole contract term. For fundamental information about subscription changes orders, see [SuiteBilling Change Orders](#).

You can't delete a change order, but you can void it instead. Although voided change orders are still visible, they don't impact charge amounts, so you can track the revenue changes even after change orders is removed. For instructions, see [Voiding a Change Order](#).

Viewing Subscription Revisions

Subscription revisions are on the Subscription Line record and the Subscription Change Order record.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

To view a subscription revision:

1. View a subscription revision in the following records:
 - On the Subscription Line record > **Revisions** subtab > Subscription Revision column
 - On the Subscription Change Order record > **Lines** subtab > Subscription Line Revisions column:

For subscriptions activated before NetSuite version 20.1, editing or deleting them doesn't create new subscription revisions. New subscription revisions for a subscription that was activated before version 20.1 are created only when you next save a subscription change order.

Subscription revisions have the following information:

- **Change Order Effective Date** – Effective date of the change order.
- **Discount** – Applied discount.
- **Price Plan** – Associated price plan.
- **Revenue Element** – For a Usage or Committed line, the revision includes a link to the Revenue Element that resulted from a specific modification. For One-Time, Recurring, and Overage lines, the revision includes links to Revenue Elements from specific modifications.
- **Created From Void** – Indicates changes from a voided change order.
- **Applied to Change Order** – Shows lines removed from a change order by clearing the **Apply** preference.
- **Created By** – The user who created the revision.
- **End Date** – The line end date when the change order and revision are created.

For One-Time and Recurring line types, subscription revisions also include:

- **Quantity** – The quantity of line items
- **Recurring Amount** – The line's recurring amount.
- **Delta Quantity** – The total change from the change order effective date to the line end date. For Evergreen subscriptions, the delta value is the Estimated Revenue Recognition End Date, or 3 years if Advanced Revenue Recognition is disabled.
- **Delta Amount** – The change amount.
- **Total Contract Value** – The Total Contract Value of the contract term for the subscription line.

Revisions and Revenue Impact For Evergreen Subscriptions

Updating the Estimated Revenue Recognition End Date of an Evergreen subscription increments the revision of Activate change order lines without a closed date or termination date.

The Estimated Revenue Recognition End Date field has these restrictions and behaviors:

- When active evergreen subscriptions with non-voided Activate change orders and no termination or close date, the Estimated Revenue Recognition End Date can't be cleared or set to a date before the current date or the subscription start date.
- If all subscription lines are in the Draft or Pending Activation status, or a have a non-voided Terminate change order, the Estimated Revenue Recognition End Date can be updated or cleared.
- Updating the Estimated Revenue Recognition End Date doesn't change the end dates of terminated or one-time subscription lines.
- If a line is activated, such as from voiding a Terminate change order, and the Estimated Revenue Recognition End Date is empty or before today's date, the system sets Estimated Revenue Recognition End Date to the first date after today from the following options:
 1. Subscription start date + 3 years
 2. Activate or Void termination change order effective date + 3 years
 3. Current date + 3 years (guaranteed to be after current date)

For example, if today's date is 1/1/2023, and the Subscription Start Date is 1/1/2016:

The first option isn't used because its resulting date is 12/31/2019, which is before today's date.

The second option is used only if the void termination date is after 1/1/2020, resulting in a date that's the same as or after today's date.

If the first two options don't apply, the third option is used. The third option results in an end date of 12/31/2026.

Clearing Revisions

Revisions can only be cleared when no revenue is recognized or merged. Clear Revisions does the following:

- Clears the change order history from the Change Order subtab
- Removes all revision history
- Removes all revenue arrangements and elements associated with the subscription

The Clear Revisions link only appears after voiding the initial Activate change order, not other types or subsequent add- item activations.

To clear all of a subscription's revisions:

1. For the subscription to clear, click its name, **View**, or **Edit**.



Tip: To find the subscription, you can:

- Look in the **Recent Records** tab for recently viewed subscriptions.
- Search for the subscription name or ID using the **Global Search** field.

2. From the Actions list, choose **Clear Revisions**.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Creating Usage Records

Usage defines the charge for a subscription line item that can be consumed, such as money, time, software licenses, or internet data. Some subscription line items include an amount of usage. For example, consider a company that sells mobile phone service plans. The subscription may have a line item for a monthly fee that includes a specific amount of minutes or data in the customer's plan. When this included amount is exceeded, additional charges apply. In NetSuite, include a usage amount when creating the subscription plan.

You can also multiply the amount of usage included in a subscription. For example, a household has a total of five people that are part of a cell phone plan. When you create the price book, you can multiply the included usage for the data item by five. This gives each person the same amount of included usage. For instructions, see [Creating Price Books](#).

One time, commitment, and recurring charges often bill in advance, but usage charges bill in arrears. Usage and overage can't be billed until the item is used.

The Billing Specialist role without the accounting list permission can create usage with a usage record. When adding usage to commit plus overage lines, overage amounts are created only after a rating run is done. Any usage only within the commitment doesn't generate a charge, but instead can be viewed on the subscription line commitment details subtab.

You can't delete a usage charge after a rating run, but you can void it. For more information, see [Voiding a Usage Record](#).

To create a usage record:

1. Go to Transactions > Subscriptions > Create Usage.
2. (Optional) From the **Customer** list, choose a customer.
3. (Optional) From the **Item** list, choose the item to associate with usage.
4. (Optional) From the **Subscription Plan** list, choose the subscription plan to add usage to.
5. From the **Subscription** list, choose a subscription.
6. From the **Subscription Line** list, choose a subscription line item.
7. In the **Quantity** field, enter the quantity.
8. In the **Usage Date** field, enter or choose a date.
9. Click **Save**.

 **Note:** Usage records don't support user event scripts.

Voiding a Usage Record

You can void any usage record in the Active or Suspended status. You can void a usage record at any time, even when it is already rated or invoiced. If a usage record was invoiced or revenue was recognized, voiding it generates any required reversing charges or revenue. Voiding usage records eliminates manually entering credits and corrections for incorrectly rated usage.

You can't delete a voided usage record. When a usage record is voided, it permanently becomes a view-only record. Active usage records can't be voided even if the related Subscription record is already closed.

When you void a usage record and create another one before rating or revenue updates, the net quantity change is used to generate the charge amount.

You can create a termination change order even if a usage record exists after the termination effective date. Usage records created after a termination change order are automatically voided.

 **Note:** Usage in a suspended period doesn't count against the active commitment. Usage on commit plus overage lines isn't rated if in a suspended period.

To void a usage record:

1. Go to Transactions > Subscriptions > Create Usage > List.
2. Click the usage line number to void.

 **Important:** The usage record's subscription line must be in the Active or Suspended status. You can't void a usage record if its subscription line status is Terminated, Closed, Pending Activation or Draft.

3. On the Usage record, click **Void**.
4. Click **Save**.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Managing Rating Runs

Rating is the process of creating charges for subscription line items. Charges for a subscription are calculated based on its line item details:

- The quantities, pricing, and usage in the price plan and price book
- The effective date of the subscription
- The status of the subscription and its line items

To set and change the status of subscription line items, use a change order.

Certain tasks done on a subscription line item that affect charge calculations are called **ratable events**. Ratable events may be caused by:

- Activating a line item
- Reactivating a line item
- Renewing a line item
- Suspending a line item
- Terminating a line item
- Modifying quantities and rates on a line item
- Saving a change order

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Automatic Rating Runs

Saving an action that causes a ratable event automatically starts the charge calculation process, known as a **rating run**. You can also generate charges on demand or schedule them with your current billing operations. Run ratings from the Billing Operation page.

Saving a change order is a ratable event and starts a rating run. You can only submit one change order of a specific type per day for a subscription line item. For example, if you submit a modify pricing change order to change a line item's price and later want to add a discount to the same line, you must wait 24 hours.

The same is true for quantity changes. If you submit a change order that changes the quantity of a line item, you must wait at least 24 hours before submitting another.

Changing a draft subscription's pricing also starts an automatic rating run. Although this rating run doesn't generate charges, it helps calculate the total subscription amount when synchronizing a draft subscription with a sales order. Rating runs are asynchronous server processes, so the latest results may not be immediately available after saving the draft subscription. For the current data, resynchronize the sales order.

Example:

Suppose you have a subscription line item, cell phone service, from January 1, 2029 to December 31, 2029.

1. You create a change order that changes the subscription start date to February 1, 2029. When you save the activation change order, rating occurs. Charges are created from February to the end of the subscription term, reflecting the new start date.
2. May 1, you create a suspend change order for the cell phone service subscription line item. When you save the change order, rating occurs. A rating run starts and calculates the charges from May 1 to the end of the subscription term, and places the charges **On Hold**. If earlier charges were invoiced, negative charges could occur.

For fundamental information about change orders, see [SuiteBilling Change Orders](#).

Manually Starting a Rating Run with Billing Operations

You can start a rating run manually at any time to create charges. For example, you might use billing operations manually when a subscription's price changes. Another situation is when a customer cancels their subscription early and is entitled to a partial refund. In this case, you use billing operations to create a credit memo. A subscription change order could require you to manually create SuiteBilling charges. For more information about billing operations, see [Billing Operations](#). For fundamental information about change orders, see [SuiteBilling Change Orders](#).

To manually start a rating run to generate charges with Billing Operations:

1. Go to Transactions > Billing > Process Billing Operations.
2. On the Billing Operation page, check the **Rating Run** preference, then click **Run**.

Creating a Scheduled Rating Run Using Billing Operations

You can schedule a rating run to create subscription charges for a specific day and time, such as for billing monthly subscription charges. For more information about Billing Operations, see [Billing Operations](#).

To create a scheduled rating run using Billing Operations:

1. Go to Transactions > Billing > Schedule Billing Operations.
2. Under Primary Information, enter a name and description for the bill run schedule. To delay the bill run schedule, check the **Inactive** box.
3. Under Schedule, set up a schedule for the bill run.
4. Under Billing Operations, check the **Bill Run** preference.
5. Under Billables, choose the transaction types to bill.
6. Under Accounting, indicate whether the credit card is approved.
7. Under Communication, choose whether bills are printed, emailed, or faxed.
8. Click **Save**.

Prepaid Usage with Drawdown

Prepaid Usage with Drawdown is a service type for usage services to be billed in advance, with usage drawn from assigned service lines. Prepayment services can be added to both subscriptions and plans. Prepaid lines can only be linked to usage lines in the draft status. Prepaid lines can't be modified, activated, or suspended. Prepayments are activated when their associated usage services are activated.

Using the Prepay with Drawdown feature, you can set up a prepay service on one subscription, then charge and burn down the prepayment with usage services on the same or a different subscription.

Prepaid service lines have two frequency options:

- **One-Time** – payments are estimated amounts paid in advance for expected usage. Usage is deducted from the balance. When the prepayment amount is gone, the service becomes a "pay as you go" service. When the prepayment balance is 0, you need to create a new subscription or subscription lines for prepayment and usage to add another prepayment.
- **Auto-Refill** – requires a minimum balance of 0 or more. If the prepaid amount reaches the minimum balance, new prepayment charges are automatically created. For auto-refilled prepayments, the minimum balance is only validated after rating is completed for the submitted usage.

When the subscription term ends, the service provider can either refund the remaining prepay element amount or recognize it without a refund.

To enable Prepaid Usage with Drawdown:

1. Go to Setup > Company > Enable Features (Administrator).
2. On the Transactions subtab, in the Billing section, check the **Prepay with Drawdown** box.

 **Note:** You can't use this feature if the Create Revenue Elements for Subscription Revisions preference is checked.

Accumulated Rating

To make a charge per use for usage and overage services, you can price in one frequency and charge in another frequency. For instance, you can set an annual service price in a price book but charge customers monthly. This resets the pricing tiers annually and charges monthly for use.

Pricing frequencies determine how often to reset subscription line tiers. **Charge frequencies** indicate how often to charge the customer for the service. For example, annual pricing with monthly charging resets tiers annually but charges for any usage monthly.

Pricing frequency and charge frequency must be divisible by each other. Examples include quarterly and monthly, or weekly and biweekly. The pricing frequency and charge frequency must match for one-time, recurring, prepay and commit services types. Frequencies can only be changed when the subscription line is in the Draft or Pending Activation status.

Subscription plans have a Charge Per Usage Record column. You can choose Yes only for commit plus overage service and usage service types in the Draft or Pending Activation status.

Both subscription lines and plan lines have a Charge Per Usage field. To generate a charge per usage record, check the Charge Per Usage field.

When multiple charges are created in the same period, pricing details on the charge and invoice lines aren't combined.

Example:

A software provider offers a cloud storage service where customers are billed based on their data usage. The company wants to advertise an annual data allowance but let customers pay monthly, making budgeting easier for customers while keeping the offer competitive. The subscription is set up as follows:

- **Service Plan:** Cloud Storage that includes 1200 GB of data per year.
- **Annual Price (in the price book):** \$1,200 (covering up to 1200 GB for the year).
- **Pricing Frequency:** Annual (tiers reset each year).
- **Charge Frequency:** Monthly (customer is billed each month).

How accumulated rating works:

- The pricing structure could be as follows:
 - Tier 1, from 0 – 600 GB: \$90 rate
 - Tier 2, from 601 to 1000 GB – \$100 rate
 - Tier 3, over 1000 GB – \$110 rate
- Data usage is tracked each month by adding usage tied to the service line. The quantity is accumulated over each month resulting in a specific price for each usage record.
- Whenever the accumulated usage goes past the thresholds of 600 or 1000, the rate jumps to the higher rate for those specific usage records, based on the total usage over the annual period.
- Then the pricing tiers reset at the start of the next annual cycle.

Summary Table 1: Accumulated Rating for Usage Services With Annual Pricing and Monthly Charging

Month	Monthly Usage (GB)	Cumulative Usage (GB)	Charge (USD)
1	90	90	\$100
2	100	190	\$100
3	450	650	\$40,990
...	...	...	...
12	120	1300	\$100

For Commit Plus Overage services where the overage is annual pricing with monthly charging, the overage tier accumulation doesn't start until the commitment is fully consumed for the commitment pricing period.

With a 600-GB commitment, the tiers would start to be consumed after the 600-GB limit is reached. The cumulative usage at the end of the 12-month period of 1300 GB means that 700 GB is overage, resulting in hitting only the first two tiers.

Summary Table 2: Commit Plus Overage Services With Annual Pricing and Monthly Charging

Month	Monthly Usage (GB)	Cumulative Usage (GB)	Charge (USD)	Overage Charge
Commit Charge	0	0	20,000	—
1	90	90	\$0	—
2	110	200	\$0	—
3	450	650	\$0	\$4500
...	...	...	...	...
12	120	1300	\$0	\$12000

Billing for Usage and Commit Plus Overage Charges

The Charge Commit On Usage line-level preference offers a flexible way to bill commit plus overage (C+O) amounts for usage services and commit plus overage services. Set this preference when you don't want to charge the entire commitment quantity or the full minimum amount upfront on the first usage record.

To set this preference, on the line, in the **Charge Commit On Usage** column, click to check the box.

Commit Plus Overage Capabilities

With the Commit Plus Overage subscription model, you can manage commitment credits across multiple usage services, giving you greater flexibility in how SuiteBilling handles commitments and overages. Commitment credits may be shared among different usage lines, and you can apply different overage rates to each usage line. For example, rates can be tailored by service type or consultant tier.

This model also works for subscriptions grouped by customer, currency, and subsidiary, offering support for more complex billing scenarios.

How It Works

- **Commitment amounts** are billed from the C+O line, and commitments reset at the end of each pricing period.
- **Commitment credits** can be allocated across multiple usage services, which allows for shared commitments across different lines.
- **Overage charges** are accurately billed at the individual usage line level, according to each service's price plan.

- **Overage price plan and frequency fields** do not apply when usage is recorded against a usage service tied to the commitment plus overage line.
- **Breakage and overage revenue** are tracked against the C+O line.

Usage Capabilities

For usage services, the **Charge Commit On Usage** line-level preference lets you control when the system bills the minimum amount from the price plan header:

- Check the **Charge Commit On Usage** box to have the unused portion of the minimum amount billed at the end of the pricing period.
- If this preference is not set, the full minimum amount is charged on the first usage transaction.

 **Note:** At least one usage is required for the system to bill the minimum amount for a usage line.

For commit plus overage services:

- Checking the **Charge Commit On Usage** box charges the commitment quantity at the end of the pricing period when the billing mode is in arrears.
- If the billing mode is not in arrears, the system invoices usage up to the commitment quantity according to the billing account invoice frequency.

Example 1:

On the price plan header, you set a minimum \$1000 USD on a usage service, priced annually and billed monthly. On the subscription line, you check the box in the Charge Commit On Usage column. At the end of the year, a total usage of \$600 has been billed. You can now bill for the unused \$400 to meet the annual minimum.

Example 2:

Your company offers to charge commitment credits at a single discounted rate to be shared among your consulting service usage lines. You set a total annual commitment of 100 hours to be shared across both tiers. Between the two usage lines you use up 110 hours. The remaining 10 hours will use the individual usage rates to charge the overage quantity.


Saved Search Email Alerts

Use a saved search to set up email alerts for subscriptions, subscription lines, or change orders to track when it is created or updated, or when specific fields you define are updated.

To set up a subscription email alert:

1. Go to Transactions > Subscriptions > Create Subscriptions > Search.
2. On the Subscription Search page, choose **Personalize Search**.
3. In the Personalize Subscription Search Form, choose **More Options**.
4. Choose the criteria and results for your email alert.
5. Click the **Email** tab.

6. Check the **Send Email Alerts When Records Are Created/Updated** preference.
7. Choose the email recipient, which can be an internal employee email address or a customer email using a join.
8. Check **Send on Update** and **Show Recent Changes** to include a Recent Changes section in the email alert, which is sourced from the record's system notes.
9. Click **Add**.
10. (Optional) Choose **Updated Fields** to receive email alerts when specific fields are updated.
11. (Optional) Choose **When Old Value Is** or **When New Value Is** to receive email alerts only when the selected field's values change. The Recent Changes section has a detailed view of each record's changes, including change types, updated fields, and the old and new values, sourced from system notes, .
12. Click **Save** to save the search.
13. Go to Transactions > Subscriptions > Create Subscription.
14. Fill out the subscription information. To learn how to make a new subscription, see [Creating a New Stand-alone Subscription](#).
15. Click **Save**. An email alert similar to the following image is displayed.



The email alert header comes from the saved search's results tab. The Recent Changes section has a detailed view of changes, including change types, updated fields, and the old and new values.

Renewing a Subscription

There are several ways to specify whether and how to renew a subscription:

- Renew (or extend) an existing subscription. To view the process diagram, see [Renew and Extend a Subscription from a New Subscription Record](#). When you want to renew a subscription before its end date, you can extend the end date of the existing subscription. However, if the renewal requires a new subscription transaction, the subscription can't be renewed using the extend existing subscription

method. When you automatically initiate the renewal process before the subscription end date, you can define the term, method, transaction type, and how you want to renew the subscription price plan.

- Renew by creating a new subscription transaction that uses the existing plan or a new plan. To view the process diagram, see [Renew a Subscription with a New Subscription Record](#).

When you renew to a new subscription, you can choose the renewal plan and price book. A subscription that renews to a new subscription record also can have a different billing account from the original subscription. During subscription renewal, the newly created subscription has the billing account from the original subscription. However, you can change the billing account after you create the subscription while it is in the Draft or Pending Activation status. Refer to [Adding Renewal Information to Subscription Plans](#) to learn how the default from a subscription populates the renew change order.

- You can renew a subscription with the Closed status. If you didn't renew the subscription before the subscription end date, renewing populates information from the previous subscription so you don't have to re-enter it. Renewing also retains links attached to the original subscription that are lost when creating a new subscription.

When you choose the Create New Subscription renewal method, the start date on the new subscription is the original subscription's renewal date.


When you choose the Extend Existing Subscription renewal method:

- The subscription end date is pushed out by the selected term.
- Rating is triggered to run and new charges for the renewal period are generated even if charges may be in the past.
- If the original end date of the subscription plus the extension is still before today's date, the subscription remains closed but new charges are ready to bill.
- Alternatively, during the subscription term, you can manually create a Renew change order. The new subscription uses the existing subscription plan.

Subscription renewals are considered either low-touch or high-touch:

- A low-touch renewal is one that automatically renews, or extends, when the initial subscription ends.
- A high-touch renewal requires more effort. Someone such as a sales representative, for example, needs to contact the customer or manually renew the subscription.

Example 1: Low-Touch Renewal at the End of the Term



In this example, the figure represents an existing magazine subscription that runs from January 1, 2021 to December 31, 2021. On January 1, 2022, the subscription automatically renews for another year using the extend existing subscription method with the same subscription plan and existing pricing.

To renew a subscription automatically:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. For the subscription you want to renew, click **Edit**.
3. Click the **Renewal** subtab.
4. From the **Default Renewal Term** list, choose a term for the renewal subscription.
5. From the **Default Renewal Method** list, choose a default renewal method.
 - a. If you selected **Extend Existing Subscription**, go to step 6.

- b. If you selected **Create New Subscription**:
 - i. From the **Default Renewal Subscription Plan** list, choose a default subscription plan for the renewal subscription.
 - ii. From the **Default Renewal Price Book** list, choose a pricing option for the renewal subscription.
 - iii. From the **Default Renewal Transaction Type** list, choose one of the available options (**Do Not Create Sales Transaction Estimate**, **Opportunity**, or **Sales Order**).
6. When the **Uplift Pricing** feature is enabled in the **Renewal** subtab of the subscription plan or subscription, you can define the default percentage renewal uplift to apply to renewal subscription lines on the original subscription. The renew change order has renewal configuration and uplift values based on the renewal configuration from the subscription. The lines displayed in the uplift table are based on the renewal configuration.
7. To set up your renewal to happen automatically, check the **Automatically Initiate Renewal Process** preference and enter the appropriate number into the **Before Subscription End Date** field. You should renew no later than 30 days in advance of the end date.

Note: The appropriate number to enter depends on your organization. It indicates how many days before the subscription ends that you want to contact the customer. For example, you might want to contact the customer to renegotiate the subscription terms.

8. Click **Save**.

Example 2: High-Touch Renewal Before the End of the Term



In this example, an existing one-year subscription expires on December 31, 2021, but isn't set to automatically renew. A sales person needs to contact the customer to negotiate another subscription. A new subscription is created using the create new subscription renewal method. This method is useful when the new subscription requires changes to the subscription plan or a change in price, and is created with a **Draft** status. The associated sales order is created with **Pending Approval** status.

To renew a subscription manually:

1. Go to Transactions > Subscriptions > Create Subscriptions > List.
2. For the subscription you want to renew, click **Edit**.
3. From the Actions menu, click **Renew**.
4. From the **Default Renewal Term** list, choose a term for the renewal subscription.
5. From the **Default Renewal Method** list, choose a default renewal method.
 - a. If you selected **Extend Existing Subscription**, go to step 6.
 - b. If you selected **Create New Subscription**:
 - i. From the **Default Renewal Subscription Plan** list, choose a default subscription plan for the renewal subscription.
 - ii. From the **Default Renewal Price Book** list, choose a pricing option for the renewal subscription.

- iii. From the **Default Renewal Transaction Type** list, choose one of the available options (**Do Not Create Sales Transaction**, **Estimate**, **Opportunity**, or **Sales Order**). If you choose **Do Not Create Sales Transaction**, upon renewal, NetSuite creates a new subscription that isn't associated with a sales transaction.
- 6. When the **Uplift Pricing** feature is enabled, you can define the percentage renewal uplift you want to apply to each subscription line on the renew change order. The renew change order has renewal configuration and uplift values based on the renewal configuration from the subscription. The lines displayed in the uplift table are based on the renewal configuration.
- 7. When you enable the **Uplift Pricing** feature, NetSuite automatically applies percentage price increases to a customer's renewal pricing. When a new subscription is created, the default value acts as a template for the default renewal settings. When the subscription renewal is created, the price plans are automatically updated.
- 8. Click **Save**.

Including Add-On Items in Subscription Renewals

When renewing a subscription manually using a renewal change order, you have the option to edit each line item before saving the draft subscription. Reasons you might want to edit lines include adding or removing items from the subscription. Perhaps a service is no longer available or was replaced by a new service.

The following default rules apply to add-on items with the **Include In Renewal Subscription** preference checked:

For these default renewal settings:	These rules apply:
Method – Extend Existing Subscription	All add-on items are included at the same price and quantity for the extended renewal period.
Method – Create New Subscription Subscription Plan – Same Subscription Plan Price Book – Keep Existing Pricing	All add-on items are included in the draft renewal subscription with the same price and quantity.
Method – Create New Subscription Subscription Plan – Same Subscription Plan Price Book – a specific price book	All add-on items are included in the draft renewal subscription with the same quantity. Prices are defined by the specific price book.
Method – Create New Subscription Subscription Plan – (a different plan from the original subscription selected)	Add-on items from the original subscription aren't included in the draft renewal subscription. Only line items defined in the renewal plan are included on the renewal subscription.

Deleting a Subscription

Before you can delete a subscription, you must void all change order records and then remove them by clearing the subscription revisions.

To delete a subscription:

1. Void all change order records. For instructions, see [Voiding a Change Order](#).

2. Use the Clear Revisions feature to remove subscription change orders. For instructions, see [Clearing Revisions](#).
3. For the subscription you want to delete, click the subscription name or **Edit**.



Tip: To find the subscription, you can:

- Look in the **Recent Records** tab for recently completed subscriptions.
- Enter the subscription name or subscription ID into the Global Search field.

4. From the Actions list, choose **Delete**.

SuiteBilling Reports

SuiteBilling offers several reports that let you to monitor your subscriptions and customers:

- [Monthly Recurring Revenue Report](#)
- [Monthly Recurring Revenue Report](#)
- [Total Contract Value Report](#)
- [Billings to Date Report](#)
- [Churn By Customer Report](#)
- [Churn By Revenue Report](#)

To view the SuiteBilling reports, go to Reports > Subscriptions.



Tip: If you don't see the Subscriptions option in the Reports menu, switch to an administrative role or contact your NetSuite administrator.

Annual Recurring Revenue (ARR) and Monthly Recurring Revenue (MRR)

Subscription businesses have a unique set of metrics called SaaS (software as a service) metrics. Recurring revenue, either MRR or ARR, is the basis many of these metrics. SaaS metrics are used to determine the health of a business and to help inform if changes are needed. Depending on the nature of the business, MRR or ARR may be more important. SuiteBilling has ARR and MRR functionality in SuiteAnalytics and reporting.

Monthly Recurring Revenue Report

The Monthly Recurring Revenue report shows the sum of recurring line items for a specified month or range.

Each line of the Monthly Recurring Revenue report includes the following columns:

- Customer
- Subscription Plan
- Subscription

The default date range is the previous rolling year.

To view the Monthly Recurring Revenue report:

1. Go to Reports > Subscriptions > Monthly Recurring Revenue.
2. If you want to customize this report, click [Report Customization](#).

The Monthly Recurring Revenue report shows the final rating value for a given month. This report does not include prorated amounts, even if proration is enabled for a line item.

Suspended subscriptions are reported the same as active subscriptions, but closed or terminated subscriptions are not reported. In addition, draft subscriptions are not currently reported.

The Monthly Recurring Revenue report assumes that subscriptions are renewed. Any subscriptions that are not terminated or closed continue to report into the future.

For more information about reporting, see the help topic [Reporting Overview](#).

ARR Analytics and Dashboard

There is also an ARR workbook with standard reports and enhanced dashboard portlets ARR metrics. The Annual Recurring Revenue Report shows the sum of recurring line items for a specified year.

Go to Analytics > Annual Recurring Revenue.

To customize this report, click Report Customization.

The Annual Recurring Revenue Report workbook includes the following reports:

- Annual Recurring Revenue: a pivot table with a yearly summary of recurring billing on subscriptions for SaaS metrics
- Current Annual Recurring Revenue Detail: a pivot table with current year SaaS metrics at a subscription level
- Customer Lifetime Value: a pivot table with current year recurring revenue at a customer level
- Current Annual Recurring Revenue Month-Over-Month: a pivot table with current year annual recurring revenue reported at a month level
- Annual Recurring Revenue Year-Over-Year: a column chart with recurring revenue year-over-year

The ARR reports do not include prorated amounts, even if proration is enabled for a line item. The report leverages the recurring amount from a subscription line.

A subscription must be in an active status to be displayed in the reports. A subscription that is terminated or closed stops being reported after the termination or end date of the subscription unless renewed. Evergreen subscriptions report until terminated.

For more information about reporting, see the help topic [Reporting Overview](#).

Total Contract Value Report

The Total Contract Value report shows total bill charges for the full term of a subscription. To see charges up to the current time for a subscription, see the [Billings to Date Report](#).

The Total Contract Value report does not include usage or overage charges because usage can vary each billing period.

Each line of the Total Contract Value report includes the following columns:

- Customer
- Subscription Plan
- Subscription

To view the Total Contract Value report:

1. Go to Reports > Subscriptions > Total Contract Value.
2. If you want to customize the TCV report, click [Report Customization](#).

The data is represented as the total sum of all charges for a given subscription. Credit memos are represented in the months in which they are created.

Future months beyond the current bill cycle show the total contract value based on any change orders or modifications to the subscription to date.

For more information about reporting, see the help topic [Reporting Overview](#).

Billings to Date Report

The Billings to Date report shows total billed charges, up to the current cycle, for a subscription. To view charges for the full subscription term, see the [Total Contract Value Report](#).

Each line of the report includes the following columns:

- Customer
- Subscription Plan
- Subscription

To view the Billings to Date report:

1. Go to Reports > Subscriptions > Billings To Date.
2. If you want to customize the report, click [Report Customization](#).

The data is represented as a rolling transaction total from month to month. Credit memos are represented in the months in which they are created.

Future months beyond the current bill cycle show the total billings to date based on the last billing transaction for that subscription.

For more information about reporting, see the help topic [Reporting Overview](#).

Churn By Customer Report

The Churn by Customer report shows how many customers are canceling or have subscriptions ending in a given month. Churn is calculated differently by different customers. Consequently, the structure of the Churn by Customer report is different from most other NetSuite reports. It allows for the addition of fields.

To view the Churn By Customer report:

1. Go to Reports > Subscriptions > Churn by Customer.
2. If you want to customize the report, click [Report Customization](#).

For more information about reporting, see the help topic [Reporting Overview](#).

The following table provides a list of columns and their definitions.

Column	Definition
Customers at beginning of month	The number of customers with active subscriptions at the beginning of the month.

Column	Definition
Customers at end of month	The number of customers at the end of the month. This total is calculated by adding net new customers to the number of customers at the beginning of the month.
New Customers	Customers who activated their first new subscription at any point in the month.
Churned Customers	Customers whose subscriptions have all closed or terminated in the month.
Net New Customers	New customers minus churned customers. This can be a positive or negative number.
Customer Churn %	Churned customers divided by customers at the beginning of the month.

Notes about calculating churn and customers:

- Churn is included only in the month that the subscription ends.
- The default date selection is Last Rolling Year. This report only shows information for full months of data.
- Customers with a subscription in the first month of data collection are counted toward total customers.
- All customers in the first month of data collection are considered new customers.
- Customer churn % is calculated as: churned customers divided by new customers, then multiplied by 100 in the first month of data collection.
- Suspended subscriptions do not count toward churn.
- If the number of customers at the beginning of the month equal zero (0), the customer churn % cannot be calculated.

Churn By Revenue Report

The Churn by Revenue report shows the reduction in MRR due to subscriptions being reduced in value, canceled, or ending.

To view the Churn By Revenue report

1. Go to Reports > Subscriptions > Churn by Revenue.
2. If you want to customize the report, click [Report Customization](#).

For more information about reporting, see the help topic [Reporting Overview](#).

The following table is a list of rows and their definitions.

Row	Definition
MRR at Beginning (of Month)	MRR calculated on the last day of the previous month. This is the same amount reported for a prior month on the Monthly Recurring Revenue report.
MRR at End (of Month)	MRR calculated on the last day of a specific month. This is the same amount reported for a specific month in the Monthly Recurring Revenue Report.
New MRR	MRR associated with new subscriptions started in a specific month. This is equal to the sum value of all subscriptions with a start date in a specific month.
Expansion MRR	MRR associated with the upsell of existing subscriptions in a specific month. This is the sum value of all subscriptions that increased in value in a specific month.

Row	Definition
Contraction MRR	MRR associated with the downsell of existing subscriptions. This is the sum value of all subscriptions that decreased in value in a specific month.
Lost MRR	Overall recurring revenue lost in a specific month from canceled or closed subscriptions. This is the sum value of all monthly subscriptions that were canceled or closed in a specific month.
MRR Churn	The churn in recurring revenue from cancelled subscriptions and downgraded subscriptions.
New New MRR	This is the sum of new MRR plus expansion MRR minus lost MRR.
MRR Churn (%)	MRR churn divided by MRR at the beginning of the month.

Notes about calculating churn and MRR:

- All MRR is considered new on the first month.
- Churn % cannot be calculated on the first month because all MRR is new.
- Revenue associated with suspended subscriptions does not count toward churn. Only revenue that has been lost or is lost in the specific month contributed to MRR churn.
- If MRR at the beginning of the month equals zero (0), MRR churn cannot be calculated.

Fulfillable Items with SuiteBilling

Fulfillable Items with SuiteBilling SuiteApp addresses the gap of NetSuite SuiteBilling in terms of support for fulfillable items in subscriptions. This SuiteApp helps you consolidate the billing and fulfillment processes for subscriptions that have accompanying fulfillable items, such as for companies providing modems with internet service.

You can use the Fulfillable Items with SuiteBilling SuiteApp to do the following:

- Link fulfillable items to its associated service or subscription.
- Use a sales order with a service or subscription item linked to a fulfillable item entered by default.
- Enter additional item information such as brand name, color, or serial number for fulfillable items so they are properly identified and tracked in transaction records and in the associated subscription.
- Split subscription line items into multiple lines in a sales order to handle partial fulfillment, activation, and returns.
- Send a reminder email for subscriptions that are pending activation. You can send the email reminder in bulk or upon fulfillment of subscription items.
- Set up a reminder in the dashboard for subscriptions that are pending activation.
- Include additional item information such as brand name, color, or serial number for fulfillable items in the printed invoice.
- Merge same items with the same rates and subscription in the printed invoice.
- Accordingly update the associated subscription when there are returns of fulfillable items.
- Replace additional item information for replacement items with new additional item information.

Fulfillable Items with SuiteBilling SuiteApp is available in all languages that NetSuite supports. For more information, see the help topic [Choosing a Language for Your NetSuite User Interface](#).

Availability

Fulfillable Items with SuiteBilling is a public and managed SuiteApp. As a managed SuiteApp, it is automatically updated when enhancements or new features are added. For instructions on installing this SuiteApp, see [Installing Fulfillable Items with SuiteBilling](#).

Read the following topics to know more about this SuiteApp.

- [Required Features and Module for Fulfillable Items with SuiteBilling](#)
- [Installing Fulfillable Items with SuiteBilling](#)
- [Roles and Permissions for Fulfillable Items with SuiteBilling](#)
- [Supported Item Types for Fulfillable Items with SuiteBilling](#)
- [Process Flow of Fulfillable Items with SuiteBilling](#)
- [\(Optional\) Linking a Fulfillable Item to a Subscription Item](#)
- [Additional Item Information for Fulfillable Items](#)
 - [Creating Additional Item Information Fields in Sale and Subscription Records](#)
 - [Setting Item Field Mappings](#)
- [Linking a Fulfillable Item to a Subscription](#)
- [Best Practices When Creating a Sales Order for use with Fulfillable Items with SuiteBilling](#)

- [Entering Additional Item Information in an Item Fulfillment Record](#)
- [Additional Item Information in the Subscription](#)
- [Setting Dashboard Reminders for Subscriptions Pending Activation](#)
- [Setting up a Subscription Activation Email Reminder](#)
- [Merging Same Items in the Printed Invoice](#)
 - [Customizing the Standard Invoice Form and Template to Merge Same Items](#)
 - [Setting the Preference to Merge Same Items in the Printed Invoice](#)
- [Returning and Replacing Fulfillable Items](#)
- [Fulfillable Items with SuiteBilling Support for CSV Import](#)
- [Viewing the Subscription Line Splitting Event Record](#)
- [Limitations of Fulfillable Items with SuiteBilling](#)

Required Features and Module for Fulfillable Items with SuiteBilling

Required Features

Before installing Fulfillable Items with SuiteBilling SuiteApp, enable the following required features. For more information, see the help topic [Enabling Features](#).

Subtab	Feature
Accounting	Accounting
Transactions	Subscription Billing
	Charge-based Billing
	Add-on Items
	Pick, Pack, and Ship
Items & Inventory	Inventory
	Lot Tracking
CRM	Customer Relationship Management
SuiteCloud	Custom Records
	Advanced PDF/HTML Templates
	Server SuiteScript

Required Module

Fulfillable Items with SuiteBilling SuiteApp requires the Advanced Inventory Module. Contact your account manager for details.

Installing Fulfillable Items with SuiteBilling

To install Fulfillable Items with SuiteBilling:

1. Go to **SuiteApps**.
2. In the **Search SuiteApps** field, enter **Fulfillable Items with SuiteBilling** to search for the SuiteApp.
3. Click the **Fulfillable Items with SuiteBilling** tile.
4. On the top right corner of the page, click **Install**.

For more information, see the help topics [Installing from the SuiteApp Marketplace](#) and [Viewing SuiteApp Installation or Uninstallation Status](#).

Roles and Permissions for Fulfillable Items with SuiteBilling

There are no custom roles included with the Fulfillable Items with SuiteBilling SuiteApp. An administrator must customize standard roles and set the permissions for those roles.

To set permissions for Fulfillable Items with SuiteBilling:

1. Go to Setup > Users/Roles > Manage Roles.
2. Click **Customize** beside the role and set permissions for the role.

For a role to execute the entire process flow for using this SuiteApp, you must customize a role to have the following minimum permissions.

Subtab	Permission	Permission Level	Purpose
Transactions	Sales Order	Edit	To enter and approve sales orders.
	Sales Order Approval	Edit	
	Item Fulfillment	Edit	To create item fulfillment records and enter additional item information for fulfillable items.
	Fulfill Orders	Edit	
	Return Authorization	Edit	To facilitate the return and replacement of fulfillable items.
	Return Auth. Approval	Edit	
	Receive Returns	Edit	
	Item Receipt	Edit	
	Charge	View	To view charges.
	Find Transaction	View	To validate items in an item fulfillment record.
Lists	Items	View	To view items.
	Subscription Change Orders	Edit	To activate or modify the status of a subscription.
	Subscriptions	Edit	To create a subscription.

Subtab	Permission	Permission Level	Purpose
	Subscription Plan	Edit	To create a subscription plan.
	Price Plan	Edit	
	Price Book	Edit	
	Custom Record Entries	View	To view the subscription line splitting event record.
	Perform Search	View	To execute the saved search that displays subscriptions that are pending activation.
Setup	Import CSV File	Full	To create a sales order through CSV.
	Control SuiteScript and Workflow Triggers per CSV Import	Full	
	Custom Record Types	View	To view the SuiteApp's custom records.
Custom Record	FIS Item Lines Data Map	View	To access the SuiteApp's custom records.
	Item Field Mappings	View	
	Subscription Line Splitting Event	View	

3. Click **Save**.

Supported Item Types for Fulfillable Items with SuiteBilling


Fulfillable Items with SuiteBilling SuiteApp only supports the following item types.

Fulfillable Items	Subscription Items
■ Serialized inventory items ■ Inventory items ■ Non-inventory items that can be fulfilled □ For purchase □ For resale □ For sale	■ Non-inventory items that cannot be fulfilled □ For resale □ For sale ■ Service items

For information about these item types, see the help topic [Item Types](#).

Process Flow of Fulfillable Items with SuiteBilling

The following diagram illustrates the flow for using Fulfillable Items with SuiteBilling SuiteApp.



Refer to the following table for more information about each of the processes in Fulfillable Items with SuiteBilling SuiteApp.

Process	Description	Help Topic
(Optional) Link fulfillable item to a subscription item	You can optionally link a fulfillable item to a subscription item when creating the fulfillable item record. You can do this step to display the subscription item as a counterpart of the fulfillable item when creating a sales order.	(Optional) Linking a Fulfillable Item to a Subscription Item
Create additional item information fields in transaction records	To enter additional item information for fulfillable items, you must first create the fields where you can enter the additional item information. Create additional item information fields for the following records: ■ Sales order ■ Item fulfillment ■ Item receipt ■ Subscription ■ Invoice	■ Additional Item Information for Fulfillable Items ■ Creating Additional Item Information Fields in Sale and Subscription Records
Set item field mappings	You must set item field mappings so that the additional item information fields in item fulfillment and item receipt records are mapped and linked to their related subscription and invoices.	Setting Item Field Mappings
Create sales order	Create a sales order through the sales order form in NetSuite or through CSV import. In the sales order, do the following: ■ Check the Split Subscription Line Items Into Multiple Lines box. When subscription line items are split, you	■ Linking a Fulfillable Item to a Subscription ■ Best Practices When Creating a Sales Order for

Process	Description	Help Topic
	can enter unique additional item information for each of the fulfillable items in the item fulfillment record. If the quantity of the subscription items is 50 or more, a map/reduce script splits the subscription line items into multiple lines in bulk. Split subscription line items also makes it easier to handle partial fulfillment, activation, and returns. Link fulfillable items to a subscription for the fulfillable item to be included in its associated subscription record.	use with Fulfillable Items with SuiteBilling Fulfillable Items with SuiteBilling Support for CSV Import
Create an item fulfillment record	Create an item fulfillment record to track the shipment of fulfillable items to the customer. You can then enter additional item information such as brand, product key, or serial number in the item fulfillment record. The additional item information you enter ensures that the fulfillable items delivered are properly identified, tracked, and reflected in the subscription. For the additional item information to be reflected in the associated subscription, the fulfillable items must be marked as shipped in the item fulfillment record.	Entering Additional Item Information in an Item Fulfillment Record Additional Item Information in the Subscription
Set subscription activation reminders	You can set subscription activation reminders by setting up a reminder in the Reminders portlet of the dashboard or by setting up email reminders.	Setting Dashboard Reminders for Subscriptions Pending Activation Setting up a Subscription Activation Email Reminder
Activate subscription	You must activate the subscription after fulfillable items are delivered to customers. When a subscription is activated, you can then initiate billing through the Process Billing Operations tool. When the subscription that includes the fulfillable items is billed, an invoice is generated containing the additional item information entered for fulfillable items. You have the option to merge same items with the same rates and subscription when you print the invoice. Additional item information entered for fulfillable items are also merged in the printed invoice if they are the same.	Activating a Subscription Billing Operations Merging Same Items in the Printed Invoice
Return fulfillable items	Defective or faulty fulfillable items delivered that are part of a subscription can be returned replaced and the associated subscription is accordingly updated by the SuiteApp at each transaction record update.	Returning and Replacing Fulfillable Items

(Optional) Linking a Fulfillable Item to a Subscription Item

When creating or editing an item record for a fulfillable item, you can link the fulfillable item to its corresponding subscription item. When this linking happens, the subscription item automatically displays as a counterpart of the fulfillable item when you create a sales order.

To link a fulfillable item to a subscription item:

1. Go Lists > Accounting > Items > New.
2. Select the fulfillable item type that you want to create a record for.
For more information about the supported fulfillable item types, see [Supported Item Types for Fulfillable Items with SuiteBilling](#).
3. Enter information for the fulfillable item, as necessary.
For more details, see the help topic [Creating Item Records](#).
4. In the **Subscription Item** field, under the Classification section, select the subscription item that you want to link to the fulfillable item.
For more information about the supported subscription item types, see [Supported Item Types for Fulfillable Items with SuiteBilling](#).
5. Click **Save**.

Additional Item Information for Fulfillable Items

Fulfillable Items with SuiteBilling SuiteApp enables you to enter additional item information for fulfillable items to help distinguish one item from another. For example, if you fulfill or deliver a modem as part of a subscription, you can enter additional item information such as brand, model, or serial number so the modem is properly identified and tracked in all related transaction records.

You can enter additional item information for fulfillable items in an item fulfillment record and the item information is carried over to the associated subscription and invoice when item field mappings set correctly. For more information about setting item field mappings, see [Setting Item Field Mappings](#).

Before you can enter additional item information for a fulfillable item, you must first do the following:

1. Create custom fields in sale and subscription records. The custom fields are where you can enter additional item information for fulfillable items. For instructions, see [Creating Additional Item Information Fields in Sale and Subscription Records](#)
2. Set item field mappings so that the additional item information you enter in the item fulfillment record is reflected in the associated subscription and invoice. For instructions, see [Setting Item Field Mappings](#).

Creating Additional Item Information Fields in Sale and Subscription Records

Creating additional item information fields for sales transactions such as sales orders, item receipt, item fulfillment records, and invoices involves the creation of transaction line fields. Creating additional item information fields for subscriptions involves the creation of other record fields.

The additional item information fields that you create will appear in the sales order, item fulfillment, item receipt, subscription, and invoice records as columns in the item line.

To create additional item information fields in sales and subscription records:

1. To create additional item information fields for sales transactions, such as in a sales order, item fulfillment, item receipt, and invoice records, do the following steps:

- a. Go to Customization > Lists, Records, & Fields > Transaction Line Fields > New.
- b. In the **Label** field, enter a label for the additional item information field.
For example, if you want an additional item information field for a product key to appear in an item fulfillment record item line, enter **Product Key** here.
- c. In the **ID** field, enter the script ID for the field.



Note: Take note of the script ID for the field. You will use the script ID when setting item field mappings.

- d. In the **Type** field, select the type of field that you want to create.



Tip: The free-form text field type has a limit of 300 characters. Any commas used to separate entries are included in the character limit count. If you plan to use more than 300 characters in an additional item information field, use the text area field type.

- e. Check the **Store Value** box.
Checking this box allows you to store information in the additional item information field.
- f. In the **Applies To** subtab, check the following boxes to display the additional item information field in sales transaction records.
 - **Sale** – Check this box to create the additional item information field in sales transaction records such as in sales orders and invoices.
 - **Item Receipt** – Check this box to create the additional item information field in item receipt records.
 - **Item Fulfillment** – Check this box to create the additional item information field in item fulfillment records.
- g. Complete the fields in the Transaction Line Fields page, as necessary.
For more information, see the help topic [Creating Custom Transaction Line Fields](#).
- h. Click **Save**.

2. To create additional item information fields for subscription records, do the following steps:

- a. Go to Customization > Lists, Records, & Fields > Other Record Fields > New.
- b. In the **Record Type** field, select **Subscription Line**.
- c. In the **Label** field, enter a label for the additional item information field.
For example, if you want to have an additional item information field for a product key to appear in the related subscription record item line, enter **Product Key** here.
- d. In the **ID** field, enter the script ID for the field.



Note: Take note of the script ID for the field. You will use the script ID when setting item field mappings.

- e. In the **Type** field, select the type of field that you want to create.



Tip: The free-form text field type has a limit of 300 characters. Any commas used to separate entries are included in the character limit count. If you plan to use more than 300 characters in an additional item information field, use the text area field type.

- f. Check the **Store Value** box.

When you check this box, information entered can be stored in the additional item information field.

- g. Click **Save**.

Setting Item Field Mappings

Item field mappings allow you to map additional item information fields in item fulfillment records so they are linked to their related subscription and invoices. You can also set other preferences for additional item information fields when you set item field mappings. For more information about additional item information fields, see [Additional Item Information for Fulfillable Items](#).

Only Administrators can set item field mappings.

To set item field mappings:

1. Go to Setup > Fulfillable Items with SuiteBilling > Item Field Mappings > New.
2. In the **Name** field, enter a descriptive name for the field mapping.
3. (Optional) Check the **Inactive** box to make the record inactive.
Only do this step if you do not want to use the item field mapping.
4. In the **Subsidiary** field, select one or more subsidiaries where to apply the item field mappings.



Note: You can only create one item field mapping per subsidiary.

For non-OneWorld accounts, the **Subsidiary** field is not available and only one item field mapping can be created.

5. Fill out the following columns in the Item Field Mappings page.

Column Name	Description
Field Mapping Name	Enter a name for the field mapping. For example, enter Product Key here if you created an additional item information field named Product Key. For more information, see Creating Additional Item Information Fields in Sale and Subscription Records. The Serial Numbers field mapping is present by default and is automatically checked as a field identifier. This field mapping supports native serialized inventory items and the system assigns the serial numbers. You can choose to delete this item field mapping. If you want to use this default Serial Numbers item field mapping, all columns for this mapping must have values.
Field Identifier	Check this box for the field mapping that you want to set as a field identifier. A field identifier lets you identify a fulfillable item through the unique additional item information entered for the item such as its serial number. You must select a field mapping that can contain unique values and set it as a field identifier, such as the fulfillable item's serial number or product key. Field identifiers let you quickly identify fulfillable items and is useful such as in the case of returns. You must select at least one and a maximum of two field mappings as field identifiers.

Column Name	Description
	 Note: Changing the field identifier after the item field mappings have been saved may affect the update of related subscriptions when there are returns. Be sure to select the correct field mappings as field identifiers when setting item field mappings for the first time.
Item Fulfillment Line Field ID	Enter the script ID of the additional item information field that you created in the item fulfillment record. For more information about creating additional item information fields in an item fulfillment record, see Creating Additional Item Information Fields in Sale and Subscription Records.
Distribute Values to Subscription Lines	Check this box to distribute comma-delimited additional item information entered for fulfillable items in the item fulfillment or item receipt record into individual subscription lines in the subscription record.  Note: This feature only applies if the quantity of the fulfillable item is greater than one and if the Split Linked Subscription Items Into Multiple Lines box in the associated sales order is checked.
Subscription Line Field ID	Enter the script ID of the additional item information field that you created in the subscription record. For more information about creating additional item information fields in a subscription record, see Creating Additional Item Information Fields in Sale and Subscription Records.
Invoice Line Field ID	Enter the script ID of the additional item information field that you created in the invoice record. For more information about creating additional item information fields in an invoice record, see Creating Additional Item Information Fields in Sale and Subscription Records.
Include in Printed Invoice	Check this box to include additional item information fields in the printed invoice. You must check this box if you want to merge same items in the printed invoice. For more information, see Setting the Preference to Merge Same Items in the Printed Invoice.

6. Click **Save**.

Linking a Fulfillable Item to a Subscription

You must link a fulfillable item to a subscription for the fulfillable item to be included in its associated subscription. To link a fulfillable item to a subscription, you must first link the fulfillable item to a subscription item that is part of a subscription. You can do the linking of the fulfillable item to a subscription when entering a sales order.

To link a fulfillable item to a subscription:

1. Go to Transactions > Sales > Enter Sales Orders.
2. In the **Status** field, select **Pending Approval**.

Splitting of linked subscription line items into multiple lines is only supported for sales orders with a status of **Pending Approval**.

3. Check the **Split Linked Subscription Items Into Multiple Lines** box.

Checking this box splits subscription line items into multiple lines in the sales order. When subscription line items are split, you can enter unique additional item information for each of the fulfillable items in the item fulfillment record. Split subscription line items also makes it easier to handle partial fulfillment, activation, and returns.

Splitting only happens in the following scenarios:

- The subscription line is not required in the subscription plan.
- The subscription has linked fulfillable items.
- The quantity of the subscription items is greater than one.

When subscription line items are split into multiple lines, they cannot be merged back.

If the quantity of the subscription items is 50 or more, a map/reduce script splits the subscription line items into multiple lines in bulk. Administrators can check the status of the bulk-splitting process in the Subscription Line Splitting event record. For more information, see [Viewing the Subscription Line Splitting Event Record](#).

4. Fill out the fields in the sales order.

For more information, see the help topic [Creating Sales Orders](#).

5. In the **Items** subtab, do the following steps:

- a. In the **Item** column, select the fulfillable item.
- b. In the **Subscription Item** column, select the subscription item that you want to link to the fulfillable item.

If you have previously linked the fulfillable item to the subscription item, this field is automatically populated with the linked subscription item. For more information, see [\(Optional\) Linking a Fulfillable Item to a Subscription Item](#).

- c. In the **Subscription** column, create or select the subscription that you want to link to the subscription item.

For more information about creating a subscription, see [Creating a New Stand-alone Subscription](#).



Important: You must do the following in the subscription record:

- Ensure that you add the subscription item you selected in step 5b in the **Lines** and **Pricing** subtabs.
- In the **Lines** subtab, check the **Include** box for each of the subscription item that you want to add.
- In the **Pricing** subtab, ensure that the quantity of the subscription item matches the quantity of the fulfillable item.



Note: If you want to edit the quantity of subscription items in the subscription, it is best practice to do so only when the sales order has not yet been approved. Any additional quantities you add for the subscription items will not be split into multiple lines when the associated sales order has already been approved.

- d. Enter information as necessary in all the other columns under the **Items** subtab. For more information, see the help topic [Adding Items on a Sales Transaction](#).
- e. Click **Add** to add the items in the sales order.

The subscription line items then appear in the sales order, that includes the subscription plan, subscription items, and the fulfillable items.

6. Click **Save**.

If the quantity of subscription items is more than one and the **Split Linked Subscription Items Into Multiple Lines** is checked, you must update the sales order after saving the record for new sales orders. This is to show the split subscription items into their own lines in the sales order. When you edit and save a sales order, there is no need to update the sales order to split subscription items into their own lines.

Best Practices When Creating a Sales Order for use with Fulfillable Items with SuiteBilling

Take note of the following best practices when creating a sales order for use with the Fulfillable Items with SuiteBilling SuiteApp:

- Set the status of the sales order to **Pending Approval**.
Splitting of subscription line items into multiple lines is only supported for sales orders with a status of **Pending Approval**.
- Ensure the quantity of the fulfillable items and subscription items in the sales order are the same.
- Ensure that when fulfillable items are mapped to the same subscription item, the quantity of the fulfillable items are the same.
- Only link a subscription item that is mapped to a fulfillable item to one subscription.
- When you add a fulfillable item that is linked to a subscription item, the subscription item must exist in its related subscription record. For example, if a modem is linked to a modem rental service, the modem rental service must be included in its related internet subscription.
- If the **Split Linked Subscription Items Into Multiple Lines** box is checked and the quantity of the subscription items is 50 or more, a map/reduce script splits the subscription items into multiple lines in bulk. Do not approve the sales order when the bulk-processing is still in progress.
Administrators can check the status of the bulk-splitting process in the Subscription Line Splitting event record. For more information, see [Viewing the Subscription Line Splitting Event Record](#).
- If there are subscription line items that don't split during the bulk-splitting of subscription line items, contact your administrator. You may need to repeat the checking of the **Split Linked Subscription Items Into Multiple Lines** box and save the sales order again.
- When the **Split Linked Subscription Items Into Multiple Lines** box is checked and the **Distribute Values to Subscription Lines** is also checked in the Item Field Mappings page, the additional item information you enter in the item fulfillment record are distributed into its own line in the subscription.
If the **Split Linked Subscription Items Into Multiple Lines** and **Distribute Values to Subscription Lines** boxes are not checked, the additional item information you enter for fulfillable items are displayed in a single cell as comma-separated values in the subscription.
- When the **Split Linked Subscription Items Into Multiple Lines** box is checked for new sales orders, ensure to update the sales order after entering and saving subscription items and fulfillable items. This is to show the split subscription items into their own lines in the sales order. When you edit and save a sales order, there is no need to update the sales order to split subscription items into their own lines.
- When the SuiteApp splits subscription line items into multiple lines, the total price for the subscription items is also split equally among the split lines in the subscription. If there are changes to the

subscription such as adjustments in pricing, you must do it manually for each line after the splitting of subscription line items is done.

- It is recommended to use a zero-dollar sales order. The revenue arrangement of sales orders and subscriptions are separate. There is no auto-merging.

Entering Additional Item Information in an Item Fulfillment Record

When you fulfill an order, create an item fulfillment record to track the shipment of fulfillable items to the customer. You can then enter additional item information such as brand, product key, or serial number in the item fulfillment record. The additional item information you enter for the fulfilled items ensures that the items delivered are properly identified, tracked, and reflected in the associated subscription.

The following steps assume that a sales order is created, approved, and is pending fulfillment.

To enter additional item information in an item fulfillment record:

1. Go to Transactions > Sales > Enter Sales Orders > List.
2. Select the sales order that you want to fulfill and click **View**.
3. In the sales order, click **Fulfill**.

The Item Fulfillment page opens.

4. In the **Status** field of the item fulfillment record, select **Shipped** as the status for the items.

When using the Pick, Pack, and Ship feature, you can also set the status of items as shipped after the item fulfillment record is saved. Click **Ship** on the item fulfillment record



Note: Additional item information entered for fulfillable items only reflects in the subscription record when the status of the items are set to **Shipped** in the item fulfillment record.

5. In the **Items** subtab, look for the additional item information fields that you created, such as fields for brand, product key, or serial number.

For more information about creating additional item information fields, see [Creating Additional Item Information Fields in Sale and Subscription Records](#).

6. Enter additional item information.

Follow these best practices when entering additional item information for fulfillable items.

- Use a comma to separate values.
- There is a limit of 300 characters when a free-form text field is used for the additional item information field. Any commas used to separate entries are included in the character limit count.
- If the **Distribute Values to Subscription Lines** box is checked in the Item Field Mappings page and **Split Linked Subscription Items Into Multiple Lines** box is checked in the sales order, the additional item information you enter must match the quantity of the fulfillable items.
For example, if the quantity is three, you must enter three values as additional item information separated by commas.
- If a field mapping is tagged as a field identifier in the Item Field Mappings page, the additional item information must be unique for each fulfillable item and corresponds to the quantity of the item being fulfilled.

For example, if the serial number additional item information field is a field identifier and there are three items to be fulfilled, you must enter something like, ABC123, DEF345, GHI678.

- If the quantity of the fulfillable items is 50 or more, a map/reduce script processes the additional item information to also reflect in the associated subscription. The subscription record may not be up to date until the processing is finished. See the **Processing Status** field in the item fulfillment record to check the status of item information update in the subscription record.

7. Complete the fields in the item fulfillment record, as necessary.

For more information, see the help topic [Fulfilling Orders](#).

8. Click **Save**.

Additional Item Information in the Subscription

- The additional item information you enter in the item fulfillment record for fulfillable items are carried over to the related item receipt, subscription, and invoice only when the following criteria are met:
 - Fulfillable items are linked to the subscription. For more information, see [Linking a Fulfillable Item to a Subscription](#)
 - Item field mappings are set correctly. For more information, see [Setting Item Field Mappings](#).
 - Fulfillable items in the item fulfillment record are marked as shipped. For more information, see [Entering Additional Item Information in an Item Fulfillment Record](#).
- Distribution of additional item information from the item fulfillment record into its own line in the subscription record only happens when the **Distribute Values to Subscription Lines** box is checked for the field mapping in the Item Field Mappings page and the **Split Linked Subscription Items Into Multiple Lines** box is checked in the sales order. Distribution only happens when there is more than one fulfillable item in the subscription.

For example, if you have an item information field in the Item Field Mappings page that is labeled as **Color** then entered **blue,red,green** as the additional item information in the item fulfillment record, then in the subscription, red, blue, and green will each appear in a single line for each fulfillable item in the subscription.

- When you create an item receipt record for a returned item and enter the required additional item information for it—for example, its serial number—the subscription is updated and the item is removed from the subscription. The fulfillable item is identified through the additional item information, that is a field identifier, entered in the item receipt record.

Setting Dashboard Reminders for Subscriptions Pending Activation

You can set a reminder for subscriptions that are pending activation in the Reminders portlet of the dashboard.

To set a reminder for subscriptions that are pending activation:

1. In the Reminders portlet menu of the dashboard, click **Set Up**.
2. On the left pane, select **Subscriptions Pending Activation**.

This is a custom reminder that comes with the SuiteApp.

For more information about setting up reminders, see the help topic [Setting Up Reminders](#).

3. Click **Save**.

Clicking the **Subscriptions Pending Activation** reminder on the Reminders portlet of the dashboard opens a saved search that displays the following information.

Column	Description
Subscription	This column displays the subscription name that is pending activation.
Item	This column displays the subscription item in the subscription that is pending activation.
Status	This column displays the status of the subscription.
Count of Subscription	This column displays the number of subscription items in the subscription.
Count of Items	This column displays the number of fulfillable items in the subscription.

 **Note:** You can edit and save another version of the **Subscriptions Pending Activation** saved search to select the recipients or group of recipients who can receive reminders for subscriptions that are pending activation. For more information, see the help topic [Defining Audiences for Saved Searches](#).

Setting up a Subscription Activation Email Reminder

You can set up an email reminder when there are subscriptions that need to be activated. You can either send the reminder email in bulk or upon fulfillment of the items in the subscription. The setting up of subscription activation email reminder is per subsidiary for OneWorld accounts and per company for non-OneWorld accounts. Only one email notification is sent per subscription. The email is only sent when the status of the subscription is pending activation and the status of the fulfillable items are shipped as shown in the item fulfillment record. The email contains a link to the subscription that needs activation.

To set up a subscription activation email reminder:

1. Open the company or subsidiary record, depending on your account.
 - For OneWorld accounts:
 1. Go to Setup > Company > Classifications > Subsidiaries.
 2. Click **Edit** next to the subsidiary where you want to set up the activation email reminder.
 - For non-OneWorld accounts:

1. Go to Setup > Company > Setup Tasks > Company Information.

2. Check the **Send Subscription Activation Reminder Email in Bulk** box if you want to send the subscription activation email reminder in bulk.

This option uses the Bulk Subscription Activation Reminder map/reduce script that you can run manually or at a scheduled time. The Bulk Subscription Activation Reminder script looks for subscriptions that are pending activation with fulfillable items that are fully fulfilled. An email is sent for every subscription. For example, if the Bulk Subscription Activation Reminder script found

five subscriptions that fit the criteria for sending the email reminder, five emails are sent. Until the subscription has not been activated, an email is sent at every run of the script.

For more information about running the Bulk Subscription Activation Reminder script at a scheduled time, see the help topic [Scheduled Script Deployment Record](#).

3. Check the **Send Subscription Activation Reminder Email Upon Fulfillment** box if you want to send the subscription activation email reminder only upon fulfillment of the items in the subscription.

This option sends the email reminder every time fulfillable items in a subscription are fully fulfilled and shipped to the customer as recorded in the item fulfillment record.

You can check both the **Send Subscription Activation Reminder Email in Bulk** and **Send Subscription Activation Reminder Email Upon Fulfillment** boxes.

The following guidelines are observed when sending the email reminder.

Email Reminder Option	Split Subscription Line Items	Item Fulfillment Status	Email Reminder Sent
Send Subscription Activation Reminder Email in Bulk	Yes	Partially fulfilled	No
		Fully fulfilled	Yes
	No	Partially fulfilled	No
		Fully fulfilled	Yes
Send Subscription Activation Reminder Email Upon Fulfillment	Yes	Partially fulfilled	Yes
		Fully fulfilled	Yes
	No	Partially fulfilled	No
		Fully fulfilled	Yes

4. In the **Subscription Activation Reminder Email Recipient** field, select the employees whom to send the subscription activation email reminder.
To select multiple employees, hold down the **Ctrl** key and while selecting the employee records.
5. In the **Subscription Activation Reminder Email Template** field, select a template for the subscription activation email reminder.
6. Click **Save**.

Merging Same Items in the Printed Invoice

Items with the same rates and the same subscription can be merged in one line in the printed invoice. For the same items, amounts are summed up and displayed as one value.

Additional item information for fulfillable items are also merged if they are the same and are separated by a comma if they are different. For additional item information to be included in the printed invoice, check the **Include in Printed Invoice** box on the Item Field Mappings page for the specific field mapping. For more information, see [Setting Item Field Mappings](#).

The preference to merge items with the same rates and subscription in the printed invoice can be set either on the invoice record or customer record. The preference in the customer record is used when the preference in the invoice is not set.

Before setting the preference to merge same items in the printed invoice, you must first customize the standard invoice form and optionally customize the template used for merging.

Customizing the Standard Invoice Form and Template to Merge Same Items

A template is used to merge items with the same rates and subscription in the printed invoice. To use that template, you must first customize a standard service invoice form. After that, you can optionally customize the template used for merging.

To customize the standard service invoice form:

1. Go to Customization > Forms > Transaction Forms.
2. In the **Printing Type** field, select the **Advanced** option.
The Advanced option allows you to use advanced PDF/HTML templates to format transactions.
3. In the **Print Template** field, select **FIS Invoice PDF/HTML Template**.
4. Enter a name for the customized form and complete the fields in the form, as necessary, and click **Save**.

For more information see, [Custom Transaction Forms](#).

To customize the template that merges the same items in the printed invoice:

1. Go to Customization > Forms > Advanced PDF/HTML Templates.
2. Click **Edit** beside the **FIS Invoice PDF/HTML Template** name.
3. Customize the template, as necessary.

You may add your own company name and logo. This SuiteApp only supports image sizes of 80 x 80 pixels. For more information, see the help topic [Advanced PDF/HTML Templates](#).

If you do not want to use the template that merges the same items in the printed invoice, you can use your company's own template. Paste the following code blocks in your own template to merge items with the same rates and subscription in the printed invoice.

1. Paste this code block before `<#list record.item as item>` to declare the field mapping.

```
1 | <!--START : Declare jsonRecord-->
2 | <#assign jsonRecord = record.custpage_fis_json_field?eval_json />
3 | <#assign mapLineFields = jsonRecord.mapLineFields />
4 | <!--
5 | @member jsonRecord.mapLineFields.id
6 | <!--END : Declare jsonRecord-->
```

2. Paste this code block after the last `<th>` tag inside `<#list record.item as item>` to render the additional item information columns.

```
1 | <!--START - Render additional item information columns-->
2 | <#list mapLineFields as fieldMap>
3 |   <th colspan="4">${item[fieldMap.id + '@label']}</th>
4 | </#list>
5 | <!--END - Render additional item information columns-->
```

3. Paste this code block after the last `<td>` tag inside `<#list record.item as item>` to render the column values.

```
1 | <!--START Render column value-->
```

```

2 <#list mapLineFields as fieldMap>
3   <td colspan="4">${item[fieldMap.id]}</td>
4 </#list>
5 <!--END Render column value-->

```

Setting the Preference to Merge Same Items in the Printed Invoice

The preference to merge items with the same rates and subscription in the printed invoice can be set either on the invoice record or customer record.

To set the preference to merge the same items in the printed invoice:

1. Open the invoice record or customer record.
For more information, see [Creating an Invoice](#) and [Creating a Customer Record](#).
2. In the Classification section of the invoice or customer record, check the **Merge Same Items in Printed Invoice** box.
The preference in the customer record is used when the preference in the invoice is not set.
3. Complete the fields in the invoice record or customer record, as necessary.
4. Click **Save**.
5. Click the printer icon and select **Print**.

Returning and Replacing Fulfillable Items

Fulfillable Items with SuiteBilling SuiteApp lets you handle the return of fulfillable items that are part of a subscription. In cases of defective or faulty fulfillable items delivered, you can accept returns and replace defective fulfillable items and the associated subscription is accordingly updated by the SuiteApp.

Returns and replacements are tracked in the return authorization form, item receipt record, replacement sales order, and item fulfillment record. The associated subscription is updated accordingly at each of these record updates.

To return and replace fulfillable items:

1. In the associated sales order, click **Authorize Return**.
This opens the return authorization record to let you facilitate the return.
2. Do the following in the return authorization record:
 - a. Fill out the necessary fields.
For more information about the return authorization form, see the help topic [Return Authorization \(RMA\) Forms](#).
 - b. Click **Save**.
 - c. Click **Approve Return** to approve the return of the item.
 - d. When the item has been return, click **Receive**.
This opens the item receipt record.

3. Do the following in the item receipt record to indicate the item has been received back:
 - a. In the additional item information field that is tagged as a field identifier, enter the unique information for the item being returned. For example, if additional item information field tagged as a field identifier is the serial number, enter the serial number of the item being returned.
 The additional item information that you enter for the field identifier must of the same quantity as the items being returned.
 (Optional) You can also enter other additional item information for the item being returned, such the product key, color, or brand.
 - b. Click **Save**.
 This action deletes the fulfillable item in the related subscription to mark that the item has been returned and not anymore included in the subscription. The returned item is recognized through the field identifier additional item information entered for it.
 If the quantity of the returned items received is 50 or more, a map/reduce script processes the additional item information entered and deletes the items that match the additional item information entered from the associated subscription. The subscription record may not be up to date until the deletion is finished. See the **Processing Status** field in the item receipt record to check the status of item information update in the subscription record.
 - c. Click **OK** to confirm.



Note: If you don't perform the steps in the item receipt record to indicate that the returned item has been received back, you must manually update the subscription and delete the items that have been returned.

4. In the associated return authorization form, click **Create Replacement Sales Order**.
 The **Create Replacement Sales Order** button is only available when an item receipt record has been created.
 Clicking the **Create Replacement Sales Order** button creates a sales order to replace the defective or faulty items that have been returned.
 The sales order is populated with the item details from the return authorization form, except for the additional item information entered for the fulfillable items.
5. In the replacement sales order, enter new information for the items as necessary, and click **Save**.
6. In the replacement sales order, click **Fulfill**.
7. In the item fulfillment record, do the following steps:
 - a. In the **Status** field, select **Shipped**.
 The additional item information that you enter in the item fulfillment record only reflects in the subscription record when the status of the items are set to **Shipped** in the item fulfillment record.
 - b. Enter additional item information.
 For more information, see [Entering Additional Item Information in an Item Fulfillment Record](#).



Note: The additional item information field that you previously tagged as a field identifier is still carried over in this item fulfillment record and must contain unique values.

8. Click **Save**.
 The associated subscription is updated accordingly. The subscription initially reflected the returned fulfillable item and now includes the replacement fulfillable item.

Note: If you delete an item fulfillment or item receipt record for items that have been marked as shipped to customers the additional item information entered for fulfillable items are not deleted or updated in the related subscription.

If you want to reuse the additional item information entered for items with deleted item fulfillment or item receipt record, you can manually remove the additional item information in the related subscription record. To do this, edit the subscription line and then delete the additional item information for the fulfillable items.

Fulfillable Items with SuiteBilling Support for CSV Import

Fulfillable Items with SuiteBilling SuiteApp supports the import of sales orders for use with the SuiteApp. The following are the steps to import sales orders using the CSV import function of NetSuite.

1. Ensure the subscriptions that you want to use in the sales order already exists in the system.
For more information, see [Creating a New Stand-alone Subscription](#).
2. Create the sales order import file.
You must create a field for the fulfillable item, its linked subscription item, and the subscription where the items belong to.
For more information about creating a sales order import file, see the help topic [Sales Order Import](#).

Note: Serialized inventory items are not supported using the CSV import functionality.

3. Go to Transactions > Sales > Enter Sales Orders > Lists to open the sales order page.
4. Find the sales order that you imported through CSV import and click **Edit**.
5. Check the **Split Linked Subscription Items Into Multiple Lines** box.
Take note of the best practices when entering sales orders for use with the SuiteApp. For more information, see [Best Practices When Creating a Sales Order for use with Fulfillable Items with SuiteBilling](#).
6. Click **Save**.

Viewing the Subscription Line Splitting Event Record

The subscription line splitting event record lets administrators view the status of the bulk-splitting of subscription line items into multiple lines.

To view the subscription line splitting event record:

1. Go to Customization > Lists, Records, & Fields > Record Types.
2. Click **List** in the Subscription Line Splitting Event record line.
A table is displayed with the following information:

Column	Description
Subscription	This column displays the subscription with line items that are split into multiple lines.
Processing Status	This column displays the status of bulk-splitting subscription line items into multiple lines. ■ Pending – The subscription line items are being prepared to be split into multiple lines. ■ In-Progress – The bulk-splitting of subscription line items into multiple lines is ongoing. ■ Completed – The bulk-splitting of subscription line items into multiple line is complete.
Sales Order	This column displays the sales order number of the subscription with line items that have been split into multiple lines.

Limitations of Fulfillable Items with SuiteBilling

Area	Limitation
Billing and invoices	Additional item information entered for fulfillable items are only carried over to the invoice when you use the Billing Operations tool. Go to Transactions > Billing > Process Billing Operations. For more information, see Billing Operations. The billing of items using the Bill function in the item fulfillment record does not support the additional item information entered for fulfillable items. The Add Charges button in the invoice is not supported for use with this SuiteApp.
Returns of fulfillable items	Update of related subscriptions for returned items are only supported when returns originate from the associated sales order. Standalone return authorization forms are not supported.
Fulfillable item types	Lot-numbered fulfillable items are not supported for linking to a subscription item.
Update of subscription for deleted item fulfillment or item receipt records	If you delete an item fulfillment or item receipt record for fulfillable items that have been shipped to customers, the additional item information entered for fulfillable items are not deleted or updated in the related subscription. If you want to reuse the additional item information entered for items with deleted item fulfillment or item receipt record, you can manually remove the additional item information in the related subscription record. To do this, edit the subscription line and then delete the additional item information for the fulfillable items.
Splitting of subscription line items into multiple lines	Splitting is only supported for sales orders with a status of Pending Approval. If you replace or choose another subscription item in a previously saved sales order, all subscription line items that have been previously split will remain as split. Splitting is only supported for subscription items that are optional. Splitting does not happen for subscription lines that are required in the subscription plan. When a sales order with previously split subscription line items is edited and the box for splitting subscription line items into multiple lines is unchecked, all previously split lines are not merged back. If you want to modify or merge subscription line items when they have been split, you can either remove the subscription in the sales order or create another sales order.

Area	Limitation
	Splitting of subscription line item amounts is only accurate for whole numbers. Splitting of amounts with decimal quantity is not exact. The SuiteApp can split subscription line item quantities of up to 200. It approximately takes up to 7 minutes to display the split lines in the sales order. For optimal performance, the maximum recommended line item quantity is 50. It approximately takes up to 2 minutes to display split lines in the sales order for this quantity.
Sales orders for use with the SuiteApp	Only sales orders created from the user interface or through CSV import are supported for use with the SuiteApp. Sales orders created through WebServices, SuiteScript, or ODBC are not supported.
Subscription termination	Termination of subscription because of a returned item is not supported by the SuiteApp If you want to terminate a subscription because of a returned item, you must manually do it. For instructions, see Terminating a Subscription Line Item.
Subscription renewals	The SuiteApp only supports the Extend Existing Subscription renewal method. Additional item information entered for fulfillable items in the original subscription are retained when this is the renewal method used.
Item field mappings	Only the serial numbers native field is supported for item field mappings. Other native fields and custom fields are not supported.
Creating replacement sales order	The Create Replacement Sales Order button in return authorization form is only available when a returned item has an accompanying item receipt record.
Revenue arrangements	The revenue arrangement for sales orders and subscriptions are separate. There is no auto-merging.

Advanced Billing

- [Advanced Billing Overview](#)
- [Enabling Advanced Billing](#)
- [Billing Schedules](#)
- [Creating Billing Schedules](#)
- [Creating Billing Schedules From an Estimate or Sales Order](#)
- [Applying Billing Schedules](#)
- [Discount and Markup Items and Billing Schedules](#)
- [Billing Customers Using Billing Schedules](#)
- [Invoicing Billable Customers](#)
- [Viewing Invoice Schedules](#)
- [Advanced Billing and Advanced Shipping](#)

Advanced Billing Overview

Advanced billing enables you to create billing schedules to invoice sales over a range of time or a contract term. For example, a service company can use advanced billing for recurring sales like a monthly membership.

Billing schedules manage the billing process to track when to invoice customers and how much to bill.

When you assign a billing schedule to a sale, NetSuite adds a bill to the billing queue at the scheduled intervals. Then, you're able to create the invoices in the billing queue by going to Transactions > Sales > Bill Sales Orders.

The initial bill for each schedule is created on the date entered in the Start Date field of the order. If you don't enter a start date, the first invoice is created when you fulfill or partially fulfill the order.

For example, you can apply a billing schedule with an initial 50% billing amount, monthly recurrence, and two recurrences. If the sales order totals \$1,000.00 and the Start date is January 15th, the sales order will be billed as below:

- Initial invoice for 50% of the sale = \$500.00 billed on January 15th
The balance of the amount due is automatically split evenly between remaining bills.
- Second invoice for 25% of the sale = \$250.00 billed on February 15th
- Third invoice for 25% of the sale = \$250.00 billed on March 15th

When viewing a sales order, you can click the Schedule link at the top of the page to open the schedule record.

For orders with outstanding billings, you can manually create the remaining bills before they're generated from the billing schedule. You can create the next bill on the billing schedule, or you can bill all of the remaining unbilled portion of the order.

You can set a preference to Invoice in Advance of Fulfillment:

- Enable this preference to invoice customers for the full amount before an order is fully fulfilled. With this preference, you can invoice your customers in advance for an entire order that is shipped in parts.

- Disable this preference to limit fulfillment quantities to the remaining quantities.

Set the preference at Setup > Accounting > Preferences > Accounting Preferences > Order Management > Invoicing. For more information, read the help topics [Accounting Preferences](#) and [Billing Orders Using Advanced Shipping with Advanced Billing](#).



Important: The Advanced Billing feature requires that you also enable the Sales Orders feature.

Billing schedules can also be used with the Project Management feature. For details, read the help topic [Project Billing](#).

Enabling Advanced Billing

To enable Advanced Billing, follow these steps:

To enable Advanced Billing:

1. Go to Setup > Company > Enable Features.
2. On the **Transactions** subtab, check the **Advanced Billing** box.
3. To use Advanced Billing, you're also required to enable the Sales Orders feature by checking the **Sales Orders** box.
4. Click **Save**.

To create a billing schedule, go to Lists > Accounting > Billing Schedules > New.



Note: If you decide to turn off Advanced Shipping later, you must first process all sales orders on the Transactions > Sales > Bill Sales Orders page.

Billing Schedules

A billing schedule outlines when to bill a sale over time or a contract term. For example, you might bill monthly for a one-year membership or quarterly for a three-year service contract. Billing schedules manage the billing process by tracking when to invoice customers and how much to bill.

For example, you're able to create a billing schedule with an initial 50% billing amount, monthly recurrence, and two recurrences. When you apply this billing schedule to a \$1,000.00 service contract sales order, it's billed as follows:

- Initial invoice for 50% of the sale = \$500.00
The balance of the amount due is automatically split evenly between remaining bills.
- Second invoice one month later for 25% of the sale = \$250.00
- Third invoice one month after the second for 25% of the sale = \$250.00

You can set up billing schedules to accommodate various sales types. Some sales require a fixed currency amount upfront, while others need a percentage of the total. Sales may require weekly, monthly or quarterly recurrent invoices. You can set billing to recur monthly 12 times or quarterly 3 times, or even customize bill recurrence schedules to suit your needs.

You can apply a billing schedule to an entire sales order or choose a different schedule for each line item. You can assign a default billing schedule to an item record, which then appears on sales orders when you select that item.

You can also create a new billing schedule from an estimate or sales order. Billing schedules created from estimates or sales orders can be marked as Public or Private. Private billing schedules show in the list of billing schedules only on the transaction it is created from. Note that milestone billing schedules cannot be marked Public. If you manually click Next Bill to bill a sales order and there are remaining lines from the previous schedule that weren't billed, NetSuite bills them on the next billing date. Now, click Next Bill again to move to the next billing date. To remove a line from a billing schedule, close the line on the sales order. If you delete the line, your billing schedule amounts could be different from expected.

With a billing schedule, NetSuite requires fulfillable items to be fulfilled and fully billed on the first invoice before moving to the next one. If an item isn't fulfilled or fully billed, the billing schedule doesn't advance.

When you view an estimate or sales order, you can click the Schedule link at the top of the page to open the schedule record. On sales orders, you can view the billing schedule by clicking the Schedule subtab.

 **Note:** You can edit a billing schedule associated with an open sales order, but it won't update existing instances for that order. To update existing instances, go to Transactions > Sales > Enter Sales Orders > List to open the sales order and re-save it. Upon saving, the billing schedules are updated with your changes.

Billing schedules affect your sales forecast report by dividing revenue across the billing schedule period. A sales order with a billing schedule is calculated into forecast schedules based on the initial and subsequent billing amounts and on the billing start date. Sales forecasts for a particular period include amounts set to be billed in that period.

Creating Billing Schedules

With Advanced Billing, you can create billing schedules for items and sales. Billing schedules define how sales are billed over time or a contract term. Billing schedules track when to invoice customers and how much to bill, managing the billing process. For example, you might bill monthly for a one-year membership or quarterly for a three-year service contract.

To create a billing schedule, define the following characteristics:

- **Initial Amount** – the amount of the first billing instance. You can use a currency amount or a percentage of the sale total for line-level billing schedules. But percentage initial amounts are only permitted at the transaction level.
- **Type** – the billing schedule type. Selecting Time and Materials or Charged-Based billing schedule types hides the Initial Amount field. When creating a billing schedule for a transaction subtotal, set this field to Standard.
- **Initial Payment Terms** – payment requirements applied to the first billing instance.
- **Recurrence Frequency** – how often billings repeat (for example, daily, weekly, quarterly, every four months, or monthly). When creating a billing schedule for a transaction subtotal, set this field to Custom.
- **Repeat Every** – the frequency of recurring invoices. The Repeat Every field relates to the Recurrence Frequency field. Selecting Monthly for Recurrence Frequency changes the Repeat Every field to Monthly.
- **Recurrence Count** – the number of bills after the first one.
- **In Arrears** – bill at the end of each period, not the start.
- **Recurrence Payment Terms** – payment terms for subsequent billings.

You can set up a billing schedule for each type of sale that incorporates the appropriate billing procedures. For example, you might create a billing schedule with an initial 50% billing amount, monthly recurrence, and two recurrences. If you apply this billing schedule to a \$1,000.00 service contract sales order, it'll be billed as follows:

- Initial invoice for 50% of the sale = \$500.00
- Second invoice one month later for 25% of the sale = \$250.00
- Third invoice one month after the second invoice for 25% of the sale = \$250.00



Note: The final installment is calculated differently than the others. The final installment in a billing schedule is calculated as:

Final installment = Total amount – (sum of all other installments and initial amount)

To apply a billing schedule to a subtotal, set the **Type** field to **Standard**, set the **Recurrence Frequency** field to **Custom**, and check the **Apply to Subtotal** box.

To create a billing schedule:

1. Go to Lists > Accounting > Billing Schedules > New.
2. In the **Name** field, enter a name for this schedule.
For example, you might name the schedule **50% down, 2 monthly**.
3. In the **Initial Amount** field, enter the initial billing amount. You can enter this amount as a currency amount or as a percentage. This can be a currency amount or a percentage of the sale total if you use line-level billing schedules. You can only use percentage initial amounts at the transaction level.
4. In the **Initial Payment Terms** field, select the terms to be used on the first invoice to be created from the sales order.
To add new payment terms, go to Setup > Accounting > Setup Tasks > Accounting Lists > New > Term > New > Term > New.

5. In the **Recurrence Frequency** field, select the frequency for bills to recur.

Select **Custom** to create a new frequency or to create a billing schedule you want to apply to the subtotal of a transaction:

Define the frequency by entering information in the middle fields.

- a. In the **Count** field, enter the number of units of time to calculate a billing date.
For example, enter **12** to bill twelve months after the initial bill.
- b. In the **Units** field, enter the units of time to calculate a billing date.
For example, select **Months** to bill twelve months after the initial bill.
- c. By default, billing frequency is based on the initial invoice date. You can use the Relative to Previous box to base subsequent bills on the previous bill's date instead of the initial invoice date.
Check the **Relative to Previous** box if the frequency is relative to the previous billing instead of the transaction date.

The Relative to Previous box doesn't affect the first bill line, which is always based on the initial bill. Checking or clearing the box affects the bill date for subsequent bill lines.

For example, if a sales order's initial invoice is created on 01/01/2007:

The first line in the bill schedule has a Count and Units of 1 Month. This bill will be created on 02/01/2007.

The second line in the bill schedule has a Count and Units of 2 Months. If Relative to Previous is checked, this bill is scheduled for 2 months after the previous line, or 04/01/2007. If Relative to Previous is cleared, this bill is scheduled for 2 months after the initial bill, or 03/01/2007.

When you check the Relative to Previous box, the date of that billing appears in the Example field.

- d. In the **Amount** field, enter the amount to be billed. This can be a currency amount or a percentage of the sale total if you use line-level billing schedules, but you can only use percentage initial amounts if you apply billing schedules on the transaction level.
 6. If you selected a Recurrence Frequency other than custom, enter a Recurrence Count. This defines the number of invoices or cash sales generated after the initial sale. The remaining amount due for the sale (after the initial amount is deducted) is evenly divided between the recurring invoices.
For example, the total to be billed for a sale is \$2,400.00. The billing schedule applied to the sale has an initial amount of 50%, a recurrence frequency of monthly, and a recurrence count of 12. The initial invoice total is \$1,200.00 and then a recurring invoice of \$100.00 is generated one time per month for 12 months to bill the remainder of the sale.
 7. In Arrears will be checked by default.
 - When In Arrears is checked, billing occurs at the end of the recurrence period.
From the example in step 6, if the initial invoice for \$1,200.00 is generated on January 1st, 2006, then the first recurring monthly invoice for \$100.00 is generated on February 1st, 2006.
 - When In Arrears is cleared, billing occurs at the beginning of the recurrence period.
From the example in step 6, if the initial invoice for \$1,200.00 is generated on January 1st, 2006, then the first recurring monthly invoice for \$100.00 is also generated on January 1st, 2006. NetSuite combines these two amounts on one invoice, so the first invoice includes both the initial amount and the first recurring payment, for an invoice total of \$1,300.00.
 8. In the **Recurrence Payment Terms** field, select the terms to be used on all invoices subsequent to the initial invoice.
-  **Note:** This field is greyed out when you select Custom in the Recurrence Frequency field.
9. If you do not want this schedule to be applied to items and new orders, inactivate the schedule by checking the **Schedule is Inactive** box.
 10. Click **Save**.

It is possible to create a billing schedule that will bill more than 100% of the invoice amount.

For example, you could create a schedule for the initial amount of \$10,000.00 and then a custom frequency of 25% billed every three months. If you apply this schedule to an order totaling \$60,000.00, the invoices are created as below:

- 1st invoice = \$10,000.00
- 2nd invoice = \$12,500.00
- 3rd invoice = \$12,500.00
- 4th invoice = \$12,500.00
- 5th invoice = \$12,500.00
- **Total billed = \$60,000.00**

After the initial amount, invoices are created based on 25% of the total bill, not based on the remainder due after the initial amount. If your schedule uses both dollar amounts and percentages, or uses a custom frequency, verify that the total amount billed by the schedule is the amount intended.

Note: Billing schedules created using the above steps default to be Private and cannot be set to Public.

Private billing schedules show only in the transaction it is created from.

Public billing schedules show on any transaction.

To create a Public billing schedule, it must be created on the fly. Read [Creating Billing Schedules From an Estimate or Sales Order](#).

Creating Billing Schedules From an Estimate or Sales Order

You can create a billing schedule when entering an estimate or sales order.

To create a billing schedule from an estimate or sales order:

1. Go to one of the following:
 - Transactions > Sales > Prepare Estimates
 - Transactions > Sales > Enter Sales Orders
2. On the **Billing** subtab, select **New** in the **Billing Schedule** field.
3. Follow the steps in [Creating Billing Schedules](#) to create the schedule.
4. A billing schedule created from a transaction can be identified as Public or Private.
 - Private billing schedules are only visible in the transaction they're created from.
 - Public billing schedules are visible on any transaction.

By default, billing schedules created from transactions are Private.

To set the status to Public, check the **Public** box.

Note: Milestone billing schedules cannot be marked public.

5. Click **Save**.

If you create a private billing schedule from an estimate, that schedule is attached to items on the resulting sales order. When the sales order is created from the estimate, the private schedule can also be added to new lines you add to the sales order.

Private billing schedules can be made Public, but not the other way around.

You can view the billing schedule list at Lists > Accounting > Billing Schedules, and choose to view **Public**, **Private** or **All** schedules in the top of the page in the **Type** field. Each private schedule shows a link to its associated transaction and a link to the billing schedule record.

Note: Editing a billing schedule doesn't update existing instances on open sales orders.

To update existing instances, go to Transactions > Sales > Enter Sales Orders > List to open the sales order and re-save it. Upon saving, the billing schedules are updated with your changes.

Now, you can apply this billing schedule to sales or items to generate invoices. For more information about applying a billing schedule, read [Applying Billing Schedules](#).

Applying Billing Schedules

The Advanced Billing feature enables you to create billing schedules that you apply to sales orders or to line items on sales orders. When you apply a billing schedule, the order is billed in according to that schedule.

Note: By default, billing schedules are applied to each line individually, not the subtotal, unless you use the Apply to Subtotal option.

Assigning a Default Billing Schedule to an Item

You can assign a billing schedule on an item record. Then, when the item is chosen on sales transactions, the billing schedule is applied by default. You can change default billing schedules on individual transactions.

Note: The billing schedule shows on line items only if forms are customized to show schedules on lines. Read [Assigning a Billing Schedule to a Line Item](#).

You can assign billing schedules to the following item records:

- Inventory (including matrix and serialized)
- Assembly (including serialized)
- Kit/Package
- Non-Inventory (for sale and resale)
- Other Charge (for sale and resale)
- Service (for sale and resale)

To assign a billing schedule to a new item record:

1. Go to Lists > Accounting > Items > New > New.
2. Click the item type you want to create.
3. On the item record, enter information in the necessary fields.
4. On the **Sales / Pricing** subtab under Sales in the **Billing Schedule** field, select the billing schedule you want to associate with this item.
5. Click **Save**.

To apply a billing schedule to an existing item, go to List > Accounting > Items, click **Edit** next to the item, and make your changes.

Assigning a Billing Schedule to a Transaction

You can apply a billing schedule to an entire transaction.

To apply a billing schedule to a new sales order:

1. Go to Transactions > Sales > Enter Sales Orders.
2. In the **Start Date** field, enter the date the first invoice is to be created.
If you leave this field blank, the first billing date defaults to the sales order date.
3. Choose a customer in the **Customer** field.
4. On the **Billing** subtab, in the **Billing Schedule** field, choose a billing schedule for all items on this order.
To enter a new billing schedule, click **New**.
5. Fill in other fields as necessary.
6. Click **Save**.

To apply a billing schedule to an existing sales order, go to Transactions > Sales > Enter Sales Orders > List, click **Edit** next to the sales order, and make your changes.

Assigning a Billing Schedule to an Invoice Subtotal

To create a fixed amount billing schedule for an invoice subtotal, set the sales order Type to Standard and the Recurrence Frequency to Custom. Check the **Apply to Subtotal** box and enter a schedule of fixed currency amounts based on the pre-tax, pre-discount invoice total.

For example, suppose you have an invoice with three transactions with a subtotal of \$300. The transactions total \$50, \$100, and \$150, respectively, for a subtotal of \$300. The customer wants to pay the invoice in three \$100 installments, so define three payments of \$100 each, totaling \$300.

To apply a billing schedule to a transaction subtotal:

1. Go to Transactions > Sales Order > Enter Sales Order.
2. In the **Start Date** field, enter the first invoice date.
If this field is left blank, the first billing date is the date of the sales order.
3. In the **Customer** field, select a customer.
4. On the **Billing** subtab, in the **Billing Schedule** field, select a billing schedule for the transaction subtotal.
To enter a new billing schedule, click **New**. To create and apply a subtotal billing schedule, set the **Type** field to **Standard** and the **Recurrence Frequency** field to **Custom**, and then check the **Apply to Subtotal** box.
5. Fill in any other required fields.
6. Click **Save**.

Assigning a Billing Schedule to a Line Item

You can apply a billing schedule to an individual line item on a transaction. To do this, you need to customize the following transaction forms to show line item billing schedules:

- Sales orders
- Online order forms

To customize your transaction forms for line-item billing schedules:

1. Go to Customization > Forms > Transaction Forms.

2. On the Custom Transaction Forms page, click **Customize** next to the transaction form you want to change.
3. In the **Name** field, enter a name for this form. For instance, you could name it Billing Schedule Sales Order.
This name appears in the Custom Form field on transactions.
4. Click the **Sublist Fields** subtab.
5. In the **Show** column, check the box next to **Billing Schedule** to show the billing schedule column when you view the transaction.
6. Click the **Printing Fields** subtab.
7. Click the **Columns** subtab under **Printing Fields**.
8. Check the **Print/Email** box next to **Billing Schedule** to show the billing schedule column when you print or email the transaction.
9. Click **Save**.

Now, when you choose this custom form in the Custom Form field on transactions, you can choose a billing schedule for each line item.

To apply a billing schedule to a sales order line item:

1. Go to Transactions > Sales > Enter Sales Orders.
2. In the **Custom Form** field, select the customized sales order form.
3. In the **Start Date** field, enter the first invoice date.
If you leave this field blank, the first billing date defaults to the sales order date.
4. In the **Customer** field, select a customer.
5. On the **Items** subtab, in the **Items** column, choose an item.
If the item has a billing schedule assigned on the item record, that billing schedule autofills in the Bill. Sched. column. You can choose another billing schedule for that item.
6. Click **Add**.
7. Fill in any other required fields on the form.
8. Click **Save**.

Discount and Markup Items and Billing Schedules

You can't assign billing schedules to discount or markup items, but you can include them on orders with a billing schedule. Here's how discounts and markups are applied to sales:

- When you include a percentage discount item on a sales order with a billing schedule, the discount is applied to each billing instance.
For instance, suppose an item costs \$100 and is invoiced in two \$50 billings. The sales order includes a 10% discount item. The first invoice totals \$45 (\$50 minus the 10% discount). The second invoice is also \$45 (\$50 minus the 10% discount). The total billing amount for the order is \$90 (\$100 minus the 10% discount).
- When you add a currency amount discount item to a sales order with a billing schedule, the entire discount amount appears on the first invoice by default.
For example, suppose an item costs \$100 and is invoiced in two \$50 billings. The sales order includes a \$20 discount item. The first invoice totals \$30 (\$50 minus the \$20 discount). The second invoice is \$50. The total billing amount for the order is \$80 (\$100 minus the \$20 discount).

Note: This might make the discount amount greater than the billing total on the first invoice. If this happens, you'll need to adjust the discount amount on the first invoice. When you update the discount amount on the invoice, the next invoice will include the remaining discount amount.

Billing Customers Using Billing Schedules

With Advanced Billing, orders associated with a billing schedule generate bills according to that schedule. After bills are scheduled, you can [Create Bills from the Billing Queue](#) or [Bill Manually](#).

Create Bills from the Billing Queue

When you assign a billing schedule to a sale or line, NetSuite adds a bill to the billing queue at the scheduled intervals. Then, you can generate the bills in the billing queue.

For more information, read [Billing Schedules](#).

Note: Use the Bill Sales Orders page for orders with billing schedules and the Invoice Billable Customers page for invoices related to expenses, items, and time.

To create bills from the queue:

1. Go to Transactions > Sales > Invoice Sales Orders.
2. Filter the list by selecting a customer to show only their transactions.
Select **All** to display all transactions without filtering.
3. Select the period for posting this transaction.
You can't post to a closed period.
4. NetSuite defaults to today's date for the transaction date. You can enter or select a different date if needed.
5. In the **Next Bill On or Before** field, enter a date to filter the fulfillment list.
6. Choose whether you want to print or email the form.
7. Choose an Accounts Receivable account. The payment will post to this account when the bill is paid.
8. Check this box if you've already processed credit card charges for these transactions outside NetSuite.

Note: If you check this box and submit, NetSuite automatically marks the Credit Card Approved box and sets the Account field on bills you're processing.

9. Check the **Hide Unfulfilled Orders** box to filter the list to show only fulfilled orders.

Note: This field is visible only if the Invoice in Advance of Fulfillment preference is enabled.

Important: If you've enabled Invoice in Advance of Fulfillment and Advanced Shipping, and you check this box, sales orders with billable items will appear in the Sales Orders reminder and the Sales Orders to Bill list.

10. To scan in transaction bar codes, click the **Select Order Number** field.

 **Note:** To scan in bar codes, you must select **All** in the entity field.

11. To select the orders you want to bill, check the boxes in the **Invoice** column.
12. Click **Submit**.
The system creates bills for the selected transactions.

Bill Manually

For orders that have billings outstanding, you can create the remaining invoices manually. You can either create the next scheduled invoice or invoice the entire remaining balance.

After an invoice is created, you can print, email or fax it to your customer.

To create remaining invoices manually:

1. Go to Transactions > Sales > Enter Sales Orders > List > List.
2. On the **Sales Orders** page, click the date next to the order you want to invoice.
3. On the sales order:
 - Click the **Next Bill** button to create the next scheduled invoice, then click **Save**.
 - Click the **Bill Remaining** button to invoice the remaining balance and override the billing schedule, then click **Save**.

To send the invoice to the customer:

1. Go to Transactions > Sales > Create Invoices > List.
2. On the **Invoice** list, click the date next to the invoice.
3. On the invoice:
 - Click **Save & Print** to print the invoice.
 - Click **Save & Email** to email the invoice.
 - Click **Save & Fax** to fax the invoice.

Viewing Invoice Schedules

The schedule page displays a list of scheduled billings for a sales transaction. This includes cash sales and invoices created from the sale. To view an invoice schedule, click the Billing subtab on the estimate or sales order, and then click the Schedule subtab.

If no billing schedule is associated with the sale, the schedule shows only one billing instance for the transaction.

If one or more billing schedules are associated with the sale, the schedule lists each upcoming invoice based on the associated schedules.

For instance, suppose a sales order has the following details:

- Transaction Date = 11/1/05
- Start Date = 11/15/05

- Billing instance rate = monthly billing of \$100
- Billing instance quantity = total of 4

The Invoice Schedule page for this sale shows four lines, one for each billing instance:

- \$100 to be invoiced on 11/15/05
- \$100 to be invoiced on 12/15/05
- \$100 to be invoiced on 1/15/06
- \$100 to be invoiced on 2/15/06

If a sales transaction contains some lines associated with a billing schedule and also some lines that are not, then the schedule page shows the following:

- one billing instance that combines all lines not associated with a billing schedule
- one billing instance for each invoice to be generated according to the associated schedules

For example, a sales order shows the following information:

- Transaction Date = 11/1/05
- Start Date = 11/15/05
- A line item sold for \$200 with NO associated billing schedule
- A line item associated with a billing schedule:
 - Billing instance rate = monthly billing of \$100
 - Billing instance quantity = total of 4

Then, the invoice schedule for this sale shows five lines, one for each billing instance:

- \$200 to be invoiced on 11/1/05
- \$100 to be invoiced on 11/15/05
- \$100 to be invoiced on 12/15/05
- \$100 to be invoiced on 1/15/06
- \$100 to be invoiced on 2/15/06

Advanced Billing and Advanced Shipping

When you use the Advanced Billing feature and the Advanced Shipping feature together, order processing is based on whether each item on an order is able to be fulfilled or received.

Items are able to be fulfilled or received based on the status set on the item record. Some item types have a permanent status that marks them fulfilled or received. Other item types permit you to set the status for always fulfilling and receiving them or never doing so. You can set item statuses as follows:

- **Always Fulfillable/Receivable**
 - Inventory
 - Assembly/Bill of Materials
- **Never Fulfillable/Receivable**
 - Group
 - Description
 - Discount
 - Markup
- **Allows Changes to Fulfillable/Receivable Status**
 - Kit/Package
 - Non-Inventory
 - Download
 - Gift Certificate
 - Other Charge for Sale or Resale
 - Service Item for Sale or Resale

To set an item's fulfillable/receivable status, go to List > Accounting > Items, and click **Edit** next to a Gift Certificate, Other Charge or Service item record. On the **Preferences** subtab, check or clear the **Can be Fulfilled/Received** box, and click **Save**.

After setting the fulfillable/receivable status for items, NetSuite processes the appropriate items based on the following conditions:

- If the order includes unbilled items
- If the order includes associated billing schedules
- If the order includes fulfillable items
- Setting for the **Invoice in Advance of Fulfillment** preference

Billing Orders Using Advanced Shipping with Advanced Billing

When you use Advanced Shipping with Advanced Billing, you need to set the fulfillable/receivable status for items. NetSuite bills the appropriate items based on the following conditions when you bill sales orders:

- If the order includes unbilled items
- If the order includes associated billing schedules

- If the order includes fulfillable items
- Setting for the **Invoice in Advance of Fulfillment** preference

When you view an open sales order that has an attached billing schedule, you can use the Next Bill and Bill Remaining buttons to generate invoices as follows:

- Click **Next Bill** to generate an invoice that bills the next cycle- you're essentially billing the next scheduled amount.
- Click **Bill Remaining** to bypass the schedule and invoice the total outstanding amount at one time.

Another option is to bill sales orders by going to Transactions > Sales > Bill Sales Orders. On the Bill Sales Orders page, you can filter the list of orders by date with the Next Bill On or Before field. This filter applies only to sales orders with associated billing schedules.

Bill sales orders by going to Bill sales orders by going to Transactions > Sales > Bill Sales Orders.. To learn more about billing orders, read [Billing Customers Using Billing Schedules](#).

Electronic Invoicing

Note: The Electronic Invoicing SuiteApp provides you the ability to generate and send e-documents as well as receive and convert them into transactions records. Inbound and outbound electronic invoicing processes support multiple transaction records. To know about supported transactions, see [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#).

To understand how to set up and use the electronic invoicing features, read the following topics:

- [Electronic Invoicing Quick Start](#)
- [Electronic Invoicing Overview](#)
 - [Outbound Electronic Invoicing](#)
 - [Inbound Electronic Invoicing](#)
 - [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#)
 - [Customizations Supported by the Electronic Invoicing SuiteApp](#)
 - [E-Document Audit Trail and Statuses](#)
 - [Electronic Invoicing Permissions and Access Levels](#)
 - [Electronic Invoicing Limitations and Best Practices](#)
- [Electronic Invoicing Administrator Guide](#)
 - [Installing and Setting Up Electronic Invoicing](#)
 - [Prerequisites for Using Electronic Invoicing](#)
 - [Installing the Electronic Invoicing SuiteApp](#)
 - [Considerations When Setting Up Electronic Invoicing](#)
 - [Electronic Invoicing Setup Tasks](#)
 - [Granting Access Permission to the E-Documents Portlet](#)
 - [Understanding E-Document Transaction Response](#)
 - [Creating E-Document Packages](#)
 - [Creating E-Document Templates](#)
 - [XPath and Regex Examples for E-Document Templates](#)
 - [PEPPOL Template](#)
 - [ANZ PEPPOL Template: PEPPOL Template for Australia and New Zealand](#)
 - [Vendor Bill](#)
 - [Vendor Credit](#)
 - [Sales Order](#)
 - [Understanding Inbound E-Document Templates in JSON Format](#)
 - [Understanding XSD in Inbound E-Document Templates](#)
 - [Understanding XSD in Outbound E-Document Templates](#)
 - [Creating a Digital Signature Plug-in Implementation for E-Documents](#)
 - [Creating an Outbound Validation Plug-in Implementation for E-Documents](#)
 - [Creating a Custom Plug-in Implementation for E-Document Custom Data Source](#)
 - [Creating E-Document Transaction Response Template](#)
 - [Editing E-Document Templates](#)

- Creating E-Document Sending Methods
- Selecting a Designated E-Document Sender
- Setting Up Custom Roles to Send E-Documents
- Customizing Roles to Restrict E-Document Generation or Sending
- Deploying the Bulk Generation Script for E-Documents
- Deploying the Script for Bulk Scheduled Sending of E-Documents
- Updating E-Document Certification Statuses
- Electronic Invoicing Inbound Email Capture
 - Setting Up Inbound Email Capture
 - Enabling Inbound Email Capture Plug-in
- Using SOAP Web Services for Inbound Processing
- Setting Up Custom Roles that can Convert Inbound E-Documents
- Inbound Validation Plug-ins
 - Creating a Custom Plug-in for Inbound E-Document Validation
- Deploying Automatic Bulk Conversion Script for Inbound E-Documents
- Electronic Invoicing User Guide
 - Overview of Outbound E-Document Process
 - Outbound E-Document Statuses
 - Assigning E-Document Packages to Customer or Vendor Records
 - Defining E-Document Email Recipients
 - Selecting E-Document Packages, Templates and Sending Methods on Transactions
 - Enabling PDF File Reference Generation
 - Generating and Regenerating E-Documents
 - Generating E-Documents for Single Transactions
 - Regenerating E-Documents for Single Transactions
 - Generating and Regenerating E-Documents in Bulk
 - Sending and Resending E-Documents
 - Sending the E-Document of a Single Transaction
 - Resending the E-Document of a Single Transaction
 - Resending E-Documents in Bulk
 - Overview of Inbound E-Document Processing
 - Inbound E-Document Statuses
 - Receiving Inbound E-Documents by Email Capture
 - Receiving E-Document XML Files from Web Service
 - Uploading Received XML Files as Inbound E-Documents
 - Converting Inbound E-Documents into Transaction Records
 - Converting an E-Document into Vendor Bill Linked to Purchase Order
 - Prerequisites and Conditions for Conversion
 - Common Scenarios in Vendor Bill Conversion
 - Converting Individual Inbound E-Documents into Vendor Bills

- Converting Individual Inbound E-Documents into Vendor Credits
- Converting Individual Inbound E-Documents into Sales Order
- Converting Failed Inbound E-Documents
- Compatibility of Approval Workflows with Vendor Bill Conversion
- Canceling Inbound E-Documents
- Electronic Invoicing Builder Kit
- Electronic Invoicing Errors
 - Electronic Invoicing Error Codes
 - Electronic Invoicing Common Errors
 - Outbound E-Document Generation Errors
 - Outbound E-Document Sending Errors
 - Inbound E-Document Conversion Errors

Electronic Invoicing Quick Start

Read the following steps to understand how to install and get started with the Electronic Invoicing SuiteApp.

1. Install Electronic Invoicing SuiteApp-

You must install the Electronic Invoicing SuiteApp from the Suite Bundler. Make sure you have the prerequisites set for using the Electronic Invoicing. For more information about the same, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4592549826.html#bridgehead_4580987033

2. Install License Client-

The NetSuite SuiteApps License Client (Bundle ID: 116144) must be installed before you install the Electronic Invoicing SuiteApp (Bundle ID: 436209). To install, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_N3395142.html

If you don't have the license, define the Free Country at the Subsidiary level.

3. Define the Template-

Create an e-document template. Both outbound and inbound e-document templates can be created on the E-Document Templates record. For more information about the same, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4536871429.html#Related-Topics

4. Define the Sending Methods-

Create an e-document sending method for selection on the transaction record and the e-document package record. See, https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4536875049.html for more information.

5. Define the Package-

A package defines a set of formats used for various transactions. See, https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4593256917.html#Related-Topics for more information about understanding e-document packages.

6. Install Localization SuiteApp-

You may have a dedicated localization SuiteApp depending on the country you choose which will cover steps 3,4,5 automatically. The list of available localization SuiteApps are as follows:

- Malaysia Electronic Invoicing

- Israel Electronic Invoicing
- Mexico Localization
- India Localization
- Brazil Localization

7. Configure Customer/ Vendor records-

You must follow the below steps to configure customer/ vendor records for assigning e-document packages:

- a. Assign the package to the customer or the vendor-

For more information about this step, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4592483798.html

- b. Define E-document email recipient-

If you are using an email sending method, you must define the e-document email recipients. For more information about the same, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4592483197.html

- c. Set the Auto-population

8. Configure Electronic Invoicing Preferences-

The EI preferences are account level and applicable to all subsidiaries. You must configure these preferences for performing further steps. See, https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_0619104200.html#bridgehead_33225319345 for more information about the same.

9. Give permissions to custom role-

If you are using custom roles for daily usage, you are required to give required electronic invoicing permissions to the custom roles. See, https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_4615883600.html#Related-Topics and https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_1526454388.html#To-restrict-the-permission-of-standard-and-custom-roles-to-generate-and-send-outbound-e-documents%3A for more information about the same.

10. Configure Map/Reduce-

If you want scheduled generation or sending, configure the Map/Reduce script for automatic scheduled sending of outbound e-documents. For more information about the steps for configuration, see https://docs.oracle.com/en/cloud/saas/netsuite/ns-online-help/section_1495611216.html#To-deploy-the-script-for-scheduled-sending-of-e-documents%3A

Electronic Invoicing Overview

The Electronic Invoicing SuiteApp enables you to create and use electronic documents (e-documents) in XML or JSON, for your business. The use of XML or JSON e-documents has become a standard for exchanging business information in many countries. E-documents can help you comply with legal requirements in your country, or to automate your order-to-cash and purchase-to-payment processes. By using e-documents, your company, customers, vendors, tax agencies or government regulatory bodies, can exchange information about business transactions electronically using standard data format.

The Electronic Invoicing SuiteApp supports outbound and inbound processing of e-documents. Outbound e-document processing involves generating XML or JSON e-documents from supported NetSuite transactions, and then sending the XML or JSON e-documents to your customers, vendors and tax agencies. On the other hand, inbound e-document processing involves receiving XML e-documents from your vendors and then converting the XML e-documents into NetSuite transaction records. Both

inbound and outbound e-documents use templates that you can create. Sample templates for inbound and outbound e-documents are included in the SuiteApp.



Important: The Electronic Invoicing SuiteApp provides a framework for automating e-documents processing. It does not include native support for any country-specific requirements or e-document standards. But you can create custom country-specific e-document templates and packages using the Electronic Invoicing SuiteApp.

The Electronic Invoicing SuiteApp enables you to track received, converted, generated and sent e-documents through an audit trail on the **E-Document** subtab of a transaction record.

The SuiteApp is available free of charge when used for a single country. To use e-documents across multiple countries, contact your NetSuite account representative to purchase a license. For more information, see [Electronic Invoicing SuiteApp Availability and License Client](#).

The Electronic Invoicing SuiteApp also supports multiple languages that the NetSuite user interface can be displayed in. For more information, see the help topics [Configuring Multiple Languages](#) and [Choosing a Language for Your NetSuite User Interface](#).

Outbound Electronic Invoicing

The Electronic Invoicing SuiteApp enables you to generate outbound XML or JSON e-documents from the following NetSuite transactions:

- Bill
- Credit Memos
- Cash Sales
- Cash Refunds
- Customer Payments
- Customer Deposit
- Estimates
- Invoices
- Item Fulfillment
- Purchase Orders
- Registered Custom Transaction Types
- Returns
- Transfer Order
- Vendor Credit or Bill Credit

Generated e-documents can then be sent to your customers, vendors or tax agency, individually or in batches. The default sending method of the outbound electronic invoicing is through email. You can also create custom sending methods like SOAP web services or automate the sending of e-documents by deploying scripts. The electronic invoicing outbound process also supports e-document certification, by sending e-documents to a certification authority and then receiving the certified e-documents.

In general, the electronic invoicing outbound process is composed of the following steps:

1. The administrator creates and sets up outbound e-document templates and sending methods:

- a. The outbound e-document template must contain the XML or JSON code and specify the supported transactions and the recipient subsidiaries. For more information, see [Creating E-Document Templates](#) and [Multi-subsidiary Support in the Outbound Process](#).
 - b. The sending method must specify the custom plug-in implementation, the supported transactions, the recipient subsidiaries, and if it will be used for certification. For more information, see [Creating E-Document Sending Methods](#), [E-Document Certification in the Outbound Process](#), and [Multi-subsidiary Support in the Outbound Process](#).
2. The administrator creates an e-document package, which specifies an e-document template and sending method. See [Creating E-Document Packages](#). Users can assign the e-document package to customers or vendors. The transactions of that customer or vendor will apply the e-document template and sending method of the e-document package. For more information, see [Assigning E-Document Packages to Customer or Vendor Records](#).

Or, users can create or edit a transaction record, then select an e-document template and an e-document sending method. For more information, see [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#) and [Selecting E-Document Packages, Templates and Sending Methods on Transactions](#).


3. Users can generate the outbound e-documents of transactions with an associated e-document template and sending method. Outbound e-documents can be generated from the following transaction types:

- Bill
- Credit Memos
- Cash Sales
- Cash Refunds
- Customer Payments
- Customer Deposit
- Estimates
- Invoices
- Item Fulfillment
- Purchase Orders
- Returns
- Registered Custom Transaction Types
- Transfer Order
- Vendor Credit or Bill Credit

See [Generating and Regenerating E-Documents](#).

4. Users can send generated e-documents to your customers, vendors or tax agency. For more information, see [Sending and Resending E-Documents](#).
 - a. If you need to certify the generated e-document, specify a certification sending method. Then, send the e-documents to the certification authority or tax agency. See [E-Document Certification in the Outbound Process](#).
5. Users can perform all the e-document processes by clicking the single **Process E-Document** button in a transaction , if the e-document template and sending method is configured. See [Processing E-Documents Automatically for Individual Transactions](#)

The following diagram shows the general process flow of outbound electronic invoicing in NetSuite.



For more information about the process of generating and sending outbound e-documents, read the following topics:

- [Overview of Outbound E-Document Process](#)
- [Selecting E-Document Packages, Templates and Sending Methods on Transactions](#)
- [Generating and Regenerating E-Documents](#)
- [Sending and Resending E-Documents](#)

Inbound Electronic Invoicing


You can receive inbound e-documents from your vendors, customers or government regulatory bodies. Inbound e-documents are received in NetSuite through email or SOAP web services, which are the supported inbound channels. You can also receive e-documents from portable file storage media or devices from your vendors. Then, you can manually upload to NetSuite the received XML e-documents, which you will subsequently convert into NetSuite transactions.

An inbound e-document template must be created to convert the received e-documents into supported NetSuite transactions. A sample inbound e-document template is included with the SuiteApp.

Here are a few examples:

- A vendor whom you initially sent a purchase order can send you an XML e-document invoice, which you receive and then convert into a vendor bill record in NetSuite.
- A vendor can send you an XML e-document of credit memo, which you receive and then convert into a vendor credit record in NetSuite.
- A customer can send you an XML e-document of purchase order, which you receive and then convert into a sales order record in NetSuite.

The following diagram shows the general process flow of inbound electronic invoicing in NetSuite.




For more information about the process of receiving and converting inbound e-documents, read the following topics:

- [Overview of Inbound E-Document Processing](#)
- [Receiving Inbound E-Documents by Email Capture](#)
- [Uploading Received XML Files as Inbound E-Documents](#)
- [Converting Inbound E-Documents into Transaction Records](#)

Transactions and Processes Supported by the Electronic Invoicing SuiteApp

Inbound and outbound transaction types are better understood in the perspective of the NetSuite user, who can either be the vendor or the customer in the conduct of a transaction.

The following diagram illustrates scenarios where transaction types are transformed into other types in the perspective of the NetSuite user along the outbound and inbound e-document process.



Based on the diagram, the NetSuite user can either be a vendor or a customer, who can generate and send XML or JSON outbound e-documents or receive inbound XML e-documents using the Electronic Invoicing SuiteApp.

As the vendor (the party selling items or providing services), the NetSuite user can generate the XML or JSON e-document of an invoice, based on an initial purchase order sent by a customer. Likewise, the NetSuite user can generate the XML or JSON e-document of an item fulfillment, credit memo, or return authorization. Generated outbound XML or JSON e-documents can then be sent through email or web service to a customer or tax authority.

Outbound e-document generation for vendor bill is a special case, as it supports self-billing. This is useful if you want to charge your company in advance for goods or services acquired from a vendor, and then send the generated e-document of the bill to your vendor along with the payment.

As the customer (the party buying items or acquiring services), the NetSuite user can receive inbound XML e-documents from a vendor or tax authority through email or web service. After the inbound XML e-document is received in NetSuite, it can be converted into its corresponding transaction record. A vendor can send an e-document of an invoice or credit memo, which you can receive and convert into a vendor bill or vendor credit respectively. Similarly, customer can send an e-document of purchase order, which you can receive and convert into a sales order. Currently, only vendor bill, vendor credit and sales order are supported for inbound processing.

The following table lists the transaction types currently supported by outbound and inbound electronic invoicing.

Outbound	Inbound
Bill (for self-billing)	Bill
Credit Memo	
Cash Refund	
Cash Sale	
Customer Payment	
Customer Deposit	
Invoice	

Outbound	Inbound
Item fulfillment	
Purchase Order	
Return Authorization	
Registered Custom Transaction Types	
	Sales Order
Transfer Order	
Vendor Credit or Bill Credit	Vendor Credit or Bill Credit

Electronic Invoicing Preferences

The Electronic Invoicing Preferences page consists of parent, subsidiary, and role preferences that links to the account level and subsidiary level (for OneWorld Accounts) configurations. Administrators can update the preferences in:

- Parent company
- Subsidiary companies
- Manage Roles page

Electronic Documents Dashboard SuiteApp Portlet

The Electronic Documents Dashboard SuiteApp Portlet displays the number of e-documents that are pending a process. Clicking the number under a process opens a results page with a list of e-documents pending a process, or the page for performing an e-document process.

For outbound e-document processing, the left column displays the number of:

- Outbound E-Documents for Generation
- Outbound E-Documents for Sending, or Outbound E-Documents for Certification

Note: If a certification sending method is specified, Outbound E-Documents for Certification is displayed instead of Outbound E-Documents for Sending.

- Certified E-documents for Sending is only displayed if at least one certification sending method is specified.
- Outbound E-Documents with Errors
A Send Failed Outbound E-Documents link is included on the outbound column to allow searching and resending of outbound e-documents that failed initial sending. For more information, see [Sending and Resending E-Documents](#).

For inbound e-document processing, the right column displays the number of:

- Inbound E-Documents for Conversion
- Convert Failed Inbound E-Documents
- Incomplete Inbound E-Documents

The inbound column also has a link for manually uploading inbound e-documents. For more information, see [Uploading Received XML Files as Inbound E-Documents](#).

E-document settings for administrator tasks can be accessed from the menu, Setup > E-Documents.

For more information about the e-documents portlet, see [Granting Access Permission to the E-Documents Portlet](#) and [Displaying the E-Documents Portlet on the Home Page](#).

Customizations Supported by the Electronic Invoicing SuiteApp

The Electronic Invoicing SuiteApp is designed to support the following customizations:

- Custom e-document templates – See [Creating E-Document Templates](#).
- Custom sending methods – See [Creating E-Document Sending Methods](#).
- Scheduling of outbound e-document generation – See [Deploying the Bulk Generation Script for E-Documents](#).
- Scheduling of outbound e-document sending – See [Deploying the Script for Bulk Scheduled Sending of E-Documents](#).
- Scheduling of inbound e-document conversion – See [Deploying Automatic Bulk Conversion Script for Inbound E-Documents](#).
- Customizing the preferences for processing e-documents automatically – See [Processing E-Documents Automatically for Individual Transactions](#).

E-Document Audit Trail and Statuses

The **E-Document Audit Trail** subtab logs all changes to an e-document. The Audit Trail is available on the **E-Document** subtab of a transaction record. The e-document status describes the current processing state of a transaction or e-document. E-document statuses are indicated in the **E-Document Status** field on the **E-Document** subtab. For more information about e-document statuses, see [Outbound E-Document Statuses](#) and [Inbound E-Document Statuses](#).

To understand e-document processing, including inbound and outbound process flows, see the following topics:

- [Overview of Outbound E-Document Process](#)
- [Overview of Inbound E-Document Processing](#)

Electronic Invoicing Permissions and Access Levels

The following tables show the permissions and access levels for features provided by the Electronic Invoicing SuiteApp:

Administrator and Setup Tasks

Tasks or Functionality	Role and Permission
Creating E-Document Packages	By default, only the Administrator can create, edit, or delete e-document packages. All other roles can only view e-document packages.
Creating E-Document Templates	By default, only the Administrator can create, edit, or delete e-document template records.

Tasks or Functionality	Role and Permission
	All other roles can only view e-document template records.
Creating E-Document Sending Methods Creating a Custom Plug-in Implementation for Sending E-Documents	By default, only the Administrator can create, edit, or delete e-document sending methods. All other roles can only view e-document sending methods.
Selecting a Designated E-Document Sender	By default, only the Administrator can select a designated e-document sender.
Assigning E-Document Packages to Customer or Vendor Records	Roles with access to customer and vendor and contact records can assign e-document packages to customer and vendor records.
Creating a Custom Plug-in for Inbound E-Document Validation	By default, only the Administrator can create a custom plug-in for inbound e-document validation.
Processing E-Documents Automatically for Individual Transactions	By default, only the Administrator can select the required E-Document Automation Type for a particular subsidiary. You can access the subsidiary under the Subsidiaries field group in the Electronic Invoicing Preferences page for OW accounts. In accounts without OneWorld, the E-Document Automation Type field can be set on the parent company in the Electronic Invoicing Preferences page.

Outbound Processing Permissions and Access Levels

Tasks or Functionality	Role and Permission
Defining E-Document Email Recipients	Roles with Edit or Full access to customer and vendor contact records can define e-document email recipients on customer or vendor records.
Setting Up Custom Roles to Send E-Documents Customizing Roles to Restrict E-Document Generation or Sending	The Administrator can restrict the default permission of roles to generate or send outbound e-documents.
Generating E-Documents for Single Transactions Regenerating E-Documents for Single Transactions	Roles with minimum permission to view supported transaction records, can generate and regenerate e-documents for single transactions. An administrator can grant custom roles the permission to generate e-document for sending to customers and vendors.
Deploying the Bulk Generation Script for E-Documents	Only the Administrator role can configure the script used to generate and regenerate e-documents in bulk.
Sending the E-Document of a Single Transaction Resending the E-Document of a Single Transaction	Roles with minimum permission to view supported transaction records, can send and resend e-documents for single transactions.
Setting Up Custom Roles to Send E-Documents Resending E-Documents in Bulk	The following roles can send and resend e-documents in bulk: ■ A/P Clerk ■ A/R Clerk ■ Accountant ■ Administrator ■ Bookkeeper ■ CFO

Tasks or Functionality	Role and Permission
	An administrator can grant custom roles the permission to send bulk e-documents. An administrator can grant custom roles the permission to send e-documents to customers/vendors.
Template and Sending Method Auto-selection For more information about Template and Sending Method Auto-selection, see Multi-subsidiary Support in the Outbound Process	Roles with Edit or Full access to customer and vendor records can have access to template and sending method auto-selection feature.

Inbound Processing Permissions and Access Levels

Tasks or Functionality	Role and Permission
Setting Up Custom Roles that can Convert Inbound E-Documents	Only the Administrator role can set the permission to perform conversion of inbound e-documents
Uploading Received XML Files as Inbound E-Documents	The following roles can upload inbound e-documents manually: ■ A/P Clerk ■ A/R Clerk ■ Accountant ■ Bookkeeper ■ CFO ■ Administrator ■ Custom Roles (with permission)
Converting Individual Inbound E-Documents into Vendor Bills Converting an Inbound E-Document Without a Purchase Order Number Converting Individual Inbound E-Documents into Vendor Credits Converting Individual Inbound E-Documents into Sales Order	The following roles can convert inbound e-documents into transaction records: ■ A/P Clerk ■ A/R Clerk ■ Accountant ■ CFO ■ Administrator ■ Custom Roles (with permission)
Converting Failed Inbound E-Documents Deploying Automatic Bulk Conversion Script for Inbound E-Documents	The following roles can convert inbound e-documents into transaction records in bulk: ■ A/P Clerk ■ A/R Clerk ■ Accountant ■ Bookkeeper ■ Buyer ■ CFO ■ Administrator ■ Custom Roles (with permission)
Canceling Inbound E-Documents	The following roles can cancel inbound e-documents: ■ A/P Clerk ■ A/R Clerk

Tasks or Functionality	Role and Permission
	■ Accountant ■ Bookkeeper ■ Buyer ■ CFO ■ Administrator ■ Custom Roles (with permission)
Step 4 of Prerequisites for Using Electronic Invoicing	Only the Administrator role can designate an employee or group of employees who will receive the email notification upon completion of batch conversion.

Vendor Credit or Bill Credit Permissions and Access Levels

Descriptions	Required Minimum Permissions	Access Levels
For Custom roles that can only create Vendor Credit or Bill Credit transactions but don't perform any electronic invoicing tasks.	E-document sending method > Custom Record subtab	View
	Perform search > List subtab	View
For Custom roles that can view or edit Vendor Credit or Bill Credit transactions but don't perform any electronic invoicing tasks.	E-document sending method > Custom Record subtab	View
	E-document templates > Custom Record subtab	View
	Perform search > List subtab	view
For custom Roles that can create, edit or view Vendor Credit or Bill Credit transactions and also perform the following electronic invoicing tasks: ■ Allow manual generation of E-documents ■ Allow sending of E-documents for certification ■ Allow sending of E-documents ■ Allow manual update of network status	E-document sending method > Custom Records subtab	View
	E-document templates > Custom Records subtab	View
	E-document audit trail > Custom Records subtab	Full/Edit
	Setup Company > Setup subtab	View
	Vendor record > List subtab	View
	Perform Search > List subtab	View
	Find transaction > Transaction subtab	View

Electronic Invoicing SuiteApp Availability and License Client

The Electronic Invoicing SuiteApp enables you to use and manage e-documents for various transaction types. The SuiteApp has two major components, inbound and outbound e-document processing. Outbound e-document processing enables you to generate and send e-documents to other parties such as customers, vendors, or tax agencies. Inbound e-document processing enables you to receive e-documents from vendors and then convert them into bills. For more information, see [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#).

The Electronic Invoicing SuiteApp can be installed for free in any NetSuite. To use the SuiteApp without a paid license in OneWorld accounts, you must select a country from the **E-Document Country for Free**

Use list for the parent company. The **E-Document Country for Free Use** list is available on the Electronic Invoicing Preferences page, Go to Setup > E-Documents > Electronic Invoicing Preferences.

You must ensure that the country you select is:

- The same country where you will send e-documents to
- The same country of the vendor's subsidiary

However, if you want to send e-documents to multiple countries and convert e-documents received from other countries, you must purchase a license from your NetSuite account manager.

The NetSuite SuiteApps License Client (Bundle ID: 116144) must be installed before you install the Electronic Invoicing SuiteApp (Bundle ID: 436209).

The NetSuite SuiteApps License Client controls an account's access to the electronic invoicing features. Upon installation, the NetSuite SuiteApps License Client communicates with the NetSuite SuiteApps License Server to obtain active license information. If you have an active license, the E-Document Country for Free Use can be left blank.

You cannot use key features in inbound and outbound e-document processing such as sending e-documents to multiple countries and converting received e-documents from other countries if:

- The NetSuite SuiteApps License Client is not installed, or
- The NetSuite SuiteApps License Client is installed but your license is expired in OneWorld accounts.

 **Note:** License checks and important information:

- If it is an Avalara Transaction, you will need to purchase NetSuite Electronic Business Network Extension and Avalara Processing for NetSuite Electronic Invoicing Cloud Service licenses. For more information, see [Avalara for E-Invoicing](#)
- It takes a maximum of 30 minutes to update license status of Electronic Invoicing SuiteApp after license refresh.

For more information, see the help topic [NetSuite SuiteApps License Client](#).

Electronic Invoicing Limitations and Best Practices

Read the following topics to know the current limitations of the Electronic Invoicing SuiteApp, and to be guided by best practices for setting up and using electronic invoicing features.

Electronic Invoicing Limitations

General limitations of the Electronic Invoicing SuiteApp:

- Only FreeMarker is supported for outbound e-document templates.
- Only the following transaction types are currently supported:
 - Bill
 - Cash sales
 - Cash refunds
 - Credit memos
 - Customer payment
 - Customer Deposit
 - Estimates

- Invoices
- Item Fulfillment
- Purchase orders
- Returns
- Registered Custom Transaction Types
- Transfer Order
- Vendor Credit or Bill Credit
- Mass download of e-documents is not supported.
- Intercompany transfer order is not supported.
- Creating the following records using the create new icon is not supported.
 - E-Document Template (on all transaction records)
 - E-Document Package (on vendor/customer records, transfer order transaction records and basic and journal style custom transaction types)
 - E-Document Sending Method (on all transaction records)
 - E-Document Email Recipient (on transfer order transactions and basic and journal style custom transaction types)

Limitations in outbound e-document processing:

The system can send an e-document by email to a maximum of 10 recipients for each customer.



Note: The system counts each contact added as a recipient. If you add the same contact multiple times, each instance is considered one recipient.

The E-Document Template and E-Document Sending Method cannot be automatically selected for transactions that were created prior to installing the Electronic Invoicing SuiteApp or before configuring the E-Document Package on entity. You can manually set it by selecting the entity on transaction again, after choosing the relevant E-Document Package on the entity.

Limitations in inbound e-document processing:

- Only one XML file and one PDF file reference can be processed per email received.
- Inbound e-documents can only be uploaded manually, one at a time.
- Currently, only vendor bills, vendor credits and sales order can be created or converted from inbound e-documents.

Electronic Invoicing Best Practices

Perform the following best practices to prevent errors and performance issues:

- don't create or add MR script deployments. Maintain the default single script deployments of the Electronic Invoicing SuiteApp, which are: Generate E-Document Content MR, Automatic Send E-Document MR, and Convert Inbound E-Document MR.
- When assigning an e-document package to a customer or vendor, make sure that the customer or vendor has contact records if the e-document package uses an email sending method. To prevent validation errors caused by missing e-document email recipients, it is that you create the contact records first before assigning the e-document package to the customer or vendor.
- When using CSV import to assign e-document packages to customers or vendors, be sure to include email recipients for e-document packages that use an email sending method. The system will encounter an error when sending an e-document that has no email recipient.

- When sending e-documents in bulk, NetSuite that you first make sure that custom roles have the required permissions and access to use the bulk sending feature. See [Setting Up Custom Roles to Send E-Documents](#).
- When sending e-documents in bulk, NetSuite that you use the filters to limit the number of e-documents to process at a time.
- When setting up sending method custom plug-ins:
 - There is no need to include loading of customer and invoice records as well as vendor and purchase order records to retrieve data within your custom plug-in. This information is already provided by the Electronic Invoicing SuiteApp.
 - There is no need to load recipients within your custom plug-in . This information is already provided by the Electronic Invoicing SuiteApp.
 - Avoid loading e-document recipients within your custom plug-in for sending email. When an e-document package with an email sending channel is assigned to a customer or vendor, the Electronic Invoicing SuiteApp automatically performs a validation check to make sure customer or vendor records have recipients with valid email addresses. If your custom plug-in loads e-document recipients, those recipients won't be included in the validation.
 - Be aware of SuiteScript 2.0 governance and time limits. Suitelet limits apply to individual sending. Map function limits (Map/Reduce script type) apply to bulk sending. See the following topics:
 - [SuiteScript 2.x Suitelet Script Type](#)
 - [Map/Reduce Governance](#)
 - Test your e-document sending plug-ins thoroughly before using them on live data.
 - Avoid data leaks when sending e-documents by email or sending to third party SOAP web services. Data leaks can be avoided by making sure codes are properly reviewed. Also make sure you are not sending more information than what is required.
 - Use appropriate and specific error messages in your scripts. Error messages should inform users when a problem occurs, help users understand why the problem occurred, and an action that can fix the problem.

Electronic Invoicing Administrator Guide

Only the Administrator role can install the Electronic Invoicing SuiteApp and set up the custom records and templates required for generating and sending e-documents. The administrator must also deploy the script for generating e-documents in bulk.

The following topics are intended for administrators:

General Setup Tasks

- [Installing the Electronic Invoicing SuiteApp](#)
- [Prerequisites for Using Electronic Invoicing](#)
- [Considerations When Setting Up Electronic Invoicing](#)
- [Electronic Invoicing Setup Tasks](#)
- [Defining the E-Document Country for Free Use](#)
- [Advanced PDF/HTML Template](#)
- [Granting Access Permission to the E-Documents Portlet](#)
- [Understanding E-Documents and E-Document Packages](#)
- [Creating E-Document Packages](#)
- [Multi-subsidiary Support in the Outbound Process](#)
- [Creating E-Document Templates](#)

- [Editing E-Document Templates](#)

Outbound E-Document Processing Setup Tasks

- [E-Document Certification in the Outbound Process](#)
- [Creating E-Document Sending Methods](#)
- [Setting Up an Email Sending Method for E-Documents](#)
- [Creating Custom Methods for Sending E-Documents](#)
- [Selecting a Designated E-Document Sender](#)
- [Setting Up Custom Roles to Send E-Documents](#)
- [Customizing Roles to Restrict E-Document Generation or Sending](#)
- [Deploying the Bulk Generation Script for E-Documents](#)
- [Deploying the Script for Bulk Scheduled Sending of E-Documents](#)
- [Updating E-Document Certification Statuses](#)
- [Processing E-Documents Automatically for Individual Transactions](#)

Inbound E-Document Processing Setup Tasks

- [Electronic Invoicing Inbound Email Capture](#)
- [Using SOAP Web Services for Inbound Processing](#)
- [Setting Up Custom Roles that can Convert Inbound E-Documents](#)
- [Inbound Validation Plug-ins](#)
- [Deploying Automatic Bulk Conversion Script for Inbound E-Documents](#)

See also the following topics:

- [Electronic Invoicing Overview](#)
 - [Understanding E-Documents and E-Document Packages](#)
 - [Electronic Invoicing Permissions and Access Levels](#)
 - [Electronic Invoicing Limitations and Best Practices](#)
- [Electronic Invoicing Errors](#)
 - [Electronic Invoicing Error Codes](#)
 - [Outbound E-Document Generation Errors](#)
 - [Outbound E-Document Sending Errors](#)

Installing and Setting Up Electronic Invoicing

Read the following topics to understand how to install and set up Electronic Invoicing:

- [Prerequisites for Using Electronic Invoicing](#)
- [Installing the Electronic Invoicing SuiteApp](#)
- [Considerations When Setting Up Electronic Invoicing](#)
- [Electronic Invoicing Setup Tasks](#)
- [Electronic Invoicing Limitations and Best Practices](#)

Prerequisites for Using Electronic Invoicing

Before installing the Electronic Invoicing SuiteApp, you must complete the following steps:

1. Install the NetSuite SuiteApps License Client (Bundle ID: 116144). For more information, see the help topic [NetSuite SuiteApps License Client](#).

The NetSuite SuiteApps License Client (Bundle ID: 116144) must be installed before you install the Electronic Invoicing SuiteApp (Bundle ID: 436209). To install, see the help topic [Installing a Bundle](#).

The NetSuite SuiteApps License Client controls an account's access to the Electronic Invoicing features. Upon installation, the NetSuite SuiteApps License Client communicates with the NetSuite SuiteApps License Server to obtain active license information.

If the account has an active license, you can use Electronic Invoicing features for multiple countries. If the account does not have an active license, you can still use the Electronic Invoicing SuiteApp for free, but your account can generate and send e-documents to only one country, and convert into vendor bills received e-documents from the same country. See [Defining the E-Document Country for Free Use](#) to set up your account for free use of the Electronic Invoicing SuiteApp.

If the NetSuite SuiteApps License Client is not installed, your OneWorld accounts can neither generate and send e-documents nor convert received e-documents into vendor bills.

If the NetSuite SuiteApps License Client is installed, your accounts without OneWorld can generate, certify or send all outbound e-documents and convert inbound e-documents into bills.

2. Make sure the following features are enabled in your account:

- Custom Records
- Custom Transactions.
- Advanced PDF/HTML Templates
- Client SuiteScript
- Server SuiteScript
- Web Services

To enable features, see the help topic [Enabling Features](#).

3. Make sure the Company Information page has a return email address.



Important: If the **Return Email Address** field is blank, the system will encounter script errors when accessing Electronic Invoicing features.

- a. Go to Setup > Company > Company Information.
- b. In the **Return Email Address** field, enter a valid email address for the company.
- c. Click **Save**.



Note: If you have a OneWorld account, you must set up the Return Email per subsidiary that uses the Electronic Invoicing SuiteApp.

4. Define the Recipient of E-Document Notifications.

- a. Go to Setup > E-Documents > Electronic Invoicing Preferences.
Click the parent company link.
- b. In the **Recipient of E-Document Notifications** field, enter the email of the user whom you want to receive notifications about e-document processing.
- c. Click **Save**.
If no notification recipient is defined, the system will send notifications about e-document processes to all active administrators.

Installing the Electronic Invoicing SuiteApp

1. Make sure all prerequisites are met. See [Prerequisites for Using Electronic Invoicing](#).

2. Go to Customization > SuiteBundler > Search & Install Bundles.
3. In the Keywords box, enter the bundle ID or name:
 - Bundle ID: 436209
 - Bundle Name: Electronic Invoicing
4. Click **Search**.
5. Click the link for the Electronic Invoicing SuiteApp.
6. On the Bundle Details page, click **Install**.

The Electronic Invoicing SuiteApp is a managed SuiteApp. When improvements or new features are added to the SuiteApp, your account is automatically updated.

But in sandbox, the update is not automatic. Your administrator must manually update the SuiteApp to get the latest version.

For information about purchasing a license for the Electronic Invoicing SuiteApp, contact your NetSuite account representative.

Considerations When Setting Up Electronic Invoicing

Before you set up an account to use the Electronic Invoicing SuiteApp, it is that you consider the following questions to help you decide on the settings to apply:

For outbound e-document processing:

- To whom should I send my e-documents?
- What e-document templates do I need to use?
- How do I want to send my e-documents to stakeholders?
- Do I want to generate outbound e-documents one by one or in bulk?

For inbound e-document processing:

- From whom should I receive e-documents?
- How do I want to receive the inbound e-documents from vendors or other parties?
- Do I want to convert inbound e-documents into vendor bills, one by one or in bulk?

Be sure to also read [Electronic Invoicing Limitations and Best Practices](#).

Electronic Invoicing Setup Tasks

After installing the Electronic Invoicing SuiteApp, an administrator must accomplish some common setup tasks. As the Electronic Invoicing SuiteApp is composed of two major components, the administrator must also complete specific setup tasks for outbound e-document processing and inbound e-document processing. Some inbound and outbound settings have a common record.

To know more about PEPPOL ID field, see [PEPPOL ID](#).

Common Setup Tasks for Outbound and Inbound E-Document Processing:

1. Install the Electronic Invoicing SuiteApp.
2. View and edit the subsidiaries in Electronic Invoicing Preferences page and provide access to the e-document subsidiary preferences record for custom roles. For more information, see [Setting Up Electronic Invoicing Preferences](#).
3. Define the country for free use (required only if you choose not to purchase a license). See [Defining the E-Document Country for Free Use](#).

4. Create an e-document package and assign it to customer records (for outbound) or vendor records (for inbound). An e-document package record contains inbound and outbound e-document templates, outbound e-document sending methods, and inbound validation plug-in. See [Creating E-Document Packages](#).
5. Create e-document templates. An e-document template record contains templates for both outbound and inbound processing. See [Creating E-Document Templates](#).

Setup Tasks for Outbound Processing:

1. Create e-document sending methods. See [Creating E-Document Sending Methods](#).
2. (Optional) Select a designated e-document sender. See [Selecting a Designated E-Document Sender](#).

Setup Tasks for Inbound Processing:

1. (Optional) Create an inbound e-document validation plug-in. See [Inbound Validation Plug-ins](#).
2. (Optional) Create an XSD file for automatic template selection. See the help topic [Understanding XSD in Inbound E-Document Templates](#).
3. Enable the Email Capture Plug-in. See [Electronic Invoicing Inbound Email Capture](#).
4. (Optional) Use SOAP web services to receive inbound e-documents. See [Using SOAP Web Services for Inbound Processing](#).
5. Update item records.
6. Update vendor records.
7. Define the schedule for automatic bulk conversion. See [Deploying Automatic Bulk Conversion Script for Inbound E-Documents](#).

Resolving the Insufficient Permission Error on Saving Customer or Vendor Records

If you are a user with restricted roles, you will encounter an `INSUFFICIENT_PERMISSION` error when you attempt to create or edit customer or vendor records. This is because you don't have **View** access to the E- Document Sending Methods custom record.

To resolve this, administrators must configure user roles to grant the required permissions.

To Update Role Permissions:

1. Login to NetSuite as an Administrator. Make sure you have administrator privileges to modify the role permissions.
2. Go to Setup > Users/Roles > Manage Roles. Select the role that is affected.
3. Click on the **Permissions** subtab. Go to the Custom Record category and locate E-Document Sending Methods custom record and set the permission level to **View**.
4. Click **Save**.

If you have updated the role permissions, log out and log back in to your NetSuite account for the updates to reflect.

Setting Up Electronic Invoicing Preferences

Administrators can view and edit the subsidiaries in Electronic Invoicing Preferences page and provide access to the e-document subsidiary preferences record for custom roles. To navigate to the Electronic Invoicing Preferences page, go to Setup > E-Documents > Electronic Invoicing Preferences.

The parent company and its subsidiaries link to the preferences record present under the Subsidiaries field group of the Electronic Invoicing Preferences page for OneWorld accounts. For accounts without OneWorld, only the parent company link is visible.

To set the **E-Document Country for Free Use** and **Recipient of E-Document Notifications** fields, go to the parent company link. These preferences are account level and applicable to all subsidiaries.

To know more about PEPOL ID field, see [PEPOL ID](#).

The preferences and their descriptions are listed in the following table.

Preference	Description
Recipient of E-Document Notifications	Enter the email address of the recipient who should receive an email notification when bulk processes have finished or encountered errors. If no email address is entered, the notification will be sent to account administrators.
E-Document Country for Free Use	Select the country where you want to send e-documents for free. This field is only valid for OneWorld countries without license.

The preferences in the following table are subsidiary specific preferences. To set up for any subsidiary, click on the required subsidiary link.

Preference	Description
E-Document Email Customization Template	Select the email customization template that the e-document should use. This template is added to the predefined text of the email subject and body when the default option is selected in the E-Document Sending Method Plugin Implementation list.
E-Document Sender	Enter the employee record whose name and email address should appear as the sender of e-documents sent by the company.
E-Document Automation Type	Select the type of automation required for processing the e-document.  Note: If the certification sending method is not defined or applicable for the transaction, the certify step will be skipped.
Advanced PDF/HTML Template	Select the advanced PDF template to be used for PDF generation during e-document generation (applies to invoice and credit memo only).
Bypass PO# Validation in Inbound Conversion	Choose whether to perform validation for the purchase order number during inbound conversion. This validation checks if the purchase order number present in the XML file selected in an inbound e-document is present in the account. The validation happens when: ■ Inbound conversion is occurring, and ■ Mapping for purchase order is present in the inbound template selected for conversion and a matching purchase order present in the XML file is not found in the account. The default field value is No. Select Yes if you don't want to validate the purchase order number present in the XML file. A standalone vendor bill without mapping to the purchase order will be created. Select No if you don't want to create a vendor bill. You will see an error message in the audit trail.
Multi-book Accounting Support	In the Electronic Invoicing Preferences page, select Secondary Accounting Book , or Tertiary Accounting Book from the list in the Accounting Book for Currency field to generate the e-document through Avalara.



Note: The Electronic Invoicing Preferences page has certain restrictions:

- The administrator can delete the e-document subsidiary preferences for all other subsidiaries except the parent company. However, you should not delete the e-document subsidiary preferences records.
- The preferences can be configured only for active subsidiaries.

Providing E-document Subsidiary Preferences Record Access

The administrator can provide access to custom roles for e-document subsidiary preferences record.

To provide e-document subsidiary preferences record access to custom roles:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences.
2. Click the **Role** preferences link.
3. Click **Customize** or **Edit** for the role you want to give access to.
4. Under the **Permissions** subtab, go to **Custom Record** and add the e-document subsidiary preferences record.
5. In the **Level** column, select the desired access.
6. Click **Save**.



Note: A role with full permissions to access won't be able to delete the e-document subsidiary preferences record.

Providing Bulk Manage Roles Record Access

The administrator can provide access to custom roles for bulk manage roles record. The roles can then access the **Role Preferences** link under the **Role** field group.

To provide bulk manage roles record access to custom roles:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences.
2. Click the **Role** preferences link.
3. Click **Customize** or **Edit** for the role you want to give access to.
4. Under the **Permissions** subtab, go to **Setup** and add the bulk manage roles record.
5. In the **Level** column, select **Full**.
6. Click **Save**.

The administrator can also provide access to allow generating e-document, sending them for certification, sending the e-documents, and getting network status for the e-document. To know more, read:

- [Customizing Roles to Restrict E-Document Generation or Sending](#)
- [Providing Access to Get Network Status for Custom Roles](#)

Defining the E-Document Country for Free Use

The Electronic Invoicing SuiteApp can be used for free if you intend to send e-documents to only one country.

To set up your account for free use of the Electronic Invoicing SuiteApp, you must go to the Electronic Invoicing Preferences page, choose the parent company, and define the country to which you will be sending e-documents.

This is the first step in setting up your account so that you can generate e-documents and send them to customers or vendors. You can send e-documents only to those customers whose invoice/(transaction) subsidiary country matches the e-document country for free use.

For accounts without OneWorld that have NetSuite SuiteApp License Client installed, it is not required to define the country. The country selected in the **E-Document Country for Free Use** field is not applicable for accounts without OneWorld. These accounts have single business in only the country where their business operates.

Note: For accounts without OneWorld that have NetSuite SuiteApps License Client installed, you need not define the country. The **E-Document Country for Free Use** field is disabled and populates the company's country because these accounts have a single business in only the country where their business operates. The Electronic Invoicing SuiteApp can be used without any license for this scenario.

Defining E-document Country for Free Use

You can follow the following steps to select a country for free use.

To define the e-document country for free use:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences. Click the parent company link.
2. In the **E-Document Country for Free Use** list, select the country to which you want to send e-documents. Only countries with subsidiaries are available in the list. This setting applies to all subsidiaries of the parent company.

Note: If you have a license for multi-country use of the Electronic Invoicing SuiteApp, there is no requirement to select a free country. You can use it for all countries without any restriction. Hence, the field will be unavailable.

3. Click **Save**.

After defining the e-document country for free use, you can create e-document packages. See [Creating E-Document Packages](#).

Note: If the license is inactive in One World Account, E-document Free Country Use field will be available. However, as it gets active, the field will be unavailable. In accounts without OneWorld, the E-document Free Country field is always disabled irrespective of license status.

Advanced PDF/HTML Template

You can create a new [Advanced PDF/HTML Templates](#) or customize an existing Advanced PDF/HTML template. Along with it, you can also add an element for displaying the QR Code in a generated e-document. From the code snippet below, refer to **custbody_psg_ei_qr_string** which is the field ID that holds the QR string such as base 64 string value after successful generation of QR. You can use the free marker syntax with "if condition" to render only if the value is present in that field.

To create an Advanced PDF/HTML template, go to Customization>Forms>Advanced PDF/HTML Templates.

```
1 <#if record.custbody_psg_ei_qr_string?has_content>
2 <table style="width: 100%;">
3 <tr>
4 <td align="center">
```

```

5      <barcode codetype="qrcode" showtext="false" height="150" width="150" value="{record.custbody_psg_ei_qr_string}"/>
6      </td>
7    </tr>
8  </table>
9 </#if>

```

Setting Advanced PDF/HTML Template

1. Go to Setup > E-Documents > Electronic Invoicing Preferences and click on the required subsidiary for OW account. Accounts that are not OneWorld, need to go to Setup > E-Documents > Electronic Invoicing Preferences and click the parent company link.
2. The field "Advanced PDF/HTML Template" helps choose a template from the list of advanced PDF/HTML templates. You can select one of the advanced PDF/HTML templates to generate the E-Document in the particular format.

If a template is not selected in the subsidiary record, the generated e-document takes the template selected in the **Print Template** list on a transaction form.



Note: You can select the template from the Electronic Invoicing Preferences page only for invoice and credit memo transactions.

Granting Access Permission to the E-Documents Portlet

Roles that have default permissions to access and perform e-document processes, will be able to add and display the e-documents portlet on the Home page. These roles include:

- AR Clerk
- AP Clerk
- Accountant
- Administrator
- Bookkeeper
- CFO
- Custom Role for Accounting Center.

To grant roles the access permission to the e-documents portlet:

1. Go to Customizations > Scripting > Script Deployments.
2. On the Script Deployments page, click the Filters plus sign (+) to display the filters. In the **Type** filter, select **Portlet** from the dropdown list.
3. Click the Edit link of the E-Document Dashboard PT script.
4. On the script deployment page of the portlet, go to the **Audience** subtab. In the **Roles** dropdown list, select the roles that you want to grant permission to access the e-documents portlet.
5. Click **Save**.

Understanding E-Document Transaction Response

The Electronic Transaction Response feature enables you to create and send transaction responses with **Acknowledged** and **Accepted** response types when receiving the inbound e-document. To use this feature, you must do the following:

- Check the **Support Transaction Response** box in the subsidiary preferences.
- Assign the E-Document Transaction Response template to a specific subsidiary and transaction type. For more information, read [Creating E-Document Transaction Response Template](#).

- Assign the E-Document Transaction Response sending method to the required subsidiaries. For more information, see [Creating E-Document Sending Methods](#).

Currently, the SuiteApp supports creation of transaction responses with **Acknowledged** and **Accepted** response types. The acknowledged transaction response will be created when the inbound record or e-document is in For Conversion status.

The accepted transaction response will be created when:

- The invoice inbound record or e-document is converted successfully to a bill, and the bill is set to **Approved** status.
- The credit memo inbound record or e-document is converted successfully to a bill credit.
- The purchase order inbound record or e-document is converted successfully to a sales order, and the sales order is set to **Pending Fulfilment** status.

The acknowledged transaction response is shown on an inbound record whereas acknowledged and accepted transaction responses are shown on the successfully converted transaction. You can view the responses in the **E-Document Transaction Response** subtab under the **E-Document** subtab present in a converted transaction or inbound record.



Note: Generation and Sending of transaction response content is currently supported for transaction response records with response type For Cancellation, For Rejection and Rejected. Users can use the Generate and Send button present on the transaction response records to use these features. For more information see, [Generating Transaction Response Content](#), [Sending Transaction Response Content for Avalara Users](#), [Sending Transaction Response Content for Non-Avalara Users](#).

The transaction response record contains the following fields:

Field Name	Description	Subtab
Reason for Cancellation or Reason for Rejection	This field displays the reason for which the transaction linked to this transaction response is requested for cancellation/rejection or cancelled. Field names for response type: For Cancellation – Reason for Cancellation For Rejection, Rejected – Reason for Rejection	-
Error Code	This field displays the error code when an error is encountered while generating or sending the transaction response content.	Error Details
Error Message	This field displays the error message when an error is encountered while generating or sending the transaction response content.	Error Details
OBN Document ID	This field stores the OBN Document ID for transaction response sent. (Applicable for Avalara Transactions)	Network References
Avalara Mandate	This field displays the primary value that identifies a particular e-invoicing mandate. This is same as the code used by Avalara to represent a particular country-mandate. (Applicable for Avalara Transactions)	Network References
Avalara Document ID	This field contains the value of the Avalara Doc ID returned through the Document Status record. (Applicable for Avalara Transactions)	Network References
Transaction Response Content	This field allows you to preview and download the generated transaction response content.	-

Field Name	Description	Subtab
Response Type	This field displays the type of the transaction response. For list of response types, see Response Type Field Values	-
Status	This field displays the status of the transaction response. For list of statuses, see Status Field Values	-
Response Issue Date	This field displays the date and time at which the transaction response is issued from the customer or vendor.	-
Transaction ID	This field displays the transaction ID to which the response belongs to.	-
Direction	This field indicates whether the response is received (inbound) or sent (outbound). It contains either of the two values: Inbound or Outbound.	-
Inbound E-Document	This field contains a link to the inbound e-document to which the response belongs to.	-
Response Sent Date	This field displays the date and time at which the transaction response is sent.	-

Response Type Field Values

The Response Type field may contain one of the following values:

- Accepted
- Acknowledged
- Conditionally accepted
- For Cancellation
- For Rejection
- In process
- Paid
- Rejected
- Under query
- Request Further Objection
- Continue Generation

Status Field Values

- Ready for Generation
- Generation Failed
- Ready for Sending
- Sending Failed
- In Error
- Processing
- Cancelled
- Request Completed
- Sent
- Not Sent

The Status field may contain one of the following values:

Inbound Transaction Response

Inbound transaction response feature creates transaction response records from NSEB inbound documents. When a valid NSEB inbound document is to be processed, the system creates a transaction response and records a corresponding entry in the e-document audit trail on the linked transaction.

The following is the criteria for converting an NSEB inbound document to transaction response:

- Format: UBL
- Document Type: ApplicationResponseUBL
- Status: Pending/Failed

Required Licenses and Quantity Consumption

The following are the licenses required:

- Electronic Invoicing
- NetSuite Electronic Business
- Avalara Processing for NetSuite Electronic Invoicing

If the Electronic Invoicing license is inactive and a Free country is specified in E-document preferences, the system processes all NSEB Inbound documents whose resolved transaction subsidiary matches the Free country.

The quantity for Avalara Processing for NetSuite Electronic Invoicing is not consumed for US-B2B-DBNA mandate based NSEB inbound documents when all the following are true:

- Resolved transaction type using **Related Avalara document ID**
: Invoice / Credit Memo
- Mandate: US-B2B-DBNA
- Document Type: ApplicationResponseUBL
- Acknowledged (AB) response code NSEB Inbound documents

Note: For e-documents related to mandates other than the US-B2B-DBNA mandate, the system will consume volume for the Avalara Processing for NetSuite Electronic Invoicing license.

If an inbound document is not processed, the system moves it to the backlog with status Failed. Run the scheduled script (E-Invoicing Transaction Response SS), to reprocess all valid NSEB inbound documents in these statuses. The script applies the same rules as real-time processing. It processes the NSEB inbound document, creates a transaction response and records an audit trail for each.

If the system fails to process an NSEB inbound document, it sends an email notification to the “Recipient of E-Document Notifications” specified in the Parent Company’s Electronic Invoicing Preferences. If no recipient is specified, the system sends the failure notification to all active administrators in the account. When a Scheduled Script fails to process any inbound documents, it sends a CSV file listing the NSEB inbound documents that it could not process.

Custom Plugin Support

If the Avalara mandate specifies a custom plugin, the system uses that plugin during transaction response processing to determine the transaction response type.

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType pluginTypeimpl
4   */
5   define([], function () {
6       /**
7       * Determines the Transaction Response Type to be created.
```

```

8  *
9  * @param {Object} params - Parameters for document modification.
10 * @param {Object} params.inboundDocumentRec - Details of the transaction record (loaded via N/record)
11 * @param {string} params.mandateId - Transaction Internal ID
12 * @param {string} params.relatedAvalaraDocId - User internal ID (Current User or First Active Admin)
13 * @param {string} params.rawXml - Returned as part of CDS response (customDataSources[0].data)
14 * @param {string} params.responseCode - E-document content
15 * @returns {Object} Result object indicating success or failure.
16 * @returns {boolean} result.success - Indicates whether determining transaction response type was successful or not.
17 * @returns {string} [result.trResponseTypeId] - The internal ID of the transaction response type to be created.
18 * @returns {string} [result.eiAuditMessage] - Custom audit trail message or error description.
19 *
20 */
21 function inject(params) {
22
23     var trResponseTypeId = null;
24     /**
25      * Implement logic to determine trResponseTypeId
26      */
27
28     return {
29         success: true,
30         trResponseTypeId: trResponseTypeId, // Make sure it is the internal ID of the transaction response type to be created.
31         eiAuditMessage: "message from cds",
32     };
33 }
34 return {
35     inject: inject,
36 };
37 });

```

Providing Access to Custom Roles for Generating and Sending Transaction Response to Avalara

Custom roles by default don't have access to generate and send transaction response to Avalara and a warning banner indicating insufficient permissions is displayed.

To enable the access to custom roles, the administrator must perform the following steps:

1. Go to Setup > User/Roles > Manage Roles
2. Click **Edit** on the role which you want to give permission
3. Under the **Authentication** subtab, enable **Allow Generation and Sending of AR for Avalara**.
4. Click **Save**.

Generating Transaction Response Content

You can use the **Generate** button for transaction response records to generate transaction response content. The e-document Transaction Response template used for Generation is either provided by Localization SuiteApp or determined based on the transaction type and subsidiary set on the available transaction response templates. For more information see, [Creating E-Document Transaction Response Template](#).

Generation is triggered for all transaction response types upon creation, provided the required licenses are active and has permission to generate. For more information, see [Providing Access to Custom Roles for Generating and Sending Transaction Response to Avalara](#)

On successful generation of transaction response content, status updates to "Ready for Sending".

On unsuccessful generation of transaction response content, status updates to "Generation Failed". You can check the **Error Details** subtab for the error.

To set Avalara Mandate and Data version on transaction response which will be used for sending application response to Avalara see, [Setting Avalara Mandate and Data version on Transaction Response](#).

If the **Avalara Mandate** field gets populated through the custom data source plugin and you don't have the permission to send /generate AR (payload type Application Response):

The response status is set to "Generation Failed" with error ROLE_HAS_NO_AR_PERMISSION



- The Electronic Invoices license must be present to generate transaction response content for Avalara Transactions or you must select a country from the **E-Document Country for Free Use** list available on the Parent Company of Electronic Invoicing Preferences (Setup > E-Documents > Electronic Invoicing Preferences) page
- No license is required for non-Avalara transaction response generation.
- If the Electronic Invoices License is inactive and the Free Country does not match with the subsidiary's country, warning appears, prompting you to either set the Free Country or purchase an Electronic Invoices license. Additionally, the "Generate" button is disabled.

Sending Transaction Response Content for Avalara Users

If you are an Avalara user, you can send transaction response content for a particular transaction response of response type "For Cancellation", "For Rejection", "Request further objection", "Continue Generation", and "Acknowledged" using the **Send** button on the transaction response record. The **Send** button is displayed when transaction response record is in the status "Ready For Sending", "In Error" or in "Sending Failed".

If there are any errors while sending the transaction response content, you can check the **Error Details** subtab for the error. In this case, the response status displays "Sending Failed".

If the sending is successful you can check the **Network References** subtab to see the value of the OBN document ID and the status displays "Processing".

If sending is successful, the following operations take place on the transaction which is linked to the transaction response:

- An audit trail record is inserted with event type "Cancellation In Progress", if response type of transaction response is "For Cancellation". Or with the event type "Rejection In Progress", if the response type of transaction response is "For Rejection".
- The e-document status updates to "Cancellation In Progress", if the response type of transaction response is "For Cancellation". Or with the e-document status "Rejection In Progress", if the response type of transaction response is "For Rejection".

After the transaction response content is sent to Avalara, the status of this transaction response changes based on Avalara's response. Avalara provides the response in the form of a document status for each transaction response.

A mandate value is associated with every transaction response, and each mandate value has a corresponding localization plugin. The value of mandate is present in the field **Avalara Mandate** under the **Network References** subtab in transaction response record. Every mandate has a corresponding plugin implementation present in NSEB Avalara Mandate record. The document status processes through plugin implementation provided by the localization, and a corresponding response is received.

- If the document status plugin implementation sends a success response for a transaction response "For Cancellation",
 - The transaction response status updates to "Request Completed".
 - The e-document status of the transaction which is linked to the transaction response record updates to status sent by the document status plugin (usually "Cancelled").
 - An audit trail is inserted in the linked transaction with audit trail event type as "Transaction Response".

- If the document status plugin implementation sends a success response for a transaction response "Request Further Objection",
 - The transaction response status updates to "Request Completed".
 - The e-document status of the transaction which is linked to the transaction response record updates to status sent by the document status plugin (usually has to be "Accepted For Hearing").
 - An audit trail is inserted in the linked transaction with audit trail event type as "Transaction Response"
- If the document status plugin implementation sends a success response, for a transaction response "For Rejection",
 - The transaction response status updates to "Request Completed".
 - The e-document status of transaction which is linked to the transaction response record updates to status sent by the document status plugin (usually "Request Completed").
 - An audit trail is inserted in the linked transaction with audit trail event type as "Transaction Response".
- If the document status plugin implementation sends a success response for a transaction response "Continue Generation":
 - The transaction response status updates to "Request Completed".
 - The e-document status of the transaction which is linked to the transaction response record updates to status sent by the document status plugin (usually "Generated").
 - An audit trail is inserted in the linked transaction with audit trail event type as "Transaction Response".
- If the document status plugin implementation sends a success response for a Avalara transaction response "Acknowledged":
 - The transaction response status updates to "Request Completed".
- If the document status plugin implementation sends an unsuccessful response for a Avalara transaction response "Acknowledged":
 - The transaction response status updates to "In Error".
- If in any of the above cases, the document status plugin implementation does not send success response,
 - The response status is set to 'In Error'.
 - The error details populate on the "Error Details" subtab under the transaction response record.
 - An audit trail with event type as "In Error" is inserted into the linked transaction.
- If the **Avalara Mandate** field gets populated through the custom data source plugin and you don't have the permission to send /generate AR (payload type Application Response):
 - The response status is set to "Generation Failed" with error ROLE_HAS_NO_AR_PERMISSION



Important: You will be able to send Avalara transaction response contents only if your account is having an active license(s) for NetSuite Electronic Business and Avalara Processing For NetSuite Electronic Invoicing. Additionally, the "Send" button is disabled.

Sending Transaction Response Content for Non-Avalara Users

If you are a non-Avalara user, you can send transaction response content for a particular transaction response of response type "Rejected" using the **Send** button on the transaction response record. The Transaction Response record has to be in Status "Ready For Sending" or "Sending Failed".

For sending the transaction response content, a transaction response sending method must be selected at the subsidiary preference. This subsidiary preference should be corresponding to the transaction's

subsidiary which is linked to the transaction response record. Also, the transaction response sending method should have a relevant sending method plugin implementation selected which will be responsible to send the transaction response content to the relevant third party.

If there are any errors while sending the transaction response content, you can check the **Error Details** subtab to check the error. The transaction response status in this case would be "Sending Failed". If the sending is successful, the status would be "Sent".

 Transaction Response records of any type cannot be copied.

- Deletion of transaction response records is restricted for records with following statuses:
 - Processing
 - In Error
 - Cancelled
 - Request Completed
 - Sent

Common Validation Errors for Generation and Sending of Transaction Response

S no.	Error Code	Message	Description	Solution
1	ERR_VENDOR_BILL_ALREADY_APPROVED_GEN	Cannot generate Transaction Response content as Vendor Bill '{ID}' is already approved.	The Vendor bill attached to Transaction Response record is already approved.	You cannot generate transaction response for approved bill, so try creating transaction response for unapproved bills.
2	ERR_VENDOR_BILL_ALREADY_APPROVED_SEND	Cannot send Transaction Response content as Vendor Bill '{ID}' is already approved.	The Vendor bill attached to Transaction Response record is already approved.	You cannot send transaction response for approved bill, so try creating transaction response for unapproved bills.
3	ERR_MANDATE_NOT_ACTIVE	E-Invoicing Mandate '{MANDATE_NAME}' is not activated. Please contact your Avalara manager	Mandate set on transaction response record is not activated for the attached transaction's subsidiary	You must activate the mandate set on transaction response record.
4	ERR_TEMPLATE_NOT_FOUND	Transaction Response template not found	Template provided by localization is not found	Localization SuiteApp must provide template script id of a template which is available in the account.
5	ERR_TEMPLATE_INACTIVE	Transaction Response template is inactive	Template provided by localization is inactive	Localization SuiteApp must provide a template which is active
6	ERR_TEMPLATE_NOT_FOUND_OR_INACTIVE	Transaction Response Template not found or inactive.	There is no Active Transaction response template with matching subsidiary and transaction type	Make sure you have an active Transaction response template with matching transaction type and subsidiary.
7	SUBSIDIARY_INACTIVE	Subsidiary associated with the transaction linked to the transaction response is inactive	The subsidiary related to the transaction response is inactive.	You must make sure that the subsidiary related to transaction response is active.

S no.	Error Code	Message	Description	Solution
8	NO_TR_SUPPORT_SUBS_PREF	Transaction Response Support is not present for the corresponding subsidiary preference. Please enable Transaction Response support for the corresponding subsidiary preference	Support Transaction Response is not enabled for the subsidiary related to the transaction response.	You must enable Support Transaction Response by checking the box in corresponding subsidiary preference record (Setup > E-Documents > Electronic Invoicing Preferences)
9	ERR_TRANS_RESP_INVALID_STATUS	Generation failed because TR not created with 'Ready for Generation' status	Transaction response record is created with other than "Ready for Generation" status	Localization must create transaction response record with "Ready for Generation" status to be able to generate transaction response content on creation.
10	NO_TRANS_LINKED_TO_TR	No Transaction is linked to the Transaction Response record.	There is no transaction set on Transaction response record	You must set a valid transaction on transaction response record (Field ID: Transaction ID)
11	ERR_REQUIRED_FIELD_MISSING	'{FIELDLABEL}' cannot be empty	The mentioned field is missing on transaction response record which is required for generation of transaction response generation	You must make sure that the required field value specified in error message is set on transaction response record.
12	TRANS_RESP_SEND_METH_INACTIVE	The e-document transaction response sending method is either inactive or not available for the subsidiary.	The sending method set on corresponding subsidiary preference record is inactive	You must set an active sending method on corresponding subsidiary preference record (Setup > E-Documents > Electronic Invoicing Preferences)
13	TRANS_RES_SEND_NO_RECIPIENTS	The transaction response cannot be sent because the customer has no email address. Before you can send this transaction response by email, an email address must be provided on the vendor/customer record.	The entity (customer/vendor) does not have any e-document recipients defined.	You must enter e-document recipients in the entity(customer/vendor) record (Under "E-Document" subtab)
14	TRANS_RES_SENDING_RECIPIENT_NO_EMAIL	One or more recipients of the transaction response content associated with this transaction response does not have an email address. Verify that the recipients for this vendor/customer have valid email addresses.	The entity (customer/vendor) has an e-document recipient that does not have an email address.	You must enter a valid email address in the E-document recipient of entity(customer/vendor) record. (Under "E-Document" subtab)
15	TRANS_RES_ENTITY_INACTIVE	Transaction Responses with inactive customers/vendors are not supported by Electronic Invoicing.	The entity (customer/vendor) linked to transaction response record is inactive.	You must use an active entity (customer/vendor) to link to a transaction response record.
16	CDS_FAILURE_ERROR	Execution of custom data source plug-in implementation has failed.	There is an error occurred in custom data source (CDS) plugin defined on transaction response template while generating transaction response content.	You must fix the error encountered in CDS.

S no.	Error Code	Message	Description	Solution
17	TR_CANNOT_BE_COPIED	Transaction response record cannot be copied.	Creating a copy of transaction response record is restricted	You cannot create a copy of Transaction response record.
18	TR_CANNOT_BE_DELETED	Transaction response record cannot be deleted.	Deleting transaction response record with status (Processing, In Error, Cancelled, Request Completed, Sent) is restricted	You cannot delete Transaction response record with the mentioned statuses.
19	ROLE_HAS_NO_AR_PERMISSION	Generation Failed: User '{USER_NAME}' does not have permission to Generate and Send Transaction Response	You don't have permission to send/ generate transaction response.	You can contact the ask administrator to grant the send/generate A/R permissions.

Understanding E-Documents and E-Document Packages

The following topics describe e-documents and e-document packages according to how they are used by NetSuite and the Electronic Invoicing SuiteApp.

E-Document

An e-document is a NetSuite transaction represented as an XML or JSON document generated according to a specified standard.

E-documents are transmitted to interested external parties, such as customers, vendors, or tax agencies. E-documents can be downloaded or shared through email, or transmitted through a web service or other custom method.

Some countries legally recognize these XML or JSON files as official documents, whereas other countries recognize the printed transactions as the officially accepted documents.

For information about currently supported transactions, see [Electronic Invoicing Limitations and Best Practices](#).

E-Document Package

An e-document package defines a set of formats used for various transactions to ensure clear communication between all stakeholders of a specific business process, such as vendors communicating with customers, and vendors communicating with tax authorities.

For example, the PEPPOL e-document package defines all possible transactions between vendors and government agencies (sales orders, invoices, credit memos, return authorizations, and others).

An e-document package specifies the following:

- the file format and template
- the communication medium for transmitting the e-documents
- the process necessary for ensuring authenticity and privacy of the information

An e-document package is usually defined by a tax authority or an industry governing body. Some e-document packages are defined by independent entities such as [PEPPOL](#) and [ISO](#).

Creating E-Document Packages

An administrator must first create e-document packages so that users can assign them to customer and vendor records.

An e-document package defines the e-document templates and sending methods to be used for the customer's or vendor's transactions.

The Electronic Invoicing SuiteApp includes a default e-document package record to which you can associate e-document templates and sending methods. The default e-document package cannot be edited or deleted.

To create an e-document package:

1. Go to Setup > E-Documents > E-Document Package > New.
2. In the **Name** field, enter a name for the e-document package.
3. In the **Inbound Validation Plugin** field, select a validation plug-in.
for more information about the validation plug-in, see [Inbound Validation Plug-ins](#).
4. (Optional) In the **Description** field, enter text that describes this e-document package.
5. Click **Save**.

You can now assign e-document templates and sending methods to the e-document package. For more information, see [Creating E-Document Templates](#) and [Creating E-Document Sending Methods](#).

Multi-subsidiary Support in the Outbound Process

If you are using OneWorld accounts and have multi-subsidiary customer enabled, outbound e-documents templates and sending methods can be associated with subsidiaries as preferred or necessary. To do this, the administrator must specify subsidiaries in the **Subsidiary** field on an outbound e-document template or sending method record. The transactions of the selected subsidiaries will use the outbound template and sending method. For more information, see [Creating E-Document Templates](#) and [Creating an E-Document Sending Method Record](#).

If only one outbound template or one sending method is associated with a customer or vendor, you can set automatic selection of that template and sending method for the transactions of the customer or vendor. To do this, edit a customer or vendor record and go to the E-Document subtab, then check the **Template and Sending Method Auto-selection** box and save the record. The template and sending method will be automatically selected as the default value of the E-Document Template or E-Document Sending Method field on the transaction records of the customer or vendor.

Creating E-Document Templates

In outbound processing, the e-document template maps what data in a NetSuite transaction record will populate which elements in the XML or JSON file that will be generated and sent to customers or vendors.

In inbound processing, the opposite is implemented. The e-document template maps what elements in the received XML file will populate which data fields in the NetSuite transaction record that will be created from the XML file.

Both outbound and inbound e-document templates can be created on the E-Document Templates record. In this record, you can define the name of the e-document template, the e-document package that the template will be applied to, the applicable transaction types for the template, and the template content.

The template content is different for an outbound and inbound transaction. An outbound e-document template should have content in XML or JSON freemarker template, whereas an inbound e-document template will have content as JSON objects for the field mapping.

An e-document template can be used for both outbound and inbound e-documents, given that the right transaction types are selected and the template content for both outbound and inbound are defined. You can create or customize e-document templates for each country you do business in or for certain industries, according to specified standards.

Use FreeMarker to create the template content for both outbound and inbound e-documents. For more information about scriptable templates and FreeMarker, see the following topics:

- [Scriptable Templates](#)
- [FreeMarker Data Model](#)
- [FreeMarker Syntax](#)

Or, you can customize the sample outbound and inbound e-document templates included with the Electronic Invoicing SuiteApp.

The sample outbound template is based on the Brazil NF-e standard. It can be downloaded from the File Cabinet in the Sample Templates folder of the SuiteApp in Documents > File Cabinet > SuiteBundles > Bundle 436209. The following table lists the sample e-document templates and details.

File Name	Description
customer_payment_sample.xml	sample outbound e-document template with tags for customer payment
inbound_template_expenses_items_sample.txt	sample inbound e-document template with tags for items and expenses
inbound_template_sample.txt	sample inbound e-document template with tags for items only
NFe_sample.xml	sample outbound e-document template for Brazil
itemfulfillment_sample.xml	sample outbound e-document template with tags for customer and company information, includes PO number and items
vendorbill_sample.xml	sample outbound e-document template with tags for vendor and company information, includes items and expenses
Inbound_VendorCredit_Peppol_template.txt	sample inbound e-document template with item tags to support converting a credit note based PEPPOL Standard XML file into a vendor credit transaction.

To create an e-document transaction response template:

1. Go to Setup > E-Documents > E-Document Templates > New.
2. In the **Name** field, enter a name for the template.
3. (Optional) In the **Description** field, enter text that describes this template.
4. In the **E-Document Package** field, select the e-document package that this template will be associated with.

For more information, see [Creating E-Document Packages](#).

 **Note:** If the template is for outbound, the e-document package that this template will be included in, must be assigned to corresponding customers or vendors.

5. (Optional) Select a plug-in implementation in the **Digital Signature Plugin Implementation** field. The selected plug-in enables you to include a Digital Signature to the e-documents that will

be generated using the template. For more information, see [Creating a Digital Signature Plug-in Implementation for E-Documents](#).

6. (Optional) Select a plug-in implementation in the **Outbound Validation Plug-in Implementation** field. The selected plug-in implementation enables you to validate the outbound e-document generation process. For more information, see [Creating an Outbound Validation Plug-in Implementation for E-Documents](#).
7. (Optional) Select a plug-in implementation in the **Custom Data Source Plugin Implementation** field. The selected plug-in enables you to include a custom data source in the template for adding more field values to e-documents that will be generated using the template. For more information, see [Creating a Custom Plug-in Implementation for E-Documents Custom Data Source](#).
8. (Optional) Select a plug-in implementation in the **Outbound Extension Plug-in** field. The selected plug-in enables you to modify or add a new node to the already generated XML. It also enables you to add or remove attributes to the existing node. For more information, see [Creating a Custom Plug-in Implementation for Extend E-Invoicing Plug-in](#).
9. In the **Transaction Type** field, select one or more transaction types for which this template will be used. To select multiple transaction types, press and hold the **Ctrl** key while selecting the transaction types.



Note: Make sure that you select the right transaction type that match the template you are creating. If you are creating an outbound template, you must select transaction types that are applicable to outbound processing. See [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#) to know which transaction types you can select.

Selecting a transaction type for either outbound or inbound will make its corresponding Template Content field required. For example, if you select the outbound transaction type Invoice, the **Template for Outbound E-Documents** field will be required. On the other hand, if you select bill, bill credit or sales order, which is an inbound transaction type, the **JSON Field Mapping for Inbound E-Documents** field will be required.

The selected transaction types cannot be modified after the template has been used in a transaction. You must remove the e-document template from the transaction before you can modify this field.

10. (For an outbound template) In the **Subsidiary** field, select the subsidiaries that you want to associate with this template. To select multiple subsidiaries, press and hold the **Ctrl** key while selecting the subsidiaries.

If only this template is associated with a subsidiary, the supported transactions of that subsidiary will display this template on the E-Document Template field on the E-Document subtab. For more information, see [Multi-subsidiary Support in the Outbound Process](#).

11. In the **Restrict Editing of Transactions with E-document Status** field, select any of the following e-document statuses:
 - Sent
 - Sending
 - Ready for Sending
 - Certification in Progress
 - On Hold
 - Cancelled
 - Generated

- Accepted for Hearing

To select multiple e-document statuses, press and hold the **Ctrl** key while selecting the statuses. Transactions with the selected e-document status will be locked for editing if this template is associated with them. Those transactions will display a banner message indicating that the transaction cannot be edited. Editing is only locked on the user interface, transactions can still be edited through script.

12. Under the Template Content section, do the following:

- For outbound processing, select XML or JSON format from the **Content Type** field of the e-document for which the template is generated.
- If you selected transaction types for outbound processing, enter the XML or JSON content of the outbound e-document template in the **Template for Outbound E-Documents** field.
- If you selected transaction types for inbound processing, enter JSON content in the **Field Mapping for Inbound E-Documents** field. For more information about the inbound e-document template in JSON format, see [Understanding Inbound E-Document Templates in JSON Format](#).

If the template record you are creating is for both outbound and inbound transaction types, make sure that you enter content in both Template for Outbound E-Documents, and Field Mapping for Inbound E-Documents fields. Otherwise, error messages will be displayed when you save the template record.

13. For templates created using the builder kit interface, **Apply Validations** field is available. The validations mentioned in the field level help apply when e-document generation is triggered.
14. Create an XSD file to enable the system to automatically assign the right template to a received XML file after validating required tags and attributes in the XML document. Then, upload the XSD file you created to the File Cabinet. For more information and a sample of the XSD file, refer to [Understanding XSD in Inbound E-Document Templates](#).
15. Return to the E-Documents Templates page, and under Template Content, select the XSD file you created from the **Inbound XSD File** dropdown field.
16. Create an XSD file to enable the system to validate required tags and attributes in the generated XML e-document. Then, upload the XSD file you created to the File Cabinet. For more information and a sample of the XSD file, refer to [Understanding XSD in Outbound E-Document Templates](#).
17. Return to the E-Documents Templates page, and under Template Content, select the XSD file you created from the **Outbound XSD File** dropdown field.
18. Enter the folder ID or folder path of a File Cabinet in the **XSD Folder** field. The folder contains the XSD files imported by the outbound XSD file.
19. (Optional) Add path and regex validation expressions to use for validating the template.
There is no need to add node() at the end to get the value.
See [XPath and Regex Examples for E-Document Templates](#).
20. Click **Save**.

After creating the e-document template, you can include it in an e-document package, which is then assigned to a customer or vendor. See [Creating E-Document Packages](#)

XPath and Regex Examples for E-Document Templates

The examples provided in the table can be used to validate the following sample template:

```

1 <document>
2 <buyer>Abuyer</buyer>
3 <amount>100</amount>
4 <items>

```

```

5 <item><id>1</id><name>Mouse</name></item>
6 <item><id>2</id><name>Keyboard</name></item>
7 <item><id>3.0</id><name>Monitor</name></item>
8 <count>3.0</count>
9 </items>
10 </document>

```

The following table contains sample xpath and regex validation expressions:

Xpath	Regex validation expression	Description	Values for validation	Validation result
"document/buyer"	/^,+\$/	The value cannot be blank	Abuyer	Pass
"document/amount"	/^\d+\.\d{0,4}\$/	The value is a decimal with up to 4 decimal places	100	Fail
"document/items/item/id"	/^\d+\$/	The value is a whole number	Each value will be validated	
			1	Pass
			2	Pass
			3.0	Fail
"document/items/count"	/^\d+(\.\d{0,2}){1}\$/	The value is a whole number or a decimal number with up to 2 decimal places	3.0	Pass

For more information about xpath and regex validations, go to the w3schools website:

- [w3schools xpath tutorial](#)
- [w3schools regex tutorial](#)

PEPPOL Template

Electronic Invoicing SuiteApp supports PEPPOL standard templates. PEPPOL is an extremely secure international network that enables your company to exchange business critical electronic documents with users who have registered as a part of the PEPPOL network. The use of PEPPOL templates is governed by a multi-lateral agreement structure owned and maintained by OpenPeppol. PEPPOL enables trading partners to exchange standards based electronic documents over the PEPPOL network.

PEPPOL ID

You can find the **PEPPOL ID** field in customer and vendor records under the **E-Document** subtab, and the subsidiary preference records in Electronic Invoicing Preferences page. This field is used by the entities who have been registered on the PEPPOL network, to manually add the PEPPOL ID.

The correct format for the PEPPOL ID is <country-code>: <GLN>

For example: 0195: SGUEN199907117N



Note: The provided templates and plugin implementations including PEPPOL Outbound Custom Data Source are for reference, and may not generate a valid PEPPOL e-document for your usecase unless further customized. You may require to create a copy of the plugin implementations to further customize them as per requirements

The following table has the names, location of the templates and custom source data plug-in implementations for using the PEPPOL standard templates:

Names	Template Name	Template Location	Plug-in Implementation Name
Invoice Template	Invoice_Peppol_Template_Master.txt	Bundle 436209/Sample Templates	
Generic Invoice Template	Invoice_Peppol_Template_Generic.txt	Bundle 436209/Sample Templates	
Credit Memo Template	CreditMemo_Peppol_Template_Master.txt	Bundle 116079/Sample Templates	
Generic Credit Memo Template	CreditMemo_Peppol_Template_Generic.txt	Bundle 116079/Sample Templates	
Custom Data Source Plugin	pl_custom_data_source_peppol.js	Bundle 436209/src/comp/pl	PEPPOL Outbound Custom Data Source

To use these templates, you must perform the following actions:

- Create an e-document template by adding the content of the template in the **Templates for Outbound E-Documents** field, in the Create E-Document Templates page.
- You can select your custom plugin implementation from the **Custom Data Source Plug-in Implementation** drop down list. The PEPPOL Outbound Custom Data Source plugin provides a sample reference plugin implementation which you can customize and use as per your needs.

The following table gives an overview of all the elements that are used in the and Generic PEPPOL templates for Invoice and Credit Memo transaction types. The elements in the following table use hard coded values or values from the transactions and its related to Subsidiary, Customer and other records. The remaining elements are sourced from custom data source plug-in implementation.

SL No.	ID	Field ID	Technical Name of Field	Transaction Type	NetSuite Field Mapping Logic Used for Templates	NetSuite Field Mapping Logic Used for Generic Templates
1	ubl:Invoice			Invoice	This is the root element of the invoice's PEPPOL template. It has a default value.	This is the root element of the invoice's PEPPOL template. It has a default value.
2	ubl:CreditNote			Credit Memo	This is the root element of the credit memo's PEPPOL template. It has a default value.	This is the root element of credit memo's PEPPOL template. It has a default value.
3	cbc:CustomizationID			Both	This element identifies the specifications of the rules for semantic content, cardinalities, and business to which the data in the instance document conforms to. This element has a default value.	This element identifies the specifications of a set of rules for semantic content, cardinalities, and business to which the data in the instance document conforms. This element has a default value.
4	cbc:ProfileID			Both	This element identifies the context of the business process related to the transaction and lets the buyer process the invoice accurately. This element has a default value.	This element identifies the context of the business process related to the transaction and lets the buyer process the invoice accurately. This element has a default value.
5	cbc:ID	transaction.tranid	Invoice Number or Credit Number	Both	This element displays a unique number that identifies if the transaction is an Invoice or Credit Memo. This value is mapped with the entry number of the transaction.	This element displays a unique number that identifies if the transaction is an Invoice or Credit Memo. This value is mapped with the entry number of the transaction.
6	cbc:IssueDate	transaction.trandate	Date	Both	This element displays the issue date value present in the Date field of the transaction. The date format is YYYY-MM-DD in a template.	This element displays the issue date value present in the Date field of the transaction. The date format is YYYY-MM-DD in a template.
7	cbc:DueDate	transaction.duedate	Due Date	Invoice	This element displays the payment due date value present in the Due Date field of an Invoice. The date format is YYYY-MM-DD in a template.	This element displays the payment due date value present in the Due Date field of an Invoice. The date format is YYYY-MM-DD in a template.
8	cbc:Invoice		Custom Field	Invoice	This element displays a code specifying the invoice type. This has a default assigned value of 380.	This element displays a code specifying the invoice type. This has a default assigned value of 380.

	Type Code				You must map the value with the required custom field in the SuiteApp. The following list has information about the Invoice list and the Invoice Type Codes (UNCL1001): - Commercial Invoice – 380 - Consignment Invoice – 395 - Debit Note for Financial Adjustments – 84 - Debit Note for Goods or Services – 80 - Debit Note – 383 - Factored Invoice – 393 - Forwarder's Invoice – 623 - Insurer's Invoice – 575 - Metered Services Invoice – 82 - Prepayment Invoice – 386 You must map the value with the required custom field in the SuiteApp.	You must map the value with the required custom field in the SuiteApp. The following list has information about the Invoice list and the Invoice Type Codes (UNCL1001): - Commercial Invoice – 380 - Consignment Invoice – 395 - Debit Note for Financial Adjustments – 84 - Debit Note for Goods or Services – 80 - Debit Note – 383 - Factored Invoice – 393 - Forwarder's Invoice – 623 - Insurer's Invoice – 575 - Metered Services Invoice – 82 - Prepayment Invoice – 386
9	cbc:CreditNoteCode		Custom Field	Credit Memo	This element displays a code specifying the credit memo type. This has a default assigned value of 381. You can map the value with the required custom field in the SuiteApp. The following list has the information about Credit Memo list and the Credit Memo Type Codes (UNCL1001): - Credit Note for Foods or Services – 81 - Credit Note for Financial Adjustments – 83 - Credit Note – 381 - Factored Credit Note – 396 - Forwarder's Credit Note – 532 You can map the value with the required custom field in the SuiteApp.	This element displays a code specifying the credit memo type. This has a default assigned value of 381. You can map the value with the required custom field in the SuiteApp. The following list has the information about Credit Memo list and the Credit Memo Type Codes (UNCL1001): - Credit Note for Foods or Services – 81 - Credit Note for Financial Adjustments – 83 - Credit Note – 381 - Factored Credit Note – 396 - Forwarder's Credit Note – 532
10	cbc:Note	transaction.memo	Memo or Custom Field	Both	This element displays a note with information about any change in the invoice or credit memo. This element is displayed only if there is a value in the Memo field of a transaction. In some SuiteApps, this value can be a combination of the value from the Memo field and the value from the custom field on a Subsidiary record. You can map the value with the required custom field in the SuiteApp.	This element displays a note with information about any change in the invoice or credit memo. The note is retrieved from the value in the Memo field of a transaction. In some SuiteApps, this value can be a combination of the value from the Memo field and the value from the custom field on a subsidiary record. You can map the value with the required custom field in the SuiteApp.
11	cbc:TaxPointDate	transaction.taxpointdate	Tax Point Date	Both	This element displays the Tax Point Date field value on the Tax Details tab of a transaction. This field value must not be the same as the value of the Date field. It is available only in accounts with SuiteTax enabled. This element is displayed only if there is a value in the Tax Point Date field of the Transaction. The Tax Point Date format is YYYY-MM-DD in a template. The Tax Point Date is the date when the VAT becomes accountable for the seller and buyer. This field is required and acceptable only if this date is different from the transaction's issue date, according to the VAT directive.	This element displays the Tax Point Date field value on the Tax Details tab of a transaction. This field value must not be the same as the value of the Date field. It is available only in accounts with SuiteTax enabled. This element is displayed only if there is a value in the Tax Point Date field of the Transaction. The Tax Point Date format is YYYY-MM-DD in a template. The Tax Point Date is the date when the VAT becomes accountable for the seller and buyer. This field is required and acceptable only if this date is different from the transaction's issue date, according to the VAT directive.
12	cbc:DocumentCurrencyCode	transaction.currency.symbol	Currency	Both	This element displays the ISO Code of the currency used in the transaction, if Multi-Currency feature is enabled in an account. The value is not displayed if the Multi-Currency feature is not enabled in an account.	This element displays the ISO Code of the currency used in the transaction, if Multi-Currency feature is enabled in an account. The value is not displayed if the Multi-Currency feature is not enabled in an account.

13	cbc:TaxCurrencyCode	custom.subCurrencyISOCode Refer Custom Data Source (CDS) Plug-in Implementation	Currency — In Subsidiary Record	Both	This element displays the ISO Code used by the subsidiary of the transaction if the currency is not same for transaction and the subsidiary. The value of this element is retrieved from the custom data source plug-in used in the template. TaxCurrencyCode is used for VAT accounting and reporting, as accepted or required in the country of the seller.	This element displays the ISO code of the Currency used by the subsidiary in a transaction in One World (OW)Accounts. In accounts without OneWorld, the value of the Currency field in Company Information Page is used. The ISO code is displayed when the value of the currency and the subsidiary are not the same for the transaction and Multi Currency feature is enabled in the account. The value of this element is retrieved from the custom data source plug-in used in the template. TaxCurrencyCode is used for VAT accounting and reporting purposes as accepted or required in the country of the Seller.
14	cbc:AccountingCost		Custom Field	Both	This element displays the details of the booking data related to the buyer's financial accounts. You must map this field value with the required custom field in the SuiteApp.	The template does not support this element.
15	cbc:BuyerReference	transaction.otherrefnum	PO #	Both	This element displays the identifier or code assigned by the buyer for internal routing. The PO# field is used to identify the buyer and the order details. This element is displayed only if the PO# field has a value in a transaction. The value can be the name of the person ordering the products, employee number, or an identification code for a buyer, department, or group. You can map the value of this field with the required custom field in the SuiteApp.	This element displays the identifier or code assigned by the buyer for internal routing. The PO# field is used to identify the buyer and the order details. This element is displayed only if the PO# field has a value in a transaction. The value can be the name of the person ordering the products, employee number, or an identification code for a buyer, department, or group. You can map the value of this field with the required custom field in the SuiteApp.
16	cac:InvoicePeriod			Invoice	This is a parent element containing a group of business terms that provide information about the invoice period, also known as the delivery period. If you use this group, you must also use the invoice period start date, end date, or both. This parent element is not displayed if any of the child elements don't have a value.	This is a parent element containing a group of business terms that provide information about the invoice period, also known as the delivery period. If you use this group, you must also use the invoice period start date, end date, or both. This element is displayed only if the value of start date, end date, or both is available.
17	cbc:StartDate	transaction.startdate	Start Date	Invoice	This element displays the start date of an invoice period for a transaction. This element is displayed along with a value on the generated e-document only if the value is entered in the Start Date field of the transaction. You can map the value with the required custom field in the SuiteApp.	This element displays the start date of an invoice period for a transaction. This element is displayed along with a value on the generated e-document only if the value is entered in the Start Date field of the transaction.
18	cbc:EndDate	transaction.enddate	End Date	Invoice	This element displays the end date of an invoice period for a transaction. This element is displayed along with a value on the generated E-Document only if the value is entered in the End Date field of the transaction. You can map the value with the required custom field in the SuiteApp.	This element displays the end date of an invoice period for a transaction. This element is displayed along with a value on the generated E-Document only if the value is entered in the End Date field of the transaction.
19	cbc:DescriptionCode		Custom Field	Both	This element displays the code of the date when VAT becomes accountable for seller and buyer. For example: ■ 3 - Invoice document issue date, time ■ 35 - Delivery date, time ■ 42 - Paid to date You can map the value with the required custom field in your account.	The template does not support this element.
20	cac:OrderReference			Both	This is a parent element with details of the order and sales order references.	This is a parent element with details of the order and sales order references.

21	cbc:ID	transaction. otherrefnum customer.account number customer.entityid	PO# Account Number Customer ID	Both	This element displays one the following identifiers for a referenced purchase order allotted by the buyer: - PO# - Account Number – The account number is displayed if the PO# value is missing. - Customer ID – The customer ID is displayed if the account number is missing. The element represents an identifier for a referenced purchase order issued by the Buyer.	This element displays one the following identifiers for a referenced purchase order allotted by the buyer: - PO# - Account Number – The account number is displayed if the PO# value is missing. - Customer ID – The customer ID is displayed if the account number is missing. The element represents an identifier for a referenced purchase order issued by the Buyer.
22	cbc:Sa lesOrd erID	transaction. createdfrom	Created From	Inv ice	This element displays an identifier for a referenced sales order allotted by the seller. It has the entry number of the sales order transaction only if an invoice is created from a sales order. The entry number is retrieved from the Created From field in the invoice. If the invoice is not created from a sales order, then the element is not printed.	This element displays an identifier for a referenced sales order allotted by the seller. It has the entry number of the sales order transaction only if an invoice is created from a sales order. The entry number is retrieved from the Created From field in the invoice. If the invoice is not created from a sales order, then the element is not printed.
23	cac:Bill ingRef erence			Cred it Me mo	This is a parent element containing a group of business terms with information about previous invoices. In the template, the element has no value and has child elements that can have values if required.	This is a parent element containing a group of business terms with information about previous invoices. In the template, the element has no value and has child elements that can have values if required.
24	cac:Inv oiceDo cumen tRefer ence			Cred it Me mo	This parent element has no value in the template but contains child elements identifying an invoice.	This parent element has no value in the template but contains child elements identifying an invoice. This element has no value in the template.
25	cbc:ID	transaction.apply. refnum	Apply subtab	Cred it Me mo	This element displays a value identifying an invoice that was previously sent by the seller. If a credit memo has an invoice applied, then the value of the invoice entry is displayed in the Created From field.	This element displays a value identifying an invoice. If a credit memo has an invoice applied, the value of the invoice entry is displayed under the Apply subtab.
26	cbc: Issue Date	transaction.apply. trandate	Date – Invoice's Date field	Cred it Me mo	This element displays the date when the last invoice was issued. If a credit memo has an invoice applied to it, then the value of the invoice entry is displayed in the Created From field. The Date field value represents the issue date of that invoice.	This element displays the date when the last invoice was issued. If a credit memo has an invoice applied to it, then the value of the invoice entry is displayed in the Apply subtab. The Date field value represents the issue date of that invoice.
27	cac:D espat chDoc umen tRefer ence			Both	This parent element provides reference to the dispatch advice. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
28	cbc:ID		Custom Field	Both	This element refers to an identifier of a referenced dispatch advice. You can map the value of this key with the preferred custom field in your account.	The template does not support this element.
29	cac:Re ceiptD ocume ntRefer ence			Both	This parent element has reference to the receipt advice. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
30	cbc:ID		Custom Field	Both	This element displays an identifier of a referenced receiving advice. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
31	cac:Or iginat orDoc umen tRefer ence			Both	This parent element contains a tender or lot reference details. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
32	cbc:ID		Custom Field	Both	This element displays the call for tender or lot of the invoice ID.	The template does not support this element.

					You can map the value with the required custom field in the SuiteApp.	
33	cac:ContractDocumentReference			Both	This parent element provides details of any existing contract associated with a transaction. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
34	cbc:ID		Custom Field	Both	This element has a value that identifies a contract. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
35	cac:AdditionalDocumentReference			Both	This parent element has no value, but it has child elements with values associated to it in the template. It has information about group of business terms and details, with additional supporting documents having terms of the invoice. The supporting documents include: - Reference to a document number known to the receiver - External documents referenced by a URL - Embedded documents - Base64 encoded documents like time report	The template does not support this element.
36	cbc:ID		Project	Both	This element displays the identifier of an object based on the invoice provided by the seller or a value used for identifying a supporting document. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
37	@schemeID		Custom value from list	Both	This element must have a value displaying the identifier of the identification scheme of an invoiced object. It is used inside the cbc:ID element. The value of this element must be from the list . You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
38	cbc:DocumentTypeCode		Custom Field	Both	This element displays the code value 50 if there is a project specified in the header of the credit memo. If the credit memo has an applied invoice or it does not display any content if conditions are not met, then the code value is 130 instead of 50. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
39	cbc:DocumentDescription		Custom Field	Both	This element has a value that describes supporting documents such as time sheets and usage reports. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
40	cac:Attachment			Both	This parent element has information about attached documents with the transaction. The element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
41	cbc:EmbeddedDocumentBinaryObject		Custom Field	Both	This element has a value referencing any attached document embedded as a binary object (Base64) or sent together with the invoice. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
42	@mimeCode		Custom Value	Both	This is a value used with the element cbc:EmbeddedDocumentBinaryObject that represents the mime code of an attached document. For example: text/csv	The template does not support this element.

					You can map the value with the required custom field in the SuiteApp.	
43	@fileName		Custom Value	Both	This is a value used with the element cbc:EmbeddedDocumentBinaryObject that represents the file name of an attached document. For example: abc.csv You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
44	cac:ExternalReference			Both	This is a parent element providing details of the external document's reference such as its location. The element has no value, but it has child elements with values associated to it in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
45	cbc:URI		Custom Field	Both	The value of this element represents the Uniform Resource Locator (URL) that identifies the location of the external document. This locates the resource and its primary access mechanism, such as http:// or ftp://. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
46	cac:ProjectReference			Invoice	This parent element has information about any project associated with an invoice. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child element don't have any value. You can map the value with the required custom field in the SuiteApp.	This parent element has information about any project associated with an invoice. This element has no value, but it has child elements with value associated to it in the template. This element is not displayed, if the Project field has no value. You can map the value with the required custom field in the SuiteApp.
47	cbc:ID	transaction.job	Project	Invoice	This element indicates the ID of the project associated with an invoice. If the Project field has no value in the transaction, the element is not printed.	This element indicates the ID of the project associated with an invoice. If the Project field has no value in the transaction, the element is not printed.
48	cac:AccountingSupplierParty			Both	This is a parent element that provides information about the seller using various child elements. This element has no value, but it has child elements with values associated to it in the template.	This is a parent element that provides information about the seller using various child elements. This element has no value, but it has child elements with values associated to it in the template.
49	cac:Party			Both	This is a parent element and a child element of cac:AccountingSupplierParty, having information about the seller like electronic address. This element has no value, but it has child elements with values associated to it in the template.	This is a parent element and a child element of cac:AccountingSupplierParty, having information about the seller like electronic address. This element has no value, but it has child elements with values associated to it in the template.
50	cbc:EndpointID		Vat Registration No Subsidiary Tax Reg Number	Both	This element identifies the seller's electronic address to which the application level response to the invoice can be delivered. The element uses the custom data source plug-in to get one of the following values: - Value of the VAT Registration No field from the subsidiary in legacy tax accounts or - Value of the Subsidiary Tax Reg Number field from the transaction for SuiteTax accounts. You can map the value with the required custom field in the SuiteApp.	This element identifies the seller's electronic address to which the application level response to the invoice can be delivered. The element uses the Custom Data Source plugin to get one of the following values: - Value of the VAT Registration No field from the subsidiary in legacy tax accounts or - Value of the Subsidiary Tax Reg Number field from the transaction for SuiteTax accounts. You can map the value with the required custom field in the SuiteApp.
51	@schemeID		Custom Value	Both	This element is used with the element cbc:EndpointID and identifies the scheme ID of the seller's electronic address. You can find the scheme ID value from Scheme ID List. You can map the value with the required custom field in the SuiteApp.	This element is used with the element cbc:EndpointID and identifies the scheme ID of the seller's electronic address. You can find the scheme ID value from Scheme ID List. You can map the value with the required custom field in the SuiteApp.

52	cac:PartyIdentification			Both	This parent element identifies the seller or the seller's unique banking reference ID provided by the bank. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
53	cbc:ID		Custom Field	Both	This parent element identifies the seller or the seller's unique banking reference ID provided by the bank. ICD code list is used for the seller's ID. SEPA is the code used for SEPA bank's assigned creditor reference. For the buyer to identify a supplier automatically, the following identifiers are available: - BT-29 – Seller identifier - BT-30 – Seller legal registration identifier - BT-31 – Seller VAT identifier You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
54	@schemeID		Custom Value	Both	This element is used with the element cbc:ID to identify the scheme of the seller Identifier. For example, for a bank assigned credit identifier BT-90, the seller ID must be SEPA.	The template does not support this element.
55	cac:PartyName			Both	This parent element displays the seller's information such as name and address. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child elements don't have values.	This parent element displays the seller's information such as name and address. This element has no value in the template, but it has child elements with values associated with them. This element is not displayed if the Addressee field value of the subsidiary's main address or Name field value of the subsidiary is not present.
56	cbc:Name	transaction.subsidiary.name custom.addressee	Addressee (Subsidiary's main address's address name) Name (Subsidiary name)	Both	This element displays the business name, another name by which the Seller is known, other than the Seller name. It contains a value in the Addressee field of the Subsidiary's main address. If the field has no value, then this element prints the Subsidiary name without the full hierarchy. This element prints the name of the subsidiary without a OneWorld account.	This element displays the business name, another name by which the Seller is known, other than the Seller name. It contains a value in the Addressee field of the Subsidiary's main address retrieved from custom data source plugin. If the Addressee field has no value, then this element prints the Subsidiary name without the full hierarchy. In accounts without OneWorld, the Name of the subsidiary to which the transaction is mapped is printed. Example: Parent Company, Arizona Company etc
57	cac:PostalAddress			Both	This is a parent element with information about the seller's address. Required fields of the address must be filled out to comply with the legal requirements. This element has no value, but it has child elements that have values associated to it in the template.	This is a parent element with information about the seller's address. Required fields of the address must be filled out to comply with the legal requirements. This element has no value, but it has child elements that have values associated to it in the template.
58	cbc:StreetName	transaction.subsidiary.address1	Address 1 (Subsidiary's main address's address line 1)	Both	This element displays the main address line of the seller's address. The element has the value of the Address 1 field of the subsidiary's main address. This element is displayed only if a value is entered in the Address 1 field on the Subsidiary record; otherwise, the element is not displayed.	This element displays the main address line of the seller's address. The element has the value of the Address 1 field of the subsidiary's main address. This element is displayed only if a value is entered in the Address 1 field on the Subsidiary record; otherwise, the element is not displayed.
59	cbc:AdditionalStreetName	transaction.subsidiary.address2	Address 2 (Subsidiary's main address's address line 2)	Both	This element displays another address line with more details about the main address. This element has the value of the Address 2 field in the subsidiary's main address. This element is displayed only if a value is entered in the Address 2 field on the Subsidiary record; otherwise, the element is not displayed.	This element displays another address line with more details about the main address. This element has the value of the Address 2 field in the subsidiary's main address. This element is displayed only if a value is entered in the Address 2 field on the Subsidiary record; otherwise, the element is not displayed.
60	cbc:CityName	transaction.subsidiary.city	City (Subsidiary's main address's city)	Both	This element displays the common name of the city, town, or village of the seller's location. The element's value is displayed in the City field of the subsidiary's main address.	This element displays the common name of the city, town, or village of the seller's location. The element's value is displayed in the City field of the subsidiary's main address.
61	cbc:PostalZone	transaction.subsidiary.zip	ZIP (Subsidiary's main address's zip)	Both	This element identifies a group of properties with addresses based on the relevant postal service. This element is displayed only if there is a value in the Zip field of the subsidiary's main address.	This element identifies a group of properties with addresses based on the relevant postal service. This element is displayed only if there is a value in the Zip field of the subsidiary's main address.

62	cbc:CountrySubentity	Transaction. subsidiary.state	State (Subsidiary's main address's state)	Both	This element identifies the subdivision of the country in the subsidiary's main address. The element is displayed only if there is a value in the State field of the subsidiary's main address.	This element identifies the subdivision of the country in the subsidiary's main address. The element is displayed only if there is a value in the State field of the subsidiary's main address.
63	cac:AddressLine			Both	This parent element has information about the additional address line in the subsidiary address. This element has no value in the template.	This parent element has information about the additional address line in the subsidiary address. This element has no value in the template.
64	cbc:Line	transaction. subsidiary. address3	ADDRESS 3 (Subsidiary's main address's address line 3)	Both	This element has information about an additional address line with more details about the main address line. This element has the value of the Address 3 field in the subsidiary's main address. It is displayed only if the Address 3 field has a value.	This element has information about an additional address line with more details about the main address line. This element has the value of the Address 3 field in the subsidiary's main address. It is displayed only if the Address 3 field has a value.
65	cac:Country			Both	This parent element has information about the country associated with the subsidiary's address. This element has no value in the template.	This parent element has information about the country associated with the subsidiary's address. This element has no value in the template.
66	cbc:IdentificationCode	In OW accounts: Country of transaction's subsidiary. In SI account: Country name in Company Information page.	custom. subPrimary Country (Refer CDS) custom. countryInCompanyInfoCode (Refer CDS)	Both	This parent element displays the ISO Code of a transaction's country in the subsidiary's main address in OneWorld accounts. Without a OneWorld account, the element displays the ISO Code of the Country field on the Company Information page. The values are displayed using the custom data source plug-in implemented in the template.	This element displays the following information: - Value of ISO code of the transaction's subsidiary's Country in OW accounts. - Value of the ISO code of the Country field in the Company Information page for SI accounts. The values are displayed using the custom data source plug-in implemented in the template.
67	cac:PartyTaxScheme			Both	This parent element with its child element displays the seller's VAT identifier or tax registration details using different transaction fields. This element has no value in the template, but it has child elements that have values associated with them.	This parent element with its child element displays the seller's VAT identifier or tax registration details using different transaction fields. This element has no value in the template, but it has child elements that have values associated with them.
68	cbc:CompanyID	custom.subVatRegNo (Refer CDS)	For Legacy Tax: Employee Identification Number (EIN) on transaction's Subsidiary. For SuiteTax: Subsidiary Tax Reg Number	Both	This element displays the seller's VAT identification number or local identification for tax purpose or reference. This enables a seller to indicate their registered tax status. The element displays the value in the Employee Identification Number field of a subsidiary in a transaction in the generated e-document. The value is displayed using the custom data source plug-in implemented in the template.	This element displays the seller's VAT identification number or local identification for tax purpose or reference. This enables a seller to indicate their registered tax status. The element displays the following information about generated e-document: - The value of the transaction's subsidiary's Employee Identification Number field in Legacy Tax accounts - The value of the transaction's Subsidiary Tax Reg Number field in Suite Tax accounts. The values are displayed using the custom data source plug-in implemented in the template.
69	cac:TaxScheme				This parent element has a child element cac:PartyTaxScheme that displays the seller's VAT identification or tax registration details using various transaction fields. This element has no value, but it has child elements that have values associated to it in the template.	This parent element has a child element cac:PartyTaxScheme that displays the seller's VAT identification or tax registration details using various transaction fields. This element has no value, but it has child elements that have values associated to it in the template.
70	cbc:ID		Fixed Value: VAT	Both	This element is displayed if the seller is a VAT identifier or TAX Identifier. The default value is VAT.	This element is displayed if the seller is a VAT identifier or TAX Identifier. The default value is VAT.
71	cac:PartyLegalEntity				This parent element has information about the seller's legal details like registration name. This element has no value, but it has child elements that have values associated to it in the template.	This parent element has information about the seller's legal details like registration name. This element has no value, but it has child elements that have values associated to it in the template.
72	cbc:RegistrationName	transaction. subsidiary. legalname	Legal Name	Both	This element displays the seller's registered name as per the following conventions: - National Registry of Legal Entities - Taxable person - Trading as a person or persons The value of the element is retrieved from the subsidiary's Legal Name field in a	This element displays the seller's registered name as per the following conventions: - National Registry of Legal Entities - Taxable person - Trading as a person or persons The value of the element is retrieved from the subsidiary's Legal Name field in a transaction.

					transaction. This element is not displayed if the field has no value.	This element is not displayed if the field has no value.
73	cbc:CompanyID		Custom Field	Both	This element is used as an identifier allotted by an official registrar. It identifies the seller as legal entity or person. This element does not have any value in the template. You can map the value with the required custom field in the SuiteApp.	This element is used as an identifier allotted by an official registrar. It identifies the seller as legal entity or person. This element does not have any value in the template. You can map the value with the required custom field in the SuiteApp.
74	@schemeID		Custom Value	Both	This element is used with the element cbc:CompanyID to identify the scheme identifier of a seller's legal registration. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element is used with the element cbc:CompanyID to identify the scheme identifier of a seller's legal registration. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
75	cbc:CompanyLegalForm			Both	This parent element has details about additional legal information related to the seller. This element has no value in the template.	The template does not support this element.
76	cac:Contact			Both	This is a parent element and a child of cbc:Party with information about a group of business terms providing contact information of the seller. This element has no value in the template, but it has child elements that have values associated with them. This parent element is not displayed if the child elements don't have values.	This is a parent element and a child of cbc:Party with information about a group of business terms providing contact information of the seller. This element has no value, but it has child elements that have values associated to it in the template. This element is displayed if the transaction has a sales representative.
77	cbc:Name	transaction.salesrep	Sales Rep	Both	This element provides contact details for a legal entity or representative and displays the Sales Rep field value in a transaction. The element is displayed only if there is a value in the Sales Rep field of the transaction.	This element provides contact details for a legal entity or representative and displays the Sales Rep field value in a transaction. The element and the value is not displayed only if there is no value in the Sales Rep field of the transaction.
78	cbc:Telephone	transaction.salesrep.phone	Phone	Both	This element displays the phone number of the contact person. It uses the phone number of the sales representative selected in the transaction as the value. This element is displayed only if there is a value in the sales representative's Phone field in the employee record.	This element displays the phone number of the contact person. It uses the phone number of the sales representative selected in the transaction as the value. This element and value is not displayed if there is a value in the sales representative's Phone field in the employee record.
79	cbc:ElectronicMail	transaction.salesrep.email	Email	Both	This element displays the email address of the contact person and uses the email address of the sales representative selected in the transaction as the value. This element is displayed only if there is value in the sales representative's Email field in the employee record.	This element displays the email address of the contact person and uses the email address of the sales representative selected in the transaction as the value. This element is displayed only if there is value in the sales representative's Email field in the employee record.
80	cac:AccountingCustomerParty				This parent element contains a group of business terms, with information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.	This parent element contains a group of business terms, with information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.
81	cac:Party			Both	This is a parent element and a child of cac:AccountingCustomerParty, providing information about the buyer. This element has no value, but it has child elements with values associated in the template.	This is a parent element and a child of cac:AccountingCustomerParty, providing information about the buyer. This element has no value, but it has child elements with values associated in the template.
82	cbc:ElectronicID	For Legacy Tax: customer.vatregnumber in customer record For SuiteTax: customer.defaulttaxreg in customer record	In Legacy Tax Account: Tax Reg Number field in the customer record In SuiteTax account: Default Tax Reg field in the customer record	Both	This element displays a value identifying a buyer's electronic address to deliver the invoice. This element is displayed along with the field value based on the following criteria: - A customer record has a value in the Tax Reg Number field in Legacy Tax accounts. - A customer record has a value in the Default Tax Reg field in SuiteTax accounts. Example: 987654321	This element displays a value identifying a buyer's electronic address to deliver the invoice. This element is displayed along with the field value based on the following criteria: - A customer record has a value in the Tax Reg Number field in Legacy Tax accounts. - A customer record has a value in the Default Tax Reg field in SuiteTax accounts. Example: 987654321

83	@schemeID		Custom Value	Both	This element is used with the element cbc:EndpointID and has no value in the template. This element identifies the scheme identifier of a buyer's electronic address. Example: 0192 You can map the value with the required custom field in the SuiteApp.	This element is used with the element cbc:EndpointID and has no value in the template. This element identifies the scheme identifier of a buyer's electronic address. Example: 0192 You can map the value with the required custom field in the SuiteApp.
84	cac:PartyIdentification			Both	This is a parent element providing information about the buyer identifier. This element has no value, but it has child elements that have values associated with them.	The template does not support this element.
85	cbc:ID	customer.account number	Account (Customer's transaction)	Both	This element populates the customer identifier. The value of Account field on the transaction's customer record is used as value for this element.	The template does not support this element.
86	@schemeID		Custom Value	Both	This element is used with the element cbc:ID to display or populate the scheme ID of the buyer identifier. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
87	cac:PartyName				This parent element displays the buyer's details. This element has no value, but it has child elements that have values associated with it in the template.	This parent element displays the buyer's details. This element has no value, but it has child elements that have values associated with it in the template.
88	cbc:Name	customer.companyname	Company Name	Both	This element displays another name that the buyer is known, other than the Business name. The value in the Company Name field on a customer's transaction is displayed in the generated e-document for this element.	This element displays another name that the buyer is known, other than the Business name. The value in the Company Name field on a customer's transaction is displayed in the generated e-document for this element.
89	cac:PostalAddress			Both	This parent element has a group of business terms providing information about the buyer's postal address. This element has no value, but it has child elements that have values associated with it in the template.	This parent element has a group of business terms providing information about the buyer's postal address. This element has no value, but it has child elements that have values associated with it in the template.
90	cbc:StreetName	transaction.billaddr1	Address 1 (Transaction's billing address)	Both	This element displays the main address line of an address. The element retrieves the value of the Address 1 field from the billing address in a transaction. This element is displayed only if the Address 1 field has a value.	This element displays the main address line of an address. The element retrieves the value of the Address 1 field from the billing address in a transaction. This element is displayed only if the Address 1 field has a value.
91	cbc:AdditionalStreetName	transaction.billaddr2	Address 2 (Transaction's billing address)	Both	This element displays an additional address line to have more details on the main address. This element retrieves the value of the Address2 field from the billing address in a transaction. This element is displayed only if the Address2 field has a value.	This element displays an additional address line to have more details on the main address. This element retrieves the value of the Address2 field from the billing address in a transaction. This element is displayed only if the Address2 field has a value.
92	cbc:CityName	transaction.billcity	City (Transaction's billing address)	Both	This element displays the common name of the city, town, or village of the buyer's location. This element is displayed only if the City field of the transaction's billing address has a value.	This element displays the common name of the city, town, or village of the buyer's location. This element is displayed only if the City field of the transaction's billing address has a value.
93	cbc:PostalZone	transaction.billzip	Zip (Transaction's billing address)	Both	This element identifies a group of properties with address based on the relevant postal service. Zip field of the transaction's billing address is used as value for this element. This element is not displayed if this field has no value.	This element identifies a group of properties with address based on the relevant postal service. Zip field of the transaction's billing address is used as value for this element. This element is not displayed if this field has no value.
94	cbc:CountrySubentity	transaction.billstate	State (Transaction's billing address)	Both	This element identifies the subdivision of the country. This element is displayed only if the State field of the transaction's billing address has a value.	This element identifies the subdivision of the country. This element is displayed only if the State field of the transaction's billing address has a value.
95	cac:AddressLine				This parent element shows information about the additional address line in a transaction's billing address. This element has no value, but it has child elements that have values associated with them. This	This parent element shows information about the additional address line in a transaction's billing address. This element is not displayed if the Address 3 field of transaction's billing address has no value.

					parent element is displayed only if its child elements have values.	
96	cbc:Line	transaction.billaddr3	Address 3 (Transaction's billing address)	Both	This element displays an additional address line to have more details on the main address line. This element retrieves the value of the Address 3 field from the billing address in a transaction. This element is only displayed if the Address 3 field has a value.	This element displays an additional address line to have more details on the main address line. This element retrieves the value of the Address 3 field from the billing address in a transaction. This element is only displayed if the Address 3 field has a value.
97	cac:Country				This parent element provides information about the billing address's country in a transaction. This element has no value, but it has child elements that have values associated with it in the template.	This parent element provides information about the billing address's country in a transaction. This element has no value, but it has child elements that have values associated with it in the template.
98	cbc:IdentificationCode	custom.billCountryISOCode	Country (Transaction's billing address)	Both	This element displays a code identifying the billing country of a transaction. The element displays the ISO code of the country. The value of this element is displayed using the custom data source plug-in implemented in the template.	This element displays a code identifying the billing country of a transaction. The element displays the ISO code of the country. The value of this element is displayed using the custom data source plug-in implemented in the template.
99	cac:PartyTaxScheme				This parent element has information about the party VAT identifier. This element has no value, but it has child elements that have values associated to it in the template.	This parent element has information about the party VAT identifier. This element has no value in the template.
100	cbc:CompanyID	For Legacy Tax: customer.vatregnum For SuiteTax: customer.defaulttaxreg	In Legacy Tax Account: Tax Reg Number In SuiteTax account: Default Tax Reg	Both	This element displays the buyer's VAT identification number. This element is displayed with the field value in a customer record for the following accounts: ■ Default Tax Reg Number in Suite Tax account. ■ Tax Reg Number field in Legacy Tax account. You can map the value with the required custom field in the SuiteApp.	This element displays the buyer's VAT identification number. This element is displayed with the field value in a customer record for the following accounts: ■ Default Tax Reg Number in Suite Tax account. ■ Tax Reg Number field in Legacy Tax account.
101	cac:TaxScheme				This parent element provides information about the tax scheme used by the customer. This element has no value, but it has child elements that have values associated to it in the template.	This parent element provides information about the tax scheme used by the customer. This element has no value, but it has child elements that have values associated with it in the template.
102	cbc:ID		Custom Field	Both	This element provides the code of the tax scheme being used. This element has a fixed value VAT.	This element provides the code of the tax scheme being used. This element has a fixed value VAT.
103	cac:PartyLegalEntity				This parent element provides legal information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.	This parent element provides legal information about the buyer. This element has no value, but it has child elements that have values associated with it in the template.
104	cbc:RegistrationName	transaction.billedressee customer.companyname	Addressee Company Name		This element displays the buyer's full name. If the Addressee field has a value in the Billing Address of a transaction, then the full name is displayed along with the element. If not, then the element displays the customer's company name.	This element displays the buyer's full name. If the Addressee field has a value in the Billing Address of a transaction, then the full name is displayed along with the element. If not, then the element displays the customer's company name.
105	cbc:CompanyID		Custom Field	Both	This element displays an identifier of the buyer as a legal entity or person. This identifier is issued by an official registrar. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays an identifier of the buyer as a legal entity or person. This identifier is issued by an official registrar. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
106	@schemeID		Custom Value	Both	This element displays the scheme ID of the buyer's legal registration identifier. This element has no value associated with it in the template. You can map the value with the required custom field in the SuiteApp.	This element has the point of contact of the buyer's legal entity or person. This element has no value associated with it in the template. You can map the value with the required custom field in the SuiteApp.
107	cac:Contact				This parent element has multiple child elements and provides contact information relevant to the buyer. This element has no value associated with it in the template.	This parent element has multiple child elements and provides contact information relevant to the buyer. This element does not have a value in the template. This element is displayed only if the

					This element is displayed only if the transaction's customer has a phone number or an email address.	transaction's customer has a phone number or an email address.
108	cbc:N ame		Custom Field	Both	This element has the point of contact of the buyer's legal entity or person. This element has no value associated with it in the template. You can map the value with the required custom field in the SuiteApp.	This element displays the e-mail address of the buyer's contact. This element is displayed in the generated e-document only if the customer's E-mail Address field has a value.
109	cbc:T eleph one	customer.phone	Phone	Both	This element displays the phone number of the buyer's contact. This element is displayed in the generated e-document only if the customer's Phone Number field has a value.	The template does not support this element.
110	cbc:Ele ctroni cMail	customer.email	Email	Both	This element displays the e-mail address of the buyer's contact. This element is displayed in the generated e-document only if the customer's E-mail Address field has a value.	The template does not support this element.
111	cac:P ayeeP arty				This parent element has multiple child elements, with information about the payee. This element is used when the payee is different from the seller. This element has no value in the template.	The template does not support this element.
112	cac:Pa rtyIde ntifica tion			Both	This is a parent element and a child of cac:PayeeParty, which has child elements used for identifying the payee party. This element has no value in the template.	The template does not support this element.
113	cbc:ID		Custom Field	Both	This element is used to identify both the payee and the unique banking reference identifier of the payee assigned by the payee's bank. For identifying the payee, you can use the ICD code list. You can use SEPA code for identifying the SEPA bank assigned creditor reference. For example, FR932874294. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
114	@sche meID		Custom Value	Both	This element used with the cbc:ID element identifies the payee's scheme ID. This has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
115	cac:Pa rtyNa me				This is a parent element and a child of cac:PayeeParty element. This element provides information about the payee name. This element has no value in the template.	The template does not support this element.
116	cbc:N ame		Custom Field	Both	This element displays the name of the payee. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
117	cac:P artyLe galEn tity				This parent element has legal information about the payee. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
118	cbc:C ompa nyID		Custom Field	Both	This element identifies the payee's legal registration. The identifier is issued by an official registrar and identifies the payee as a legal entity or person. For example, FR932874294. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
119	@sche meID		Custom Value	Both	This element is used with cbc:CompanyID and has the scheme ID of the payee's legal registration identifier. For example: 0002 This element has no value in the template.	The template does not support this element.

					You can map the value with the required custom field in the SuiteApp.	
120	cac:TaxRepresentativeParty			Both	This parent element has information about the seller's tax representative. This element has no value, but it has child elements that have values associated to it in the template.	The template does not support this element.
121	cac:PartyName				This is a parent element and a child element of cac:TaxRepresentativeParty. This element displays the name of the seller's tax representative. This element has no value, but it has child elements that have values associated to it in the template.	The template does not support this element.
122	cbc:Name		Custom Field	Both	This element displays the full name of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
123	cac:PostalAddress			Both	This is a parent element and a child element of cac:TaxRepresentativeParty. The element has no value, but it has child elements with information about the postal address of the tax representative in template. The required address fields must be filled out to comply with legal requirements.	The template does not support this element.
124	cbc:StreetName		Custom Field	Both	This element displays the main address line of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
125	cbc:AdditionalStreetName		Custom Field	Both	This element displays the value of an additional address line of the main address of a seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
126	cbc:CityName		Custom Field	Both	This element displays the common name of the city, town, or village of the tax representative's location. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
127	cbc:PostalZone		Custom Field	Both	This element identifies an addressable group of properties according to the relevant postal service of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
128	cbc:CountrySubentity		Custom Field	Both	This element has information about a country's subdivision of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
129	cac:AddressLine			Both	This element is a parent element and a child of cac:PostalAddress, with information about the additional address line of the seller's tax representative main address. This element has clarifications on the addresses. It has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
130	cbc:Line		Custom Field	Both	This element has information about the additional address line of a main address. It gives information about the seller's tax representative's main address. This element has no value in the template.	The template does not support this element.

					You can map the value with the required custom field in the SuiteApp.	
131	cac:Country			Both	This element is a parent element and child of cac:PostalAddress, with information about the country of the address. This element has no value, but it has child elements that have values associated to it in the template.	The template does not support this element.
132	cbc:IdentificationCode		Custom Field	Both	This element displays the ISO code of the seller's tax representative country. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
133	cac:PartyTaxScheme			Both	This is a parent element with information about the VAT party identifier. This element has no value, but it has child elements with values associated with it in the template.	The template does not support this element.
134	cbc:CompanyID		Custom Field	Both	This element represents the VAT identifier of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
135	cac:TaxScheme				This parent element displays the tax scheme used by the tax representative. This element has no value in the template.	The template does not support this element.
136	cbc:ID		Custom Field	Both	This element displays the name of the tax scheme and has a required value VAT, added in the template.	The template does not support this element.
137	cac:Delivery				This parent element has information about the delivery time and location of the invoiced goods and services. This element has no value in the template, but it has child elements with information about the delivery address in the template.	This parent element has information about the delivery time and location of the invoiced goods and services. This element has no value in the template, but it has various child elements with information about the delivery address in the template.
138	cbc:ActualDeliveryDate	transaction.trandate	Date	Both	This element displays the date when the supply of goods and services is completed. This element is displayed along with the value on the generated e-document only if the value is provided in the Date field of the transaction. This date must be in YYYY-MM-DD format. You can map the value with the required custom field in the SuiteApp.	This element displays the date when supply of goods and services is completed. This element is displayed along with the value on the generated e-document only if the value is provided in the Date field of the transaction. This date must be in YYYY-MM-DD format. You can map the value with the required custom field in the SuiteApp.
139	cac:DeliveryLocation			Both	This element has information about the location where goods and services were delivered. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element has information about the location to which the goods and services are delivered. This element has no value in the template. This element is not printed if the shipping country is not available in the transaction.
140	cbc:ID		Custom Field	Both	This element displays the identifier for the delivery location of the goods and services. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
141	@schemeID		Custom Value	Both	This element is a part of cbc:ID element and displays the scheme ID of the Deliver to Location field. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this value.
142	cac:Address			Both	This parent element has information about the address where invoiced goods or services are delivered. This element has no value in the template, but it has child elements that have values associated with it.	This parent element has information about the address to which the invoiced goods or services are delivered. This element has no value in the template, but it has various child elements that have values associated with it.
143	cbc:StreetName	transaction.shipaddr1	Address 1 (Transaction)	Both	This element displays the main address line in the transaction's shipping address. This element has the value of Address 1 field in the transaction's shipping address. This	This element displays the main address line in the transaction's shipping address. This element has the value of Address 1 field in the transaction's shipping address. The element and its value are

			n's address line 1)		element is not displayed if the Address 1 field has no value in the transaction.	not displayed if the Address 1 field has no value in the transaction.
144	cbc:AdditionalStreetName	transaction.shipaddr2	Address 2 (Transaction's address line 2)	Both	This element displays the main address line in the transaction's shipping address. This element has the value of the Address 2 field in the transaction's shipping address. The element and its value are not displayed if the Address 2 field has no value.	This element displays the main address line in the transaction's shipping address. This element has the value of the Address 2 field in the transaction's shipping address. The element and its value are not displayed if the Address 2 field has no value.
145	cbc:CityName	transaction.shipcity	City (Transaction's shipping address's city)	Both	This element displays the common name of the city, town, or village of the delivery location in the shipping address. This element has the value of the City field in the transaction's shipping address. The element and its value are not displayed if the City field has no value.	This element displays the common name of the city, town or village of the delivery location in the shipping address. This element has the value of the City field in the transaction's shipping address. The element and its value are not displayed if the City field has no value.
146	cbc:PostalZone	transaction.shipzip	Zip (Transaction's shipping address's zip)	Both	This element displays an identifier for a group of properties based on their postal service. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value.	This element displays an identifier for a group of properties based on their postal service. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value.
147	cbc:CountrySubentity	transaction.shipstate	State (Transaction's shipping address's state)	Both	This element displays the subdivision of a country in the shipping address. This element has the value of the State field in the transaction's shipping address. The element and its value are not displayed if the State field has no value.	This element displays the subdivision of a country in the shipping address. This element has the value of the State field in the transaction's shipping address. The element and its value are not displayed if the State field has no value.
148	cac:AddressLine			Both	This parent element displays additional information about the shipping address. This element has no value but has child elements with values in the template. This parent element is not displayed if its child elements don't have values in the template.	This parent element displays additional information about the shipping address. This element has no value in the template but has a child element with value in Address 3 field of the transaction's shipping address. This element is not displayed if there is no value in Address 3 .
149	cbc:Line	transaction.addr3	Address 3 (Transaction's address line 3)	Both	This is a parent element and a child of cac:AddressLine, with information about the additional line of an address, supporting the primary address. This element contains value of Address 3 field of the transaction's shipping address in the template. This element is not displayed if the Address 3 field has no value. You can map the value with the required custom field in the SuiteApp.	This element is the child of cac:AddressLine with information about additional address line to support the main line. This element contains value of Address 3 field of the transaction's shipping address in the template. This element is not displayed if there is no value in Address 3 field.
150	cac:Country			Both	This parent element displays the country of the shipping address. This element has no value, but it has child elements with values in the template.	This parent element displays the country of the shipping address. This element has no value, but it has child element with value of the Country field in the template. This element is not printed if there is no value in the Country field.
151	cbc:IdentificationCode	transaction.shipcountry	Country (Transaction's shipping address's country)	Both	This element displays the ISO code of the country in the transaction's shipping address. It displays the value of the Country field in the template.	This element displays the ISO code of the country in transaction's shipping address. It displays the value of the Country field in the template.
152	cac:DeliveryParty			Both	This parent element displays the details of the delivery party. This element has no value but has a child element with values associated to it in the template.	This parent element displays the details of the delivery party. This element has no value but has a child element with values associated to it in the template.
153	cac:PartyName			Both	This is a parent element and a child of cac:DeliveryParty, with information about the delivery party's name. This element has no value but has a child elements with values associated to it in the template.	This is a parent element and a child of cac:DeliveryParty with information of the delivery party's name. This element has no value but has a child element with values associated to it in the template.
154	cbc:Name	transaction.shipaddressee	Addressee (Transaction's shipping address's country)	Both	This element displays the name of the customer or party whom the goods and services are to be delivered. This element displays the value of the Addressee field in the transaction's shipping address.	This element displays the name of the customer or party to which the goods and services are to be delivered. This element displays the value of the Addressee field in a transaction's shipping address.
155	cac:PaymentMeans			Both	This parent element provides a group of business terms by using different child elements to give payment information about an invoice or refunds in a credit memo. This element has no value, but it has various child	This parent element provides a group of business terms by using different child elements to give information about the payments or refunds. This element has no value, but it has various child

					elements that have values associated with it in the template.	elements that have values associated with it in the template.
156	cbc:Payment Means Code		Custom Field	Both	This element displays the payment type code for a payment made or to be made. This element has no value in the template. Example: 30 The following list has the details of the Payment Types and it's associated code: ■ Credit Transfer – 30 ■ Direct Debit – 49 ■ Opotgiro – 50 ■ Credit Card – 54 ■ Debit Card – 55 ■ Bankgiro – 56 ■ Sepa Credit Transfer – 58 ■ Sepa Direct Debit – ■ Online Payment Service – 68 ■ Finland – 93, 94, 95. ■ Instrument not defined – 1 ■ National or Regional Clearing – 9 ■ Cash – 10 You can map the value with the required custom field in the SuiteApp.	This element displays the payment type code for a payment made or to be made. This element has no value in the template. Example Value: 30 Example: 30 The following list has the details of the Payment Types and it's associated code: ■ Credit Transfer – 30 ■ Direct Debit – 49 ■ Opotgiro – 50 ■ Credit Card – 54 ■ Debit Card – 55 ■ Bankgiro – 56 ■ Sepa Credit Transfer – 58 ■ Sepa Direct Debit – ■ Online Payment Service – 68 ■ Finland – 93, 94, 95. ■ Instrument not defined – 1 ■ National or Regional Clearing – 9 ■ Cash – 10 You can map the value with the required custom field in the SuiteApp.
157	@name		Custom Value	Both	This element displays the name of the mode of payment. This element has no value in the template. Example: Credit Transfer You can map the value with the required custom field in the SuiteApp.	This element displays the name of the payment method used or to be used to make a payment. This element has no value in the template. Example: Credit Transfer You can map the value with the required custom field in the SuiteApp.
158	cbc:PaymentID		Custom Field	Both	This element displays a text value for associating the payment and the invoice issued by the seller. This is used for creditors' critical reconciliation information. The value helps the seller assign an incoming payment to the relevant payment process. This element has no value in the template. A custom field with a payment reference can be used for this element.	This element displays a text value used to establish a link between the payment and the invoice issued by the seller. It used for creditor's critical reconciliation information. The value helps the seller to assign an incoming payment to the relevant payment process. This element has no value in the template. A custom field with payment reference can be used for this element. Example: 432948234234234 You can map the value with the required custom field in the SuiteApp.
159	cac:CardAccount				This parent element represents a group of business terms with information about the card used to make a payment against an issued invoice. If a buyer made a payment using a card such as a credit or debit card, then the information about the Production account Number (PAN) is mentioned in the invoice. This element has no value in the template, but it has various child elements that have values associated with it. The element is displayed only if there are any payments made using cards or if the refund method in the Credit Memo is a card.	This parent element represents a group of business terms with information about the card used to make a payment against an issued invoice. If a buyer made a payment using a card such as credit or debit card, then the information about the Production account Number (PAN) is mentioned in the invoice. This element has no value, but it has various child elements that have values associated with it in the template. This element is printed only if payments are made using card in Invoice or if the refund method used in Credit Memo is Card.
160	cbc:PrimaryAccount NumberID	payment. cardNumber (Refer CDS)		Both	This element represents the Production account Number (PAN) of the card used for payment. As per card payment security standards, an invoice must not indicate the full PAN of the card. Example: 1234 The last 4 to 6 digits of the PAN (BT-87) are indicated if payment card information (BG-18) is provided in the invoice.	This element represents the Production account Number of the card used to make a payment or refund. In accordance with the card payments security standards, an invoice must not have a full PAN of the card. Example: 1234 The last 4 to 6 digits of the payment card PAN number (BT-87) is present if payment card information (BG-18) is provided in the invoice.

					This element displays the last 4 digits of any cards used for payment and uses custom data source plug-in to display this information in the template.	This element displays the last 4 digits of the card(s) used for payments or refunds. It uses a custom data source plug-in to display this information in the template.
161	cbc:NetworkID	payment.paymentMethodName (Refer CDS)		Both	This element displays the card network identifier such as VISA, American Express, Card. Example: VISA The payment method name is displayed in this element using a custom data source plug-in.	This element displays the card network identifier such as VISA, American Express, Card. Example: VISA The payment method name or the refund method is displayed in this element using custom data source plug-in.
162	cbc:HolderName	payment.cardHolderName (Refer CDS)		Both	This element displays the name of the holder of the card. Example: John Doe This element uses a custom data source plug-in to display the name of the cardholder.	This element displays the cardholder's name. Example: John Doe This element displays the card holder name by using the custom data source plug-in.
163	cac:PayeeFinancialAccount			Both	This parent element displays a group of business terms specifying the credit transfer payments. This element has no value, but it has various child elements with values associated to it in the template.	This parent element displays a group of business terms specifying the credit transfer payments. This element has no value, but it has various child elements that have values associated with it in the template.
164	cbc:ID		Custom Field	Both	This element identifies a payment account. It displays a unique ID of the financial payment account for a payment service provider to which the payment is made, such as IBAN or BBAN. Example: NO9999112222 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element identifies a payment account. It displays a unique ID of the financial payment account for a payment service provider to which the payment is made, such as IBAN or BBAN. Example: NO9999112222 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
165	cbc:Name		Custom Field	Both	This element displays the payment account name of the service provider to which the payment is made. Example: Payment Account This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
166	cac:FinancialInstitutionBranch			Both	This parent element displays the details of a payment service provider. This element has no value, but it has various child elements with values associated to it in the template.	This parent element displays the details of a payment service provider. This element has no value, but it has various child elements that have values associated with it in the template.
167	cbc:ID		Custom Field	Both	This element displays an ID for payment service provider where a payment account is located such as BIC or a national clearing code. Identification scheme identifier is not used in this element. Example: 9999 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays an ID for payment service provider where a payment account is located such as BIC or a national clearing code. Identification scheme identifier is not used in this element. Example: 9999 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
168	cac:PaymentMandate			Both	This parent element displays a group of business terms for direct debit transactions. This element has no value, but it has various child elements with values associated to it in the template.	The template does not support this element.
169	cbc:ID		Custom Field	Both	This element displays a unique identifier assigned by the payee for referencing a direct debit mandate. This is used to notify the buyer of a SEPA direct debit in advance. Example: 123456 This element has no value in the template.	The template does not support this element.

					You can map the value with the required custom field in the SuiteApp.	
170	cac:PayFinancialAccount			Both	This parent element has no value, but it has various child elements with values associated to it in the template. It has information about the payer's financial account.	The template does not support this element.
171	cbc:ID		Custom Field	Both	This element displays an ID with information about the account to be debited by direct debit. Example: 12345676543 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
172	cac:PaymentTerms			Invoice	This parent element has information about the payment terms applied to the due amount. This parent element has no value, but it has a child element with value associated with it in the template.	This parent element has information about the payment terms applied on the due amount. This element has no value, but it has a child element that has values associated with it in the template.
173	cbc:Note		Terms	Invoice	This parent element displays text describing the payment terms that apply to the amount due for payments. It can also describe applicable penalties. If an amount is due for payment (BT-115), then the payment due date (BT-9) or the payment terms (BT-20) is indicated. This element displays a value in the Terms field on a transaction. Example: Net within 30 days	This parent element displays a description text of the payment terms that apply on the due amount of the payment. It can also include a description of applicable penalties. If an amount is due for payment (BT-115), then the payment due date (BT-9) or the payment terms (BT-20) is present. This element displays a value in the Terms field for a transaction. Example: Net within 30 days
174	cac:AllowanceCharge			Both	This parent element displays a group of business terms with information about applicable allowances of a complete invoice. This element also displays a group of business terms with information about charges and taxes excluding VAT for a complete invoice. This element has no value and is displayed in the generated e-document only if there is a Header Discount or Shipping Cost associated with the transaction.	This parent element displays a group of business terms with information applicable allowances to a complete invoice. This element also displays a group of business terms with information about charges and taxes excluding VAT for a complete invoice. This element has no value and is displayed in the generated e-document only if it has a Header Discount or Shipping Cost associated with the transaction.
175	cbc:ChargeIndicator	True or False	Fixed value	Both	This element displays the charge type used for a transaction. The generated e-document displays the value true when informing about charges and the value false when informing about allowances. Example: - True for shipping and handling. - False for header discounts.	This element displays the charge type used for a transaction. The generated e-document displays the value true when informing about charges and the value false when informing about allowances. Example: - True for shipping and handling. - False for header discounts.
176	cbc:AllowanceChargeReasonCode		Fixed value	Both	This element displays the document level allowance code or the allowance charge reason code. You can use the UNCL5189 code from the code list for allowance of a subset. For charges, you can use the UNCL7161 code from the code list. The document level allowance reason code and document level allowance reason display the same reason. Example: 95 for Discount SAA for Shipping and Handling This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays the document level allowance code or the allowance charge reason code. You can use the UNCL5189 code from a code list for allowance of a subset. For charges, you can use the UNCL7161 code from the code list. The document level allowance reason code and document level allowance reason display the same reason. Example: 95 for Discount SAA for Shipping and Handling
177	cbc:AllowanceCharge		Fixed value	Both	This element displays document level allowance reason or charge reason in text format. The document level allowance reason code and the document level	This element displays document level allowance reason or charge reason in text format. The document level allowance reason code and the

	rgeReason				allowance reason, display the same allowance reason. This element displays the following values: - Shipping and handling for charges - Discount for allowances	document level allowance reason display the same allowance reason. This element displays the following values: - Shipping and handling for charges - Discount for allowances
178	cbc:MultiplierFactorNumeric	transaction.discountrate	Rate (Header discount)	Both	This element displays the document level allowance or charge percentage. It is displayed only for header discounts and uses the value of the Rate field. The percentage is used with the document level allowance base amount to calculate the document level or charge amount. the value must be 20. Example: 20 This element has no value associated with Shipping and Handling. It displays the discount rate in the generated e-document retrieved from a transaction.	This element displays the document level allowance or charge percentage. This element is displayed only for header discounts and uses the value of the Rate field in a transaction. The percentage is used with the document level allowance base amount to calculate the document level or charge amount. For 20 percent the value must be 20. Example: 20
179	cbc:Amount	transaction.shippingcost+ transaction.handlingcost (For shipping and handling) transaction.discounttotal (for discount)	Discount Item	Both	This element displays the document level allowance or charge amount without VAT. This value must be rounded off to a maximum of 2 decimal. This element uses the following values from the Summary section of a transaction in the template: - The sum of shipping and handling costs for charges - The sum of shipping and handling costs for charges - The value of Discount Item field for allowances. Example: 200	This element displays the document level allowance or charge amount without VAT. The value must be rounded maximum to 2 decimals. This element uses the following values from the Summary section of a transaction in the template: - The sum of shipping and handling costs for charges - The value of Discount Item field for allowances. Example: 200
180	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with the cbc:Amount element, to display the ISO code of a transaction's currency.	This element is used with the cbc:Amount element, to display the ISO code of a transaction's currency.
181	cbc:BaseAmount	transaction.subtotal	Subtotal	Both	This element displays the base amount along with the document level allowance or charge percentage. It calculates the document level allowance or charge amount. The value is rounded off to 2 decimal places in the template. A value is provided in the Subtotal field in the Summary section of a transaction Example value: 200	This element displays the base amount along with the document level allowance or charge percentage. It calculates the document level allowance or charge amount. The value is rounded off to 2 decimal places in the template. A value is provided in the Subtotal field present in the summary section of a transaction. This element is displayed only if the header discount is available. Example value: 200
182	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:BaseAmount element, to display the currency's ISO code used by a transaction.	This element is used with cbc:BaseAmount element to display the currency's ISO code used by a transaction.
183	cac:TaxCategory			Both	This parent element displays the unique tax category and its details. This element has no value, but it has child elements with values associated to it in the template.	This parent element displays the unique tax categories and their details. This element has no value, but it has a child element that has values associated with it in the template.
184	cbc:ID		Custom Field	Both	This element displays a code to identify the VAT category applied to document level allowance or charge. Example: Value: S In EMEA, the following codes are used: - AE - Vat Reverse Charge – Specifies the standard VAT rate reversed from the invoice. - E - Exempt from Tax – Specifies that taxes are not applicable - S – Standard Rate – Specifies the standard rate - Z – Zero Rated Goods – Specifies that the goods are at zero rate	This element displays a code to identify the VAT category applied to document level allowance or charge. Example: Value: S In EMEA, the following codes are used: - AE - Vat Reverse Charge – Specifies the standard VAT rate reversed from the invoice. - E - Exempt from Tax – Specifies that taxes are not applicable - S – Standard Rate – Specifies the standard rate - Z – Zero Rated Goods – Specifies that the goods are at zero rate - G - Free Export Item, VAT Not Charged – Specifies that the item is free export and taxes are not charged

					■ G - Free Export Item, VAT Not Charged – Specifies that the item is free export and taxes are not charged ■ K – VAT exempt for EEA intra-community supply of goods and services – A tax category code that identifies of the item is VAT exempted due to intra community supply in the European Economic Area This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	■ K – VAT exempt for EEA intra-community supply of goods and services – A tax category code that identifies of the item is VAT exempted due to intra community supply in the European Economic Area This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
185	cbc:Percent	For LegacyTax account: ■ transaction.shippingtax1 rate ■ taxCodeDet.taxRate For SuiteTax account: ■ custom.shippingTax RatesOfSuite Tax ■ suiteTaxCode Det.taxRate	Shipping Tax Rate	Both	This element displays the document level allowance or VAT charge rate. The VAT rate is displayed as the percentage that applies to the document level allowance or charge. The categories include the following: ■ Tax rates of the unique tax codes when displaying header discounts. ■ Tax rates of shipping when displaying shipping and handling charges. It uses Custom Data Source plug-in to display values. Example: 25 This element displays the value in the Shipping Tax Rate field. This element is not displayed if the field has no value. You can map the value with the required custom field in the SuiteApp.	This element displays the document level allowance or VAT charge rate. The VAT rate is displayed as the percentage that applies to the document level allowance or charge. The categories include the following: ■ Tax rates of the unique tax codes when displaying header discounts. ■ Tax rates of shipping when displaying shipping and handling charges. It uses custom data source plug-in to display the values. Example: 25
186	cac:TaxScheme			Both	This parent element displays the details of the tax scheme used in a transaction. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This parent element displays the details of the tax scheme used in a transaction. This element has no value in the template.
187	cbc:ID		Fixed Value	Both	This element displays the name of the tax scheme used in a transaction. A fixed VAT value is provided in the template for this element.	This element displays the name of the tax scheme used in a transaction. A fixed value VAT is provided in the template for this element.
188	cac:TaxTotal			Both	This parent element displays the total tax details including the amounts for a transaction. When a tax currency code is provided, two instances of tax total must be present and only one instance with tax subtotal must be used. This element does not have a value in the template. This element has no value in the template.	This parent element displays the total tax details including the amounts for a transaction. When a tax currency code is provided, two instances of tax total must be present and only one instance with tax subtotal must be used. This element has no value in the template.
189	cbc:TaxAmount	transaction.taxtotal	Tax	Both	This element displays the total VAT amount for an invoice or the total VAT amount in the accounting currency as required by the seller. This value is rounded off to a maximum of 2 decimal places in the template. This element prints the value of the Tax Total field from the Summary section of the invoice.	This element displays the total VAT amount for an invoice or the total VAT amount present in the accounting currency as required by the seller. This value is rounded off to maximum 2 decimals in template. This element prints the value of the Tax Total field from the Summary section of the invoice.
190	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxAmount element, to display the ISO code of the currency used by the transaction.	This element is used with cbc:TaxAmount element to display the ISO code of the currency used by the transaction.
191	cac:TaxSubtotal			Both	This parent element displays a group of business terms with information about VAT break down based on different categories, rates and exemption reasons. This element has no value, but it has child elements with values associated with it.	This parent element displays a group of business terms with information about VAT break down on basis of different categories, rates, and exemption reasons. This element has no value, but it has various child elements with values associated to it in the template.

192	cbc:TaxableAmount	taxDetails.taxableAmount (refer CDS)	Amount of all items calculated per unique tax category	Both	This element displays all the taxable amount for each item specific to a unique VAT category code. The element uses custom data source plug-in to get the values. It also adds the shipping cost to the taxable amount as required. This value must be rounded off to 2 decimal places.	This element displays all the taxable amounts for each item specific to a unique VAT category code or tax code. It uses custom data source plug-in to get the values. The element also adds the shipping cost wherever required in the taxable amount. This value must be rounded off to 2 decimals.
193	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxableAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:TaxableAmount element to display the ISO code of the transaction's currency.
194	cbc:TaxAmount	taxAmount ((Using CDS))	Tax amount of all items calculated per unique tax category	Both	This element displays the total VAT amount for each item specific to a unique VAT category code. The element uses custom data source plug-in to get the values. The sum of all VAT amounts of the Unique VAT category is equal to Total Tax field in the Summary section. The value is rounded off to a maximum of 2 decimal places in the template.	This element displays the total VAT or Tax amount for each item specific to a unique VAT category code or tax code. It uses custom data source plug-in to get the values. The value is rounded off to a maximum of two decimals in the template.
195	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxAmount to display the ISO code of the transaction's currency.	This element is used with cbc:TaxAmount to display the ISO code of the transaction's currency.
196	cac:TaxCategory			Both	This parent element displays the VAT category details. This element has no value, but it has child elements with values associated with it.	This parent element displays the VAT category details. This element has no value, but it has various child elements that have values associated with it in the template
197	cbc:ID		Custom Field	Both	This element displays a code to identify the VAT category. Example: Value: S In EMEA, the following codes are used: ■ AE - Vat Reverse Charge – Specifies the standard VAT rate reversed from th ■ E - Exempt From Tax – Specifies that taxes are not applicable ■ S – Standard Rate – Specifies the standard rate. ■ Z – Zero Rated Goods – Specifies that the goods are at zero rate ■ G - Free Export Item, VAT Not Charged – Specifies that the item is free to export and taxes are not charged. ■ K – VAT Exempt for EEA intra-community Supply of Goods and Services – A tax category code that identifies of the item is VAT exempted due to intra community supply in the European Economic Area. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays a code to identify the VAT category. Example: Value: S In EMEA, the following codes are used: ■ AE - Vat Reverse Charge – Specifies the standard VAT rate reversed from th ■ E - Exempt From Tax – Specifies that taxes are not applicable ■ S – Standard Rate – Specifies the standard rate. ■ Z – Zero Rated Goods – Specifies that the goods are at zero rate ■ G - Free Export Item, VAT Not Charged – Specifies that the item is free to export and taxes are not charged. ■ K – VAT Exempt for EEA intra-community Supply of Goods and Services – A tax category code that identifies of the item is VAT exempted due to intra community supply in the European Economic Area. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
198	cbc:Percent	In LegacyTax account: ■ taxDetails.taxRate ■ custom.handlingTaxRate ■ custom.shippingTaxRate In SuiteTax account: ■ taxDetails.taxRates ■ custom.handlingTaxRate	Tax Rate	Both	This element displays the VAT category rate for each unique tax code used by items for shipping. This element is not displayed if a VAT category has no rate. The VAT rate is displayed as percentage for the applicable VAT category. This uses custom data source plug-in to retrieve the values. In SuiteTax accounts, if the tax type has multiple tax rates, then rates are also displayed for single tax type. Example: 25	This element displays the VAT category rate for each unique tax code used in items and shipping. The VAT rate is displayed as a percentage that applies to the applicable VAT category. It uses custom data source plug-in to get the values. In SuiteTax accounts, if a tax type has multiple tax rates, then multiple tax rates are displayed for a single tax type. Example: 25

		■ custom. shippingTax Rate				
199	cbc:TaxExemptionReasonCode		Custom Field	Both	This element displays a VAT exemption reason code. A coded statement indicates the reason for exempting the VAT amount. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays a VAT exemption reason code. A coded statement is provided explaining the reason for exempting the VAT amount. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
200	cbc:TaxExemptionReason		Custom Field	Both	This element displays the VAT exemption reason text. Example: Exempt This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays the VAT exemption reason text. A statement in text is provided explaining the reason for exempting the VAT amount. Example: Exempt This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
201	cac:TaxScheme				This parent element displays the tax scheme. This element has no value, but it has child elements with values associated with it in the template.	This parent element displays tax scheme. This element has no value, but it has various child elements that have values associated with it in the template.
202	cbc:ID		Fixed Value	Both	This element displays the name of the tax scheme used in a transaction. A fixed value VAT is assigned to this element.	This element displays the name of the tax scheme used in a transaction. A fixed value VAT is assigned in a template.
203	cac:LegalMonetaryTotal			Both	This parent element displays the document totals. This element has no values, but it has child elements that provide monetary totals for an invoice or a credit memo in a template.	This parent element displays the document totals. This element has no value, but it has various child elements that have values associated with it in the template.
204	cbc:LineExtensionAmount	transaction.subtotal	Subtotal	Both	This element displays the sum of all the invoice line net amounts in an invoice. The value is rounded off to a maximum of 2 decimal places in the template. This element displays the Subtotal field value from the transaction's Summary tab.	This element displays the sum of all the invoice line net amounts in an invoice. This value is rounded off to maximum 2 decimals in template. This element displays the Subtotal field value from the transaction's Summary tab.
205	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:LineExtensionAmount element to display the ISO code of a transaction's currency.	This element is used with cbc:LineExtensionAmount element to display the ISO code of a transaction's currency.
206	cbc:TaxExclusiveAmount	transaction.altshippingcost + transaction.althandlingcost + transaction.subtotal - transaction.discounttotal	Subtotal + Allowances - Discount	Both	This element displays the total amount of an invoice without VAT. The value of this element must be rounded off to two decimals. In a template, you must add the transaction's amount in the Subtotal field in the Summary tab with the handling and shipping charges to get a value. Example: 3600.0 You can add extra allowances and change the template to accommodate this element.	This element displays the total amount of an invoice without VAT. The value of this element must be rounded off to two decimals. In a template, you must add the transaction's amount in the Subtotal field in the Summary tab with the handling and shipping charges and subtract the total discount to get a value. Example: 3600.0 You can add extra allowances and change the template to accommodate this element.
207	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxExclusiveAmount to display the ISO code of the transaction's currency.	This element is used with cbc:TaxExclusiveAmount to display the ISO code of the transaction's currency.
208	cbc:TaxInclusiveAmount	transaction.total	Total	Both	This element displays the total amount of a transaction with VAT. The value is displayed in the Total field on a transaction's Summary tab. This value is rounded off to 2 decimal places in the template.	This element displays the total amount of transactions with VAT. The value is displayed in the Total field on a transaction's Summary tab. This value is rounded off to two decimals in template.
209	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxInclusiveAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:TaxInclusiveAmount element to display the ISO code of the transaction's currency.
210	cbc:AllowanceTotalAmount	transaction.discounttotal	Discount Item	Both	This element displays the sum of allowances at the document level. The value of this element is rounded off to 2 decimal places. Example: 200.0	This element displays the sum of allowances at the document level. The value of this element is rounded off to two decimals. Example: 200.00
211	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:AllowanceTotalAmount element to	This element is used with cbc:AllowanceTotalAmount element to display the ISO code for the transaction's currency.

					display the ISO code for the transaction's currency.	
212	cbc:ChargeTotalAmount	transaction.altsippingcost	Shipping Cost	Both	This element displays the shipping cost charge at the document level in the transaction. The value is rounded off to 2 decimal places in the template. Example: 10.0	This element displays the sum of charges at document level in the transaction. The value is rounded to two decimals in the template. It displays the total cost of shipping. Example: 123.23
213	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	The element is used with cbc:ChargeTotalAmount to display the ISO code of the transaction's currency.	The element is used with cbc:ChargeTotalAmount to display the ISO code of the transaction's currency.
214	cbc:PrepaidAmount	transaction.amountpaid	Payments	Both	This element displays the sum of the amount paid in advance, for a transaction. The value is rounded off to a maximum 2 decimal places in the template. This value displays the sum of all the payments made for a transaction.	This element displays the sum of the amount paid in advance for a transaction. The value is rounded off by maximum of two decimals in the template. This value displays the sum of all the payments made for a transaction. Example: 1000.0
215	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PrepaidAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:PrepaidAmount element to display the ISO code of the transaction's currency.
216	cbc:PayableRoundingAmount		Custom Field	Both	This element displays the rounding amount. The amount is added to the invoice total to round off the amount to be paid. The value is rounded off by maximum two decimals in template. Example: 0.0 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
217	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PayableRoundingAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:PayableRoundingAmount element to display the ISO code of the transaction's currency.
218	cbc:PayableAmount	For Invoice: transaction.amountremainingtotal box For Credit Memo: transaction.amountremaining	Amount Due	Both	This element displays the amount due for payment and the outstanding amount that is requested to be paid. The value is rounded off to a maximum 2 decimal places in the template. The Amount Due field value in the Summary tab is used for the transaction. Example: 3500.0	This element displays the amount due for payment and the outstanding amount requested to be paid. The value is rounded off by maximum two decimals in the template. The Amount Due field value in the Summary tab is used for the transaction. Example: 3500.12
219	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PayableAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:PayableAmount element to display the ISO code of the transaction's currency.
220	cac:InvoiceLine			Both	This parent element displays the line item components. It also has a group of business terms providing information about individual transaction lines. This element has no value, but it has child elements with values in the template.	This parent element displays the line item components on Invoice. It also has a group of business terms providing information about individual Invoice lines. This element does not have value, but it has child elements with values in template. This element is used only in Invoice transaction type.
221	cac:CreditNoteLine			Credit Memo	This parent element displays the line item components on a Credit Memo. It also has a group of business terms providing information about individual invoice lines for the credit memo. This element has no value, but it has child elements with values associated to it in the template. This element is used only for the Credit Memo transaction type.	This parent element displays the line item components for the Credit Memo transaction type. It also has a group of business terms providing information about individual Invoice lines for Credit Memo transactions. This element has no value, but it has various child elements that have values associated with it in the template. This element is used only in Credit Memo transaction type.
222	cbc:ID	item.line	Line Sequence Number	Both	This element displays the transaction line ID for each item. It has a unique identifier for an individual line in the transaction. The line sequence number of a line item is used in the template. Example: 12	This element displays the transaction line ID for each item. It has a unique identifier for individual line within the transaction. The line sequence number of a line item is used in the template. Example: 12

223	cbc:Note	transaction.memo	Memo	Both	This element is used in the invoice line note. It is a text note with unstructured information relevant to the invoice line. The header level Memo field is used as value in the template. Example: New article number 12345	This element is used in invoice line note. It is a text note giving unstructured information relevant to the invoice line. The header level Memo field is used as value in the template. Example: New article number 12345
224	cbc:InvoicedQuantity	item.quantity	Quantity	Both	This element displays the value of invoiced quantity of each item in the transaction line. The Quantity field on the line item is used as value in the template. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.	This element displays the value of invoiced quantity of each item in the invoice line. The value of the Quantity field in the line item is used in the template. This element is not printed if the Quantity field has no value in the item. This element is used only in Invoice transaction type. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.
225	cbc:CreditedQuantity	item.quantity	Quantity	Credit Memo	This element displays the value of invoiced quantity of each item in the credit note line. The Quantity field on the line item is used as value in the template. If the Quantity field for the item has no value, this element won't be printed. This element is used only for the Credit Memo transaction type. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.	This element displays the value of the credited quantity of each item in the credit note line. The value of the Quantity field in the line item is used in the template. This element is not printed if the Quantity field has no value in the item. This element is used only in the Credit Memo transaction type. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.
226	@unitCode		Fixed Value	Both	This element is used with cbc:InvoicedQuantity element, and displays the invoiced quantity for unit of measure. This unit of measure applies to the invoiced quantity. An alphanumeric code consisting of 2 or 3 letters can be used. Example: C62 This element has a fixed value "NAR" in the template. You can map the value with the required custom field in the SuiteApp.	This element is used with cbc:InvoicedQuantity or cbc:CreditedQuantity element and displays the invoiced or credited quantity for the unit of measure. This unit of measure applies to the invoiced quantity. An alphanumeric code consisting of 2 or 3 letters can be used here. Example: C62 This element has a fixed value NAR in the template. You can map the value with the required custom field in the SuiteApp.
227	cbc:LineExtensionAmount	item.amount	Amount	Both	This element displays the total amount of the invoice line. The total amount includes the line level allowances, charges, and other relevant taxes but excludes VAT. The value is rounded off to a maximum of 2 decimal places. The amount of each element is used as the value in the template. This element is not printed if the Amount field has no value for an item. Example: 2145.00	This element displays the total amount of the invoice line. The total amount excludes VAT but includes the line level allowances, charges, and other relevant taxes. The value is rounded off to maximum 2 decimals. The amount of each item is used as a value in the Amount field in the template. This element is not displayed of the Amount field has no value in an item. Example: 2145.00
228	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
229	cbc:AccountingCost		Custom Field	Both	This element displays the accounting reference of the invoice line buyer. A text value specifies the location of where to book relevant data in the buyer's financial accounts. Example: 1287:65464 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	This element displays the accounting reference of the invoice line buyer. A text value specifies the location on where to book relevant data in the buyer's financial accounts. Example: 1287:65464 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
230	cac:InvoicePeriod			Invoice	This is parent element displays a group of business terms providing information about the invoice line period. This element has no value in the template.	The template does not support this element.

231	cbc:Start Date		Custom Field	Invoice	This element displays the invoice line period start date. The format of the invoice line start date is YYYY-MM-DD. Example: 2017-10-05 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
232	cbc:End Date		Custom Field	Invoice	This element displays the invoice line period end date. The format of the invoice line end date is YYYY-MM-DD. Example: 2017-10-15 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
233	cac:OrderLineReference			Both	This parent element displays the reference of the order line. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
234	cbc:LineID		Custom Field	Both	This element displays an object ID of a seller's invoice line. Example: AB12345 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
235	cac:DocumentReference			Both	This parent element displays the details of the line object identifier. This element has no value, but it has child elements with values associated to it in the template.	The template does not support this element.
236	cbc:ID		Custom Field	Both	This element displays the seller's invoice line object identifier. Example: AB12345 This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
237	@schemeID		Custom Value	Both	This element is used with cbc:LineID element to display the ID of the scheme identifier of an invoice line object. Example: ABZ This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
238	cbc:DocumentTypeCode		Fixed value 130 for Invoice Fixed Value 130 if Credit Memo is created from Invoice	Both	This element displays the document type code. Code "130" indicates the reference for an invoice object. This code is not used for other documents. In the Invoice template, the code value is always 130. If a credit memo is created from an invoice, the code is always 130 in the credit memo template. Default Value: 130 You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
239	cac:AllowanceCharge			Both	This parent element displays a group of business terms with information about allowances or charges of an individual invoice. This element has no value, but it has child elements with values associated with it in the template.	The template does not support this element.
240	cbc:ChargeIndicator		If line item is of type Discount,	Both	This element displays "true" or "false" value for the item type in a transaction. If the item type is discount, the value is "false". For item	The template does not support this element.

			display "false" For other type of items, display "true"		types other than discount, the value is "true" in the generated e-document. You can map the value with the required custom field in the SuiteApp.	
241	cbc:AllowanceReasonCode		If line item is of type Discount, the value 95 is displayed For other type of items, display no value	Both	This element displays the line level allowance or charge reason code. If the line item type is Discount, the value of the code is 95; otherwise, the element won't have a value in the template. Example: 95 You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
242	cbc:AllowanceReason		If item type is Discount then display "Discount" For other type of items, the element has no value	Both	This element displays the line level allowance or charge reason in text. If the line item type is Discount, the value of the field is Discount in template; otherwise, the element is not displayed. Example: Discount You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
243	cbc:MultiplierFactorNumeric	item.rate	If item type is Discount, the values of Unit Price or Rate are displayed. For other type of items, the element has no value. Unit Price (Item) or Rate (Item).	Both	This element displays the line level allowance or charge percentage depending on the line level allowance base amount. It calculates the line level allowance or charge amount only for discount item type. For discount item type, the unit price or rate value of the item is displayed. If item type is not discount, the element is not available in the generated e-document. For discount item type, the unit price or rate value of the item is displayed. If unit price or rate is in percentage, the value will be in units. Example: 20% will be 20 If unit price or rate is not percentage, the value will be in decimals. Example: 20 will be 20.00 You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
244	cbc:Amount	item.amount	If item type is Discount the Amount value is displayed. For other item types, the element has no value. Amount	Both	This element displays the line level allowance or charge amount without VAT. The value of this element is used from the value of Amount field on a transaction's item. The value is rounded off to maximum two decimals. For Discount item type, the value is displayed in Amount field of a line item. For other item types, this element has no value. Example: 200 You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
245	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:Amount element to display the ISO code of the transaction's currency.	The template does not support this element.
246	cbc:BaseAmount		Custom Field	Both	This element displays the line level allowance or charge base amount. The base amount is used according to the line level allowance or charge percentage. This is to calculate the line level allowance or charge amount. The value is rounded off to maximum two decimals. Example: 1000	The template does not support this element.

247	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency.	The template does not support this element.
248	cac:Item			Both	This parent element displays a group of business terms with information about invoiced goods and services for all the item types except Description type items. This element has no value, but it has child elements with values associated with it in the template.	This parent element displays a group of business terms with information about invoiced goods and services. The element has no value but has various child elements that have values associated with it in the template. This element is not displayed for the Description item type.
249	cbc:Description	item.description	Description	Both	This element displays the description and features of each item in a transaction. The value of the Description field for items is displayed. Example: Long description of an item	This element displays the description and features for each item in a transaction. The value of the Description field of items is displayed. Example: Long description of an item.
250	cbc:Name	item.name	Item Name	Both	This element displays the item name entered in the Item Name field in a transaction. Example: Item name	This element displays the item name. Example: Item name
251	cac:BuyerIdentification			Both	This parent element displays the buyer's item identification and has no value in the template.	The template does not support this element.
252	cbc:ID		Custom Field	Both	This element displays an identifier assigned by the buyer for an item. Example: 123455 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
253	cac:SellerIdentification			Both	This parent element displays the information about seller's identification. This element has no value, but it has child elements with values associated with it in the template.	This parent element displays the information about seller's identification. This element has no value in the template.
254	cbc:ID	item.item	Item Name or Item Number	Both	This element displays an identifier assigned by the seller for an item. The element displays the values of the Item Name or Item Number fields or both. The value is displayed only for items without discount and description in the generated e-document. Example: 9873242	This element displays an identifier assigned by the seller for an item that has the value of the Item Name or Number or both the fields. This is only for items that don't have discount and description in the generated e-document. Example: 9873242
255	cac:StandardItemIdentification			Both	This parent element has standard item identification details. This element has no value, but it has child elements with values associated with it in the template. This Parent element is displayed only if the item has UpcCode.	This element has the standard item identification details. The element has no value but has various child elements that have values associated with it in the template. This element is not displayed if the item does not have a UPC code.
256	cbc:ID	item1.itemUpcCode (Refer CDS)	UPC Code	Both	This element displays the standard item identifier based on a registered scheme. It displays the value of the UPC Code field on the Item Record Example: 10986700 This element uses custom data source plug-in to source the value of an item's UPC code in a template.	This element displays a standard item identifier based on a registered scheme. Example: 10986700 This element uses a custom data source plug-in to source the value of an item's UPC code field in a template.
257	@schemeID		Fixed value	Both	This element is used with cbc:ID element, and displays the scheme ID for the item standard identifier. This element has a default value 0160. Example: 0160 You can map the value with the required custom field in the SuiteApp.	This element is used with cbc:ID element and displays the scheme ID for the item standard identifier. Example: 0160 This element has a fixed value 0160 in the template. You can map the value with the required custom field in the SuiteApp.

258	cac:OriginCountry			Both	This parent element is used to display an item's origin country. This element has no value, but it has child elements with values associated with it in the template. This parent element is displayed only if the item has an origin country.	This is parent country is used to display the item's origin country. This is a parent element that has no value. It has child elements with values.
259	cbc:IdentificationCode	item1.itemCountry	Manufacturer Country	Both	This element displays the ISO code of an item's country of origin. This element displays the value of the Manufacturer Country field in the Item record. This element is not displayed if the field has no value. Example: CN This element uses custom data source plug-in implementation to source the value of an item's manufacturer country.	This element displays the ISO code of an item's origin country. It is not printed if the item has no value in the Manufacturer Country field. Example: CN This element uses custom data source plug-in to source the value of an item's manufacturer country.
260	cac:CommodityClassification			Both	This parent element displays the commodity classification code. This is required when members from same country buy from each other, and the traders need statistical information in the invoice. It is that you use the Item Classification Identifier (BT-158) with the code HS, as an identifier list for this purpose. This element has no value, but has child elements with values associated with it in the template. This element is not printed if there is no value for UPC Code and Manufacturing country in the item.	This parent element displays commodity classification code when members from the same country buy commodities from each other, and the traders need statistical information in the invoice. NetSuite you use the Item Classification Identifier (BT-158) with a code HS as an identifier list for this purpose. The element has no value but has various child elements that have values associated with it in the template. This element is not printed if the UPC Code and Manufacturing Country fields have no values in the item.
261	cbc:ItemClassificationCode	item1.itemUpcCode	UPC Code	Both	This element displays an item classification identifier code to classify items based on its type or nature. Example: 9873242 This element uses custom data source plug-in to source the value of an item's UPC code.	This element displays an item classification identifier code to classify items based on its type or nature. Example: 9873242 This element uses custom data source plug-in to source the value of an item's UPC code.
262	@listID		Fixed Value	Both	SME: This element is used with cbc:ItemClassificationCode element and displays a scheme ID for item classification identifier. It has a fixed value HS. Example: STI You can map the value with the required custom value in the SuiteApp	This element is used with cbc:ItemClassificationCode element and displays a scheme ID for item classification identifier. It has a fixed value HS in the template. Example: STI You can map the value with the required custom value in the SuiteApp.
263	@listVersionID		Custom Value	Both	This element is used with cbc:ItemClassificationCode element and displays scheme ID for the item classification identifier. This element has no value in the template.	This element is used with cbc:ItemClassificationCode element and displays scheme ID for the item classification identifier. This element has no value in the template. You can map the value with the required custom value in the SuiteApp.
264	cac:ClassifiedTaxCategory			Both	This parent element displays a group of business terms with information about the VAT applicable for invoiced goods and services in an invoice line. This element has no value, but it has child elements with values associated with it in the template. SuiteTax accounts can have multiple tax rates to display this element and its child element multiple times, except for the Discount item type.	This parent element displays a group of business terms with information about the VAT applicable for invoiced goods and services in an invoice. This element has no value, but it has various child elements that have values associated with it in the template. The SuiteTax accounts can have multiple tax rates that display this element and its child element multiple times, except for the Discount item type.
265	cbc:ID		Custom Field	Both	This element displays the VAT category code for an invoiced item. Example: S This element has no value in the template.	This element displays the VAT category code for an invoiced item. Example: S This element has no value in the template.

					You can map the value with the required custom field in the SuiteApp.	You can map the value with the required custom field in the SuiteApp.
266	cbc:Percent	For Legacy Tax Account: item.taxrate1 For SuiteTax Account: - custom.uniqueItems - WithMultipleTaxRatesInSTArr (Refer CDS)	Tax Rate	Both	This element displays the VAT rate percentage applied to the invoiced item. It displays the tax rate value of an item. This element is not displayed if the Tax Rate field in an invoice has no value. Example: 25	This element displays the VAT rate in the percentage applied to the invoiced item. It displays the value of tax rate of the item. Example: 25
267	cac:TaxScheme			Both	This element displays information about tax scheme. This parent element has no value, but it has child elements with values associated with it in the template.	This element displays information about tax scheme. This element has no value, but it has various child elements that have values associated with it in the template.
268	cbc:ID		Fixed Value	Both	This element displays an ID of the tax scheme used in an invoice. A fixed value VAT is added in the template.	This element displays an ID of the tax scheme used in an invoice. A fixed value VAT is added in the template.
269	cac:AdditionalItemProperty			Both	This parent element displays a group of business terms with information about item attributes of invoiced goods and services. This element has no value, but it has various child elements that have values associated to it in the template.	The template does not support this element.
270	cbc:Name		Custom Field	Both	This element displays the name of the item attribute or the property of the item. Example: Color This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
271	cbc:Value		Custom Field	Both	This element displays a value for the item attribute. Example: Black This element has no value in the template. You can map the value with the required custom field in the SuiteApp.	The template does not support this element.
272	cac:Price			Both	This parent element displays the price details. It has child elements with information about the price applied for the invoiced goods and services in an invoice. This element has no value, but it has various child elements with values in the template.	This parent element displays the price details and has child elements with information about the price applied for the invoiced goods and services in the invoice. This element has no value, but it has various child elements that have values associated with it in the template.
273	cbc:PriceAmount	Item.rate	Unit Price or rate	Both	This element displays the price of an item excluding VAT and item price discount. The item net price must be equal to the item gross price, which is less than the item price discount if both the prices are provided. The item price cannot be negative. The unit price or rate of an item is used as a value and must be rounded off to 2 decimal places. Example: 10.8955 is rounded to 11	This element displays the price of an item excluding VAT and item price discount. The item net price must be equal to the item gross price, which is less than the item price discount if both prices are provided. The item price cannot be negative. The unit price or rate of an item is used as a value and must be rounded to two decimal points. Example: 10.8955 is rounded to 11
274	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PriceAmount to display the ISO code of the transaction's currency.	This element is used with cbc:PriceAmount to display the ISO code of the transaction's currency.
275	cbc:BaseQuantity	item.quantity	Quantity	Both	This element displays quantity of item units to which the price applies. The value is displayed in the item's Quantity field. Example: 1 The element value with a decimal separator (.) or a whole number is valid. Group	The template does not support this element.

					separator or more than one decimal separator is invalid.	
276	@unit Code		Custom Value	Both	This element displays the unit of measure code applicable to the item price base quantity. Also, the unit of measure must be same as the unit code of the invoiced or credited quantity. The unit of measure value has a 3-digit alphanumeric code. This element has no value in the template.	The template does not support this element.
277	cac:Al lowan ceCha rge			Both	This element displays allowance details of an invoice. This element has no value, but it has child elements with values in the template.	The template does not support this element.
278	cbc:Ch argeIn dicator		Fixed Value		This element indicates the charge. A charge on price level is not valid. This element has a fixed value false.	The template does not support this element.
279	cbc:A mount	item.amount	Amount		This element is used to calculate the item price discount. The total discount is subtracted from the gross item price to calculate the net item price. This element displays the value if only if the item type is discount.	The template does not support this element.
280	@curr encyID	transaction. currency.symbol	Transaction/ s Currency	Both	This element is used with cbc:Amount element to display the ISO code of the transaction's currency.	The template does not support this element.
281	cbc:Ba seAm ount	item.amount	Item Amount	Both	This parent element displays the gross item price. Item amount is used as value for this element. It is the unit price excluding VAT before subtracting the item price discount. The item price discount value must not be negative. The formula for calculating gross item price is, quantity multiplied by unit, and price divided by rate per Item. Alternatively, the item amount can also be used. Example: 123.5	The template does not support this element.
282	@curr encyID	transaction. currency.symbol	Transaction/ s Currency	Both	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency.	The template does not support this element.

ANZ PEPPOL Template: PEPPOL Template for Australia and New Zealand

The following table gives an overview of all the elements which are being used in the generic PEPPOL templates for transaction types- invoice, credit memo and vendor bill. These templates are specifically designed for Australia and New Zealand Localization. Some of the elements below are using hard coded values, some are using the values from the transaction and its related records like subsidiary, customer, and some are being derived from Custom Data Source Plug-in.

Users are suggested to use these templates along with the Custom Data Source plug-in to generate the e-document template for invoice and credit memo or converting inbound e-documents to vendor bill correctly. Also, they can add their own customization in the template to get the generated e-document template in their desired form.

The names and the location of the templates, Custom Data Source in Electronic Invoicing SuiteApp is below:

1. ANZ Generic Invoice Template
Template Name: ANZ_Invoice_Peppol_Template_Generic.txt
Template Location: Bundle 436209/Sample Templates
2. ANZ Generic Credit Memo Template
Template Name: ANZ_Creditmemo_Peppol_Template_Generic.txt
Template Location: Bundle 436209/Sample Templates

3. ANZ Generic Vendor Bill Template
Template Name: ANZ_VendorBill_Inbound_Template_Generic.txt
Template Location: Bundle 436209/Sample Templates
4. Custom Data Source Plug-in (Invoice and Credit Memo)
File Name: pl_custom_data_source_anz_peppol.js
Location: Bundle 436209/src/comp/pl
Plug-in Implementation name: ANZ PEPPOL Custom Data Source Plug-in
5. Custom Data Source Plug-in (Vendor Bill)
File Name: pl_custom_data_source_anz_inbound_peppol.js
Location: Bundle 436209/src/comp/pl
Plug-in Implementation name: ANZ PEPPOL Inbound CDS

Details of the Invoice and Credit Memo Outbound Templates



Note: To use the above templates, paste the content into "TEMPLATE FOR OUTBOUND E-DOCUMENTS" field of the new E-Document Template creation page.

In the template, while you create, select "ANZ PEPPOL Custom Data Source Plug-in" from the Custom Data Source Plug-in Implementation drop down.

Limitation:

In the ANZ PEPPOL Template, we currently don't support the population of "ID" under "TaxCategory" and "TaxExemptionReasonCode" values.

The ANZ PEPPOL Template mappings are according to this below table:

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
1	ubl:Invoice			Invoice	This is the root element of the invoice's PEPPOL template. It has a default value.
2	ubl:Credit Note			Credit Memo	This is the root element of the credit memo's PEPPOL template. It has a default value.
3	cbc:CustomizationID			Both	This element identifies the specifications of the rules for semantic content, cardinalities, and business to which the data in the instance document conforms to. This element has a default value.
4	cbc:ProfileID			Both	This element identifies the context of the business process related to the transaction and lets the buyer process the invoice accurately. This element has a default value.
5	cbc:ID	transaction.tranid	Invoice Number or Credit Number	Both	This element displays a unique number that identifies if the transaction is an Invoice or Credit Memo. This value is mapped with the entry number of the transaction.
6	cbc:Issue Date	transaction.trandate	Date	Both	This element displays the issue date value present in the Date field of the transaction. The date format is YYYY-MM-DD in a template.
7	cbc:Due Date	transaction.duedate	Due Date	Invoice	This element displays the payment due date value present in the Due Date field of an Invoice. The date format is YYYY-MM-DD in a template.
8	cbc:InvoiceType Code		Custom Field	Invoice	This element displays a code specifying the invoice type. This has a default assigned value of 380. You must map the value with the required custom field in the SuiteApp. The following list has information about the Invoice list and the Invoice Type Codes (UNCL1001): ■ Commercial Invoice – 380 ■ Consignment Invoice – 395 ■ Debit Note for Financial Adjustments – 84

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					- Debit Note for Goods or Services – 80 - Debit Note – 383 - Factored Invoice – 393 - Forwarder's Invoice – 623 - Insurer's Invoice – 575 - Metered Services Invoice – 82 - Prepayment Invoice – 386
9	cbc:Credit Note Type Code		Custom Field	Credit Memo	This element displays a code specifying the credit memo type. This has a default assigned value of 381. You can map the value with the required custom field in the SuiteApp. The following list has the information about Credit Memo list and the Credit Memo Type Codes (UNCL1001): - Credit Note for Goods or Services – 81 - Credit Note for Financial Adjustments – 83 - Credit Note – 381 - Factored Credit Note – 396 - Forwarder's Credit Note – 532
10	cbc:Note	transaction.memo	Memo or Custom Field	Both	This element displays a note with information about any change in the invoice or credit memo. The note is retrieved from the value in the Memo field of the transaction. In some SuiteApps, this value can be a combination of the value from the Memo field and the value from the custom field on a subsidiary record. You can map the value with the required custom field in the SuiteApp.
11	cbc:Tax Point Date	transaction.taxpointdate	Tax Point Date	Both	This element displays the Tax Point Date field value on the Tax Details tab of a transaction. It is available only in accounts with SuiteTax enabled. This value represents the date when the GST becomes accountable for the Seller and for the Buyer in so far as that date can be determined and differs from the date of issue of the invoice, according to the GST directive. This element is required if the Value added tax point date is different from the Invoice issue date. The format in which it is displayed is "YYYY-MM-DD". This element is not supported in the ANZ PEPOL TEMPLATE
12	cbc:DocumentCurrency Code	transaction.currency.symbol	Currency (Under Subsidiary Record)	Both	This element displays the ISO Code of the currency used in the transaction, if Multi-Currency feature is enabled in an account. The value is not displayed if the Multi-Currency feature is not enabled in an account.
13	cbc:TaxCurrency Code	custom.subcurrency ISOCode Refer Custom Data Source (CDS) Plug-in Implementation	Currency — In Subsidiary Record	Both	This element displays the ISO Code used by the subsidiary of the transaction if the currency is not same for transaction and the subsidiary. The value of this element is retrieved from the custom data source plug-in used in the template.
14	cbc:Accounting Cost		Custom Field	Both	This element displays the details of the booking data related to the buyer's financial accounts. You must map this field value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
15	cbc:BuyerReference	transaction.otherrefnum	PO #	Both	This element displays the identifier or code assigned by the buyer for internal routing. The PO# field is used to identify the buyer and the order details. The value can be the name of the person ordering the products, employee number, or an identification code for a buyer, department, or group. You can map the value of this field with the required custom field in the SuiteApp.
16	cac:InvoicePeriod			Invoice	This is a parent element containing a group of business terms that provide information about the invoice period, also known as the delivery period. If you use this group, you must also use the invoice period start date, end date, or both. This element is not supported in the ANZ PEPOL TEMPLATE
17	cbc:StartDate	transaction.startdate	Start Date	Invoice	This element displays the start date of an invoice period for a transaction. This element is displayed along with a value on the generated e-document only if the value is entered in the Start Date field of the transaction.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE
18	cbc:End Date	transaction.enddate	End Date	Invoice	This element displays the end date of an invoice period for a transaction. This element is displayed along with a value on the generated E-Document only if the value is entered in the End Date field of the transaction. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE
19	cbc:Description Code		Custom Field	Both	This element displays the code of the date when VAT becomes accountable for seller and buyer. For example: 3- Invoice document issue date, time 35- Delivery date, time 432- Paid to date You can map the value with the required custom field in your account. This element is not supported in the ANZ PEPPOL TEMPLATE
20	cac:OrderReference			Both	This is a parent element with details of the order and sales order references.
21	cbc:ID	transaction.otherrefnum customer.accountnumber customer.entityid	1. PO# If 1. is absent, then Account's value on customer record. If 2. is absent, then Customer ID's value on customer record.	Both	This element displays one of the following identifiers for a referenced purchase order allotted by the buyer: - PO# - Account Number – The account number is displayed if the PO# value is missing. - Customer ID – The customer ID is displayed if the account number is missing. The element represents an identifier for a referenced purchase order issued by the Buyer.
22	cbc:Sales OrderID	transaction.createdfrom	Created From	Invoice	This element displays an identifier for a referenced sales order allotted by the seller. It has the entry number of the sales order transaction only if an invoice is created from a sales order. The entry number is retrieved from the Created From field in the invoice. If the invoice is not created from a sales order, then the element is not printed.
23	cac:BillingReference			Credit Memo	This is a parent element which contains a group of business terms providing information about invoices to which the credit memo is applied to. The element with all its child elements is created separately for each invoice the credit memo is applied to. This does not contain any value but has child elements. In the template, we can find the element only with no value bound to it. If the credit memo is not applied to any invoice, the element with all its child elements won't be displayed.
24	cac:InvoiceDocumentReference			Credit Memo	This parent element has no value in the template but contains child elements identifying the invoice. In this template, element is not provided with any value.
25	cbc:ID	invoice.invoiceId Refer CDS		Credit Memo	This key displays a value identifying an invoice that was previously sent by the seller, to which the credit memo is applied to. The list of invoices the credit memo is applied to is displayed in the Apply subtab and this key refers to the Reference Number for the particular invoice The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template.
26	cbc:Issue Date	invoice.invoiceDate Refer CDS		Credit Memo	This element is used to show the Issue Date for each invoice to which the credit memo is applied to. The list of invoices the credit memo is applied to is displayed in the Apply Subtab and this key refers to the transaction date for the particular invoice. The format in which it is displayed is "YYYY-MM-DD". The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template.
27	cac:DispatchDocumentReference			Both	This parent element provides reference to the dispatch advice. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPPOL TEMPLATE
28	cbc:ID		Custom Field	Both	This element refers to an identifier of a referenced dispatch advice.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					You can map the value of this key with the preferred custom field in your account. This element is not supported in the ANZ PEPOL TEMPLATE
29	cac:ReceiptDocumentReference			Both	This parent element has reference to the receipt advice. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE
30	cbc:ID		Custom Field	Both	This element displays an identifier of a referenced receiving advice. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
31	cac:OriginatorDocumentReference			Both	This parent element contains a tender or lot reference details. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE
32	cbc:ID		Custom Field	Both	This element displays the call for tender or lot of the invoice ID. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
33	cac:ContractDocumentReference			Both	This parent element provides details of any existing contract associated with a transaction. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE
34	cbc:ID		Custom Field	Both	This element has a value that identifies a contract. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
35	cac:AdditionalDocumentReference			Credit Memo	This parent element has no value, but it has child elements with values associated to it in the template. It has information about group of business terms and details, with additional supporting documents having terms of the invoice. The supporting documents include: - Reference to a document number known to the receiver - External documents referenced by a URL - Embedded documents - Base64 encoded documents like time report Basically, the project reference details are being used in this parent's child element. By default, the element along with all its child elements will only be displayed when the header project is specified.
36	cbc:ID	transaction.job	Project	Credit Memo	This element displays the identifier of an object based on the invoice provided by the seller or a value used for identifying a supporting document. You can map the value with the required custom field in the SuiteApp. By default, the value for this key is used for the identification of the header project if a header project is specified else element is not displayed.
37	@schemeID		Custom value from list	Credit Memo	This element must have a value displaying the identifier of the identification scheme of an invoiced object. It is used inside the cbc:ID element. The value of this element must be from the list . You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
38	cbc:DocumentTypeCode		Custom Field	Credit Memo	This element displays the code value as 50 if there is a project specified in the header of the credit memo. If the credit memo has an applied invoice or it does not display any content if conditions are not met, then the code value is 130 instead of 50. Another reason to use the code 130 is when the credit memo does not display any content if the conditions are not met. You can map the value with the required custom field in the SuiteApp. By default, a value of 50 is provided if a header project is specified else the element is not displayed.
39	cbc:Document		Custom Field	Both	This element has a value that describes supporting documents such as time sheets and usage reports.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
	Description				You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
40	cac:Attachment			Credit Memo	This parent element has information about attached documents with the transaction. The element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE
41	cbc:EmbeddedDocumentBinaryObject		Custom Field	Credit Memo	This element has a value referencing any attached document embedded as a binary object (Base64) or sent together with the invoice. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
42	@mimeCode		Custom Value	Credit Memo	This is a value used with the element cbc:EmbeddedDocumentBinaryObject that represents the mime code of an attached document. For example: text/csv You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
43	@fileName		Custom Value	Credit Memo	This is a value used with the element cbc:EmbeddedDocumentBinaryObject that represents the file name of an attached document. For example: abc.csv You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
44	cac:ExternalReference			Both	This is a parent element providing details of the external document's reference such as its location. The element has no value, but it has child elements with values associated to it in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
45	cbc:URI		Custom Field	Both	The value of this element represents the Uniform Resource Locator (URL) that identifies the location of the external document. This URL locates the resource and its primary access mechanism, such as http:// or ftp://. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE
46	cac:ProjectReference			Invoice	This parent element has information about any project associated with an invoice. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child element don't have any value. You can map the value with the required custom field in the SuiteApp.
47	cbc:ID	transaction.job	Project	Invoice	This element indicates the ID of the project associated with an invoice. If the Project field has no value in the transaction, the element is not printed.
48	cac:AccountingSupplierParty			Both	This is a parent element that provides information about the seller using various child elements. This element has no value, but it has child elements with values associated to it in the template.
49	cac:Party			Both	This is a parent element and a child element of cac:AccountingSupplierParty, having information about the seller like electronic address. This element has no value, but it has child elements with values associated to it in the template.
50	cbc:EndpointID	By Default: custom.subTaxRegNo Refer CDS	Custom Field can be used. OR By Default: For Legacy: GST REGISTRATION NO/ ABN (subsidiary record) For SuiteTax: SUBSIDIARY TAX REG. NUMBER	Both	This element identifies the seller's electronic address to which the application level response to the invoice can be delivered. The element uses the custom data source plug-in to get one of the following values: In OW Account: - For Legacy: using subsidiary record's federalidnumber. - For SuiteTax Account: using transaction's subsidiarytaxregnum This element is populated only if value exists. In SI Account: This element won't be displayed. You can map the value with the required custom field in the SuiteApp.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
			(Transaction record under taxdetails tab)		
51	@schemeID	By Default: custom.schemeId Refer CDS	Custom Value	Both	This element is used with the element cbc:EndpointID and identifies the scheme ID of the seller's electronic address. You can find the scheme ID value from Scheme ID List. Possible values for scheme ID in case of ANZ PEPPOL Template are: New Zealand: 0088 Australia: 0151 The value of this field is retrieved from the Custom Data Source Plug in (CDS) used in the template only for OW Accounts.
52	cac:PartyIdentification			Both	This parent element identifies the seller or the seller's unique banking reference ID provided by the bank. This element has no value, but it has child elements with values associated to it in the template.
53	cbc:ID	By Default: custom.subTaxRegNo Refer CDS	Custom Field can be used. OR By Default: For Legacy: GST REGISTRATION NO/ ABN (subsidiary record) For SuiteTax: SUBSIDIARY TAX REG. NUMBER (Transaction record under taxdetails tab)	Both	This parent element identifies the seller or the seller's unique banking reference ID provided by the bank. ICD code list is used for the seller's ID. SEPA is the code used for SEPA bank's assigned creditor reference. For the buyer to identify a supplier automatically, the following identifiers are available: - BT-29 – Seller identifier - BT-30 – Seller legal registration identifier - BT-31 – Seller VAT identifier The element uses the custom data source plug-in to get one of the following values: In OW Account: - For Legacy: using subsidiary record's federalidnumber. - For SuiteTax Account: using transaction's subsidiarytaxregnum This element is populated only if value exists. In SI Account: This element won't be displayed. You can map the value with the required custom field in the SuiteApp. You can map the value with the required custom field in the SuiteApp.
54	@schemeID		Custom Value	Both	This element is used with the element cbc:ID to identify the scheme of the seller Identifier. For example, for a bank assigned credit identifier BT-90, the seller ID must be SEPA.
55	cac:PartyName			Both	This parent element displays the seller's information such as name and address. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child elements don't have values.
56	cbc:Name	transaction.subsidiary.name	Addressee (Subsidiary's main address's addressee name) If 1. is absent, use subsidiary name.	Both	This element displays the business name, another name by which the Seller is known, other than the Seller name. It contains a value in the Addressee field of the Subsidiary's main address. Example: Parent Company, Arizona Company etc
57	cac:PostalAddress			Both	This is a parent element with information about the seller's address. Required fields of the address must be filled out to comply with the legal requirements. This element has no value, but it has child elements that have values associated to it in the template.
58	cbc:StreetName	transaction.subsidiary.address1	Address 1 (Subsidiary's main address's address line 1)	Both	This element displays the main address line of the seller's address. The element has the value of the Address 1 field of the subsidiary's main address. This element is displayed only if a value is entered in the Address 1 field on the Subsidiary record; otherwise, the element is not displayed.
59	cbc:AdditionalStreetName	transaction.subsidiary.address2	Address 2 (Subsidiary's main address's address line 2)	Both	This element displays another address line with more details about the main address. This element has the value of the Address 2 field in the subsidiary's main address. This element is displayed only if a value is entered in the Address 2 field on the Subsidiary record; otherwise, the element is not displayed.
60	cbc:CityName	transaction.subsidiary.city	City (Subsidiary's main address's city)	Both	This element displays the common name of the city, town, or village of the seller's location. The element's value is displayed in the City field of the subsidiary's main address. If the field value in subsidiary is blank, the element is not displayed.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
61	cbc:PostalZone	transaction.subsidiary.zip	ZIP(Subsidiary's main address's zip)	Both	This element identifies a group of properties with addresses based on the relevant postal service. This element is displayed only if there is a value in the Zip field of the subsidiary's main address. If the field value in subsidiary is blank, the element is not displayed.
62	cbc:CountrySubentity	custom.mainAddressState Refer CDS	State (Subsidiary's main address's state)	Both	This element identifies the subdivision of the country in the subsidiary's main address. The element is displayed only if there is a value in the State field of the subsidiary's main address. If the field value in subsidiary is blank, the element is not displayed. The state in Address field is displayed with codes for Australian States. The code is converted to the State Name when displayed in the template. The mapping for state code and state name are given below: ■ "ACT": "Australian Capital Territory", "NSW": "New South Wales" "NT": "Northern Territory" "QLD": "Queensland" "SA": "South Australia" "TAS": "Tasmania" "VIC": "Victoria" "WA": "Western Australia"
63	cac:AddressLine			Both	This parent element has information about the additional address line in the subsidiary address. This element has no value in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
64	cbc:Line		Custom field	Both	This element has information about an additional address line with more details about the main address line. No value has been provided for the element in this template. This element is not supported in the ANZ PEPOL TEMPLATE.
65	cac:Country			Both	This parent element has information about the country associated with the subsidiary's address. This element has no value in the template.
66	cbc:IdentificationCode	Subsidiary country If not, then display the company information country.	custom.subPrimaryCountry (Refer CDS) custom.countryInCompanyInfo Code (Refer CDS)	Both	This parent element displays the ISO Code of the nexus country. It uses the Custom Data Source plug-in implemented in the template to display the values. In OW account, the subsidiary's country name is populated. In SI account, the company information country is populated. If the values are not present, the element is not populated.
67	cac:PartyTaxScheme			Both	This parent element with its child element displays the seller's VAT identifier or tax registration details using different transaction fields. This element has no value in the template, but it has child elements that have values associated with them.
68	cbc:CompanyID	custom.subVatRegNo (Refer CDS)	For Legacy Tax: GST REGISTRATION NO. (Transaction's subsidiary) For SuiteTax: EMPLOYEE IDENTIFICATION NUMBER (Transaction's subsidiary)	Both	This element displays the seller's GST identification number or local identification for tax purpose or reference. This enables a seller to indicate their registered tax status. The element displays the value in the Employee Identification Number field of a subsidiary in a transaction in the generated e-document. The value is displayed using the Custom Data Source plug-in implemented in the template.
69	cac:TaxScheme			Both	This parent element has a child element cac:PartyTaxScheme that displays the seller's GST identification or tax registration details using various transaction fields. This element has no value, but it has child elements that have values associated to it in the template.
70	cbc:ID		Fixed Value: GST	Both	This element is displayed if the seller is a GST identifier or TAX Identifier. The default value is GST.
71	cac:PartyLegalEntity			Both	This parent element has information about the seller's legal details like registration name. This element has no value, but it has child elements that have values associated to it in the template.
72	cbc:RegistrationName	transaction.subsidiary.legalname	Legal Name	Both	This element displays the seller's registered name as per the following conventions: ■ National Registry of Legal Entities

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					■ Taxable person ■ Trading as a person or persons The value of the element is retrieved from the subsidiary's Legal Name field in a transaction.
73	cbc:CompanyID	Custom Field can be used. OR By Default: For Legacy: GST REGISTRATION NO/ ABN (subsidiary record) For SuiteTax: SUBSIDIARY TAX REG. NUMBER (Transaction record under taxdetails tab)	By Default: custom.subTaxRegNo Refer CDS	Both	This element is used as an identifier allotted by an official registrar. It identifies the seller as legal entity or person. The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template. In OW Account: For Legacy: using subsidiary record's federalidnumber For SuiteTax Account: using transaction's subsidiarytaxregnum This element is populated only if value exists. In SI Account: This element won't be displayed. You can map the value with the required custom field in the SuiteApp.
74	@schemeID		Custom Value	Both	This element is used with the element cbc:CompanyID to identify the scheme identifier of a seller's legal registration. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
75	cbc:CompanyLegalForm			Both	This parent element has details about additional legal information related to the seller. This element has no value in the template. This element is not supported in the ANZ PEPPOL TEMPLATE
76	cac:Contact			Both	This is a parent element and a child of cbc:CompanyLegalForm with information on a group of business terms providing contact information of the seller. No value has been provided to this element, but it has child elements which have values associated to them. This element will only be displayed if Sales Rep of the transaction has either phone number or email address.
77	cbc:Name	transaction.salesrep	Sales Rep	Both	This element provides contact details for a legal entity or representative and displays the Sales Rep field value in a transaction. The element is displayed only if there is a value in the Sales Rep field of the transaction.
78	cbc:Telephone	transaction.salesrep.phone	Phone	Both	This element displays the phone number of the contact person. It uses the phone number of the sales representative selected in the transaction as the value. This element is displayed only if there is a value in the sales representative's Phone field in the employee record.
79	cbc:ElectronicMail	transaction.salesrep.email	Email	Both	This element displays the email address of the contact person and uses the email address of the sales representative selected in the transaction as the value. This element is displayed only if there is value in the sales representative's Email field in the employee record.
80	cac:AccountingCustomerParty			Both	This parent element contains a group of business terms, with information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.
81	cac:Party			Both	This is a parent element and a child of cac:AccountingCustomerParty, providing information about the buyer. This element has no value, but it has child elements with values associated in the template.
82	cbc:EndpointID	For Legacy Tax: customer.vatregnumber in customer record For SuiteTax: customer.defaulttaxreg in customer record	Custom Field or In Legacy Tax Account: Tax Reg Number field in the customer record In SuiteTax account: Default Tax Reg field in the customer record	Both	This element displays a value identifying a buyer's electronic address to deliver the invoice. For Legacy: using customer record's vatregnumber For SuiteTax Account: using customer record's defaulttaxreg Example: 987654321

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
83	@schemeID		Custom Value	Both	This element is used with the element cbc:EndpointID and has no value in the template. This element identifies the scheme identifier of a buyer's electronic address. Example: 0192 You can map the value with the required custom field in the SuiteApp.
84	cac:PartyIdentification			Both	This is a parent element providing information about the buyer identifier. This element has no value, but it has child elements that have values associated with them.
85	cbc:ID	customer.accountnumber	Account (Customer's transaction)	Both	This element populates the customer identifier. The value of Account field on the transaction's customer record is used as value for this element.
86	@schemeID		Custom Value	Both	This element is used with the element cbc:ID to display or populate the scheme ID of the buyer identifier. You can map the value with the required custom field in the SuiteApp.
87	cac:PartyName			Both	This parent element displays the buyer's details. This element has no value, but it has child elements that have values associated with it in the template.
88	cbc:Name	customer.companyname	Company Name	Both	This element displays another name that the buyer is known, other than the Business name. The value in the Company Name field on a customer's transaction is displayed in the generated e-document for this element.
89	cac:PostalAddress			Both	This parent element has a group of business terms providing information about the buyer's postal address. This element has no value, but it has child elements that have values associated with it in the template.
90	cbc:StreetName	transaction.billaddr1	Address 1 (Transaction's billing address)	Both	This element displays the main address line of an address. The element retrieves the value of the Address 1 field from the billing address in a transaction. This element is displayed only if the Address 1 field has a value.
91	cbc:AdditionalStreetName	transaction.billaddr2	Address 2 (Transaction's billing address)	Both	This element displays an additional address line to have more details on the main address. This element retrieves the value of the Address2 field from the billing address in a transaction.
92	cbc:CityName	transaction.billcity	City (Transaction's billing address)	Both	This element displays the common name of the city, town, or village of the buyer's location. This element is displayed only if the City field of the transaction's billing address has a value.
93	cbc:PostalZone	transaction.billzip	Zip (Transaction's billing address)	Both	This element identifies a group of properties with address based on the relevant postal service. Zip field of the transaction's billing address is used as value for this element. This element is not displayed if this field has no value.
94	cbc:CountrySubentity	transaction.billstate	State (Transaction's billing address)	Both	This element identifies the subdivision of the country. This element is displayed only if the State field of the transaction's billing address has a value.
95	cac:AddressLine			Both	This parent element shows information about the additional address line in a transaction's billing address. This element has no value. This element is not supported in the ANZ PEPOL TEMPLATE.
96	cbc:Line	transaction.billaddr3	Address 3 (Transaction's billing address)	Both	This element displays an additional address line to have more details on the main address line. This element does not contain any value. This element is not supported in the ANZ PEPOL TEMPLATE.
97	cac:Country				This parent element provides information about the billing address's country in a transaction. This element has no value, but it has child elements that have values associated with it in the template.
98	cbc:IdentificationCode	custom.billCountryISOCode	Country (Transaction's billing address)	Both	This element displays a code identifying the billing country of a transaction. The element displays the ISO code of the country. The value of this element is displayed using the Custom Data Source plug-in implemented in the template.
99	cac:PartyTaxScheme				This parent element has information about the party GST identifier. This element has no value, but it has child elements that have values associated to it in the template.
100	cbc:CompanyID	For Legacy Tax: customer.vatregnumber For SuiteTax: customer.defaulttaxreg	Custom Field or By default: In Legacy Tax Account: Tax Reg Number	Both	This element displays the buyer's GST identification number. The field value of transaction's Customer Tax Reg. Number in Suite Tax is used as value for this element. For Legacy Tax, you can use the Tax Reg Number field in a customer record as value for this element. You can map the value with the required custom field in the SuiteApp.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
			In SuiteTax account: Default Tax Reg		
101	cac:TaxScheme			Both	This parent element provides information about the tax scheme used by the customer. This element has no value, but it has child elements that have values associated to it in the template.
102	cbc:ID		Custom Field	Both	This element provides the code of the tax scheme being used. This element has a fixed value GST.
103	cac:PartyLegalEntity			Both	This parent element provides legal information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.
104	cbc:RegistrationName	transaction.billaddressee customer.compagnyname	Addressee Company Name	Both	This element displays the buyer's full name. If the Addressee field has a value in the Billing Address of a transaction, then the full name is displayed along with the element. If not, then the element displays the customer's company name.
105	cbc:CompanyID	For Legacy Tax: customer.vatregnumber For SuiteTax: customer.defaulttaxreg	Custom Field or By default: In Legacy Tax Account: Tax Reg Number In SuiteTax account: Default Tax Reg	Both	This element displays an identifier of the buyer as a legal entity or person. This identifier is issued by an official registrar. This element has no value in the template. For Legacy: Using customer record's vatregnumber For SuiteTax Account: using customer record's defaulttaxreg You can map the value with the required custom field in the SuiteApp.
106	@schemeID		Custom Value	Both	This element displays the scheme ID of the buyer's legal registration identifier. This element has no value associated with it in the template. You can map the value with the required custom field in the SuiteApp.
107	cac:Contact				This is parent element has multiple child elements and provides contact information relevant to the buyer. This element has no value associated with it in the template.
108	cbc:Name	custom.primaryContact Refer CDS	Customer Primary Contact NAME (customer record)	Both	This element has the point of contact of the buyer's legal entity or person. The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template. Use Primary Contact Name of Customer Record if present, else populate the value with UNDEFINED.
109	cbc:Telephone	custom.primaryContact Refer CDS	Customer Primary Contact PHONE (customer record)	Both	This element displays the phone number of the buyer's contact. This element is displayed in the generated e-document only if the customer's Phone Number field has a value. The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template.
110	cbc:ElectronicMail	custom.primaryContact Refer CDS	Customer Primary Contact EMAIL (customer record)	Both	This element displays the e-mail address of the buyer's contact. This element is displayed in the generated e-document only if the customer's E-mail Address field has a value. The value of this field is retrieved from the Custom Data Source Plug-in (CDS) used in the template.
111	cac:PayeeParty			Both	This parent element has multiple child elements, with information about the payee. This element is used when the payee is different from the seller. This element has no value in the template. This element is not supported in the ANZ PEPPOL TEMPLATE.
112	cac:PartyIdentification			Both	This is a parent element and a child of cac:PayeeParty, which has child elements used for identifying the payee party. This element has no value in the template. This element is not supported in the ANZ PEPPOL TEMPLATE.
113	cbc:ID		Custom Field	Both	This element is used to identify both the payee and the unique banking reference identifier of the payee assigned by the payee's bank. For identifying the payee, you can use the ICD code list. You can use SEPA code for identifying the SEPA bank assigned creditor reference. For example, FR932874294. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
114	@schemeID		Custom Value	Both	This element used with the cbc:ID element identifies the payee's scheme ID. This has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
115	cac:Party Name				This is a parent element and a child of cac:PayeeParty element. This element provides information about the payee name. This element has no value in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
116	cbc: Name		Custom Field	Both	This element displays the name of the payee. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
117	cac:Party Legal Entity			Both	This parent element has legal information about the payee. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
118	cbc:CompanyID		Custom Field	Both	This element identifies the payee's legal registration. The identifier is issued by an official registrar and identifies the payee as a legal entity or person. For example, FR932874294. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
119	@schemeID		Custom Value	Both	This element is used with cbc:CompanyID and has the scheme ID of the payee's legal registration identifier. For example: 0002 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
120	cac:Tax RepresentativeParty			Both	This parent element has information about the seller's tax representative. This element has no value, but it has child elements that have values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
121	cac:Party Name			Both	This is a parent element and a child element of cac:TaxRepresentativeParty. This element displays the name of the seller's tax representative. This element has no value, but it has child elements that have values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
122	cbc: Name		Custom Field	Both	This element displays the full name of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
123	cac:PostalAddress			Both	This is a parent element and a child element of cac:TaxRepresentativeParty. The element has no value, but it has child elements with information about the postal address of the tax representative in template. The required address fields must be filled out to comply with legal requirements. This element is not supported in the ANZ PEPOL TEMPLATE.
124	cbc: Street Name		Custom Field	Both	This element displays the main address line of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
125	cbc:AdditionalStreetName		Custom Field	Both	This element displays the value of an additional address line of the main address of a seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
126	cbc:City Name		Custom Field	Both	This element displays the common name of the city, town, or village of the tax representative's location. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					This element is not supported in the ANZ PEPOL TEMPLATE.
127	cbc:PostalZone		Custom Field	Both	This element identifies an addressable group of properties according to the relevant postal service of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
128	cbc:CountrySubentity		Custom Field	Both	This element has information about a country's subdivision of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
129	cac:AddressLine			Both	This element is a parent element and a child of cac:PostalAddress, with information about the additional address line of the seller's tax representative main address. This element has clarifications on the addresses. It has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
130	cbc:Line		Custom Field	Both	This element has information about the additional address line of a main address. It gives information about the seller's tax representative's main address. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
131	cac:Country			Both	This element is a parent element and child of cac:PostalAddress, with information about the country of the address. This element has no value, but it has child elements that have values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
132	cbc:IdentificationCode		Custom Field	Both	This element displays the ISO code of the seller's tax representative country. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
133	cac:PartyTaxScheme			Both	This is a parent element with information about the GST party identifier. This element has no value, but it has child elements with values associated with it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
134	cbc:CompanyID		Custom Field	Both	This element represents the GST identifier of the seller's tax representative. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
135	cac:TaxScheme			Both	This parent element displays the tax scheme used by the tax representative. This element has no value in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
136	cbc:ID		Custom Field	Both	This element displays the name of the tax scheme and has a required value GST, added in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
137	cac:Delivery				This parent element has information about the delivery time and location of the invoiced goods and services. This element has no value in the template, but it has child elements with information about the delivery address in the template.
138	cbc:ActualDeliveryDate	transaction.trandate	Custom Field OR By Default: DATE	Both	This element displays the date when the supply of goods and services is completed. This element is displayed along with the value on the generated e-document only if the value is provided in the Date field of the transaction. This date must be in YYYY-MM-DD format. It is populated with transaction date. You can map the value with the required custom field in the SuiteApp.
139	cac:DeliveryLocation			Both	This element has information about the location where goods and services were delivered. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
140	cbc:ID		Custom Field	Both	This element displays the identifier for the delivery location of the goods and services. This element has no value in the template.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
141	@schemeID		Custom Value	Both	This element is a part of cbc:ID element and displays the scheme ID of the Deliver to Location field. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
142	cac:Address			Both	This parent element has information about the address where invoiced goods or services are delivered. This element has no value in the template, but it has child elements that have values associated with it.
143	cbc:StreetName	transaction.shipaddr1	Address 1 (Transaction's address line 1)	Both	This element displays the main address line in the transaction's shipping address. This element has the value of Address 1 field in the transaction's shipping address. This element is not displayed if the Address 1 field has no value in the transaction.
144	cbc:AdditionalStreetName	transaction.shipaddr2	Address 2 (Transaction's address line 2)	Both	This element displays the main address line in the transaction's shipping address. This element has the value of the Address 2 field in the transaction's shipping address. The element and its value are not displayed if the Address 2 field has no value.
145	cbc:CityName	transaction.shipcity	City (Transaction's shipping address's city)	Both	This element displays the common name of the city, town, or village of the delivery location in the shipping address. This element has the value of the City field in the transaction's shipping address. The element and its value are not displayed if the City field has no value.
146	cbc:PostalZone	transaction.shipzip	Zip (Transaction's shipping address's zip)	Both	This element displays an identifier for a group of properties based on their postal service. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value.
147	cbc:CountrySubentity	transaction.shipstate	State (Transaction's shipping address's state)	Both	This element displays the subdivision of a country in the shipping address. This element has the value of the State field in the transaction's shipping address. The element and its value are not displayed if the State field has no value.
148	cac:AddressLine			Both	This parent element displays additional information about the shipping address. This element is not supported in the ANZ PEPOL TEMPLATE.
149	cbc:Line		Custom Field	Both	This is a parent element and a child of cac:AddressLine, with information about the additional line of an address, supporting the primary address. This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
150	cac:Country			Both	This parent element displays the country of the shipping address. This element has no value, but it has child elements with values in the template.
151	cbc:IdentificationCode	transaction.shipcountry	Country (Transaction's shipping address's country)	Both	This element displays the ISO code of the country in the transaction's shipping address. It displays the value of the Country field in the template.
152	cac:DeliveryParty			Both	This parent element displays the details of the delivery party. This element has no value but has a child element with values associated to it in the template.
153	cac:PartyName			Both	This is a parent element and a child of cac:DeliveryParty, with information about the delivery party's name. This element has no value but has a child elements with values associated to it in the template.
154	cbc:Name	transaction.shipaddressee	Addressee (Transaction's shipping address's country)	Both	This element displays the name of the customer or party whom the goods and services are to be delivered. This element displays the value of the Addressee field in the transaction's shipping address.
155	cac:PaymentMeans			Invoice	This parent element provides a group of business terms by using different child elements to give payment information. This element has no value, but it has various child elements that have values associated with it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
156	cbc:PaymentMeansCode		Custom Field	Invoice	This element displays the payment type code for a payment made or to be made. This element has no value in the template. Example: 30 The following list has the details of the Payment Types and it's associated code: ■ Credit Transfer – 30

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					- Direct Debit – 49 - Opstgiro – 50 - Credit Card – 54 - Debit Card – 55 - Bankgiro – 56 - Sepa Credit Transfer – 58 - Sepa Direct Debit – 59 - Online Payment Service – 68 - Finland – 93, 94, 95. - Instrument not defined – 1 - National or Regional Clearing – 9 - Cash – 10 By Default: ZZZ is populated in the Invoice Template You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
157	@name		Custom Value	Invoice	This element displays cbc:PaymentMeansCode , the name of the mode of payment. This element has no value in the template. Example: Credit Transfer By Default: NETSUITE is populated in Invoice Template You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
158	cbc:PaymentID		Custom Field	Invoice	This element displays a text value for associating the payment and the invoice issued by the seller. This is used for creditors' critical reconciliation information. The value helps the seller assign an incoming payment to the relevant payment process. This element has no value in the template. A custom field with a payment reference can be used for this element. Example value: 432948234234234 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
159	cac:Card Account			Credit Memo	This parent element represents a group of business terms with information about the card used to make a payment against an issued invoice. If a buyer made a payment using a card such as a credit or debit card, then the information about the Primary Account Number (PAN) is mentioned in the invoice. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
160	cbc:PrimaryAccountNumberID		Custom Field	Credit Memo	This element is used to represent the Payment card primary account number. The Primary Account Number (PAN) of the card used for payment .In accordance with card payments security standards, an invoice should never include a full card primary account number. Example: 1234 The last 4 to 6 digits of the PAN (BT-87) are indicated if payment card information (BG-18) is provided in the invoice. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
161	cbc:NetworkID		Custom field	Credit Memo	This element displays the card network identifier such as VISA, American Express, Card. Example: VISA You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
162	cbc:HolderName		Custom Field	Credit Memo	This element displays the name of the holder of the card. Example: John Doe You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
163	cac:PayeeFinancialAccount			Invoice	This parent element displays a group of business terms specifying the credit transfer payments. This element has no value, but it has various child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
164	cbc:ID		Custom Field	Invoice	This element identifies a payment account. It displays a unique ID of the financial payment account for a payment service provider to which the payment is made, such as IBAN or BBAN. Example: NO9999112222 This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
165	cbc:Name		Custom Field	Invoice	This element displays the payment account name of the service provider to which the payment is made. Example: Payment Account This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
166	cac:FinancialInstitutionBranch			Both	This parent element displays the details of a payment service provider. This element has no value, but it has various child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
167	cbc:ID		Custom Field	Both	This element displays an ID for payment service provider where a payment account is located such as BIC or a national clearing code. Identification scheme identifier is not used in this element. Example: 9999 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
168	cac:PaymentMandate			Both	This parent element displays a group of business terms for direct debit transactions. This element has no value, but it has various child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
169	cbc:ID		Custom Field	Both	This element displays a unique identifier assigned by the payee for referencing a direct debit mandate. This is used to notify the buyer of a SEPA direct debit in advance. Example: 123456 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
170	cac:PayerFinancialAccount			Both	This parent element has no value, but it has various child elements with values associated to it in the template. It has information about the payer's financial account. This element is not supported in the ANZ PEPOL TEMPLATE.
171	cbc:ID		Custom Field	Both	This element displays an ID with information about the account to be debited by direct debit. Example: 12345676543 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
172	cac:PaymentTerms			Invoice	This parent element has information about the payment terms applied to the due amount. This parent element has no value, but it has a child element with value associated with it in the template.
173	cbc:Note	transaction.terms	Terms	Invoice	This parent element displays text describing the payment terms that apply to the amount due for payments. It can also describe applicable penalties. If an amount is due for payment (BT-115), then the payment due date (BT-9) or the payment terms (BT-20) is indicated. This element displays a value in the Terms field on a transaction.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					Example: Net within 30 days
174	cac:AllowanceCharge			Both	This parent element displays a group of business terms with information about applicable allowances of a complete invoice. This element also displays a group of business terms with information about charges and taxes excluding GST for a complete invoice. This element has no value and is displayed in the generated e-document only if there is a Header Discount or Shipping Cost associated with the transaction.
175	cbc:ChargeIndicator		Custom Field	Both	This element displays the charge type used for a transaction. The generated e-document displays the value true when informing about charges and the value false when informing about allowances. Example: - True for shipping and handling. - False for header discounts. You can map the value with the required custom field in the SuiteApp.
176	cbc:AllowanceChargeReasonCode		Custom Field	Both	This element displays the document level allowance code or the allowance charge reason code. You can use the UNCL5189 code from the code list for allowance of a subset. For charges, you can use the UNCL7161 code from the code list. The document level allowance reason code and document level allowance reason display the same reason. Example: 95 for Discount SAA for Shipping and Handling This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.
177	cbc:AllowanceChargeReason		Custom Field	Both	This element displays document level allowance reason or charge reason in text format. The document level allowance reason code and the document level allowance reason, display the same allowance reason. This element displays the following values: - Shipping and handling for charges - Discount for allowances You can map the value with the required custom field in the SuiteApp.
178	cbc:MultiplierFactorNumeric		Custom Field	Both	This element displays the document level allowance or charge percentage. The percentage is used with the document level allowance base amount to calculate the document level or charge amount. the value must be 20. Example: 20 You can map the value with the required custom field in the SuiteApp.
179	cbc:Amount	For Discount: transaction.discounttotal For Shipping and Handling: transaction.altsippingcost+transaction.althandlingcost	For Discount: DISCOUNT ITEM (Summary section of transaction) For Shipping and Handling: Transaction's Shipping + handling cost (transaction record)	Both	This element displays the document level allowance or charge amount without GST. This value must be rounded off to a maximum of 2 decimal. value of Discount Item field for allowances. Example: 200
180	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with the cbc:Amount element, to display the ISO code of a transaction's currency.
181	cbc:BaseAmount	transaction.subtotal	Subtotal	Both	This element displays the base amount along with the document level allowance or charge percentage. It calculates the document level allowance or charge amount. The value is rounded off to 2 decimal places in the template. A value is provided in the Subtotal field in the Summary section of a transaction Example value: 200
182	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:BaseAmount element, to display the currency's ISO code used by a transaction.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
183	cac:TaxCategory			Both	This parent element displays the tax category and its details. This element has no value, but it has child elements with values associated to it in the template.
184	cbc:ID		Custom Field	Both	This element displays a code to identify the GST category. Example: Value: S In ANZ, the following codes are used: ■ E - Exempt From Tax – Specifies that taxes are not applicable ■ S – Standard Rate – Specifies the standard rate. ■ Z – Zero Rated Goods – Specifies that the goods are at zero rate ■ G- Free Export Item, TAX Not Charged – Specifies that the item is free to export and taxes are not charged. ■ O- Services outside scope of tax Specifies that the goods and services which don't attract GST where invoices are issued by entities who are not registered and not required to be registered for GST in Australia. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
185	cbc:Percent		Custom Field	Both	This element displays the document level allowance or GST charge rate. The GST rate is displayed as the percentage that applies to the document level allowance or charge. The categories are Shippingtaxcode, Handlingtaxcode, etc. Example: 25 This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.
186	cac:TaxScheme			Both	This parent element displays the details of the tax scheme used in a transaction. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
187	cbc:ID		Fixed Value	Both	This element displays the name of the tax scheme used in a transaction. A fixed GST value is provided in the template for this element.
188	cac:TaxTotal			Both	This parent element displays the total tax details including the amounts for a transaction. When a tax currency code is provided, two instances of tax total must be present and only one instance with tax subtotal must be used. This element does not have a value in the template. This element has no value in the template.
189	cbc:TaxAmount	transaction.taxtotal	Tax	Both	This element displays the total GST amount for an invoice or the total GST amount in the accounting currency as required by the seller. This value is rounded off to a maximum of 2 decimal places in the template. The elements and its values are displayed only if: ■ A transaction's tax total is not equal to zero. ■ The transaction's currency is not equal to the subsidiary's currency of the transaction.
190	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxAmount element, to display the ISO code of the currency used by the transaction.
191	cac:TaxSubtotal			Both	This parent element displays a group of business terms with information about GST break down based on different categories, rates and exemption reasons. This element has no value, but it has child elements with values associated with it.
192	cbc:TaxableAmount	taxDetails (Refer CDS)	Sum of amount of all items calculated per unique tax category	Both	This element displays all the taxable amount for each item specific to a unique GST category code. This value must be rounded off to 2 decimal places. You can map the value with the required custom field in the SuiteApp.
193	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxableAmount element to display the ISO code of the transaction's currency.
194	cbc:TaxAmount	taxableAmount (Using CDS)	sum of tax amount of all	Both	This element displays the total GST amount for each item specific to a unique GST category code.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
			items calculated per category		The value is rounded off to a maximum of 2 decimal places in the template. You can map the value with the required custom field in the SuiteApp.
195	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxAmount to display the ISO code of the transaction's currency.
196	cac:TaxCategory			Both	This parent element displays the GST category details. This element has no value, but it has child elements with values associated with it.
197	cbc:ID		Custom Field	Both	This element displays a code to identify the GST category. Example: Value: S In ANZ, the following codes are used: ■ E - Exempt From Tax – Specifies that taxes are not applicable ■ S – Standard Rate – Specifies the standard rate. ■ Z – Zero Rated Goods – Specifies that the goods are at zero rate ■ G - Free Export Item, TAX Not Charged – Specifies that the item is free to export and taxes are not charged. ■ O- Services outside scope of tax Specifies that the goods and services which don't attract GST where invoices are issued by entities who are not registered and not required to be registered for GST in Australia. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
198	cbc:Percent		Custom Field	Both	This element displays the GST category rate for each unique tax code used by items for shipping. The GST rate is displayed as percentage for the applicable VAT category. Example: 25 This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
199	cbc:TaxExemptionReasonCode		Custom Field	Both	This element displays a GST exemption reason code. A coded statement indicates the reason for exempting the GST amount. This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
200	cbc:TaxExemptionReason		Custom Field	Both	This element displays the GST exemption reason text. Example: Exempt This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
201	cac:TaxScheme			Both	This parent element displays the tax scheme. This element has no value, but it has child elements with values associated with it in the template.
202	cbc:ID		Fixed Value	Both	This element displays the name of the tax scheme used in a transaction. A fixed value GST is assigned to this element.
203	cac:LegalMonetaryTotal			Both	This parent element displays the document totals. This element has no values, but it has child elements that provide monetary totals for an invoice or a credit memo in a template.
204	cbc:LineExtensionAmount	transaction.subtotal	Subtotal	Both	This element displays the sum of all the invoice line net amounts in an invoice. The value is rounded off to a maximum of 2 decimal places in the template. This element displays the Subtotal field value from the transaction's Summary tab.
205	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:LineExtensionAmount element to display the ISO code of a transaction's currency.
206	cbc:TaxExclusiveAmount	transaction.altshippingcost + transaction.althandlingcost + transaction.subtotal - transaction.discounttotal	Subtotal + Allowances - Discount	Both	This element displays the total amount of an invoice without GST. The value of this element must be rounded off to two decimals. In a template, you must add the transaction's amount in the Subtotal field in the Summary tab with the handling and shipping charges to get a value. Example: 3600.0 You can add extra allowances and change the template to accommodate this element.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
207	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxExclusiveAmount to display the ISO code of the transaction's currency.
208	cbc:TaxInclusiveAmount	transaction.total	Total	Both	This element displays the total amount of a transaction with GST. This value is rounded off to 2 decimal places in the template.
209	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:TaxInclusiveAmount element to display the ISO code of the transaction's currency
210	cbc:AllowanceTotalAmount	transaction.discounttotal	Discount Item	Both	This element displays the sum of allowances at the document level. The value of this element is rounded off to 2 decimal places. Example: 200.0
211	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:AllowanceTotalAmount element to display the ISO code for the transaction's currency.
212	cbc:ChargeTotalAmount	transaction.shippingcost+ transaction.althandlingcost	Shipping Cost+ Handling Cost	Both	This element displays the shipping cost charge at the document level in the transaction. The value is rounded off to 2 decimal places in the template. It displays total cost of shipping and handling. Example: 10.0
213	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	The element is used with cbc:ChargeTotalAmount to display the ISO code of the transaction's currency.
214	cbc:PrepaidAmount	transaction.amountpaid	Payments	Both	This element displays the sum of the amount paid in advance, for a transaction. The value is rounded off to a maximum 2 decimal places in the template. This value displays the sum of all the payments made for a transaction. Example: 1000.0
215	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PrepaidAmount element to display the ISO code of the transaction's currency.
216	cbc:PayableRoundingAmount		Custom Field	Both	This element displays the rounding amount. The amount is added to the invoice total to round off the amount to be paid. The value is rounded off by maximum two decimals in template. Example: 0.0 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
217	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PayableRoundingAmount element to display the ISO code of the transaction's currency. This element is not supported in the ANZ PEPOL TEMPLATE.
218	cbc:PayableAmount	For Invoice: transaction.amountremainingtotalbox For Credit Memo: transaction.amountremaining	Amount Due	Both	This element displays the amount due for payment and the outstanding amount that is requested to be paid. The value is rounded off to a maximum 2 decimal places in the template. The Amount Due field value in the Summary tab is used for the transaction. Example: 3500.0
219	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PayableAmount element to display the ISO code of the transaction's currency.
220	cac:InvoiceLine			Invoice	This parent element displays the line item components. It also has a group of business terms providing information about individual transaction lines. This element has no value, but it has child elements with values in the template.
221	cac:CreditNoteLine			Credit Memo	This parent element displays the line item components on a Credit Memo. It also has a group of business terms providing information about individual invoice lines for the credit memo. This element has no value, but it has child elements with values associated to it in the template. This element is used only for the Credit Memo transaction type.
222	cbc:ID	item.line	Line Sequence Number	Both	This element displays the transaction line ID for each item. It has a unique identifier for an individual line in the transaction. The line sequence number of a line item is used in the template. Example: 12

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
223	cbc:Note	transaction.memo	Memo	Both	This element is used in the invoice and credit memo line note. It is a text note with unstructured information relevant to the invoice line. The header level Memo field is used as value in the template. Example: New article number 12345
224	cbc:InvoicedQuantity	item.quantity	Quantity	Both	This element displays the value of invoiced quantity of each item in the transaction line. The Quantity field on the line item is used as value in the template. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.
225	cbc:CreditedQuantity	item.quantity	Quantity	Credit Memo	This element displays the value of invoiced quantity of each item in the credit note line. If the Quantity field for the item has no value, this element won't be printed. This element is used only for the Credit Memo transaction type. Example: 100 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid.
226	@unitCode		Custom Value	Both	This element is used with cbc:InvoicedQuantity element, and displays the invoiced quantity for unit of measure. This unit of measure applies to the invoiced quantity. An alphanumeric code consisting of 2 or 3 letters can be used. Codes for unit of packaging from UNECE Recommendation No. 21 can be used in accordance with the descriptions in the "Intro" section of UN/ECE Recommendation 20, Revision 11 (2015): The 2 character alphanumeric code values in UNECE Recommendation 21 shall be used. To avoid duplication with existing code values in UNECE Recommendation No. 20, each code value from UNECE Recommendation 21 shall be prefixed with an "X", resulting in a 3 alphanumeric code when used as a unit of measure. Example: C62 This element has a fixed value "ZZ" in the template. You can map the value with the required custom field in the SuiteApp.
227	cbc:LineExtensionAmount	item.amount	Amount	Both	This element displays the total amount of the invoice line. The total amount includes the line level allowances, charges, and other relevant taxes but excludes VAT. The value is rounded off to a maximum of 2 decimal places. The amount of each element is used as the value in the template. This element is not printed if the Amount field has no value for an item. Example: 2145.00
228	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
229	cbc:AccountingCost		Custom Field	Both	This element displays the accounting reference of the invoice line buyer. A text value specifies the location of where to book relevant data in the buyer's financial accounts. Example: 1287:65464 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
230	cac:InvoicePeriod			Invoice	This is parent element displays a group of business terms providing information about the invoice line period. This element has no value in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
231	cbc:StartDate		Custom Field	Invoice	This element displays the invoice line period start date. The format of the invoice line start date is YYYY-MM-DD. Example: 2017-10-05 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
232	cbc:EndDate		Custom Field	Invoice	This element displays the invoice line period end date. The format of the invoice line end date is YYYY-MM-DD. Example: 2017-10-15 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
233	cac:OrderLineReference			Both	This parent element displays the reference of the order line. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
234	cbc:LineID		Custom Field	Both	This element displays an object ID of a seller's invoice line. Example: AB12345 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
235	cac:DocumentReference			Both	This parent element displays the details of the line object identifier. This element has no value, but it has child elements with values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
236	cbc:ID		Custom Field	Both	This element displays the seller's invoice line object identifier. Example: AB12345 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
237	@schemeID		Custom Value	Both	This element is used with cbc:LineID element to display the ID of the scheme identifier of an invoice line object. Example: ABZ You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
238	cbc:DocumentTypeCode		Fixed value 130 for Invoice Fixed Value 130 if Credit Memo is created from Invoice	Both	This element displays the document type code. Code "130" indicates the reference for an invoice object. This code is not used for other documents. In the Invoice template, the code value is always 130. If a credit memo is created from an invoice, the code is always 130 in the credit memo template. Default Value: 130 You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
239	cac:AllowanceCharge			Both	This parent element displays a group of business terms with information about allowances or charges of an individual invoice. This element has no value, but it has child elements with values associated with it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
240	cbc:ChargeIndicator		If line item is of type Discount, display "false" For other type of items, display "true"	Both	This element displays "true" or "false" value for the item type in a transaction. If the item type is discount, the value is "false". For item types other than discount, the value is "true" in the generated e-document. This element is not supported in the ANZ PEPOL TEMPLATE.
241	cbc:AllowanceChargeReasonCode		If line item is of type Discount, the value 95 is displayed For other type of items, display no value	Both	This element displays the line level allowance or charge reason code. If the line item type is Discount, the value of the code is 95; otherwise, the element won't have a value in the template. Example: 95 This element is not supported in the ANZ PEPOL TEMPLATE.
242	cbc:AllowanceChargeReason		If item type is Discount, then display "Discount" For other type of items, the element has no value	Both	This element displays the line level allowance or charge reason in text. If the line item type is Discount, the value of the field is Discount in template; otherwise, the element is not displayed. Example: Discount This element is not supported in the ANZ PEPOL TEMPLATE.
243	cbc:MultiplierFactorNumeric	item.rate	If item type is Discount, the values of Unit Price or Rate are displayed.	Both	This element displays the line level allowance or charge percentage depending on the line level allowance base amount. It calculates the line level allowance or charge amount only for discount item type. For discount item type, the unit price or rate value of the item is displayed. If item type is not discount, the element is not available in the generated e-document.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
			For other type of items, the element has no value - Unit Price (Item) or Rate (Item).		For discount item type, the unit price or rate value of the item is displayed. If unit price or rate is in percentage, the value will be in units. Example: 20% will be 20 If unit price or rate is not percentage, the value will be in decimals. Example: 20 will be 20.00 This element is not supported in the ANZ PEPPOL TEMPLATE.
244	cbc:Amount	item.amount	If item type is Discount, the Amount value is displayed. For other item types, the element has no value. Amount	Both	This element displays the line level allowance or charge amount without GST. The value is rounded off to maximum two decimals. Example: 200 This element is not supported in the ANZ PEPPOL TEMPLATE.
245	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:Amount element to display the ISO code of the transaction's currency. This element is not supported in the ANZ PEPPOL TEMPLATE.
246	cbc:BaseAmount		Custom Field	Both	This element displays the line level allowance or charge base amount. The base amount is used according to the line level allowance or charge percentage. This is to calculate the line level allowance or charge amount. The value is rounded off to maximum two decimals. Example: 1000 This element is not supported in the ANZ PEPPOL TEMPLATE.
247	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency. This element is not supported in the ANZ PEPPOL TEMPLATE.
248	cac:Item			Both	This parent element displays a group of business terms with information about invoiced goods and services. This element has no value, but it has child elements with values associated with it in the template.
249	cbc:Description	item.description	Description	Both	This element displays the description and features of each item in a transaction. The value of the Description field for items is displayed. Example: Long description of an item
250	cbc:Name	item.name	Item Name	Both	This element displays the item name entered in the Item Name field in a transaction. Example: Item name
251	cac:BuyersItemIdentification			Both	This parent element displays the buyer's item identification and has no value in the template. This element is not supported in the ANZ PEPPOL TEMPLATE.
252	cbc:ID		Custom Field	Both	This element displays an identifier assigned by the buyer for an item. Example: 123455 This element has no value in the template. You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPPOL TEMPLATE.
253	cac:SellersItemIdentification			Both	This parent element displays the information about seller's identification. This element has no value, but it has child elements with values associated with it in the template. You can map the value with the required custom field in the SuiteApp.
254	cbc:ID	item.item	Item Name or Item Number	Both	This element displays an identifier assigned by the seller for an item. The value is displayed only for items without discount and description in the generated e-document. Example: 9873242
255	cac:StandardItemIdentification			Both	This parent element has standard item identification details. This element has no value, but it has child elements with values associated with it in the template.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
256	cbc:ID	item1.itemUpCode (Refer CDS)	UPC Code	Both	This element displays the standard item identifier based on a registered scheme. Example: 10986700 This element uses Custom Data Source plug-in to source the value of an item's UPC code in a template.
257	@schemeID		Custom value	Both	This element is used with cbc:ID element, and displays the scheme ID for the item standard identifier. This element has a default value 0160. Example: 0160 This element does not have a value in the template. You can map the value with the required custom field in the SuiteApp.
258	cac:OriginCountry			Both	This parent element is used to display an item's origin country. This element has no value, but it has child elements with values associated with it in the template. This element is not supported in the ANZ PEPPOL TEMPLATE.
259	cbc:IdentificationCode	item1.itemCountry	Manufacturer Country	Both	This element displays the ISO code of an item's country of origin. Example: CN This element uses Custom Data Source plug-in implementation to source the value of an item's manufacturer country. This element is not supported in the ANZ PEPPOL TEMPLATE.
260	cac:CommodityClassification			Both	This parent element displays the commodity classification code. This is required when members from same country buy from each other, and the traders need statistical information in the invoice. It is that you use the Item Classification Identifier (BT-158) with the code HS, as an identifier list for this purpose. This element has no value, but has child elements with values associated with it in the template.
261	cbc:ItemClassificationCode	item1.itemUpCode	UPC Code	Both	This element displays an item classification identifier code to classify items based on its type or nature. Example: 9873242 This element uses Custom Data Source plug-in to source the value of an item's UPC code.
262	@listID		Fixed Value	Both	This element is used with cbc:ItemClassificationCode element and displays a scheme ID for item classification identifier. It has a fixed value HS. Example: STI You can map the value with the required custom value in the SuiteApp
263	@listVersionID		Custom Value	Both	This element is used with cbc:ItemClassificationCode element and displays scheme ID for the item classification identifier. This element has no value in the template. This element is not supported in the ANZ PEPPOL TEMPLATE.
264	cac:ClassifiedTaxCategory			Both	This parent element displays a group of business terms with information about the GST applicable for invoiced goods and services in an invoice line. This element has no value, but it has child elements with values associated with it in the template.
265	cbc:ID		Custom Field	Both	This element displays the GST category code for an invoiced item. Example: S This element has no value in the template. You can map the value with the required custom field in the SuiteApp.
266	cbc:Percent	item.taxrate1	Tax Rate	Both	This element displays the GST rate percentage applied to the invoiced item. It displays the tax rate value of an item. Example: 25
267	cac:TaxScheme			Both	This element displays information about tax scheme. This parent element has no value, but it has child elements with values associated with it in the template.
268	cbc:ID		Fixed Value	Both	This element displays an ID of the tax scheme used in an invoice. A fixed value GST is added in the template.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
269	cac:AdditionalItemProperty			Both	This parent element displays a group of business terms with information about item attributes of invoiced goods and services. This element has no value, but it has various child elements that have values associated to it in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
270	cbc:Name		Custom Field	Both	This element displays the name of the item attribute or the property of the item. Example: Color You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
271	cbc:Value		Custom Field	Both	This element displays a value for the item attribute. The value of the attribute or property of the item. Example: Black You can map the value with the required custom field in the SuiteApp. This element is not supported in the ANZ PEPOL TEMPLATE.
272	cac:Price			Both	This parent element displays the price details. It has child elements with information about the price applied for the invoiced goods and services in an invoice. This element has no value, but it has various child elements with values in the template.
273	cbc:PriceAmount	Item.rate	Unit Price or rate	Both	This element displays the price of an item excluding GST and item price discount. The item net price must be equal to the item gross price, which is less than the item price discount if both the prices are provided. The item price cannot be negative. The unit price or rate of an item is used as a value and must be rounded off to 2 decimal places. Example: 10.8955 is rounded to 11
274	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:PriceAmount to display the ISO code of the transaction's currency.
275	cbc:BaseQuantity	item.quantity	Quantity	Both	This element displays item price base quantity of item units, to which the price applies. Example: 1 The element value with a decimal separator (.) or a whole number is valid. Group separator or more than one decimal separator is invalid. This element is not supported in the ANZ PEPOL TEMPLATE.
276	@unitCode		Custom Value	Both	This element displays the unit of measure code applicable to the item price base quantity. Also, the unit of measure must be same as the unit code of the invoiced or credited quantity. The unit of measure value has a 3-digit alphanumeric code. This element has no value in the template. Example: C62 This element is not supported in the ANZ PEPOL TEMPLATE.
277	cac:AllowanceCharge			Both	This element displays allowance details of an invoice. This element has no value, but it has child elements with values in the template. This element is not supported in the ANZ PEPOL TEMPLATE.
278	cbc:ChargeIndicator		Fixed Value	Both	This element indicates the charge. A charge on price level is not valid. This element has a fixed value false. This element is not supported in the ANZ PEPOL TEMPLATE.
279	cbc:Amount	item.amount	Amount	Both	This element is used to calculate the item price discount. The total discount is subtracted from the gross item price to calculate the net item price. This element displays the value if only if the item type is discount. Example value: 100 This element is not supported in the ANZ PEPOL TEMPLATE.
280	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:Amount element to display the ISO code of the transaction's currency. This element is not supported in the ANZ PEPOL TEMPLATE.
281	cbc:BaseAmount	item.amount	Quantity * Unit Price/Rate = Amount	Both	This parent element displays the gross item price. Item amount is used as value for this element. It is the unit price excluding GST before subtracting the item price discount.

SL No.	ID	Field ID	Technical Field Name	Applicable for Transaction Type	NetSuite Field Mapping Logic Used for Generic Templates
					The item price discount value must not be negative. The formula for calculating gross item price is, quantity multiplied by unit, and price divided by rate per Item. Alternatively, the item amount can also be used. Example: 123.5 This element is not supported in the ANZ PEPPOL TEMPLATE.
282	@currencyID	transaction.currency.symbol	Transaction's Currency	Both	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency. This element is not supported in the ANZ PEPPOL TEMPLATE.

Vendor Bill



Note: To use the templates, paste the content into the "FIELD MAPPING FOR INBOUND E-DOCUMENT" field of the new E-Document Template creation page.

In the template, while you create, select "ANZ PEPPOL Inbound CDS" from the Inbound Custom Data Source Plug-in Implementation drop down.

If no tax rate is present in for the item in XML reference, then by default, tax code with 0% tax rate will be applied to the item in the bill. This is applicable only if one tax code with tax rate 0% is present in the account.

If there are multiple tax codes of same rates or no tax codes present with specified tax rate, then an error will be thrown. The inbound conversion will be failed.

Limitations:

- Expenses is not supported in this template; users can change the template and add expenses, if required.
- Items with vendor code will only be considered for inbound conversion. So, users have to make sure that the items in the XML Reference have vendor code value under the Vendors section of the Purchasing Tab in the item records along with the Vendor's Name. The vendor code should be same as the Item name.
- Inbound Conversion using PEPPOL for Australia and New Zealand is not supported in SuiteTax accounts.
- No other language other than English is supported for Inbound Conversion.
- Multi-Subsidiary vendors are not supported for Inbound Conversion.

S.NO	JSON Key in Template	XML Element applied from XML Reference	Information for the Key
1	tranid	D:Invoice/cbc:ID	This key uniquely identifies the Vendor Bill, that is, Reference Number.
2	trandate	D:Invoice/cbc:IssueDate	This key displays the issue date of the bill provided by the vendor, that is, Date. The date is in the format of the system preferences set in the account. If the element cbc:IssueDate is missing in the XML reference file then it will throw an error "The issue date XPath for the transaction could not be found in the XML reference file." and If the value of the cbc:IssueDate element in XML Reference file is not in the format YYYY-MM-DD then it will throw an

S.NO	JSON Key in Template	XML Element applied from XML Reference	Information for the Key
			error "The issue date of the transaction in the XML reference file is not in correct format."
3	duedate	D:Invoice/cbc:DueDate	This key displays the payment due date. The date is in the format of the system preferences set in the account. The Bill will be populated only if the XML Reference has relevant value. If the value of the cbc:DueDate element in XML Reference file is not in the format YYYY-MM-DD, you get the error "The due date of the transaction in the XML reference file is in invalid format."
4	memo	D:Invoice/cbc:Note	This element displays unstructured note related to the Bill. The Bill will be populated only if the XML Reference has relevant value.
5	currency	D:Invoice/cbc:Document CurrencyCode	This key displays the Currency Name in Vendor Bill. The value of this field is derived from the Custom Data Source Plug-in (CDS) used in the template. It retrieves Currency Name from the Currency ISO code present in the XML Reference. Multi Currency feature must be enabled in the account.
6	item	D:Invoice/cac:InvoiceLine	This key iterates over all line items in the XML Reference.
7	vendorcode	D:Invoice/cac:InvoiceLine/cac: Item/cbc:Name	This key displays Vendor Code that is same as the item name. It does not support any other reference apart from item name. Check Limitations section for more details.
8	vendorrates	D:Invoice/cac:InvoiceLine/cac: Item/cbc:Name	This key displays Vendor Name that is same as the item name.
9	quantity	D:Invoice/cac:InvoiceLine/cac: Item/cbc:InvoicedQuantity	This key displays Quantity of each line item. Quantity is not added if the quantity of each line item is not present in the XML Reference. The element value with a decimal separator (.) or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
10	rate	D:Invoice/cac:InvoiceLine/cac: Item/cac:Price/cbc:PriceAmount	This key displays net price or unit price of the item. It displays the rate of each line item, exclusive of GST after subtracting item price discount. The element value with a decimal separator (.) or (,), or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
11	taxcode	D:Invoice/cac:InvoiceLine/cac: Item/cac:ClassifiedTaxCategory/ cbc:Percent (We are fetching the tax percent and from that we are finding the corresponding tax code in the account)	This key provides tax codes that is extracted from the tax rate in the XML Reference. [Check the XML Element given in second column]. The tax code which belongs to the specific tax rate for the applicable country. You need to extract the tax codes from this XML Reference: D:Invoice/cac:AccountingSupplierParty/cac:Party/cac:PostalAddress/cac:Country/cbc:IdentificationCode. In OW Accounts, it will retrieve Subsidiary country information. In SI accounts, it

S.NO	JSON Key in Template	XML Element applied from XML Reference	Information for the Key
			will retrieve information about the country from the company information page being populated. The following conditions can stop the conversion and throw error: - If you have more than one tax code applicable of Purchase or Both tax type present for a tax rate in the account. - If no tax code is present for a tax rate. - If the tax code applicable is inactive. - If more than one applicable tax code is present for a tax rate. It throws the below error. "Appropriate tax code could not be found for one of the following reasons: -No such tax code exists. -Multiple tax codes with the same tax rate exists. -Tax code is not of type Purchase or Both. -Tax code is inactive." Rectify the tax codes and make the combination of tax code to tax rate unique for the applicable country. If the tax rate is not present in the XML reference file for a line item, the tax code with tax rate 0% is automatically assigned to that line item. In the below case, following conditions can throw an error: - If more than one applicable tax code with tax rate 0% is present in the account. - If there are no tax codes present for 0%. - If the tax code applicable is inactive. - If not of type Both or Purchase. "Appropriate tax code could not be found for one of the following reasons: -No such tax code exists. -Multiple tax codes with the same tax rate exists. -Tax code is not of type Purchase or Both. -Tax code is inactive." In this case, add a tax code which is active, of type Purchase or Both and of tax rate 0% for the applicable country in the account. For Australia and New Zealand, we are not supporting inbound conversion using PEPPOL in SuiteTax Accounts. If you try to use this template along with CDS in SuiteTax enabled accounts, then conversion will fail and you get the error "Inbound conversion is not supported for

S.NO	JSON Key in Template	XML Element applied from XML Reference	Information for the Key
			SuiteTax accounts in Australia and New Zealand." PEPPOL Tax Category is currently not supported for ANZ. If tax category is present in the inbound XML file, it won't be considered for determining the tax code. The element value with a decimal separator (.) or (,), or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
12	amount	D:Invoice/cac:InvoiceLine/cbc:LineExtensionAmount	The key displays invoice line net amount. The amount is "net" without GST, that is, inclusiveness of line level allowances and charges along with other relevant taxes. The element value with a decimal separator (.) or (,), or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
13	description	D:Invoice/cac:InvoiceLine/cac:Item/cbc:Name	This key's description is taken from the item's name. You can change the reference in the XML Reference if needed.
14	inventorydetailreq		This key is a required field for items. The default value is set to 'False' for each item.

Vendor Credit

The following sample vendor credit e-document template and custom data source plug-in implementation must be used with the vendor credit template. You must do this to successfully convert PEPPOL XML file into a vendor credit transaction.

1. Inbound Vendor Credit Template
File Name: Inbound_VendorCredit_peppol_template.txt
Location: Bundle 436209/Sample Templates
2. Custom Data Source Plug-in (Vendor Credit)
File Name: pl_custom_data_source_vendor_credit.js
Location: Bundle 436209/src/comp/pl
Plug-in Implementation name: Vendor Credit Inbound CDS



Note: To use the templates, paste the content into the "Field Mapping for Inbound E-Document" field of the new E-Document Template creation page.

Select the transaction type as bill credit. In the template, in create mode, select **Vendor Credit Inbound CDS** from the **Inbound Custom Data Source Plug-in Implementation** list.

Limitations:

- Expenses is not supported in this template; users can change the template and add expenses, if required.
- Items with vendor code will only be considered for inbound conversion. So, users have to make sure that the items in the XML Reference have vendor code value under the Vendors section of the Purchasing Tab in the item records along with the Vendor's Name. The vendor code should be same as the item name.

- Inbound Conversion using Inbound Vendor Credit Template is not supported in SuiteTax accounts.
- No other language other than English is supported for Inbound Conversion.
- Multi-Subsidiary vendors are not supported for Inbound Conversion.

Follow the below table for mapping details:

S.NO	JSON Key in Template	XML element applied from XML reference	Information for the Key
1	tranid	D:CreditNote/cbc:ID	This key uniquely identifies the Vendor Bill, that is, Reference Number.
2	trandate	D:CreditNote/cbc:IssueDate	This key displays the issue date of the bill credit provided by the vendor, that is, Date. The date is in the format of the system preferences set in the account. If the element cbc:IssueDate is missing in the XML reference file, it will throw an error "The issue date XPath for the transaction could not be found in the XML reference file." If the value of the cbc:IssueDate element in XML Reference file is not in the format YYYY-MM-DD, it will throw an error "The issue date of the transaction in the XML reference file is not in correct format."
3	duedate	D:CreditNote/cbc:DueDate	This key displays the payment due date. The date is in the format of the system preferences set in the account. The Bill will be populated only if the XML Reference has relevant value. If the value of the cbc:DueDate element in XML Reference file is not in the format YYYY-MM-DD, you get the error "The due date of the transaction in the XML reference file is in invalid format."
4	memo	D:CreditNote/cbc:Note	This element displays unstructured note related to the bill credit. The bill credit will be populated only if the XML Reference has relevant value.
5	currency	D:CreditNote/cbc:Document CurrencyCode	This key displays the currency name in bill credit. The value of this field is derived from the Custom Data Source Plug-in (CDS) used in the template. It retrieves currency name from the Currency ISO code present in the XML Reference. Multi Currency feature must be enabled in the account.
6	item	D:CreditNote/cac:CreditNoteLine	This key iterates over all line items in the XML Reference.
7	vendorcode	D:CreditNote/cac:CreditNoteLine/ cac:Item/cbc:Name	This key displays vendor code that is same as the item name. It does not support any other reference apart from item name. Check Limitations section for more details.
8	vendorname	D:CreditNote/cac:CreditNoteLine/ cac:Item/cbc:Name	This key displays vendor name that is same as the item name.
9	quantity	D:CreditNote/cac:CreditNoteLine/ cac:Item /cbc:CreditedQuantity	This key displays quantity of each line item. Quantity is not added if the quantity of each line item is not present in the XML Reference. The element value with a decimal separator (.) or a whole number is valid. Group separator

S.NO	JSON Key in Template	XML element applied from XML reference	Information for the Key
			(Thousands separator) or more than one decimal separator is invalid.
10	rate	D:CreditNote/cac:CreditNoteLine/ cac:Item /cac:Price/ cbc:PriceAmount	This key displays net price or unit price of the item. It displays the rate of each line item, exclusive of GST after subtracting item price discount. The element value with a decimal separator (.) or (,), or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
11	amount	D:CreditNote/cac:CreditNoteLine/ cbc:LineExtensionAmount	The key displays invoice line net amount. The amount is net without GST, that is, inclusiveness of line level allowances and charges along with other relevant taxes. The element value with a decimal separator (.) or (,), or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
12	location		If you have the Locations feature enabled, this field is required in bill credit, although no direct or indirect mapping from vendor XML is done in the template. You have to modify this field according to your business need. Currently, it is being hard coded to Parent Location .
13	description	D:CreditNote/cac:CreditNoteLine/ cac:Item/cbc:Name	This key's description is taken from the item's name. You can change the reference in the XML reference if needed.
14	inventorydetailreq		This key is a required field for items. The default value is set to False for each item.
15	apply	D:CreditNote/cac:BillingReference	This key iterates over all the invoice references applied in the XML.
16	refnum	D:CreditNote/cac:Billing Reference/cac:InvoiceDocument Reference/cbc:ID	
17	createdFrom	D:CreditNote/cbc:BuyerReference	

Sales Order

The following sample of the sales order e-document template and Custom Data Source plug-in implementation should be used with the sales order template. You must use the below template mapping and plug-in to successfully convert the PEPOL XML file to a sales order transaction.

1. Inbound Sales Order Template

File Name: Sales_Order_Peppol_Template_Generic.txt

Location: Bundle 436209/Sample Templates

2. Custom Data Source Plug-in (Sales Order)

File Name: pl_custom_data_source_sales_order_inbound.js

Location: Bundle 436209/src/comp/pl

Plug-in Implementation name: Sales Order Inbound CDS



Note: The following points are applicable to use the sales order template:

1. You can paste the content from the Sales_Order_Peppol_Template_Generic.txt file in the **Field Mapping for Inbound E-Document** field of the new E-Document Template Creation page.
2. Select the transaction type as sales order. In the template, in create mode, select **Sales Order Inbound CDS** from the **Inbound Custom Data Source Plug-in Implementation** list.

Limitations of Sample Template and Plug-in

- Inbound conversion using inbound sales order template is not supported in SuiteTax accounts.
- Multi-subsidiary customers are not supported for inbound conversion.

Follow the below table for mapping details:

S.NO	JSON Key in Template	XML Element Applied from XML Reference	Information for the Key
1	otherrefnum	D:Order/cbc:ID	Displays the PO# field value in the sales order.
2	currency	D:Order/cbc:DocumentCurrencyCode	Displays the currency name (International Organization for Standardization – ISO Code) in the purchase order. The value of this field is derived from the Custom Data Source plug-in (CDS) used in the template. The Custom Data Source plug-in retrieves the currency name from the currency ISO code present in the XML reference. Multi-Currency feature must be enabled in the account.
3	message		Displays the following custom message on the sales order: OrderDocumentReference received via PEPPOL on {DATE_TIME}.
4	salesrep	D:Order/cac:SellerSupplierParty/cac:Party/cac:Contact/cbc:ElectronicMail	Displays the sales representative (employee). The value of this field is derived from the Custom Data Source plug-in (CDS) used in the template. The Custom Data Source retrieves the employee id from the email present in the XML reference.
5	shipdate	D:Order/cac:Delivery/cac:RequestedDeliveryPeriod/cbc:StartDate	Displays the ship date. The value of this field is derived from the Custom Data Source plug-in (CDS) used in the template. Valid format is YYYY-MM-DD.
6	shipaddress	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address	Consists of all the keys with ship address data.
7	country	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cac:Country/cbc:IdentificationCode	Displays the country in the ship address. Valid format is the ISO code of country.

S.NO	JSON Key in Template	XML Element Applied from XML Reference	Information for the Key
8	addr1	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cbc:StreetName	Displays the address 1 in the ship address.
9	addr2	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cbc:AdditionalStreetName	Displays the address 2 in the ship address.
10	addr3	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cac:AddressLine/cbc:Line	Displays the address 3 in the ship address.
11	city	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cbc:CityName	Displays the city in the ship address.
12	state	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cbc:CountrySubentity	Displays the state in the ship address.
13	zip	D:Order/cac:Delivery/cac:DeliveryLocation/cac:Address/cbc:PostalZone	Displays the zip in the ship address.
14	item	D:Order/cac:OrderLine	Contains details of all line items in the XML reference.
15	item	D:Order/cac:OrderLine/cac:LineItem/cac:Item/cbc:Name	Displays the item name or display name of the item.
16	quantity	D:Order/cac:OrderLine/cac:LineItem/cbc:Quantity	Displays the quantity of each line item. The element value with a decimal separator (.) or a whole number is valid. Group separator (Thousands separator) or more than one decimal separator is invalid.
17	rate	D:Order/cac:OrderLine/cac:LineItem/cac:Price/cbc:PriceAmount	Displays the net price or unit price of the item. It displays the rate of each line item, exclusive of tax. Group separator (Thousands separator) or more than one decimal separator is invalid.
18	amount	D:Order/cac:OrderLine/cac:LineItem/cbc:LineExtensionAmount	Displays the sales order line net amount. The amount is net without tax, that is, including line level allowances.
19	description	D:Order/cac:OrderLine/cac:LineItem/cac:Item/cbc:Description	Displays the description of the item.
20	taxcode	D:Order/cac:OrderLine/cac:LineItem/cac:Item/cac:ClassifiedTaxCategory/cbc:Percent (We are fetching the tax percent and from that we are finding the corresponding tax code in the account)	Provides tax codes that are extracted from the tax rate in the XML reference. The tax code which belongs to the specific tax rate for the applicable country. In OneWorld accounts, this key will retrieve the subsidiary country information. In accounts without OneWorld, this key will retrieve information about the country from the Company Information page. Below are the possible error scenarios for the Sales Order Inbound CDS plug-in:

S.NO	JSON Key in Template	XML Element Applied from XML Reference	Information for the Key
			■ The following conditions can stop the conversion of inbound e-document to sales order transaction, and throw an error: □ If the account has more than one tax code applicable for Sale or Both tax type present for a tax rate in the account. □ If no tax code is present for a tax rate. □ If the tax code applicable is inactive. □ If more than one applicable tax code is present for a tax rate. These conditions can fail the inbound conversion and throw the following error: An appropriate tax code was not found for one of the following reasons: □ No such tax code exists. □ Multiple tax codes with the same tax rate. □ Tax code is not of Sale type or Both type. □ Tax code is inactive. Rectify the tax codes and make the combination of tax code to tax rate unique for the applicable country. ■ If you try to use this template along with CDS in SuiteTax enabled accounts, then the conversion will fail, and you will get the below error: Inbound conversion to Sales Order is not supported for SuiteTax accounts.

PEPPOL Templates for SuiteTax

The PEPPOL templates for the following transaction types are specifically designed for SuiteTax accounts:

- [CTT: Sales Outbound Template](#)
- [CTT: Purchase Outbound Template](#)

Some elements in the CTT: Sales Template mappings table and CTT: Purchase Template mappings table are hard coded values, values from the transaction and its related records like subsidiary, customer and vendor, or values derived from custom data source plug-in.

You can use these templates along with the custom data source plug-in to generate the e-document for CTT: Sales and CTT: Purchase transactions. Also, you can add your own customizations in the template to get the generated e-document in the desired form.

The names and the location of the templates, custom data source in the Electronic Invoicing SuiteApp are in the table below:

PEPPOL Template	Template or file name	Location	Plug-in Implementation Name
Generic PEPPOL Template for CTT: Sales	CTT_Sales_Peppol_Template_Generic.txt	Bundle 436209/Sample Templates	NA
Generic Peppol Template for CTT: Purchase	CTT_Purchase_Peppol_Template_Generic.txt	Bundle 436209/Sample Templates	NA

PEPPOL Template	Template or file name	Location	Plug-in Implementation Name
Custom Data Source Plug-in (CTT: Sales)	pl_custom_data_source_ctt_sales_outbound.js	Bundle 436209/src/comp/pl	CTT Sales Outbound CDS
Custom Data Source Plug-in (CTT: Purchase)	pl_custom_data_source_ctt_purchase_outbound.js	Bundle 436209/src/comp/pl	CTT Purchase Outbound CDS

CTT: Sales Outbound Template

The supported item types for the CTT: Sales Outbound Template are:

- Inventory items (lot numbered, serialized, inventory)
- Non-inventory items (for resale, for sale)
- Discount
- Markup
- Service (for resale, for sale)
- Kit
- Expense
- Other charges (for resale, for sale)

This template does not support few elements which are mentioned in the CTT: Sales Template mappings table.

The below points must be followed when creating a CTT: Sales Outbound Template.

- To use the CTT: Sales Outbound Template, paste the XML in the **Template for Outbound E-Documents** field of the new E-Document Template page.
- When creating the template, select **CTT Sales Outbound CDS** from the **Custom Data Source Plugin Implementation** list.



Important: You must provide the PEPPOL ID field as part of CTT: Sales PEPPOL template setup in SuiteTax.

To know more about PEPPOL ID field, see [PEPPOL ID](#).

Prerequisites for CTT: Sales Outbound Template with Default CDS Plug-in Implementation

The CTT: Sales Outbound Template uses **Manufacturer Tariff** field as one of the element mappings for which the below mentioned features are required.

To enable Manufacturer Tariff field:

1. Go to Setup > Company > Enable Features.
2. Navigate to the **Shipping & Receiving** field group in the **Transactions** subtab.
3. To enable the feature, check the **Shipping Label Integration** box.
4. Go to Setup > Accounting > Shipping.
5. Navigate to the **Carrier Basics** field group in the **Preferences** subtab.
6. To enable the **Manufacturer Tariff** field, check the **International Shipping** box.

The CTT: Sales Template mappings are in the below table:

SL No.	Element Name	Field ID	Technical Name of Field	Help Text
1	ubl:Order			This is the root element of the CTT Sales' PEPPOL template. It has default attributes.
2	cbc:CustomizationID			This element identifies the specification of content and rules that apply to the transaction. This element has a default value 'urn:fdc:peppol.eu:poacc:trns:order:3'.
3	cbc:ProfileID			This element identifies the BII (Business Interoperability Interface) profile or business process context in which the transaction appears. This element has a default value urn:fdc:peppol.eu:poacc:bis:order-only: 3.
4	cbc:ID	transaction.tranid	Document Number	This element displays the unique identifier which enables referencing the transaction for various purposes such as from other transactions. This value is mapped with the document number of the transaction.
5	cbc:SalesOrderID	transaction.tranid	Document Number	This element displays the unique identifier of referenced sales order issued by the seller. This value is mapped with the document number of the transaction.
6	cbc:IssueDate	transaction.trandate	Date	This element displays' the date on which the transaction instance was issued. This value is mapped with Date field of the transaction. The date format is YYYY-MM-DD.
7	cbc:IssueTime			This element displays the time assigned by the buyer on which the order was issued. This element is not supported in the CTT Sales PEPPOL Template.
8	cbc:OrderTypeCode		Custom Field	This element indicates whether the order is a purchase order or consignment order. The default option is purchase order. This element has a default assigned value of 220. You must map the value with the required custom field in the SuiteApp. The following list has information about the Order types list and the Order Type Codes (UNCL1001 subset): ■ Order- 220 ■ Blanket order- 221 ■ Call off order- 226 ■ Consignment order- 227
9	cbc:Note	transaction.memo	Memo or Custom Field	This element may contain notes or any other similar information that is not contained explicitly in another structure. The note is retrieved from the value in the Memo field of a transaction. You can map the field value with the required custom field in the SuiteApp.
10	cbc:Document CurrencyCode	transaction.currency.symbol	Currency (under Accounting subtab of transaction)	This element displays the ISO Code of the currency used in the transaction.
11	cbc:AccountingCost			This element is used by the buyer to specify a reference that should be repeated in transaction to enable the buyer to automatically book the right project, or account. This element is not supported in the CTT Sales PEPPOL Template.

12	cbc:Customer Reference	transaction.otherrefnum	PO #	This element is used to refer who ordered the products/services such as the name of the person ordering, employee number, or a code identifying the person or department/group. Also known as "Buyer reference", it should be sent in the corresponding invoice. The PO# field is used to identify the buyer and the order details. You can map the value of this field with the required custom field in the SuiteApp.
13	cac:ValidityPeriod			This parent element contains information about order's validity end date. It has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
14	cbc:EndDate			This element displays the end date when the order is valid. It denotes the time period within which the seller must respond. An order should contain the validity end date. This element is not supported in the CTT Sales PEPPOL Template.
15	cac:Quotation DocumentReference			This parent element contains element that is used as a reference to quotation which is basis for the order. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
16	cbc:ID			This element displays a unique reference to the quotation that is the base for the order. This element is not supported in the CTT Sales PEPPOL Template.
17	cac:OrderDocument Reference			This parent element contains element to refer an order document. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
18	cbc:ID			This element refers to the initial order that was rejected and a new order is issued. This element is not supported in the CTT Sales PEPPOL Template.
19	cac:Originator DocumentReference			This parent element contains element to refer to originator document. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
20	cbc:ID			This element provides a reference to the internal requisition on the buyer site on which the order is based. This element is not supported in the CTT Sales PEPPOL Template.
21	cac:Additional DocumentReference			This element displays information about additional supporting documents attached to the transaction. This parent element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
22	cbc:ID			This element displays an identifier for the referenced document. This element is not supported in the CTT Sales PEPPOL Template.
23	cbc:DocumentType			This element displays textual description of the document. This element is not supported in the CTT Sales PEPPOL Template.
24	cac:Attachment			This element displays information about attachments to transaction. This parent element has no value in the template. This

				element is not supported in the CTT Sales PEPPOL Template.
25	cbc:EmbeddedDocumentBinaryObject			This element displays attached document embedded as binary object, coded as Base64. This element is not supported in the CTT Sales PEPPOL Template.
26	@mimeCode			This element displays the mime code of the attached document. This element is not supported in the CTT Sales PEPPOL Template.
27	@filename			This element displays the file name of the attached document. This element is not supported in the CTT Sales PEPPOL Template.
28	cac:ExternalReference			This element displays reference to external document. This parent element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
29	cbc:URI			This element displays the Uniform Resource Identifier (URI) that identifies where the external document is located. This element is not supported in the CTT Sales PEPPOL Template.
30	cac:Contract			This element displays reference to contract. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
31	cbc:ID			This element displays positive identification of the reference such as unique identifier. This element is not supported in the CTT Sales PEPPOL Template.
32	cac:ProjectReference			This element displays the information of the project the order refers to. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
33	cbc:ID			This element displays the identification of the project the order refers to. This element is not supported in the CTT Sales PEPPOL Template.
34	cac:BuyerCustomerParty			This parent element contains information about the buyer. This element has no value, but the element has child elements that have values associated to it in the template.
35	cac:Party			This is a parent element and a child of cac:BuyerCustomerParty, providing information about the buyer. This element has no value, but it has child elements with values associated in the template.
36	cbc:EndpointID	custom.custPeppolId. endPointId (Refer CDS)	GLN extracted from PEPPOL ID field (customer record).	This element identifies the buyer's electronic address. The value of this field is retrieved from PEPPOL ID field present in the customer record using the custom data source plug-in (CDS) used in the template. PEPPOL ID field format is as follows <country-code>: <GLN>
37	@schemeID	custom.custPeppolId. schemeId (Refer CDS)	country code extracted from PEPPOL ID field (Customer record).	This element is used with the element cbc:EndpointID and identifies the scheme ID of the buyer's electronic address. The value of this field is retrieved from PEPPOL ID field present in the customer record using the custom data source plug-in (CDS) used in the template. PEPPOL ID field format is as follows <country-code>: <GLN>
38	cac:PartyIdentification			This parent element provides information about the buyer identifier. This element has no

				value, but it has child elements that have values associated with them.
39	cbc:ID	customer.entitynumber	ID of the Customer (Hidden)	This element populates the customer identifier. ID of the customer is used as value for this element.
40	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Sales PEPPOL Template.
41	cac:PartyName			This parent element displays the buyer's details. This element has no value, but it has child elements that have values associated with it in the template.
42	cbc:Name	transaction.billaddressee customer.companyname	Bill Addressee (Transaction's billing address), if empty- Company Name (from Customer record)	This element displays another name that the buyer is known, other than the business name. The value of Bill Addressee in the transaction is used and if empty, the Company Name field value on a customer's transaction is displayed in the generated e-document for this element.
43	cac:PostalAddress			This parent element displays the buyer's postal address. This element has no value, but it has child elements that have values associated with it in the template.
44	cbc:StreetName	transaction.billaddr1	Address 1 (Transaction's billing address)	This element displays the main address line of an address, usually the street name and number. The element retrieves the value of the Address 1 field from the billing address in a transaction.
45	cbc:AdditionalStreet Name	transaction.billaddr2	Address 2 (Transaction's billing address)	This element displays an additional address line to give further details supplementing the main line. This element retrieves the value of the Address 2 field from the billing address in a transaction.
46	cbc:CityName	transaction.billcity	City (transaction's billing address)	This element displays the common name of the city of the buyer's location. This element retrieves the value of the City field of the transaction's billing address has a value. The name is written in full rather than as a code.
47	cbc:PostalZone	transaction.billzip	Zip (transaction's billing address)	This element identifies an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. Zip field of the transaction's billing address is used as value for this element.
48	cbc:CountrySubentity	transaction.billstate	State (transaction's billing address)	This element is used for specifying a region, county, state, province etc., within a country by using text. This element retrieves the State field value of the transaction's billing address has a value.
49	cac:AddressLine			This parent element shows information about the additional address line in a transaction's billing address. This element has no value, but it has child element that have value associated with it in the template. This element is displayed only if a value is entered in the Address 3 field of the billing address; otherwise, the element is not displayed.
50	cbc:Line	transaction.billaddr3	Address 3 (Transaction's billingaddress)	This element displays an additional address line in an address to give further details supplementing the main line. This element retrieves the value of the Address3 field has a value.
51	cac:Country			This parent element provides information about the billing address's country in a transaction.

				This element has no value, but it has child element that have values associated with it in the template
52	cbc:IdentificationCode	custom.billCountryISOCODE (Refer CDS)	Country (transaction's billing address)	This element displays a code identifying the billing country of a transaction. The element displays the ISO code of the country. The value of this element is displayed using the custom data source plug-in implemented in the template.
53	cac:PartyTaxScheme			This parent element has information about the party VAT identifier. This element has no value, but it has child elements that have values associated to it in the template.
54	cbc:CompanyID	customer.defaulttaxreg	Default Tax Reg (under financial of customer)	This element displays the buyer's VAT identification number. The Default Tax Reg field value is present in the customer record under Financial subtab. Note: This element must have value as it is a required element.
55	cac:TaxScheme			This parent element provides information about the tax scheme used by the customer. This element has no value, but it has child elements that have values associated to it in the template.
56	cbc:ID		Custom value	This element provides the code of the tax scheme being used. This element has a fixed value VAT.
57	cac:PartyLegalEntity			This parent element provides legal information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.
58	cbc:RegistrationName	transaction.billaddressee customer.companyname	Bill Addressee (Transaction's billing address), if emptyCompany Name (from Customer record)	This element displays the official name of the party as registered with the relevant fiscal authority. If the Addressee field has a value in the billing address of a transaction, then the full name is displayed. If not, then the element displays the customer's company name.
59	cbc:CompanyID			This element displays a company as registered with the company registration scheme. This element is not supported in the CTT Sales PEPPOL Template.
60	@schemeID			This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Sales PEPPOL Template.
61	cac:Registration Address			This parent element provides information about the buyer's legal registration address. This element has no value, but it has child elements that have values associated to it in the template.
62	cbc:CityName	transaction.billcity	City (transaction's billing address)	This element displays the registered address of the party within a Corporate Registration Scheme. It displays the name of a city, town, or village. This element is retrieved from City field of the transaction's billing address.
63	cac:Country			This parent element provides information about the buyer's registered country. This element has no value, but it has child element that have values associated with it in the template
64	cbc:IdentificationCode	custom.billCountryISOCODE (Refer CDS)	Country (transaction's billing address)	This element displays a code identifying the registered country. The element displays the ISO code of the billing address's country on the transaction. The value of this element is

				displayed using the Custom Data Source plug-in implemented in the template.
65	cac:Contact			This is parent element provides contact information relevant to the buyer. This element has no value but it has child elements that have values associated to it in the template.
66	cbc:Name	custom.primaryContact (Refer CDS)	CustomerPrimary ContactNAME (customerrecord)	This element displays the name of the buyer's primary contact person or entity. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
67	cbc:Telephone	custom.primaryContact (Refer CDS)	CustomerPrimary ContactPHONE (customerrecord)	This element displays the phone number of the buyer's primary contact. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
68	cbc:ElectronicMail	custom.primaryContact (Refer CDS)	CustomerPrimary ContactEMAIL (customerrecord)	This element displays the e-mail address of the buyer's primary contact. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
69	cac:SellerSupplier Party			This is a parent element that provides information about the seller using various child elements. This element has no value, but it has child elements with values associated to it in the template.
70	cac:Party			This is a parent element and a child element of cac:SellerSupplierParty, having information about the seller like electronic address. This element has no value, but it has child elements with values associated to it in the template.
71	cbc:EndpointID	custom.subPeppolId. endPointId (Refer CDS)	GLN is extracted from PEPPOL ID field (subsidiary preference record).	This element identifies the seller's electronic address. The value of this field is retrieved from PEPPOL ID field present in the subsidiary preference record using the Custom Data Source plug-in (CDS) used in that template. PEPPOL ID field format is as follows <country-code>:<GLN>
72	@schemeID	custom.subPeppolId. schemeId (Refer CDS)	Country Code is extracted from PEPPOL ID field (subsidiary preference record).	This element is used with the element cbc:EndpointID and identifies the scheme ID of the seller's electronic address. The value of this field is retrieved from PEPPOL ID field present in the subsidiary preference record using the Custom Data Source plug-in (CDS) used in that template. PEPPOL ID field format is as follows <country-code>:<GLN>
73	cac:PartyIdentification			This parent element displays identification of the seller. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
74	cbc:ID			This element is used to identify a party. This element is not supported in the CTT Sales PEPPOL Template.
75	@schemeID			This element is used to display the scheme identifier for party identification. This element is not supported in the CTT Sales PEPPOL Template.
76	cac:PartyName			This parent element displays the name of the seller. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child elements don't have values.
77	cbc:Name	transaction.subsidiary.name	Name field (subsidiary record)	This element displays the trading name of the party. It contains the subsidiary's name.
78	cac:PostalAddress			This is a parent element with information about the postal address of the seller. Required fields

				of the address must be filled out to comply with the legal requirements. This element has no value, but it has child elements that have values associated to it in the template.
79	cbc:StreetName	transaction.subsidiary.address1	Address 1 field (subsidiary record)	This element displays the main address line in a postal address usually the street name and number. The element has the value of the Address 1 field of the subsidiary's main address.
80	cbc:AdditionalStreetName	transaction.subsidiary.address2	Address 2 field (subsidiary record)	This element displays an additional address line in a postal address that can be used to give further details supplementing the main line. This element has the value of the Address 2 field in the subsidiary's main address.
81	cbc:CityName	transaction.subsidiary.city	City field (subsidiary record)	This element displays the common name of the city where the postal address is. The value of the element is retrieved from the city field of the subsidiary's main address.
82	cbc:PostalZone	transaction.subsidiary.zip	Zip field(subsidiary record)	This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. The value of the element is retrieved from the zip field of the subsidiary's main address.
83	cbc:CountrySubentity	transaction.subsidiary.state	State field(subsidiary record)	This element is used for specifying a region, county, state, province etc., within a country by using text. The value of the element is retrieved from the state field of the subsidiary's main address.
84	cac:AddressLine			This parent element has information about the additional address line in the subsidiary address. This element has no value in the template, but it has child elements associated in the template.
85	cbc:Line	transaction.subsidiary.address3	Address 3 field (subsidiary record)	This element has information about an additional address line to give further details supplementing the main line. This element has the value of the address 3 field in the subsidiary's main address.
86	cac:Country			This parent element has information about the country associated with the subsidiary's address. This element has no value in the template, but it has child elements associated in the template.
87	cbc:IdentificationCode	custom.subCountryISOCode (Refer CDS)	Country field (subsidiary record)	This parent element displays the ISO Code of the country. It uses the Custom Data Source plug-in implemented in the template to display the values. In One World accounts, the subsidiary's country name is populated. In accounts without One World, the company information country is populated. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
88	cac:PartyLegalEntity			This parent element provides legal information about the seller. This element has no value, but it has child elements that have values associated to it in the template.
89	cbc:RegistrationName	transaction.subsidiary.legalname transaction.subsidiary.name	Legal Name, if emptyName field (from subsidiary record)	This element displays the official name of the party as registered with the relevant fiscal authority. If the legal name field has a value in the subsidiary's record, then it's value is used. If not, the element displays the company name.
90	cbc:CompanyID	custom.subVatRegNo (Refer CDS)	Company business registration ID field such as EIN/ABN field.	This element identifies a company as registered with the company registration scheme. This element displays company business registration ID such as EIN/ABN field present

				in subsidiary record for One World accounts. In accounts without One World, the value is taken from company information record. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
91	@schemeID			This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Sales PEPPOL Template.
92	cac:Registration Address			This parent element provides information about the seller's legal registration address. This element has no value, but it has child elements that have values associated to it in the template.
93	cbc:CityName	transaction.subsidiary.city	City field (subsidiary record)	This element displays the registered address of the party within a Corporate Registration Scheme. It displays the name of a city, town, or village. This element is retrieved from City field of the subsidiary's address.
94	cac:Country			This parent element provides information about the seller's registered country. This element has no value, but it has child elements that have values associated with it in the template.
95	cbc:IdentificationCode	custom.subCountryISOCode (Refer CDS)	Country field (subsidiary record)	This parent element displays the ISO Code of the country. It uses the Custom Data Source plug-in implemented in the template to display the values. In One World accounts, the subsidiary's country name is populated. In accounts without One World, the company information country is populated. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
96	cac:Contact			This is a parent element and a child of cac:Party, providing contact information of the seller. No value has been provided to this element, but it has child elements which have values associated to them. This element will only be displayed if the sales rep of the transaction has either phone number or email address.
97	cbc:Name	transaction.salesrep	Sales Rep field present on transaction	This element provides contact details for a legal entity or representative, and displays the Sales Rep field value in a transaction. The element is displayed only if there is a value in the Sales Rep field of the transaction.
98	cbc:Telephone	transaction.salesrep.phone	Phone field (employee record)	This element displays the phone number of the contact person. It uses the phone number of the sales representative selected in the transaction as the value. This element is displayed only if there is a value in the sales representative's Phone field in the employee record.
99	cbc:ElectronicMail	transaction.salesrep.email	Email field (employee record)	This element displays the email address of the contact person and uses the email address of the sales representative selected in the transaction as the value. This element is displayed only if there is value in the sales representative's Email field in the employee record.
100	cac:Originator CustomerParty			This parent element displays information regarding the originator of the order. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.

101	cac:Party			This parent element displays description of the originator party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
102	cac:PartyIdentification			This parent element displays identification of the originator. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
103	cbc:ID			This element identifies a party. This element is not supported in the CTT Sales PEPPOL Template.
104	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Sales PEPPOL Template.
105	cac:PartyName			This parent element displays the name of the originator. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
106	cbc:Name			This element displays name of the party. This element is not supported in the CTT Sales PEPPOL Template.
107	cac:Contact			This element displays originators contact information. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
108	cbc:Name			This element displays the name of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
109	cbc:Telephone			This element displays phone number for the contact person. This element is not supported in the CTT Sales PEPPOL Template.
110	cbc:ElectronicMail			This element displays e-mail address for the contact person. This element is not supported in the CTT Sales PEPPOL Template.
111	cac:Accounting CustomerParty			This element displays information regarding the receiver of the invoice based on the order (invoice). This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
112	cbc:Party			This element displays description of the invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
113	cbc:EndpointID			This element displays identifies the invoice party's electronic address. This element is not supported in the CTT Sales PEPPOL Template.
114	cac:PartyIdentification			This element displays identification of the invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
115	@schemeID			This element displays scheme identifier for the electronic address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
116	cbc:ID			This element identifies invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
117	@schemeID			This element displays scheme identifier for party identification. This element has no value

				in the template. This element is not supported in the CTT Sales PEPPOL Template.
118	cac:PartyName			This element displays name of the invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
119	cbc:Name			This element displays name of the party. This element is not supported in the CTT Sales PEPPOL Template.
120	cac:PostalAddress			This parent element displays postal address of the invoice. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
121	cbc:StreetName			This parent element displays the main address line in a postal address, usually the street name and number. This element is not supported in the CTT Sales PEPPOL Template.
122	cbc:AdditionalStreet Name			This parent element displays an additional address line in a postal address that can be used to give further details supplementing the main line. This element is not supported in the CTT Sales PEPPOL Template.
123	cbc:CityName			This element displays the common name of the city where the postal address is. This element is not supported in the CTT Sales PEPPOL Template.
124	cbc:PostalZone			This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element is not supported in the CTT Sales PEPPOL Template.
125	cbc:CountrySubentity			This element is used for specifying a region, county, state, province etc, within a country by using text. This element is not supported in the CTT Sales PEPPOL Template.
126	cac:AddressLine			This parent element has information about the additional address line in the address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
127	cbc:Line			This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element is not supported in the CTT Sales PEPPOL Template.
128	cac:Country			This parent element has information about the country associated with the address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
129	cbc:IdentificationCode			This parent element displays the ISO Code of the country from address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
130	cac:PartyTaxScheme			This parent element displays the tax information of the invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
131	cbc:CompanyID			This element displays the invoices registered VAT identifier. You can map the value with the required custom field in the SuiteApp. This

				element is not supported in the CTT Sales PEPPOL Template.
132	cac:TaxScheme			This parent element provides information about the tax scheme. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
133	cbc:ID			This element displays tax scheme identifier. This element is not supported in the CTT Sales PEPPOL Template.
134	cac:PartyLegalEntity			This parent element provides legal information of the invoice party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
135	cbc:RegistrationName			This element displays the official name of the invoicee party as registered with the relevant fiscal authority. This element is not supported in the CTT Sales PEPPOL Template.
136	cbc:CompanyID			This element displays a company as registered with the company registration scheme. This element is not supported in the CTT Sales PEPPOL Template.
137	@schemeID			This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Sales PEPPOL Template.
138	cac:RegistrationAddress			This parent element provides information about the buyer's legal registration address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
139	cbc:CityName			This element displays the registered address of the party within a Corporate Registration Scheme. This element is not supported in the CTT Sales PEPPOL Template.
140	cac:Country			This parent element provides information about the buyer's registered address's country. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
141	cbc:IdentificationCode			This element displays a code identifying the registered address's country. This element is not supported in the CTT Sales PEPPOL Template.
142	cac:Contact			This parent element provides invoicee contact information. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
143	cbc:Name			This element displays the name of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
144	cbc:Telephone			This element displays the phone number of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
145	cbc:ElectronicMail			This element displays the email address of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
146	cac:Delivery			This parent element has information about the delivery location. This element has no value in the template, but it has child elements with information about the delivery address in the template.

147	cac:DeliveryLocation			This parent element provides delivery information. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
148	cbc:ID			This element displays identifier for the location where the ordered items should be delivered. This element is not supported in the CTT Sales PEPPOL Template.
149	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. This element is not supported in the CTT Sales PEPPOL Template.
150	cbc:Name			This element displays name of the location to where the ordered items should be delivered. This element is not supported in the CTT Sales PEPPOL Template.
151	cac:Address			This parent element has information about the address where the goods or services are delivered. This element has no value in the template, but it has child elements that have values associated with it
152	cbc:StreetName	transaction.shipaddr1	Address 1 (Transaction's shipping address)	This element displays the main address line in the transaction's shipping address. This element has the value of Address 1 field in the transaction's shipping address. This element is not displayed if the Address 1 field has no value in the transaction.
153	cbc:AdditionalStreet Name	transaction.shipaddr2	Address 2 (Transaction's shipping address)	This element displays an additional address line in the transaction's shipping address. This element has the value of the Address 2 field in the transaction's shipping address. The element and its value are not displayed if the Address 2 field has no value.
154	cbc:CityName	transaction.shipcity	City (Transaction's shipping address)	This element displays the common name of the city of the shipping address. This element has the value of the City field in the transaction's shipping address. The element and its value are not displayed if the City field has no value.
155	cbc:PostalZone	transaction.shipzip	Zip (Transaction's shipping address)	This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value.
156	cbc:CountrySubentity	transaction.shipstate	State (Transaction's shipping address)	This element displays the subdivision of a country in the shipping address. This element has the value of the State field in the transaction's shipping address. The element and its value are not displayed if the State field has no value.
157	cac:AddressLine			This parent element has information about the additional address line in the transaction's shipping address. This element has no value in the template. This element is displayed only if a value is entered in the Address 3 field; otherwise, the element is not displayed.
158	cbc:Line	transaction.shipaddr3	Address 3 (Transaction's shipping address)	This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element has the value of the Address 3 field in the transaction's shipping address.

159	cac:Country			This parent element displays the country of the shipping address. This element has no value, but it has child elements with values in the template
160	cbc:IdentificationCode	transaction.shipcountry	Country (Transaction's shipping address)	This element displays the ISO code of the country in the transaction's shipping address. It displays the value of the Country field in the template.
161	cac:RequestedDeliveryPeriod			This parent element provides information about the requested delivery period. This element has no value in the template.
162	cbc:StartDate			This element displays date on which the period starts. This element is not supported in the CTT Sales PEPPOL Template.
163	cbc:StartTime			This element displays time at which the period begins. This element is not supported in the CTT Sales PEPPOL Template.
164	cbc:EndDate			This element displays date on which the period ends. This element is not supported in the CTT Sales PEPPOL Template.
165	cbc:EndTime			This element displays time at which this period ends. This element is not supported in the CTT Sales PEPPOL Template.
166	cac:DeliveryParty			This parent element provides information about the delivery party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
167	cac:PartyIdentification			This parent element displays identification of the delivery party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
168	cbc:ID			This element displays identifier of the party that should receive the ordered items. This element is not supported in the CTT Sales PEPPOL Template.
169	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. This element is not supported in the CTT Sales PEPPOL Template.
170	cac:PartyName			This is a parent element and a child of cac:DeliveryParty, with information about the delivery party's name. This element has no value but has a child elements with values associated to it in the template.
171	cbc:Name	transaction.shipaddressee	Addressee 1 (Transaction's shipping address)	This element displays the name of the customer or party whom the goods and services are to be delivered. This element displays the value of the Addressee field in the transaction's shipping address.
172	cac:PostalAddress			This parent element has information of the final address where goods or services are delivered. This element has no value in the template, but it has child elements that have values associated with it
173	cbc:StreetName	transaction.shipaddr1	Address 1 (Transaction's shipping address)	This element displays the main address line in the transaction's shipping address. This element has the value of Address 1 field in the transaction's shipping address. This element is not displayed if the Address 1 field has no value in the transaction.

174	cbc:AdditionalStreetName	transaction.shipaddr2	Address 2 (Transaction's shipping address)	This element displays an additional address line in the transaction's shipping address. This element has the value of the Address 2 field in the transaction's shipping address. The element and its value are not displayed if the Address 2 field has no value.
175	cbc:CityName	transaction.shipcity	City (Transaction's shipping address)	This element displays the common name of the city of the shipping address. This element has the value of the City field in the transaction's shipping address. The element and its value are not displayed if the City field has no value.
176	cbc:PostalZone	transaction.shipzip	Zip (Transaction's shipping address)	This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value.
177	cbc:CountrySubentity	transaction.shipstate	State (Transaction's shipping address)	This element displays the subdivision of a country in the shipping address. This element has the value of the State field in the transaction's shipping address. The element and its value are not displayed if the State field has no value.
178	cac:AddressLine			This parent element has information about the additional address line in the transaction's shipping address. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
179	cbc:Line			This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element is not supported in the CTT Sales PEPPOL Template.
180	cac:Country			This parent element displays the country of the shipping address. This element has no value, but it has child elements with values in the template
181	cbc:IdentificationCode	transaction.shipcountry	Country (Transaction's shipping address)	This element displays the ISO code of the country in the transaction's shipping address. It displays the value of the Country field in the template.
182	cac:Contact			This parent element provides contact information for the delivery party. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
183	cbc:Name			This element displays the name of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
184	cbc:Telephone			This element displays the phone number of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
185	cbc:ElectronicMail			This element displays the email address of the contact person. This element is not supported in the CTT Sales PEPPOL Template.
186	cac:Shipment			This parent element displays the information of the shipment. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
187	cbc:ID			This element is mandated by syntax structure. If cac:Shipment is required use value NA. This

				element is not supported in the CTT Sales PEPPOL Template.
188	cac:TransportHandlingUnit			This parent element displays the information of the transport handling unit. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
189	cbc:ShippingMarks			This element displays text that buyer requests to be printed on the packing labels. This element is not supported in the CTT Sales PEPPOL Template.
190	cac:DeliveryTerms			This parent element displays information about the terms of delivery. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
191	cbc:ID			This element displays delivery terms identifier, normally in co-terms. This element is not supported in the CTT Sales PEPPOL Template.
192	cbc:SpecialTerms			This element displays description of special conditions relating to the delivery. This element is not supported in the CTT Sales PEPPOL Template.
193	cac:DeliveryLocation			This parent element provides information about delivery location. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
194	cbc:ID			This element displays location to which the delivery terms refer. This element is not supported in the CTT Sales PEPPOL Template.
195	cac:PaymentTerms			This parent element has information about the payment terms applied to the due amount. This parent element has no value, but it has a child element with value associated with it in the template.
196	cbc:Note	transaction.terms	Terms (under Billing subtab of transaction)	This parent element displays text describing the payment terms. This element displays a value in the Terms field on a transaction.
197	cac:AllowanceCharge			This parent element displays information about the allowances and charges for the order. This element has no value and is displayed in the generated e-document only if there is a header discount or shipping cost associated with the transaction.
198	cbc:ChargeIndicator		Custom Value	This element indicates if cac:AllowanceCharge element is allowance or charge. The generated e-document displays the value True when informing about charges and the value False when informing about allowances. ■ True for shipping and handling. ■ False for header discounts. You can map the value with the required custom field in the SuiteApp.
199	cbc:AllowanceChargeReasonCode		Custom value	This element displays the document level allowance code or the allowance charge reason code. You can use the UNCL5189 code from the code list for allowance of a subset. For charges, you can use the UNCL7161 code from the code list. The document level allowance reason code and document level allowance reason display the same reason. Example:

				95 for header discount - SAA for shipping and handling You can map the value with the required custom field in the SuiteApp.
200	cbc:AllowanceCharge Reason		Custom value	This element displays document level allowance reason or charge reason in text format. The document level allowance reason code and the document level allowance reason, display the same allowance reason. This element displays the following values: - Shipping and handling for charges - Discount for allowances You can map the value with the required custom field in the SuiteApp.
201	cbc:MultiplierFactor Numeric	transaction.discounttrate	Header Discount field without '%' present on transaction	This element displays the document level allowance or charge percentage. The percentage is used with the document level allowance base amount to calculate the document level or charge amount. This element is displayed only when header discount is given in percentage format. This element is not displayed for Shipping and Handling section.
202	cbc:Amount	For Discount: transaction.discounttotal For Shipping and Handling: transaction.altshippingcost+ transaction.althandlingcost	For Discount: DISCOUNTITEM (Summary section of transaction) For Shipping and Handling: Transaction's shipping +handling cost (transaction record)	This element displays the document level allowance or charge amount without tax. This element displays the following values: - For Shipping and Handling: Sum of shipping and handling cost. - For Discount: Header discount amount
203	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with the cbc:Amount element, to display the ISO code of a transaction's currency.
204	cbc:BaseAmount	transaction.subtotal	Subtotal field present on transaction.	This element displays the base amount along with the document level allowance or charge percentage. It calculates the document level allowance or charge amount. The value is rounded off to 2 decimal places in the template. A value is provided in the Subtotal field in the Summary section of a transaction This element is not displayed for Shipping and Handling section.
205	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:BaseAmount element, to display the currency's ISO code used by a transaction.
206	cac:TaxCategory			This parent element displays information of tax category. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
207	cbc:ID			This element displays tax category code that applies to the document level allowance or charge. This element is not supported in the CTT Sales PEPPOL Template.
208	cbc:Percent			This element displays tax rate, represented as percentage that applies to the document level allowance or charge. This element is not supported in the CTT Sales PEPPOL Template.
209	cac:TaxScheme			This parent element displays tax scheme information. This element has no value in the

				template. This element is not supported in the CTT Sales PEPPOL Template.
210	cbc:ID			This element displays tax scheme identifier. This element is not supported in the CTT Sales PEPPOL Template.
211	cac:TaxTotal			This parent element displays specification of expected tax amount. This element has no value, but it has child element with values associated to it in the template.
212	cbc:TaxAmount	transaction.taxtotal	Tax Total field present in transaction	This element displays the total tax amount for an order. This value is rounded off to a maximum of 2 decimal places in the template.
213	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:TaxAmount element, to display the ISO code of the currency used by the transaction.
214	cac:Anticipated MonetaryTotal			This parent element displays the estimated total amounts for the order. This element has no values, but it has child elements that provide monetary totals for an order.
215	cbc:LineExtension Amount	transaction.subtotal	Subtotal field present on transaction	This element displays the sum of all the line amounts in the document net of tax and settlement discounts. The value is rounded off to a maximum of 2 decimal places in the template. This element displays the Subtotal field value from the transaction's Summary section.
216	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
217	cbc:TaxExclusive Amount	transaction.altshippingcost + transaction.althandlingcost + transaction.subtotal + transaction.discounttotal	Subtotal + Shipping Cost + Handling Cost + Discount Item fields present in transaction	This element displays the total amount of an order without tax. The value of this element must be rounded off to two decimals. In a template, you must add the transaction's amount in the Subtotal field in the Summary tab with the handling and shipping charges to get a value and remove discount, if any. You can add extra allowances and change the template to accommodate this element.
218	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:TaxExclusiveAmount to display the ISO code of the transaction's currency.
219	cbc:TaxInclusive Amount	transaction.total	Total field present in Transaction	This element displays the total amount of a transaction with tax. This value is rounded off to 2 decimal places in the template.
220	@currencyID	transaction.currencysymbol	Transaction's Currency	This element is used with cbc:TaxInclusiveAmount element to display the ISO code of the transaction's currency.
221	cbc:AllowanceTotal Amount	transaction.discounttotal	Discount Item field present on transaction	This element displays the sum of all allowances on header level in the document. The value of this element is rounded off to 2 decimal places.
222	@currencyID	transaction.currencysymbol	Transaction's Currency	This element is used with cbc:AllowanceTotalAmount element to display the ISO code for the transaction's currency.
223	cbc:ChargeTotal Amount	transaction.altshippingcost + transaction.althandlingcost	Shipping Cost + Handling Cost	This element displays the sum of all charge on header level in the document. The value is rounded off to 2 decimal places in the template. It displays total cost of shipping and handling.
224	@currencyID	transaction.currencysymbol	Transaction's Currency	The element is used with cbc:ChargeTotalAmount to display the ISO code of the transaction's currency.

225	cbc:PrepaidAmount			This element displays any amounts that have been paid-a-priority. This element is not supported in the CTT Sales PEPPOL Template.
226	@currencyID			This element displays currency identifier. This element is not supported in the CTT Sales PEPPOL Template.
227	cbc:PayableRoundingAmount			This element displays the amount to be added to the total, to round the amount to be paid. This element is not supported in the CTT Sales PEPPOL Template.
228	@currencyID			This element displays currency identifier. This element is not supported in the CTT Sales PEPPOL Template.
229	cbc:PayableAmount	transaction.total	Total field present in transaction	This element displays the amount that is expected to be paid. This value is rounded off to 2 decimal places in the template.
230	@currencyID	transaction.currencysymbol	Transaction's Currency	This element is used with cbc:PayableAmount element to display the ISO code of the transaction's currency.
231	cac:OrderLine			This parent element displays specification of order lines. This element has no value, but it has child elements with values in the template.
232	cac:Note	transaction.memo	Memo	This element displays free-form text applying to the order line. This element may contain notes or any other similar information that is not contained explicitly in another structure. Note is to capture any free form description related to the order line as a whole. The value is taken from Memo field of the transaction.
222	cbc:ID	item.line	Line Sequence Number	This element displays the transaction line ID for each item. It has a unique identifier for an individual line in the transaction. The line sequence number of a line item is used in the template.
223	cbc:LineItem			This parent element displays the description of line item. This element has no value, but it has child elements with values in the template. The values of child elements are retrieved from the Custom Data Source plug-in (CDS) used in the template.
224	cbc:Quantity	item.quantity	Quantity	This element displays the quantity of items for items for the line item or the quantity for the order line. The Quantity field on the line item is used as value in the template.
225	@unitCode		Custom Value	This element is used with cbc:Quantity element, and displays the unit of measure that applies to the ordered quantity. The supported code list is <i>Recommendation 20, including Recommendation 21 codes- prefixed with X (UN/ECE)</i> . The value used is NAR .
226	cbc:LineExtensionAmount	item.amount (Refer CDS)	Amount	This element displays the total amount for the line item, including allowance charges but net of taxes. The expected line amount excluding tax but inclusive of other charges, allowances and taxes.
227	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
228	cbc:PartialDeliveryIndicator			This element indicates if the line items must be delivered in a single shipment. This element is not supported in the CTT Sales PEPPOL Template.

229	cbc:AccountingCost			This element displays buyer's accounting information applied to the line item, in the form of text. This element is not supported in the CTT Sales PEPPOL Template.
230	cac:Delivery			This parent element displays delivery information for the order line. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
231	cbc:ID			This element displays identifier for the location to where the ordered line item should be delivered. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
232	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
233	cac:RequestedDeliveryPeriod			This parent element displays information of requested delivery period for the order line. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
234	cbc:StartDate			This element displays the date on which the period starts. This element is not supported in the CTT Sales PEPPOL Template.
235	cbc:EndDate			This element displays the date on which the period ends. This element is not supported in the CTT Sales PEPPOL Template.
236	cac:OriginatorParty			This parent element displays information regarding the originator of the order. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
237	cac:PartyIdentification			This parent element displays identification of the originator. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
238	cbc:ID			This element displays the party who originated order. This element is not supported in the CTT Sales PEPPOL Template.
239	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Sales PEPPOL Template.
240	cac:PartyName			This parent element displays the name of the originator. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
241	cbc:Name			This element displays the party who originated order. This element is not supported in the CTT Sales PEPPOL Template.
242	cac:AllowanceCharge			This parent element displays a group of business terms with information about allowances or charges of an individual invoice. This element has no value, but it has child elements with values associated with it in the template.
243	cbc:ChargeIndicator		Custom value	This element displays true or false value for the item type in a transaction. If the item type is allowances, the value is False . For charges, the value is True .

				You can map the value with the required custom field in the SuiteApp.
244	cbc:AllowanceCharge ReasonCode			This element displays line level allowance reason or charge reason in text format. This element is not supported in the CTT Sales PEPPOL Template.
245	cbc:AllowanceCharge Reason		Custom Value	This element displays the line level allowance or charge reason in text. The document level allowance reason code and the document level allowance reason, display the same allowance reason. This element displays the following values: - Line Charge for charges - Line Discount for allowances You can map the value with the required custom field in the SuiteApp.
246	cbc:MultiplierFactor Numeric	item.chargeRate (Refer CDS)	Rate	This element displays the percentage that may be used, in conjunction with the line level allowance base amount to calculate the line level allowance or charge amount. This element is displayed only when Rate is given in percentage format.
247	cbc:Amount	For Allowances: item.lineDiscount (Refer CDS) For Charges: item.lineCharge (Refer CDS)	For Allowances: line discount amount For Charges: line charge Amount	This element displays the allowance or charge amount excluding tax.
248	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:Amount element to display the ISO code of the transaction's currency.
249	cbc:BaseAmount	item.baseAmount (Refer CDS)	Base amount	This element displays the base amount that may be used, in conjunction with the line level allowance or charge percentage, to calculate the line level allowance or charge amount.
250	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency.
251	cac:Price			This parent element displays the price details. It has child elements with information about the price applied for order line.
252	cbc:PriceAmount	item.rate (Refer CDS)	Unit price or rate	This element displays the net price of the item including all price level allowances, charges but excluding tax.  Note: Rate field value is used for this element as price level allowances, charges are not supported yet.
253	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:PriceAmount to display the ISO code of the transaction's currency.
254	cbc:BaseQuantity		Custom value	This element displays the actual quantity to which the price applies. It has a default assigned value of 1.
255	@unitCode			This element displays the unit of measure that applies to the base quantity. This element is not supported in the CTT Sales PEPPOL Template.
256	cac:AllowanceCharge			This parent element displays information about discounts connected to the price. This element has no value in the template. This element

				is not supported in the CTT Sales PEPPOL Template.
257	cbc:ChargeIndicator			This element indicates if cac:AllowanceCharge element is allowance or charge. This element is not supported in the CTT Sales PEPPOL Template.
258	cbc:Amount			This element displays discount amount connected to the price. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
259	@currencyID			This element displays currency identifier. This element is not supported in the CTT Sales PEPPOL Template.
260	cbc:BaseAmount			This element displays the gross price of the item before subtracting discounts. This element is not supported in the CTT Sales PEPPOL Template.
261	@currencyID			This element displays currency identifier. This element is not supported in the CTT Sales PEPPOL Template.
262	cac:Item			This parent element displays information about order line item. This element has no value, but it has child elements with values associated with it in the template.
263	cbc:Description	item.description (Refer CDS)	Item description	This element displays the text description of the line item. The value of the Description field for items is displayed.
264	cbc:Name	item.name (Refer CDS)	Item name	This element displays the name taken from Item Name field of line item in a transaction.
265	cac:BuyersItem Identification			This parent element displays the buyer's item identification. This element has no value, but it has child element with values associated with it in the template.
266	cbc:ID	item.upcCode (Refer CDS)	Item's UPC code	This element displays an identifier assigned by the buyer for an item. The value of this element is the UPC code of the item.
267	cac:SellersItem Identification			This parent element displays the information about seller's identification. This element has no value, but it has child elements with values associated with it in the template.
268	cbc:ID	item.mpn (Refer CDS)	Item's MPN code	This element displays an identifier assigned by the seller for an item. The value is the MPN code of the item.
269	cac:StandardItem Identification			This parent element displays information of standard item identification. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
270	cbc:ID			This element displays item identifier based on a registered scheme. This element is not supported in the CTT Sales PEPPOL Template.
271	@schemeID			This element displays identification scheme identifier of the item standard identifier. This element is not supported in the CTT Sales PEPPOL Template.
272	cac:ItemSpecification DocumentReference			This parent element displays reference to an item specification document. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
273	cbc:ID			This element displays reference to an external document (ID) when it is necessary to specify

				the details of the item. This element is not supported in the CTT Sales PEPPOL Template.
274	cac:Commodity Classification			This parent element displays the commodity classification code. This element has no value, but has child elements with values associated with it in the template.
275	cbc:ItemClassification Code	item.manufacturerTariff	Item's Manufacturer Tariff	This element displays an item classification identifier code to classify items based on the type or nature. The value is the MPN code of the item.
276	@listID		Custom value	This element is used with cbc:ItemClassificationCode element and displays a schemeID for item classification identifier. It has a default value HS .
277	@listVersionID			This element displays the identification scheme version identifier of the item classification identifier. This element is not supported in the CTT Sales PEPPOL Template.
278	cac:ClassifiedTax Category			This parent element displays line tax information. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
279	cbc:ID			This element displays the tax category code for the item. This element is not supported in the CTT Sales PEPPOL Template.
280	cbc:Percent			This element displays tax percentage rate that applies to the line amount. This element is not supported in the CTT Sales PEPPOL Template.
281	cac:TaxScheme			This parent element displays tax scheme information. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
282	cbc:ID			This element displays tax scheme. This element is not supported in the CTT Sales PEPPOL Template.
283	cac:AdditionalItem Property			This parent element displays information about properties of goods and services invoiced. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template.
284	cbc:Name			This element displays name of the property. This element is not supported in the CTT Sales PEPPOL Template.
285	NameCode			This element displays code for the item property according to a property code system. This element is not supported in the CTT Sales PEPPOL Template.
286	@listID			This element displays identifier for the code list used for the name code, which is bilaterally agreed. This element is not supported in the CTT Sales PEPPOL Template.
287	cbc:Value			This element displays the value of the item property. This element is not supported in the CTT Sales PEPPOL Template.
288	cbc:ValueQuantity			This element displays the unit of measure in which the property value is stated, if relevant. This element is not supported in the CTT Sales PEPPOL Template.

289	name		Custom value	This element displays textual equivalent of the code value. It has a default value HS .
290	@unitCode			This element displays unit of measure that applies to the value quantity. This element is not supported in the CTT Sales PEPPOL Template.
291	cbc:ValueQualifier			This element displays standardized and predefined classification of items properties. This element is not supported in the CTT Sales PEPPOL Template.
292	cac:ItemInstance			This element displays the information relevant to an item instance or shared by the items in the order line. This element has no value, but has child elements with values associated with it in the template.  Note: This section is displayed only for Serialized and Lot Numbered Inventory item types.
293	cbc:SerialID	item.instanceNos.serialNo (Refer CDS)	Serial or lot numbers	This element displays the identifier that is specific to the items in the order line. This element is displayed only if the line item is Serialized Inventory item.
294	cac:LotIdentification			This element displays the information about the production lot which the order line items are from. This element is displayed only if the line item is Lot Numbered Inventory item.
295	cbc:LotNumberID	item.instanceNos.lotNumber (Refer CDS)	Serial or lot numbers	This element displays the identifier for production lot which the order line items are from.

CTT: Purchase Outbound Template

The supported item types for the CTT: Purchase Outbound Template are:

- Inventory items (lot numbered, serialized, inventory)
- Non-inventory items (for purchase, for resale)
- Discount
- Markup
- Service (for purchase, for resale)
- Expense
- Other charges (for purchase, for resale)

This template does not support few elements which are mentioned in the CTT: Purchase Template mappings table.

The below points must be followed when creating a CTT: Purchase Outbound Template.

- To use the CTT: Purchase Outbound Template, paste the XML in the **Template for Outbound E-Documents** field of the new E-Document Template page.
- When creating the template, select **CTT Purchase Outbound CDS** from the **Custom Data Source Plugin Implementation** list.



Important: You must provide the PEPPOL ID field as part of CTT: Sales PEPPOL template setup in SuiteTax.

To know more about PEPPOL ID field, see [PEPPOL ID](#).

Limitation- Shipping charges are not supported for CTT: Purchase.

The CTT: Purchase Template mappings are in the below table:

SL No.	Element Name	Field ID	Technical Name of Field	Help Text
1	ubl:Order			This is the root element of the CTT Purchase' PEPPOL template. It has default attributes.
2	cbc:CustomizationID			This element identifies the specification of content and rules that apply to the transaction. This element has a default value 'urn:fdc:peppol.eu:poacc:trns:order:3'.
3	cbc:ProfileID			This element identifies the BII (Business Interoperability Interface) profile or business process context in which the transaction appears. This element has a default value urn:fdc:peppol.eu:poacc:bis:order-only: 3.
4	cbc:ID	transaction.tranid	Reference No.	This element displays the unique identifier which enables referencing the transaction for various purposes such as from other transactions. This value is mapped with the reference number of the transaction.
5	cbc:SalesOrderID	transaction.tranid	Document Number	This element displays the unique identifier of referenced sales order issued by the seller. This value is mapped with the document number of the transaction.
6	cbc:IssueDate	transaction.trandate	Date	This element displays' the date on which the transaction instance was issued. This value is mapped with Date field of the transaction. The date format is YYYY-MM-DD.
7	cbc:IssueTime			This element displays the time assigned by the buyer on which the order was issued. This element is not supported in the CTT Purchase PEPPOL Template.
8	cbc:OrderTypeCode		Custom Field	This element indicates whether the order is a purchase order or consignment order. The default option is purchase order. This element has a default assigned value of 220. You must map the value with the required custom field in the SuiteApp. The following list has information about the Order types list and the Order Type Codes (UNCL1001 subset): ■ Order- 220 ■ Blanket order- 221 ■ Call off order- 226 ■ Consignment order- 227
9	cbc:Note	transaction.memo	Memo or Custom Field	This element may contain notes or any other similar information that is not contained explicitly in another structure. The note is retrieved from the value in the Memo field of a transaction. You can map the field value with the required custom field in the SuiteApp.
10	cbc:Document CurrencyCode	transaction.currency.symbol	Currency (under Accounting subtab of transaction)	This element displays the ISO Code of the currency used in the transaction.
11	cbc:AccountingCost			This element is used by the buyer to specify a reference that should be repeated in transaction to enable the buyer to automatically book the right project, or account. This element is not supported in the CTT Purchase PEPPOL Template.

12	cbc:CustomerReference	transaction.otherrefnum	PO #	This element is used to refer who ordered the products/services such as the name of the person ordering, employee number, or a code identifying the person or department/group. Also known as "Buyer reference", it should be sent in the corresponding invoice. The PO# field is used to identify the buyer and the order details. You can map the value of this field with the required custom field in the SuiteApp.
13	cac:ValidityPeriod			This parent element contains information about order's validity end date. It has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
14	cbc:EndDate			This element displays the end date when the order is valid. It denotes the time period within which the seller must respond. An order should contain the validity end date. This element is not supported in the CTT Purchase PEPPOL Template.
15	cac:QuotationDocumentReference			This parent element contains element that is used as a reference to quotation which is basis for the order. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
16	cbc:ID			This element displays a unique reference to the quotation that is the base for the order. This element is not supported in the CTT Purchase PEPPOL Template.
17	cac:OrderDocumentReference			This parent element contains element to refer an order document. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
18	cbc:ID			This element refers to the initial order that was rejected and a new order is issued. This element is not supported in the CTT Purchase PEPPOL Template.
19	cac:OriginatorDocumentReference			This parent element contains element to refer to originator document. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
20	cbc:ID			This element provides a reference to the internal requisition on the buyer site on which the order is based. This element is not supported in the CTT Purchase PEPPOL Template.
21	cac:AdditionalDocumentReference			This element displays information about additional supporting documents attached to the transaction. This parent element has no value in the template.
22	cbc:ID	attachment.id (from CDS)	Internal ID of the file (File Record)	This element displays an identifier for the referenced document. The element displays the internal ID of the file. The value of this element is displayed using the Custom Data Source plug-in implemented in the template.
23	cbc:DocumentType	attachment.description attachment.name	Description of the file. If blank File Name (File Record)	This element displays textual description of the document. The element value is retrieved from Description field of the file. If empty, File Name field value is used. The value of this element is displayed using the Custom Data Source plug-in implemented in the template.
24	cac:Attachment			This element displays information about attachments to transaction. This parent element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.

25	cbc:EmbeddedDocumentBinaryObject			This element displays attached document embedded as binary object, coded as Base64. This element is not supported in the CTT Purchase PEPPOL Template.
26	@mimeCode			This element displays the mime code of the attached document. This element is not supported in the CTT Purchase PEPPOL Template.
27	@filename			This element displays the file name of the attached document. This element is not supported in the CTT Purchase PEPPOL Template.
28	cac:ExternalReference			This element displays reference to external document. This parent element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
29	cbc:URI			This element displays the Uniform Resource Identifier (URI) that identifies where the external document is located. This element is not supported in the CTT Purchase PEPPOL Template.
30	cac:Contract			This element displays reference to contract. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
31	cbc:ID			This element displays positive identification of the reference such as unique identifier. This element is not supported in the CTT Purchase PEPPOL Template.
32	cac:ProjectReference			This element displays the information of the project the order refers to. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
33	cbc:ID			This element displays the identification of the project the order refers to. This element is not supported in the CTT Purchase PEPPOL Template.
34	cac:BuyerCustomerParty			This parent element contains information about the buyer. This element has no value, but the element has child elements that have values associated to it in the template.
35	cac:Party			This is a parent element and a child of cac:BuyerCustomerParty, providing information about the buyer. This element has no value, but it has child elements with values associated in the template.
36	cbc:EndpointID	custom.custPeppolId. endPointId (Refer CDS)	GLN extracted from PEPPOL ID field (customer record).	This element identifies the buyer's electronic address. The value of this field is retrieved from PEPPOL ID field present in the subsidiary preference record using the custom data source plug-in (CDS) used in the template. PEPPOL ID field format is as follows <country-code>: <GLN>
37	@schemeID	custom.custPeppolId. schemeId (Refer CDS)	country code extracted from PEPPOL ID field (Customer record).	This element is used with the element cbc:EndpointID and identifies the scheme ID of the buyer's electronic address. The value of this field is retrieved from PEPPOL ID field present in the subsidiary preference record using the custom data source plug-in (CDS) used in the template. PEPPOL ID field format is as follows <country-code>: <GLN>
38	cac:PartyIdentification			This parent element provides information about the buyer identifier. This element has no value, but it has child elements that have values associated with them.

39	cbc:ID			This element populates the customer identifier. ID of the customer is used as value for this element.
40	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Sales PEPOL Template.
41	cac:PartyName			This parent element displays the buyer's details. This element has no value, but it has child elements that have values associated with it in the template.
42	cbc:Name	transaction.subsidiary.name	Name field (Subsidiary record)	This element displays another name that the buyer is known, other than the business name. It contains subsidiary's name.
43	cac:PostalAddress			This parent element displays the buyer's postal address. This element has no value, but it has child elements that have values associated with it in the template.
44	cbc:StreetName	transaction.subsidiary.address1	Address 1 (Subsidiary record)	This element displays the main address line of an address, usually the street name and number. The element retrieves the value of the Address 1 field of the subsidiary's main address.
45	cbc:AdditionalStreetName	transaction.subsidiary.address2	Address 2 (Subsidiary record)	This element displays an additional address line to give further details supplementing the main line. This element retrieves the value of the Address 2 field in the subsidiary's main address.
46	cbc:CityName	transaction.subsidiary.city	City (Subsidiary record)	This element displays the common name of the city of the buyer's location. This element retrieves the value of the City field of the of the subsidiary's main address.
47	cbc:PostalZone	transaction.subsidiary.zip	Zip (Subsidiary record)	This element identifies an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. Zip field of the subsidiary's main address.
48	cbc:CountrySubentity	transaction.subsidiary.state	State (Subsidiary record)	This element is used for specifying a region, county, state, province etc., within a country by using text. This element retrieves the State field value of the subsidiary's main address.
49	cac:AddressLine			This parent element shows information about the additional address line in the subsidiary's main address. This element has no value, but it has child element that have value associated with it in the template.
50	cbc:Line	transaction.subsidiary.address3	Address 3 (subsidiary record)	This element displays an additional address line in an address to give further details supplementing the main line. This element retrieves the value of the Address3 field in the subsidiary's main address.
51	cac:Country			This parent element has information about the country associated with the subsidiary's address. This element has no value, but it has child element that have values associated with it in the template
52	cbc:IdentificationCode	custom.subCountry ISOCode (Refer CDS)	Country field (Subsidiary record)	This parent element displays the ISO Code of the country. It uses the Custom Data Source plug-in implemented in the template to display the values. In One World accounts, the subsidiary's country name is populated. In accounts without One World, the company information country is populated. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
53	cac:PartyTaxScheme			This parent element has information about the party VAT identifier. This element has no value, but it has child elements that have values associated to it in the template.

54	cbc:CompanyID	custom.subVatRegNo (Refer CDS)	Company business registration ID field such as EIN/ABN field.	This element displays the buyer's VAT identification number. The EIN/ABN field value present in subsidiary record. You can map the value with the required custom field in the SuiteApp.
55	cac:TaxScheme			This parent element provides information about the tax scheme used by the buyer. This element has no value, but it has child elements that have values associated to it in the template.
56	cbc:ID			This element provides the code of the tax scheme being used. This element has a fixed value VAT.
57	cac:PartyLegalEntity			This parent element provides legal information about the buyer. This element has no value, but it has child elements that have values associated to it in the template.
58	cbc:RegistrationName	transaction.subsidiary. legalName transaction.subsidiary. name	Legal Name, if emptyName field(from Subsidiary record)	This element displays the official name of the party as registered with the relevant fiscal authority. If the Legal Name field has a value in the subsidiary's record, then it's value is used. If not, the element displays the Name field value.
59	cbc:CompanyID	custom.subVatRegNo (Refer CDS)	Company business registration ID field such as EIN/ABN field.	This element displays a company as registered with the company registration scheme. The EIN/ABN field value present is present in subsidiary record. You can map the value with the required custom field in the SuiteApp.
60	@schemeID			This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Sales PEPPOL Template.
61	cac:Registration Address			This parent element provides information about the buyer's legal registration address. This element has no value, but it has child elements that have values associated to it in the template.
62	cbc:CityName	transaction.subsidiary.city	City field (Subsidiary record)	This element displays the registered address of the party within a Corporate Registration Scheme. It displays the name of a city, town, or village. This element is retrieved from City field of the Subsidiary's address
63	cac:Country			This parent element provides information about the buyer's registered country. This element has no value, but it has child element that have values associated with it in the template
64	cbc:IdentificationCode	custom.subCountry ISOCode (Refer CDS)	Country field (Subsidiary record)	This parent element displays the ISO Code of the country. It uses the Custom Data Source plug-in implemented in the template to display the values. In One World accounts, the subsidiary's country name is populated. In accounts without One World, the company information country is populated. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
65	cac:Contact			This is parent element provides contact information relevant to the buyer. This parent element has no value but it has child elements that have values associated to it in the template. This element is not supported in the CTT Purchase PEPPOL Template.
66	cbc:Name			This element displays the name of the buyer's primary contact person or entity. This element is not supported in the CTT Purchase PEPPOL Template.
67	cbc:Telephone			This element displays the phone number of the buyer's primary contact. This element is not supported in the CTT Purchase PEPPOL Template.

68	cbc:ElectronicMail			This element displays the e-mail address of the buyer's primary contact. This element is not supported in the CTT Purchase PEPPOL Template.
69	cac:SellerSupplierParty			This is a parent element that provides information about the seller using various child elements. This element has no value, but it has child elements with values associated to it in the template.
70	cac:Party			This is a parent element and a child element of cac:SellerSupplierParty, having information about the seller like electronic address. This element has no value, but it has child elements with values associated to it in the template.
71	cbc:EndpointID	custom.vendPeppolId. endPointId (Refer CDS)	GLN extracted from PEPPOL ID field (Vendor record).	This element identifies the seller's electronic address. The value of this field is retrieved from PEPPOL ID field present in the vendor record using the Custom Data Source plug-in (CDS) used in that template. PEPPOL ID field format is as follows <country-code>:<GLN>
72	@schemeID	custom.vendPeppolId. schemeId (Refer CDS)	Country Code extracted from PEPPOL ID field (Vendor record).	This element is used with the element cbc:EndpointID and identifies the scheme ID of the seller's electronic address. The value of this field is retrieved from PEPPOL ID field present in the vendor record using the Custom Data Source plug-in (CDS) used in that template. PEPPOL ID field format is as follows <country-code>:<GLN>
73	cac:PartyIdentification			This parent element displays identification of the seller. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
74	cbc:ID			This element is used to identify a party. This element is not supported in the CTT Purchase PEPPOL Template.
75	@schemeID			This element is used to display the scheme identifier for party identification. This element is not supported in the CTT Purchase PEPPOL Template.
76	cac:PartyName			This parent element displays the name of the seller. This element has no value, but it has child elements with values associated to it in the template. This element is not displayed if its child elements don't have values.
77	cbc:Name	vendor.companyname	Company Name field (Vendor record)	This element displays the trading name of the party. The value of this field is retrieved from Company Name field present in vendor record.
78	cac:PostalAddress			This is a parent element with information about the postal address of the seller. Required fields of the address must be filled out to comply with the legal requirements. This element has no value, but it has child elements that have values associated to it in the template.
79	cbc:StreetName	transaction.billaddr1	Address 1 (Transaction's billingaddress)	This element displays the main address line in a postal address usually the street name and number. The element has the value of the Address 1 field from the billing address in a transaction.
80	cbc:AdditionalStreet Name	transaction.billaddr2	Address 2 (Transaction's billingaddress)	This element displays an additional address line in a postal address that can be used to give further details supplementing the main line. This element has the value of the Address 2 field from the billing address in a transaction.
81	cbc:CityName	transaction.billcity	City field (Transaction's billing address)	This element displays the common name of the city where the postal address is. The value of the element is retrieved from the city field of the transaction's billing address has a value. The name is written in full rather than as a code.

82	cbc:PostalZone	transaction.billzip	Zip field (Transaction's billing address)	This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. The value of the element is retrieved from the zip field of the transaction's billing address
83	cbc:CountrySubentity	transaction.billstate	State field (Transaction's billing address)	This element is used for specifying a region, county, state, province etc., within a country by using text. The value of the element is retrieved from the state field of the transaction's billing address has a value.
84	cac:AddressLine			This parent element has information about the additional address line in a transaction's billing address. This element has no value in the template, but it has child elements associated in the template.
85	cbc:Line	transaction.billaddr3	Address 3 (Transaction's billing address)	This element has information about an additional address line to give further details supplementing the main line. This element has the value of the address 3 field value.
86	cac:Country			This parent element has information about the country associated with the subsidiary's address. This element has no value in the template, but it has child elements associated in the template.
87	cbc:IdentificationCode	custom.billCountry ISOCode(Refer CDS)	Country (Transaction's billing address)	This element displays a code identifying the billing country of a transaction. The element displays the ISO code of the country. The value of this element is displayed using the Custom Data Source plug-in implemented in the template.
88	cac:PartyLegalEntity			This parent element provides legal information about the seller. This element has no value, but it has child elements that have values associated to it in the template.
89	cbc:RegistrationName	transaction.billaddressee vendor.companyname	Bill Addressee (Transaction's billing address), if emptyCompany Name (from Vendor record)	This element displays the official name of the party as registered with the relevant fiscal authority. If the Addressee field has a value in the Billing Address of a transaction, then the full name is displayed. If not, then the element displays the vendor's company name.
90	cbc:CompanyID	vendor.entitynumber	ID of the Vendor(Hidden)	This element identifies a company as registered with the company registration scheme. ID of the vendor is used as value for this element. The value of this field is retrieved from the Custom Data Source plug-in (CDS) used in the template.
91	@schemeID		Custom Value	This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Sales PEPPOL Template.
92	cac:Registration Address			This parent element provides information about the seller's legal registration address. This element has a default value NETSUITE . The supported code list is ISO 6523 ICD list .
93	cbc:CityName	transaction.billcity	City (Transaction's billing address)	This element displays the registered address of the party within a Corporate Registration Scheme. It displays the name of a city, town, or village. This element is retrieved from City field of the transaction's billing address.
94	cac:Country			This parent element provides information about the seller's registered country. This element has no value, but it has child elements that have values associated with it in the template.
95	cbc:IdentificationCode	custom.billCountry ISOCode(Refer CDS)	Country (Transaction's billing address)	This element displays a code identifying the registered address's country. The element displays the ISO code of the billing address's country on the transaction. The value of this element is displayed

				using the Custom Data Source plug-in implemented in the template.
96	cac:Contact			This is a parent element and a child of cac:Party, providing contact information of the seller. No value has been provided to this element. This element is not supported in the CTT Purchase PEPPOL Template.
97	cbc:Name			This element provides contact details for a legal entity or representative. This element is not supported in the CTT Purchase PEPPOL Template.
98	cbc:Telephone			This element displays the phone number of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
99	cbc:ElectronicMail			This element displays the email address of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
100	cac:Originator CustomerParty			This parent element displays information regarding the originator of the order. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
101	cac:Party			This parent element displays description of the originator party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
102	cac:PartyIdentification			This parent element displays identification of the originator. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
103	cbc:ID			This element identifies a party. This element is not supported in the CTT Purchase PEPPOL Template.
104	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Purchase PEPPOL Template.
105	cac:PartyName			This parent element displays the name of the originator. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
106	cbc:Name			This element displays name of the party. This element is not supported in the CTT Purchase PEPPOL Template.
107	cac:Contact			This element displays originators contact information. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
108	cbc:Name			This element displays the name of the contact person.

				This element is not supported in the CTT Purchase PEPPOL Template.
109	cbc:Telephone			This element displays phone number for the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
110	cbc:ElectronicMail			This element displays e-mail address for the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
111	cac:Accounting CustomerParty			This element displays information regarding the receiver of the invoice based on the order (invoice). This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
112	cbc:Party			This element displays description of the invoice party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
113	cbc:EndpointID			This element displays identifies the invoice party's electronic address. This element is not supported in the CTT Purchase PEPPOL Template.
114	cac:PartyIdentification			This element displays identification of the invoice party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
115	@schemeID			This element displays scheme identifier for the electronic address. This element is not supported in the CTT Purchase PEPPOL Template.
116	cbc:ID			This element identifies invoice party. This element is not supported in the CTT Purchase PEPPOL Template.
117	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Sales PEPPOL Template.
118	cac:PartyName			This element displays name of the invoice party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
119	cbc:Name			This element displays name of the party. This element is not supported in the CTT Purchase PEPPOL Template.
120	cac:PostalAddress			This parent element displays postal address of the invoice. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
121	cbc:StreetName			This parent element displays the main address line in a postal address, usually the street name and number. This element is not supported in the CTT Purchase PEPPOL Template.

122	cbc:AdditionalStreetName			This parent element displays an additional address line in a postal address that can be used to give further details supplementing the main line. This element is not supported in the CTT Purchase PEPPOL Template.
123	cbc:CityName			This element displays the common name of the city where the postal address is. This element is not supported in the CTT Purchase PEPPOL Template.
124	cbc:PostalZone			This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element is not supported in the CTT Purchase PEPPOL Template.
125	cbc:CountrySubentity			This element is used for specifying a region, county, state, province etc, within a country by using text. This element is not supported in the CTT Purchase PEPPOL Template.
126	cac:AddressLine			This parent element has information about the additional address line in the address. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
127	cbc:Line			This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element is not supported in the CTT Purchase PEPPOL Template.
128	cac:Country			This parent element has information about the country associated with the address. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
129	cbc:IdentificationCode			This parent element displays the ISO Code of the country from address. This element is not supported in the CTT Purchase PEPPOL Template.
130	cac:PartyTaxScheme			This parent element displays the tax information of the invoice party. This element has no value in the template. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
131	cbc:CompanyID			This element displays the invoices registered VAT identifier. You can map the value with the required custom field in the SuiteApp. This element is not supported in the CTT Purchase PEPPOL Template.
132	cac:TaxScheme			This parent element provides information about the tax scheme. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
133	cbc:ID			This element displays tax scheme identifier. This element is not supported in the CTT Purchase PEPPOL Template.

134	cac:PartyLegalEntity			This parent element provides legal information of the invoice party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
135	cbc:RegistrationName			This element displays the official name of the invoicee party as registered with the relevant fiscal authority. This element is not supported in the CTT Purchase PEPPOL Template.
136	cbc:CompanyID			This element displays a company as registered with the company registration scheme. This element is not supported in the CTT Purchase PEPPOL Template.
137	@schemeID			This element displays identification scheme identifier of the buyer legal registration identifier. This element is not supported in the CTT Purchase PEPPOL Template.
138	cac:RegistrationAddress			This parent element provides information about the buyer's legal registration address. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
139	cbc:CityName			This element displays the registered address of the party within a Corporate Registration Scheme. This element is not supported in the CTT Purchase PEPPOL Template.
140	cac:Country			This parent element provides information about the buyer's registered address's country. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
141	cbc:IdentificationCode			This element displays a code identifying the registered address's country. This element is not supported in the CTT Purchase PEPPOL Template.
142	cac:Contact			This parent element provides invoicee contact information. This element is not supported in the CTT Purchase PEPPOL Template.
143	cbc:Name			This element displays the name of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
144	cbc:Telephone			This element displays the phone number of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
145	cbc:ElectronicMail			This element displays the email address of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
146	cac:Delivery			This parent element has information about the delivery location. This element has no value in the template.

				This element is not supported in the CTT Purchase PEPPOL Template.
147	cac:DeliveryLocation			This parent element provides delivery information. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
148	cbc:ID			This element displays identifier for the location where the ordered items should be delivered. This element is not supported in the CTT Purchase PEPPOL Template.
149	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. This element is not supported in the CTT Purchase PEPPOL Template.
150	cbc:Name			This element displays name of the location to where the ordered items should be delivered. This element is not supported in the CTT Purchase PEPPOL Template.
151	cac:Address			This parent element has information about the address where the goods or services are delivered. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
152	cbc:StreetName			This element displays the main address line. This element is not supported in the CTT Purchase PEPPOL Template.
153	cbc:AdditionalStreet Name			This element displays an additional address line. This element is not supported in the CTT Purchase PEPPOL Template.
154	cbc:CityName			This element displays the common name of the city of the shipping address. This element is not supported in the CTT Purchase PEPPOL Template.
155	cbc:PostalZone			This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element has the value of the Zip field in the transaction's shipping address. The element and its value are not displayed if the Zip field has no value. This element is not supported in the CTT Purchase PEPPOL Template.
156	cbc:CountrySubentity			This element displays the subdivision of a country. This element is not supported in the CTT Purchase PEPPOL Template.
157	cac:AddressLine			This parent element has information about the additional address line. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
158	cbc:Line			This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element is not supported in the CTT Purchase PEPPOL Template.

159	cac:Country			This parent element displays the country of the shipping address. This element has no value. This element is not supported in the CTT Purchase PEPPOL Template.
160	cbc:IdentificationCode			This element displays the ISO code of the country. This element is not supported in the CTT Purchase PEPPOL Template.
161	cac:RequestedDeliveryPeriod			This parent element provides information about the requested delivery period. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
162	cbc:StartDate			This element displays date on which the period starts. This element is not supported in the CTT Purchase PEPPOL Template.
163	cbc:StartTime			This element displays time at which the period begins. This element is not supported in the CTT Purchase PEPPOL Template.
164	cbc:EndDate			This element displays date on which the period ends. This element is not supported in the CTT Purchase PEPPOL Template.
165	cbc:EndTime			This element displays time at which this period ends. This element is not supported in the CTT Purchase PEPPOL Template.
166	cac:DeliveryParty			This parent element provides information about the delivery party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
167	cac:PartyIdentification			This parent element displays identification of the delivery party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
168	cbc:ID			This element displays identifier of the party that should receive the ordered items. This element is not supported in the CTT Purchase PEPPOL Template.
169	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. . This element is not supported in the CTT Purchase PEPPOL Template.
170	cac:PartyName			This is a parent element and a child of cac:DeliveryParty, with information about the delivery party's name. This element has no value . This element is not supported in the CTT Purchase PEPPOL Template.
171	cbc:Name			This element displays the name of the customer or party whom the goods and services are to be delivered. This element is not supported in the CTT Purchase PEPPOL Template.

172	cac:PostalAddress			This parent element has information of the final address where goods or services are delivered. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
173	cbc:StreetName			This element displays the main address line. This element is not supported in the CTT Purchase PEPPOL Template.
174	cbc:AdditionalStreetName			This element displays an additional address line. This element is not supported in the CTT Purchase PEPPOL Template.
175	cbc:CityName			This element displays the common name of the city of the shipping address. This element is not supported in the CTT Purchase PEPPOL Template.
176	cbc:PostalZone			This element displays the identifier for an addressable group of properties according to the relevant national postal service, such as a ZIP code or Post Code. This element is not supported in the CTT Purchase PEPPOL Template. This element has no value in the template.
177	cbc:CountrySubentity			This element displays the subdivision of a country in the shipping address. This element is not supported in the CTT Purchase PEPPOL Template.
178	cac:AddressLine			This parent element has information about the additional address line in the transaction's shipping address. This element has no value in the template. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
179	cbc:Line			This element has information about an additional address line in an address that can be used to give further details supplementing the main line. This element is not supported in the CTT Purchase PEPPOL Template.
180	cac:Country			This parent element displays the country of the shipping address. This element has no value. This element is not supported in the CTT Purchase PEPPOL Template.
181	cbc:IdentificationCode			This element displays the ISO code of the country. This element is not supported in the CTT Purchase PEPPOL Template.
182	cac:Contact			This parent element provides contact information for the delivery party. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
183	cbc:Name			This element displays the name of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
184	cbc:Telephone			This element displays the phone number of the contact person.

				This element is not supported in the CTT Purchase PEPPOL Template.
185	cbc:ElectronicMail			This element displays the email address of the contact person. This element is not supported in the CTT Purchase PEPPOL Template.
186	cac:Shipment			This parent element displays the information of the shipment. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
187	cbc:ID			This element is mandated by syntax structure. If cac:Shipment is required use value NA. This element is not supported in the CTT Purchase PEPPOL Template.
188	cac:TransportHandlingUnit			This parent element displays the information of the transport handling unit. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
189	cbc:ShippingMarks			This element displays text that buyer requests to be printed on the packing labels. This element is not supported in the CTT Purchase PEPPOL Template.
190	cac:DeliveryTerms			This parent element displays information about the terms of delivery. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
191	cbc:ID	custom.incoterm (Refer CDS)	Related Incoterm field (Transaction's Incoterm record)	This element displays delivery terms identifier, normally incoterms. The value of this field is retrieved from Related Incoterm field present on Incoterm record using the Custom Data Source plug-in (CDS) used in the template. This element is not supported in the CTT Purchase PEPPOL Template.
192	cbc:SpecialTerms			This element displays description of special conditions relating to the delivery. This element is not supported in the CTT Purchase PEPPOL Template.
193	cac:DeliveryLocation			This parent element provides information about delivery location. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
194	cbc:ID			This element displays location to which the delivery terms refer. This element is not supported in the CTT Purchase PEPPOL Template.
195	cac:PaymentTerms			This parent element has information about the payment terms applied to the due amount. This parent element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
196	cbc:Note			This parent element displays text describing the payment terms.

				This element is not supported in the CTT Purchase PEPPOL Template.
197	cac:AllowanceCharge			This parent element displays information about the allowances and charges for the order. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
198	cbc:ChargeIndicator			This element indicates if cac:AllowanceCharge element is allowance or charge. This element is not supported in the CTT Purchase PEPPOL Template.
199	cbc:AllowanceChargeReasonCode			This element displays the document level allowance code or the allowance charge reason code. This element is not supported in the CTT Purchase PEPPOL Template.
200	cbc:AllowanceChargeReason			This element displays document level allowance reason or charge reason in text format. This element is not supported in the CTT Purchase PEPPOL Template.
201	cbc:MultiplierFactorNumeric			This element displays the document level allowance or charge percentage. This element is not supported in the CTT Purchase PEPPOL Template.
202	cbc:Amount			This element displays the document level allowance or charge amount without tax. This element is not supported in the CTT Purchase PEPPOL Template.
203	@currencyID			This element is used with the cbc:Amount element, to display the ISO code of a transaction's currency. This element is not supported in the CTT Purchase PEPPOL Template.
204	cbc:BaseAmount			This element displays the base amount along with the document level allowance or charge percentage. This element is not supported in the CTT Purchase PEPPOL Template.
205	@currencyID			This element is used with cbc:BaseAmount element, to display the currency's ISO code used by a transaction. This element is not supported in the CTT Purchase PEPPOL Template.
206	cac:TaxCategory			This parent element displays information of tax category. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
207	cbc:ID			This element displays tax category code that applies to the document level allowance or charge. This element is not supported in the CTT Purchase PEPPOL Template.
208	cbc:Percent			This element displays tax rate, represented as percentage that applies to the document level allowance or charge. This element is not supported in the CTT Purchase PEPPOL Template.

209	cac:TaxScheme			This parent element displays tax scheme information. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
210	cbc:ID			This element displays tax scheme identifier. This element is not supported in the CTT Purchase PEPPOL Template.
211	cac:TaxTotal			This parent element displays specification of expected tax amount. This element has no value, but it has child element with values associated to it in the template.
212	cbc:TaxAmount	transaction.taxtotal	Tax Total (Hidden)	This element displays the total tax amount for an order. This value is rounded off to a maximum of 2 decimal places in the template.
213	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:TaxAmount element, to display the ISO code of the currency used by the transaction.
214	cac:Anticipated MonetaryTotal			This parent element displays the estimated total amounts for the order. This element has no values, but it has child elements that provide monetary totals for an order.
215	cbc:LineExtension Amount	transaction.taxtotal	Taxtotal (Hidden)	This element displays the sum of all the line amounts in the document net of tax and settlement discounts. The value is rounded off to a maximum of 2 decimal places in the template. In a template, you must subtract the transaction's tax total amount from the transaction's total amount.
216	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
217	cbc:TaxExclusive Amount	transaction.taxtotal	Taxtotal (Hidden)	This element displays the total amount of an order without tax. The value of this element must be rounded off to two decimals. In a template, you must subtract the transaction's tax total amount from the transaction's total amount.
218	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:TaxExclusiveAmount to display the ISO code of the transaction's currency.
219	cbc:TaxInclusive Amount	transaction.total	Total field (Hidden)	This element displays the total amount of a transaction with tax. This value is rounded off to 2 decimal places in the template.
220	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:TaxInclusiveAmount element to display the ISO code of the transaction's currency.
221	cbc:AllowanceTotal Amount			This element displays the sum of all allowances on header level in the document. The value of this element is rounded off to 2 decimal places. This element is not supported in the CTT Purchase PEPPOL Template.
222	@currencyID			This element is used with cbc:AllowanceTotalAmount element to display the ISO code for the transaction's currency. This element is not supported in the CTT Purchase PEPPOL Template.
223	cbc:ChargeTotal Amount			This element displays the sum of all charge on header level in the document. The value is rounded off to 2 decimal places in the template.

				This element is not supported in the CTT Purchase PEPPOL Template.
224	@currencyID			The element is used with cbc:ChargeTotalAmount to display the ISO code of the transaction's currency. This element is not supported in the CTT Purchase PEPPOL Template.
225	cbc:PrepaidAmount			This element displays any amounts that have been paid-a-priority. This element is not supported in the CTT Purchase PEPPOL Template.
226	@currencyID			This element displays currency identifier. This element is not supported in the CTT Purchase PEPPOL Template.
227	cbc:PayableRounding Amount			This element displays the amount to be added to the total, to round the amount to be paid. This element is not supported in the CTT Purchase PEPPOL Template.
228	@currencyID			This element displays currency identifier. This element is not supported in the CTT Purchase PEPPOL Template.
229	cbc:PayableAmount	transaction.total	Total (Hidden) field	This element displays the amount that is expected to be paid. This value is rounded off to 2 decimal places in the template.
230	@currencyID	transaction.currencysymbol	Transaction's Currency	This element is used with cbc:PayableAmount element to display the ISO code of the transaction's currency.
231	cac:OrderLine			This parent element displays specification of order lines. This element has no value, but it has child elements with values in the template.
232	cac:Note	transaction.memo	Memo	This element displays free-form text applying to the order line. This element may contain notes or any other similar information that is not contained explicitly in another structure. Note is to capture any free form description related to the order line as a whole. The value is taken from Memo field of the transaction.
222	cbc:ID	item.line	Line Sequence Number	This element displays the transaction line ID for each item. It has a unique identifier for an individual line in the transaction. The line sequence number of a line item is used in the template.
223	cbc:LineItem			This parent element displays the description of line item. This element has no value, but it has child elements with values in the template. The values of child elements are retrieved from the Custom Data Source plug-in (CDS) used in the template.
224	cbc:Quantity	item.quantity	Quantity	This element displays the quantity of items for items for the line item or the quantity for the order line. The Quantity field on the line item is used as value in the template.
225	@unitCode		Custom Value	This element is used with cbc:Quantity element, and displays the unit of measure that applies to the ordered quantity. The supported code list is <i>Recommendation 20, including Recommendation 21 codes- prefixed with X (UN/ECE)</i> . The value used is NAR .
226	cbc:LineExtension Amount	item.amount (Refer CDS)	Amount	This element displays the total amount for the line item, including allowance charges but net of taxes. The expected line amount excluding tax but inclusive of other charges, allowances and taxes.

227	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:LineExtensionAmount element to display the ISO code of the transaction's currency.
228	cbc:PartialDelivery Indicator			This element indicates if the line items must be delivered in a single shipment. This element is not supported in the CTT Purchase PEPPOL Template.
229	cbc:AccountingCost			This element displays buyer's accounting information applied to the line item, in the form of text. This element is not supported in the CTT Purchase PEPPOL Template.
230	cac:Delivery			This parent element displays delivery information for the order line. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
231	cbc:ID			This element displays identifier for the location to where the ordered line item should be delivered. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
232	@schemeID			This element displays identification scheme identifier of the delivery to location identifier. This element is not supported in the CTT Purchase PEPPOL Template.
233	cac:RequestedDelivery Period			This parent element displays information of requested delivery period for the order line. This element has no value in the template, but it has child elements with values in the template.
234	cbc:StartDate	transaction.trandate	Date	This element displays the date on which the period starts. This value is mapped with Date field of the transaction. The date format is YYYY-MM-DD.
235	cbc:EndDate			This element displays the date on which the period ends. This element is not supported in the CTT Purchase PEPPOL Template.
236	cac:OriginatorParty			This parent element displays information regarding the originator of the order. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
237	cac:PartyIdentification			This parent element displays identification of the originator. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
238	cbc:ID			This element displays the party who originated order. This element is not supported in the CTT Purchase PEPPOL Template.
239	@schemeID			This element displays scheme identifier for party identification. This element is not supported in the CTT Purchase PEPPOL Template.
240	cac:PartyName			This parent element displays the name of the originator. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
241	cbc:Name			This element displays the party who originated order. This element is not supported in the CTT Purchase PEPPOL Template.
242	cac:AllowanceCharge			This parent element displays a group of business terms with information about allowances or charges of an individual invoice. This element has no value, but it has child elements with values associated with it in the template.

243	cbc:ChargeIndicator		Custom value	This element displays true or false value for the item type in a transaction. If the item type is allowances, the value is False. For charges, the value is True. You can map the value with the required custom field in the SuiteApp.
244	cbc:AllowanceChargeReasonCode			This element displays line level allowance reason or charge reason in text format. This element is not supported in the CTT Purchase PEPPOL Template.
245	cbc:AllowanceChargeReason		Custom Value	This element displays the line level allowance or charge reason in text. The document level allowance reason code and the document level allowance reason, display the same allowance reason. This element displays the following values: - Line Charge for charges - Line Discount for allowances You can map the value with the required custom field in the SuiteApp.
246	cbc:MultiplierFactorNumeric	item.chargeRate (Refer CDS)	Rate	This element displays the percentage that may be used, in conjunction with the line level allowance base amount to calculate the line level allowance or charge amount. This element is displayed only when Rate is given in percentage format.
247	cbc:Amount	For Allowances: item.lineDiscount (Refer CDS) For Charges: item.lineCharge (Refer CDS)	For Allowances: line discount amount For Charges: line charge Amount	This element displays the allowance or charge amount excluding tax.
248	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:Amount element to display the ISO code of the transaction's currency.
249	cbc:BaseAmount	item.baseAmount (Refer CDS)	Base amount	This element displays the base amount that may be used, in conjunction with the line level allowance or charge percentage, to calculate the line level allowance or charge amount.
250	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:BaseAmount element to display the ISO code of the transaction's currency.
251	cac:Price			This parent element displays the price details. It has child elements with information about the price applied for order line.
252	cbc:PriceAmount	item.rate (Refer CDS)	Unit price or rate	This element displays the net price of the item including all price level allowances, charges but excluding tax.  Note: Rate field value is used for this element as price level allowances, charges are not supported yet.
253	@currencyID	transaction.currency.symbol	Transaction's Currency	This element is used with cbc:PriceAmount to display the ISO code of the transaction's currency.
254	cbc:BaseQuantity		Custom value	This element displays the actual quantity to which the price applies. It has a default assigned value of 1.
255	@unitCode			This element displays the unit of measure that applies to the base quantity. This element is not supported in the CTT Purchase PEPPOL Template.
256	cac:AllowanceCharge			This parent element displays information about discounts connected to the price. This element

				has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
257	cbc:ChargeIndicator			This element indicates if cac:AllowanceCharge element is allowance or charge. This element is not supported in the CTT Purchase PEPPOL Template.
258	cbc:Amount			This element displays discount amount connected to the price. This element is not supported in the CTT Purchase PEPPOL Template.
259	@currencyID			This element displays currency identifier. This element is not supported in the CTT Purchase PEPPOL Template.
260	cbc:BaseAmount			This element displays the gross price of the item before subtracting discounts. This element is not supported in the CTT Purchase PEPPOL Template.
261	@currencyID			This element displays currency identifier. This element is not supported in the CTT Purchase PEPPOL Template.
262	cac:Item			This parent element displays information about order line item. This element has no value, but it has child elements with values associated with it in the template.
263	cbc:Description	item.description (Refer CDS)	Item description	This element displays the text description of the line item. The value of the Description field for items is displayed.
264	cbc:Name	item.name (Refer CDS)	Item name	This element displays the name taken from Item Name field of line item in a transaction.
265	cac:BuyersItem Identification			This parent element displays the buyer's item identification. This element has no value, but it has child element with values associated with it in the template. This element is not supported in the CTT Purchase PEPPOL Template.
266	cbc:ID			This element displays an identifier assigned by the buyer for an item. The value of this element is the UPC code of the item. This element is not supported in the CTT Purchase PEPPOL Template.
267	cac:SellersItem Identification			This parent element displays the information about seller's identification. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
268	cbc:ID			This element displays an identifier assigned by the seller for an item. This element is not supported in the CTT Purchase PEPPOL Template.
269	cac:StandardItem Identification			This parent element displays information of standard item identification. This element has no value in the template. This element is not supported in the CTT Sales PEPPOL Template. This element is not supported in the CTT Purchase PEPPOL Template.
270	cbc:ID			This element displays item identifier based on a registered scheme. This element is not supported in the CTT Purchase PEPPOL Template.
271	@schemeID			This element displays identification scheme identifier of the item standard identifier. This element is not supported in the CTT Purchase PEPPOL Template.

272	cac:ItemSpecification DocumentReference			This parent element displays reference to an item specification document. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
273	cbc:ID			This element displays reference to an external document (ID) when it is necessary to specify the details of the item. This element is not supported in the CTT Purchase PEPPOL Template.
274	cac:Commodity Classification			This parent element displays the commodity classification code. This element has no value, but has child elements with values associated with it in the template. This element is not supported in the CTT Purchase PEPPOL Template.
275	cbc:ItemClassification Code			This element displays an item classification identifier code to classify items based on the type or nature. This element is not supported in the CTT Purchase PEPPOL Template.
276	@listID			This element is used with cbc:ItemClassificationCode element and displays a schemeID for item classification identifier. This element is not supported in the CTT Purchase PEPPOL Template.
277	@listVersionID			This element displays the identification scheme version identifier of the item classification identifier. This element is not supported in the CTT Purchase PEPPOL Template.
278	cac:ClassifiedTax Category			This parent element displays line tax information. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
279	cbc:ID			This element displays the tax category code for the item. This element is not supported in the CTT Purchase PEPPOL Template.
280	cbc:Percent			This element displays tax percentage rate that applies to the line amount. This element is not supported in the CTT Purchase PEPPOL Template.
281	cac:TaxScheme			This parent element displays tax scheme information. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
282	cbc:ID			This element displays tax scheme. This element is not supported in the CTT Purchase PEPPOL Template.
283	cac:AdditionalItem Property			This parent element displays information about properties of goods and services invoiced. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
284	cbc:Name			This element displays name of the property. This element is not supported in the CTT Purchase PEPPOL Template.
285	NameCode			This element displays code for the item property according to a property code system. This element is not supported in the CTT Purchase PEPPOL Template.
286	@listID			This element displays identifier for the code list used for the name code, which is bilaterally agreed. This element is not supported in the CTT Purchase PEPPOL Template.

287	cbc:Value			This element displays the value of the item property. This element is not supported in the CTT Purchase PEPPOL Template.
288	cbc:ValueQuantity			This element displays the unit of measure in which the property value is stated, if relevant. This element is not supported in the CTT Purchase PEPPOL Template.
289	name			This element displays textual equivalent of the code value. This element is not supported in the CTT Purchase PEPPOL Template.
290	@unitCode			This element displays unit of measure that applies to the value quantity. This element is not supported in the CTT Purchase PEPPOL Template.
291	cbc:ValueQualifier			This element displays standardized and predefined classification of items properties. This element is not supported in the CTT Purchase PEPPOL Template.
292	cac:ItemInstance			This element displays the information relevant to an item instance or shared by the items in the order line. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
293	cbc:SerialID			This element displays the identifier that is specific to the items in the order line. This element is not supported in the CTT Purchase PEPPOL Template.
294	cac:LotIdentification			This element displays the information about the production lot which the order line items are from. This element has no value in the template. This element is not supported in the CTT Purchase PEPPOL Template.
295	cbc:LotNumberID			This element displays the identifier for production lot which the order line items are from. This element is not supported in the CTT Purchase PEPPOL Template.

Understanding Inbound E-Document Templates in JSON Format

Implementing an inbound e-document template enables the system to map which elements in the received XML file will provide data to which fields in the vendor bill or vendor credit record to be created from the XML file.

An inbound e-document template is in JSON format. For more information about JSON objects, go to the w3schools website [JSON Introduction](#).

The bundle also includes a sample JSON template that can be used for parsing XML inbound e-documents for conversion into vendor bills or vendor credits. You can download the sample JSON template from the File Cabinet. You can view the count of inbound e-documents for conversion in the home page. To view this count, see [Displaying the E-Documents Portlet on the Home Page](#).

The JSON inbound template contains the mapping to basic bill information:

- tranid
- trandate
- currency
- memo

- item
 - vendorname/vendorcode
 - amount
 - rate
 - quantity
 - description
 - tax1amt
- createdfrom



Note: Following are the points applicable for inbound conversion of e-documents:

- The alias for the inbound XML e-document object is 'XML'. Use this when mapping the XML elements to keys. For example, \${XML.ParentElement.ChildElement}.
- Inbound conversion does not support selecting subsidiaries in the transaction record. If the vendor is associated with multiple subsidiaries, the primary subsidiary of the vendor is selected in the transaction by default.

You can use or customize the sample JSON template that contains the mapping to basic vendor bill information:

```

1  {
2    "tranid": "${XML.Invoice.InvoiceHeader.InvoiceNumber}",
3    "trandate": "${XML.Invoice.InvoiceHeader.InvoiceDate}",
4    "currency": "${XML.Invoice.InvoiceHeader.Currency}",
5    "memo": "${XML.Invoice.InvoiceHeader.Memo}",
6    "createdfrom": "${XML.Invoice.InvoiceHeader.PONumber}",
7    "item": [
8      <#list XML.Invoice.InvoiceDetails.InvoiceItem as item>
9        {
10          "vendorcode": "${item.ItemName}",
11          "quantity": "${item.Quantity}",
12          "rate": "${item.UnitPrice?replace("$", "")}",
13          "amount": "${item.LineItemSubtotal?replace("$", "")}",
14          "description": "${item.Description}",
15          "tax1amt": "${item.TaxAmount?replace("$", "")}"
16        }
17      <#if item_has_next>,</#if>
18    </#list> ],
19    "expense": [
20      <#list XML.Invoice.InvoiceDetails.InvoiceExpense as expense>
21        {
22          "amount": "${expense.Amount?replace("$", "")}",
23          "memo": "${expense.Description}"
24        }
25      <#if expense_has_next>,</#if>
26    </#list> ]
27  }

```

tranid, trandate, currency, memo, item, expense and createdfrom are called key names. Every key name must correspond to a field ID in the vendor bill record to be created from the received XML file. The key name is the reference that points to a field in the vendor bill record. Each key name must extract a value from the received XML file. The value of the key name will be the data that will be entered in the corresponding field of the vendor bill record.

tranid is a required key, used as reference number of the vendor bill. item is another required key name that is an of JSON objects with details of each item in the vendor bill.

`createdfrom` is a key name used if the vendor bill record to be created is from a Purchase Order. `createdfrom` will take up the value of the PO# of the source purchase order.

`item` is another required key name that is an of JSON objects with details of each item in the vendor bill. Under `item` is `vendorcode`, which is a required key name if the Multiple Vendor feature is enabled. `vendorcode` maps to the code assigned to a specific vendor of an item. If the Multiple Vendor feature is not enabled, the `vendorname` key name must be used. `vendorname` maps to the vendor name/code field of an item.

`expense` is also an of JSON objects that takes each expense in the vendor bill. Under `expense` are the amount and memo key names.

 **Note:** Ensure that your item records are updated and must have unique `vendorname` or `vendorcode`. Also, you must specify the Default Expense Account in the vendor record if you expect to receive bills for expense lines.

The JSON inbound template contains the mapping to basic bill credit information:

- `tranid`
- `trandate`
- `currency`
- `memo`
- `item`
 - `vendorname/vendorcode`
 - `quantity`
 - `description`
 - `amount`
- `location`
- `inventorydetailreq`
- `createdfrom`
- `apply`
 - `refnum`

 **Note:** The alias for the inbound XML e-document object is 'XML'. Use this when mapping the XML elements to keys. For example, `${XML["ParentElement"]["ChildElement"]}`.

Mapping is created so that the XML reference file is a valid credit memo PEPPOL generated e-document. Values for few keys have alias as **custom** because their logic of derivation is present in the inbound custom data source file named **pl_custom_data_source_vendor_credit.js**. This file is present in the bundle location Bundle 436209/src/comp/pl.

You can use this template along with custom data source implementation, or customize the sample JSON template and custom data source that contains the mapping to basic vendor credit information.

```

1 | {
2 |   "tranid": "${XML["D:CreditNote"]["cbc:ID"]}",
3 |   "trandate": "${custom["trandate"]}",
4 |   "duedate": "${custom["duedate"]}",
5 |   "memo": "${XML["D:CreditNote"]["cbc:Note"]}",
6 |   <#if custom["isMultiCurrency"] == "true">

```



```

7  "currency": "${custom["currencyISOCode"]}",
8  </#if>
9  "createdfrom": "${XML["D:CreditNote"]["cbc:BuyerReference"]}",
10 "item": [
11   <#assign index=0>
12   <#assign taxcodeString="taxcode_">
13   <#assign lineExtensionString="lineextension_">
14   <#assign priceString="price_">
15   <#list XML["D:CreditNote"]["cac:CreditNoteLine"] as item>
16   {
17     "account": "${item["cac:Item"]["cbc:Name"]}",
18     "vendorcode": "${item["cac:Item"]["cbc:Name"]}",
19     "vendorname": "${item["cac:Item"]["cbc:Name"]}",
20     "quantity": "${item["cbc:CreditedQuantity"]}",
21     "rate": "${custom["priceString+index"]}",
22     "amount": "${custom["lineExtensionString+ index"]}",
23     "location": "1",
24     "description": "${item["cac:Item"]["cbc:Name"]}",
25     "inventorydetailreq":false
26     <#assign index++>
27   }<#if item_has_next>,</#if>
28   </#list>
29 ],
30 "apply": [
31   <#list XML["D:CreditNote"]["cac:BillingReference"] as ref>
32   {
33     "refnum": "${ref["cac:InvoiceDocumentReference"]["cbc:ID"]}",
34   }<#if ref?has_next>,</#if>
35   </#list>
36 ]
37 }

```

tranid, trandate, currency, memo, item, apply, refnum, and createdfrom are called key names. Every key name must correspond to a field ID in the vendor credit record to be created from the received XML file. The key name is the reference that points to a field in the vendor credit record. Each key name must extract a value from the received XML file. The value of the key name will be the data that will be entered in the corresponding field of the vendor credit record.

tranid is a required key, used as reference number of the vendor credit.

createdfrom is a key name used if the vendor credit record to be created is from a purchase order.

createdfrom will take up the value of the PO# of the source purchase order.

item is another required key name that is an JSON object with details of each item in the vendor credit. Under item is vendorcode, which is a required key name if the **Multiple Vendors** feature is enabled. vendorcode maps to the code assigned to a specific vendor of an item. If the **Multiple Vendors** feature is not enabled, the vendorname key name must be used. vendorname maps to the vendor name or code field of an item. Items with vendor code will only be considered for inbound conversion. So, ensure that the items in the XML reference file have vendor code value under the **Vendors** section of the **Purchasing** tab in the item records along with the vendor's name. The vendor code should be same as the Item name.

apply is an optional key name that is present in an JSON object that contains the details of invoice (single or multiple) references that are applied on the credit memo. If the invoice ID is invalid, it will throw an error. Else, on a newly created vendor credit, the bills related to the invoice will be populated in **Apply** subtab.

At least the required key names must be present in an inbound e-document template. You must not change or edit required key names.

If you have custom records or fields, you can create your own key names that correspond to the field IDs of those custom fields. But make sure that your custom key names have data to extract from the XML files that you will receive from your vendors or other parties.

After setting up the key names and values of your JSON template, you can now implement it as an inbound e-document template. For more information, refer to step 6 of [Creating E-Document Templates](#).

Understanding XSD in Inbound E-Document Templates

The XSD file or XML Schema is a text file that defines and validates what XML elements and attributes must be present in the received XML, before it is uploaded as an inbound e-document record. After the received XML file is validated, the system assigns an e-document template to it. The first matched e-document template will be assigned to the newly created inbound e-document.

The following is a sample XSD that you can use as a reference in creating your own XSD file:

```

1 <xs:element name="edoc" type="edocType"/>
2
3 <xs:complexType name="edocType">
4   <xs:sequence>
5     <xs:element name="tranid" type="xs:string"/>
6     <xs:element name="po" type="xs:integer"/>
7     <xs:element name="memo" type="xs:string"/>
8     <xs:any processContents="skip" minOccurs="0"/>
9   </xs:sequence>
10  <xs:attribute name="version" type="xs:string" use="required" fixed="1.1"/>
11 </xs:complexType>
12
13 </xs:schema>

```

This sample XSD validates an XML document for the following:

- The root element is edoc is present, which must have an attribute version, with a value of 1.1.
- The edoc element must have tranid, po, and memo elements in the correct order, where:
 - tranid is a string
 - po is an integer
 - memo is a string

If this sample XSD is used, a received XML file must contain all the elements and attributes defined in the XSD. If it does, the E-Document Template record that the XSD is a part of, will be applied to the received XML file, which is then uploaded as an inbound e-document record. Other elements and attributes can be present in the received XML file in addition to the required ones defined in the XSD. You can define your own required elements and attributes in the XSD file you will create.

Understanding XSD in Outbound E-Document Templates

The XSD file or XML Schema is a text file. It defines and validates what XML elements and attributes must be present in the generated XML, before it is saved as a generated e-document. A detailed audit trail message is logged if the validation fails.

The following is a sample XSD that you can use as a reference in creating your own XSD file:

```

1 <xs:element name="edoc" type="edocType"/>
2
3 <xs:complexType name="edocType">
4   <xs:sequence>
5     <xs:element name="tranid" type="xs:string"/>
6     <xs:element name="po" type="xs:integer"/>
7     <xs:element name="memo" type="xs:string"/>
8     <xs:any processContents="skip" minOccurs="0"/>
9   </xs:sequence>
10  <xs:attribute name="version" type="xs:string" use="required" fixed="1.1"/>
11 </xs:complexType>
12
13 </xs:schema>

```

This sample XSD validates an XML document for the following:

- The root element `edoc` is present, which must have an attribute `version`, with a value of `1.1`.
- The `edoc` element must have `tranid`, `po`, and `memo` elements in the correct order, where:
 - `tranid` is a string
 - `po` is an integer
 - `memo` is a string

If this sample XSD is used, the generated XML file must contain all the elements and attributes defined in the XSD. If it does, the e-document is successfully generated. Other elements and attributes can be present in the generated XML file in addition to the required ones defined in the XSD. You can define your own required elements and attributes in the XSD file you will create.

The **Outbound XSD File** field is used for validating the generated e-document, only if you select the XML format from the **Content Type** dropdown list.

Creating a Digital Signature Plug-in Implementation for E-Documents

A Digital Signature plug-in implementation for e-documents will enable you to generate digitally signed e-documents. You can select a digital signature plug-in from the **Digital signature Plug-in Implementation** field in an e-document template record to digitally sign e-documents. Only the XML or JSON files are generated with a digital signature. The generated PDF files are not digitally signed.

You must first create a custom plug-in implementation for digital signature and then implement it in NetSuite. After this, the plug-in will be available for you to select from the **Digital Signature Plug-in Implementation** field on the e-document template record. To create this plugin implementation, you must first create a JavaScript file for the digital signature plug-in implementation. The JavaScript file must be compatible with SuiteScript 2.0. For more information about creating a Javascript file, refer to the help topic [SuiteScript 2.x Script Creation Process](#).

The plug-in script must return an object with the following function:

```

1  /**
2   * Copyright (c) 2019, Oracle NetSuite its affiliates. All rights reserved.
3   *
4   * @NApiVersion 2.x
5   * @NModuleScope Public
6   * @NScriptType pluginTypeimpl
7   */
8
9  define(["N/crypto/certificate", "N/file"], function(certificate, file) {
10     /**
11      * @param {Object} pluginContext
12      * @param {String} pluginContext.unsignedString
13      * @param {String} pluginContext.subsidiaryId
14      * @param {String} pluginContext.tranType
15      * @param {String} pluginContext.tranId
16      * @param {Number} pluginContext.userId
17      *
18      * @returns {Object} result
19      * @returns {string} result.success
20      * @returns {String} result.signedString
21      * @returns {String} result.message
22      */
23
24     function signDocument(pluginContext) {
25         var unsignedString = pluginContext.unsignedString;
26

```

```

27      /* Extract the other required values from pluginContext:
28          var subsidiaryId = pluginContext.subsidiaryId;
29          var tranType = pluginContext.tranType;
30          var tranId = pluginContext.tranId;
31          var userId = pluginContext.userId;
32      */
33
34      /* Sample params for N/certificate.signXml()
35          var rootTag = "RootTag";
36          var certificateId = "custcertificatesfd";
37          var algorithm = "SHA1";
38      */
39
40      var result = {
41          success: true,
42          signedString: unsignedString,
43          message: "This is a sample implementation of Digital Signature.",
44      };
45
46      /**
47       * Call services to sign the string
48      */
49      try {
50          /*
51              var signedXML = certificate.signXml({
52                  algorithm : algorithm,
53                  certId : certificateId,
54                  rootTag : rootTag,
55                  xmlString : unsignedString
56              });
57
58              result.success = true;
59              result.signedString = signedXML.asString();
60              result.message = "Document signed successfully";
61          */
62      } catch (e) {
63          result.success = false;
64          result.signedString = "";
65          result.message = e.message;
66      }
67
68      return result;
69  }
70
71  return {
72      signDocument: signDocument,
73  };
74  });

```

This script takes the input **pluginContext** which is a JSON object. The parameters of this object are listed in the following table.

Parameter	Type	Description	Remarks
unSignedString	String	This field holds the generated e-document of a transaction in XML or JSON format. The format depends on its selection in the E-Document Template used for generation. The e-document is not digitally signed.	
subsidiaryId	String	This field holds the Subsidiary ID of a transaction.	This parameter can be blank if the subsidiary information is unavailable in the transaction.
tranType	String	This field displays the type of transaction.	tranId along with tranType provides context about the transaction being digitally signed. You can use them together to reference
tranID	String	This field displays the internal ID of the transaction.	

			any field value of the transaction using N/search.lookupFields or N/record.load
userId	number	This field holds the internal ID of the current logged in user.	This field value can be used wherever there is a requirement to refer to the current logged in user. For example, to update e-document audit trail by shared module API, userId can be used in owner property.

This script must implement digital signature process on an unsigned XML or JSON string. For example Suitescript 2.0 module N/crypto/certificate. This results in a signed XML or JSON string which must be returned in a JSON object with parameters listed in the following table.

Parameter	Type	Description	Required/Optional
success		Valid Values are either true or false. Set the value to true, if the digital signature plug-in implementation is successful and e-document is digitally signed. A string will be generated. Otherwise, set it to false.	Required
signedString	String	This parameter holds the signed string when the digital signature plug—in implementation is successfully completed.	Required
message	String	Message to be passed to Electronic Invoicing. This message gets displayed in E-Document audit trail of the transaction.	Required



Important: The digital signature plug-in implementation script must have the @NSScriptType plugintypeimpl.

To create a plug-in implementation record:

1. Go to Customization > Plug-ins > Plug-in Implementations > New.
2. Create a JavaScript file following the sample script.
3. Select the JavaScript file you created, from the **Script File** field and click **Create Plug-in Implementation** button.
4. Select the Digital Signature for E-Document plug-in type from the Select Plug-in Type record.
5. Type the information in the required fields on the Plug-in Implementation record.
6. Click **Save**.

a digital signature plug-in implementation record is created, you can select it from the E-Document Template record. For more information, see the help topics [Custom Plug-in Creation](#) and [Digital Signing](#).

Creating an Outbound Validation Plug-in Implementation for E-Documents

An Outbound Validation Plug-in Implementation for e-documents will enable you to validate the e-document during generation process with your custom logic. You can select an Outbound Validation Plug-in Implementation from the **Outbound Validation Plug-in Implementation** field in an E-Document Template.

To use custom validation, you must first create a custom plug-in implementation for outbound validation plug-in for e-documents. After this, the plug-in implementation will be available for you to select in the **Outbound Validation Plug-in Implementation** field on the E-Document Template.

To create this plug-in implementation, you must first create a JavaScript file that must be compatible with SuiteScript 2.0. For more information about creating a Javascript file, see the help topic [SuiteScript 2.x Script Creation Process](#).

The following code is a sample plug-in implementation script for outbound validation:

```

1  1.  /**
2  2.      * @NApiVersion 2.x
3  3.      * @NModuleScope Public
4  4.      * @NScriptType plugintypeimpl
5  5.      */
6  6.  define([], function() {
7  7.
8  8.      /**
9  9.      *
10 10.     * @param {Object} pluginContext
11 11.     * @param {String} pluginContext.content
12 12.     * @param {String} pluginContext.transactionInfo.transactionId
13 13.     * @param {String} pluginContext.transactionInfo.transactionType
14 14.     * @param {Number} pluginContext.userId
15 15.     * @returns {Object} result
16 16.     * @returns {string} result.success
17 17.     * @returns {String} result.message
18 18.     */
19 19.     function validate(pluginContext) {
20 20.
21 21.         var result = {
22 22.             success: false,
23 23.             message: "Validation failed."
24 24.         };
25 25.
26 26.         try {
27 27.
28 28.             /**
29 29.             * Extract the values from pluginContext
30 30.             */
31 31.
32 32.             // var content = pluginContext.content;
33 33.             // var userId = pluginContext.userId;
34 34.             // Connect to validation service and get response.
35 35.
36 36.             /**
37 37.             * Use this information to fetch the transaction data
38 38.             */
39 39.
40 40.             /**
41 41.             var transactionType = pluginContext.transactionInfo.transactionType;
42 42.             var transactionId = pluginContext.transactionInfo.transactionId;
43 43.             var transObj = record.load({
44 44.                 type: transactionType,
45 45.                 id: transactionId
46 46.             });
47 47.             */
48 48.
49 49.             // If successful
50 50.             result.success = true;
51 51.             result.message = "Validation successful!";
52 52.
53 53.             // Sample result if not successful
54 54.             // result.success = false;
55 55.             // result.message = "Validation failed.";
56 56.
57 57.             return result;
58 58.
59 59.         } catch (e) {
60 60.             result.success = false;
61 61.             result.message = e.message;
62 62.         }
63 63.
64 64.         return result;
65 65.     }
66 66.

```

```

67.     return {
68.         validate: validate
69.     };
70. });

```

This script takes the input **pluginContext** which is a JSON object. The parameters of this object are listed in the following table.

Parameter	Type	Description	Remarks
content	String	This field holds the generated e-document of a transaction in XML or JSON format. The format depends on its selection in the E-Document Template used for generation.	
transactionInfo. transactionType	String	The type of transaction being validated.	transactionId and transactionType parameters provide information about the transaction being validated. You can use them together to reference any field value of the transaction using N/search.lookupFields or N/record.load
transactionInfo. transactionId	String	The internal ID of the transaction being validated.	
userId	number	This field holds the internal ID of the current logged in user.	This field value can be used wherever there is a requirement to refer to the current logged in user. For example, to update e-document audit trail by shared module API, userId can be used in owner property.

This script can implement any custom validation logic on edocString in the validate function. The validate function should return JSON object with parameters listed in the following table.

Parameter	Type	Description	Required/Optional
success		Valid Values are either true or false. Set the value to true, if the validation is successful. Otherwise, set it to false.	Required
message	String	Message to be passed to Electronic Invoicing. This message gets displayed in E-Document audit trail of the transaction.	Required



Important: The Outbound Validation Plug-in implementation script must have the @NSScriptType pluginTypeimpl.

To create a plug-in implementation record:

1. Go to Customization > Plug-ins > Plug-in Implementations > New.
2. Create a JavaScript file following the sample script.
3. Select the JavaScript file you created, from the **Script File** field and click **Create Plug-in Implementation** button.
4. Select the Outbound Validation Plug-in type from the Select Plug-in Type record.
5. Type the information in the required fields on the Plug-in Implementation record.
6. Click **Save**.

an Outbound Validation plug-in implementation record is created, you can select it in the E-Document Template record. For more information, see the help topic [Custom Plug-in Creation](#).

Creating a Custom Plug-in Implementation for E-Document Custom Data Source

A custom plug-in implementation for custom data source will enable you to add custom data sources to an e-document template. With a custom data source plug-in specified in an e-document template, you can add to e-documents more field values from the transactions that the e-documents will be generated from.

Similarly, you can also use a custom plug-in implementation to add custom data sources to transaction response body. In case of transaction response, an extra parameter is added (E-Document Transaction Response) where you can add field values from transaction response record as well.

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType plugintypeimpl
4   * @ModuleScope Public
5   */
6   define(["N/render"], function (nsrender) {
7     /**
8      * inject - This function will provide the custom data source during the generation process
9      * @param {Object} params
10     * @param {String} params.transactionId
11     * @param {Object} params.transactionRecord
12     * @param {Object} params.transactionResponseRecId (only present if this data source is being used to create transaction
13     response's response body)
14     *
15     * @returns {Object} result
16     * @returns {render.DataSource} result.alias
17     * @returns {string} result.format
18     * @returns {Object | Document | string} result.data
19     * @returns {Object} result
20     * @returns {Boolean} result.success
21     * @returns {string} result.eiAuditTrailMsg
22     */
23     function inject(params) {
24       var txnRecord = params.transactionRecord;
25       var txnId = params.transactionId;
26       // var transResponseId = params.transactionResponseId;
27       var customObj = {};
28       log.debug("Custom Object", customObj);
29       return {
30         customDataSources: [
31           {
32             format: nsrender.DataSource.OBJECT,
33             alias: "custom",
34             data: customObj
35           }
36         ],
37         result: {
38           success: true,
39           eiAuditTrailMsg: "Custom Data Source executed successfully"
40         }
41       };
42     }
43     return {
44       inject: inject
45     };
46   });

```

You must create a custom plug-in implementation for custom data source first and then implement it in NetSuite so that it will be available for selection on the e-document template record. Create a JavaScript

file for the custom data source plug-in implementation. The JavaScript file must be compatible with SuiteScript 2.0.

Note: This sample script uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript Debugger SuiteScript Debugger](#).

The following code is a sample custom plug-in implementation for e-document custom data source.

```

1  * @APIVersion 2.x
2  * @NScriptType plugintypeimpl
3  * @ModuleScope Public
4  */
5  define(["N/render"], function(nsrender) {
6      /**
7       * inject - This function will provide the custom data source during the generation process
8       * @param {Object} params
9       * @param {String} params.transactionId
10      * @param {Object} params.transactionRecord
11      * @param {Number} params.userId
12      *
13      * @returns {Object} result
14      * @returns {render.DataSource} result.alias
15      * @returns {String} result.format
16      * @returns {Object | Document | string} result.data
17      * @returns {Object} result
18      * @returns {Boolean} result.success
19      * @returns {String} result.eiAuditTrailMsg
20      */
21
22      function inject(params) {
23          var txnRecord = params.transactionRecord;
24          var txnId = params.transactionId;
25          var userId = params.userId
26          var customObj = {};
27          log.debug("Custom Object", customObj);
28          return {
29              customDataSources: [
30                  {
31                      format: nsrender.DataSource.OBJECT,
32                      alias: "custom",
33                      data: customObj
34                  }
35              ],
36              result: { //Optional
37                  success:true, // Mandatory. Datatype: Boolean (true/false)
38                  eiAuditTrailMsg:"Custom Data Source executed successfully." //Optional. Datatype: String
39              }
40          };
41      }
42
43      return {
44          inject: inject
45      };
46  });

```

This script takes the input parameters from the JSON object. The parameters of this object are listed in the following table.

Parameter	Type	Description	Remarks
transactionRecord.type	String	The type of transaction being validated.	The id and type parameters provide information about the transaction being validated. You can use them together to reference any field value of the transaction using search.lookupFields(options) or record.load(options)

Parameter	Type	Description	Remarks
transactionRecord.id	Number	The internal ID of the transaction being validated.	
transactionId	String	The internal ID of the transaction being validated.	The id provide information about the transaction's internal ID.
userId	Number	This field holds the internal ID of the current logged in user.	This field value can be used wherever there is a requirement to refer to the current logged in user. For example, to update e-document audit trail by shared module API, userId can be used in owner property.



Important: The custom data source plug-in implementation script must have the @NSScriptType plugintypeimpl.

After creating the script for plug-in implementation, upload it to Customization > Plug-ins > Plug-in Implementations > New. The type of the custom plug-in implementation must "Custom Data Source for E-Document". For more information, see the help topics [Custom Plug-in Creation](#), [TemplateRenderer.addCustomDataSource\(options\)](#) and [Using Custom Data Sources for Advanced Printing](#).

The following are guidelines for custom data sources:

- Naming convention - Element names must not begin with digits
- don't add a large amount of data to the data object in customDataSource. This may result in an Out of Memory error.

Setting E-Document Status to Generation Failed Through Custom Data Source

You can set **Generation Failed** status in the **E-Document Status** field of a transaction. The **Generation Failed** status is used to reduce the time taken to re-generate the e-document, if the e-document is not generated as expected. To do this, a custom data source plug-in implementation response is used which enables the logging of an audit trail message. The audit trail message informs the success or failure of the plug-in's implementation.

You can decide if the e-document generation fails or continues further by using a validation logic. The validation informs if the e-document is generated successfully or not with an audit trail message in the custom data source plug-in implementation.

If the validation is successful, the e-document is generated and the audit trail displays the corresponding e-document generation successful message.

If the validation fails, the e-document generation also fails and the audit trail displays the corresponding e-document generation failed message.

To do so, you can add the **result** property in the return object of inject function. This **result** property is optional, and the **result** property contains two properties (**success** and **eiAuditTrailMsg**).

The following table contains the details of the properties in the result property.

Property	Description
success	The property's value is boolean (true or false).

Property	Description
	This property is required if the result property exists. If the value is false, the e-document generation will fail, and the E-Document Status field will be set to Generation Failed. If the value is true, the custom data source execution will be successful.
eiAuditTrailMsg	The property's value is a string. This property is optional. If this property's value is present in the result property with a non-empty string, the value will be added in the e-document audit trail. Else, a default message will be added in the e-document audit trail based on the success property value. Default message for success false in audit trail: Execution of custom data source plug-in implementation has failed. Default message for success true in audit trail: Execution of custom data source plug-in implementation has been successful.

If the datasource provided by your implementation is in the following format:

```

1 return {
2     customDataSources: [
3         {
4             format: nsrender.DataSource.OBJECT,
5             alias: "custom",
6             data: {isOneWorldEnabled: true}
7         }
8     ],
9     result: { //Optional
10        success: false, //Mandatory
11        eiAuditTrailMsg: "CDS Custom Error" //Optional
12    }
13 };

```

You can now include the following custom data in the e-document template by using the datasource format.

- For XML e-document:

```

1 | <xml> ${custom.isOneWorldEnabled} </xml>

```

- For JSON e-document:

```

1 | {
2 |   "key": "${custom.isOneWorldEnabled}"
3 | }

```

QR String Generation

The QR string generation logic can be implemented in Custom Data Source Plug-in Implementation. After successful implementation of the QR logic, generated string can be populated in **custbody_psg_ei_qr_string**. It is hidden and present in transaction record, using Custom Data Source as illustrated in [Sample QR Code Plug-in Implementation\(Custom Data Source\)](#). This populated field can be used in [Advanced PDF/HTML Template](#) to display QR code in generated e-document PDF.

QR Code Preview

To generate a preview of QR code in the transaction record under **E-Document** subtab, **custbody_psg_ei_qr_code** field (rich text) can be updated with img tag containing the source of data URL

for the QR code value as illustrated in [Sample QR Code Plug-in Implementation\(Custom Data Source\)](#). The data URL for QR code value can be generated using any library which is capable of generating data URL from a string.

Sample QR Code Plug-in Implementation(Custom Data Source)

This is an example of QR Code Plug-in implementation (CDS). It shows example usage where SS2.0 can be used to:

- Show QR code preview in Transaction form by generating data URL and using it to update **custbody_psg_ei_qr_code** field. This is a rich text field that can be used to display the QR code preview on transaction record.
- Populate **custbody_psg_ei_qr_string**, a hidden field that can be used as a data source in any [Advanced PDF/HTML Template](#) to display QR Code in generated PDF.

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType plugintypeimpl
4   * @NModuleScope Public
5   */
6   // Give the relative path of qrcode-generator module responsible for generation of data URL from QR code value
7   define(["N/encode", "N/render", "N/record", "./qrcode-generator"], function (encode, nsrender, record, qrCodeGen) {
8
9       // Implement the logic to return QR string from the input QR data passed
10      function getQRCodeString(inputQRData) {
11          var qrString = '';
12          /**
13           * QR logic implementation goes here, with 'inputQRData' parameter object containing the required properties for generating
14           * QR string stored in qrString variable
15           */
16          return qrString;
17      }
18
19      // Function returns the encoded base 64 value of the string passed
20      function getBase64(qrstring) {
21          return encode.convert({
22              string: qrstring,
23              inputEncoding: encode.Encoding.UTF_8,
24              outputEncoding: encode.Encoding.BASE_64_URL_SAFE
25          });
26      }
27
28      // Function returns img element which contains the QR Code preview image
29      function getQRCodePreview(qrBase64) {
30          var qrDataUrl = '';
31          /**
32           * Here 3rd party library can be used to convert the 'qrBase64' string to data url generation from QR code value, as 'qrCode
33           * Gen' is imported in this example
34           */
35          if (qrDataUrl) {
36              return '</img>';
37          }
38          return '';
39      }
40
41      function inject(params) {
42          var tranType = params.transactionRecord.type;
43          var tranId = params.transactionRecord.id;
44
45          // Hidden QR string field in transaction record
46          var QR_CODE_FLD = "custbody_psg_ei_qr_string";
47          // QR preview field in transaction record
48          var QR_CODE_PREVIEW_FLD = "custbody_psg_ei_qr_code";
49          var updateQRFLDs = {};
50          var qrCustomObj = {};

```

```

51  /*
52  * Read the fields of transaction required for QR value generation and pass them to getQRCodeString function as shown below
  where QR logic can be implemented
53  * Ex:
54  * var data = {
55  *     sellerName: subsidiaryLegal,
56  *     vatNumber: vatRegistrationNo.toString(),
57  *     invoiceTimeStamp: transDate.toISOString(),
58  *     invoiceTotal: totalAmount.toString(),
59  *     invoiceVatTotal: totalTax.toString(),
60  * };
61  */
62
63  //Pass the QR Code input data to return QR string
64  var qrString = getQRCodeString(data);
65
66  //Pass the QR string to get the encoded Base 64
67  var qrBase64 = getBase64(qrString);
68
69  if(qrBase64)
70  {
71      // qrCustomObj will be sent as part of inject function response which can be used in e-document template which is shown in the below
  example
72      qrCustomObj = {
73          qrCode : qrBase64
74      };
75
76      // Update QR hidden text field to display in generated e document PDF
77      updateQRFLDs[QR_CODE_FLD] = qrBase64;
78
79      // Update QR preview field only to display QR code in transaction form under E-document subtab
80      updateQRFLDs[QR_CODE_PREVIEW_FLD] = getQRCodePreview(qrBase64);
81
82      // Submitting the QR fields which needs to be updated
83      record.submitFields({
84          type: tranType,
85          id: tranId,
86          values: updateQRFLDs
87      });
88  }
89
90  return {
91      customDataSources: [
92          {
93              format: nsrender.DataSource.OBJECT,
94              alias: "qrData",
95              data: qrCustomObj
96          }
97      ],
98  };
99  }
100
101  return {
102      inject: inject
103  }
104  })

```

You can now include the following custom data of QR code in the e-document template by using the data source format with respect to the alias provided.

- For XML e-document:

```

1 | <xml> ${qrData.qrCode} </xml>

```

- For JSON e-document:

```

1 | {
2 |   "key": "${qrData.qrCode}"
3 | }

```

Creating a Custom Plug-in Implementation for Extend E-Invoicing Plug-in

A custom Extend E-Invoicing plug-in implementation customizes and extends the structure of the generated e-documents. You can modify the already generated XML file and can add a new node to the XML file. You can also add or remove attributes to the existing node. This functionality is not restricted only to Avalara templates but can be used for non-Avalara templates as well. This functionality can also be extended to JSON files.

The following code is a sample custom plug-in implementation for the Extend E-Invoicing plug-in:

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType plugintypeimpl
4   */
5   define(["N/log"], function (log) {
6     /**
7      * Modifies the e-document content.
8      *
9      * @param {Object} params - Parameters for document modification.
10     * @param {Object} params.transactionRecord - Details of the transaction record (loaded via N/record)
11     * @param {string|number} params.transactionId - Transaction Internal ID
12     * @param {string|number} params.userId - User internal ID (Current User or First Active Admin)
13     * @param {Object} params.transactionData - Returned as part of CDS response (customDataSources[0].data)
14     * @param {string} params.eDocContent - E-document content
15     * @returns {Object} Result object indicating success or failure.
16     * @returns {boolean} result.success - Indicates whether the modification was successful.
17     * @returns {string} [result.content] - The modified e-document content (present when success is true).
18     * @returns {string} [result.eiAuditTrailMsg] - Audit trail message or error description (present when success is false).
19     */
20     function extend(params) {
21       var result = {
22         success: false,
23       };
24       try {
25         var finalContent = "";
26         /**
27          * Implement logic to extend the e-document content
28          */
29         result.success = true;
30         result.content = finalContent; // Contains final XML or JSON value
31       } catch (err) {
32         // Log any errors that occur during e-document content extension.
33         log.error("Plugin Error", err);
34         // Return an error response indicating failure.
35         // eiAuditTrailMsg is displayed on the Transaction E-Document Audit Trail.
36         result.eiAuditTrailMsg = err.message; // Default message will be used if message is not provided
37       }
38       return result;
39     }
40   }
41
42   return {
43     extend: extend,
44   };
45 });

```

Creating E-Document Transaction Response Template

In an e-document transaction response, the template maps the data in a NetSuite transaction record, which will populate the elements in the XML or JSON file. This file is generated and sent to the customers or vendors.

You can use FreeMarker to create the template content for transaction response e-documents. For more information about scriptable templates and FreeMarker, see the following topics:

- [Scriptable Templates](#)
- [FreeMarker Data Model](#)
- [FreeMarker Syntax](#)

To create an e-document transaction response template:

1. Go to Setup > E-Documents > E-Document Transaction Response Templates > New.
2. In the **Name** field, enter a name for the template.
3. (Optional) In the **Description** field, enter a text that describes this template.
4. (Optional) From the **Custom Data Source Plugin Implementation** list, select a plug-in implementation.

The selected plug-in enables you to include a custom data source in the template. After which, you can add more field values to the transaction response e-documents that will be generated using the template.

5. From the **Transaction Type** list, select one or more incoming transaction types for which this template will be used. To select multiple transaction types, press and hold the ctrl key when selecting the transaction types.
6. (For an outbound template) From the **Subsidiary** list, select the subsidiaries that you want to associate with this template. To select multiple subsidiaries, press and hold the ctrl key when selecting the subsidiaries.
7. In the **Template for Outbound Transaction Response** field, enter the XML content of the outbound e-document transaction response template.
8. Click **Save**.

The e-document transaction response template is automatically selected based on the subsidiary and transaction response for which it is defined.

Note: You can only define one e-document transaction response template for one subsidiary and transaction type.

Setting Avalara Mandate and Data version on Transaction Response

Avalara mandate and Data format version for a Transaction response can be sourced from custom data source (CDS), which will be populated on transaction response record on successful generation of transaction response content.

Note: Return an activated mandate from CDS.

Both mandate and data format version will be used while sending transaction response content to Avalara. The following code is a sample custom plugin implementation for Avalara transaction response custom data source:

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType pluginTypeimpl
4   * @NModuleScope Public
5   */
6  define(["N/render"], function (nsrender) {
7      /**
8       * inject - This function will provide the custom data source during the transaction response generation process
9       * @param {Object} params

```

```

10  * @param {String} params.transactionId (only present if transaction is linked to Transaction Response record)
11  * @param {Object} params.transactionRecord (only present if transaction is linked to Transaction Response record)
12  * @param {Object} params.transactionResponseRecId
13  *
14  * @returns {Object}
15  */
16  function inject(params) {
17    try {
18      /**
19       * implement custom logic for transaction response content generation
20       */
21
22      var customObj = {
23        mandate: "BE-B2B-PEPPOL", // specify an activated mandate
24        dataVersion: "2.3", // specify the required data format version (default 2.1)
25      };
26
27      return {
28        customDataSources: [
29          {
30            format: nsrender.DataSource.OBJECT,
31            alias: "custom",
32            data: customObj,
33          },
34        ],
35      };
36    } catch (e) {
37      log.error("CDS error:", e);
38
39      return {
40        result: {
41          success: false,
42          eiAuditTrailMsg: e.message, // custom message which will be populated on Transaction response record under "Error
43          Details" tab
44        },
45      };
46    }
47
48    return {
49      inject: inject,
50    };
51  });

```

Editing E-Document Templates

To edit e-document templates, go to Setup > E-Documents > E-Document Templates. Open the e-document template in edit mode and modify information as needed, then click **Save**.

Note: The **Transaction Type** field in the e-document template becomes unavailable if the e-document template has already been assigned to one or more transaction records. This field remains unavailable unless you remove the e-document template from all transactions.

Note: You cannot edit the native or default templates locked by Localization SuiteApps. In such cases, you can create a copy to modify and use the newly created templates.

E-Document Certification in the Outbound Process

Most countries that implement electronic invoicing in e-commerce require that businesses or companies submit their e-documents to a certification authority or tax agency. Certification authorities check the validity of e-documents and their compliance to any prescribed format and content. Certified e-documents are returned to the sending company for use in any other business requirements.

The outbound component of the Electronic Invoicing SuiteApp supports the sending of e-documents to authorities, organizations, or a tax agency that provide certification services.

Before e-documents can be sent for certification, the administrator must first assign a certification sending method by checking the **Sending Method for Certification** box on a sending method record. The certification sending method is a different sending method from the sending method applied at the transaction level. The certification sending method is applied to the transaction types and subsidiaries selected on the sending method record. Whether the certification sending method will use email or web service channel, the administrator must specify the certification services provider or authority as the recipient. For more information, see [Creating an E-Document Sending Method Record](#).

Note: Electronic Invoicing SuiteApp provides support to send e-documents for certification individually or in bulk to Avalara. All the eligible e-documents are automatically sent for certification without any manual intervention. For more information about Avalara for e-Invoicing, see [Avalara for E-Invoicing](#).

Note: Only one certification sending method must be associated with a combination of subsidiaries and transactions you select.

E-documents generated from transaction types and subsidiaries with an assigned certification sending method will display the Certify E-Document button on the record. Clicking the Certify E-Document button sends the e-document to the certification authority.

On the other hand, e-documents generated from transaction types and subsidiaries without an associated certification sending method will display the Send E-Document button.

NetSuite receives successfully certified e-documents, of which certified XML or JSON file you can view from the E-Document subtab. The E-Document Status field on the E-Document subtab indicates the result of e-document certification. If certification fails, details of errors are logged on the E-document Audit Trail.

Note: If you have created your own certification sending method, you must store the certified copy of the XML or JSON in the File Cabinet and update the file ID of the certified e-document in the transaction body field certified e-document.

Certified e-documents can be sent to customers, vendors or any third party as recipients using the standard sending method assigned to the transaction. With the appropriate sending method selected, you can click the Send E-Document button on the transaction. For more information, see [Sending the E-Document of a Single Transaction](#).

Avalara for E-Invoicing

A NetSuite user can choose to activate their access to the Avalara platform through Oracle Business Network for electronic business purposes. You can use the NetSuite Electronic Business (NSEB) SuiteApp to send and receive documents through Avalara and their integrated networks. For more information about the NSEB SuiteApp, see [NetSuite Electronic Business](#)

Electronic Invoicing automatically sends eligible e-document for certification individually or in bulk to Avalara using the following:

- **Certify E-Document** button
- **Automatic Certify E-Document MR** script

You must make sure the following prerequisites are set up for a transaction to make the e-documents ready to be sent for certification:

- A transaction must have a value in the **Avalara Mandate** field

- The e-document must be in Ready for Certification status.

Note: You must have active license for NetSuite Electronic Business Network Extension and active license along with available volume for Avalara Processing for NetSuite Electronic Invoicing Cloud Service to generate e-documents for transactions and get them certified from Avalara.

The Electronic Invoicing SuiteApp supports Invoice, Credit Memo, Cash Refund, Vendor Bill, Vendor Credit and Custom Transaction Type (CTT) Basic style transactions for sending e-documents to Avalara. You can check the localization specific help center documentation for supported transactions.

Note: Avalara for e-Invoicing is not supported in Single Instance accounts currently.

E-Document Network Status Overview

The Electronic Invoicing SuiteApp enables you to get e-documents certified from a regulatory body through an API. It is usually generated from a transaction. You can also get network status updates and display the relevant details under the **E-Document** subtab in the transactions.

The following table describes the transaction body fields which contain the network information.

Network Field	Field ID	Description
Network Reference Id	custbody_ei_network_id	It is a unique number generated by network API while certifying or sending e-document.
Network Name	custbody_ei_network_name	It is the name of a network. For instance, PEPPOL, SAT, ARIBA.
Network Status	custbody_ei_network_status	It displays a keyword representing one of the possible network statuses used by the network.
Network Status Updated On	custbody_ei_network_updated_date_time	It displays the time stamp (date and time) of the updated status.

An administrator must implement the `getStatus` method in the sending method to invoke e-document network status feature. For more info, read [Creating E-Document Sending Methods](#)

To use this feature for custom transaction types (CTT), you must register those custom transaction types again.

- To handle the rejected network status for a transaction, the E-Document Status field (custbody_psg_ei_status) of transaction is set to Certification Data Error. It occurs when the field has Rejected status. If certification is enabled, then set the status to Sending Failed.
- Transfer Order transaction type won't be supported to get e-document network status.

Providing Access to Get Network Status for Custom Roles

The **Get Network Status** button is hidden by default for custom roles.

To enable it, the administrator can perform the following steps:

1. Go to Setup > Users/Roles > Manage Roles.
2. Click the **Customize** or **Edit** hyperlink of the role to which you want to give get network status permission.

3. Under the **Authentication** subtab, check the **Allow Manual Updation of Network Status** box.
4. Click **Save**.

Creating E-Document Sending Methods

An administrator must create e-document sending methods so that they can be available for selection on the transaction record and the e-document package record. Sending methods must be implemented as custom plug-in implementations instead of scripts.

Before users can send e-documents, an administrator must first assign sending methods to the e-document package record. This will enable users to select an e-document sending method on the **E-Document** subtab of the customer's transaction records.

An administrator can select an employee whose name and email address should appear as the sender of e-documents sent by your company or subsidiary. Selecting a designated e-document sender is optional. If there is no designated sender, the system uses the name and email address of the user who sent the e-document as the sender. See [Selecting a Designated E-Document Sender](#).

Another type of sending method, the certification sending method, supports the sending of e-documents to certification authorities, which certifies e-documents for validity and compliance to business requirements. For more information, [E-Document Certification in the Outbound Process](#).

To create sending methods, see the following topics:

- [Setting Up an Email Sending Method for E-Documents](#)
- [Creating Custom Methods for Sending E-Documents](#)
 - [Creating a Script for Sending E-Documents](#)
 - [Creating an E-Document Sending Method Record](#)
 - [Editing an E-Document Sending Method Record](#)

Setting Up an Email Sending Method for E-Documents

Note: The system can send an e-document by email to a maximum of 10 recipients for each customer or vendor. The system counts each contact added as a recipient. If you add the same contact multiple times, each instance is considered one recipient.

You can send e-documents by email using the **NetSuite Email Custom Plugin** sending method included in the Electronic Invoicing SuiteApp. This sending method is automatically associated with the default e-document package record also provided by the SuiteApp, and cannot be associated with any other e-document package. Also, the **NetSuite Email Custom Plugin** sending method cannot be edited or deleted.

Before you can send e-documents by email to a customer or vendor, the customer or vendor record must be assigned an e-document package that has an email sending channel. You must also define the email recipients for your customer or vendor. For information, see [Creating E-Document Packages](#) and [Defining E-Document Email Recipients](#).

After you send e-documents by email, the system sends you a notification informing you that the e-document sending process is finished. If there are errors found, an error report is included in the notification.

The **E-Document Audit Trail** subtab under the **E-Document** subtab of the transaction shows one of the following statuses to indicate whether the e-document was sent successfully or not:

- **Sent** – This status means the e-document was successfully sent. The **Details** column shows the email addresses of the sender and recipients.
- **Sending Failed** – This status means the e-document was not sent. Information about sending errors are shown in the **Details** column. You must fix the errors before you can successfully resend the e-document.

For more information, see [Outbound E-Document Sending Errors](#).

Creating Custom Methods for Sending E-Documents

An administrator can create various custom methods for sending e-documents or transaction response to different customers and vendors. You can use the custom sending methods to get status updates from a network.

To create a custom method for sending e-documents, the administrator must first create an e-document sending method plug-in implementation and then create an e-document sending method record for that implementation.

After custom sending methods are created, they become available for selection on e-document package records and transaction records.

See the following topics:

- [Creating a Custom Plug-in Implementation for Sending E-Documents](#)
- [Creating a Script for Sending E-Documents](#)
- [Creating an E-Document Sending Method Record](#)
- [Editing an E-Document Sending Method Record](#)

Creating a Custom Plug-in Implementation for Sending E-Documents

A custom plug-in implementation for sending e-documents or transaction response must be created so that it will be available for selection on the sending method record.

Create a JavaScript file for the custom plug-in implementation. The JavaScript file must be compatible with SuiteScript 2.0.

Note: This sample script uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript Debugger](#).

The following code is a sample custom plug-in implementation for sending e-documents.

```

1  /**
2  * send - This function is the entry point of our plugin script
3  * @param {Object} pluginContext
4  * @param {String} pluginContext.scriptId
5  * @param {String} pluginContext.sendMethodId
6  * @param {String} pluginContext.eInvoiceContent
7  * @param {Array} pluginContext.attachmentFileIds
8  * @param {String} pluginContext.customPluginImplId
9  * @param {Number} pluginContext.batchOwner
10 * @param {Object} pluginContext.customer
11 * @param {String} pluginContext.customer.id
12 * @param {Array} pluginContext.customer.recipients
13 * @param {Object} pluginContext.transaction
14 * @param {String} pluginContext.transaction.number
15 * @param {String} pluginContext.transaction.id
16 * @param {String} pluginContext.transaction.poNum
17 * @param {String} pluginContext.transaction.tranType

```

```

18 * @param {Number} pluginContext.transaction.subsidiary
19 * @param {Object} pluginContext.sender
20 * @param {String} pluginContext.sender.id
21 * @param {String} pluginContext.sender.name
22 * @param {String} pluginContext.sender.email
23 * @param {Number} pluginContext.userId
24 *
25 * @returns {Object} result
26 * @returns {Boolean} result.success
27 * @returns {String} result.message
28 */
29
30 function send(pluginContext) {
31
32     var MSG_NO_EMAIL = translator.getString("ei.sending.sendernoemail");
33     var MSG_SENT_DETAILS = translator.getString("ei.sending.sentsentdetails");
34
35     var senderDetails = pluginContext.sender;
36     var customer = pluginContext.customer;
37     var transaction = pluginContext.transaction;
38     var recipientList = customer.recipients;
39     var result = {};
40     var parameters;
41     if (!senderDetails.email) {
42         parameters = {
43             EMPLOYEE_NAME: senderDetails.name
44         };
45         stringFormatter.setString(MSG_NO_EMAIL);
46         stringFormatter.replaceParameters(parameters);
47         result = {
48             success: false,
49             message: stringFormatter.toString()
50         };
51     } else {
52         var invoiceSendDetails = {
53             number: transaction.number,
54             poNumber: transaction.poNum,
55             transactionType: transaction.type,
56             eInvoiceContent: pluginContext.eInvoiceContent,
57             attachmentFileIds: pluginContext.attachmentFileIds
58         };
59         notifier.notifyRecipient(senderDetails.id, recipientList, invoiceSendDetails);
60
61         parameters = {
62             SENDER: senderDetails.email,
63             RECIPIENTS: recipientList.join(", ")
64         };
65         stringFormatter.setString(MSG_SENT_DETAILS);
66         stringFormatter.replaceParameters(parameters);
67
68         result = {
69             success: true,
70             message: stringFormatter.toString()
71         };
72     }
73
74     return result;
75 }
76
77 return {
78     send: send
79 };
80
81 });

```



Important: The sending method custom plug-in script must have the @NSScriptType plugintypeimpl.

After creating the script for plug-in implementation, upload it to Customization > Plug-ins > Plug-in Implementations > New. The type of the custom plug-in implementation must be "Sending Plugin". For more information, see the help topic [Custom Plug-in Creation](#).

Creating a Script for Sending E-Documents

Important: Sending methods must be created as custom plug-in implementations instead of scripts. You must recreate existing sending method scripts as new custom plug-in implementations of the type 'Sending Plugin'. For more information, see [Creating a Custom Plug-in Implementation for Sending E-Documents](#). The system won't support sending method scripts in NetSuite 2019.2.

An e-document sending method script must be a JavaScript file that is compatible with SuiteScript 2.0.

The script must return an object with the following function:

send(scriptContext)

Description	Executed when sending an e-document.
Returns	A result object.

Parameters

Note: The scriptContext and result parameters are JavaScript objects.

Parameter	Type	Required / Optional	Description
scriptContext.scriptId	string	required	The ID of the document in the file cabinet
scriptContext.sendMethodId	string	required	The ID of the customer's or vendor's selected sending method
scriptContext.eInvoiceContent	string	required	The e-document content as a string Note: This content is the generated e-document.
scriptContext.attachmentFileIds	array of strings	optional	The internal ID of the generated e document pdf file in file cabinet
scriptContext.customPluginImpId	string	required	The id (Field ID: scriptid) of the custom plug-in implementation of type sending plug-in set for the transaction.
scriptContext.transaction.id	string	required	The ID of the e-document transaction Note: The transaction id specified here is the ID of the document from which the e-document was generated.
scriptContext.transaction.number	string	required	The document number of the e-document transaction
scriptContext.transaction.poNum	string	optional	The PO/check number of the e-document transaction
scriptContext.sender.id	string	required	The ID of the designated sender of the e-document
scriptContext.sender.name	string	required	The name of the designated sender of the e-document

Parameter	Type	Required / Optional	Description
scriptContext.sender.email	string	required	The email address of the designated sender of the e-document
scriptContext.userId	number	required	This internal ID of the current logged in user, it can be used wherever there is a requirement to refer to the current logged in user. For example, to update e-document audit trail by shared module API, userId can be used in owner property.



Note: This sample script uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript Debugger](#).

The following code is a sample script for sending e-documents.

```

1  /**
2   * @NApiVersion 2.x
3   * @NModuleScope Public
4   */
5  define(["N/record"], function(record, error) {
6      return {
7          /**
8           * send - Sample implementation: This will copy the e-document content to the document's
9           * Memo field
10          *
11          * @param {Object} plugInContext
12          * @param {String} plugInContext.scriptId
13          * @param {String} plugInContext.sendMethodId
14          * @param {String} plugInContext.eInvoiceContent
15          *
16          * @param {Object} plugInContext.customer
17          * @param {String} plugInContext.customer.id
18          * @param {String[]} plugInContext.customer.recipients
19          *
20          * @param {Object} plugInContext.transaction
21          * @param {String} plugInContext.transaction.id
22          * @param {String} plugInContext.transaction.number
23          * @param {String} plugInContext.transaction.poNum
24          *
25          * @param {Object} plugInContext.sender
26          * @param {String} plugInContext.sender.id
27          * @param {String} plugInContext.sender.name
28          * @param {String} plugInContext.sender.email
29          *
30          *
31          * @returns {Object} result
32          * @returns {Boolean} result.success: determines
33          * @returns {String} result.message: a failure message
34          */
35          send: function(plugInContext) {
36              var result = {
37                  success: true,
38                  message: "Success"
39              };
40              try {
41                  var rec = record.load({
42                      type: record.Type.INVOICE,
43                      id: plugInContext.transaction.id,
44                  });
45                  rec.setValue({
46                      fieldId: "memo",
47                      value: [
48                          "Script ID: " + plugInContext.scriptId,

```

```

49         "Customer: " + plugInContext.customer.name,
50         "Transaction: " + plugInContext.transaction.number,
51         "Sender: " + plugInContext.sender.name,
52         "Recipients: " + plugInContext.customer.recipients.join("\n"),
53         "Content: " + plugInContext.eInvoiceContent].join("\n\n")
54     });
55     rec.save();
56 } catch (e) {
57     result.success = false;
58     result.message = "Failure";
59 }
60 return result;
61 }
62 };
63 });

```

The sending method gets network status updates and returns document's unique identifier as soon as the document is being sent to the network. The method must also return an additional key `networkStatus` in the send method implementation response.

```

1  networkStatus:{
2      referenceId:"e34fedf343ferterjty",
3      name:"SAT",
4      status: "Certification Processed",
5      updateDateTime: new Date("30/11/2022 3:32:14 PM")
6  }

```

These are the details of parameters added in the response:

Parameter	Type	Description
networkStatus.referenceId	String	It is a unique number generated by network API while certifying or sending e-document.
networkStatus.name	String	It is the name of a network. For instance, PEPPOL, SAT, ARIBA.
networkStatus.status	String	It displays a keyword representing one of the possible network statuses used by the network.
networkStatus. updateDateTime	String	It displays the time stamp (date and time) of the updated status.

The following code is a sample script of a sending method which returns a network status object.

```

1  {
2      success: true,
3      message:"Sent E-Document successfully",
4      networkStatus:{
5          referenceId:"p1335ead",
6          name:"PEPPOL",
7          status: "Processed",
8          updateDateTime: new Date("30/11/2022 3:32:14 PM")
9      },
10 };

```

The script returns an object with the function `getStatus` when the sending method is used to get status updates from an API.

getStatus(scriptContext)

Description	Executed to get the network status updates.
Returns	A result object.

Parameters

Parameter	Type	Required / Optional	Description
scriptContext.transaction.id	string	required	The ID of the e-document transaction  Note: The transaction id specified here is the ID of the document from which the e-document was generated.
scriptContext.transaction.type	string	required	The type of the e-document transaction.

getStatus method: Response Parameters

Parameter	Type	Required/Optional	Description
success	boolean	required	In case of successful communication with network status check API, it is set as true. In all failed communication cases, it is set as false.
message	string	required	Message displayed in the E-document Audit Trail .
networkStatus.status	string	required if success parameter is true	Keyword representing one of the possible network statuses used by the network.
networkStatus.updateDateTime	string	required if success parameter is true	Time stamp (date and time) for the status

The following code is a sample script of returned response for getStatus function.

```

1 {
2     success: true,
3     message: "Get the latest network status of e-document is successful",
4     networkStatus:{
5         status: "Processed",
6         updateDateTime: new Date("30/11/2022 3:32:14 PM")
7     },
8 }
```



Important: To prevent permission errors, make sure the sending method script has the **@NModuleScope Public** JSDoc .

Creating an E-Document Sending Method Record

Make sure that you have created a sending method custom plug-in implementation before you create e-document sending method records. For more information, see [Creating a Custom Plug-in Implementation for Sending E-Documents](#).

To create an e-document sending method record:

1. Go to Setup > E-Documents > E-Document Sending Methods > New.
2. In the **Name** field, enter a name for the e-document sending method.

3. In the **E-Document Package** field, select the e-document package you want to associate this sending method with. For more information, see [Creating E-Document Packages](#).
4. In the **E-Document Sending Method Plugin Implementation** field, select the e-document plug-in implementation for this method.
5. In the **Sending Channel** field, enter the sending channel to use for this method. For example, **email**, **SOAP** or **REST**.

 **Note:** If the sending channel is **email** (case-sensitive), the system validates the email recipients upon saving the customer or vendor record and when sending the e-document.

6. In the **Transaction Type** field, select one or more transaction types for which this sending method will be used. To select multiple transaction types, press and hold the **Ctrl** key while selecting the transaction types.

The Transaction Type field only displays the transaction types applicable to or supported by outbound e-document sending, which include:

- Cash Refund
- Cash Sale
- Credit Memo
- Customer Payment
- Customer Deposit
- Estimate
- Invoice
- Item Fulfillment
- Purchase Order
- Return Authorization
- Registered Custom Transaction Types
- Transfer Order
- Vendor Credit or Bill Credit

For more information, see [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#).

 **Note:** The selected transaction types cannot be modified after the sending method has been used in a transaction. You must remove the e-document sending method from the transaction before you can modify this field.

7. In the **Subsidiary** field, select the subsidiaries that this sending method will be associated with. To select multiple subsidiaries, press and hold the **Ctrl** key while selecting the subsidiaries.

If only this sending method is associated with a subsidiary, the supported transactions of that subsidiary will display this sending method on the E-Document Template field on the E-Document subtab. For more information, see [Multi-subsidiary Support in the Outbound Process](#).

8. (Optional) If the sending method is to be used for e-document certification, check the **Sending Method for Certification** box. For more information, see [E-Document Certification in the Outbound Process](#).

 **Note:** Only one certification sending method must be assigned to a combination of subsidiaries and transactions you select.

9. Click **Save**.

This sending method can now be selected on e-document package records.

If the **Inactive** box is checked, this record won't be available for selection.

Editing an E-Document Sending Method Record

To edit an e-document sending method record, go to Setup > E-Documents > E-Document Sending Methods. Open the e-document sending method in edit mode and modify information as needed, then click **Save**.

Sending method records must reference sending method plug-ins, instead of scripts, from the **E-Document Sending Method Plugin Implementation** field. Existing sending method scripts must be recreated as new custom plug-in implementations of the type 'Sending Plugin'. For more information, see [Creating a Custom Plug-in Implementation for Sending E-Documents](#).



Important: The system won't support sending method scripts in NetSuite 2019.2, but until that time, you can still edit and use existing sending method scripts.



Note: The **Transaction Type** field in the e-document sending method is disabled if the e-document sending method has been assigned to one or more transaction records. To enable the field, you must remove the e-document sending method from all transactions.

E-Document Email Custom Templates

An administrator can create custom templates to specify default subject and body text for e-document emails. Users can use these templates when sending e-documents by email to any entity selected in outbound e-document sending process.

After the administrator creates the e-document email templates, you can select them from the **E-Document Email Customization** list. You can find the list in subsidiary records on the Electronic Invoicing Preferences page in OneWorld accounts. For accounts without OneWorld, you can find the list in the parent company link.

For more information, see [Creating an E-Document Email Custom Template](#) and [Selecting an E-Document Email Custom Template](#).

Creating an E-Document Email Custom Template

An administrator can create one or more custom templates in the E-Document Email Customization Template page.

To create an e-document email custom template:

1. Go to Setup > E-Documents > E-Document Email Customization> New.
2. In the **Name** field, enter a name for the e-document email template.
3. In the **Email Subject Text** field, enter text for the subject of the email. You can also enter additional information using the following placeholders as needed:
 - {TRANTYPE} — Transaction type
 - {TRANID} — Transaction ID

- {PONUM} — Transaction purchase order number
- {COMPANYNAME} — Company name

Note: You must enter the placeholders in capital letters along with the braces {}. There should be no spaces inside the braces.

4. In the **Email Body Text** field, enter text for the body of the email. You can also enter additional information using the following placeholders as needed:
 - {TRANTYPE} — Transaction type
 - {TRANID} — Transaction ID
 - {PONUM} — Transaction purchase order number
 - {COMPANYNAME} — Company name

Note: You must enter the placeholders in capital letters along with the braces {}. There should be no spaces inside the braces.

5. Click **Save**.

The template will be available for selection in a particular subsidiary on the Electronic Invoicing Preferences page. You can use the template only if you select **Default** option in the **E-Document Sending Method Plugin Implementation** field on the E-Document Sending Method record.

Note: If you don't create a template in the E-document Email Customization record, then a system generated default template is used in the e-document email. This email is sent to customers or vendors during the outbound e-document sending process.

Selecting an E-Document Email Custom Template

After creating the custom templates for e-document email, an administrator can select the templates in a particular subsidiary on the Electronic Invoicing Preferences page. The selected template will be used in sending the e-documents by email to customers or vendors.

To select an e-document email custom template in OW account:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences. Click the required subsidiary link you want to select the **E-document Email Customization Template** for.
2. Click **Edit**.
3. From the **E-document Email Customization Template** list, select the required custom template.
4. Click **Save**.

To select an e-document email custom template in accounts without OneWorld:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences. Click the parent company link.
2. Click on **Edit**.
3. From the **E-document Email Customization Template** dropdown list, select the required custom template.
4. Click **Save**.

- Note:** You can select e-document custom templates from both subsidiary and parent company records in the Electronic Invoicing Preferences page for the following combinations:
- If you select a different template on both subsidiary record and parent company record, then the template you selected on the Subsidiary record is used.
 - If you select a template on the parent company record and not on the subsidiary record, then the same template is applied on transactions of all the subsidiaries.
 - If you select a template on the subsidiary record for a transaction, then the selected template is used for all transactions that are created for this subsidiary. It overrides the template selected on the parent company record.

- Note:** If you don't select a template in subsidiary or parent company record, then system generated default template is used in the e-document email. This email is sent to customers or vendors during the outbound e-document sending process.

- Note:** Email templates with their record type populated can be selected in a customer or vendor record.

An email template can be used in the E-Document Sending Method plug-in implementation, enabling them to use custom templates for customers or vendors.

Selecting a Designated E-Document Sender

An administrator can select an employee whose name and email address should appear as the sender of e-documents sent by your company or subsidiary. This task is optional. If there is no designated sender, the system uses the name and email address of the user who sent the e-document as the sender.

To select a designated e-document sender:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences. Click the parent company link.
If you have a OneWorld account, go to Setup > E-Documents > Electronic Invoicing Preferences. Click the required subsidiary link you want to select the **E-document Sender** for, and click **Edit**.
2. In the **E-Document Sender** list, select an employee.
3. Click **Save**.

Setting Up Custom Roles to Send E-Documents

The following standard roles can send and re-send e-documents in bulk:

- A/P Clerk
- A/R Clerk
- Accountant
- Administrator
- Bookkeeper

- CEO
- CFO
- Custom Accountant
- Retail Clerk

An administrator can give custom roles access to the bulk sending feature. The following conditions must be met to enable a custom role to send e-documents in bulk:

- The custom role has been added to the script audience for the **Outbound E-Invoicing Form SU** script.
- The custom role has Edit permissions for the transaction types for which your company generates and sends e-documents.
- The custom role has Edit permission for the Add E-Document Sending Batch custom record.

To grant custom roles access and permissions to send e-documents:

1. Add the custom roles to the script audience by performing the following steps:
 - a. Go to Customization > Scripting > Script Deployments.
 - b. Click the Edit link of the script named **Outbound E-Invoicing Form SU**.
 - c. On the **Audience** subtab, in the **Roles** field, select the custom roles that you want to give access to.
 - d. Click **Save**.
2. Add the required permissions to custom roles by performing the following steps:
 - a. Go to Setup > Users/Roles > Manage Roles.
 - b. Click the Edit link of the custom role that you want to modify.
 - c. Add permission to edit transaction types:
 - i. On the **Permissions** subtab, go to the **Transactions** subtab.
 - ii. In the **Permission** column, on a blank row, select a transaction type.
 - iii. In the **Level** column, select **Edit**.
 - iv. Click **Add** to add the row.
 - v. Add other transaction types that the custom role must have access to.
 - d. Add permission to edit the custom record used for bulk sending:
 - i. On the **Permissions** subtab, go to the **Custom Record** subtab.
 - ii. In the **Record** column, on a blank row, select **Add E-Document Sending Batch**.
 - iii. In the **Level** column, select **Edit**.
 - iv. In the **Restrict** column, select **Editing Only**.
 - v. Click **Add** to add the row.
 - e. Click **Save** to save the changes to the custom role.

Customizing Roles to Restrict E-Document Generation or Sending

By default, the Generate E-Document and Send E-Document buttons are visible on all outbound transaction types that E-Invoicing SuiteApp supports, regardless of the level of permission the user has on the transaction record.

The administrator can customize standard and custom roles to restrict their permission to manually generate and send outbound e-documents.

To restrict the permission of standard and custom roles to generate and send outbound e-documents:

1. Go to Setup > Users/Roles > User Management > Manage Roles.
2. Click the Customise or Edit link of the role that you want to restrict permission to generate or send outbound e-documents.
3. Clear the **Allow Manual Generation of E-Document** box or **Allow Manual Sending of E-Document** box.
4. If you want to allow this role to send e-documents for certification, check the **Allow Sending of E-Document for Certification** box; otherwise, clear the box.
5. Click **Save**.

The Generate E-Document button or Send E-Document button won't be available on transaction records viewed by role. If you did not grant the role permission to send e-documents for certification, the Certify E-document button won't be available on transactions viewed by role.

Deploying the Bulk Generation Script for E-Documents

The Electronic Invoicing SuiteApp enables an administrator to deploy a script to generate multiple e-documents at a specific time, instead of generating e-documents for each transaction manually.

By default, the script's status is set to **Not Scheduled**. The administrator can set a schedule for the script to generate e-documents in bulk.

Note: Only an administrator can view, edit, and run the **Generate E-Document Content** script included in the SuiteApp.

For bulk processing using the MR script, the first active administrator gets automatically selected as the owner.

The script generates e-documents for transactions that have the following e-document statuses:

- **For Generation** – The script generates e-documents for transaction records that have e-document templates.
- **Generation Failed** – The script regenerates e-documents for transaction records with assigned e-document templates that previously encountered errors during generation. Errors must be fixed before e-documents can be regenerated. For more information, see [Outbound E-Document Generation Errors](#).

After the system generates e-documents, it updates the value in the **E-Document Status** field on the **E-Document** subtab of each transaction record. The field shows one of the following values:

- **Ready for Sending** – This status means the e-document was generated successfully and can be sent to the customer or vendor.
- **Generation Failed** – This status means the e-document was not generated. Information about generation errors are shown in the **Details** column of the **E-Document Audit Trail** subtab. The user must first fix the errors before the e-document can be regenerated for the transaction record.

Note: If e-document generation fails, NetSuite does not send an email notification to the administrator. Instead, it sends an email notification containing the error details to the user who created the transaction record. The user must fix the errors before an e-document can be regenerated for the transaction record.

For more information about generation errors, see [Outbound E-Document Generation Errors](#).

See also [Generating and Regenerating E-Documents in Bulk](#).

To deploy the bulk generation script for e-documents:

1. Go to Customization > Scripting > Script Deployments.
2. Click the Edit link of the **Generate E-Document Content MR** script.
3. Clear the **Deployed** box if you don't want to deploy the script yet. A script won't run in NetSuite until the **Deployed** box is selected.
4. Select a status in the **Status** field:
 - Testing
 - Not Scheduled
 - Scheduled

For more information, see the help topic [Setting Script Deployment Status](#).

5. Choose an event type on the **Schedule** subtab:
 - **Single event** – The script generates e-documents only one time.
 - **Daily event** – Enter the interval between days if this event is every day or every few days, or select every weekday if this event is every day except Saturdays and Sundays.
Enter 1 as the interval if this event is every day, for example, or enter 2 if the event is every other day.
 - **Weekly event** – Enter the interval between weeks, and select the day of the week this event repeats on.
 - **Monthly Event** – If you want to generate e-documents on the same day of every month or every few months, enter the date the generation of e-documents repeats, and select the interval between months.
If you want to generate e-documents on the same day of the week every month or every few months, select the week, the day of the week, and enter the interval between months.
 - **Yearly Event** – If you want to generate e-documents one time every year, select the month and day to generate e-documents, or select the week, day, and month.
 - **Start Date** – You must enter the date you want to schedule the generation of e-documents for.
 - **Start Time** – Enter the time you want the generation of e-documents to start.
 - **Repeat** – Select how often you want the script to generate e-documents. On the day the script is scheduled to run, e-documents are generated at the specified **Start Time** and repeat every *n* hours until midnight.
 - **End By** – Set the date the script stops generating e-documents.
If you are scheduling a single event, e-documents will be generated on the date entered in the **Start Date** field.
If you are scheduling a repeat event, e-documents will be generated according to the schedule you set starting on the date entered in the **Start Date** field and ending on the date entered in the **End By** field.
 - **No End Date** – Check this box if you want to repeat the schedule indefinitely.

6. Click **Save and Execute** to generate e-documents immediately. Click **Save** to generate e-documents according to the schedule you chose.

Deploying the Script for Bulk Scheduled Sending of E-Documents

Like the script for generating e-documents in bulk, the Electronic Invoicing SuiteApp also has a script for automatic scheduled sending of outbound e-documents. The script sends only outbound e-documents whose status is Ready for Sending.

Note: By default, only the administrator can view, edit, and run the Automatic Send E-Document MR script included in the SuiteApp, because the administrator has the permission to view, edit and run Script Deployment records.

For bulk processing using the MR script, the first active administrator gets automatically selected as the owner.

By default, the script's status is set to Not Scheduled. The administrator can set a schedule for the script to send outbound e-documents.

To deploy the script for scheduled sending of e-documents:

1. Go to Customization > Scripting > Script Deployments
2. Click the Edit link of the **Automatic Send E-Document MR** script.
3. Clear the **Deployed** box if you don't want to deploy the script yet. A script won't run in NetSuite until the Deployed box is selected.
4. Select a status in the **Status** field:
 - Testing
 - Not Scheduled
 - Scheduled

For more information, see the help topic [Setting Script Deployment Status](#).
5. Choose an event type on the **Schedule** subtab:
 - **Single Event** – The script sends outbound e-documents only one time.
 - **Daily Event** – Enter the interval between days if this event should occur every day or every few days, or select every weekday if this event should occur every day except Saturdays and Sundays. For example, enter 1 as the interval if this event should occur every day, or enter 2 if the event should occur every other day.
 - **Weekly Event** – Enter the interval between weeks, and select the day of the week this event should be repeated.
 - **Monthly Event** – If you want to send e-documents on the same day of every month or every few months, enter the date when you want e-document sending to repeat and then select the interval between months. If you want to send e-documents on the same day of the week every month or every few months, select the week, the day of the week, and enter the interval between months.
 - **Yearly Event** – If you want to send e-documents one time every year, select the month and day, or select the week, day, and month.
 - **Start Date** – You must enter the date when you want to schedule the sending of e-documents .
 - **Start Time** – Enter the time when you want the sending of e-documents to start.

- **Repeat** – Select how often you want the script to send e-documents. On the day the script is scheduled to run, e-documents will be sent at the specified Start Time and the process repeats every n hours until midnight.

- **End By** – Set the date when the script should stop sending e-documents.

If you are scheduling a single event, e-documents will be sent on the date entered in the Start Date field.

If you are scheduling a repeat event, e-documents will be sent according to the schedule you set, starting from the date entered in the Start Date field and ending on the date entered in the End By field.

- **No End Date** – Check this box if you want to repeat the schedule indefinitely.

6. Click **Save and Execute** to send e-documents immediately. Click **Save** to send e-documents according to the schedule you chose.

The script automatically searches for outbound e-documents whose status are Ready for Sending, and then sends them. After the outbound e-documents are sent, their status is changed to either Sent or Sending Failed. Details of any error during sending are recorded in the E-Document Audit Trail. Error notification is sent to the Recipient of E-Document Notifications. If Recipient of E-Document Notifications has not been defined yet, the notifications are sent to active administrators. The notification has a CSV file attached containing details of the error.

Deploying the Script for Bulk Scheduled Certification of E-Documents

Like the script for generating and sending e-documents in bulk, the Electronic Invoicing SuiteApp also has a script for automatic scheduled certification of outbound e-documents. The script sends only outbound e-documents for certification, whose status is Ready for generation.

For more details about E-Document Certification in general, please refer [E-Document Certification in the Outbound Process](#)



Note: By default, you can view, edit, and run the Automatic Certify E-Document MR script included in the SuiteApp only if you are an administrator. The administrator has the permission to view, edit and run Script Deployment records.

For bulk processing using the MR script, the first active administrator gets automatically selected as the owner.

By default, the script's status is set to Not Scheduled. The administrator can set a schedule for the script to certify outbound e-documents.

To deploy the script for scheduled certification of e-documents:

1. Go to Customization > Scripting > Script Deployments
2. Click the Edit link of the **Automatic Certify E-Document MR** script.
3. Clear the **Deployed** box if you don't want to deploy the script yet. A script won't run in NetSuite until the Deployed box is selected.
4. Select a status in the **Status** field:
 - Testing
 - Not Scheduled
 - Scheduled

For more information, see the help topic [Setting Script Deployment Status](#)

5. Choose an event type on the **Schedule** subtab:
 - **Single Event** – The script sends outbound e-documents for certification only one time.
 - **Daily Event** – Enter the interval between days if this event should occur every day or every few days, or select every weekday if this event should occur every day except Saturdays and Sundays. For example, enter 1 as the interval if this event should occur every day, or enter 2 if the event should occur every other day.
 - **Weekly Event** – Enter the interval between weeks, and select the day of the week this event should be repeated.
 - **Monthly Event** – If you want to certify e-documents on the same day of every month or every few months, enter the date when you want e-document sending to repeat and then select the interval between months. If you want to send e-documents on the same day of the week every month or every few months, select the week, the day of the week, and enter the interval between months.
 - **Yearly Event** – If you want to certify e-documents one time every year, select the month and day, or select the week, day, and month.
 - **Start Date** – You must enter the date when you want to schedule the certification of e-documents.
 - **Start Time** – Enter the time when you want the certification of e-documents to start.
 - **Repeat** – Select how often you want the script to certify e-documents. On the day the script is scheduled to run, e-documents will be sent at the specified Start Time and the process repeats every n hours until midnight.
 - **End By** – Set the date when the script should stop sending e-documents for certification.
 If you are scheduling a single event, e-documents will be sent for certification on the date entered in the Start Date field.
 If you are scheduling a repeat event, e-documents will be sent for certification according to the schedule you set, starting from the date entered in the Start Date field and ending on the date entered in the End By field.
 - **No End Date** – Check this box if you want to repeat the schedule indefinitely.
6. Click **Save and Execute** to certify e-documents immediately. Click **Save** to send e-documents according to the schedule you chose.

The script automatically searches for outbound e-documents whose status are Ready for Certification, and then sends them for certification. After the outbound e-documents are sent for certification, their status is changed to one of the e-document statuses denoting a successful certification (Ready for Sending) or a failure in certification (Certification Failed or Certification Data Error), depending on how the Certification Sending Method implementation is configured. For more details, please refer [Updating E-Document Certification Statuses](#).

Details of any error during sending are recorded in the E-Document Audit Trail. Error notification is sent to the Recipient of E-Document Notifications. If Recipient of E-Document Notifications has not been defined yet, the notifications are sent to active administrators. The notification has a CSV file attached containing details of the error.

Scheduled Script for Getting Network Status of E-Documents

The Electronic Invoicing SuiteApp provides a script to automatically get network status for bulk transactions. The script has an additional parameter **Transactions Filtering Plugin ID** (id:

custscript_ei_filtertransid). This parameter populates the implementation id of the Transactions Filtering Plugin ID field, which contains the logic for filtering transactions. By default, the script selects transactions if the following conditions are met:

- The **Network Reference Id** is populated.
- The **Network Status Updated On** date is either on the current or previous day.
- The transaction's e-document status is not **Canceled**.

By default, the script's status is set to **Scheduled** and it runs every 2 hours. The administrator can set a different schedule as per their requirements.

Implementing Transaction Filtering Plug-in

The Electronic Invoicing SuiteApp has added a custom plug-in type called the Transaction Filtering Plugin (id: custscript_transactionfilterplugin). This plug-in contains the following method which the administrator must implement:

getFilteredTransactions: This method filters the transactions for which the **Automatic Get Network Status MR** script updates the statuses. The method returns an array of objects. The objects have two keys that contain the details of transactions.

The details of objects in the returned array are given in the following table:

Parameter	Type	Description
id	String	It is the unique number to identify the transaction.
recordType	String	It specifies the type of transaction.

In the default implementation, the **getFilteredTransactions** method returns the list of transactions where:

- The **Network Reference Id** is populated.
- The **Network Status Updated On** date is either on the current or previous day.
- The transaction's e-document status is not **Canceled**.

```

1  /**
2   * @NApiVersion 2.x
3   * @NModuleScope Public
4   * @NScriptType plugintypeimpl
5   */
6   define(["N/search", "N/format"], function (search, format) {
7     /**
8      * getFilteredTransactions - This function is the entry point of our plugin script
9      *
10     * @returns {Array} transactions
11     * @returns {Object} transaction
12     * @returns {String} transaction.recordType
13     * @returns {String} transaction.id
14     */
15     function getFilteredTransactions() {
16       var transactions = [];
17       var yesterdayDate = new Date();
18       yesterdayDate.setDate(yesterdayDate.getDate() - 1);
19       var transSearch = search.create({
20         type: search.Type.TRANSACTION,
21
22         filters: [
23           [

```

```

24     "trandate",
25     search.Operator.NOTBEFORE,
26     format.format({
27       value: yesterdayDate,
28       type: format.Type.DATE,
29     }),
30   ],
31   "and",
32   ["custbody_ei_network_id", search.Operator.ISNOTEMPTY, ""],
33   "and",
34   ["mainline", "is", "T"],
35 ],
36 });
37 var PAGE_SIZE = 1000;
38
39 var searchResult = transSearch.runPaged({ pageSize: PAGE_SIZE });
40 searchResult.pageRanges.forEach(function (pageRange) {
41   var currPage = searchResult.fetch({ index: pageRange.index });
42
43   currPage.data.forEach(function (result) {
44     transactions.push({
45       recordType: result.recordType,
46       id: result.id,
47     });
48   });
49 });
50 return transactions;
51 }
52
53 return {
54   getFilteredTransactions: getFilteredTransactions,
55 };
56 });

```

The administrator must add a plug-in implementation for the Transaction Filtering Plugin type. You must provide the id for implementation in the **Automatic Get Network Status MR** script's parameter **Transaction Filtering Plugin ID**.

Adding Transaction Filtering Plugin ID

The administrator must add a plug-in implementation for the Transaction Filtering Plugin type.

To add Transaction Filtering Plugin ID for bulk network status:

1. Go to Customization > Scripting > Script Deployments.
2. Click **Edit** on the **Automatic Get Network Status MR** script.
3. Go to **Parameters** subtab.
4. In the **Transactions Filtering Plugin ID** field, enter the relevant ID.
5. Click **Save**.

Updating E-Document Certification Statuses

E-document certification statuses are not automatically updated by the Electronic Invoicing SuiteApp. E-document certification statuses can be updated through the certification sending method implementation. If your company or organization is implementing its own e-document certification sending, you can use the format of the following sample script for capturing sending method return, which can be used to update the e-document certification statuses and log corresponding messages in the E-document Audit Trail.

Note: Electronic Invoicing SuiteApp provides support to send e-documents for certification individually or in bulk to Avalara. All the eligible e-documents are automatically sent for certification without any manual intervention. For more information about Avalara for e-Invoicing, see [Avalara for E-Invoicing](#).

Status	Description
Ready for Certification	This status is displayed when the e-document sending to Avalara for certification is unsuccessful.
Certification in Progress	This status is displayed when the e-document sending to Avalara for certification is successful.

Note: This sample script uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript Debugger](#).

The following code is a sample script to implement e-document certification status updates.

```

1  /**
2   * Copyright (c) 2017, Oracle and/or its affiliates.
3   *
4   * @NApiVersion 2.x
5   * @NScriptType plugintypeimpl
6   * @NModuleScope public
7   */
8   define([], function() {
9       /**
10        * send - This function is the entry point of our plugin script
11        * @param {Object} pluginContext
12        * @param {String} pluginContext.scriptId
13        * @param {String} pluginContext.sendMethodId
14        * @param {String} pluginContext.eInvoiceContent
15        * @param {Object} pluginContext.customer
16        * @param {String} pluginContext.customer.id
17        * @param {Array} pluginContext.customer.recipients
18        * @param {Object} pluginContext.transaction
19        * @param {String} pluginContext.transaction.number
20        * @param {String} pluginContext.transaction.id
21        * @param {String} pluginContext.transaction.poNum
22        * @param {Object} pluginContext.sender
23        * @param {String} pluginContext.sender.id
24        * @param {String} pluginContext.sender.name
25        * @param {String} pluginContext.sender.email
26        * @param {Array} pluginContext.attachmentFileIds
27        *
28        * @returns {Object} result
29        * @returns {Boolean} result.success
30        * @returns {String} result.message
31        */
32        return {
33            send: function(pluginContext) {
34                var result = {
35                    success: true,
36                    message: '',
37                    eiStatus: {
38                        "transactionId": pluginContext.transaction.id,
39                        "transactionType": pluginContext.transaction.tranType,
40                        "entity": customer.id,
41                        "eDocStatus": "3",
42                        "eventType": "3",
43                        "details": "The e-Doc successfully certified and is ready for sending.",
44                        "owner": pluginContext.sender.id,
45                        "isUpdateFields": "true",
46                        "extraFieldsForUpdate": {},

```

```

47         "bundleId": "",
48         "bundleName": ""
49     }
50 };
51     return result;
52 }
53 }
54 });

```

If e-document certification is successful, the script will change the e-document status of the transaction to Ready for Sending and add the following details in the E-Document Audit Trail:

The e-document was successfully certified and is ready for sending.

The following table lists the parameters that the object eiStatus in the script takes up.

Parameter	Type	Description	Values
transactionId	String	ID of transaction record	Required
transactionType	String	Transaction type such as INVOICE, VENDOR_BILL, ITEM_FULFILLMENT, and others	Required
entity	String	ID of entity record; for example, Customer, Vendor, and others.	Required
eDocStatus	String	E-document Status Use numbers for status types. The following numbers can be used: ■ READY_FOR_SENDING : 3 ■ CERTIFICATION_IN_PROGRESS : 20 ■ CERTIFICATION_DATA_ERROR : 21 ■ CERTIFICATION_FAILED : 22 ■ CANCELED : 17	Required
eventType	String	E-document Audit Trail Event Use numbers for event types. The following numbers can be used: ■ READY_FOR_SENDING : 3 ■ CERTIFICATION_IN_PROGRESS : 20 ■ CERTIFICATION_DATA_ERROR : 21 ■ CERTIFICATION_FAILED : 22 ■ CANCELED : 16 For more information, see Certification Statuses .	Required
details	String	Details	Required
owner	String	ID of user or Employee	Required
isUpdateFields	String	Flag; if TRUE, the EI Status is updated, fields are provided in extraFieldsForUpdate field and an audit trail is created. Otherwise, an audit trail is created.	Required
extraFieldsForUpdate	JSON	A JSON object containing the key-value pair for the transaction body fields, where key is the field ID and value is the field value. It can be used to update any transaction body field required by a Country SuiteApp.	Required (can be an empty object)

Parameter	Type	Description	Values
bundleId	String	BundleId of the requester	Required
bundleName	String	BundleName of the requester	Required

The parameter details will be included in the E-Document Audit Trail.

Certification Statuses

The following table has details about each of the certification stages for an e-document.

Status	Description
Ready for Sending (Internal Id: 3)	This status is set when the certification is completed successfully. After the status is set, only Send button will be enabled. You won't be able to re-generate or certify the e-document again.
Certification In Progress (Internal Id: 20)	This means certification process is in progress and no EI buttons will be displayed while the transaction is in this status. You can proceed further, only if the result is either success or failure.
Certification Data Error (Internal Id: 21)	You can set this status during the certification process through the custom plug-in when there are some errors like: - Incorrect field values in XML or JSON. - Data is not in correct or standard format, and so on. Electronic Invoicing will allow re-generation of e-document if the status is updated to Certification Data Error.  Note: Only manual re-generation is possible by clicking Generate button on the transaction. The bulk generation MR won't pick transactions with this status.
Certification Failed (Internal Id: 22)	You can set this status during the certification process through the custom plug-in when there are some errors due to: - Connection failure - Incorrect request parameters - Incorrect URLs or endpoints, and so on. Re-generation won't be possible on a transaction and Generate E-Document button won't be available when set to this status. Certify button will be enabled.
Canceled (internal id: 17)	The status can be set when the e-document is no longer required or the transaction is approved for cancellation by the certification authority. You can set this status during the certification process through a custom plug-in. No buttons related to the Electronic Invoicing SuiteApp will be visible on the transaction while in this status.

Processing E-Documents Automatically for Individual Transactions

A user with required permissions can process e-documents automatically for individual transactions. All the e-document processes like generate, certify and send can be automated by clicking a single **Process E-Document** button. Before processing the e-documents automatically for a transaction, the transaction's e-document template, sending method and certification must be set up.

 **Tip:** Processing e-documents automatically rather than manually can be useful in reducing the time and effort, especially when it is used along with auto-selection of template and sending method. For more information, see **Template and Sending Method Auto-selection** in [Multi-subsidiary Support in the Outbound Process](#)

The automatic processing of e-document feature is disabled by default. To enable this feature, an administrator must select an **E-Document Automation Type** from the list available in the subsidiary or parent company link in the Electronic Invoicing Preferences page.

To process e-documents automatically for individual transactions:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences. For OneWorld accounts, click the required subsidiary link, and for accounts without OneWorld, click the parent company link.
2. Select one of the following options from the **E-Document Automation Type** dropdown.
 - Generate, Certify, Send – The **Process E-Document** button becomes available on the transactions. It enables you to perform e-document's generate, certify and send processes by clicking the **Process E-Document** button.



Note:

- E-document certification process is not performed if a valid certification sending method is not defined.
- If an e-document is generated using Avalara for e-Invoicing, then you can use the following button or script to send the eligible e-documents to Avalara automatically.
 - **Certify E-Document** button
 - Bulk Certify MR script
- The process button is not available for transactions using Avalara services for certification.

- Generate, Certify – The **Process E-Document** button becomes available on the transactions. It enables you to perform e-document's generate and certify processes by clicking the **Process E-Document** button.
- Certify, Send – The **Process E-Document** button becomes available on the transactions. It enables you to perform e-document's certify and send processes by clicking the **Process E-Document** button.
- Disable – This option is selected by default. The **Process E-Document** button is not available on the transactions. The e-document's generate, certify and send processes must be performed manually using the **Generate E-Document**, **Certify E-Document** and **Send E-Document** buttons. For more information, see [Overview of Outbound E-Document Process](#).

Only a user with administrator role can configure the e-document processes for automation. After this you can use the **Process E-Document** button on individual transactions to process the e-documents automatically for a subsidiary.

Electronic Invoicing Inbound Email Capture

Inbound electronic invoicing supports the capturing of vendor invoices, credit memos and customer sales orders in XML format sent through email. This means the vendors can send you invoices, credit memos, and the customers can send you sales orders in XML through email, which you can directly view as inbound e-document records.

When the system receives email with an XML invoice attached, it first determines the entity (customer or vendor) based on either the entity's email domain or sender email address. If the entity is determined, the system automatically captures the email with the XML invoice and then stores the XML content as an inbound e-document record. Inbound e-document records from email capture are automatically added to the Inbound E-Documents List with the e-document status indicated.

If the entity is not determined from the email e-document, or other errors are encountered, the system sends a notification to the Recipient of E-Document Notifications, informing that user of the problems encountered with the received email e-document. If the Recipient of E-Document Notifications is not set up, the notifications are sent to all active administrators.

Setting Up Inbound Email Capture

Set up the Inbound Email Capture feature in your account by performing the following tasks:

- Enable the Inbound Email Capture Plug-in.
- Set up Vendor E-Document Email Sender.

Enabling Inbound Email Capture Plug-in

The Electronic Invoicing SuiteApp comes with an inbound email capture plug-in that you must first enable.

To enable the inbound email capture plug-in:

1. Go to Customizations > Plug-ins > Manage Plug-ins.
2. On the Manage Plug-in Implementations page, check the **Inbound Email Capture PI** box.
3. Click **Save**.

Take note of the email address indicated, with the domain emails.netsuite.com. This is the email address where your vendors should send their XML invoices to. This email address is different for every account. It is that you set up an alias for this email address in your email facility, so that your vendors can easily record or remember the email address. For more information about setting up an email alias, see the help topic [Create an Email Alias and Set Up Forwarding](#)

To view details of events or errors associated with the inbound email capture plug-in, go to Customization > Plug-ins > Plug-in Implementations. Click the View link of the Inbound Email Capture PI and then on the Plug-In Implementation page, click the Execution Log subtab. For more information about the email capture plug-in, see the help topics [Email Capture Plug-in Overview](#) and [Administering an Email Capture Plug-in Implementation](#)

Aside from the plug-in execution log, the system also sends inbound e-document email capture notification messages to your designated recipient, informing that user of the details of any event or error associated with the inbound email capture plug-in.

Setting Up Vendor E-Document Email Sender

After enabling the e-document email capture plug-in, you must identify or assign the Vendor E-Document Sender in vendor records.

To set up the vendor e-document email sender

1. Edit a vendor record and click the **E-Document** subtab.
2. You can enter the email domain associated with the vendor in the **Sender Email Domain** field. If you enter an email domain in this field, the system will use the email domain to determine the vendor of the captured email e-documents.

 **Note:** The vendor email domain you enter must be unique for each vendor. No vendors must have the same email domain.

3. Enter the email address of the vendor's designated user in the **Vendor E-Document Email Sender** sublist. Add as many vendor sender email addresses as necessary. The system will use the email addresses you entered to determine the vendor of captured email e-documents.

 **Note:** Only designated vendor e-document email senders can create inbound e-documents.

4. If you want the system to use the email addresses you entered in **Vendor E-Document Email Sender** instead of the domain, for determining the vendor of captured e-document email, you can check the **Use Sender Email List** box. If you check the box, you must enter email addresses in the **Vendor E-Document Email Sender** field, which becomes required and replaces the domain as the basis for determining the vendor.
5. Click **Save**.

If you don't enter an email domain or check the Use Email Sender List box, the system won't be able to determine the vendor of the email e-document and an inbound e-document won't be created. In this case, the system will send a notification to the recipient you designated, informing that user that e-document email was received but no vendor was associated with the e-document.

To apply these settings to your existing vendor records, you can use CSV Import.

Setting Up Customer E-Document Email Sender

To set up the customer e-document email sender

1. Go to Lists > Relationships > Customers.
2. Click **Edit** on a customer record.
3. Click the **E-Document** subtab.
4. In the **Sender Email Domain** field, enter the email domain associated with the customer. If you enter an email domain in this field, the SuiteApp will use the email domain to determine the customer of the captured email e-documents.

Note: The customer email domain you enter must be unique for each customer. No customers must have the same email domain.

5. In the **Customer E-Document Email Sender** sublist, enter the email address of the customer's designated user.

You can add as many senders' email addresses as possible. The SuiteApp will use these email addresses to determine the customer of captured email e-documents.

Note: Only designated customer e-document email senders can create inbound e-documents.

6. (Optional) To use the email address in **Customer E-Document Email Sender** instead of the domain for determining the customer of the captured e-document email:
 1. Check the **Use Sender Email List** box.
 2. Enter email addresses in the **Customer E-Document Email Sender** field.
This step replaces the domain as the basis for determining the customer.
7. Click **Save**.

If you don't enter an email domain or check the **Use Email Sender List** box:

1. The SuiteApp won't be able to determine the customer of the email e-document.
2. An inbound e-document won't be created. NetSuite will send a notification to the recipient, informing that the e-document email was received but no customer was associated with the e-document.

Updating Vendor or Customer Records

To apply or update vendor or customer e-document email sender or recipient:

1. Go to Setup > Import/Export > Import Tasks > Import CSV Records.
2. In the **Import Type** field, select Custom Records.
3. In the **Record Type** field, select Vendor E-Document Email Sender or Recipient, or Customer E-Document Email Sender or Recipient.
4. Click **Select**, and choose the CSV file to upload.
5. Click **Next**.
6. On Import Options, select the appropriate Data Handling option. Click **Next**.
7. On Field Mapping, if you are updating the vendor or customer e-document email sender, make sure that email and vendor are mapped to appropriate values. If you are updating the vendor or customer e-document email recipient, make sure that the contact and the vendor or customer are mapped to appropriate values. Click **Next**.
8. In the **Import Map Name**, enter a unique name. Click **Save & Run**.

After enabling the E-Document Email Capture plug-in, you must identify or assign the customer e-document sender in the customer records.

Setting Up An Email Subject

Users can create inbound e-documents using an email capture plug-in for transaction types like bill, bill credit and sales order. If an email subject in the email contains the word BillCredit (case-sensitive), an inbound e-document will be created with transaction type selected as bill credit.

Similarly, if an email subject in the email contains the word SalesOrder (case-sensitive), an inbound e-document will be created with transaction type selected as sales order. If not, an inbound e-document of type bill will be created.

For more information about performing CSV Import, see the help topics [CSV Imports Overview](#) and [Importing CSV Files with the Import Assistant](#).

Using SOAP Web Services for Inbound Processing

Inbound e-document processing supports SOAP web services, which offer advantages in interoperability, flexibility and security in sending information over the internet. By enabling the web service features in NetSuite, you can receive XML files sent through web service and then capture information in XML for subsequent creation of e-documents. You can set up vendor or employee records to authorize them as web service senders. As authorized web service senders, these entities can send single or multiple XML files in one web service request.

Setting Up Inbound E-Document SOAP Web Services

1. Go to Setup > Company > Enable Features.
 - a. On the **SuiteCloud** subtab, under SuiteTalk (Web Services), check **SOAP Web Services**.
 - b. Under Manage Authentication, check **Token-Based Authentication**.
 - c. On the **Web Presence** subtab, under Access, check **Vendor Access**.
 - d. Click **Save**.

For more information, see the help topics [SuiteCloud Features](#) and [Commerce Features](#).
2. Create an integration record to generate authentication keys. Go to Setup > Integration > Integration Management > Manage Integrations > New. For more information, see the help topic [Creating an Integration Record](#).
 - a. Enter or select values in the **Name** and **Description** fields. Retain the default value in the **State** field, which is **Enabled**.
 - b. On the **Authentication** subtab, check **Token-based Authentication**. The **User Credentials** box is checked by default, retain this.
 - c. Click **Save**.

The Consumer Key and Consumer Secret are generated and displayed on the integration record. Copy the Consumer Key and Consumer Secret to send to the vendors or parties that you want to authorize as web service senders.
3. If you upgraded the Electronic Invoicing SuiteApp from a previous version, make sure that the custom role, Inbound E-Document Web Service Role, is included in the target audience of the E-Document Inbound UE script deployment. But if the SuiteApp is a new installation, you don't have to perform these steps.
 - a. Go to Customization > Scripting > Scripts.
 - b. Click the Deployments link of the E-Document Inbound UE script and edit the record.
 - c. On the **Audience** subtab, under Roles, select **Inbound E-Document Web Service Role** to add it to the list of roles.
 - d. Click **Save**.
4. Assign the Inbound e-Document Web Services Role to the vendor or employee whom you want to authorize to be the sender of XML files through web service.
 - a. Edit the vendor or customer record that you authorized as web service sender.
 - b. On the vendor or customer record **E-Document** subtab, enter appropriate values in the **Web Service ID** and **Web Service Sender** fields.

For the Web Service ID, you can assign any unique identifier of the vendor or the customer, like the tax ID. For the Web Service Sender, you can choose from the list a vendor or an employee, whom a vendor or employee designated to send e-documents of its behalf.

- c. Click **Save**.

For more information, see the help topics [Assigning Roles to an Employee](#) and step 6 under the Access section in [Creating a Vendor Record](#).

5. Create access tokens for each vendor or employee that you authorized as web service sender.

- a. Go to Setup > Users/Roles > User Management > Access Tokens > New.
- b. In the **Application Name** field, select the integration record that you created in step 2, which will be associated with the access token you will create.
- c. In the **User** field, select the vendor or employee whom you assigned the Inbound e-Document Web Service Role.
- d. In the **Role** field, select **Inbound e-Document Web Service Role**. The Token Name is automatically assigned a value.
- e. Click **Save**.

The Token ID and Token Secret are generated and displayed on the Access Token page. Copy the values for the Token ID and Token Secret before going to another page.



Important: For security reasons, the values for the Token ID and Token Secret are only displayed on the initial setup page. They cannot be retrieved from the system. If you did not take note or copied the Token ID and Token Secret values, you will need to create a new token.

For more information, see the help topic [Getting Started with Token-based Authentication](#).

6. Send or convey the following web service connection and authentication details to authorized web service senders:

- Consumer Key
- Consumer Secret
- Token ID
- Token Secret
- Account ID

Go to Setup > Company Information. In the **Account ID** field, obtain the value that you need to send.

- Inbound E-Document Web Service RESTlet External URL

Go to Customization > Scripting > Scripts. View the Inbound E-Document Web Service RL, RESTlet. On the **Deployments** subtab, click **Inbound E-Document Web Service RL**. The External URL is displayed.

- The vendor or customer Web Service ID.

After setting up SOAP web services for inbound processing, you are ready to receive XML e-documents from SOAP web services. For more information, see [Receiving E-Document XML Files from Web Service](#).

Web Service Sender Setup Tasks

The authorized web service sender can either be a vendor or an employee. Web service senders must also perform setup tasks before they can send e-document files through web service.

First, a web service sender must obtain the web service connection and authentication details from you. Then, they must meet the following requirements in constructing the web service request.

Requirements	Web Service Details
OAuth 1.0 Authentication	Use the authentication details from the NetSuite user: - Consumer Key - Consumer Secret - Token ID - Token Secret - Realm (Account ID)
OAuth Data	- Consumer Key = generated from Netsuite - Signature Method = HMAC-SHA1 or HMAC-SHA256 - OAuth Nonce = unique string that is generated - Timestamp = timestamp in seconds - OAuth Version = 1.0 - OAuth Token = generated from Netsuite - OAuth Signature = Key is secret key, Base String. For more information, see the help topics Using TBA for RESTlet Authentication (OAuth) and Step One Obtain An Unauthorized Request Token.
Content-type header	Application/json
Request Method	POST
Web Service Request Body	JSON Object Sample code for sending a single XML file with transaction type as Bill in one request: <pre> 1 { 2 "identifier": "vendor1", 3 "fileName": "vendor1.xml", 4 "content": "<XML>content</XML>" 5 "tranType": "Bill" 6 }</pre> Sample code for sending a single XML file with transaction type as BillCredit in one request: <pre> 1 { 2 "identifier": "vendor1", 3 "fileName": "vendor1.xml", 4 "content": "<XML>content</XML>" 5 "tranType": "BillCredit" 6 }</pre> Sample code for sending a single XML file with transaction type as SalesOrder in one request: <pre> 1 { 2 "identifier": "customer1",</pre>

Requirements	Web Service Details
	<pre> 3 "fileName": "purchase_order.xml", 4 "content": "<XML>content</XML>" 5 "tranType": "SalesOrder" 6 } </pre> If multiple XML files must be sent in one web service request, the format must be an of JSON objects. Sample code for sending multiple XML files in one request: <pre> 1 [{ 2 "identifier": "vendor1", 3 "fileName": "vendor1-1.xml", 4 "content": "<XML>content</XML>" 5 }, 6 { 7 "identifier": "vendor1", 8 "fileName": "vendor1-2.xml", 9 "content": "<XML>content</XML>" 10 }, 11 { 12 "identifier": "vendor2", 13 "fileName": "vendor2.xml", 14 "content": "<XML>content</XML>" 15 }, 16 { 17 "identifier": "customer1", 18 "fileName": "purchase_order.xml", 19 "content": "<XML>content</XML>", 20 "tranType": "SalesOrder" 21 }] </pre>  Note: If tranType parameter is not included, it will create an inbound e-document with transaction type as Bill. This param is case sensitive, and accepts either Bill, BillCredit, or Sales Order.  Important: There is a limit of 10MB per string used as RESTlet input or output. For more information, see the help topic RESTlet Governance and Security.

Setting Up Custom Roles that can Convert Inbound E-Documents

An administrator can create custom roles or customize standard roles, to grant them the permission to perform conversion of inbound e-documents into transaction records.

To grant a role the permission to convert inbound e-documents into transaction records:

1. Set up the permission. Go to Setup > Users/Roles > User Management > Manage Roles. Select the role you want to grant permission to and click its Customize link. On the Role page, do the following:
 - On the **Custom Record** subtab, do the following:

- In the Inbound E-Documents row, click the entry in the Level column. Select **Edit**.
 - In the E-Document Audit Trail row, click the entry in the Level column. Select **Edit**.
 - On the **Transactions** subtab, do the following:
 - In the Bills row, click the entry in the Level column. Select **Full**.
 - In the Purchase Order row, click the entry in the Level column. Select **View**.
 - On the **Lists** subtab, do the following:
 - In the Vendors row, click the entry in the Level column. Select **View**.
 - In the Customers row, click the entry in the Level column. Select **View**.
 - In the Perform Search row, click the entry in the Level column. Select **View**.
 - In the Documents and Files row, click the entry in the Level column. Select **View**.
 - Click **Save**.
2. Make the Convert button visible to the roles with permission to perform e-document conversion. To do so, the inbound e-document script deployment must be enabled. Go to Customization > Scripting > Script Deployments. On the Script Deployments page, do the following:
 - Click the Edit link of the script customdeploy_edoc_ue_inbound, **E-Document Inbound UE**.
 - On the **Audience** subtab, select the roles that the script will execute for. To select multiple roles, press and hold down the Ctrl key while selecting the roles.
 - Click **Save**.
For more information about associating a role with script deployment, see the help topic [Executing Scripts Using a Specific Role](#).
 3. Assign the role with the permission to perform inbound conversion, to employees. See the help topic [Assigning Roles to an Employee](#).

For more information, see the help topics [Customizing or Creating NetSuite Roles](#) and [Setting Permissions for a Custom Record Type](#).

Inbound Validation Plug-ins

The Electronic Invoicing SuiteApp provides support for plug-ins that can perform inbound e-document validation according to the requirements of tax agencies or standards regulatory bodies.

You can create or customize a plug-in that communicates with external sites or systems of a third party, such as a tax agency, which validates e-documents and then returns the results to the plug-in. Or you can create or customize a plug-in that itself performs the required e-document validation.

An inbound e-document validation plug-in must be set up first and integrated with a vendor e-document package. With the validation plug-in set up, every time a user converts inbound e-documents to vendor bills or vendor credits, the plug-in automatically triggers the validation process that is transparent to the user. Depending on your implementation of the plug-in, it can either send the XML e-documents to a validating third party or validate them locally.

The result of the validation process can be viewed from the status of the inbound e-document. If the inbound e-document passed validation, then parsing and conversion will proceed. However, if the inbound e-document is invalid, conversion won't proceed and the status of the inbound e-document will be set to Conversion Failed. The audit trail of the inbound e-document will indicate the details of a failed local conversion process or information from a validating third party.

Note: Inbound Validation plug-ins are not supported for inbound record with sales order transaction type.

Creating a Custom Plug-in for Inbound E-Document Validation

A custom plug-in implementation for validating inbound e-documents must be created so that it will be available in the vendor e-document package.

A validation custom plug-in implementation script is included in Electronic Invoicing SuiteApp. Use the sample script as a reference or a template for creating your own custom validation plug-in.

The validation plug-in must be a JavaScript file that is compatible with SuiteScript 2.0.

To open the sample validation plug-in script, go to Documents > Files > File cabinet > SuiteBundles > Bundle 436209 > src > comp > pl > pl_inbound_validation_sample.js. Open the script in a programming editor to view the script.

Note: This sample script uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript Debugger SuiteScript Debugger](#).

The following code is a sample validation plug-in script.

```

1  /**
2   * Copyright (c) 2017, Oracle and/or its affiliates.
3   *
4   * @NModuleScope public
5   * @NApiVersion 2.x
6   * @NScriptType plugintypeimpl
7   */
8
9  define([], function() {
10     /**
11      * validate - This function is the entry point of our plugin script
12      * @param {Object} pluginContext
13      * @param {Object} pluginContext.eDocument
14      * @param {String} pluginContext.eDocument.id
15      * @param {String} pluginContext.eDocument.scriptId
16      * @param {String} pluginContext.eDocument.content
17      * @param {Object} pluginContext.eDocument.source
18      * @param {String} pluginContext.eDocument.source.id
19      * @param {String} pluginContext.eDocument.source.text
20      * @param {Object} pluginContext.eDocument.template
21      * @param {String} pluginContext.eDocument.template.id
22      * @param {String} pluginContext.eDocument.template.text
23      * @param {Object} pluginContext.eDocument.status
24      * @param {Integer} pluginContext.eDocument.status.id
25      * @param {String} pluginContext.eDocument.status.text
26      * @param {Object} pluginContext.eDocument.package
27      * @param {String} pluginContext.eDocument.package.id
28      * @param {String} pluginContext.eDocument.package.text
29      * @param {Object} pluginContext.eDocument.transactionType
30      * @param {String} pluginContext.eDocument.transactionType.id
31      * @param {String} pluginContext.eDocument.transactionType.text
32      * @param {Object} pluginContext.eDocument.vendor
33      * @param {String} pluginContext.eDocument.vendor.id
34      * @param {String} pluginContext.eDocument.vendor.text
35      * @returns {Object} result
36      * @returns {Boolean} result.success
37      * @returns {String} result.message
38      */
39     function validate(pluginContext) {

```

```

40
41     var eDoc = pluginContext.eDocument;
42     var result = {
43         success: false,
44         message: ""
45     };
46
47     // Connect to validation service
48
49
50
51     // If successful
52     result.success = true;
53     result.message = "Validation successful!";
54
55     // Sample result if not successful
56     // result.success = false;
57     // result.message = "Service returned a failed response";
58
59
60
61     return result;
62 }
63
64
65 return {
66     validate: validate
67 };
68
69 });

```



Important: The validation custom plug-in script must have the @NSScriptType plugintypeimpl.

You can create as many validation plug-ins implementation as needed in your e-document processing, but you can only assign one validation plug-in implementation per e-document package.

After creating the custom validation plug-in script, upload it to Customization > Plug-ins > Plug-in Implementations > New . The type of the custom plug-in implementation must be "Validation Plugin". For more information, [Custom Plug-in Creation](#).

Setting Up the Inbound E-Document Validation Plug-in

Before inbound e-document processing can use the validation plug-in you created, you must set up the plug-in first and then integrate it with an e-document package.

To set up the inbound e-document validation custom plug-in and integrate it with a vendor e-document package:

1. Go to Setup > E-Documents > Inbound E-Document Validation Plugin > New.
2. On the Inbound E-Document Validation Plugin page, enter the name of the plug-in in the **Name** field. In the **Script** field, select the plug-in you created from the dropdown list.
3. Click **Save**.
4. Go to Setup > E-Documents > E-Document Package.
5. On the E-Document Package List page, click the Edit link of the vendor e-document package that you want to integrate the inbound e-document validation plug-in with.
6. On the E-Document Package page, in the **Inbound E-Document Validation Plugin Implementation** field, select the custom plug-in you created.
7. Click **Save**.

The validation process or logic that you programmed into the plug-in will now be integrated with the inbound e-document conversion process.

Deploying Automatic Bulk Conversion Script for Inbound E-Documents

The administrator can create schedules to run periodic and automatic bulk conversion of all inbound e-documents of which status is For Conversion. The Electronic Invoicing SuiteApp includes a Script Deployment for running automatic bulk conversion of inbound e-documents. By default, the status of the script is set to **Not Scheduled**. The administrator can set a schedule for the script to convert inbound e-documents in bulk.

Deploy the bulk conversion script for inbound e-documents:

1. Go to Customization > Scripting > Script Deployments.
2. Expand the Filters and select **Map/Reduce** in the Type field. Click the Edit link of the script **Convert Inbound E-Document MR**.
3. Clear the **Deployed** box if you don't want to deploy the script yet. A script won't run in NetSuite until the Deployed box is selected.
4. Select a status in the **Status** field:
 - Testing
 - Not Scheduled
 - Scheduled

For more information, see the help topic [Setting Script Deployment Status](#).
5. Choose an event type on the Schedule subtab:
 - **Single Event** – The script converts inbound e-documents only one time.
 - **Daily Event** – Enter the interval between days if this event should occur every day or every few days, or select every weekday if this event should occur every day except Saturdays and Sundays. For example, enter 1 as the interval if this event should occur every day, or enter 2 if the event should occur every other day.
 - **Weekly Event** – Enter the interval between weeks, and select the day of the week this event should be repeated.
 - **Monthly Event** – If you want to convert inbound e-documents on the same day of every month or every few months, enter the date when you want inbound e-document conversion to repeat and then select the interval between months. If you want to convert inbound e-documents on the same day of the week every month or every few months, select the week, the day of the week, and enter the interval between months.
 - **Yearly Event** – If you want to convert inbound e-documents one time every year, select the month and day, or select the week, day, and month.
 - **Start Date** – You must enter the date when you want to schedule inbound e-document conversion.
 - **Start Time** – Enter the time when you want inbound e-document conversion to start.
 - **Repeat** – Select how often you want the script to convert inbound e-documents. On the day the script is scheduled to run, inbound e-documents will be converted at the specified Start Time and the process repeats every n hours until midnight.
 - **End By** – Set the date when the script should stop converting inbound e-documents.

If you are scheduling a single event, inbound e-documents will be converted on the date entered in the Start Date field.

If you are scheduling a repeat event, inbound e-documents will be converted according to the schedule you set, starting from the date entered in the Start Date field and ending on the date entered in the End By field.

- **No End Date** – Check this box if you want to repeat the schedule indefinitely.

6. Click **Save and Execute** to convert inbound e-documents immediately. Click **Save** to convert inbound e-documents according to the schedule that you set.



Note: Before deploying the bulk conversion script, make sure that the date format in inbound e-documents is the same as the date format set in Setup > Company > Preferences > General Preferences.

For bulk processing using the MR script, the first active administrator gets automatically selected as the owner.

After running the automatic bulk conversion, all inbound e-documents with status For Conversion, will be converted into transaction records. Successfully converted inbound e-documents will have their status set to Converted; otherwise, the status will be Conversion Failed.

If any of the inbound e-documents in the batch failed conversion, a notification will be sent to the email address of the user defined in the Recipient of E-Document Notifications. If all inbound e-documents in the batch were successfully converted, no notification email will be sent. The email notification will have an attached CSV file listing the inbound e-documents that underwent conversion. The list has columns indicating the Internal ID, Vendor, and details of the conversion process and errors. Likewise, you can view the error details of an inbound e-document that failed conversion by clicking the View link of that record. Then, on the E-Document Audit Trail subtab, in the Details column, view the error scope and details.

Scheduled Script for Generating Transaction Response

The Electronic Invoicing SuiteApp provides a script that generates transaction responses. The transaction responses with the following criteria are selected:

- The **Response Sent Status** field is **Ready for Generation** or **Generation Failed**.
- The Response Type should be **Acknowledged**.
- The transaction response is not in **Inactive** status.

By default, the script's status is set to not scheduled. The administrator can schedule the script as per their requirements.

Scheduled Script for Sending Transaction Response

The Electronic Invoicing SuiteApp provides a script that sends transaction responses. The sending method used to send the transaction response is defined in the subsidiary preferences for the inbound record or the transaction's subsidiary which is present in a transaction response.

The transaction responses with the following criteria are selected:

- The **Response Sent Status** field is **Not Sent** or **Ready for Sending**.
- The Response Type should be **Acknowledged** or **Accepted**
- The transaction response is not in **Inactive** status.

By default, the script's status is set to scheduled and it runs every 2 hours. The administrator can change the schedule as per their requirements.

Note: You must have active license for NetSuite Electronic Business Network Extension and active license along with available volume for Avalara Processing for NetSuite Electronic Invoicing Cloud Service to send transaction responses to Avalara

Electronic Invoicing User Guide

Note: To fully use the outbound and inbound e-document processing of the Electronic Invoicing SuiteApp, make sure your account administrator has already created and applied the e-document templates, sending method, email recipients, email capture, inbound validation plug-in, and other settings. For information about setting up Electronic Invoicing, see [Electronic Invoicing Administrator Guide](#).

The following topics are intended for users of the Electronic Invoicing SuiteApp.

General User Task

- [Setting Up Electronic Invoicing Preferences](#)
- [Displaying the E-Documents Portlet on the Home Page](#)

Outbound E-Document Processing User Tasks

- [Overview of Outbound E-Document Process](#)
- [Outbound E-Document Statuses](#)
- [Assigning E-Document Packages to Customer or Vendor Records](#)
- [Defining E-Document Email Recipients](#)
- [Selecting E-Document Packages, Templates and Sending Methods on Transactions](#)
- [Enabling PDF File Reference Generation](#)
- [Generating and Regenerating E-Documents](#)
 - [Generating E-Documents for Single Transactions](#)
 - [Regenerating E-Documents for Single Transactions](#)
 - [Generating and Regenerating E-Documents in Bulk](#)
- [Sending and Resending E-Documents](#)
 - [Sending the E-Document of a Single Transaction](#)
 - [Resending the E-Document of a Single Transaction](#)
 - [Resending E-Documents in Bulk](#)

Inbound E-Document Processing User Tasks

- [Overview of Inbound E-Document Processing](#)
- [Inbound E-Document Statuses](#)
- [Receiving Inbound E-Documents by Email Capture](#)
- [Receiving E-Document XML Files from Web Service](#)
- [Uploading Received XML Files as Inbound E-Documents](#)
- [Converting Inbound E-Documents into Transaction Records](#)
 - [Converting an E-Document into Vendor Bill Linked to Purchase Order](#)
 - [Prerequisites and Conditions for Conversion](#)
- [Common Scenarios in Vendor Bill Conversion](#)

- [Converting Individual Inbound E-Documents into Vendor Bills](#)
- [Converting Individual Inbound E-Documents into Vendor Credits](#)
- [Converting Failed Inbound E-Documents](#)
- [Compatibility of Approval Workflows with Vendor Bill Conversion](#)
- [Canceling Inbound E-Documents](#)

See also the following topics:

- [Electronic Invoicing Overview](#)
 - [Understanding E-Documents and E-Document Packages](#)
 - [Electronic Invoicing Permissions and Access Levels](#)
 - [Electronic Invoicing Limitations and Best Practices](#)
- [Electronic Invoicing Errors](#)
 - [Electronic Invoicing Error Codes](#)
 - [Outbound E-Document Generation Errors](#)
 - [Outbound E-Document Sending Errors](#)

Setting Up Electronic Invoicing Preferences

You are given access to the e-document subsidiary preferences record to view or edit the account level and subsidiary level preferences in the Electronic Invoicing Preferences page.

If your role does not have permission to view the e-document subsidiary preferences record, you will get the following message in the Subsidiaries field group:

To access the subsidiary preferences records, contact your account administrator.

For more information about the Electronic Invoicing Preferences, see [Setting Up Electronic Invoicing Preferences](#).

 **Note:** You won't be able to create or delete e-document subsidiary preferences record, even if your role has full permission to access. Contact your administrator to delete an e-document subsidiary preferences record instance. You must not delete a e-document subsidiary preferences record.

Displaying the E-Documents Portlet on the Home Page

The Electronic Documents Dashboard SuiteApp Portlet provides links to outbound and inbound e-document processes and features. For more information, see [Electronic Documents Dashboard SuiteApp Portlet](#)

If you have access permission to the e-documents portlet, you can display it on your NetSuite Home page like any dashboard portlet.

To display the E-Documents Portlet on the Home page:

1. Go to the NetSuite Home page.
2. Click **Personalize**.
3. On the Personalize Dashboard menu, select **SuiteApps**.
4. Click the Electronic Documents portlet, or drag the icon to the dashboard.

For more information about dashboard portlets, see the help topic [Dashboards](#).

Overview of Outbound E-Document Process

From a user's perspective, the following steps describe the end-to-end process of generating XML or JSON e-documents from NetSuite transaction records and then sending the e-documents:

1. Assign an e-document package to a customer or vendor by performing the following steps:
 - a. Create or edit a customer or vendor record. If you are using an e-document sending method with an email channel, be sure to create or add the email recipients of the e-document. Then, on the **E-Document Email Recipient** subtab under the **E-Document** subtab, select contacts. You can select only contacts associated with the customer or vendor. Contacts must have valid email addresses. See [Defining E-Document Email Recipients](#).
 - If the customer or vendor is a company, create one or more contact records.
 - If the customer or vendor is an individual, add a valid email address on the record.
 - b. On the **E-Document** subtab, in the **E-Document Packages** field, select the e-document package to use for the customer's or vendor's transaction records.

 **Note:** The outbound template and sending method included in the e-document package you will select must have subsidiaries belonging to this customer or vendor. For more information, see [Multi-subsidiary Support in the Outbound Process](#).

2. Create or edit a transaction record. Select an e-document template and an e-document sending method. For more information, see [Transactions and Processes Supported by the Electronic Invoicing SuiteApp](#) and [Selecting E-Document Packages, Templates and Sending Methods on Transactions](#).
 - If the e-document to be generated must be sent to a certification authority for certification, make sure that a certification sending method is assigned to the transaction and subsidiary. For more information, see [E-Document Certification in the Outbound Process](#).
3. Generate an e-document for the transaction record. You can generate e-documents individually or in bulk. For more information, see [Generating and Regenerating E-Documents](#).
4. Send the e-document. You can send e-documents individually or in bulk. For more information, see [Sending and Resending E-Documents](#).

 **Note:** If a certification sending method is assigned to the transaction and subsidiary, the Certify E-Document button is displayed, which sends the e-document to the specified certification authority. Certified e-documents can be sent again to customers, vendors or a tax agency.

 **Note:** Electronic Invoicing SuiteApp provides support to send all the eligible e-documents for certification individually or in bulk to Avalara automatically. For more information about Avalara for e-Invoicing, see [Avalara for E-Invoicing](#).

5. If an administrator enables and configures the automatic e-document processing feature, you can process the e-document automatically by clicking the **Process E-Document** button. For more information, see [Processing Multiple E-Document Processes Using Automatic E-Invoicing](#)

To understand errors that can be encountered during the generation or sending of e-documents, read the following topics:

- [Outbound E-Document Generation Errors](#)
- [Outbound E-Document Sending Errors](#)

To understand the outbound electronic invoicing process flow and e-document status definitions, see the following topics:

- [Outbound Electronic Invoicing](#)
- [E-Document Audit Trail and Statuses](#)

Outbound E-Document Statuses

E-document statuses are indicated in the **E-Document Status** field on the **E-Document** subtab. Outbound e-document statuses describe whether a transaction or e-document is in the process of e-document generation, sending or certification. The following table lists the e-document generation statuses.

E-Document Generation Status	Description
For Generation	The e-document can be generated. An outbound e-document template was associated with the transaction and the e-document can be generated. Audit trail log indicates Tagged for Generation.
Generating	The e-document is being generated.
Generation Failed	The e-document was not generated. An error caused generation to fail. See details of e-document generation errors on the E-Document Audit Trail subtab. You must first fix the errors before you can regenerate an e-document. For more information, see Outbound E-Document Generation Errors .
Untagged for E-Invoice Generation	The e-document template was removed from the transaction record. The e-document of the transaction record won't be generated.

The following table lists the e-document sending statuses.

E-Document Sending Status	Description
Ready for Sending	The e-document was generated successfully and the e-document can be sent to specified recipients. Whether the e-document was generated manually or through bulk generation is indicated.
Sending	The e-document is being sent to specified recipients.
Sending Failed	The e-document was not sent. Information about sending errors are shown in the Details column. You must fix the error and regenerate the e-document before you can resend it.
Sent	The e-document was successfully sent. If the default sending method is email, the Details column shows the email addresses of the sender and recipients.  Note: When an e-document is sent, the designated e-document sender's name and email address is displayed as the sender. If you did not designate a sender, the system uses the name and email address of the person who initiated the sending process as the sender of the e-document. For more information, see Selecting a Designated E-Document Sender.

The following table lists the e-document certification statuses.

Note: E-document certification statuses are not automatically updated by the system, you must implement the updates through the certification sending method. See [Updating E-Document Certification Statuses](#)

E-Document Certification Status	Description
Ready for Certification	The e-document has a certification sending method assigned to its transaction and subsidiary, and it can be sent to the certification authority.
Certification in Progress	The e-document has been sent to the certification authority and is being certified. The certified e-document has not been received.
Certification Failed	Certification failed due to an error, of which details are on the E-Document Audit Trail subtab. You must fix the error and regenerate the e-document before you can send it again for certification.
Certification Data Error	Details of certification errors are on the E-Document Audit Trail subtab.
Ready for Sending	The e-document was successfully certified and is ready for sending.
Canceled	The e-document is approved to be canceled by the certification authority or it is no longer required for certification.
On Hold	The e-document status is kept on hold after the processing of document status transaction.
Accepted for Hearing	This status is updated for transaction response type 'Request Further Objection'
Transaction Response	This is a new audit trail event type based on the document status plugin implementation.

Assigning E-Document Packages to Customer or Vendor Records

The e-document templates and sending methods assigned to the e-document package are available for selection on the **E-Document** subtab of every customer or vendor transaction.

To assign an e-document package to a customer or vendor:

1. Create or edit a customer or vendor record.
2. Click the **E-Document** subtab of the customer or vendor record.
3. In the **E-Document Package** field, select the appropriate e-document package for the customer or vendor.

Note: The outbound template and sending method included in the e-document package you will select, must have subsidiaries belonging to this customer or vendor. For more information, see [Multi-subsidiary Support in the Outbound Process](#).

4. Click **Save**.

Note: Assigning e-document packages with email sending methods can only be done by editing the customer or vendor record.

Defining E-Document Email Recipients

If you want to use an e-document sending method that has an email sending channel, you must first define the email recipients for your customer or vendor. If the customer or vendor is a company, there should be at least one email recipient defined on the **E-Document** subtab on the customer or vendor record. If the customer or vendor is an individual, make sure it has an email address.

Note: The system can send an e-document by email to a maximum of 10 recipients for each customer or vendor. The system counts each contact added as a recipient. If you add the same contact multiple times, each instance is considered an individual recipient.

To define e-document email recipients:

1. Create or edit a customer or vendor record.
2. On the **E-Document Email Recipient** subtab under the **E-Document** subtab, select a contact or select **New** to create a new contact.

Note: When you select an email recipient, only contacts with valid email addresses associated with the customer or vendor are available for selection in the dropdown list.

3. Click **Add** after selecting each contact.
4. Click **Save**.

Note: For transfer order, basic and journal style custom transaction types, you can define the email recipients directly in the **E-Document Email Recipient** field from the **E-Document** subtab. The email recipients are also applicable for item fulfillment transactions.

Selecting E-Document Packages, Templates and Sending Methods on Transactions

Before you can generate an e-document, you must specify on the transaction record the e-document template and sending method to use for generating and sending the e-document.

To Select E-Document Package, Template and Sending Method on Transactions:

1. Create or edit any supported transaction record that you want to generate and send an e-document.
2. Go to the **E-Document** subtab.
3. Select an e-document package associated with the e-document template and sending method on the **E-Document Package** field.

For item fulfillment records, you must first define an Item Fulfillment template and sending method along with Transfer Order template and sending method in the same package. This is to enable the selection of Item Fulfillment template and sending method directly from the Item Fulfillment record.

Note: The **E-Document Package** field is specific only for transfer order, its following item fulfillment, basic and journal style custom transactions types.

4. Select an e-document template that you want the system to use for generating the e-document on the **E-document Template** field.

If you don't want the transaction to be tagged for e-document generation, leave this field blank.

Note: The e-document templates available for selection are based on the e-document package assigned to the customer. For more information, see [Creating E-Document Packages](#)

5. Select the sending method to use for sending the e-document on the **E-Document Sending Method** field.
6. Click **Save**.

Enabling PDF File Reference Generation

The Electronic Invoicing SuiteApp supports the creation, sending, and receiving of PDF file references of transaction records undergoing the e-document process. The PDF version of transaction records will enable you to view and check if the content of e-document is correct.

In outbound e-document processing, if you enable the setting Generate PDF, the PDF file is created when the XML or JSON file of a transaction record is generated. After the PDF file is created, you can view it in the **Generated PDF** field, on **E-Document** subtab of transaction records. When sending the e-document using **E-document Sending Method Plugin Implementation** field, the PDF file is attached along with the XML or JSON e-document.

Note: PDF file reference generation is not supported for vendor bill and vendor credit records. The Generate PDF box and Generated PDF link are not available on vendor bill and vendor credit records with generated outbound e-documents.

Generate PDF File References

You can generate PDF file references of transaction records to be converted into e-documents.

The PDF file generated will follow the default printing layout of the transaction. You can set a default preference on entity records.

Enabling Generate PDF as a Default in Entity Records

1. Edit a customer or vendor record and go to the **E-Document** subtab.
2. Check the **Generate PDF** box. Consequently, all transaction types supported by electronic invoicing from this customer or vendor will have the Generate PDF box automatically checked. When e-documents are generated from the transactions, corresponding PDF file references will be automatically created. When sending the e-document using **E-document Sending Method Plugin Implementation** field, the PDF file is attached along with the XML or JSON e-document.
3. Click **Save**.

When the e-document is generated, the PDF file reference can be viewed and downloaded under **Generated PDF** on the **E-Document** subtab of the transaction. Also don'te that the QR code will be visible only on successful QR generation, else it will be hidden.

If you don't want to create PDF file references of individual transaction records, you can still override PDF generation enabled on the customer or vendor record. To do so, edit the transaction record that you

don't want to generate a PDF file reference of, and then clear the **Generate PDF** box. If Generate PDF is cleared on a transaction record where it was initially enabled and a PDF file was generated, during the next e-document generation, no PDF file will be generated and any previously generated PDF file will be deleted.

Generating and Regenerating E-Documents

The e-documents of transaction records in NetSuite can be generated using the Electronic Invoicing SuiteApp. The generated e-documents can then be sent to your customers or tax authorities through the outbound process.

You can generate the XML or JSON e-documents of the following transaction records:

- Bill (for self-billing)
- Cash Sale
- Cash Refund
- Credit Memo
- Customer Payment
- Customer Deposit
- Estimate
- Invoice
- Item Fulfillment
- Purchase Order
- Return Authorization
- Transfer Order
- Vendor Credit or Bill Credit

To generate an e-document, you must first select an e-document template on the transaction. The system cannot generate an e-document if there is no e-document template associated with the transaction.

The e-document templates available for selection in each transaction record are templates you have assigned to the customer's e-document package. For more information, see [Creating E-Document Packages](#).

The e-document templates available for selection in each transaction record are templates that have been assigned to that transaction type. For more information, see [Creating E-Document Templates](#).

You can generate e-documents individually or in bulk, regardless of transaction type.

The system supports e-document generation for supported transactions created using the user interface, CSV import, SOAP web services, and SuiteScript.

Generating E-Documents from the Electronic Documents Portlet

You can quickly access outbound e-documents with status For Generation from the Electronic Documents portlet on the Home page. For more information about the Electronic Documents portlet, see [Electronic Documents Dashboard SuiteApp Portlet](#).

To generate e-documents from the Electronic Documents portlet:

1. Go to the Electronic Documents portlet on the Home page.
2. Click the number under **Outbound E-Documents for Generation**.
The Outbound E-Documents For Generation results page is displayed.

3. Click the **View** link of the transaction record that you want to generate an e-document from.
4. On the selected transaction record, click the **Generate** button.

Generating E-Documents for Single Transactions

You can also start the process of generating e-documents from transaction records.

To generate an e-document:

1. Create or edit a transaction record.
2. Enter items and other required information about the transaction record.
3. Click the **E-Document** subtab.
4. In the **E-Document Template** field, select the e-document template that you want the system to use for generating the e-document. If you don't want this transaction to be tagged for e-document generation, leave this field blank.

 **Note:** The e-document templates available for selection are based on the e-document package assigned to your customer or vendor. For more information, see [Creating E-Document Packages](#).

 **Important:** Use caution when you want to edit the transaction record. Each time you edit and save a transaction, the **E-Document Status** field is updated to **For Generation**. You will need to generate and send the e-document again. Note that this does not apply to e-documents with the **Sent** status.

5. Click **Save**. The system updates the transaction record, and a **Generate E-Document** button is displayed at the top. On the **E-Document** subtab, the value of the **E-Document Status** field is updated to **For Generation**.

 **Note:** The **Generate E-Document** button appears only when viewing a transaction record. It is not displayed in edit mode.

6. Click **Generate E-Document**.

The outbound e-document is generated. A PDF version of the source transaction is also generated if Generate PDF is enabled on the transaction record.

After generating the e-document, the system updates the value in the **E-Document Status** field on the **E-Document** subtab. The field shows one of the following statuses:

- **Ready for Sending** – This status means the e-document was generated successfully and can be sent to the email recipients defined in the customer record or your e-document sending method.
For more information, see [Creating E-Document Sending Methods](#).
- **Generation Failed** – This status means the e-document was not generated. Information about generation errors are shown in the **Details** column of the **E-Document Audit Trail** subtab. You must first fix the errors before you can regenerate an e-document.

For more information, see [E-Document Audit Trail and Statuses](#).

Regenerating E-Documents for Single Transactions

You can regenerate an e-document for individual supported transaction records at any time. The transaction records must have an e-document template assigned to them, and the status in the **E-**

Document Status field must not be blank or **Sent**. However, if an error occurs during generation and the error is not fixed, the system won't be able to generate an e-document for the transaction.

If the value in the **E-Document Status** field on the **E-Document** subtab shows **Generation Failed**, you can regenerate the e-document by doing the following:

To regenerate an e-document:

1. Fix the errors identified in the audit trail.
2. View the transaction and click **Generate E-Document**.



Important: Use caution when you want to edit the transaction record. Each time you edit and save an document, the **E-Document Status** field is updated to **For Generation**. You will need to generate and send the e-document again. This can result in generating and sending multiple e-documents for one transaction record. Note that this does not apply to e-documents with the **Sent** status.

For more information about generation errors, see [Outbound E-Document Generation Errors](#).

Generating and Regenerating E-Documents in Bulk

If your account administrator has set up a schedule to run the bulk generation script periodically, the script automatically generates e-documents for those transactions that have any of the following statuses:

- For Generation
- Generation Failed

Upon successful bulk generation of outbound e-documents, PDF versions of the transactions are also generated if those transactions have the Generate PDF setting enabled.

For failed generation, errors must be fixed first before e-documents can be regenerated.

When the system encounters an error during bulk generation of e-documents, it sends an email notification to the Recipient of E-Document Notifications. If the Recipient of E-Document Notifications is not assigned yet, the notification will be sent to the active administrator of the account. For more information about assigning the Recipient of E-Document Notifications, see [Prerequisites for Using Electronic Invoicing](#), step 4.

The email message contains an attachment in CSV format that lists the transaction records that encountered errors during bulk generation.

The user who created the transaction record must fix the errors for each transaction record.

After the errors are fixed, the e-documents will be generated during the next scheduled bulk generation of e-documents. Alternatively, the user can regenerate an e-document for the individual transaction record.

For more information about generation errors, see [Outbound E-Document Generation Errors](#).

If you want to generate or regenerate e-documents for multiple transactions outside of the scheduled script run, contact your account administrator for assistance. See [Deploying the Bulk Generation Script for E-Documents](#).

Sending and Resending E-Documents

A successfully generated e-document displays the **Send E-Document** button on the transaction record and its e-document status indicating Ready for Sending.

A generated e-document with a certification sending method assigned to its transaction and subsidiary, displays the **Certify E-Document** button on the transaction.

 **Note:** Generating a new e-document overwrites the previous e-document.

Sending the E-Document of a Single Transaction

Perform the following steps to send the e-document of a single transaction.

To send an e-document:

1. Open the transaction record whose e-document status is Ready for Sending.
If the e-document is for certification and a certification sending method is assigned to the transaction and subsidiary, the status is Ready for Certification.
2. Make sure that the **E-Document Sending Method** field specifies the sending method appropriate for this transaction record.
If the e-document is for certification, make sure that a certification sending method is assigned to the transaction and subsidiary.
3. Click the **Send E-Document** button.
If the e-document is for certification and a certification sending method is assigned to the transaction and subsidiary, click the **Certify E-Document** button.

 **Note:** You can send the e-document to Avalara automatically using the **Certify E-Document** button when:

- A transaction is generated successfully using an Avalara template
- The **Avalara Mandate** field has a value

A banner appears on the transaction record indicating that sending of the e-document is in progress. The e-document is sent through the selected sending method and the value of the E-Document Status field on the E-Document subtab is updated. For more information, see [Outbound E-Document Statuses](#).

Successfully certified e-documents are returned by the certification authority. You can view or download the XML or JSON file of the certified e-document by clicking the corresponding links under **Certified E-Document** on the **E-Document** subtab of the transaction.

Resending the E-Document of a Single Transaction

Perform the following steps to resend the e-document of a single transaction.

To resend an e-document:

1. If failure in the previous e-document sending was caused by an error, amend the transaction as necessary and save it.
2. Open the amended transaction and click **Generate E-Document**.
After the system generates the e-document, an audit trail is created and the status in the **E-Document Status** field changes to **Ready for Sending**.
3. Click **Send E-Document** to send the e-document.

After the system sends the e-document, the status displayed in the **E-Document Status** field changes to **Sent**, and an audit trail is created.

Resending E-Documents in Bulk

Note: Resending e-documents in bulk requires certain permissions and access levels for roles. For more information, see [Setting Up Custom Roles to Send E-Documents](#).

The Electronic Invoicing SuiteApp provides a search filter to enable you to resend in bulk the e-documents that failed initial sending. The system searches for all e-documents with Sending Failed status.

Errors must be fixed before e-documents can be successfully resent. For more information, see [Outbound E-Document Sending Errors](#).

To access e-documents that failed generation or sending, go to the Electronic Documents portlet on the Home page, and then click the number under **E-Documents with Errors**. On the E-Documents with Errors results page, view or edit the transaction records that you want to fix.

After fixing the errors, you can proceed with either regenerating or resending the e-documents.

To resend e-documents in bulk:

1. Go to the Electronic Documents portlet on the Home page, and then click the link **Send Failed E-Documents**.
2. In the Select entity type filter, choose either **Customer** or **Vendor**.
3. To view a list of transactions for a particular customer or vendor, select that customer or vendor from the **Customer** or **Vendor** field. If no customer or vendor is selected, the search result will display all transaction belonging to the subsidiary, regardless of customer or vendor.
4. In the **Subsidiary** field, select a subsidiary to view the transactions for that subsidiary only.
5. In the **Transaction Date From** field, set the date to define the beginning of the date range. The search result displays all created transaction records starting from the date you set in this field.
6. In the **Transaction Date To** field, set the date to define the end of the date range. The search result displays all created transaction records starting from the date you set in this field.
7. If you chose the Customer entity type, select one or more transaction types in the **Transaction Type** field, for each e-document you want to resend. To select multiple transaction types, press and hold the Ctrl key while selecting each transaction type. If no transaction type is selected, the search result will show all e-documents with Sending Failed status, regardless of transaction type.

If you chose the Vendor entity type, Purchase Order is automatically selected in the Transaction Type field, because only purchase order is applicable to vendor entities.

Only transaction types that are supported by or applicable to outbound e-document sending are shown in the transaction list, which include:

- Bill (for self-billing)
- Cash Sale
- Cash Refund
- Credit Memo
- Customer Payment
- Customer Deposit
- Estimate
- Invoice

- Item Fulfillment
- Purchase Order
- Return Authorization
- Registered Custom Transaction Types
- Transfer Order
- Vendor Credit or Bill Credit

8. Click **Search**.

The search result displays all e-documents with Sending Failed status, according to your search criteria.

9. Click **Send** to resend all e-documents displayed in the search results.

After the system sends the e-documents, it updates the value in the **E-Document Status** field on the **E-Document** subtab on each transaction record. The field shows one of the following statuses:

- **Sent** – This means the e-document was successfully sent. The **Details** column shows the email addresses of the sender and recipients.
- **Sending Failed** – This means the e-document was not sent. Information about sending errors are shown in the **Details** column. You must fix the errors before you can successfully resend the e-document.

For more information, see [Outbound E-Document Sending Errors](#).

The system sends an email notification to the person who initiated the sending process when the e-documents have been sent.

The email message contains an attachment in CSV format that lists the transaction records and the status of each transaction. If errors were encountered, the details are included in the attachment.

Processing Multiple E-Document Processes Using Automatic E-Invoicing

Only users with administrator role can enable and configure the e-document processes for automation. After the configuration, only users with required permissions can get access to the **Process E-Document** button on individual transactions. After this the users can perform the pre-configured e-document processes automatically for a subsidiary by clicking the **Process E-Document** button.

E-Document Network Status

The Electronic Invoicing SuiteApp enables you to get the e-documents certified from a regulatory body and get network status through an API. The latest network status can be obtained by clicking the **Get Network Status** button on the transaction.

The **Get Network Status** button is available on the transaction as soon as the sending method returns the network details for the transaction. It can happen either in the certify or send stage of the transaction, or both. If the transaction is in certify stage, the certification sending method returns the status of the transaction, else if the transaction is in send stage, the sending method assigned to the transaction returns the status of the transaction.

The following table describes the transaction body fields which contain the network information.

Network Field	Field ID	Description
Network Reference Id	custbody_ei_network_id	It is a unique number generated by network API while certifying or sending e-document.

Network Field	Field ID	Description
Network Name	custbody_ei_network_name	It is the name of a network. For instance, PEPPOL, SAT, ARIBA.
Network Status	custbody_ei_network_status	It displays a keyword representing one of the possible network statuses used by the network.
Network Status Updated On	custbody_ei_network_updated_date_time	It displays the time stamp (date and time) of the updated status.

Overview of Inbound E-Document Processing

The following describe the end-to-end process of creating inbound e-documents and then converting them into NetSuite transaction records using the Electronic Invoicing SuiteApp.

To upload and convert inbound e-documents:

1. The administrator creates an inbound e-document template, which will map the data elements of the inbound XML e-document to corresponding NetSuite transaction fields when converted. See [Creating E-Document Templates](#).
2. The administrator associates the inbound e-document template with an e-document package, which is assigned to a customer or vendor. See [Assigning E-Document Packages to Customer or Vendor Records](#).
3. The administrator designates an employee or group who will receive an email notification after scheduled automatic bulk conversion of inbound e-document records to transaction records.
4. If the inbound e-document is received through means other than email capture, users can upload it manually. See [Uploading Received XML Files as Inbound E-Documents](#).
5. Users can convert inbound e-document records with status For Conversion, into transaction records. You can manually convert e-documents or run automatic scheduled bulk conversion. See [Converting Inbound E-Documents into Transaction Records](#).

The status of newly created vendor bills from e-document conversion is dependent on the default status of Accounting Preference or whether Vendor Approval Routing is enabled.

Inbound E-Document Statuses

E-document statuses are indicated in the **E-Document Status** field on the **E-Document** subtab. Inbound e-document statuses describe the state of a received e-document in the e-document conversion process. The following table lists the inbound e-document statuses.

E-Document Conversion Status	Description
Incomplete	The inbound e-document is missing some details or content. Audit trail log indicates Tagged as Incomplete.
For Conversion	The inbound e-document is ready for conversion into a vendor bill, vendor credit or sales order. A customer or vendor, XML file reference, and e-document template have been defined in the inbound e-document. Audit trail log indicates Tagged for Conversion.
Converting	The e-document is being converted to a transaction record.

E-Document Conversion Status	Description
Converted	The inbound e-document was successfully converted into a vendor bill or vendor credit.
Conversion Failed	An error occurred and the inbound e-document was not converted. Information about conversion errors can be found in the Details column of the E-Document Audit Trail subtab.
Canceled	The inbound e-document was canceled. If cancellation of the inbound e-document encountered an error and did not proceed, the audit trail log will indicate Cancellation Failed.

Receiving Inbound E-Documents by Email Capture

After your administrator has set up the Inbound Email Capture plug-in and Vendor or Customer E-Document Sender, you are ready to receive inbound e-documents from your vendors or customers. The system automatically receives inbound e-documents sent through email and then queues them as Inbound E-Documents for Conversion if an e-document template is assigned.

The number of e-documents received from email capture is displayed on the Electronic Documents portlet, under Inbound E-Documents for Conversion. You can click the number displayed to go to the Inbound E-Documents for Conversion: Results page, which lists the inbound e-documents for conversion. For more information, see [Electronic Documents Dashboard SuiteApp Portlet](#).

If you have automatic bulk conversion set up, the bulk conversion script will automatically convert the e-documents in the list into transaction records at a defined schedule. For more information, see [Deploying Automatic Bulk Conversion Script for Inbound E-Documents](#). Or, you can convert individual e-documents in the list by clicking the View link of an e-document, and then click the Convert button on the inbound e-document record page.

Inbound e-document email capture receives XML files along with their PDF file reference attachment, if any were generated. Received PDF files are stored in the File Cabinet and can be viewed by clicking a link in the PDF File Reference field on the newly created inbound e-document record. When the inbound e-document is converted into vendor bill or vendor credit, the PDF file reference can also be viewed from the **E-Document** subtab.

 **Note:** Inbound email capture can only receive one XML e-document and one PDF file per email.

Editing Incomplete Inbound E-Documents

Inbound e-documents that don't clearly define the vendor or customer who sent them, will also be missing the e-document template, which is defined by the vendor or customer. These inbound e-documents will be tagged as incomplete. They are queued as Incomplete Inbound E-Documents, which is displayed on the e-document dashboard portlet. You can click the number displayed under Incomplete Inbound E-Documents in the home page to go a results page, where you can click the Edit link of an inbound e-document to complete it. For more information, see [Displaying the E-Documents Portlet on the Home Page](#).

On the Inbound E-Document record page, you can complete the inbound e-document by selecting the right vendor or customer in the respective Vendor or Customer field, and then the system automatically selects the e-document template that is applicable to the inbound e-document based on the XML content and the selected vendor or customer based on the XSD validation in Inbound E-Document Templates. For more information, read [Understanding XSD in Inbound E-Document Templates](#).

But, you can still manually select or override the default e-document template. After completing the inbound e-document, the E-Document Status is changed to For Conversion.

Receiving E-Document XML Files from Web Service

XML files sent through web service are received by NetSuite and are displayed in the Electronic Documents dashboard portlet. But before receiving e-documents, you must first set up and select the appropriate inbound e-document templates to be used. For more information about setting up inbound templates, see the help topics [Understanding Inbound E-Document Templates in JSON Format](#) and [Understanding XSD in Inbound E-Document Templates](#).

XML e-documents received by NetSuite through web service are validated and checked if the information they contain is complete. The system automatically identifies the sender using the Token ID and Token Secret provided in the request. The Web Service ID is used to identify the vendor or customer whom the e-document should be associated with. The integrity of the XML file is also checked. The transaction type in the web service request is also validated. The results of these validations determine if an inbound e-document record will be created from the received XML file. If created, the inbound e-document record will indicate Web Service in the **Source** field, and bill or bill credit in the **Transaction Type** field. The inbound e-document is added to the queue corresponding its processing status displayed on the Electronic Documents dashboard portlet.

NetSuite responds to web service requests by confirming the success or failure of e-document creation. You can view web service requests and responses by going to Customization > Scripting > Scripts, then click the View link of the Inbound E-Document Web Service RL script. The logs are on the Execution Log subtab.

 **Note:** When an inbound e-document is created using web services, the inbound e-document template is not auto populated and selected for that inbound e-document. So, the administrators receive an email stating that the inbound e-document is incomplete. You need to manually edit that inbound e-document record by navigating into the record from the dashboard portlet's **Incomplete Inbound E-Document** section and select the preferable template.

Web Service Errors

The following tables list the web service errors that can be encountered by the recipient and sender of web service requests. The recipient is the user in your company who can receive the XML files from web service. The sender is the vendor you authorized to issue web service requests to NetSuite to send XML files.

Errors Encountered by Web Service Recipients

Error Message	Description and Solution
The Web Service ID is already being used by another vendor. Enter a different Web Service ID.	This message is displayed when user tries to save a vendor record that has a web service identifier that is already being used by another vendor. A different web service identifier must be entered.
The inbound e-document is incomplete, as the correct template cannot be determined. Either select a template in the inbound e-document record, or set up the XSD in the e-document template record to enable template autoselection.	This message is sent through email to the Recipient of E-Document Notifications, informing the recipient that an inbound e-document record was created but is incomplete. Either manually set the template in the inbound e-document record, or set up the template's XSD to enable template auto selection.
The inbound e-document is incomplete, as the correct vendor cannot be determined. Either select a vendor in the inbound e-	This message is sent through email to the Recipient of E-Document Notifications, informing the recipient that an inbound e-document record was created but is incomplete.

Error Message	Description and Solution
document record, or set the Web Service ID in the associated vendor record.	Either manually set the vendor in the inbound e-document record, or correctly set up the vendor's web service ID field.

Errors Encountered by Web Service Sender

Error Message	Description and Solution
The following keys are missing: {KEYS}, which you must provide in the web service request.	The web service request failed because any of the following keys is missing: ■ identifier ■ filename ■ content Ensure that the missing keys are provided in the web service request.
The body of the web service request must be a JSON object or an of JSON objects using Content-Type: 'application/json'.	The web service request failed. The content of the web service request must be JSON objects.
The selected XML File Reference is not a valid XML file. Ensure that the file you select has the .xml extension.	The web service request failed. Provide a valid XML file for the XML File Reference.
No vendor is associated with the Web Service ID: {IDENTIFIER}. Ensure that the correct Web Service ID is used.	The web service request failed. Ensure that the Web Service ID is associated with a vendor or the party sending XML files.
The selected XML File Reference is not a well-formed XML document.	The web service request failed. Check the XML File Reference and ensure that content adheres to XML syntax, with properly defined content, structure and tags.
Invalid transaction type. Send a valid request parameter based on the transaction type.	This error message is displayed when you try to send invalid transaction type in the request parameters. Either bill or billCredit must be sent as tranType in the request parameters.
No such customer is associated with the web service ID: {IDENTIFIER}. Enter a valid web service ID.	The web service request failed. Ensure that the Web Service ID is associated with a customer or the party sending XML files.

Uploading Received XML Files as Inbound E-Documents

Apart from email capture, you can receive invoice, credit memo, or purchase order in XML format through other means like storage media. You can manually upload these XML file references to NetSuite as inbound e-document records, which are subsequently converted into vendor bills, vendor credits or sales order records.

To upload an XML file reference as an inbound e-document record:

1. On the E-Documents Portlet on the Home page, click the **Upload Inbound E-Document** link.
The Inbound E-Documents page displays the following fields:

- Transaction Type indicates the transaction (bill, bill credit, or sales order) that will be created consequently of the conversion.
 - Vendor or customer field depending on **Transaction Type** selection.
 - Source indicates Manual Upload by default.
 - Reference Number and PO Number receive values from the XML file reference that you will upload. These fields will have values after conversion to a transaction record.
 - E-Document Status indicates the status of the newly created inbound e-document.
2. In the **Vendor** or **Customer** dropdown list, select the vendor or customer respectively who sent the XML file.
 3. In the **XML File Reference** field, click + and select the XML file that you will convert into a transaction record.
The XML File Reference dropdown list displays files stored in the File Cabinet. Ensure that you select an XML document that is well-formed and valid, with the .xml file extension; otherwise an error will be generated.
 4. In the **E-Document Template** field, select an inbound e-document template.
-  **Note:** If an XSD file was selected in a template record that is appropriate for this inbound e-document record, that template is automatically selected in the E-Document Template field.
5. If you want to attach the PDF version of the XML document, click + on the **PDF File Reference** field, then select the PDF file you want to associate with this record.
 6. Click **Save**.

A new inbound e-document record is created and displayed with its E-Document Status set to For Conversion. The **E-Document Audit Trail** subtab displays information about the inbound e-document record including the date created, entity, event type, owner, and details. If the uploaded XML file has an attached PDF file reference, the attachment can be viewed and downloaded in PDF File Reference field on the created inbound e-document record.

NSEB Inbound Document Conversion to Inbound E-Document

Inbound e-documents are created using NSEB Inbound Document. The NSEB Inbound Converter MR automatically converts every 15 minutes to inbound e-document and displays on the Electronic Documents portlet, under Inbound E-Documents for Conversion.

You can click on the number displayed to go to the Inbound E-Documents for Conversion: Results page, which lists the inbound e-documents for conversion. For more information, see [Electronic Documents Dashboard SuiteApp Portlet](#).

And in the inbound e-document record the **E-Document Audit Trail** subtab displays information about the inbound e-document record including the date created, entity, event type, owner, and details.

NSEB inbound documents with below field values are picked up for conversion:

- **Status** with values 'Pending' and 'Failed'
- **Document Type** with value 'InvoiceDetailRequestUBL'
- **Document Subtype** with values 'ubl-invoice' and 'ubl-creditnote'
- **Raw Document** with value in XML format.

The Avalara Document ID field stores the Avalara document id of the inbound document. The template details for the inbound e-document record can be obtained if you select an XSD file in a template record

that is appropriate for this inbound e-document record. That template is automatically selected in the **E-Document Template** field. If XSD file is not provided in e-document template record, then **E-Document Template** cannot be selected, and inbound document won't be converted. For more information about setting up inbound templates, see [Creating E-Document Templates](#) and [Understanding XSD in Inbound E-Document Templates](#)

The inbound e-document record required entity details can be obtained using the Inbound CDS PLUGIN execution where the plugin script id is provided as parameter in NSEB Inbound Converter MR script deployment and the entity internal id is expected in the plugin result. The new plugin implementation can be created of the type 'Inbound Custom Data Source Plugin Type'. To get the expected path of the entity id check the below example.

In consideration with the below sample plugin the entity id path will be: "customDataSources[0].data.entityId". The path for entity id should be as mentioned as it is expected by EI script to fetch entity details.

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType pluginTypeimpl
4   * @NModuleScope Public
5   */
6  define(['N/render'], function (nsrender) {
7
8      function inject(params) {
9          // the expected structure should be defined same as below,
10         // as this path is used by EI script to fetch entity details
11         customObj = {
12             entityId: 55 // internal id of the entity
13         };
14
15
16         return {
17             customDataSources: [
18                 {
19                     format: nsrender.DataSource.OBJECT,
20                     alias: "entityDetails",
21                     data: customObj,
22                 },
23             ],
24         };
25     }
26
27     return {
28         inject: inject,
29     };
30 });

```

If plugin id is not provided as script parameter, then as a default approach entity details will be fetched using the PEPPOL ID matching entity where Peppol id is obtained from the payload at xpath: "//cac:AccountingSupplierParty/cac:Party/cbc:EndpointID"

You can also EDIT and select 'Discarded' status on the NSEB Inbound Record to avoid this record to be converted to the Inbound E-Document.

Errors Encountered During NSEB Inbound Document Conversion to Inbound E-Document

S no.	Error Code	Message	Description	Solution
1	ERR_ENTITY_NOT_FOUND_IN_PLUGIN	Vendor/Customer Id not found in plugin	Entity Id is not found at the expected path on plugin execution.	Ensure plugin execution provides entity id as result at the path: "customDataSources[0].data.entityId". Follow the sample plugin provided in the

S no.	Error Code	Message	Description	Solution
		result at expected path.		NSEB Inbound Document Conversion to Inbound E-Document
2	ERR_ENTITY_NOT_FOUND_WITH_ENTITYID	No such vendor/customer is associated with the Entity Id: {IDENTIFIER}.	There is no entity record with the entity id fetched from the plugin result.	Ensure that vendor/customer is associated with the entity id provided.
3	ERR_PEPOL_ELEMENT_NODE_NOT_FOUND	The payload does not contain the PEPOL element Xpath node.	There is no PEPOL ID node in the XML payload received.	Ensure PEPOL ID node is present in the XML payload and the Xpath: "//cac:AccountingSupplierParty/cac:Party/cbc:EndpointID"
4	ERR_PEPOL_ELEMENT_NOT_FOUND	The payload does not contain the PEPOL value.	There is no PEPOL ID at the expected node.	Ensure PEPOL ID is present in the XML payload at Xpath: "//cac:AccountingSupplierParty/cac:Party/cbc:EndpointID"
5	ERR_ENTITY_NOT_FOUND_WITH_PEPOLID	No such vendor/customer is associated with the Peppol Id: {IDENTIFIER}.	There is no vendor/customer associated with PEPOL ID fetched from the payload.	Ensure that the PEPOL ID is associated with a vendor/customer.
6	ERR_MULTIPLE_ENTITY_FOUND_WITH_PEPOLID	Multiple vendors/customers are associated with the same Peppol Id: {IDENTIFIER}.	There are multiple vendors/customers associated with the PEPOL ID fetched from the payload.	Ensure that there is only one vendor/customer associated with the PEPOL ID.
7	ERR_EDOCUMENT_PACKAGE_NOT_FOUND	There is no E-Document Package associated with the vendor/customer.	There is no e-document package associated with the vendor/customer.	Ensure that there is e-document package associated with the vendor and transaction type.
8	ERR_EDOCUMENT_TEMPLATE_NOT_FOUND	There is no E-Document Template associated with the package and transaction type.	There is no E-Document Template associated with the package and transaction type or XSD file associated with the payload in the e-document template.	Ensure that there is an active e-document template associated with vendor/customer e-document package, subsidiary, transaction type and also XSD file associated with the payload in the e-document template. For more information about setting up XSD file in inbound template, read Understanding XSD in Inbound E-Document Templates .

Note: To convert the Inbound E-documents converted from NSEB Inbound Documents, you will need an active NetSuite Electronic Business and Avalara Processing for NetSuite Electronic Invoicing license along with available volume for Avalara Processing for NetSuite Electronic Invoicing license. "Convert" button present on Inbound E-documents will be disabled in case any of the above licenses are not available.

Multi Subsidiary Inbound Support

You can create Multi Subsidiary transactions by setting subsidiary on inbound e-documents record.

There are two ways to set Subsidiary on inbound e-document record:

1. **Manual Selection:** You can choose the desired subsidiary through the subsidiary drop down which consists of all the subsidiaries available in the account on the inbound e-document record. If

you choose a subsidiary other than the available ones, you will get an alert asking to choose an appropriate subsidiary.

2. **Plugin Implementation:** You can also implement the Custom Plugin as provided in the sample to automatically populate the subsidiary on creating the inbound e-document record using any of the available methods. The plugin should be provided in the e-document template record dropdown field 'Inbound Multi-Subsidiary Custom Data Source Plugin Implementation'.

After providing the subsidiary on the inbound e-document record or providing the plugin in e-document template, it will mark the inbound record as multi-subsidiary inbound record.

If the plugin execution is failed, or the plugin implementation shows an inactive subsidiary id or unavailable subsidiary id, the inbound e-document record will be created with the 'Incomplete' status.

There are two ways to update the status from 'Incomplete' to 'For Conversion':

1. You can update the plugin implementation, edit and save the inbound record. It will auto-populate the subsidiary on the inbound record with the subsidiary id in plugin implementation at the expected path.
2. If there are multiple inbound records with 'Incomplete' status, you can run the Map Reduce Script 'Update Inbound Subsidiary MR' by updating the plugin with an appropriate subsidiary. This MR will pick all the inbound records with status 'Incomplete', which have empty subsidiary field and plugin selected in e-document template record to populate the subsidiary Id by executing the plugin.



Important: In case of an Inactive License account, the subsidiary provided in the inbound record will be considered to match with the free country set in the Subsidiary Preference record. If the subsidiary is not populated and status is 'For Conversion', then the entity primary subsidiary is considered for free country check.

Also, the Bulk Conversion MR picks the records based on subsidiary populated on inbound record. And you will be able to view and convert inbound record of status 'Conversion Failed' from portlet matching with the free country.



Note:

- As the subsidiary mentioned on the Purchase Order is considered for inbound conversion to Bill transaction, in case of an inactive license account, the conversion will fail if the free country is not matched with this Purchase Order subsidiary country.
- The bypass PO validation will be based on the preference selected on 'Bypass PO# Validation in Inbound Conversion' field in subsidiary preference record of the subsidiary selected on the inbound e-document record.
- In consideration with the below sample plugin, the subsidiary id path will be: `"customDataSources[0].data.subsidiaryId"`. The path for subsidiary id should be as mentioned, as the EI script will fetch the subsidiary id.

Plugin script:

```

1  /**
2   * @NApiVersion 2.x
3   * @NScriptType pluginTypeimpl
4   * @NModuleScope Public
5   */
6   define(['N/render'], function (nsrender) {
7
8       function inject(params) {
9           // the expected structure should be defined same as below,
10          // as this path is used by EI script to fetch subsidiary details
11          var customObj = {
12              subsidiaryId: "1" // internal id of the subsidiary
13          };
14
15          return {
16              customDataSources: [
17                  {
18                      format: nsrender.DataSource.OBJECT,
19                      alias: "subsidiaryDetails",
20                      data: customObj,
21                  },
22              ],
23          };
24      }
25
26      return {
27          inject: inject,
28      };
29  });

```

Errors Encountered During Multi Subsidiary Inbound E-Document Creation and Conversion

Message	Description	Solution
The inbound e-document is incomplete. Subsidiary was not selected due to the following reasons: 1. Plugin implementation failure 2. Fetched subsidiary is not associated with the entity or is inactive	Inbound e-document record is set with status 'Incomplete' as the subsidiary field is not populated.	You can check plugin implementation and also check whether subsidiary id provided is active and present on the entity record.
Purchase order subsidiary is not matching with the free country. This account does not have an active license to use the Electronic Invoicing SuiteApp in multiple countries. To convert this e-document to a transaction and to purchase a license, contact a user with the Administrator role.	In case of inactive Electronic Invoicing license, during inbound e-document conversion Purchase Order Subsidiary country is not matching with the free country.	You can purchase license to use the Electronic Invoicing SuiteApp in multiple countries.

Converting Inbound E-Documents into Transaction Records

Converting an E-Document into Vendor Bill Linked to Purchase Order

The process of converting purchase order to vendor bill is viewed from the perspective of the NetSuite user being a customer, who purchased items or services from a vendor. In this scenario, the NetSuite

user initially sends a purchase order to a vendor, by outbound electronic invoicing. The purchase order is received by the vendor and processed on their side. The vendor will enter the details of the purchase order into their system and eventually generates an invoice record, which is then converted into an XML e-document and returned to the NetSuite user. The XML e-document from the vendor is received by the NetSuite user through the inbound electronic invoicing feature. The NetSuite user uploads the received XML file to NetSuite as an inbound e-document record. It is this inbound e-document record that will undergo conversion to a vendor bill that is linked to the original purchase order.

Purchase Order Items and Expenses in Inbound E-Documents

As an item or an expense is required in a purchase order, either of them must also be included in the e-document for conversion; otherwise, conversion to vendor bill won't proceed.

In addition, items or expenses specified in the inbound e-document must include relevant details:

- For items, either the vendor code or vendor code/name must be included, depending on whether the Multiple Vendors feature is enabled or not.
- For expense, the amount must be included, and it is that the Default Expense Account in the vendor record has a value. If there are specified amounts with no corresponding accounts, the Default Expense Account is automatically made the default account in the new vendor bill created from conversion.

For more details about the prerequisites for converting inbound e-documents with purchase orders items or expenses, see the following topic.

Prerequisites and Conditions for Conversion

Permission to Convert E-Documents

Your user role must have the permission to convert e-document records into NetSuite transactions. For more information about granting a role the permission to perform inbound e-document conversion, see [Setting Up Custom Roles that can Convert Inbound E-Documents](#).

Status of Purchase Order

The inbound XML e-document must not be linked to a purchase order whose status is fully billed, unapproved, rejected, cancelled or closed. Otherwise, the conversion will fail. Conversion will also fail if the vendor in the inbound XML e-document is different from the vendor in the purchase order.

Inbound E-Document has Reference Number with Mapping in the Template

The Reference Number must be included in the inbound XML e-document and the e-document template must contain the mapping for the reference number. Without the reference number in the inbound XML e-document or the correct reference number mapping in the template, conversion of the e-document will fail.

Inbound E-Document has Purchase Order Number and the Template has Mapping to the **createdfrom** Field

The Purchase Order Number must be included in the inbound XML e-document and the e-document template must contain the mapping for the **createdfrom** field. Without the Purchase Order Number in the inbound XML e-document or the correct reference number mapping in the template, conversion will result in a stand-alone vendor bill or vendor credit. See [Converting an Inbound E-Document Without a Purchase Order Number](#).

Bypassing Purchase Order Number

While converting an inbound XML e-document into a vendor bill, you can bypass the purchase order number validation if:

- The purchase order number is included in the inbound XML e-document.
- The e-document template contains the mapping for the **createdfrom** field.
- No matching purchase order number is found in the account.

You can bypass the validation (checking if the purchase order number in the XML e-document is present in the account) from the E-Document Subsidiary preferences.

To bypass purchase order number validation during inbound conversion:

1. Go to Setup > E-Documents > Electronic Invoicing Preferences.
2. Click the subsidiary of the vendor for which you want to bypass purchase order (PO) validation.
3. Click **Edit**.
4. (Optional) In the **Bypass PO# Validation in Inbound Conversion** field, you can select **Yes** if you want to bypass the purchase order number validation and create a standalone vendor bill if a matching purchase order number is not found in the account.

By default, the field value is **No** which refers to no matching purchase order number is found while converting an inbound e-document into a vendor bill. So, no vendor bill will be created and conversion will throw an error.

Purchase Order must have either an Item or Expense

The reference purchase order of the inbound e-document for conversion, must have either an item or expense specified. Without item or expense, the inbound e-document won't be converted. Moreover, purchase order items or expenses must have required details included in the inbound e-document for conversion. The required details of items or expenses are discussed in the following sections.

Required Account and Amount for an Expense

If the XML e-document has an expense line, the required Account and Amount fields of the bill must have values. The Account field of the expense line references the value of Default Expense Account on the Financial subtab of the vendor record. Therefore, the vendor must have a Default Expense Account setup or the conversion will fail.

Required Vendor Code for Item Records

If the purchase order has item records, the vendor code of these item records must be included in the inbound XML e-document. If the Multiple Vendors feature is enabled during conversion, you must enter the Vendor Code on the Vendors subtab of the item record. The vendor code will be used to map the items to their corresponding vendor. If the vendor code in the XML e-document does not match any vendors, conversion will fail. The vendor code field is highlighted in the following screenshot.

NETSUITE Search [] Help [] R Wolfe

Activities Transactions **Lists** Reports Customization Documents Setup E-Documents Support

Inventory Item Black Backpack

Save Cancel Reset Actions

Primary Information

INTERNAL ID: 9
 DISPLAY NAME/CODE: Black Pack 1.0 Enhanced
 SUBITEM OF: []
 ITEM NAME/NUMBER: Black Backpack
 VENDOR NAME/CODE: BACKBLK01

Classification

SUBSIDIARY: Parent Company
 DEPARTMENT: []
 LOCATION: Manila
 CLASS: []
☐ INCLUDE CHILDREN

Purchasing/Inventory Sales / Pricing Accounting Web Store Related Records Communication System Information Custom Brazil Setup

Item/Cost Detail

COSTING METHOD: Average
 TOTAL VALUE: 0.00
 AVERAGE COST: 0.00
 PURCHASE PRICE: []
 LAST PURCHASE PRICE: 0.00
 PURCHASE DESCRIPTION: []
 STOCK DESCRIPTION: []
☐ MATCH BILL TO RECEIPT

Inventory Management

REORDER MULTIPLE: [] TRANSFER PRICE: []

Manufacturing

MANUFACTURER: [] MPN: [] MANUFACTURER COUNTRY: []

Vendor Bill Matching

VENDOR BILL - PURCHASE ORDER QUANTITY TOLERANCE: []
 VENDOR BILL - PURCHASE ORDER QUANTITY DIFFERENCE: []
 VENDOR BILL - ITEM RECEIPT AMOUNT TOLERANCE: []
 VENDOR BILL - PURCHASE ORDER AMOUNT TOLERANCE: []
 VENDOR BILL - ITEM RECEIPT QUANTITY TOLERANCE: []
 VENDOR BILL - ITEM RECEIPT QUANTITY DIFFERENCE: []

Locations • Vendors

VENDOR	CODE	SUBSIDIARY	SCHEDULE	PREFERRED	PURCHASE PRICES
JenSport	JENBACK01	Parent Company			
Backpacks 101	BACK101BLK05	Parent Company			

Add Cancel Insert Remove

Save Cancel Reset Actions

Required Vendor Code/Name for Item Records

If the Multiple Vendors feature is disabled, the vendor code/name on the main tab of item records must be included in the inbound XML e-document. Otherwise, the conversion will fail. If two or more items have the same vendor code/name, implying duplicates, the conversion will fail. The vendor code/name field is highlighted in the following screenshot.

NETSUITE Search [] Help [] R Wolfe

Activities Transactions **Lists** Reports Customization Documents Setup E-Documents Support

Inventory Item Black Backpack

Save Cancel Reset Actions

Primary Information

INTERNAL ID: 9
 DISPLAY NAME/CODE: Black Pack 1.0 Enhanced
 SUBITEM OF: []
 ITEM NAME/NUMBER: Black Backpack
 VENDOR NAME/CODE: BACKBLK01

Inbound E-Document has Billing Reference and the Template has Mapping to the Apply Subtab of CreditMemo

If the billing reference is included in the inbound XML e-document, the e-document template must contain the mapping for the invoice ID of **Apply** subtab. Without the existence of valid bill referenced to the Invoice ID present in the billing reference of XML, the inbound XML e-document conversion will fail.

But without the billing Reference, the inbound XML e-document conversion will still result in a stand-alone vendor credit.

Common Scenarios in Vendor Bill Conversion

The following tables summarize the conversion of inbound e-documents with reference purchase orders that have items and expenses. Consider the scenarios that result in successful conversion and avoid those where conversion will fail.

Conversion Scenarios with Purchase Order Items

Case	Details of Reference Purchase Order	Details of Inbound XML E-Document based from the Purchase Order	Details of Inbound E-Document Template	Expected Conversion Result
Partial billing of some line items	The purchase order contains multiple line items.	The inbound XML e-document contains less line items than the total number of line items in the reference purchase order.	The template is valid with correct mapping.	Conversion will succeed. The created vendor bill includes only the line items contained in the XML e-document. The vendor bill is linked to the reference purchase order.
Duplicate line items	The purchase order contains duplicate line items.	The inbound XML e-document contains only one instance of each line item in the purchase order.	The template is valid with correct mapping.	Conversion will succeed. The created vendor bill contains no duplicate line items. The vendor bill is linked to the reference purchase order.
E-document template contains no mapping	The purchase order contains line items with values for amount, quantity, tax code, and rate fields.	The inbound XML e-document contains line items with field values.	The e-document template is valid but has no mapping for line item field values.	Conversion is successful. Field values for line items will take the default values entered in the purchase order.
The XML e-document contains additional line items that are not in the purchase order.	The purchase order is not yet billed and contains multiple line items.	The inbound XML e-document contains all or some of the purchase order line items, plus additional line items that are not in the purchase order.	The e-document template is valid with correct mapping.	Conversion will succeed. . All purchase order line items that are included the XML e-document, are entered in the created vendor bill. The additional line items included in the XML e-document but not in the purchase order, are also entered in the vendor bill. If all line items from the purchase order are included in the vendor bill. The status of the reference purchase order becomes Fully Billed.
Converting a Partially Received purchase order with additional line items that are not in the	The purchase order is Partially Received and contains multiple line items, one of	The inbound XML e-document contains some (but not all) purchase order line items, including the ones that have been received, plus	The e-document template is valid with correct mapping.	Conversion will succeed. All purchase order line items in the XML e-document that are not yet received, are included in the created vendor bill. Line items already received but still included in the XML

Case	Details of Reference Purchase Order	Details of Inbound XML E-Document based from the Purchase Order	Details of Inbound E-Document Template	Expected Conversion Result
reference purchase order	which has been received.	additional line items that are not in the purchase order.		e-document, are taken as additional line items in the bill. Additional line items that are not in the purchase order are included in the vendor bill. The status of the reference purchase order remains Partially Received.
The inbound XML e-document contains line items with no field values or values are set to 0.	The purchase order contains line items with values for amount, quantity, tax code, or rate.	The inbound XML e-document contains line items but with no values for the amount or quantity fields, or values are set to 0.	The e-document template is valid with correct mapping.	Conversion will fail. Details of the error are indicated in the E-Document Audit Trail.
The inbound XML e-document contains no line items.	The purchase order contains multiple line items.	The inbound XML e-document contains no line items.	The e-document template is valid with correct mapping.	Conversion will fail. Details of the error are indicated in the E-Document Audit Trail. The transaction must contain at least one line item.
The XML e-document contains only line items that are not in the reference purchase order.	The purchase order contains multiple line items.	All line items in the XML e-document are not in the reference purchase order.	The e-document template is valid with correct mapping.	Conversion will fail. Details of the error are indicated in the E-Document Audit Trail. The XML e-document must contain at least one line item from the reference purchase order.

Conversion Scenarios with Purchase Order Expenses

Case	Details of Reference Purchase Order	Details of Inbound XML E-Document based from the Purchase Order	Details of Inbound E-Document Template	Expected Conversion Result
The XML inbound e-document is for partial billing. Not all purchase order expenses are billed.	The purchase order contains expenses with the required amount and corresponding account.	The inbound XML e-document does not include all amounts for each expense line.	The e-document template is valid with correct mapping.	Conversion will succeed. The created vendor bill has the amount of the expenses mapped to their corresponding accounts.
An extra expense amount is included in the inbound e-document.	The purchase order contains expenses with the required amount and corresponding account.	The inbound XML e-document contains an expense amount with no corresponding account.	The e-document template is valid with correct mapping.	Conversion will succeed. The expense amount with no corresponding account will automatically be assigned to the Default Expense Account specified in the vendor record.
The purchase order has expense amount and	The purchase order contains expenses with the	The inbound XML e-document does	The e-document template is valid	Conversion will only proceed if the inbound XML e-document includes

Case	Details of Reference Purchase Order	Details of Inbound XML E-Document based from the Purchase Order	Details of Inbound E-Document Template	Expected Conversion Result
account, but the inbound XML e-document does not have an expense included.	required amount and corresponding account.	not have an expense included.	with correct mapping.	at least one line item from the reference purchase order. If neither line item nor expense is included in the inbound e-document, conversion won't proceed.
The purchase order has item lines and no specified expense, but the inbound e-document has expense amounts	The purchase order has no specified expense amount and account, but has at least one line item.	The inbound XML e-document has expense amounts included, without corresponding accounts.	The e-document template is valid with correct mapping.	Conversion will only proceed if there is at least one line item included, and a Default Expense Account is specified in the vendor record. The expense amounts in the inbound e-document will be assigned to the Default Expense Account.

Additional scenarios that are applicable only for Vendor Credit:

Case	Details of Inbound XML E-Document	Details of Inbound E-Document Template	Expected Conversion Result
The inbound XML e-document contains no billing references.	The inbound XML e-document contains all the required fields.	The e-document template is valid and contains mapping for all the required fields.	Conversion is successful.
The inbound XML e-document contains billing references and the reference amount is same as credit amount.	The inbound XML e-document contains Invoice ID as reference.	The e-document template is valid and contains mapping for billing reference.	Conversion is successful. Apply field of the created vendor credit is populated with the bills and the status of bill will change to Paid in full .
The inbound XML e-document contains billing references and the reference amount is more than the credit amount.	The inbound XML e-document contains Invoice ID as reference.	The e-document template is valid and contains mapping for billing reference.	Conversion is successful. Apply field of the created vendor credit is populated with the bills. The bills having amount up to the credit amount will be fully paid and next bill in the list will be partially paid.
The inbound XML e-document contains billing references and the reference amount is less than credit amount.	The inbound XML e-document contains Invoice ID as reference.	The e-document template is valid and contains mapping for billing reference.	Conversion is successful. Apply field of the created vendor credit is populated with the bills and the status of applied bills will change to Paid in full . The Unapplied field is updated with the remaining amount.

Converting Individual Inbound E-Documents into Vendor Bills

If the conditions and requirements for conversion have been met, you are ready to convert an inbound e-document into a vendor bill. See [Prerequisites and Conditions for Conversion](#)

To convert an inbound e-document into a vendor bill

1. Go to the E-Documents Portlet on the Home page, and then click the number under **Inbound E-Documents for Conversion**.
2. On the Inbound E-Document for Conversion results page, click the View link of the inbound e-document that you want to convert into a vendor bill.
3. On the Inbound E-Documents page, click **Convert**.



Note: Before proceeding with conversion, make sure that the date format in the XML e-documents is the same as the date format set in Set Preferences.

The progress of conversion is displayed as a banner on the page. If conversion is successful, the created vendor bill is displayed. On the **E-Document** subtab of the vendor bill, the **Inbound E-Document** field indicates the record link of the converted inbound e-document. The **E-Document Audit Trail** subtab of the inbound e-document record will indicate the details of the successful conversion and the status is set to Converted. Details of any error or failure in conversion will also be listed in the e-document audit trail. If the converted inbound e-document has an attached PDF file reference, the attachment can be viewed and downloaded on the **E-Document** subtab of the created vendor bill.

Converting an Inbound E-Document Without a Purchase Order Number

An inbound e-document without a purchase order number can be converted into a stand-alone vendor bill or vendor credit based on transaction type in inbound e-document. Even if the inbound e-document is neither derived from, associated with, nor linked to an existing purchase order record, it can still be converted into a vendor bill or vendor credit. But the inbound e-document that will undergo conversion, must meet the following requirements:

- It must be a valid and well-formed XML document.
- It must include a reference number.
- It must include at least one item purchased or an expense.
- If it includes expense line, vendor record must have a Default Expense Account.

Convert this type of (stand-alone) inbound e-document by clicking **Convert** on the record. Or, use a script to run automatic bulk conversion of inbound e-document records with status For Conversion. For more information, see [Deploying Automatic Bulk Conversion Script for Inbound E-Documents](#).

Converting an Inbound E-Document to a Vendor Bill with a Purchase Order Number Not Found in the Account

Inbound e-document can be converted to a stand-alone vendor bill even if it does not have a valid purchase order number. However, the template used in an inbound e-document must contain mapping for the **createdfrom** field. You can view an audit trail message in the inbound e-document and the newly created vendor bill. This message states that a new stand-alone vendor bill was created and a valid purchase order number was not found in the account,

You can do this using the **Bypass PO# Validation in Inbound Conversion** field in the Electronic Invoicing preferences record. For more information, see the section- Inbound E-Document has Purchase Order Number and the Template has Mapping to the createdfrom Field under [Prerequisites and Conditions for Conversion](#).

The inbound e-document will contain the invalid purchase order number in the **PO Number** field. When you view or edit inbound e-documents and vendor bills, an information banner message displays that a stand-alone vendor bill was created but a matching purchase order was not found.

Note: A purchase order is valid when the purchase order number present in the XML e-document is also present in the account in which conversion is taking place.

Converting Individual Inbound E-Documents into Vendor Credits

If the conditions and requirements for conversion are met, you are ready to convert an inbound e-document into a vendor credit. For more information, see [Prerequisites and Conditions for Conversion](#).

To convert an inbound e-document into a vendor credit:

1. Go to the **E-Documents** portlet on Home page, and click the number under **Inbound E-Documents for Conversion**.
2. On the Inbound E-Document for Conversion results page, click **View** on the inbound e-document that you want to convert into a vendor credit.
3. On the Inbound E-Documents page, click **Convert**.

Note: Before proceeding with the conversion, ensure that the date format in the XML e-documents is the same as the date format in the Set Preferences page. The progress of conversion is displayed as a banner on the page.

If conversion is successful, the created vendor credit is displayed. In the **E-Document** subtab of the vendor credit, the **Inbound E-Document** field indicates the record link of the converted inbound e-document. On the **Apply** subtab of vendor credit, the bill references of the invoices in XML e-document can be viewed.

The **E-Document Audit Trail** subtab of the inbound e-document record will indicate the details of the successful conversion and the status is set to **Converted**. Details of any error or failure in the conversion will also be listed in the e-document audit trail. If the converted inbound e-document has an attached PDF file reference, the attachment can be viewed and downloaded on the **E-Document** subtab of the created vendor credit.

Converting Individual Inbound E-Documents into Sales Order

If the conditions and requirements for conversion are met, you are ready to convert an inbound e-document into a vendor credit. For more information, see [Prerequisites and Conditions for Conversion](#).

To convert an inbound e-document into a sales order:

1. Go to the **E-Documents** portlet on the Home page, and click the number under **Inbound E-Documents for Conversion**.
2. On the Inbound E-Document for Conversion results page, click **View** on the inbound e-document that you want to convert into a sales order.

3. On the Inbound E-Documents page, click **Convert**.



Note: Before proceeding with the conversion, ensure that the date format in the XML e-documents is the same as the date format in the Set Preferences page. The progress of conversion is displayed as a banner on the page.

If conversion is successful, the created sales order is displayed. In the **E-Document** subtab of the sales order, the **Inbound E-Document** field indicates the record link of the converted inbound e-document.

The **E-Document Audit Trail** subtab of the inbound e-document record will indicate the details of the successful conversion and the status is set to **Converted**. Details of any error or failure in the conversion will also be listed in the e-document audit trail.

Converting Failed Inbound E-Documents

Inbound e-documents that initially failed conversion can be manually converted again, individually or in bulk, into vendor bills, vendor credits and sales orders.

First, you must review the inbound e-documents that failed conversion and then resolve the errors in those e-documents. Without resolving the errors, the conversion process will fail again.

After resolving the errors, you need to search for the inbound e-documents that you fixed and finally proceed with the bulk conversion.

To search and convert inbound e-documents that failed initial conversion:

1. Go to the Electronic Documents portlet on the Home page, and then click the number under **Convert Failed Inbound E-Documents**. For more information, see [Displaying the E-Documents Portlet on the Home Page](#).

The Convert Inbound E-Documents page is displayed with search filters where you can define criteria for refining the search for failed inbound e-documents.

2. In the **Select Entity Type** filter, choose either **Customer** or **Vendor**. The default selection is **Vendor**.
3. To view a list of failed inbound e-documents for a customer or vendor, select that customer or vendor based on the entity type selection. If no customer or vendor is selected, the search result will display all failed inbound e-documents for the entity selection made.
4. In the **Date Created From** field, set the date to define the beginning of the date range.
The search result displays all failed inbound e-document records starting from the date you set in this field.
5. In the **Date Created To** field, set the date to define the end of the date range.
The search result displays all failed inbound e-document records starting from the date you set in **Date Created From** field to date set in this field.



Note: The **Date Created From** date must be less than the **Date Created To** date.

6. If you chose the **Vendor** entity type, select one or more transaction types in the **Transaction Type** field. This selection is for the failed inbound e-documents you want to convert.

To select multiple transaction types, press and hold the ctrl key when selecting each transaction type. For **Customer** entity type, **Sales Order** is auto selected.

 **Important:** The search won't proceed if any inbound e-document within the specified date range or from the selected vendor or customer, is undergoing the conversion process at the same time. In this case, a message is displayed instructing you to change your search criteria or you can try again later when the ongoing conversion is finished.

A results page is displayed listing the failed inbound e-documents that meet your search criteria. The results page displays the first 25 inbound e-documents. If more inbound e-documents are found, they are displayed in the succeeding pages. On the results page, you can click the Internal ID link of an inbound e-document. This link opens the inbound e-document record.

 **Note:** In case of a stale Electronic Invoicing license and a **E-Document Country for Free Use** setup, only the matching free country results of failed inbound e-documents are displayed. For more information about **E-Document Country for Free Use**, read [Defining the E-Document Country for Free Use](#).

7. Click **Convert**.

A message is displayed on the banner confirming that the e-documents are being converted.

After the conversion is completed, an email notification is sent to the user who performed the conversion and to the email address in the Email Recipient Notification setup, if any is specified. If errors are encountered during conversion, the email will have an attached CSV file listing the inbound e-documents that underwent conversion, including columns for the Internal ID, Vendor, and details of the conversion process and errors.

For more information about choosing the recipient of notifications, see step 4 of [Prerequisites for Using Electronic Invoicing](#).

 **Note:** You can also convert inbound e-documents that failed conversion, individually or one at a time.

For more information, read:

- [Converting Individual Inbound E-Documents into Vendor Bills](#)
- [Converting Individual Inbound E-Documents into Vendor Credits](#)
- [Converting Individual Inbound E-Documents into Sales Order](#)

Compatibility of Approval Workflows with Vendor Bill Conversion

If Vendor Bill Approval Workflow is enabled, it is automatically applied to vendor bills created from inbound e-document conversion, without further configuration.

With approval workflow enabled, a vendor bill created from inbound e-document conversion is also assigned an approval status. If the new vendor bill is still pending approval when it was created, the

approval process is continued. The vendor bill is then properly routed to the next approver defined in the workflow. For more information, see the help topic [Vendor Bill Approval Workflow](#).

If 3 Way Match Vendor Bill Approval Workflow is enabled, you can determine the discrepancy between the created vendor bill and the reference purchase order. Clicking Bill Exception on the new vendor bill will display any discrepancy resulting from the validation performed by the approval workflow against set exception criteria. A vendor bill and its corresponding purchase order may have discrepancies in terms, quantity tolerance, quantity difference, or amount. For more information, see the help topic [3 Way Match Vendor Bill Approval Workflow](#).

 **Note:** The standard workflow included in the Vendor Approval SuiteApp does not support checking for tax amount discrepancy. If you want to enable checking for tax amount discrepancy, see the help topic [Customizing for the Vendor Bill Approval Workflow](#).

Canceling Inbound E-Documents

You can cancel an inbound e-document if you don't want to convert it into a NetSuite transaction.

To cancel an inbound e-document, view or open the inbound e-document you want to cancel and then click **Cancel**. A banner is displayed on the inbound e-document confirming cancellation of the record. The E-Document Audit Trail on the E-Document subtab also indicates the details of cancellation. Canceled e-documents cannot be converted to NetSuite records anymore.

You cannot cancel an inbound e-document if it is already converted or canceled. A canceled or converted e-document does not display the Cancel button. Cancellation will also fail if the inbound e-document is concurrently being converted or canceled by another user.

If cancellation of the record failed, a banner is displayed on the inbound e-document indicating the failure. The E-Document Audit Trail on the E-Document subtab also indicates the cause of the failure to cancel the inbound e-document.

Electronic Invoicing Builder Kit

- [What is Builder Kit](#)
- [Understanding Builder Kit](#)
- [Components of the Electronic Invoicing Builder Kit](#)
- [Using the Electronic Invoicing Builder Kit](#)

What is Builder Kit

You can use the Electronic Invoicing Builder Kit feature to meet the e-invoicing compliance requirements in countries supported by Avalara, and where NetSuite does not provide a localization support at present.

This enables you to use [Avalara for E-Invoicing](#).

 **Important:** See [E-Invoicing Mandate Definitions](#), for the list of e-invoicing mandates supported by Avalara.

Before using e-invoicing builder kit, ensure to check if your country is present in the list of countries with e-invoicing support provided by NetSuite.

Understanding Builder Kit

The Electronic Invoicing Builder kit enables you to implement the e-invoicing solution for your requirements. If the mandate is supported by Avalara, you can implement a working solution for it in your NetSuite account.

When you use Builder Kit to implement your e-invoicing solution, you set up following components:

- For Outbound:
 - E-Document Template (with custom data source)
 - Outbound Extension Plugin
 - Document status processing of a sent e-document (with custom processing logic).
 - The Mandate definition- this enables you to fulfill a required mandate and own its implementation details.
- For Inbound:
 - E-Document Template (Custom Data source plugin implementation)- to process inbound e-documents that you receive through Avalara from networks like PEPPOL)



Note: Outbound and Inbound can be set up independent to each other when you use Builder Kit to implement the e-invoicing solution.

After you implement the Builder Kit feature and the required local setup is completed, the standard E-Invoicing SuiteApp is ready. You must perform the following steps to use e-invoicing:

- Generate e-documents for country mandate of your choice.
- Send the document to networks like PEPPOL or tax authorities (supported by Avalara).
- Sync the status of the same e-document back at NetSuite, after the e-document is sent on networks like PEPPOL or to tax authorities.
- Receive and send transaction responses.

Components of the Electronic Invoicing Builder Kit

You should create and configure the following components of the Builder kit based on local requirements:

- Mandate
- E- Document Templates
- Custom Plugin Implementations
 - Custom Data Source for E-document (Outbound)
 - Avalara Message Process Plugin Type
 - Inbound Custom Data Source Plugin Type

■ Starter Templates:

The Builder kit feature provides starter templates that you can customize further and then use in the Builder kit to tailor the e-invoicing solution to your desired country and e-invoicing mandates.

The starter template include:

- Sample SuiteScript code for the custom plugin types. These can be used as a starting point and can be configured further.

- E-Document Templates (FreeMarker Templates to generate Generic PEPPOL e-documents) which can be configured to enable:
 - Generation of a compliant e-document.
 - Sending the e-document to the concerned Tax Authorities or networks like PEPPOL (powered by Avalara).
 - Processing responses for tax authorities/Networks.

An additional step involved in the configuration of the Builder kit is creating the required [Custom Fields](#) and/ or [Custom Records](#), for input and output values of the e-invoicing, depending on your mandate requirements. This is done using the standard NetSuite customization. For more information see, [Customization Overview](#).

Using the Electronic Invoicing Builder Kit

To start using Builder Kit, please contact your account administrator to enable access for your NetSuite account.

- [Using Builder Kit in NetSuite Sandbox \(optional\)](#)
- [Prerequisites](#)
- [Configuring the components of Builder Kit](#)
- [Using Builder Kit in NetSuite Production](#)
- [Customizing Electronic Invoicing Builder Kit Templates](#)

Using Builder Kit in NetSuite Sandbox (optional)

If you have the [NetSuite Sandbox](#) account, you can configure Builder kit in sandbox first and do the required testing, to ensure your implementation works as expected. After configuring the components, they can be used in the production setup.

NetSuite sandbox allows you to test send your e-documents to Avalara sandbox which works with the test mode of the tax authorities / networks like PEPPOL, serving as the test environment for your e- Invoicing flow.

Prerequisites

Install the required SuiteApps:

- Electronic Invoicing
- NetSuite Electronic Business
- License Client



Note: The NSEB SuiteApp requires you to perform initial setup steps in production, before NSEB can be used in sandbox for testing. For more information see, [NSEB Sandbox Quick Start](#)

Configuring the components of Builder Kit

Configure the following components:

- [Create Plugin Implementation](#)
- [Create Mandate Record](#)
- [NSEB Setup](#)
- [Creating E- Document Templates using Builder Kit](#)
- [Create the Required Custom Fields](#)
- [Additional Setup for Inbound](#)

Create Plugin Implementation

You must have the Administrator role to create the plugin implementations.

You can create plugin implementations of below types using the samples provided as part of EI SuiteApp:

- Avalara Message Process Plugin Type - for document status processing.
- Custom Data Source for E-document - for outbound generation.
- Outbound Extension Plugin Implementation - for outbound generation

For more information, see [Creating a Custom Plug-in Implementation for Extend E- Invoicing Plug-in](#)

- Inbound Custom Data Source Plugin Type - for inbound conversion.

To use samples, you can perform the following steps to create and copy them:

1. Go to File Cabinet > SuiteBundles > Bundle 436209 > com.netsuite.electronicinvoicing > Sample Templates > Builder > Plugin Implementations
2. Download the Plugin Implementations folder. It gets downloaded as a zip file.
3. You can now upload the zip into the file cabinet folder of your choice. Create a folder under File Cabinet > SuiteScripts called My Builder Scripts.
4. Go to My Builder Scripts and upload the zip file using the "Advanced Add" option.
5. After the upload, you can go to the files under the plugins folder and rename them as per your choice, for identification while using these files to create Plug-in Implementations.

You can refer to the already sourced Transaction data available from Electronic Invoicing (refer to CDS data available from EI). If you need to override the available values, you can do it when implementing. If it is not required to override, you don't need to take any action and the values will be used during e-document generation, depending on the template mappings. Refer to the CDS data available from reference Outbound UBL CDS and add the missing or tweak the existing if needed, based on countries' requirement.

For more details on how to create plugin implementation, see the help topic [Creating a Custom Plug-in Alternate Implementation](#).

Create Mandate Record

You must have the Administrator role to create the mandate record. A mandate record can be created using builder kit interface:

- Go to Setup > E-Invoicing > Builder Kit
- Create a Mandate record:

- Select the country code from **Available Country Codes** list for which you want to create a mandate.
- Select the mandate from the **Available Mandates** list. This field stores the mandates which are supported by Avalara for the country code selected in the previous step.
- Country mandate and description gets auto populated.
- Plugin implementation script id of 'Avalara Message Process Plugin Type' type created in the previous step, for example- . customscript_msgprocess_belgium.
- Inbound Transaction Response Custom Data Source Plugin Implementation: Contains reference to Inbound transaction response custom data source plugin implementation (script id) responsible to process an incoming inbound data to inbound transaction response.

 **Note:** Avalara Provisioning is a prerequisite to create a mandate record.

NSEB Setup

Setup the NetSuite Electronic Business SuiteApp in your sandbox account. For more details, refer to [NetSuite Electronic Business Sandbox](#) for the overview and [NSEB Sandbox Quick Start](#) for the steps.

 **Important:** To use NSEB in sandbox for testing, you must install NSEB first in production account, and perform the initial setup steps in production. For more information see, [NSEB Sandbox Quick Start](#).

As part of the NSEB setup in sandbox, be sure to activate the mandate you created in the previous step. For more details see, [Mandate Activation of Avalara Sandbox company](#).

Creating E- Document Templates using Builder Kit

You must have the Administrator role to create the e-document templates using Builder kit. You can use Builder Kit to create an E-Document Template with ready “starter” details which can be customized according to your needs.

You will need e-document templates to generate e-documents. Builder Kit helps you create e-document templates with standard/starter mappings and the custom data sourcing implementation, that you can further customize according to your needs.

Steps to create the E-document templates:

1. Go to Setup > E-Invoicing > Builder Kit
2. Enter the required details:
 - Name of the Builder E-Document Template.
 - E-Document Package you want the Template to reside in.
 - Subsidiaries you want the E-Document Template to be available for.
 - Outbound Details
 1. Outbound Starter – select the sample starting template with mappings.
 2. Outbound CDS – select the sample plugin implementation that sources the transaction data. You can select the CDS plugin implementation created in the first step.
 3. Outbound Extension - select the plug-in Implementation from the dropdown list.

4. Apply Validations - check the box if validations are required to be triggered during e-document generation.

For more information about validations, see the help topic [Apply Validations Enabled](#)

- Inbound Details

1. Inbound Starter – select the template that comes with default mapping. Current option is Inbound Generic PEPPOL, which helps you convert a PEPPOL E-Document.
2. Inbound CDS – select the inbound custom data sourcing implementation.
3. Inbound XSD – select the XSD option. This is a must.

3. Click **Save**.

You will be redirected to the created E-Document Template, with the “Template for Outbound E-documents” and “Custom Data Source Plugin Implementation” already populated, based on your selection of Outbound Starter and Outbound CDS.

Similarly, if you provided a choice for Inbound Starter, Inbound CDS, and Inbound XSD, the newly created E-Document Template record contains “Field Mapping for Inbound E-documents” already populated, based on your selection.

You can always modify these field values in the created E-Document Template by navigating to the record by going to Setup > Electronic Invoicing > E-Document Templates.

Create the Required Custom Fields

The country mandate or network to which the e-documents are sent (for example- PEPPOL) might require associated values to be stored with an invoice, before the e-document is generated and sent, and after the e-document is sent.

You may need to “create custom fields” depending on your country mandate. These custom fields could be used by you for two different purposes:

- Values that should be stored before e-document generation, and to be used during e-document generation:

A custom transaction body field can be used to store values that can be sourced and used in the generated e-document using Outbound CDS.

For example: a value associated with the invoice, required to be present in the generated e-document.

- Values that should be stored as result of sending out an e-document:

Custom transaction body fields can be used store the results of sending the e-document to tax authority or networks like PEPPOL.

For example: Unique ID of document generated by tax authority, digital signatures etc.

Additional Setup for Inbound

Inbound e-documents can be supported by implementing the following Builder kit created components:

- E-Documents Templates (Inbound)- Be sure to configure the Inbound Details when creating the E-Document Template using Builder Kit. For more information, see [Creating E- Document Templates using Builder Kit](#).
- You must create the Plugin Implementation to resolve/select/set the Vendor based on custom logic. Create a custom plugin implementation of type “Inbound Custom Data Source Plugin Type”.

Using Builder Kit in NetSuite Production

For Sandbox Users

When you have the components (plugin implementations and templates) ready after your modifications (if any) and verified to be working in your NetSuite sandbox (optional), you will be ready to use the components in your Builder Kit setup in your Production accounts.

If you have implemented and tested Builder kit components in Sandbox, store a copy of the plugin implementations, modified templates (if any), and related customizations, so that you can create/reuse it in Production.

For Non- Sandbox Users

You can implement the components similar to sandbox steps, and test with zero value or one cent invoices.

The following are the steps to use Builder Kit in Production:

- Create Plugin Implementation:
See, [Create Plugin Implementation](#)
- Create Mandate Record:
See, [Create Mandate Record](#)
- NSEB Setup:
You must complete the NetSuite Electronic Business SuiteApp setup in your production account. For more details, refer to [NetSuite Electronic Business Overview](#) for the overview and [Avalara Managers Guide](#) for the steps.



Important: If you have already setup NSEB in sandbox for testing, you must already have NSEB installed in your production account, and the initial setup steps already performed in production. You should resume setup in production from [Avalara Company Creation](#) or [Avalara Mandate Activation](#) steps.

As part of the NSEB setup in production, ensure to activate the mandate you created in the previous step. Refer to [Avalara Mandate Activation](#) for more information.

- Creating E-Document Templates using Builder Kit:
See, [Creating E- Document Templates using Builder Kit](#)
- Create the Require Custom Fields:
[Create the Required Custom Fields](#)

Customizing Electronic Invoicing Builder Kit Templates

After you have used the Electronic Invoicing Builder kit to create E-Document Templates, you can customize them using SuiteScript and FreeMarker, to generate the format of document required (for example- PEPOL BIS 3.0 and similar UBL based documents).

You can also customize how the result of sending an e-document (the document reference number, allotment number, QR code etc. corresponding to the sent e-document) is tagged with the corresponding invoice and other transactions in NetSuite, using Avalara Message Process Plugin Implementation.

- [Sourcing custom data for e-documents](#)

- [Modifying Template Mapping](#)
- [Writing Avalara Message Process Plugin Type](#)

Sourcing custom data for e-documents

You can include custom data in generated e-documents, by implementing Custom Data Source plugin implementation in SuiteScript and use them in the E-Document Templates. Builder Kit provides sample PEPOL custom data source plugin implementation that can be used as a reference.

Understanding the Outbound CDS Plugin Implementation

The Custom Data Source Plugin Implementation (CDS) is a custom plugin type that you can implement by creating plugin implementations. The plugin implementation you create should fully define the interface's function inject. It should contain the logic executed by an interface's function inject that will:

- Return the data sourced using SuiteScript that is expected to be present in the generated e-document.
- The Mandate that the document is being generated for.

More details about the interface:

Functions
inject(params)

Params
{String} params.transactionId
{Object} params.transactionRecord
{Object} params.transactionDataCollection (optional)

Returns
{Object} result
{render.DataSource} result.alias
{string} result.format
{Object Document string} result.data
{string} result.data.mandate
{Object Document string}
result.data.transaction - Custom data can be returned here.
{Object} result.result (optional)
{Boolean} result.result.success (optional)- It can be used to cause failure in generation. Useful when want to abort the generation process. Optional and defaulted to true if omitted.
{string} result.result.eiAuditTrailMsg (optional)- This appears on the E-Document Audit Trail of transaction.

Transaction Data Collection

The computed transaction object is available only for templates created through the builder kit interface. This object is available as a part of "Outbound CDS Plugin" params.

It is useful for plugin authors looking for transaction related data including its entity and subsidiary information.

Note: Transaction Data Collection is available for Invoice, Credit Memo and Cash Refund transaction types only.

The following is the table containing the information about transaction data collection keys and its source:

S. No.	CDS Key	Internal ID/ Source	Label
1	transactionDetails.typeCode	Can be provided in CDS Default Value - Credit Memo(381), Any other transaction (380)	N/A
2	transactionDetails.ublVersionId	Can be provided in CDS Default Value - 2.1	N/A
3	transactionDetails.taxScheme	Can be provided in CDS Default Value - VAT	N/A
4	transactionDetails.customizationId	Can be provided in CDS Default Value urn:cen.eu:en16931: 2017#compliant#urn:fdc:peppol.eu: 2017:poacc:billing:3.0	N/A
5	transactionDetails.profileId	Can be provided in CDS Default Value urn:fdc:peppol.eu:2017:poacc:billing: 01:1.0	N/A
6	transactionDetails.mainDetails.tranId	tranid	Bill-Reference No.Invoice-Invoice #
7	transactionDetails.mainDetails.tranDate	trandate	Date
8	transactionDetails.mainDetails.dueDate	duedate	Due Date
9	transactionDetails.mainDetails.memo	memo	Memo
10	transactionDetails.mainDetails.otherRefNum	otherrefnum	PO #- Invoice
11	transactionDetails.mainDetails.startDate	startdate	Start Date - Invoice
12	transactionDetails.mainDetails.endDate	enddate	End Date - Invoice
13	transactionDetails.mainDetails.type	type Invoice- invoice CreditMemo- creditmemo	-
14	transactionDetails.mainDetails.terms	terms	Terms
15	transactionDetails.mainDetails.createdFrom.tranId	createdfrom (value after #)	Created From - Invoice
16	transactionDetails.mainDetails.createdFrom.tranDate	trandate ("Created From" transaction's date)	Date

S. No.	CDS Key	Internal ID/ Source	Label
17	transactionDetails.mainDetails.salesRep.name	salesrep	Sales Rep
18	transactionDetails.mainDetails.salesRep.phone	phone ("Sales Rep" Phone)	Phone
19	transactionDetails.mainDetails.salesRep.email	email ("Sales Rep" Email)	Email
20	transactionDetails.mainDetails.currencyISOCode	symbol ("Currency" ISO Code)	ISO Code
21	transactionDetails.mainDetails.billAddress.addressee	addressee ("Bill Address" Addressee) (fallback to Entity's default address's Addressee)	Addressee
22	transactionDetails.mainDetails.billAddress.line1	addr1 ("Bill Address" Address 1) (fallback to Entity's default address's Address 1)	Address 1
23	transactionDetails.mainDetails.billAddress.line2	addr2 ("Bill Address" Address 2) (fallback to Entity's default address's Address 2)	Address 2
24	transactionDetails.mainDetails.billAddress.line3	addr3 ("Bill Address" Address 3) (fallback to Entity's default address's Address 3)	Address 3
25	transactionDetails.mainDetails.billAddress.city	city ("Bill Address" City) (fallback to Entity's default address's City)	City
26	transactionDetails.mainDetails.billAddress.zip	zip ("Bill Address" Zip) (fallback to Entity's default address's Zip)	Zip
27	transactionDetails.mainDetails.billAddress.state	state ("Bill Address" State) (fallback to Entity's default address's State)	State
28	transactionDetails.mainDetails.billAddress.countryISOCode	country (Transaction billing address country ISO Code) (fallback to Entity's default address country's ISO Code)	Country

S. No.	CDS Key	Internal ID/ Source	Label
29	transactionDetails.mainDetails. headerDiscount.rate	discountRate0.00 when Apply Validations is checked on template record	Rate
30	transactionDetails.mainDetails. headerDiscount.taxRate	N/ANote: Field not available, can be populated via CDS	
31	transactionDetails.mainDetails. headerDiscount.taxCode	N/ANote: Field not available, can be populated via CDS	
32	transactionDetails.mainDetails. headerDiscount.total	discountTotal 0.00 when Apply Validations is checked on template record	Discount Item
33	transactionDetails.mainDetails. shippingAndHandling.rate	N/ANote: Field not determined, can be populated via CDS	
34	transactionDetails.mainDetails. shippingAndHandling.taxRate	N/A Note: Field not determined, can be populated via CDS	
35	transactionDetails.mainDetails. shippingAndHandling.taxCode	N/ANote: Field not determined, can be populated via CDS	
36	transactionDetails.mainDetails. shippingAndHandling.total	altShippingcost, altHandlingcost (Sum of above fields)	Shipping Cost, Handling Cost
37	transactionDetails.mainDetails. shipping.rate	N/ANote: Field not determined, can be populated via CDS	
38	transactionDetails.mainDetails. shipping.taxRate	shippingTax1rate	Shipping Tax Rate
39	transactionDetails.mainDetails. shipping.taxCode	Shipping tax code/group id (only in legacy)	Shipping Tax Code
40	transactionDetails.mainDetails. shipping.peppolTaxCategoryCode	custRecord_psg_ei_peppol_tax_catg_ code (Tax Code "Peppol Tax Category Code")	
41	transactionDetails.mainDetails. shipping.total	altShippingcost	Shipping Cost
42	transactionDetails.mainDetails. handling.rate	N/ANote: Field not determined, can be populated via CDS	
43	transactionDetails.mainDetails. handling.taxRate	handlingTax1rate	Handling Tax Rate
44	transactionDetails.mainDetails. handling.taxCode	Handling tax code/group id (only in legacy)	HandlingTax Code
45	transactionDetails.mainDetails. handling.peppolTaxCategoryCode	custRecord_psg_ei_peppol_tax_catg_ code (Tax Code "Peppol Tax Category Code")	
46	transactionDetails.mainDetails. handling.total	altHandlingcost	HandlingCost
47	transactionDetails.mainDetails. amountsSummary.subTotal	subtotal	Subtotal(summary), Header Discount(summary)

S. No.	CDS Key	Internal ID/ Source	Label
		subtotal - headerdiscount when Apply Validations is checked on template record	
48	transactionDetails.mainDetails.amountsSummary.taxExclusiveAmount	total - taxtotal	Total, Tax Total
49	transactionDetails.mainDetails.amountsSummary.amountPaid	amountpaid	-
50	transactionDetails.mainDetails.amountsSummary.netPayable	Invoice - amountremainingtotalbox Credit Memo - amountremaining Other transactions - total	Amount Due, Total
51	transactionDetails.mainDetails.amountsSummary.taxTotal	taxtotal	Tax Total
52	transactionDetails.mainDetails.amountsSummary.total	total	Total
53	transactionDetails.lineDetails[].name	item (Text of Item column from Item sublist on transaction)	
54	transactionDetails.lineDetails[].description	description (Description column from Item sublist on transaction)	
55	transactionDetails.lineDetails[].itemType	itemtype (from Item sublist on transaction)	
56	transactionDetails.lineDetails[].lineNumber	serial number of line item starting from 1	
57	transactionDetails.lineDetails[].quantity	quantity (Quantity column from Item sublist on transaction)	
58	transactionDetails.lineDetails[].rate	rate (Unit Price column from Item sublist on transaction)	
59	transactionDetails.lineDetails[].amount	net amount after considering charge/ allowances (Amount column from Item sublist on transaction)	
60	transactionDetails.lineDetails[].taxCode	taxcode (Tax Code column from Item sublist on transaction) Blank in case of SuiteTax	
61	transactionDetails.lineDetails[].taxRate	taxrate (Tax Rate column from Item sublist on transaction) In Suitetax, sum of tax rates for same that item reference line will be shown	

S. No.	CDS Key	Internal ID/ Source	Label
62	transactionDetails.lineDetails[].peppolTaxCategoryCode	custrecord_psg_ei_peppol_tax_catg_code (Tax Code "Peppol Tax Category Code")	
63	transactionDetails.lineDetails[].baseAmount	amount (Amount column from Item sublist on transaction)	
64	transactionDetails.lineDetails[].lineDiscountDetails[].rate (Available when Line Discount is present)	rate (Unit Price column from Item sublist on transaction)	
65	transactionDetails.lineDetails[].lineDiscountDetails[].amount (Available when Line Discount is present)	amount (Amount column from Item sublist on transaction)	
66	transactionDetails.lineDetails[].lineDiscountDetails[].baseAmount (Available when Line Discount is present)	amount on which the lineDiscount rate should be applied	
67	transactionDetails.lineDetails[].lineMarkupDetails[].rate (Available when Line markup is present)	rate (Unit Price column from Item sublist on transaction)	
68	transactionDetails.lineDetails[].lineMarkupDetails[].amount (Available when Line markup is present)	amount (Amount column from Item sublist on transaction)	
69	transactionDetails.lineDetails[].lineMarkupDetails[].baseAmount (Available when Line Discount is present)	amount on which the lineMarkup rate should be applied	
70	transactionDetails.taxCategoryDetails[].taxableAmount	Taxable amount for unique PEPPOL tax category code	
71	transactionDetails.taxCategoryDetails[].taxAmount	Tax amount for unique PEPPOL tax category code	
72	transactionDetails.taxCategoryDetails[].peppolTaxCategoryCode	PEPPOL tax category code	
73	transactionDetails.taxCategoryDetails[].taxExemptionCode	N/ANote: can be populated through CDS	
74	transactionDetails.taxCategoryDetails[].taxExemptionReason	N/ANote: can be populated through CDS	
75	transactionDetails.taxCategoryDetails[].taxRate	Tax Rate for unique PEPPOL tax category code	
76	entityDetails.companyName	companyname (Entity's Company Name)	Company Name
77	entityDetails.peppolId	custentity_psg_ei_peppol_id (Entity's Peppol ID)	PEPPOL ID

S. No.	CDS Key	Internal ID/ Source	Label
78	entityDetails.entityId	entityid (Entity's ID)	Customer ID/ Vendor ID
79	entityDetails.accountNumber	accountnumber (Entity's Account Number)	Account
80	entityDetails.contactDetails.name	entityid (Entity's Primary contact name) (fallback to Entity's first contact name)	Name column (From Contacts sub record under "Relationships" subtab on Entity)
81	entityDetails.contactDetails.phone	phone (Entity's first contact phone) (fallback to Entity's first contact phone)	Phone column (From Contacts sub record under "Relationships" subtab on Entity)
82	entityDetails.contactDetails.email	email (Entity's first contact email) (fallback to Entity's first contact email)	Email column (From Contacts sub record under "Relationships" subtab on Entity)
83	entityDetails.taxRegNum	Legacy vatregnumber (Customer's vat reg number) SuiteTax entitytaxregnum (from transaction) defaulttaxreg (Customer's tax reg number)	Tax Reg. Number
84	subsidiaryDetails.name	OW name ("Subsidiary" name) SI companyname (Company Information "Company Name")	Name
85	subsidiaryDetails.legalName	legalname ("Subsidiary" legalname)	Legal Name
86	subsidiaryDetails.peppolId	custrecord_psg_ei_peppol_id ("Subsidiary" Peppol ID from it's EI subsidiary preference record)	Peppol ID
87	subsidiaryDetails.address.addressee	addressee OW ("Subsidiary" Main address Addressee) SI ("Company Information" Main address Addressee)	Addressee
88	subsidiaryDetails.address.line1	addr1 OW ("Subsidiary" Main address Address 1)	Address 1

S. No.	CDS Key	Internal ID/ Source	Label
		("Company Information" Main address Address 1)	
89	subsidiaryDetails.address.line2	addr2 OW ("Subsidiary" Main address Address 2) SI ("Company Information" Main address Address 2)	Address 2
90	subsidiaryDetails.address.line3	addr3 OW ("Subsidiary" Main address Address 3) SI ("Company Information" Main address Address 3)	Address 3
91	subsidiaryDetails.address.city	city OW ("Subsidiary" Main address City) SI ("Company Information" Main address City)	City
92	subsidiaryDetails.address.zip	zip OW ("Subsidiary" Main address Zip) SI ("Company Information" Main address Zip)	Zip
93	subsidiaryDetails.address.state	state OW ("Subsidiary" Main address State) SI ("Company Information" Main address State)	State
94	subsidiaryDetails.address.countryISOCode	country ("Subsidiary" Main address country) SI ("Company Information" Main address country ISO Code)	Country
95	subsidiaryDetails.taxRegNum	Legacy OW federalidnumber ("Subsidiary" federalidnumber) Legacy SI employerid (from Company Information) SuiteTax subsidiarytaxregnum (Subsidiary/Company tax registration number from transaction)	
96	subsidiaryDetails.currencyISOCode	symbol ("Currency" ISO Code of Subsidiary)	ISO Code
97	subsidiaryDetails. baseCurrencyTaxDetails.taxTotal	taxtotal * exchangerate (exchangerate from transaction)	

S. No.	CDS Key	Internal ID/ Source	Label
	(key available when subsidiary currency is not matching with transaction currency)		
98	subsidiaryDetails. baseCurrencyTaxDetails. totalIncludingTax (key available when subsidiary currency is not matching with transaction currency)	total * exchangerate (exchangerate from transaction)	
99	subsidiaryDetails. baseCurrencyTaxDetails. totalExcludingTax (key available when subsidiary currency is not matching with transaction currency)	(total - taxtotal) * exchangerate (exchangerate from transaction)	



Note: All of the above keys represent default mapping or values which can further be overwritten in the Outbound CDS as per the requirement. For usage refer, pl_starter_generic_outbound_cds.js (Folder: File Cabinet > SuiteBundles > Bundle 436209 > com.netsuite.electronicinvoicing > Sample Templates > Builder > Plugin Implementations).

Sourcing a value from custom record

For example, when implementing the Custom Data Sourcing plugin implementation, a search, query, or (least preferred) record load can be performed to source a custom data.

It can then be included at certain key in the object returned by the plugin implementation:
at object returned at customDataSources[0].data.transaction.

For example: **customObj**.myvalue = "value";

```

1      return {
2          customDataSources: [
3              {
4                  format: render.DataSource.OBJECT,
5                  alias: "avalara_cds",
6                  data: {
7                      mandate: mandate,
8                      transaction: customObj,
9                  },
10             },
11         ],
12         result: {
13             success: true,
14             eiAuditTrailMsg: "", //EI puts a default message if the CDS is returned successfully
15         },
16     };

```

Using Script execution logs for logging and debugging

After customizing the plugin implementation stater to suit your needs, you can test your changes by generating e-documents with the templates. To help with debugging, [N/log Module](#) and [log.debug\(options\)](#) can be used. The logs can be inspected under following script:

- Customization > Scripting > Scripts
- Set the filter to TYPE: Suitelet
- View script ID customscript_ei_generation_service_su

Be sure to set the Script Deployment to Log Level DEBUG, when using log.debug(options).

Appendix: Sample outbound CDS plugin implementation for PEPPOL e-documents.

You can locate the sample outbound CDS plugin implementation for PEPPOL e-documents in your File Cabinet:

Documents > File > File Cabinet > SuiteBundles > Bundle 436209 > Sample Templates > Builder > Plugin Implementations > pl_starter_generic_outbound_cds.js

Modifying Template Mapping

Adding tags, and mapping additional values returned from Outbound CDS plugin implementation.

After the E-Document Templates are created using builder kit, you may modify the outbound template by editing the *Template for Outbound E-documents* field in the E-Document Template.

You can add additional XML tags that reference data returned by Custom data source Plugin Implementation type set in *Custom Data Source Plugin Implementation* field of the same E-Document Template record.

Writing Avalara Message Process Plugin Type

To sync the status and related updates about an e-document after it is generated and sent, you will need to implement a custom plugin of type "Avalara Message Process Plugin Type".

- Appendix: Sample Avalara Message Process plugin type implementation.

You can see a sample plugin implementation by navigating to:

- Documents > File > File Cabinet > SuiteBundles > Bundle 436209 > Sample Templates > Builder > Plugin Implementations > pl_starter_avalara_message_process.js

- Customizing the sample to add a value to custom transaction body field. The sample plugin implementation should implement function processRequestStatus

```

1 -
2
3 {Object} params
4 - {Object} params.transaction
5 - {Object} params.docStatusPayload { companyId, obnControlNumber id, events: "array<Event>", status, events[].message,
   events[].responseKey (optional)}

```

- Using Script execution logs for logging and debugging.

After customizing the plugin implementation starter to suit your needs, you can test your changes by generating e-documents with the templates. To help with debugging, [N/log Module](#) and [log.debug\(options\)](#) can be used.

The logs can be inspected under following script:

- Customization > Scripting > Scripts
- Set the filter to TYPE: RESTlet
- View script ID customscript_ei_update_transaction_rl

Ensure to set the Script Deployment to Log Level DEBUG, when using [log.debug\(options\)](#)

Electronic Invoicing Errors

To understand outbound and inbound e-document processing errors, see the following topics:

- [Electronic Invoicing Error Codes](#)
- [Outbound E-Document Generation Errors](#)
- [Outbound E-Document Sending Errors](#)

■ Inbound E-Document Conversion Errors

Electronic Invoicing Error Codes

Error code	Message	Description	Solution
EI_TEMPLATE_CSV_ERROR	The XML template contains errors. XML format must be well-formed.	The XML input for Template for Outbound E-Invoices field is invalid.	You must fix the XML input for the Template for Outbound E-Invoices field.
EI_TEMPLATE_VALIDATOR_CSV_ERROR	The REGEX field contains an incorrect regular expression. Proper syntax must be used.	The Regex input for XML validators is invalid.	You must fix the regex input for Regex Validation Expression field in the XML Validators sublist of the template.
EI_INACTIVE_CUSTOMER	Transactions with inactive customers are not supported by e-document.	The customer who owns the transaction is inactive.	You must remove the e-document template from the transaction or activate the inactive customer.
EI_SENDING_NO_RECIPIENTS	The e-document cannot be sent because the customer has no email address. Before you can send this e-document by email, an email address must be provided on the customer record.	The customer (individual) does not have any email address specified in the Customer record.	You must enter a valid email address in the Customer record.
EI_SENDING_NO_RECIPIENTS	There are no e-document recipients for this customer. To send electronic documents by email to this customer, at least one contact must be added to the list of e-document recipients.	The customer (company) does not have any e-document recipients defined in the Customer record.	You must enter e-document recipients in the Customer record.
EI_SENDING_RECIPIENT_NO_EMAIL	One or more recipients of the e-document, associated with this transaction, does not have an email address. Verify that the recipients for this customer have valid email addresses.	The customer (company) has an e-document recipient that does not have an email address.	You must enter a valid email address in the e-document recipient in the Customer record.
EI_SENDING_INVALID_METHOD	Select a valid sending method for {TYPE} #{TRANSACTIONNUMBER}.	The transaction does not have an e-document sending method defined.	You must enter an e-document sending method in the Transaction record.
EI_SEND_INVALID_RESULT	The plug-in failed to return a valid result.	The plug-in used for sending, did not return a result.	You must fix the plug-in implementation so that it will return a result object.
EI_SENDING_PLUG_IN_ERROR	<ERROR MESSAGE>	The plug-in used for sending, encountered an error.	You must fix the plug-in implementation based on the error message.
PROBLEM_LOADING_PLUG_IN	E-document Sending encountered an error while loading a custom plug-in. Error Code: <ERROR CODE> Message: <MESSAGE>	The plug-in file used for sending, did not load properly.	You must fix the plug-in implementation based on the error message.
EI_CANNOT_CREATE_DEFAULT_DOCUMENT_PACKAGE	The {DEFAULT_DOCUMENT_PACKAGE} record already exists. You cannot create an e-document package record with the	Creating an e-document package with the name "Default E-Document Package" is not allowed.	You must create a new e-document package with another name.

Error code	Message	Description	Solution
	same name. Rename your e-document package record and try again.	(this error is shown in CSV import).	
EI_CANNOT_EDIT_DEFAULT_DOCUMENT_PACKAGE	Editing the {DEFAULT_DOCUMENT_PACKAGE} record Name or Description is not allowed.	Editing the e-document package, "Default E-Document Package", is not allowed. (this error is shown in CSV import).	Avoid editing the default e-document package record.
EI_CANNOT_DELETE_DEFAULT_DOCUMENT_PACKAGE	Deleting the {DEFAULT_DOCUMENT_PACKAGE} record is not allowed.	Deleting the e-document package, "Default E-Document Package", is not allowed. (this error is shown in CSV import)	Avoid deleting the default e-document package record.
EI_VENDOR_CODE_FIELD_NOT_FOUND	The vendorcode field is missing in the e-document template. Modify the e-document template or select another template that includes vendorcode field mapping.	If the Multiple Vendor feature is enabled in the account, the vendorcode must be indicated in the Mapping Format of the E-Document Template that is being used for Inbound E-Document conversion.	You must add the mapping for vendorcode field in the Field Mapping for Inbound E-Documents in the template.
EI_NO_VENDOR_CODE_VALUE	At least one of the items has no vendor code. Cancel this e-document and submit another e-document with the correct value for the XML element mapped to the vendor code field.	The vendorcode of one of the items has no value. This error occurs if the Multiple Vendor feature is enabled in the account.	You must modify the XML by defining a value for the XML that is mapped to the vendorcode field.
EI_VENDOR_NAME_FIELD_NOT_FOUND	The vendorname field is missing in the e-document template. Modify the e-document template or select another template that includes vendorname field mapping.	If the Multiple Vendor feature is disabled in the account, the vendorname field must be indicated in the Mapping Format of the E-Document Template that is being used for Inbound E-Document conversion.	You must add the mapping for the vendorname field in the Field Mapping for Inbound E-Documents in the template.
EI_NO_VENDOR_NAME_VALUE	At least one of the items has no vendor name/code. Cancel this e-document and submit another e-document with the correct value for the XML element mapped to the vendor name/code field.	The vendorname of one of the items has no value. This error occurs if the Multiple Vendor feature is disabled in the account.	You must modify the XML by defining a value to the XML that is mapped to the vendorname field.
EI_CREATED_FROM_TRANSACTION_NOT_FOUND	Record ({TRANSTYPE}#{TRANSID}) was not found in the system. Cancel this e-document and submit another e-document with the correct value for the XML element mapped to the createdfrom field.	The transaction that the vendor bill will be created from is not found in the system.	You must define the correct value for the XML that is mapped to the createdfrom field.
EI_CREATED_FROM_TRANSACTION_ENTITY_NOT_MATCH	Record ({TRANSTYPE}#{TRANSID}) is assigned to a different entity. Select the correct entity and convert this e-document.	The referenced transaction has a different entity compared to the inbound e-document.	You must select the correct entity and convert the e-document again.
EI_TRANSACTION_REFERENCE_NUM_ALREADY_EXISTS	A vendor bill with the same reference number already exists. Cancel this e-document and submit another e-document with the correct reference number value for the XML element mapped to the tranid field.	This error occurs during conversion of inbound e-document to vendor bill. The SuiteApp won't proceed with conversion if the reference number on the inbound e-document	You must define another value for the XML that is mapped to the tranid field.

Error code	Message	Description	Solution
		already exists in one of the vendor bills.	
EI_TRANSACTION_REFERENCE_NUM_NOT_FOUND	The required reference number is missing in the inbound e-document. Cancel this e-document and submit another e-document that includes an XML element for the reference number, mapped to the tranid field.	Reference number must be present in the XML. It has to be mapped to the E-Document template tranid field.	You must add an XML that maps to the tranid field.
EI_TRANSACTION_ITEM_ERROR	The following vendor codes: {ITEMLIST}, are associated with multiple item records. Modify the item records and ensure that vendor codes are unique for each item per vendor.	There are items in the XML (in the inbound e-Document) that have multiple matches in the item record.	You must edit the vendor codes of the duplicate item records to ensure the uniqueness of the items.
EI_TRANSACTION_ITEM_ERROR	The following vendor name/codes: {ITEMLIST}, are associated with multiple item records. Modify the item records and ensure that vendor name/codes are unique for each item per vendor.	There are items in the XML (in the inbound e-document) that have multiple matches in the item record.	You must edit the vendor name/codes of the duplicate item records to ensure the uniqueness of the items.
EI_TRANSACTION_ITEM_ERROR	The following vendor codes: {ITEMLIST}, are not associated with any item records.	There are items in the XML (in the inbound e-document) that have no match in the system.	You must create an item record for those items with no matches.
EI_TRANSACTION_ITEM_ERROR	The following vendor name/codes: {ITEMLIST}, are not associated with any item records.	There are items in the XML (in the inbound e-document) that have no match in the system.	You must create an item record for those items with no matches.
EI_TRANSACTION_ITEM_ERROR	There are no items in the inbound e-document that is included in the referenced transaction. Check the status of the referenced transaction if it can be transformed. If it can be transformed, cancel this e-document and submit another e-document with the correct value for the XML element mapped to the createdfrom field.	The user cannot convert the transaction or the referenced transaction does not have any matching items to the items in the inbound e-document.	A different transaction must be referenced or a different inbound e-document with the correct items must be used.
EI_SENDING_IN_PROGRESS	The system cannot perform a search using the filters you selected because e-document sending is already in progress for transactions within the date range ({TRANDATE_FROM} - {TRANDATE_TO}) for subsidiary ({SUBSIDIARY}). Please change your search criteria or try again later.	The records you are searching for might already be undergoing the sending process.	You can change the parameters for sending, or wait for the current sending process to finish before sending again.
EI_CONVERSION_IN_PROGRESS	The system cannot perform a search using the filters you selected because inbound e-document conversion is already in progress within the date range ({DATECREATED_FROM} - {DATECREATED_TO}). Please change your search criteria or try again later.	The records you are searching for might already be undergoing the conversion process.	You can change the parameters for conversion, or wait for the current conversion process to finish before converting again.
EI_CERTIFICATION_SENDING_METHOD_ALREADY_EXISTS	You cannot set this sending method as the Certification Sending Method because '{CERTIFICATION_SENDING_METHOD_NAME}' is already selected as the Certification Sending Method for the Subsidiaries [{SUBSIDIARIES}] and transactions [{TRANSACTIONS}].	A certification sending method is assigned to a combination of a transaction and subsidiary that already has a certification sending method. Only one	You must unassign the existing certification sending method or make it inactive, to be able to assign a new certification

Error code	Message	Description	Solution
	To save this record, you must unassign '{CERTIFICATION_SENDING_METHOD_NAME}' as a Certification Sending Method, or make it inactive.	certification sending method can be assigned to a particular combination of transaction and subsidiary.	sending method and save it.
EI_TEMPLATE_ERROR	Any of the following error messages can be displayed: - You selected an outbound transaction type, but the template content in the Template for Outbound E-Documents field is missing. Enter the XML or JSON content in the field and try again. - There are missing field values. For an outbound transaction, specify a valid XML or JSON content in the Template for Outbound E-Documents field. For an inbound transaction, specify the JSON content in the Field Mapping for Inbound E-Documents field. - The selected XSD file is not a valid XSD file. Ensure that the file you select has the .xsd extension.	Any of these errors will be displayed if validations related to template are not met. For example, if any of the required fields Template for Outbound E-Documents or Field Mapping for Inbound E-Documents are missing, or when an invalid XSD file is selected.	You must provide the missing fields or select a valid XSD file.
EI_EXTEND_PLUGIN_ERROR	Implementation of the Extend e-invoicing plug-in failed.	The error message will be displayed only when the error message is not provided in the plug-in code but 'success' param is sent as false.	You must fix the plug in code.
EI_EXTEND_PLUGIN_INVALID_RESULT	Extend plug-in response format is invalid.	The error message will be displayed when the plug-in returns an invalid response format.	You must fix the plug in code.
PROBLEM_LOADING_PLUGIN_IN	Error loading the Extend plug-in.	The error message will be displayed if the plug-in is not existing in the account or if it is inactive status.	

Electronic Invoicing Common Errors

Message	Error on User Interface	Description	Solution
An error occurred during conversion. Check the E-Document Audit Trail on the E-Document subtab for details.	Banner on the record	A red banner is displayed on the inbound e-document record indicating failed conversion.	Check the audit trail for more information.
Unable to convert this inbound e-document because the selected vendor is inactive. The E-Document Status field has not been updated and an audit trail has not been created. Clear the Inactive box on the vendor record, then try converting the e-document again.	Banner on the record	A yellow banner is displayed on the inbound e-document record indicating that an inactive vendor is selected.	Activate the inactive vendor before converting the inbound e-document.

Message	Error on User Interface	Description	Solution
Unable to convert this inbound e-document because the selected customer is inactive. The E-Document Status field has not been updated and an audit trail has not been created. Clear the Inactive box on the customer record, then try converting the e-document again.	Banner on the record	A yellow banner is displayed on the inbound e-document record indicating that an inactive customer is selected.	Activate the inactive customer before converting the inbound e-document.
Parsing failure. Check the Field Mapping for Inbound E-documents.	Audit Trail log	The Audit Trail of the inbound e-document logs this error after a failed conversion due to failure in XML parsing.	Check the inbound template for errors.
Conversion failure.	Audit Trail log	The Audit Trail of the inbound e-document logs the error after the failed conversion process.	Check the inbound e-document for errors.
Conversion failed because the status of the inbound e-document record is '{STATUS}'	Audit Trail log	The Audit Trail of the inbound e-document logs the error after a failed conversion due to a wrong status detected during conversion process.	A concurrent conversion process might be running, or the record is already cancelled when conversion was started. You can wait for the other conversion process to finish, or verify if the record has been canceled.
An error occurred during cancellation. Check the E-Document Audit Trail on the E-Document subtab for details.	Banner on the record	A banner is displayed indicating an error in cancellation.	You must check the inbound e-document for errors; most likely, the error is due to an invalid status.
The selected XML File Reference is not a valid XML file. Ensure that the file you select has the .xml extension.	Popup message	The inbound e-document record has an invalid e-document file.	You must make sure that the file attached to the inbound e-document is an XML file.
The selected XML File Reference is not a well-formed XML document.	Popup message	The inbound e-document record has a malformed XML file.	You must check the attached XML file if it is well-formed.
The Transaction Date From must not be later than the Transaction Date To. Change the dates so that the Transaction Date From is earlier than the Transaction Date To.	Popup message	The selected Transaction Date To is earlier than the Transaction Date From.	You must change the selected dates to make the Transaction Date From earlier than the Transaction Date To.
The Date Created From must not be later than the Date Created To. Change the dates so that the Date Created From is earlier than the Date Created To.	Popup message	The selected Date Created To is earlier than the Date Created From.	You must change the selected dates to make the Date Created From earlier than the Date Created To.
The selected XSD file is not a valid XSD file. Ensure that the file you select has the .xsd extension.	Popup message	This message is displayed while creating/editing a template record when the selected file is not an XSD file.	You must select an XSD file

Message	Error on User Interface	Description	Solution
There is no e-document email sender for this vendor. To receive e-documents through email from this vendor, you must enter at least one email address in the Vendor E-Document Email Sender list.	Popup message	The vendor does not have any e-document senders defined in the vendor record. This error appears when saving the record with Use Sender List box checked.	You must add at least one sender email address, or clear the box and input a sender domain.
The sender email address already exists.	Popup message	The sender email address entered in the sublist is already existing for the same vendor.	You must enter a different email address or remove the current entry.
The sender email domain is already being used by a different vendor.	Popup message	The sender domain is already being used by another vendor.	You must enter a different domain, or use the sender list to enter specific email addresses.
This account does not have an active license to use the Electronic Invoicing SuiteApp in multiple countries. To convert e-documents in bulk, please contact your account administrator to configure the E-Document Country for Free Use in the parent company on the Electronic Invoicing Preferences page.	Popup message	This message is displayed when trying to convert failed inbound e-documents in bulk using the Suitelet.	The administrator must set up the E-Document Country for Free Use field.
This account does not have an active license to use the Electronic Invoicing SuiteApp in multiple countries. To convert this e-document to a transaction, please contact your account administrator to specify a country in the E-Document Country for Free Use field in the parent company on the Electronic Invoicing Preferences page.	Popup message	This message is displayed when trying to convert an inbound e-document individually from the record page.	The administrator must set up the E-Document Country for Free Use field.
This account does not have an active license to use the Electronic Invoicing SuiteApp in multiple countries. To convert this e-document to a transaction, please contact your NetSuite account manager to purchase a license.	Popup message	This message is displayed when trying to convert an inbound e-document individually from the record page.	Ask the account manager to purchase a license.
This account does not have an active license to use the Electronic Invoicing SuiteApp in multiple countries. To convert this e-document to a transaction, please set up the default billing address of the selected vendor.	Popup message	This message is displayed when trying to convert an inbound e-document individually from the record page.	You must add a default billing address to the vendor of this e-document.
This account does not either have an active Avalara Processing for NetSuite Electronic Invoicing license or available volume for the active	Popup message	This message is displayed when trying to convert an inbound e-document	Ask the account manager to purchase the required Avalara Processing for NetSuite Electronic Invoicing license.

Message	Error on User Interface	Description	Solution
licenses. To convert this e-document to a transaction, please contact your NetSuite account manager to purchase the license(s).		individually from the record page.	
This account does not have an active NetSuite Electronic Business license. To convert this e-document to a transaction, please contact your NetSuite account manager to purchase the license(s).	Popup message	This message is displayed when trying to convert an inbound e-document individually from the record page.	Ask the account manager to purchase the required NetSuite Electronic Invoicing license.

Outbound E-Document Generation Errors

The following errors can occur during the generation of e-documents:

- [Malformed Template](#)
- [Malformed XPath](#)
- [Malformed Regex](#)
- [Unsupported XPath](#)
- [Data Failed Validation Checking](#)
- [Inactive Customer Record](#)
- [Apply Validations Enabled](#)
- [Validations applied through Builder Kit template](#)

Malformed Template

Generation of e-documents will fail if the selected template contains FreeMarker syntax errors.

To fix this error, select a different template or update the content of the e-document template, then try generating the e-document again.

Make sure that e-document templates are well-formed.

Click the link to the e-document template in the **E-Document Template** field to view and edit your e-document template.

For more information, see [XPath and Regex Examples for E-Document Templates](#).

Malformed XPath

Generation of e-documents will fail if there is no xpath to validate your e-document template, or the xpath format is invalid.

To fix this error, select a different template or verify that an xpath exists and the format is correct in your e-document template, then try generating the e-document again.

Make sure that e-document templates use the proper syntax for the xpath.

Click the link to the e-document template in the **E-Document Template** field to view and edit your e-document template.

For more information, see [XPath and Regex Examples for E-Document Templates](#).

Malformed Regex

Generation of e-documents will fail if the regex validation expression that validates your e-document template is invalid.

To fix this error, select a different template or check the regex validation expression's format in your e-document template, then try generating the e-document again.

Make sure that e-document templates use the proper syntax for the regex validation expression.

Click the link to the e-document template in the **E-Document Template** field to view and edit your e-document template.

For more information, see [XPath and Regex Examples for E-Document Templates](#).

Unsupported XPath

Generation of e-documents will fail if the e-document template does not contain the information required by the xpath used to validate it.

To fix this error, select a different template, update the e-document template, or delete the xpath, then try generating the e-document again.

Click the link to the e-document template in the **E-Document Template** field to view and edit your e-document template.

For more information, see [XPath and Regex Examples for E-Document Templates](#).

Data Failed Validation Checking

Generation of e-documents will fail if the transaction does not contain the information needed by the e-document template you selected. For example, if your e-document template requires a shipping address with a 5-digit postal code, but the shipping address on your transaction record has a 4-digit postal code, an error will occur.

To fix this error, select a different template, update the transaction record with the required information, or update the e-document template validations, then try generating the e-document again.

Inactive Customer Record

Generation of e-documents will fail if the customer associated with the transaction record is inactive.

To fix this error, set the **E-Document Template** field on the transaction to blank. If the **E-Document Template** field is blank, the system won't generate an e-document for the transaction, and no error message will be shown. If you intend to generate an e-document for the transaction, you must make the customer record active, then try generating the e-document again.

To activate the customer record, go to Lists > Relationships > Customers and find the customer record. Click **Edit**, then go to the **System Information** subtab and clear the **Inactive** box.

To regenerate e-documents, see the following topics:

- [Regenerating E-Documents for Single Transactions](#)
- [Generating and Regenerating E-Documents in Bulk](#)

Apply Validations Enabled

The following validations are triggered when "Apply Validations" is enabled on the e-document template:

S no.	Error Code	Scenario	Result
1	ERROR_NO_MORE_THAN_ONE_LINECHARGE (Warnings)	If multiple line markups are applied to one item.	E-document generation will be successful and a warning message is logged in the E-document audit trail.
2	ERROR_NO_MORE_THAN_ONE_DISCOUNT(Warnings)	If multiple line discounts are applied to one item.	
3	ERROR_EMPTY_VAT_REG_NUMBER	If Vat Registration number for the subsidiary is blank.	E-document Generation will fail.
4	ERROR_FETCHING_DETAILS	Error loading any details to compute data	
5	SUB_PEPOL_ID_NOT_SET CUSTOMER_PEPOL_ID_NOT_SET	PEPPOL ID not set in customer record/subsidiary preferences	
6	ERROR_PEPOL_TAX_CODE_NOT_SET	If PEPPOL tax category code on the Tax Code record is blank	
7	ERROR_DIFFERENT_PEPOL_TAX_CODE_IN_TAX_GROUP	Different PEPPOL tax category used in the same group.	
8	ERROR_DIFFERENT_PEPOL_TAX_CODE_FOR_SAME_REF	Different PEPPOL tax category used in the same group in the SuiteTax account.	
9	ERROR_TAX_CODE_GROUP_MISMATCH_LINE_ALLOWANCE_CHARGE	Tax code for Discount/Charge differs from the one used on the item.	

Validations applied through Builder Kit template

The following validations are triggered during e-document generation, when templates created through Builder Kit interface are used:

S no.	Error Code	Scenario
1	ERROR_ITEM_NOT_SUPPORTED	If any of the unsupported item is present on transaction. Unsupported Items: ■ Subtotal ■ Payment
2	ERROR_NONSUPPORTED_FIRST_ITEMTYPE	Having a discount or markup item as the first line item is not supported.
3	ERR_HEADER_DISCOUNT	Header discount rate cannot be positive. Choose a negative value and try again.
4	ERR_SHIPPING_HANDLING_COST	Shipping and Handling cost cannot be negative. Choose a positive value and try again.
5	ERROR_SHIPPING_COST	Shipping cost cannot be negative. Choose a positive value and try again.

S no.	Error Code	Scenario
6	ERROR_HANDLING_COST	Handling cost cannot be negative. Choose a positive value and try again.

Outbound E-Document Sending Errors

Errors can occur when sending e-documents. When the system encounters an error, NetSuite sends an email notification containing the error details to the user who initiated the sending process.

An audit trail containing the error details is also created on the **E-Document Audit Trail** subtab on the transaction record.

Fixing errors may require an Administrator role. Be sure to inform your account administrator about the error immediately. If the error is not fixed, the e-document cannot be sent.

The following errors can occur when sending e-documents:

- [Invalid Sending Method](#)
- [Invalid E-Document Sender](#)
- [Invalid Email Recipient](#)
- [Plug-in Script Error](#)

Invalid Sending Method

Sending of e-documents will fail if no sending method has been selected on the transaction record.

To fix this error, edit the transaction record and select a sending method, then try sending the e-document again.

Invalid E-Document Sender

Sending of e-documents will fail if the e-document sender has no email address.

To fix this error, change the e-document sender or make sure the e-document sender has a valid email address, then try sending the e-document again.

To view the **E-Document Sender** list, go to Setup > E-Documents > Electronic Invoicing Preferences. Click the parent company link.

If you have a OneWorld account, go to Setup > E-Documents > Electronic Invoicing Preferences. Click the required subsidiary link to view the assigned employee in the **E-Document Sender** list.

To add or change the email address, go to Lists > Employees and edit the employee record.

Invalid Email Recipient

Sending of e-documents will fail if the selected sending method has no email recipients or if one or more email recipients have no email addresses.

To fix this error, select a different sending method or make sure the selected sending method has at least one email recipient with an email address. If the customer is a company, there should be at least one email recipient defined on the **E-Document Email Recipient** subtab on the customer record. If the customer is an individual, enter the email address.

To view and add email recipients for the selected sending method, go to the **E-Document** subtab of the customer record. On the **E-Document Email Recipient** field, verify that your email recipients have email addresses. Click **New E-Document Email Recipient** to add an email recipient. Only contacts associated with the customer record are available for selection in the dropdown list.

Plug-in Script Error

Sending of e-documents will fail if the selected custom sending method is invalid.

To fix this error, make sure that the script of your custom sending method is valid.

For more information, see [Creating Custom Methods for Sending E-Documents](#).

Inbound E-Document Conversion Errors

Errors can occur when converting e-documents. When an error is encountered in automatic scheduled bulk conversion, the system sends an email notification with error details to the Recipient of E-Document Notifications. If the Recipient of E-Document Notifications is not assigned, the system sends the notification to all active administrators.

An audit trail containing the error details is also created on the **E-Document Audit Trail** subtab on the inbound e-document record.

Fixing errors may require an Administrator role. Be sure to inform your account administrator about the error immediately. If the error is not fixed, the e-document cannot be converted.

The following errors can occur when converting inbound e-documents:

- [Purchase Order is not Ready](#)
- [Incorrect PO Number](#)
- [Item vendorcode is not Unique](#)
- [Duplicate Reference Number](#)
- [Incorrect Mapping to Transaction Fields](#)
- [Mapping to Required Vendor Bill or Vendor Credit Fields is Missing](#)
- [Missing Default Expense Account](#)
- [Invalid Invoice Reference \(Applied when Converting to Vendor Credit Transaction\)](#)

Purchase Order is not Ready

Inbound e-document conversion will fail, if the e-document to be converted was generated from a purchase order that is not ready for billing, closed or fully billed.

To fix this error, ensure that the PO status is ready for billing.

Incorrect PO Number

Inbound e-document conversion will fail, if the e-document to be converted was generated from a purchase order with incorrect PO Number.

To fix this error, contact the vendor or party whom the e-document came from, inform them to make corrections to the PO Number, and have them send the amended XML file.

Item vendorcode is not Unique

Inbound e-document conversion will fail, if the e-document to be converted contains items whose vendorcode are not unique.

To fix this error, update the item records and ensure that each item has a unique vendorcode.

Duplicate Reference Number

If the reference number of an e-document to be converted has a duplicate:

- Duplicate Vendor Bill and Vendor Credit Detection is enabled for the Electronic Invoicing SuiteApp.
- Inbound e-document conversion will fail.

To fix this error, review the existing bill or bill credit, and then determine if it is duplicate. If it is a duplicate, cancel the e-document. If it is not duplicate, ask the vendor to resend an updated XML document, and then cancel the e-document.

Duplicate sales order is created when you click **OK** on the confirmation box when converting manually. If you want to cancel the conversion, click **Cancel** in the confirmation box and cancel the e-document.

Incorrect Mapping to Transaction Fields

Inbound e-document conversion will fail, if the JSON template has incorrect mapping to transaction fields.

To fix this error, review the inbound e-document template and make sure that JSON objects map to the correct vendor bill or vendor credit transaction fields.

Mapping to Required Vendor Bill or Vendor Credit Fields is Missing

Inbound e-document conversion will fail, if the JSON template is missing the mapping to required vendor bill or vendor credit fields.

To fix this error, review the inbound e-document template and define the JSON objects that will map to required vendor bill or vendor credit transaction fields.

Missing Default Expense Account

Inbound e-document conversion will fail, if the XML contains an expense line but the vendor record does not have a default expense account specified. To fix this error, edit the vendor record and on the **Financial** tab, specify a Default Expense Account.

Invalid Invoice Reference (Applied when Converting to Vendor Credit Transaction)

Inbound e-document conversion will fail if:

- The XML contains invalid invoice reference ID.

- The invoice belongs to another vendor (other than the vendor selected in the inbound e-document).
- Invoice is not having the bill created in the system.

To fix this error, review the existing invoice ID and bill reference related to the invoice. If the invoice is invalid or belongs to another vendor, cancel the e-document. If the invoice is valid but the bill is not present in the system, create a bill and trigger the conversion process.

NetSuite Electronic Business

To understand how to set up and use the NetSuite Electronic Business (NSEB) SuiteApp features, read the following topics:

- [NetSuite Electronic Business Quick Start](#)
- [NetSuite Electronic Business Overview](#)
- [NetSuite Guide to Integrate with OBN](#)
- [Avalara Managers Guide](#)
- [NetSuite Electronic Business Sandbox](#)
- [Limitations](#)

NetSuite Electronic Business Quick Start

This section includes the following topics:

- [Prerequisites for Installing the NetSuite Electronic Business SuiteApp](#)
- [Installing the NSEB SuiteApp](#)
- [Assigning NSEB Roles](#)
- [Integrate NetSuite with OBN](#)
- [Connecting NetSuite with Avalara](#)

Prerequisites for Installing the NetSuite Electronic Business SuiteApp

To use the NetSuite Electronic Business SuiteApp, ensure your account meets all the prerequisites listed on this page:

- Make sure the following features are enabled in your account:
 - Client SuiteScript
 - Custom Records
 - Custom Transactions
 - OAuth 2.0
 - Rest Web Services
 - Server SuiteScript
 - SuiteCloud Development Framework
 - Token-based Authentication
 - Web Services

To enable features, see [Enabling Features](#).

- Make sure the Company Information page has a return email address. For more information see, [Prerequisites for Using NSEB](#)
- Make sure the parent company and subsidiaries in the account are active. For more information see, [Prerequisites for Using NSEB](#).

Installing the NSEB SuiteApp

Install the NSEB SuiteApp from the SuiteApp Marketplace in NetSuite. For more information about installing the SuiteApp, see [Installing from the SuiteApp Marketplace](#).

Assigning NSEB Roles

After installing the NSEB SuiteApp, you can assign the OBN or Avalara Manager roles to users from your NetSuite account. For more information see, [Assigning NSEB Roles](#)

Integrate NetSuite with OBN

NSEB allows NetSuite users to communicate with third party services using OBN. The OBN manager must first register the company or its subsidiary with OBN to perform a secure document exchange.

For more information, see [Setting Up OBN Processes](#)

Connecting NetSuite with Avalara

A NetSuite user can activate access to the Avalara platform through Oracle Business Network for electronic business purposes. for more information see, [Avalara Managers Guide](#).

Read the following topics to understand more about Avalara processes:

- [Avalara Provisioning](#)
- [Avalara Company Creation](#)
- [Avalara Mandate Activation](#)

NetSuite Electronic Business Overview

NetSuite Electronic Business (NSEB) SuiteApp provides the foundation for NetSuite users to configure and participate in global business networks like Oracle Business Network (OBN) and PEPPOL. The SuiteApp provides global electronic invoicing solutions for country mandates worldwide by partnering with Avalara.

Using the NSEB SuiteApp, you're able to do the following:

- Enable NetSuite users to connect with potential customers or trading partners.
- Enable NetSuite to integrate electronically with all member companies, both Oracle and external, on the Oracle Business Network.
- Enable NetSuite accounts to issue invoices compliant with electronic invoice registration and control regulations in the supported countries.
- Enable the participating NetSuite users to be linked to the PEPPOL network by partnering with Avalara, without the need to sign up for access points in each country. For more information, see [Avalara Managers Guide](#).

NetSuite accounts and subsidiaries must register as trading partners in the Oracle Business Network. For more information, see [NetSuite Guide to Integrate with OBN](#).

NetSuite Electronic Business SuiteApp Availability and License Client

The NetSuite Electronic Business SuiteApp can be installed for free in any NetSuite account from the marketplace.

The following table provides prerequisites to use features in NetSuite Electronic Business SuiteApp.

Feature	Prerequisite
OBN Registration	No license required.
Avalara Provisioning	Install the NetSuite SuiteApps License Client. (Bundle ID: 116144)
Avalara Company Creation	- Install the NetSuite SuiteApps License Client. (Bundle ID: 116144) - Purchase the required licenses like NetSuite Electronic Business Network Extension and Avalara Processing for NetSuite Electronic Invoicing Cloud Service.
Avalara Mandate Activation	- Install the NetSuite SuiteApps License Client. (Bundle ID: 116144) - Purchase the required licenses like NetSuite Electronic Business Network Extension and Avalara Processing for NetSuite Electronic Invoicing Cloud Service.

If you have active licenses, you're able to use the licensed features. However, you cannot use them if:

- NetSuite SuiteApps License Client is not installed, or
- NetSuite SuiteApps License Client is installed but your license is expired.

Information:

The NetSuite SuiteApps License Client allows your NetSuite account to access features in NetSuite Electronic Business SuiteApp. Upon installation, the SuiteApp communicates with the NetSuite SuiteApps License Server to obtain active licenses information.

Note: You must do the OBN Registration and Avalara Provisioning in the production and then perform the linking in sandbox.

Installing and Setting Up NSEB

Read the following articles to understand how to install and setup the NSEB:

- [Prerequisites for Using NSEB](#)
- [Installing the NSEB SuiteApp](#)
- [Assigning NSEB Roles](#)

Prerequisites for Using NSEB

Before you install the NSEB SuiteApp, complete these steps:

- Make sure the following features are enabled in your account:
 - Client SuiteScript

- Custom Records
- Custom Transactions
- OAuth 2.0
- Rest Web Services
- Server SuiteScript
- SuiteCloud Development Framework
- Token-based Authentication
- Web Services

To enable features, see the help topic [Enabling Features](#).

2. Make sure the Company Information page has a return email address.



Important: If the **Return Email Address** field is blank, you'll encounter script errors when accessing Electronic Invoicing features.

- a. Go to Setup > Company > Company Information.
- b. In the **Return Email Address** field, enter a valid email address for the company.
- c. Click **Save**.



Note: If you have a OneWorld account, you must set up the Return Email per subsidiary that uses the NSEB SuiteApp.

3. Make sure the parent company and subsidiaries in the account are active.

Installing the NSEB SuiteApp

Install the NSEB SuiteApp from the SuiteApp Marketplace in NetSuite. For more information about installing the SuiteApp, see the help topic [Installing from the SuiteApp Marketplace](#).

The NSEB SuiteApp is a managed SuiteApp. After you install the SuiteApp, your accounts are automatically updated whenever an update to the SuiteApp is available, so you're always up-to-date. For more information about NSEB SuiteApp, see [NetSuite Electronic Business Overview](#).

Assigning NSEB Roles

After installing the NSEB SuiteApp, you can assign the following Manager roles to users from your NetSuite account.

- Avalara Manager – This role is used to activate Avalara for Electronic Invoicing. The OBN Manager role cannot access Avalara Configuration pages. See more about the Avalara Manager role, [Avalara Role Management](#)
- OBN Manager – This role is used to authorize OBN to access specific NetSuite account resources and register subsidiaries on the OBN Registration page. The Avalara Manager role cannot access the OBN Registration page. For more information about the OBN Manager role, see [OBN Role Management](#)

To assign the NSEB manager roles:

1. Go to Lists > Employees > Employees.
2. Click **Edit** next to the name of the employee for whom you want to provide role access.

3. Click the **Access** subtab.
 4. Check the **Give Access** box.
 5. On the **Roles** subtab, assign the following roles to the employee as required:
 - **Avalara Manager**
 - **OBN Manager**
 6. Click **Add**.
 7. Check the **Send New Access Notification Email** box to let the users receive notification emails for the assigned roles.
 8. Click **Save**.
- [NetSuite Electronic Business](#)
 - [NetSuite Guide to Integrate with OBN](#)
 - [Avalara Managers Guide](#)

NetSuite Guide to Integrate with OBN

NSEB allows NetSuite users to communicate with third party services using OBN. The OBN manager must first register the company or its subsidiary with OBN to perform a secure document exchange.

Read the following articles to understand more about NetSuite and OBN integration:

- [Setting Up OBN Processes](#)
- [OBN Role Management](#)
- [Troubleshooting OBN Errors](#)
- [NSEB Limitations and Best Practices for OBN](#)

Setting Up OBN Processes

You must perform the following steps using the OBN Manager role to setup OBN to exchange documents securely:

1. [Connecting a NetSuite Account with OBN](#)
2. [Registering NetSuite Parent Company and Subsidiary with OBN](#)

Connecting a NetSuite Account with OBN

To use OBN, you must first authorize the connection between your NetSuite account and OBN.

To authorize connection between NetSuite and OBN:

1. Go to Set Up > Electronic Business > OBN Registration.
2. Click **Authorize**.
3. On the Consent page, click **Allow**.

You will be redirected to the OBN portal in a new tab.

4. You must accept the terms and conditions to proceed with OBN registration.

OBN will now be able to access the following NetSuite data:

- Access your personal information
- Access data and perform actions as OBN Manager



Note: The OBN Manager must be authorized to accept the terms and conditions on behalf of the organization.

5. After the authorization is completed, the OBN Registration page opens with the parent company information and a successful authorization message. To register a parent company or subsidiary in OBN, see [Registering NetSuite Parent Company and Subsidiary with OBN](#)

Registering NetSuite Parent Company and Subsidiary with OBN

After successfully connecting your NetSuite account with OBN, you must register a parent company as the trading partner on OBN. After registering the parent company, you can also register the subsidiaries associated with the parent company. The OBN registration is a one time setup for a parent company or a subsidiary. The OBN manager can select a subsidiary for registration from the OBN Registration page. If the subsidiary is already registered, then the OBN manager can view the respective OBN ID on the OBN Registration page.

To register a parent company with OBN:

1. On the OBN Registration page, from the **OBN Manager** list, select the name of the person as primary contact for the trading partner.
2. Click **Register**.



Note: After the registration is completed, a successful completion message displays on the OBN Registration page with the OBN registration ID. An email with user credentials and next steps to activate the new OBN account is sent to your registered email ID.

To register a subsidiary with OBN:

1. On the OBN Registration page, from the **Subsidiary** list, select a subsidiary.
You can use the Subsidiary Name filter to filter the required subsidiary from the Registered Subsidiaries table.
2. Click **Continue**.
3. In the Company Contact Information section, from the **OBN Manager** list, select the name of the person as primary contact for the trading partner.
4. Click **Register**.



Note: After the registration is completed, a successful completion message displays on the OBN Registration page with the OBN registration ID. An email with user credentials and next steps to activate the new OBN account is sent to your registered email ID.

- [NetSuite Electronic Business](#)
- [Avalara Managers Guide](#)

OBN Role Management

Only the OBN Manager role can authorize NetSuite accounts and add subsidiaries on the OBN Registration page.

 **Important:** The OBN Manager must be authorized on behalf of the organization to accept the terms and conditions in the OBN portal. The OBN Manager can then proceed with OBN registration. For more information, see [Connecting a NetSuite Account with OBN](#).

After the registration, the OBN manager receives an email with user name and password required to access the OBN application. After accessing the OBN application with the user credentials, the manager is responsible for the document exchange process.

The following table lists the roles and permissions granted to perform the required OBN processes:

Process	Role Access	Permissions
Authorize connection between NetSuite and OBN	OBN Manager	By default, only the OBN manager has the permission to authorize NetSuite accounts.
Register parent company or subsidiary as trading partners on OBN	OBN Manager	By default, only the OBN manager has the permission to register the parent company and subsidiaries.
Login to OBN page	OBN Manager	The OBN manager receives the user name and password to access the OBN application.

 **Note:** Don't delete or deactivate the OBN Manager role. If the current OBN Manager role is deactivated, another user with access to the role should take over the responsibilities.

- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)
- [Avalara Managers Guide](#)
- [NetSuite Electronic Business](#)
- [Avalara Managers Guide](#)

Troubleshooting OBN Errors

Message	Error on User Interface	Description	Solution
Subsidiary name is already in use by another subsidiary. Enter a different subsidiary name.	Banner on the record	A red banner displays on the registration page indicating failed registration.	Enter a different Subsidiary name and try again
No Such Employer Identification Number Was Found.	Banner on the record	A red banner displays on the registration page indicating failed registration.	Enter a value in the EIN field or VAT field on the subsidiary record.
Unable to create an account in Oracle Business Network. Please try again.	Banner on the record	A red banner displays on the registration page indicating	Retry the registration.

Message	Error on User Interface	Description	Solution
		failed registration due to network error.	
There is no Email ID is available for this request. You can add the email in the corresponding employee record.	Banner on the record	A red banner displays on the registration page indicating there is no email id available.	Add email in corresponding employee record.
OBN Manager Selection Required.	Banner on the record	A red banner displays showing the OBN manager is not selected.	Select OBN Manager from the dropdown.
Errors in page are preventing you from being able to save. You might want to check the field in the corresponding subsidiary record and employee record	Banner on the record	A red banner displays due to multiple errors.	Enter country details in subsidiary record, and provide email id in employee record.

- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)
- [Avalara Managers Guide](#)

NSEB Limitations and Best Practices for OBN

General limitations of the NSEB SuiteApp:

- If your NetSuite account is authorized but a subsidiary is not added, then re-authorization is required when you go back to the OBN Registration page.
- On the Consent page, after you click the **Allow** button, if you click the **Go Back** button again, the authorization stops and the user is redirected back to the registration page.
- All the subsidiaries must be registered by the same OBN Manager
- The OBN Manager must not be deactivated or deleted if the manager authorizes and registers even one subsidiary successfully.
- Before deactivating or deleting an OBN manager, there should be an existing replacement for them. If there are other users with the OBN Manager, there would be no problem and the document exchange process does not break.
- After the OBN registration, you cannot modify the details from NetSuite. You must use OBN website to update the details directly.
- You cannot undo a registration of a subsidiary.
- NSEB does not support subsidiary hierarchy structure modification feature after Registration. Changing the parent subsidiary and child subsidiary hierarchy after the subsidiary registration can result in functionality breakages.
- The OBN Registration in NSEB is not available in Development accounts.
- Do not remove the OBN manager role from the employee record of anyone who has completed authorization with OBN.
- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)
- [Avalara Managers Guide](#)

Avalara Managers Guide

A NetSuite user can choose to activate its access to the Avalara platform through Oracle Business Network for electronic business purposes. The key benefits of Avalara for e-invoicing are as follows:

- Avalara global network connection – Send and receive documents through Avalara and their integrated networks.
- Avalara mandate feed – Enable NetSuite users considering operating in a new country to request information from Avalara about mandate requirements of that country.
- OBN participation – Enable NetSuite accounts to participate in the global OBN and interact commercially with all participating companies.
- Network registration – Enable NetSuite users to register their participation on the electronic networks.
- Country specific data – Lets the creation of common values used in countries, and by businesses that can be shared across all transactions. Also includes currency, tax codes, and tax categories.

For more information about Avalara, see [Avalara Overview and Countries List](#).

Read the following articles to understand more about Avalara processes:

- [Prerequisites for Using Avalara](#)
- [Avalara Role Management](#)
- [Avalara Provisioning](#)
- [Avalara Company Creation](#)
- [Avalara Mandate Activation](#)
- [Troubleshooting Avalara Errors](#)
- [Avalara Limitations and Known Issues in NSEB](#)

Prerequisites for Using Avalara

The prerequisite to activate Avalara for e-Invoicing is to complete the OBN trading partner registration. For more information about OBN registration, see [Registering NetSuite Parent Company and Subsidiary with OBN](#).

- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)

Avalara Role Management

Only users with the Avalara Manager role can activate Avalara for e-invoicing using the NSEB SuiteApp. The following table lists the roles and permissions granted to perform the required Avalara processes:

Process	Role Access	Permissions
Avalara Provisioning	Avalara Manager	Provisioning a parent company to Avalara
Avalara Company Creation	Avalara Manager	Create company in Avalara for parent and subsidiary companies
Avalara Mandate Activation	Avalara Manager	Activate mandates for parent and subsidiary companies as per the requirements

 **Note:** Don't delete or deactivate the Avalara Manager role..

Avalara Provisioning

The Avalara manager must provide a NetSuite parent company to connect with Avalara.

To provision a parent company:

1. Go to Setup > Electronic Business > Avalara Provisioning.
The company details of the parent company which is registered with OBN will be displayed.
2. On the Avalara Provisioning page, from the **Avalara Manager** list, select a user.
3. Click **Submit**.

Provisioning Completion in Avalara

The user selected in the **Avalara Manager** list is registered as a NetSuite user for the provisioned company.

A Provisioning Pending status displays on the Avalara Provisioning page.

A successful tenant account registration message displays on the Avalara Provisioning page. The message also displays following information which is added to the OBN trading partner account of the parent subsidiary:

- Tenant ID – ID of the tenant.
- Organization ID – ID of the organization
- User ID – ID of the user
- Avalara Provisioning ID – ID of Avalara provisioning
- Company ID – Blank – The company ID is updated after the Avalara provisioning is completed
- Provisioning Status – Pending provisioning status displays.

If you are registered as the Avalara Manager, you'll get an email with your Avalara account details, next steps, and a link to the Avalara ELR portal.

After accessing the Avalara portal, generate the client ID and secret. If you have access to the OBN Manager role, manually add the client ID and secret in the OBN trading partner account. After completing these steps, the system automatically updates the company ID in the parent company subsidiary record and the Avalara provisioning is completed successfully. As you complete these steps, leave the Avalara portal and go back to NetSuite, the following updated information is available on the Avalara Provisioning page:

- The generated Company ID
- The Provisioning Status is updated to Successful

If the Avalara Manager and OBN Manager are different users, then the Avalara Manager must provide the generated client ID and secret to the OBN manager. Then, the OBN manager must manually add the client ID and secret in the OBN trading partner account to generate the Company ID.

Learn more about completing the Avalara provisioning in this SuiteAnswers article, [Adding Avalara Client Application API Credentials to OBN Accounts](#).

- [NetSuite Electronic Business](#)

- [NetSuite Guide to Integrate with OBN](#)

Avalara Company Creation

After the Avalara provisioning, you must select a subsidiary to register as a company on the Avalara Company Creation page. Only after you register a subsidiary as a company, you can activate the mandates and start using Avalara for electronic invoicing.

 **Note:** Only those subsidiaries that are registered in the OBN and do not have Avalara company record can be selected for Avalara company creation.

To register a subsidiary as a company:

1. Go to Setup > Electronic Business > Avalara Company Creation.
2. On the Avalara Company Creation page, from the **Subsidiary** list, select a subsidiary.

 **Note:** The Avalara Company Creation page displays the list of available Subsidiaries, Company Ids and the names of the Avalara managers assigned to that subsidiary. You can also filter the subsidiaries using the filter in the Subsidiaries with Company Ids table.

3. Click **Continue**.

The Avalara Company Creation subsidiary form has the following information:

- Subsidiary – Name of the subsidiary.
- Subsidiary ID – ID of the subsidiary.
- Country – Country of the subsidiary.
- Tenant ID – ID of the tenant.

4. Click **Submit**.

A success message displays after the successful creation of the company and the generated Company ID is available on the Avalara Company Creation page.

- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)

Avalara Mandate Activation

After the Avalara company creation, you must select a subsidiary and an electronic invoicing mandate to perform the mandate activation. You need to activate the e-invoicing mandate so the subsidiary can send e-documents to Avalara.

You can now select any country's E-invoicing mandate for a subsidiary, if the mandate record exists in your account (created either by Builder Kit or the Localization SuiteApp). NSEB no longer restricts you to selecting only mandates that match the subsidiary's country.

To activate electronic invoicing mandate for a subsidiary:

1. Go to Setup > Electronic Business > Avalara Mandate Activation.
2. On the Avalara Mandate Activation page, select a subsidiary from the **Subsidiary** list.
3. From the **E-invoicing Mandate** list, select the required mandate.

4. Click **Proceed**.

You'll be redirected to the Avalara website to finish activating the mandate.

5. Login into Avalara website using your user credentials, provide the required information to complete the mandate activation and click **Submit**.



Note: For more information about completing the Avalara mandate activation on the Avalara website, see link.

After you've completed the mandate activation on the Avalara website, the status will be updated automatically in NetSuite.

On the Avalara Mandate Activation page, the Subsidiary Mandate Activation Status table has the following information:

- **Subsidiary** – Name of the subsidiary
- **E-invoicing Mandate** – Name of the e-invoicing mandate
- **Avalara Manager** – Name of the Avalara manager
- **Timestamp** – Date and time of the e-invoicing mandate activation
- **Status** – Status of the e-invoicing mandate activation of the subsidiary. The following is the list of statuses that are displayed according to the mandate activation progress:
 - Completed – Avalara mandate activation is completed successfully and can be used.
 - Information Required – Mandate activation is not complete due to incomplete information. Avalara manager must provide the required information.
 - In Progress – Mandate activation is in progress. User action is not required.
 - Failed – Mandate activation failed. Avalara manager must retry the mandate activation again.
- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)

Avalara Mandate Reactivation

You must reactivate the mandate by navigating to Avalara Mandate Activation to continue using the E-invoicing solution beyond 90 days. Select the relevant subsidiary and the corresponding mandate (currently, only the Israel mandate can be reactivated), and click Submit.

You should follow the same process as the initial mandate activation.



Note: The option to reactivate a mandate is available only 15 days prior to the mandate's expiration.

PEPPOL Mandate Activation

The SuiteApp supports bulk activation of the PEPPOL mandates. If a user selects **PEPPOL Mandate** in the **E-Invoicing Mandate** list to be activated for a subsidiary, all the PEPPOL mandates supported by Avalara will be activated automatically.

Troubleshooting Avalara Errors

This section lists the errors caused for Avalara processes and gives solutions on how to resolve the errors.

Common Errors

The following table lists the common error messages that appear when performing the Avalara processes:

Message	Error on User Interface	Description	Solution
Request Failed	Banner on the record	A red banner displays indicating the request has been failed.	Try provisioning again after some time.
Address 1 Unavailable	Banner on the record	A red banner displays indicating the Address field is empty	Add Address 1 in the corresponding subsidiary record
City Unavailable	Banner on the record	A red banner displays indicating the City field is empty	Add City in the corresponding subsidiary record.
ZIP Unavailable	Banner on the record	A red banner displays indicating the Zip field is empty	Add ZIP in the corresponding subsidiary record.
Last Name Unavailable	Banner on the record	A red banner displays indicating the Last Name field is empty	Access the employee record to give last name value
Job Title Unavailable	Banner on the record	A red banner displays indicating the Job Title field is empty	Access the employee record to give Job title details
Avalara Manager Selection Required	Banner on the record	A red banner displays indicating the Avalara Manager is not selected	Select the Avalara manager from the list before clicking submit
To proceed with the provisioning, the registration of the parent company is a prerequisite.	Banner on the record	A blue banner displays indicating the registration of parent company did not happen with OBN	To complete the registration process for parent company, please visit the OBN Registration page (Setup > Electronic Business > OBN Registration) to register the Parent company as a trading partner in Oracle Business Network.

Provisioning Errors

The following table lists the provisioning error messages that appear when performing the Avalara processes:

Message	Error on User Interface	Description	Solution
Provisioning is required only for the parent company. As the parent company is registered as a trading partner at Oracle Business Network, the parent company will be able to proceed with the provisioning process.	Information banner on record	A blue banner displays about provisioning of parent company	Add required details for Provisioning of parent company
The Tenant account already generated successfully for the parent company. Check your email for Avalara Tenant account details along with	Information banner on Record	A blue banner displays about steps to be done in provisioning	Follow the instructions

Message	Error on User Interface	Description	Solution
instructions and a link to access the Avalara ELR portal. After completing the required steps, Company ID will be updated automatically in the Parent Company Subsidiary Record.			

Company Creation Errors

The following table lists the common company creation error messages that appear when performing the Avalara processes:

Message	Error on User Interface	Description	Solution
To initiate the company creation, register the parent company in Oracle Business Network. After the parent company is registered, you can proceed with the provisioning exclusively for the parent company.	Information banner on Record	A blue banner displays about company creation is done only after provisioning	Complete provisioning for parent company
To proceed with the Avalara company creation, initially set up the OBN registration for the parent company	Information banner on Record	A blue banner displays about company creation is done only after OBN registration	Complete OBN Registration for parent company followed by parent company provisioning and then do company creation.

Mandate Activation Errors

The following table lists the mandate activation error messages that appear when performing the Avalara processes:

Message	Error on User Interface	Description	Solution
To continue with the Avalara mandate activation, you must first set up the Avalara Provisioning for the parent company.	Information banner on Record	A blue banner displays about Mandate activation	User needs to complete provisioning for parent company
To proceed with the Avalara mandate activation, initially set up the OBN registration for the parent company	Information banner on Record	A blue banner displays about Mandate activation	User needs to do OBN Registration then perform parent company provisioning and should perform mandate activation

Avalara Limitations and Known Issues in NSEB

Avalara limitations and known issues in NSEB SuiteApp:

- The Avalara manager needs to follow the following order. If you don't follow this order, the Avalara processes won't work as expected:
 1. Provisioning
 2. Company Creation
 3. Mandate Activation

- The Avalara website link received in the email after the Avalara provisioning is only valid for 6 hours. If the link expires then you must go to the Avalara website and request a new onboarding email for the username.
- NSEB does not support Subsidiary Hierarchy Structure Modification feature after Registration. Changing the parent subsidiary and child subsidiary hierarchy after Avalara company creation can result in functionality breakages.
- If the current Avalara manager is inactive, you'll need to assign a new one with the login credentials for the Avalara website.
- [NetSuite Electronic Business](#)
- [NetSuite Guide to Integrate with OBN](#)



Note: You must do the OBN Registration and Avalara Provisioning in the production and then perform the linking in sandbox.

NetSuite Electronic Business Sandbox

Read the following to understand about NetSuite Electronic Business Sandbox:

- [What is NetSuite Sandbox](#)
- [Using NetSuite Electronic Business in NetSuite Sandbox](#)
- [NSEB Sandbox Quick Start](#)
- [Limitations](#)

What is NetSuite Sandbox

NetSuite Sandbox is a safe and isolated test account in which you can develop and test new applications and customizations without affecting your production account. You can have one or more sandboxes set up for each production account. Each sandbox account is a copy of your production account, with the same settings and data. For more information, see the help topic [NetSuite Sandbox](#).

Using NetSuite Electronic Business in NetSuite Sandbox

You can use NSEB in NetSuite Sandbox to test exchanging documents with tax authorities. Your NetSuite Sandbox account connects to the test environments of OBN, Avalara, and tax authorities. To connect your NetSuite Sandbox account with the test-environment of OBN, Avalara & Tax authorities you should perform the following steps:

1. **OBN Registration:** You must register your NetSuite sandbox subsidiary with the OBN trading partner account. For more information see, [Register with Oracle Business Network in your NetSuite Sandbox](#). Additionally, to use Avalara for e-invoicing, you will need to provision your NetSuite sandbox to the corresponding Avalara (sandbox) company.
2. **Avalara Provisioning in Sandbox:** To provision Avalara in the sandbox account, you must first complete Avalara provisioning in the production account. If you have completed Avalara provisioning in production account and linked it to the sandbox account, the Avalara details (such as Company ID, Provisioning ID, Tenant ID, and Organization ID) will automatically appear on the Avalara provisioning screens in sandbox. In this case, you don't need to take any further action.

If you have only partially completed or not started Avalara Provisioning in production account, only some or none of the Avalara details will appear on the sandbox screen. In this case, you must first complete Avalara Provisioning in production account. When complete, you can click

Provision in the sandbox account, and the system will update all details accordingly. If you have not yet created a company in sandbox, you can select the subsidiary and proceed to create the company.

3. **Avalara Company Creation in Sandbox:** The Avalara manager can view the details of the companies created in the Avalara Company Creation screen. You can create an Avalara company if it is not created already. You generate these companies when you link OBN and Avalara in the sandbox with their corresponding production accounts.
4. **Mandate Activation:** Mandate activation of your company in Avalara's sandbox account enables NetSuite Sandbox to send or receive documents in test environment of the tax authorities.
5. **Daily Usage:** This step validates the generated e-document and further builds/ customizes solutions against the tax authority APIs. It sends e-documents to tax authority's test environment using [Avalara for E-Invoicing](#) through Avalara sandbox. To use [SuiteProcurement](#) for test document exchange with Oracle Business Network trading partners like Staples etc.

In an event of sandbox refresh, you must create new transactions to validate generation or certification instead of using transactions which got copied from the production account.

Note: After using NSEB in NetSuite Sandbox for testing, you can proceed to perform the company creation, mandate activation and daily usage in your NetSuite production account. The company creation and mandate activation in sandbox does not affect your production account.

NSEB Sandbox Quick Start

To get started with the usage of NSEB in sandbox, you must understand the following steps:

1. [Prerequisites](#)
2. [Register with Oracle Business Network in your NetSuite Sandbox](#)
3. [Provision Avalara with your NetSuite Sandbox](#)
4. [Mandate Activation of Avalara Sandbox company](#)
5. [Daily Usage in Sandbox](#)
6. [Sandbox Refresh Process in NSEB](#)

Prerequisites

- You need to register your subsidiary as a Trading Partner on Oracle Business Network. You must perform this step in production NetSuite account and not in sandbox. For more details, see, [Setting Up OBN Processes](#).
- You need to complete Avalara provisioning in your production NetSuite account. For more details, see [Avalara Provisioning](#). You must perform this step in production NetSuite account and not in sandbox. You can perform this step in production whenever you need it, and then proceed with provisioning in the sandbox.

Note: The above step is not required for SuiteProcurement users.

Register with Oracle Business Network in your NetSuite Sandbox

To connect to OBN from your NetSuite Sandbox, you must perform OBN Trading partner registration in NetSuite Sandbox:

1. Go to Setup>NetSuite Electronic Business > OBN Registration
2. Authorize OBN to connect to your NetSuite account.
3. Register the parent subsidiary by providing your OBN username and password and also provide the OBN unique identifier for that subsidiary.

 **Note:** To get the OBN unique identifier value for the subsidiary, login into your NetSuite production account through the OBN manager role. Go to the OBN Registration page, refer to the list of subsidiaries and their OBN unique identifier from the table.

4. You can now proceed to register other subsidiaries to your Oracle Business Network trading partner account.

Provision Avalara with your NetSuite Sandbox

If you complete the OBN Registration in sandbox account after finishing Avalara Provisioning in the production account, the system will automatically complete Avalara Provisioning in sandbox. You can then view the details on the Provisioning and Company screens in sandbox.

If you have not completed Avalara Provisioning in the production account but have already performed OBN Registration in the sandbox account, you must first complete Avalara Provisioning in production account. Then, return to sandbox and click the **Provision** button to complete the provisioning.

 **Note:** You can complete Avalara Provisioning in Sandbox only after you have first completed it in the NetSuite Production account.

After you complete provisioning in sandbox, you can proceed with the next steps, such as company creation and mandate activation.

Mandate Activation of Avalara Sandbox company

After a sandbox subsidiary is linked to Avalara, the corresponding Avalara sandbox company can be activated to work with the required mandates. This process is similar to activating an Avalara company in production. The difference is that the company that is activated in NetSuite Sandbox is activated in Avalara sandbox and will be used to test sending and receiving of documents through Avalara sandbox.

Daily Usage in Sandbox

If you are using SuiteProcurement or Electronic Invoicing ([Avalara for E-Invoicing](#)) in NetSuite Sandbox after performing the above steps, it will result in sending documents to OBN test mode and Avalara sandbox which will eventually reach the test mode of Trading Partner and tax authority test environment.

 **Note:** If you are using the Electronic Invoicing SuiteApp, after a sandbox refresh, you must create new transactions to validate generation or certification instead of using transactions which got copied from the production account.

Sandbox Refresh Process in NSEB

- [Overview](#)
- [Sandbox Refresh](#)
- [Frequently Asked Questions](#)

Overview

After you perform a sandbox refresh in NSEB, you must properly prepare your sandbox environment before proceeding with additional configurations. This preparation ensures smooth functioning and helps you avoid issues caused by outdated or unnecessary production data in the sandbox instance.

Sandbox Refresh

You can refresh each of your sandbox account from your production account whenever you need to. Refreshing a sandbox account copies all configurations, data, user passwords, and customizations from the source account into the target sandbox account. Any changes you have made to the target sandbox account are overwritten. For more information see, [Refreshing Sandbox Accounts](#).

You must complete OBN Registration as a prerequisite before you can proceed with:

- Avalara Provisioning
- Avalara Company Creation
- Avalara Mandate Activation

By performing OBN registration after the sandbox refresh, the system automatically removes any unnecessary data that may have been copied from your production account, ensuring that your sandbox environment is properly prepared. The system leaves only the essential configuration and test data, ensuring your sandbox is ready for new configurations and testing.

Frequently Asked Questions

[Why do you need to complete OBN Registration first?](#)

You complete OBN Registration first because it sets up your sandbox environment by performing a cleanup, which is necessary for subsequent features to function correctly.

[What does data cleanup involve?](#)

During data cleanup, you remove unnecessary or outdated data copied from production to create a streamlined environment for testing and development.

Limitations

- You can use NSEB with only one NetSuite Sandbox instance. After you start using NSEB in a specific sandbox account (SB1), you cannot switch to another sandbox account instance (SB2).
- Uninstalling and reinstalling the NSEB SuiteApp in sandbox is not supported after the linking is done in sandbox account.