

ORACLE
NetSuite

Merchandising



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Overview	1
Merchandise Hierarchy	4
Merchandise Hierarchy Overview	4
Configuring Merchandise Hierarchy	5
The Hierarchy Manager	7
Creating a Merchandise Hierarchy	9
Creating a Hierarchy Version	10
Creating a Hierarchy Level	12
Creating a Hierarchy Node	13
Assigning Items to a Hierarchy Node	18
Applying Attributes to Items in a Merchandise Hierarchy	22
Creating a Merchandise Hierarchy by CSV	26
Exporting Merchandise Hierarchies	32
Using Merchandise Hierarchy to Analyze Sales and Item Performance	33
SuiteAnalytics Workbook and Merchandise Hierarchy	33
Merchandise Hierarchy Workbook	34
Merchandise Hierarchy Dataset Template	35
Merchandise Hierarchy Workbook Template	35
Analyzing Merchandise Hierarchy with Sales Workbook Templates	36
Creating Custom Merchandise Hierarchy Workbooks	37
Creating Merchandise Hierarchy Reports	41
Using Hierarchy Versions in Workbooks and Reports	47
Creating Saved Searches Based on a Merchandise Hierarchy	49
Promotions	53
Promotions Overview	53
Configuring Promotions	56
The Promotion Record	58
Basic Properties of a Promotion	58
Scheduling Promotions	58
Promotion Buy Conditions	59
Promotion Get Conditions	59
Coupon Codes	61
Targeting Promotions at Specific Customers	65
Setting Where Promotions Can Be Used	65
Promotion Usage Limits	65
System Notes for Promotion Code and Coupon Code Records	65
Creating Promotions	66
SuitePromotions Basic Properties	68
SuitePromotions Scheduling	68
SuitePromotions Further Settings	68
What the Customer Needs to Buy	70
What the Customer Will Get	71
Associating Coupon Codes With a SuitePromotion	75
Setting Customer Eligibility on SuitePromotions	75
Setting Sales Channel Eligibility on SuitePromotions	77
Setting Usage Limits on SuitePromotions	78
Creating Item Promotions	79
Creating Fixed Price Item Promotions	81
Creating Order Promotions	83
Creating Shipping Promotions	84
Creating Free Gift Promotions	86
Applying Promotions and Discounts to a Transaction	88
How Promotion Discounts Are Applied to Transactions	88

Applying SuitePromotions to a Transaction	89
Applying Combinable Promotions	89
Automatically Applying Promotions	91
Applying Automatically Added Free Gift Items	98
SuitePromotions Best Practices	99
Migrating to SuitePromotions	99
Transactions that can't have Combinable Promotions	101
Free Gift Promotion Item Considerations	101
Shipping Promotions and Multiple Shipping Routes	101
Saved Search Performance	101
Customer Group Performance	102
Auto-Apply Promotions Limits	103
Changing Customer Details After Applying Promotions	104
Planning Automatically Applied Promotions	104
SuitePromotions Examples	105
Item Promotions	108
Fixed Price Item Promotions	134
Order Promotions	139
Shipping Promotions	147
Free Gift Promotions	150
Searchandising	158
Search Synonyms	158
Types of Search Synonyms	158
Defining Group Synonyms	159
Defining One-way Synonyms	159
Managing Search Synonyms	160
Best Practices for Defining Search Synonyms	161
Search Analytics	161
Enabling Search Analytics in Your NetSuite Account	161
Using Search Analytics to Analyze Top Search Queries	162
SuiteCommerce Top Searches Workbook	162
SuiteCommerce Top Searches with No Results Workbook	164
Customize your Workbook	165

Overview

As a Merchandiser, you're responsible for forecasting and planning ahead for your department. Furthermore, you're expected to drive sales to meet your company's commercial targets. We also know your role might overlap with Marketing, so tasks like creating search synonyms and promotions are also important.

Merchandising responsibilities may include:

- Range planning
- Collaborating with buyers to create marketable ranges and managing their performance throughout the season
- Analyzing sales information
- Producing sales projections
- Creating range strategies and using performance data to back up your proposals
- Managing profit by limiting risk, maximizing sales, and achieving your department's targets
- Helping with promotions and advertising campaigns

NetSuite has all the merchandising tools you need to meet these demands. From core features such as Merchandise Hierarchy, Promotions, and Searchandising, to website applications such as Correlated Items or Best Sellers.

Let's say you've got a new product ready to launch. What are the tasks required to help you successfully launch the product and then monitor the performance of your new product? We can take a look at how you can do all of this in NetSuite.

1. First, you'll need to set up the product in NetSuite:
 - You'll add it to your product inventory. For more information, see .
 - You'll also want to make sure it shows up on your website. You can find detailed instructions in the [Item Availability](#) topic.
 - You can use storefront product tools to add [Item Images](#), assign it to a [Commerce Categories](#), set up [SuiteCommerce Product Reviews](#), and more.
2. You'll want your customers to find the new product on your website. Here are a few ways to make sure it's visible:
 - You can set up search synonyms to ensure it is discoverable. For more information, see [Search Synonyms](#).
 - You can use [Storefront Merchandising Tools](#) extensions to present the new product to customers while they shop on your website, such as [Correlated and Related Items](#), [Best Sellers](#), or [Featured Product](#).
3. You can also monitor activity related to orders of your new product on your website with storefront order features. These include [Quantity Pricing](#) to encourage upselling, and [Product Lists](#) or [Save For Later](#) which provide an indication of the popularity of your product and also encourage sales.
4. To analyze sales and make projections, you'll need detailed reports by product category. You can set this up by creating a merchandise hierarchy and assigning items to it. For more information, see [Merchandise Hierarchy](#).
5. Finally, you could create promotions to encourage customers to buy the product. For more information, see [Promotions](#)

Merchandising Features

These merchandising features are omni-channel and support Web, In-Store, Order Management, and Email.



Merchandise Hierarchy

Manage the planning, purchasing and tracking stages of your product lifecycle. Merchandise Hierarchy helps you analyze sales, purchase, and inventory data by category.



Promotions

Encourage customers to buy more by offering different types of promotions or discounts, like Item, Fixed Price Item, Order, Shipping, and Free Gift promotions. Promotions can help you move old stock, boost sales, and reward your best customers. With SuitePromotions, you can also combine promotions on the same transaction and automatically apply eligible promotions.



Searchandising

Powerful search tools help your customers quickly find what they're looking for with minimal clicks. Commerce Merchandising gives you everything you need to improve your website's search so customers can easily find the products you want them to see.

Merchandising Storefront Features

The following features are specifically designed for storefront application, helping you manage your merchandise directly on your website.

- **Storefront products** — manage and configure your merchandise on your website:
 - [Item Availability](#)
 - [Item Images](#)
 - [Commerce Categories](#)
 - [Enable URL Components Alias](#)
 - [SuiteCommerce Product Reviews](#)
- **Storefront orders** — Encourage sales and upselling of your merchandise on your website:
 - [Quantity Pricing](#)
 - [Product Lists](#)
 - [Save For Later](#)

■ **Storefront Marketing** — Promote selected merchandise on your website:

- Storefront Merchandising Tools
 - Product Merchandising
 - Correlated and Related Items
 - Best Sellers
 - Featured Category
 - Featured Product
 - Gifts
- Advertising
 - Product Feeds
 - Testimonials
 - Logo List

Merchandise Hierarchy

Merchandise Hierarchy lets you efficiently categorize and manage products or items across your enterprise. Merchandise Hierarchy can help you with planning, purchasing, and tracking your product inventory.

Merchandise Hierarchy Overview

Merchandise Hierarchy helps you to identify market trends and realize shopper buying and demand by providing a custom organization of your company's merchandise.

You can use merchandise hierarchies to categorize items or products and assign the items to the hierarchy. After you've assigned items, you have a strong framework for the downstream workflow for workbooks, reports, pricing, promotions, and more. This framework lets you make informed merchandising decisions.

Organizing your workbooks or reports using Merchandise Hierarchy helps you see specific details. Such information helps to identify sales trends across product classes and is invaluable when determining sales strategies such as promotions. For example, you can create a workbook to examine sales by department that at a glance shows you that sales of men's organic cotton T-shirts are much lower than expected. For more information, see [Creating Custom Merchandise Hierarchy Workbooks](#).




Note: Don't confuse the Merchandise Hierarchy feature with Commerce Categories, a Commerce Web Stores feature designed to help you create hierarchical product structures on your websites. Commerce categories present items on your website in a structured way for your shoppers to find them. For more information, see the help topic [Commerce Categories](#).

Each merchandise hierarchy is multi-level, with the highest level providing an overall enterprise view which then narrows down to families or classes of products. Hierarchy levels help you determine item relationships and efficiently manage items throughout the enterprise workflow while planning, buying, merchandising, pricing, and more.

Hierarchy levels contain nodes which provide simplified product definition and enable alternate views of product classifications. For example, a hierarchy level for women's clothing may contain different nodes for each of the available item classes such as skirts, pants, T-shirts, and shirts.

Merchandise hierarchies are configurable, so you can label each level and node as needed to suit your enterprise.



The Hierarchy Manager lets you visualize and manage your merchandise hierarchies. For more information, see [The Hierarchy Manager](#).

 [Merchandise Hierarchy Overview](#)

Configuring Merchandise Hierarchy

To use Merchandise Hierarchy in NetSuite, an administrator must first ensure the required features are enabled.

Enabling Merchandise Hierarchy Features

An administrator can enable the Merchandise Hierarchy feature at Setup > Company > Setup Tasks > Enable Features on the **Items & Inventory** subtab.

Note: In NetSuite, your role has a set of permissions that give you access to pages, transactions, and records. Your role also determines the tabs and navigation menu in the application.

If you have questions about your role and access permissions, speak with your account administrator. For more information about roles and permissions, see the help topic [NetSuite Access Overview](#).

The following features must be enabled before you can use Merchandise Hierarchy:

- Merchandise Hierarchy
- Custom Segments
- Custom Record

To enable the Merchandise Hierarchy feature:

1. Go to Setup > Company > Setup Tasks > Enable Features, and click the **Items & Inventory** subtab.
2. Under Items check the **Merchandise Hierarchy** box.
3. Click **OK** to enable the Custom Segments feature if prompted.

Note: Merchandise Hierarchy requires the Custom Segments feature to be enabled. If Custom Segments isn't enabled, you'll be prompted to enable it when you check the Merchandise Hierarchy box. For more information, see the help topic [Custom Segments](#).

4. Click **Save**.

To enable the Custom Record feature:

1. Go to Setup > Company > Setup Tasks > Enable Features, and click the **SuiteCloud** subtab.
2. Under SuiteBuilder check the **Custom Records** box.
3. Click **Save**.

For more information regarding attributes, see [Applying Attributes to Items in a Merchandise Hierarchy](#).

Merchandise Hierarchy Roles and Permissions

If you use custom roles that you want to use to create merchandise hierarchies, assign the following permissions to those roles:

- Merchandise Hierarchy Level - Full
- Merchandise Hierarchy Node - Full
- Merchandise Hierarchy Version - Full


To assign these permissions to a role:

1. Go to Setup > Users/Roles > User Management > Manage Roles and open the role that needs to be granted Merchandise Hierarchy permissions.
2. Under the **Permissions** subtab, click **Setup** and assign the permissions to the role.

The Hierarchy Manager

The Hierarchy Manager is a tool that lets you visualize and edit your merchandise hierarchies.

To open the Hierarchy Manager, go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).



1	Hierarchy Tree Panel - Displays the selected hierarchy version tree. You can select nodes in this panel to view the items assigned to the node and attributes applied to the items in the Information Panel.
2	Information Panel - Displays information regarding the items assigned to a node selected in the Hierarchy Tree Panel. You can assign and remove items here and search for specific items assigned to a node in the search field. Click on an item in the list to open the item record.
3	Version information - Displays the name of the selected hierarchy version and the dates that the version is active. By default, when the Hierarchy Manager is opened, it will load the currently active hierarchy version if an active version is available. You can select other available hierarchy versions to display in the Hierarchy Manager here. For more information, see Creating a Hierarchy Version .
4	Click the Create Level button to create a new level assigned to the selected hierarchy version. For more information, see Creating a Hierarchy Level .
5	Click the Create Node button to create a new node assigned to the selected hierarchy version. For more information, see Creating a Hierarchy Node .
6	Click the Open Workbook link to open the Merchandise Hierarchy workbook for the active hierarchy version. For more information, see Using Merchandise Hierarchy to Analyze Sales and Item Performance .
7	Use the Zoom buttons to zoom in or out in the Hierarchy Tree Panel.
8	Click the Scale to Fit button to view the entire hierarchy tree in the Hierarchy Tree Panel.
9	Click the Refresh button to refresh the selected hierarchy tree in the Hierarchy Tree Panel.
10	Click the Actual Size button to restore the selected hierarchy tree to the original size in the Hierarchy Tree Panel.
11	Click the Overview button to toggle the visibility of the Overview Map (19).
12	Click the Collapse / Expand button to hide or reveal the Information Panel.

13	Click the Assign Items button to assign items to a selected node. For more information, see Assigning Items to a Node in the Hierarchy Manager .
14	Click the Remove Items button to remove assigned items from a selected node. For more information, see Assigning Items to a Node in the Hierarchy Manager .
15	Click the Apply Attributes button to apply attributes to items under a selected hierarchy path. For more information, see Applying Attributes to Items in a Merchandise Hierarchy
16	Click the Item List tab to show the list of items assigned to the selected node in the Information Panel.
17	Click the Attribute List tab to show the list of attributes applied to items under the selected hierarchy path in the Information Panel.
18	A selected node/hierarchy path – select a node to display all the items assigned to it or any other node in the hierarchy path in the Information Panel. You can also view the attributes applied to any items under the selected hierarchy path.
19	Overview Map – displays the location of the currently viewed section of a merchandise hierarchy and allows you to move around the hierarchy as well as change the zoom level.

Items in the Hierarchy Manager

You can select nodes to display information about all items assigned to nodes in the selected hierarchy path in the Information Panel. Only nodes with no child nodes can have items assigned to them. In the previous image, the Sandals node is selected and all the items assigned to the Sandals node are listed in the Information panel. Click on an item in the list to open the item record.

You can assign or remove items directly from the Hierarchy Manager. For more information, see [Assigning Items to a Hierarchy Node](#).


You can apply attributes to items in the hierarchy directly from the Hierarchy Manager. For more information, see [Applying Attributes to Items in a Merchandise Hierarchy](#).

Viewing a Merchandise Hierarchy in the Hierarchy Manager

The Hierarchy Manager displays a selected merchandise hierarchy version in the Hierarchy Tree Panel. This lets you clearly see the structure of your hierarchy and view parent-child node relationships in the hierarchy.

There are several tools available that let you control how your merchandise hierarchy appears in the Hierarchy Manager:

- **Zoom** – you can zoom in on specific sections of your hierarchy using the zoom buttons (7) or the Overview Map (19). To change the zoom level in the Overview Map, click the bottom right corner of the blue focus rectangle and drag to the desired zoom level.
- **Focus** – you can drag the focus area in the Overview Map to quickly change the focus of the hierarchy to the area you want to view.
- **Scale** – you can fit the whole hierarchy on screen using the Scale to Fit button (9)
- **Reset** – you can reset the hierarchy to its original size using the Actual Size button (8)
- **Expand and Collapse** – you can expand and collapse branches in your hierarchy to allow you to focus on only the branches of a hierarchy that are of interest. Click on the plus or minus buttons under each node to expand or collapse a branch respectively.



Creating a Merchandise Hierarchy

In this section you will learn how to create a merchandise hierarchy manually. For information regarding how to create a hierarchy using data from a CSV import, see [Creating a Merchandise Hierarchy by CSV](#).

To create a merchandise hierarchy manually you must create the following elements in NetSuite:

- **A hierarchy version** – contains the complete hierarchy definition for a specific time period. You may only need one version, which therefore wouldn't have an end date. If you have defined several versions, only one version can be active at any time. See [Creating a Hierarchy Version](#).
- **Hierarchy levels** – provide a useful way to categorize hierarchy nodes and determine the relationships between items. See [Creating a Hierarchy Level](#).
- **Hierarchy nodes** – groupings for merchandise that share similar characteristics. They also provide a point in the hierarchy from where other nodes can be created or products can be assigned. See [Creating a Hierarchy Node](#).

The following diagram shows the recommended workflow for the first time creation of a merchandise hierarchy.



After you create a hierarchy version, you create the levels and nodes for that version in the [The Hierarchy Manager](#).

When all the required elements have been created for your complete hierarchy, you can assign items to the right hierarchy nodes. For more information, see [Assigning Items to a Hierarchy Node](#).

Creating a Hierarchy Version

A merchandise hierarchy version contains a complete hierarchy definition, including all the levels, nodes and assigned items in the hierarchy. A version can represent a specific time period, but usually you'll only need one version with no end date.

If you define multiple versions of a merchandise hierarchy in your system, note that only one version can be active at a time.

For more information regarding using multiple hierarchy versions, see [Using Hierarchy Versions in Workbooks and Reports](#).

To create a hierarchy version:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Versions > New (Administrator)
2. Enter a name and description for this hierarchy version.
Optionally, you can get writing help for the **Description** field from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).
3. Enter a start date for this hierarchy version. The start date can be in a future or past date, but can be no more than two years in the past.

Note: The End date of a hierarchy versions cannot be manually entered. The current version by default will never expire, unless multiple versions are created, therefore no end date will be defined.
When multiple hierarchy versions are created, the end date of the active version is updated automatically to match the start date of a new scheduled version.

4. If you have previously created levels, you can assign them to your new version if required. Check the **Included in this Version** box for each of the levels to assign to this hierarchy version.
5. Click **Save**.

Editing Hierarchy Versions

You can edit hierarchy versions at any time, to change the start date or change the levels assigned to the version. However, you can only remove levels from a version that don't have nodes assigned to them.

You can edit a hierarchy version directly from the Hierarchy manager or from the Setup menu.

To edit a hierarchy version from the Hierarchy Manager:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. If your setup uses multiple versions, from the **Version** list select the hierarchy version you want to edit.
3. Point to the right of the **Version** list and click the **Edit Version** link that appears.



- a. To edit the start date, either enter the new start date manually in the **Start Date** field or point to the right of the **Start Date** field and click **Pick** when it appears.
 - b. To assign existing levels to the hierarchy version, in the **Levels In This Version** subtab, check the **Included in this Version** box for each of the levels you want to assign to this hierarchy version.
4. Click **Save**.

To edit a hierarchy version from the Setup menu:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Versions (Administrator).
2. In the **Merchandise Hierarchy Versions** list click **Edit** for the hierarchy version you want to edit.
 - a. To edit the start date, either enter the new start date manually in the **Start Date** field or point to the right of the **Start Date** field and click **Pick** when it appears.
 - b. To assign existing levels to the hierarchy version, in the **Levels In This Version** subtab, check the **Included in this Version** box for each of the levels you want to assign to this hierarchy version.
3. Click **Save**.

Merchandise Hierarchy Version

Save

Cancel

Actions

Name *

Sporting Goods Inc.

Description

Start Date

3.10.2024

End Date

Levels In This Version

System Notes

Included In This Version	Hierarchy Level
☐	Organization
☒	[MH] Store
☒	[MH] Sport
☒	[MH] Dept.
☒	[MH] Product
☐	Level 1

Save

Cancel

Actions

Deleting Hierarchy Versions

You can't delete a hierarchy version that has nodes assigned to it.

To delete a hierarchy version:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Versions (Administrator).
2. In the **Merchandise Hierarchy Versions** list click **Edit** for the hierarchy version you want to delete.
3. From the **Actions** list select **Delete**.

 **Note:** You can't delete a hierarchy version that has nodes assigned to it. When you click Delete, a message displays with a link to a list of all nodes assigned to that version (dependent records). You must manually remove any assigned nodes to delete the hierarchy version. You can't delete a node that has items assigned to it.

Creating a Hierarchy Level

Levels help you categorize hierarchy nodes and understand item relationships. Each level divides the merchandise into progressively smaller product classifications. You create levels that match the hierarchy of your enterprise, with complete control over the number of levels and their names. Note that level names must be unique and can't be repeated in the same hierarchy.

Levels represent the higher level structure of your enterprise and should not vary much after they have been defined. However, nodes represent the more variable aspects of your enterprise such as product lines.

You should prefix level names with [MH] to indicate that this level is part of a merchandise hierarchy. This is useful when creating workbooks or custom reports and searches for use with Merchandise Hierarchy as it allows you to quickly identify the relevant internal custom fields. For more information, see the [Using Merchandise Hierarchy to Analyze Sales and Item Performance](#) and [Creating Saved Searches Based on a Merchandise Hierarchy](#).

Hierarchy levels are ranked. The lowest ranked level (rank 1) represents the top level of your hierarchy and contains the root node of the hierarchy. In our example, the level named [MH] Company at the top of the hierarchy is rank 1 and has the root node, named NORSO.

 **Tip:** When creating levels, start with the level that will be ranked 1 — the level at the top of the hierarchy — and proceed creating levels sequentially. This way, the levels are automatically ranked sequentially as you create them and you can leave the Insert before field blank.

To create a hierarchy level:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. From the Version list select the hierarchy version you want to add the level to.
3. Click **Create Level**.
4. Enter a unique name and description for this hierarchy level. Note, you cannot enter a name that is already used in the same hierarchy version.

Optionally, you use our generative AI service, NetSuite Text Enhance, for help with the **Description** field. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

✓ **Tip:** You should prefix level names with [MH] to indicate that this level is part of a merchandise hierarchy. This lets you identify custom merchandise hierarchy fields when creating workbooks or custom reports and searches.

5. To add the new level at the bottom of the hierarchy (highest rank) leave the **Insert Before** field blank. The rank is automatically assigned. Note, you can't have more than one level assigned to the same rank.

To manually set the level rank, select an existing level in the hierarchy from the **Insert Before** list. This new level will be placed higher in the hierarchy than the level selected in the list, which means it will have a lower rank.

6. Click **Save**.

Note: If you have multiple hierarchy versions in your system, you can assign a level to as many hierarchy versions as required. For more information, see [Editing Hierarchy Versions](#).

Editing Hierarchy Levels

You can edit a level to change its name in the merchandise hierarchy. You can also change a hierarchy level's rank, but only if no nodes have been assigned to it.

To edit a hierarchy level:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Levels (Administrator).
2. In the **Merchandise Hierarchy Levels** list click **Edit** for the hierarchy level you want to edit.
 - a. To edit the name, enter the new name in the **Name** field.
 - b. To change the rank, select a new level in the **Insert Before** list. The rank is automatically updated.
3. Click **Save**.

Deleting Hierarchy Levels

You can't delete hierarchy levels that are assigned to a hierarchy version.

To delete a hierarchy level:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Levels (Administrator).
2. In the **Merchandise Hierarchy Levels** list click **Edit** for the hierarchy level you want to delete.
3. From the **Actions** list select **Delete**.

Note: If you have assigned the level to a hierarchy version, you can't delete that level. When you click Delete, a message is displayed providing a link to a list of all the versions (dependent records) that the level is assigned to.

Creating a Hierarchy Node


Hierarchy nodes provide groupings for merchandise that share similar characteristics. They can either be a point in the hierarchy for creating new nodes, or the point in the hierarchy where you assign products.

For example, a level named [MH] Group could contain nodes for Men's Wear, Women's Wear, and Accessories. Each of these nodes could have items assigned to them or could have child nodes attached.


There are four node definitions in the hierarchy:

- **Root node** – the node on level one of the hierarchy from which all other nodes originate. In our example the root node is the name of the company (SOLID Jeans & Denim). Note, a hierarchy can have more than one root node.
- **Parent node** – any node in the hierarchy that has nodes below it (child nodes)
- **Child node** – any node in the hierarchy that has nodes above it (parent nodes)
- **Leaf node** – any node in the hierarchy that does not have nodes below it (child nodes)

A node is defined as a root, parent, child, or leaf depending on where it resides in the hierarchy. A root node will also be a parent node and some child nodes will also be parent nodes. Note however, a parent node with nodes below it can't have items assigned to it. Only leaf nodes can have items assigned to them. For more information, see [Assigning Items to a Hierarchy Node](#).



Node names don't have to be unique if the nodes don't share a parent node. You can for example, have two nodes called Tops, if their parent nodes are different. In the following example, one node is a child node of Men's Wear, and one is a child node of Women's Wear.



✓ **Tip:** When creating nodes, it's good practice to start with the root node or nodes and work down the hierarchy one level at a time.

In this section you will learn how to create merchandise hierarchy nodes manually. For information regarding how to upload nodes in bulk using data from a CSV import, see [Creating Nodes in Bulk by CSV](#).

To create a hierarchy node:

1. Go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. From the **Version** list select the hierarchy version you want to add the node to.
3. Click **Create Node**.
4. Enter a name and description for this hierarchy node. Node names do not need to be unique. However, you cannot select the same parent node for two nodes with the same name.

Optionally, you can get writing help for the **Description** field from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

5. To determine where the node fits into the merchandise hierarchy, select one or both of the following options on the **Hierarchy Versions** subtab:
 - **Hierarchy level** – if you select a hierarchy level, the parent node options in the list are limited to nodes available on levels above the selected level. If you select the lowest ranked level for example, you will create a root node and there will be no options to select from in the Parent node list.

Create Node

Name *
Running Vests

Description
Small backpacks for carrying items while on a run.

Included In Version	Hierarchy Version	Start Date	End Date	Hierarchy Level	Parent Node
☒	Norso	3.10.2024		[MH] Product	Sporting Goods Inc. Sporting Goods Inc. : Running Sporting Goods Inc. : Running : Accessories Sporting Goods Inc. : Running : Clothing


- **Parent node** – if you select a parent node, the hierarchy level will be defaulted automatically to the level below the parent node. Note that you don't have to accept the default selection

and can select a different level lower than the selected parent node. This is an example of an asymmetrical hierarchy.



Important: After you save a hierarchy node you can't change its level.

The parent node represents the full path of the selected node back to the root node of the merchandise hierarchy.



In the above example, the parent node for the Jackets node (on a rank 4 hierarchy level) displays three nodes in total, starting with the root node: NORSO : Women's Wear : Tops.

The parent node field therefore, uniquely identifies a node in the hierarchy when the node has the same name as another node.

6. Click **Save**, or **Save & New** if you want to create another node.

Editing Hierarchy Nodes

You can edit a hierarchy node to change its name, description, or parent node. If you have defined multiple hierarchy versions in your system you can also assign it to another version. You can't however, change the level of a node after it has been saved.

You can edit a hierarchy node at any time. If a node has items assigned to it, the merchandise hierarchy will be updated after you save the edits. How long this update takes will depend on the following:

- The quantity of items assigned to the node being edited
- The quantity of transactions associated with the items assigned to the node being edited

During this update, some merchandise hierarchy related data may not include the latest changes and could be inaccurate.

 **Tip:** You should wait until merchandise hierarchy updates finish before using merchandise hierarchy related data in workbooks, reports, and searches.

To edit a hierarchy node:

1. Open the node you want to edit:
 - a. Double-click on a node in the Hierarchy Manager, or
 - b. Go to Setup > Merchandise Hierarchy > Hierarchy Nodes (Administrator). In the Merchandise Hierarchy Nodes list click **Edit** for the hierarchy node you want to edit.
2. To edit the name, enter the new name in the **Name** field.
3. If you have defined multiple hierarchy versions in your system, on the **Hierarchy Versions** subtab check the **Included in Version** box for each of the hierarchy versions you want to assign this hierarchy node to. You can assign a node to multiple versions.

 **Note:** You can only clear the Included in Version box for a specific version, if the node doesn't have items assigned to it, or is not a parent node in that version.

4. To change the parent node, select a new parent node in the **Parent Node** list.
5. Click **Save**.

 **Note:** The hierarchy level for a node can't be edited.

Deleting Hierarchy Nodes

You can't delete a hierarchy node that has items assigned to it.

To delete a hierarchy node:

1. Open the node you want to delete:
 - a. Double-click on a node in the Hierarchy Manager, or
 - b. Go to Setup > Merchandise Hierarchy > Hierarchy Nodes (Administrator). In the **Merchandise Hierarchy Nodes** list click **Edit** for the hierarchy node you want to delete.
2. From the **Actions** list select **Delete**.

 **Note:** If you have items assigned to a node, you can't delete that node. When you click Delete, a message is displayed providing a link to a list of all the items (dependent records) that are assigned to the node.

Assigning Items to a Hierarchy Node

After you've created a merchandise hierarchy version with the required levels and nodes, you can assign items to leaf nodes in the hierarchy version.

You can assign the following item types to nodes in a merchandise hierarchy:

- Inventory Items
- Non-Inventory Items


- Assembly Items
- Service Items
- Kit Items
- Item Groups
- Other Charge Items

You can assign items to a hierarchy in several ways:

- **In the Hierarchy Manager** – select a node you want to assign items to and add the items directly in the Hierarchy Manager. For more information, see [Assigning Items to a Node in the Hierarchy Manager](#).
- **On the Item record** – select an item and assign it to a node in the hierarchy on the Item record. For more information, see [Assigning Items to a Node on the Item Record](#).
- **By CSV** – you can assign items to a merchandise hierarchy by CSV import. For more information, see [Assigning Items and Applying Attributes by CSV](#).

You can only assign items to a leaf node (a node in the hierarchy that does not have child nodes). For example, in the following image, you can assign items to the following nodes:

- NORSO : Men's Wear : Bottoms : Pants
- NORSO : Men's Wear : Tops : Jackets
- NORSO : Sporting Goods: Backpacks
- NORSO : Sporting Goods: Tents
- NORSO : Women's Wear : Bottoms : Pants
- NORSO : Women's Wear : Bottoms : Skirts
- NORSO : Women's Wear : Shoes : Boots
- NORSO : Women's Wear : Tops : Jackets
- NORSO : Women's Wear : Tops : Shirts



Assigning Items to a Node in the Hierarchy Manager

You can assign multiple items at a time to a specified node in a hierarchy in the Hierarchy Manager.

 [Merchandise Hierarchy Item Assignment](#)

To assign an item to a node in the Hierarchy Manager:

1. To open the Hierarchy Manager, go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. In the **Version** field, make sure you have selected the correct hierarchy version.
3. In the Hierarchy Tree Panel select the node you want to assign an item or items to. In the Information Panel click **Assign**.
4. In the Assign Items popup window select the items you want assign to the node:
 - a. In the **Available** column select the box or boxes next to the items in you want assign to the node.
 - b. Click **Add >** to add the items to the **To Assign** column.
 - c. Click **Done** to assign the items to the node.

 **Tip:** You can manage large lists of items that can be assigned in the Assign Items popup window. Enter a search term in the **Filter** field at the top of the Available Column to limit the items that appear to those that match the term. Click the **View Selected** box to show only the items currently selected in the list.

When you add or remove items, the hierarchy needs time to update. It's important to note that during this update, some merchandise hierarchy related data may not include the latest changes and could be inaccurate. It's a good idea to wait until merchandise hierarchy updates finish before using related data in workbooks, reports, and searches. In the Hierarchy Manager, a notification at the top of the Information Panel will inform you that the hierarchy is being updated.

After the items have been successfully assigned to the node they are listed in the Information Panel. You can click the notification at the top of the Information Panel to view a list of all the records that have been processed as part of the item assignment.

To remove items assigned to a node in the Hierarchy Manager

1. To open the Hierarchy Manager, go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. In the **Version** field, make sure you have selected the correct hierarchy version.
3. In the Hierarchy Tree Panel select the node you want to remove an item or items from.
4. In the Information Panel select all the items that you do not want to be assigned to the selected node and click **Remove**.

- Click **Yes, remove** when prompted.


Note: Removing items from a node may affect the data used to create workbooks, reports, and searches that include this node. This is important to consider, for example, if you want to compare historical reports with future reports.

Assigning Items to a Node on the Item Record

You can assign items individually to a node in a hierarchy on the Item record.

The **Hierarchy Node** field is used to determine where the item is assigned in the selected hierarchy. The hierarchy node represents the full path of the node (not only the name of the node) that the item is assigned to. The full path goes back to the root node of the hierarchy. This ensures you can uniquely identify the correct node to which the item should be assigned in the hierarchy, even when the selected node has the same name as another node.

For example, in the following image, if you want to assign women's jackets to a merchandise hierarchy, you need to distinguish between the jackets node for Men's Wear and the jackets node for Women's Wear. The hierarchy node would be: NORSO : Women's Wear : Tops : Jackets.



Parent and child matrix items don't have to be assigned to the same hierarchy node. You can assign child matrix items to different nodes directly from each child matrix item record.

Important: You must select the Standard Inventory Part Form in the Custom Form field on an item record to view the Merchandise Hierarchy subtab. Or customize your item form to include the fields provided on the Merchandise Hierarchy subtab.

To assign an item to a node on the Item Record:

1. Go to Lists > Accounting > Items (Administrator).
2. Locate the item you want to assign to a hierarchy version in the list and click **Edit**.
3. Select the Standard Inventory Part Form in the **Custom Form** field.
4. If you have defined multiple hierarchy versions in your system, on the **Merchandise Hierarchy** subtab check the **Include in Version** box for the merchandise hierarchy version you want to assign the item to. You can assign an item to multiple versions.
5. Select a hierarchy node in the **Hierarchy Node** field to determine where in the selected merchandise hierarchy the item is assigned. The hierarchy node is the full path of the node the item is assigned to, back to the root of the hierarchy.
6. Click **Save**.

After you assign an item to a hierarchy node you can see the item listed when you select the node in the Hierarchy Manager. Click on the item in the Information Panel to open the item record.

Applying Attributes to Items in a Merchandise Hierarchy

Merchandise hierarchy attributes let you add another classification layer to items in your hierarchies. Attributes describe the characteristics of your products and, when applied to items, they let you look at item performance workbooks or reports from a different angle. They give you greater flexibility to slice your workbooks and reports as needed, so you're not limited to product classification by hierarchy nodes.

Attributes can be applied to items directly from the Hierarchy Manager. You can also apply attributes in bulk, using Mass Update, or individually as required.

 **Note:** You can apply attributes only to an active hierarchy version.

You could, for example, create attributes for different fabrics, allowing you to view workbooks that display how your denim clothing collections perform compared to other fabric collections. Such attributes would span several nodes which would have been impossible prior to the introduction of merchandise attributes.

 [How to Apply Attributes to Items in a Merchandise Hierarchy](#)

Creating Attributes for Merchandise Hierarchies

Merchandise hierarchy attributes are custom item fields that can be applied to a merchandise hierarchy. Attributes provide further granular classification in a merchandise hierarchy workbook or report. When the Merchandise Hierarchy feature is enabled you can use existing custom item fields as attributes, or you can create new custom item fields to serve as attributes as needed.

To create attributes you must create a custom list or record to which you add the attribute values. For example, to create attributes for various fabrics you first create a fabric list, then add various values to the list for each fabric type, such as denim, leather, cotton, wool, etc.

For more information, see the help topic [Creating Custom Item Fields](#).

 **Note:** To save a Custom Item Field as a merchandise attribute, you must select **List/Record** in the **Type** field, check the **Store Value** box, check the **Merchandise Attribute** box, and select all items, item types and sub-types in the **Applies To** subtab.

To create an attribute for a merchandise hierarchy:

1. Go to Customization > Lists, Records, & Fields > Item Fields.
2. Enter a label for the custom field and a description.
3. Select **List/Record** from the **Type** list.
4. Select an existing list or record from the **List/Record** list or create a new list that contains the attribute values you want to apply to your items.

To create a new list:

- a. Point to the right of the **List/Record** field and click **New**.

- b. Enter a name for your new list.
 - c. Add the first attribute value in the **Value** column and click **Add**. Repeat to add all attribute values to the list.
 - d. Click **Save** when all values have been added.
5. Check the **Store Value** box.
 6. Check the **Merchandise Attribute** box.
 7. On the **Applies To** subtab, check the boxes next to all items, item types, and sub types.
 8. Click **Save**.

Applying Attributes to Items in a Merchandise Hierarchy

After you have created hierarchy attributes you can apply them to items directly from the Hierarchy Manager.

Note: If you have not created any attributes, the option to apply attributes to the hierarchy will not be visible. See [Creating Attributes for Merchandise Hierarchies](#).

You can apply attributes to items using the following methods:

- **From the Information Panel (simplified flow)** – one attribute value at a time can be applied directly to selected items in the Information Panel. This method is suitable for applying an attribute quickly to a small quantity of items.
- **Using Mass Update** – you can apply multiple attribute values to an unlimited number of items using the Mass Update feature. For more information, see the [Mass Updates](#) topic.
- **From the Item record** – you can apply multiple attribute values to one item at a time directly from the Item record.

To apply attributes to items in the Hierarchy Manager using the simplified flow:

1. To open the Hierarchy Manager, go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).

2. Select a node in the Hierarchy Manager that contains the item or items you want to apply an attribute to.

✓ **Tip:** Select a parent node to list all the items assigned to child nodes in the hierarchy path

3. In the Item List, select the box next to the item or items the attribute will be applied to.
4. Click **Apply Attributes** at the top of the Item List.
5. Select the attribute value in the **Attributes** list.
6. Click **Apply**.

NODE: **Socks**

Assign Items Remove Items **Apply Attributes** ▼

Find items

	INTERNAL ID	NAME
☒	924	Ankle
☐	925	Crew
☐	926	Padde
☐	928	Seam
☒	927	Therm

Select attribute

Find attributes

- ▼ Fabric
 - Wool
 - Cotton
 - Denim
 - Polyester
 - Silk
 - Leather
 - Linen

Apply

Repeat this procedure for each attribute value you want to apply to items in the hierarchy.

Note: You can apply multiple attributes to an item, but you can't apply multiple values of the same attribute to the same item. For example, you can apply the fabric attribute value cotton to a jacket, but you cannot also apply polyester to the same jacket. You can, however, add other attributes, like seasonal collection, to that jacket.

To apply attributes to items in the Hierarchy Manager using Mass Update

1. To open the Hierarchy Manager, go to Setup > Merchandise Hierarchy > Hierarchy Manager (Administrator).
2. Select a node in the Hierarchy Manager that will define the filter for the mass update. All items under the selected hierarchy path will be selected. You can narrow the item selection later in the process.

For example, if you want to apply attributes to multiple items in your Women's Wear department, including tops and bottoms, select the Women's Wear parent node.

3. Click **Mass Update** at the top of the Attribute List.
4. Modify the default name for the mass update in the **Title of Action** field if required.
5. Add filters on the **Criteria** subtab if required. Note that the default filters cannot be modified.
6. On the **Mass Update Attributes** tab check the box next to the appropriate attribute list and select the specific attribute **Value** you want to apply.

7. Click **Preview Items** to view the items that the attribute will be applied to.
8. Clear the boxes next to all the items you do not want to apply the attribute to.
9. Click **Perform Update** to apply the attribute to the selected items.

To apply attributes to individual items on the Item record:

1. Open the Item record.

 **Tip:** You can click on an item in the Item List to open the Item record.

2. Click **Edit**.
3. On the **Custom** subtab, select the attributes you want to apply to the item. If the attribute value does not exist, point to the right of the appropriate attribute list and click **New** when it appears.
4. After selecting the attributes, click **Save**.

Viewing Attributes in the Hierarchy Manager

You can see attributes and their values in the Hierarchy Manager. You can also see how many items in a selected hierarchy path an attribute or attribute value has been assigned to.

Click the **Attribute List** tab  at the bottom of the Information Panel to view all the attributes that have been applied under a selected hierarchy path.

Select an Attribute in the left hand column to see the attribute values in the right hand column. You can see how many items in the selected hierarchy path a particular attribute value has been applied to.

Attributes	Values
☒ Show only applied attribut...	☒ Show only applied values
Fabric (5)	Cotton (3) Wool (2)




Click the toggle buttons at the top of each column to show or hide attributes and attribute values that have not been applied.

Creating a Merchandise Hierarchy by CSV

You can create parts of a merchandise hierarchy by CSV import when you have merchandise hierarchy data available in a CSV (comma-separated value) file.

You can do the following:

- Import merchandise hierarchy nodes to an existing merchandise hierarchy version (import type: Classification)
- Import items to a merchandise hierarchy (import type: Items)
- Update existing items to assign them to a merchandise hierarchy (import type: Items)
- Apply attributes to items assigned to a merchandise hierarchy (import type: Items)

You can't import hierarchy versions or levels. Therefore, before you import merchandise hierarchy nodes, you must first create a hierarchy version and the levels to which the nodes will be assigned. For more information, see [Creating a Hierarchy Version](#) and [Creating a Hierarchy Level](#).

For more information, see the [CSV Imports](#) topic.


Creating Nodes in Bulk by CSV

When you are creating a new merchandise hierarchy, adding new nodes to an existing hierarchy, or re-parenting existing nodes you can import the nodes in bulk by CSV import.

When creating nodes in bulk by CSV, you must first create the merchandise hierarchy version and the levels that you want to assign the nodes to. You will map the nodes to the correct version and levels using either:

- ID, or
- Name

The following examples show how to create the same hierarchy shown in the image below, using ID or Names to map the version and levels.



Note: For further information regarding the importing of merchandise hierarchy nodes by CSV, see the help topic [Merchandise Hierarchy Node Import](#)

Mapping Nodes to Versions and Levels Using IDs

The following is an example of a CSV file using version ID and level IDs to map the nodes in Merchandise Hierarchy.

	A	B	C	D	E	F	G
1	Name	Description	ExternalID	VersionID	LevelID	parentnode	IsIncluded
2	NORSO	Company name	100	1	1		T
3	Women's Wear	Women's apparel department	101	1	2	100	T
4	Tops	Women's upper body apparel	102	1	3	101	T
5	Bottoms	Women's lower body apparel	103	1	3	101	T
6	Shoes	Women's footwear	104	1	3	101	T
7	Jackets	Women's jackets	105	1	4	102	T
8	Shirts	Women's shirts	106	1	4	102	T
9	Pants	Women's pants	107	1	4	103	T
10	Skirts	Women's skirts	108	1	4	103	T
11	Boots	Women's boots	109	1	4	104	T
12	Sandals	Women's sandals	110	1	4	104	T


To map nodes to the correct version and levels using IDs during a bulk CSV import:

1. Before you can create the CSV file, you must know the Internal ID of the version you want to add the nodes to. Go to Setup > Merchandise Hierarchy > Hierarchy Versions (Administrator).
2. Click on the hierarchy version you want to add nodes to. Note the correct Internal ID.

3. Before you can create the CSV file, you must know the Internal ID of the levels you want to add the nodes to. Go to Setup > Merchandise Hierarchy > Hierarchy Levels (Administrator).
4. Click on the hierarchy level you want to add nodes to. Note the correct Internal IDs of each level in the Merchandise Hierarchy Levels list.
5. Create the CSV file using the example above as a reference guide. Add the following columns:
 - **Name** – name of the node.
 - **Description** – description of the node.
 - **ExternalID** – manually create an External ID for each new node, and make sure the ID is unique.
 - **VersionID** – the ID of the version, as noted in step 1.
 - **LevelID** – the ID of the level that the node is assigned to, as noted in step 2.
 - **parentnode** – the External ID of the parent node. In this example, the parentnode value for Women's Wear is 100, this is the External ID for NORSO, and therefore makes NORSO the parent node for Women's Wear.
 - **IsIncluded** – enter the value **T** (True) to include the node in the selected version.

✓ **Tip:** If you're adding nodes to an existing hierarchy and the parent nodes already exist, you can assign a parent node by entering the full path of the selected parent node back to the root node of the merchandise hierarchy. For example **NORSO : Women's Wear : Bottoms**. Make sure that the path is entered correctly, observing that there is a space, a colon, and another space in between each node in the path.

6. Follow the instructions regarding the importing of merchandise hierarchy nodes by CSV in the [Merchandise Hierarchy Node Import](#) topic.
7. Map the fields as shown in the following image.



8. Click the **Edit** icon  next to the following mapped fields to select the correct reference type:
 - Parent Node > External ID
 - Hierarchy Version > Internal ID
 - Hierarchy Level > Internal ID

For more information about selecting reference types, see the [Select Reference Types](#) topic.

Mapping Nodes to Versions and Levels Using Names

The following is an example of a CSV file using version name and level names to map the nodes in Merchandise Hierarchy.

	A	B	C	D	E	F	G
1	Name	Description	ExternalID	Version	Level	parentnode	IsIncluded
2	NORSO	Company name	100	Norso MH	[MH] Company		T
3	Women's Wear	Women's apparel department	101	Norso MH	[MH] Department	100	T
4	Tops	Women's upper body apparel	102	Norso MH	[MH] Silhouette	101	T
5	Bottoms	Women's lower body apparel	103	Norso MH	[MH] Silhouette	101	T
6	Shoes	Women's footwear	104	Norso MH	[MH] Silhouette	101	T
7	Jackets	Women's jackets	105	Norso MH	[MH] Class	102	T
8	Shirts	Women's shirts	106	Norso MH	[MH] Class	102	T
9	Pants	Women's pants	107	Norso MH	[MH] Class	103	T
10	Skirts	womens skirts	108	Norso MH	[MH] Class	103	T
11	Boots	Women's boots	109	Norso MH	[MH] Class	104	T
12	Sandals	Women's sandals	110	Norso MH	[MH] Class	104	T

To map nodes to the correct version and levels using names during a bulk CSV import:


1. Before you can create the CSV file, you must know the name of the version you want to add the nodes to. Go to Setup > Merchandise Hierarchy > Hierarchy Versions (Administrator). Note the correct name in the Merchandise Hierarchy Versions list.
2. Before you can create the CSV file, you must know the names of the levels you want to add the nodes to. Go to Setup > Merchandise Hierarchy > Hierarchy Levels (Administrator). Note the correct names of each level in the Merchandise Hierarchy Levels list.

Merchandise Hierarchy Levels				List	Search
New Merchandise Hierarchy Level					
				Total: 5	
Edit View	Name	Description	Rank		
Edit View	[MH] Store		1		
Edit View	[MH] Sport		2		
Edit View	[MH] Dept.		3		
Edit View	[MH] Product		4		

3. Create the CSV file using the example above as a reference guide. Add the following columns:
 - **Name** – name of the node.
 - **Description** – description of the node.
 - **ExternalID** – manually create an External ID for each new node, and make sure the ID is unique.
 - **Version** – the name of the version, as noted in step 1.
 - **Level** – the name of the level that the node is assigned to, as noted in step 2.
 - **parentnode** – the External ID of the parent node. In this example, the parentnode value for Women's Wear is 100, this is the External ID for NORSO, and therefore makes NORSO the parent node for Women's Wear.
 - **IsIncluded** – enter the value **T** (True) to include the node in the selected version.

✓ **Tip:** If you are adding nodes to an existing hierarchy and the parent nodes already exist, you can assign a parent node by entering the full path of the selected parent node back to the root node of the merchandise hierarchy. For example **NORSO : Women's Wear : Bottoms**. Make sure that the path is entered correctly, observing that there is a space, a colon, and another space in between each node in the path.

4. Follow the instructions regarding the importing of merchandise hierarchy nodes by CSV in the [Merchandise Hierarchy Node Import](#) topic.
5. Map the fields as shown in the following image.



6. Click the **Edit** icon  next to the following mapped fields to select the correct reference type:

- Parent Node > External ID
- Hierarchy Version > Names
- Hierarchy Level > Names

For more information about selecting reference types, see the [Select Reference Types](#) topic.

Assigning Items and Applying Attributes by CSV

You can add and assign new or existing items to a merchandise hierarchy by CSV import. You can also apply existing attributes to the items in the same CSV import.

The following image is an example of a CSV file containing items and attributes.

	A	B	C	D	E	F
1	Item Name	Version Name	Is Included	parentnode	Fabric	Collection
2	Skin Tight Jeans	NORSO's Merchandise	T	17	Denim	
3	Bell Bottom Trousers	NORSO's Merchandise	T	17	Denim	
4	Denim Mini Skirt	NORSO's Merchandise	T	18	Denim	Summer Fun in the Sun
5	High Waist Skirt	NORSO's Merchandise	T	18	Leather	
6	Rain Boots	NORSO's Merchandise	T	21		Winter Budget Collection
7	Honolulu Sandals	NORSO's Merchandise	T	22	Leather	Summer Fun in the Sun
8	Rain Coat Jacket	NORSO's Merchandise	T	20		Winter Budget Collection
9	Peruvian Poncho	NORSO's Merchandise	T	20	Wool	
10	Rolling Stones Shirt	NORSO's Merchandise	T	16	Cotton	
11	Cowl Neck Shirt	NORSO's Merchandise	T	19	Cotton	
12	Jobs Turtleneck	NORSO's Merchandise	T	15	Polyester	Winter Budget Collection
13	Prado Blouse	NORSO's Merchandise	T	19	Cotton	
14	Cool Camisa	NORSO's Merchandise	T	19	Polyester	

Note that you can assign a parent node for an item in two ways:

- Enter the Internal ID of the parent node (as shown in the example above). During the import, remember to change the reference type of the parent node to **Internal ID** when mapping the fields.

Default Value or Reference Type

Select a value or reference type to use for field **Hierarchy Node** and click OK. Default value options are determined by the field's type (boolean, string, etc.).

Choose Reference Type

Internal ID

Provide Default Value

Set Value to Null

Done

Cancel

- Enter the full path of the selected node back to the root node of the merchandise hierarchy. For example NORSO : Women's Wear : Bottoms : Pants. If you select this method you will have to ensure that the path is entered correctly, observing that there is a space, a colon, and another space in between each node in the path.

You can apply attributes by adding existing attribute values to a column or columns in the CSV file. The attributes will be available to map to in the list of NetSuite fields.

Import Assistant

STEPS

1 Scan & Upload CSV File

2 Import Options

3 File Mapping

4 Field Mapping

5 Save mapping & Start Import

Field Mapping

Your Fields

MH1.csv

Item Name

Version Name

Is Included

parentnode

Fabric

Collection

☒	Fabric	↔	Item : Fabric	☒
☒	Collection	↔	Item : Collection	☒
☒	Item Name	↔	Item : Item Name/Number	☒
☒	parentnode	↔	Item Hierarchy Versions 1 : Hierarchy Node	☒
☒	Version Name	↔	Item Hierarchy Versions 1 : Hierarchy Version	☒
☒	Is Included	↔	Item Hierarchy Versions 1 : Included In Version	☒
☒		↔		☒
☒		↔		☒
☒		↔		☒
☒		↔		☒

After the items have been imported you will see the items assigned to the appropriate node in the Hierarchy Manager.

A merchandise hierarchy update is in progress. If you want merchandise hierarchy related data to include the latest changes, wait until the merchandise hierarchy update has completed.

Hierarchy Manager

VERSION: **NORSO's Merchandise** START DATE: 6/9/2019 END DATE:

Create Level Create Node

NODE: **Jackets**

Assign Items Remove Items Apply Attributes

Find Items Total: 8

☐	INTERNAL ID	NAME	ITEM TYPE
☐	120	Apparition Jacket	Inventory I...
☐	121	Bana Jacket	Inventory I...
☐	122	Beemer Jacket	Inventory I...
☐	123	Ghost Whisperer Thermal...	Inventory I...
☐	211	Ladies Denim Jacket	Inventory I...
☐	315	Peruvian Poncho	Inventory I...
☐	314	Rain Coat Jacket	Inventory I...
☐	210	Supernatural Ladies Leath...	Inventory I...

Note: Before you can create or update items to be assigned to a merchandise hierarchy by CSV, you must first create the hierarchy nodes to which the items will be assigned.


For details on importing or updating items by CSV, see the [Items Import](#) topic.

Exporting Merchandise Hierarchies

You can't export a complete merchandise hierarchy to a single CSV file. However, you can export the following merchandise hierarchy elements to individual CSV files:

- Merchandise hierarchy versions
- Merchandise hierarchy levels
- Merchandise hierarchy nodes
- Items

You can export the merchandise hierarchy elements from their list pages. For example, to export merchandise hierarchy nodes into a CSV file, go to Setup > Merchandise Hierarchy > Nodes. Click the **Export - CSV** icon to export the contents of the list. Only the fields displayed in the list will be exported to CSV. For more information, see the help topic [Exporting Reports, Searches, and Lists](#).



Using Merchandise Hierarchy to Analyze Sales and Item Performance

Merchandise Hierarchy lets you organize sales and item performance data in SuiteAnalytics workbooks and custom reports. You can enhance your sales workbooks and reports by including merchandise hierarchy elements such as levels and nodes. These elements help you to group and organize data in the reports by product classifications. You can visualize sales by company branches, groups, departments, classes, or even attributes.

You can create workbooks and custom reports that include merchandise hierarchy internal custom fields combined with any other NetSuite field.

In NetSuite, you can use any of the following tools to analyze sales and item performance:

- **SuiteAnalytics Workbook** – analytical tool available in NetSuite for creating custom workbooks that combine queries, pivot tables, and charts. For more information, see [SuiteAnalytics Workbook and Merchandise Hierarchy](#).
- **Report Builder** – a tool you can use to customize reports' data and formatting. For more information, see [Creating Merchandise Hierarchy Reports](#).
- **Saved Searches** – reusable search definitions. For more information, see [Creating Saved Searches Based on a Merchandise Hierarchy](#).

SuiteAnalytics Workbook and Merchandise Hierarchy

SuiteAnalytics Workbook lets you create custom workbooks that combine queries, pivot tables, and charts. Workbooks are suited to help you analyze items organized in merchandise hierarchies, enabling you to slice sales performance data by product categories (hierarchy nodes).

The following options are available to analyze your merchandise hierarchy with SuiteAnalytics:

- **Merchandise Hierarchy Workbook** – default Merchandise Hierarchy Workbook with a pivot table that includes custom Merchandise Hierarchy fields. See [Merchandise Hierarchy Workbook](#).
- **SuiteAnalytics Sales workbook templates** – these templates include custom Merchandise Hierarchy fields by default in the dataset, but you still need to edit a pivot or chart to include the fields. See [Analyzing Merchandise Hierarchy with Sales Workbook Templates](#).

- For more information, see the help topic [Workbook](#).

A default Merchandise Hierarchy Workbook comes pre-built with your custom Merchandise Hierarchy fields already added to the dataset. It also provides a pivot table that includes Merchandise Hierarchy fields by default. This workbook can be opened directly from the Hierarchy Manager. Depending on the data you want to see, there are two methods to open the workbook. Each method provides a different view of your merchandise hierarchy:

- The following image is an example of the Merchandise Hierarchy Workbook displaying a generic overview. It can be used to analyze your merchandise hierarchy sales without any customizing. The default Sales by Hierarchy Node pivot table displays sales sliced by hierarchy nodes. However, it doesn't include merchandise hierarchy attributes.

To open the default Merchandise Hierarchy Workbook with a generic view:

- To open the default Merchandise Hierarchy Workbook with a contextual view:

- ## Merchandising

Note: If you have the Analytics Administrator permission, you can also open the Merchandise Hierarchy Workbook from the Workbooks list on the Analytics tab.

Viewing the SuiteAnalytics Workbook

SuiteAnalytics Workbook offers many workbook and dataset templates, each with predefined source data, criteria, pivot tables, and charts.

This section contains the information for the SuiteAnalytics Merchandise Hierarchy workbook in NetSuite. For more information about SuiteAnalytics Workbook, see the help topic [Workbook and Dataset Templates](#).

- [Merchandise Hierarchy Dataset Template](#)
- [Merchandise Hierarchy Workbook Template](#)

Merchandise Hierarchy Dataset Template

This template combines fields from the Transaction and Transaction Line record types to list all transactions entered during a specific time period. It forms the source data for the Merchandise Hierarchy Workbook Template.

Dataset Configuration

The Merchandise Hierarchy dataset combines fields from one record type, multiple custom formulas and criteria filters. To edit the dataset, see the help topic [Defining a Dataset](#).

Root Record Type	Joined Record Type	Custom Formula Field	Data Grid	Criteria Filters
Sales (Invoiced)	Transaction Line Item	(none)	The following fields are included in the dataset. ■ Custom hierarchy fields ■ Date ■ Item ■ Net Sales Amount ■ Net Sales Quantity ■ On Hand Quantity	The following criteria is used to filter the dataset: ■ Date between the start date and end date of the active hierarchy version

Merchandise Hierarchy Workbook Template

The Merchandise Hierarchy Workbook for SuiteAnalytics Workbook by default includes all your custom Merchandise Hierarchy fields, but can be further modified to provide more data. The workbook lists transactions entered during a specific time period that involve items assigned to a merchandise hierarchy.

As with all standard workbooks, only Administrators can access the Merchandise Hierarchy Workbook.

This workbook includes the following pivot table:


- **Sales by Hierarchy Node** – The default definition includes rows for hierarchy levels and items, plus measures for Net Sales Amount (Sum), Net Sales Quantity (Sum), and On Hand Quantity (Sum).

Analyzing Merchandise Hierarchy with Sales Workbook Templates

You can also analyze sales performance sliced by Merchandise Hierarchy elements using the SuiteAnalytics Sales workbook templates. Custom Merchandise Hierarchy fields are included by default, in the datasets used by the following templates:

- Sales (Invoiced) Workbook
- Sales (Ordered) Workbook

If you have the Analytics Administrator permission, you can access these workbooks from the Workbooks tab on the Analytics home page.



Tip: If you create a new workbook and use Sales (Invoiced) or Sales (Ordered) as the root record type, note that the workbook won't include custom Merchandise Hierarchy fields by default.

You can drag custom Merchandise Hierarchy fields included in the dataset for these templates to columns or rows in a pivot table or chart. The following image is an example of Merchandise Hierarchy fields used in a Sales by Item pivot table.

Sales (Invoiced) Workbook

Template

Share

Save As

Sales (Invoiced) Workbook

Sales by Item

Sales by Customer

Sales by Promotion

Sales by Sales Rep

Sales Over Time

+

DATASET

Sales (Invoiced) Wor...

[MH] Class

[MH] Company

[MH] Department

[MH] Silhouette

Amount (Net)

Class

Customer

Date

Item

Promotion Combinations

Quantity

Sales Rep

Transaction

Transaction Type

LAYOUT

Rows

[MH] Department

[MH] Silhouette

[MH] Class

Item

Columns

Drop fields

Measures

Amount (Net) (Sum)

Quantity (Sum)

[MH] Depar... - + :

[MH] Silhou... - + :

[MH] Class - + :

Item :

Amount (Net) (Sum)

Women's Wear

Tops

Jackets

Ladies Denim, Jacket

Beemer Jacket

Supernatural Ladies L...

Apparition Jacket

Bana Jacket

Ghost Whisperer The...

Jackets

Tops

Pants

Bottoms

Women's Wear

Men's Wear

Tops

Jackets

Mens Denim Jacket

\$18,000.00

\$6,849.50

\$16,425.00

\$29,000.00

\$20,123.75

\$32,468.30

\$122,866.55

\$122,866.55

\$14,192.68

\$14,192.68

\$137,059.23

\$9,100.00

Last updated 1/17/2020 3:02 am

For more information, see the help topic [Workbook and Dataset Templates](#).


Note: Sales workbook templates don't include merchandise hierarchy attribute fields by default. To include attributes in your workbooks you must create a custom workbook. For more information, see [Creating Custom Merchandise Hierarchy Workbooks](#).

Creating Custom Merchandise Hierarchy Workbooks

With SuiteAnalytics Workbook, you can create custom workbooks with any merchandise hierarchy elements you need, including attributes. SuiteAnalytics Workbook supports multilevel joins, which means you can join fields from multiple records in one single workbook. SuiteAnalytics Workbook also enhances the visualization of data in workbooks, with better grouping of hierarchical data in pivot tables, and charts.

If the Merchandise Hierarchy workbook doesn't include all fields you require, you can create a custom workbook by adding the required fields to the dataset. For more information, see the [Custom Workbooks and Datasets](#) topic.

To include Merchandise Hierarchy fields in a custom workbook, you must add them manually. You should start with a Sales record type and find the Merchandise Hierarchy fields under Item in the Records list:



Important: When you have only one hierarchy version defined in your system, you will create merchandise hierarchy workbooks that display the current hierarchy structure and item classification. These workbooks use custom merchandise hierarchy fields that have been added to the item record. They only show the current classification of items in the hierarchy and can't show different classifications from different hierarchy versions.

For reports that use historical hierarchy data when your system includes multiple merchandise hierarchy versions, see [Using Hierarchy Versions in Workbooks and Reports](#).

Including Attributes in a Custom Merchandise Hierarchy Workbook

The following example shows how to create a workbook that includes merchandise hierarchy attributes. To demonstrate how merchandise hierarchy attributes can be utilized, the workbook will show

transactions for items assigned to a specific node: the Women's Wear department. You can change the criteria to produce different types of merchandise hierarchy workbooks as needed.

Note: You can open the default Merchandise Hierarchy Workbook displaying contextual attribute data directly from the Merchandise Hierarchy Manager. However, it won't display all attributes for all items in the hierarchy. For more information, see [Merchandise Hierarchy Workbook](#).

For more information regarding attributes, see [Applying Attributes to Items in a Merchandise Hierarchy](#).

To create a custom workbook to include merchandise hierarchy fields and attributes you must complete the following steps in order:


1. Start with the Merchandise Hierarchy workbook
2. Add attribute fields to the dataset
3. Set up your pivots and charts

Open the Merchandise Hierarchy Workbook for Customization

You should use the default Merchandise Hierarchy workbook as the starting point. The dataset used by this workbook includes all your custom Merchandise Hierarchy fields by default. It also provides a default Sales by Hierarchy Node pivot table which can incorporate attributes after they have been added to the dataset.

To open the Merchandise Hierarchy workbook:

1. Click the **Analytics** tab in the NetSuite navigation menu.
2. On the Analytics dashboard, select the **Workbooks** list.
3. Select the **Merchandise Hierarchy** workbook.



Note: You can also open this workbook directly from the Hierarchy Manager. See [Merchandise Hierarchy Workbook](#).

Add Custom Fields to the Dataset in Merchandise Hierarchy Workbooks


The following steps show you how to add attribute fields to the dataset of your Merchandise Hierarchy workbook. Merchandise hierarchy attributes are custom item fields and therefore are located under Item in the Records list on the Dataset tab. Only fields in the Data Grid can be used to generate a pivot table or chart.

In this example we'll add the following attribute fields:


- Fabric
- Seasonal Collection

To add attribute fields to the dataset of your workbook:

1. On the **Dataset** tab click the More icon for the Merchandise Hierarchy workbook and click **Open Dataset**.



2. Click **Item** in the **Records** list.
3. Double-click the attribute you want to add in the **Fields** list. In our example, the first attribute we select is **Fabric**.



4. Repeat steps 2 through 3 to add the Seasonal Collection attribute.
5. Click **Apply** to apply the changes.
6. Click **Save As** and enter a unique name to save your new custom Merchandise Hierarchy workbook.

Your selected attributes are now included in the dataset for your workbook. You can now customize your pivots and charts to include the attribute values.

Customize Pivots and Charts in Merchandise Hierarchy Workbooks

The Merchandise Hierarchy Workbook has one predefined pivot table by default, the Sales by Hierarchy Node pivot table. In our example we will customize the Sales by Hierarchy Node pivot table to include Fabric attribute values. You can add merchandise hierarchy attributes to any available pivot tables and charts provided by workbook templates, or create your own as needed.

To customize a pivot table in your merchandise hierarchy workbook:

1. Click the **Sales by Hierarchy Node** tab. Note, this tab appears by default in Merchandise Hierarchy Workbook.
2. Double-click the desired fields in the **Fields** list to add them to the **Rows** list in the Layout panel.

In this example we add the following to the **Rows** tab:

- [MH] Department
- [MH] Silhouette
- [MH] Class
- Fabric

In this example we also add **Quantity (Sum)** to the **Measures** tab.

3. Select the **Item** field in the Rows panel and click the **Down Arrow** icon in the Rows panel header to move it to the last row.
4. Click the **Refresh** icon  to generate the pivot table.

Merchandise Hierarchy Workbook (Beta)

Template

Share

Save As

Merchandise Hierarchy Workbook (Beta)

Sales by Hierarchy Node

Fields

[MH] Class

T

[MH] Company

T

[MH] Department

T

[MH] Silhouette

T

Amount (Net)

#

Customer

T

Date

T

Item

T

Name

T

Name

T

Quantity

#

Sales Rep

T

Layout

Rows

[MH] Department

[MH] Silhouette

[MH] Class

Fabric

Item

Columns

Drop fields

Measures

Amount (Net) (Sum)

Quantity (Sum)

Drag and drop a field to add it as a filter

[MH] Department	[MH] Silhouette	[MH] Class	Fabric	Item	Amount (Net) (Sum)	Quantity (Sum)	
Women's Wear	Tops	Jackets	Polyester	Apparition Jacket	\$29,000.00	200	
				Ghost Whisperer The...	\$32,468.30	170	
				Bana Jacket	\$20,123.75	125	
				Beamer Jacket	\$6,849.50	50	
				Polyester	\$88,441.55	545	
	Bottoms	Pants	Leather	Ladies Denim Jacket	\$18,000.00	300	
				Denim	\$18,000.00	300	
				Supernatural Ladies L...	\$16,425.00	75	
				Leather	\$16,425.00	75	
				Jackets	\$122,866.55	920	
Women's Wear	Tops	Jackets	Leather	Ladies Leather Pants	\$14,192.68	52	
				Leather	\$14,192.68	52	
				Pants	\$14,192.68	52	
				Pants	\$14,192.68	52	
				Bottoms	\$14,192.68	52	
Men's Wear	Tops	Jackets	Denim	Mens Denim Jacket	\$9,100.00	140	
				Denim	\$9,100.00	140	
				PREMIUM Jerrichard...	\$5,750.00	50	
				Leather	\$5,750.00	50	
				Jackets	\$14,850.00	190	
	Men's Wear	Tops	Jackets	Leather	Jackets	\$14,850.00	190
					Jackets	\$14,850.00	190
					Jackets	\$14,850.00	190
					Jackets	\$14,850.00	190
					Grand Total	\$151,909.23	1,162



Important: If you make changes on the Dataset tab or Pivot table tab, click the **Refresh** icon in the Pivot table tab to update the pivot table.

Remember to save your workbook. You can save your workbook at any time, click the **Menu** icon, and select **Save** or **Save As** in the top right-hand corner of the page.

For more details regarding working with pivots, including formatting the layout, changing the summary type, or adding filters, see the [Pivot Your Dataset Query Results](#) topic.

Creating Merchandise Hierarchy Reports

You can create custom reports that include merchandise hierarchy elements using Report Builder.

For more information regarding customizing reports with the Report Builder, see the help topic [Report Customization](#).

Internal Custom Fields for Merchandise Hierarchy Reports

To create customized sales reports that use your merchandise hierarchy structure, it is necessary to manually add the internal custom fields that have been created for the merchandise hierarchy in the Report Builder. Internal custom fields are created automatically for each level in your merchandise hierarchy when the Custom Segments feature is enabled. You can't access or edit these fields directly. For more information, see [Enabling Merchandise Hierarchy Features](#).

You can use the custom merchandise hierarchy fields created by Custom Segments as columns or filters.

The custom merchandise hierarchy fields are located in the Add Fields list in the Report Builder. Each custom field appears under the label representing the record type where it was applied. For transactions, the custom merchandise hierarchy fields appear twice in the Add Fields list. One instance represents the custom field as a transaction column. The other represents the custom field that has been added to the item record.

When you only have one hierarchy version defined in your system, your merchandise hierarchy reports will only display the current hierarchy structure and item classification. These reports are also known as item-based reports because they use custom merchandise hierarchy fields that have been added to the item record. They only show the current classification of items in the hierarchy and can't show different classifications from different hierarchy versions.



Important: To create reports that use the current merchandise hierarchy structure, you must select the internal custom fields that have been added to the item record. The location of these custom merchandise hierarchy fields varies depending on the type of report being customized. For more information, see [Locating Custom Merchandise Hierarchy Fields for Reports](#).

Locating Custom Merchandise Hierarchy Fields for Reports

Custom merchandise hierarchy fields are located in the Add Fields list in the Report Builder.

The type of report you want to customize determines the location of the internal custom fields you need to add.



Note: Don't use the internal custom fields described in this section for reports that use historical hierarchy data when your system includes multiple merchandise hierarchy versions. For more information, see [Using Hierarchy Versions in Workbooks and Reports](#).

To locate the internal custom fields needed to create reports using the latest merchandise hierarchy structure, refer to the following table. Note that we have provided details of only the most common types of report that use merchandise hierarchy data.



Tip: Attribute fields are located in the same place as the custom merchandise hierarchy fields. Look for the name of the attribute, for example Fabric.

Report Type	Report	Custom Merchandise Hierarchy Fields Location	Notes
Purchases	Purchase by Vendor	Purchases > Item	Select fields with the suffix (Custom Column)
	Purchase by Item	Item Type	Select fields with the suffix (Custom)
	Purchase Order Register	Purchase Order Transactions > Item	
	Open Purchase Orders	Open Purchase Orders > Item	
	Purchase Order History	Purchase Order Transactions > Item	Select fields with the suffix (Custom Column)
Inventory/Items	Inventory Profitability	Item	Select fields with the suffix (Custom)
	Current Inventory Snapshot	Inventory Item	Select fields with the suffix (Custom)
	Physical Inventory Worksheet	Inventory Item	Select fields with the suffix (Custom)
	Inventory Valuation	Inventory Item	Select fields with the suffix (Custom)

Report Type	Report	Custom Merchandise Hierarchy Fields Location	Notes
	Inventory Revenue	Inventory Item	Select fields with the suffix (Custom)
	Inventory Back Order Report	Item Type	Select fields with the suffix (Custom)
	Inventory Activity Detail	Inventory Item	Select fields with the suffix (Custom)
	Stock Ledger	Item	Select fields with the suffix (Custom)
	Items Pending Fulfillment	Item Type	Select fields with the suffix (Custom)
	Inventory Turnover	Inventory Item	Select fields with the suffix (Custom)
	Transfer Order Registry	Transfer Order Transactions	Select fields with the suffix (Custom)
Sales	Sales by Item	Item Type	Select fields with the suffix (Custom)
	Sales by Customer	Sales > Item	
	Sales by Sales Rep	Sales > Item	
	Sales by Sales Team	Sales Team Sales > Item	
	Sales by Partner	Sales > Item	
	Sales by Historical Team	Historical Revenue > Item	
	Sales by Historical Team (Transaction Date)	Sales > Item	
	Sales by Promotion	Sales > Item	
	New Customer Sales	Sales > Item	

To customize reports for Merchandise Hierarchy:

1. Go to the report you want to customize in the Reports menu, and select the customize option (summary or detail).
2. In the Report Builder on the Edit Columns page, edit the name to identify it in the **Saved Reports** list.
3. Select the **Item Type 1** row and clear the **Group** box.
4. Optional. Select the **Item Type** column and click **Remove Column**.
5. Next, add the custom merchandise hierarchy fields to your report:



Important: To create reports that use the current merchandise hierarchy structure, you must select the correct custom merchandise hierarchy fields. See [Locating Custom Merchandise Hierarchy Fields for Reports](#).

- a. Go to the correct custom merchandise hierarchy fields. For example, to add the internal custom fields to a Sales report:

- i. In the **Add Fields** list on the left, expand the **Item Type** list.
 - ii. Scroll down to the merchandise hierarchy internal custom fields. If you've prefixed the name of the hierarchy levels with [MH], it's to find them in the list.
- b. Drag and drop the internal custom fields into the Report Preview panel.
6. After you have added all the required fields, you can reorder the columns by clicking the **Move** buttons or by dragging the columns into position.



Tip: In the **Column Label** field, you can edit the name of the column. For example, you can remove any prefix you may have added to the level name.

7. Select the columns that you want to be able to collapse and expand as needed in the report and check the **Group With Previous Column** box for each of them.

Report Preview

[MH] Dept.	[MH] Product	Item	Item Desc.	Qty. Sold	Total Revenue
[MH] Store 1					
[MH] Dept. 2	[MH] Product 0	Item 0	Item Desc. 0	0	\$40000.00
[MH] Dept. 3	[MH] Product 1	Item 1	Item Desc. 1	1	\$30000.00
[MH] Dept. 4	[MH] Product 2	Item 2	Item Desc. 2	2	\$20000.00
[MH] Dept. 5	[MH] Product 3	Item 3	Item Desc. 3	3	\$10000.00
Total				6	\$100000.00

☒ Group With Previous Column

8. After you have added the required columns, click **Save**.

Adding Filters to Customized Merchandise Hierarchy Reports

You can use the custom merchandise hierarchy fields created by Custom Segments as filters for your customized reports. Filters let you restrict the view in the report to a specific node or set of nodes.

To add merchandise hierarchy filters to your report:

1. Go to the report you want to customize in the Reports menu, and select the customize option (summary or detail).
2. Click **Filters** in the Report Builder menu to open the Filters page.
3. Now you need to add the custom merchandise hierarchy fields that you want to use as filters:
 - a. Go to the correct custom merchandise hierarchy fields. See [Locating Custom Merchandise Hierarchy Fields for Reports](#). For example, to add merchandise hierarchy filters to a Sales report:
 - i. In the **Add Fields** list on the left, expand the **Item Type** list.
 - ii. Scroll down to the merchandise hierarchy internal custom fields. If you have prefixed the name of the hierarchy levels with [MH] it is easier to locate them in the list.
 - b. Drag and drop the internal custom fields into the Report Preview panel.
4. Select the field that represents the hierarchy level you want to filter on. Notice when you click on the custom field, the fields under the **Report Component** and **Field** columns in the Choose Filters panel are automatically pre-populated.
5. Check the box in the **Show in Filter Region** column for the new filter.
6. Click in the **Value** field and select **Equal to** and click **Done**.

The screenshot shows the NetSuite Reports Customization interface. On the left, there is a 'SEARCH FIELDS' section with a search bar and a list of fields to add. The 'ADD FIELDS' list includes: [MH] Group (Custom Column), Account, Account (Line), Accounting Period, Address, Alternate Entity, Bill Variance Status, Billing Schedule, Category, Class, Cost Component Category, Cost Component Item, Coupon Code, and Currency. The main area is titled 'Choose Filters' and contains a table with columns: REPORT COMPONENT, FIELD, VALUE, and SHOW IN FILTER REGION. Two filters are currently applied:

REPORT COMPONENT	FIELD	VALUE	SHOW IN FILTER REGION
Sales	Date	Filter: between Date Range: this year to date From: 1/1/2017 To: 9/22/2017	Yes
Sales	[MH] Group	Filter: equal to	Yes

Below the table are buttons for 'Add', 'Cancel', and 'Insert'. At the bottom right of the dialog are buttons for 'Preview', 'Save', 'Save As', and 'Delete'.

7. After you have added the required filters click **Save**.

You can click **Preview** when you are customizing the report to visualize the report before you save it. Click **Return to Customization** to return to the Report Builder.

To view your customized reports, go to Reports > Saved Reports > All Saved reports (Administrator).

Note: To view the custom filters in the finished report, click **More** to expand the options toolbar at the bottom of the report.

Example of a Customized Merchandise Hierarchy Report – Sales by Item Summary

In this section, we will show you how to customize the Sales by Item Summary report to show data from your current merchandise hierarchy item classification.

With a customized Sales by Item Summary report you can show an overview of your sales, not only organized by item, but also by the levels or nodes in your hierarchy version. In the following image you can see the standard Sales by Item Summary report on the left, and the same report including the merchandise hierarchy elements on the right. Levels can be grouped and then expanded or minimized as needed depending on the level of detail you need to show in the report.


Sales by Item Summary - Standard				Sales by Item Summary - Merchandise Hierarchy					
ITEM	ITEM DESC.	QTY. SOLD	TOTAL REVENUE	[MH] DEPARTMENT	[MH] CLASS	ITEM	ITEM DESC.	QTY. SOLD	TOTAL REVENUE
Inventory Item				NORSO					
Denim Pants - Female		2	\$80.00	Women's Wear					
Denim Pants - Male		324	\$12,960.00	Bottoms					
Red Skirt		4	\$100.00	Pants		Denim Pants - Female		2	\$80.00
Shirt - Casual - Male		166	\$3,320.00	Skirts		Red Skirt		4	\$100.00
Short Pants - Male		270	\$6,747.30	Total - Bottoms				6	\$180.00
T-Shirt - Organic Cotton - Female		194	\$2,873.13	Tops					
T-Shirt - Organic Cotton - Male		47	\$639.66	T-Shirts		T-Shirt - Organic Cotton - Female		194	\$2,873.13
T-Shirt - Premium - Male		147	\$2,938.53	T-Shirts		T-Shirt - Standard - Female		1,978	\$19,780.00
T-Shirt - Standard - Female		1,978	\$19,780.00	Total - Tops				2,172	\$22,653.13
T-Shirt - Standard - Male		721	\$7,210.00	Total - Women's Wear					
Total - Inventory Item		3,853	\$56,648.62	Men's Wear					
Total		3,853	\$56,648.62	Bottoms					
				Pants		Denim Pants - Male		324	\$12,960.00
				Pants		Short Pants - Male		270	\$6,747.30
				Total - Bottoms				594	\$19,707.30
				Tops					
				Shirts		Shirt - Casual - Male		166	\$3,320.00
				T-Shirts		T-Shirt - Organic Cotton - Male		47	\$639.66
				T-Shirts		T-Shirt - Premium - Male		147	\$2,938.53
				T-Shirts		T-Shirt - Standard - Male		721	\$7,210.00
				Total - Tops				1,081	\$14,108.19
				Total - Men's Wear					
				Total - NORSO					
				Total					
								3,853	\$56,648.62

To customize the Sales by Item Summary report for Merchandise Hierarchy:

1. Go to Reports > Sales > Sales by Item > Customize Summary (administrator).
2. In the Report Builder on the Edit Columns page, edit the name to identify it in the Saved Reports list. For example, Sales by Item Summary – Merchandise Hierarchy.
3. Select the **Item Type 1** row and clear the **Group** box.
4. (Optional) Select the **Item Type** column and click **Remove Column**.
5. Now you need to add the custom merchandise hierarchy fields to your report:

Important: It is vital that you select the correct custom merchandise hierarchy fields in this step. Follow these instructions carefully.

- a. Go to the correct custom merchandise hierarchy fields:
 - i. In the **Add Fields** list on the left, expand the **Item Type** list.
 - ii. Scroll down to the merchandise hierarchy internal custom fields. If you have prefixed the name of the hierarchy levels with [MH], it is easier to locate the internal custom fields in the list.



- b. Drag and drop the internal custom fields into the Report Preview panel.

- After you have added all the required fields, you can reorder the columns as needed by clicking the **Move** buttons or by dragging the columns into position.

 **Tip:** In the **Column Label** field you can remove the [MH] prefix so that it does not appear in the report.

- Select the columns that you want to be able to collapse and expand as needed in the report and check the **Group With Previous Column** box for each of them.

Report Preview

[MH] Dept.	[MH] Product	Item	Item Desc.	Qty. Sold	Total Revenue
[MH] Store 1					
[MH] Dept. 2	[MH] Product 0	Item 0	Item Desc. 0	0	\$40000.00
[MH] Dept. 3	[MH] Product 1	Item 1	Item Desc. 1	1	\$30000.00
[MH] Dept. 4	[MH] Product 2	Item 2	Item Desc. 2	2	\$20000.00
[MH] Dept. 5	[MH] Product 3	Item 3	Item Desc. 3	3	\$10000.00
Total				6	\$100000.00

☒ Group With Previous Column

- Add filters as required to your report. For information regarding how to add filters, see [Adding Filters to Customized Merchandise Hierarchy Reports](#).
- After you have added the required columns and filters, click **Save**.

Using Hierarchy Versions in Workbooks and Reports

If you use multiple merchandise hierarchy versions, each version contains a complete hierarchy definition for a specific time period. Although typically you only need one hierarchy version, a benefit of using multiple hierarchy versions is that you can update your merchandise hierarchy as your items change over time.

For example a fashion retailer could have two product categories: Core, and Fashion. During the spring/summer, some items could be in the Core category, then during the fall/winter classified as Fashion. To keep the historical classification of these items for workbooks and reporting, you can create a hierarchy version for the Spring/Summer period and another one for the Fall/Winter period.

Only one hierarchy version is active at any time. If you create multiple versions, the current version is the only active version. Superseded versions are inactive but available for workbooks and reporting purposes. You can also have several versions scheduled for the future.

For more information, see the [Creating a Hierarchy Version](#) topic.

Workbooks and reports with multiple merchandise hierarchy versions use custom merchandise hierarchy fields that have been added to the transaction record rather than the item record. They are therefore, also known as transaction-based workbooks or reports.



Important: Only use transaction-based workbooks and reports when you have multiple versions and you need to preserve the historical classification of items in Purchase and Sales reports.

For all other merchandise hierarchy reports, see [Creating Merchandise Hierarchy Reports](#).

Merchandise Hierarchy Transaction-Based Workbooks

You can create workbooks that include merchandise hierarchy historical version data using SuiteAnalytics Workbook.

To create a workbook that includes historical version data you must use custom fields from the Transaction Line record, instead of the Item record. This is the only difference when defining a workbook to show historical version data as opposed to current version data. You select the correct custom fields to use during the process for selecting the Dataset for your workbook.

For more information, see [Add Custom Fields to the Dataset in Merchandise Hierarchy Workbooks](#).

Merchandise Hierarchy Transaction-Based Reports

You can create custom reports that include merchandise hierarchy historical version data using Report Builder, but not all types of reports can display historical version data.

You can customize only the following types of standard NetSuite reports to display historical item classifications:

- **Purchase reports** – for example, Purchase by Item, Purchase by vendor, etc.
- **Sales reports** – for example, Sales by Item, Sales by Customer, etc.

Locating Custom Merchandise Hierarchy Fields for Historical Reports Only

Custom merchandise hierarchy fields are located in the Add Fields list in the Report Builder.

The type of report you want to customize determines the location of the internal custom fields you need to add.

 **Note:** Don't use the internal custom fields described in this section when you have only one hierarchy version defined in your system. For more information, see [Locating Custom Merchandise Hierarchy Fields for Reports](#).

To locate the internal custom fields needed to create historical merchandise hierarchy reports when you have multiple versions, refer to the following table:

Report Type	Report	Custom Merchandise Hierarchy Fields Location	Notes
Purchases	Purchase by Vendor	Purchases	Select fields with the suffix (Custom Column)
	Purchase by Item	Purchases	Select fields with the suffix (Custom Column)
	Purchase Order History	Purchase Order Transactions	Select fields with the suffix (Custom Column)
Sales	Sales by Customer	Sales	Select fields with the suffix (Custom Column)
	Sales by Item	Sales	Select fields with the suffix (Custom Column)
	Sales by Sales Rep	Sales	Select fields with the suffix (Custom Column)
	Sales by Sales Team	Sales Team Sales	Select fields with the suffix (Custom Column)
	Sales by Partner	Sales	Select fields with the suffix (Custom Column)

Report Type	Report	Custom Merchandise Hierarchy Fields Location	Notes
	Sales by Historical Team	Historical Revenue	Select fields with the suffix (Custom Column)
	Sales by Historical Team (Transaction Date)	Sales	Select fields with the suffix (Custom Column)
	Sales by Promotion	Sales	Select fields with the suffix (Custom Column)
	New Customer Sales	Sales	Select fields with the suffix (Custom Column)

Creating Saved Searches Based on a Merchandise Hierarchy

You can use the Merchandise Hierarchy Node field in saved searches for powerful filtering.

Hierarchy node filters can be applied to the following:

- **Item saved searches** – see [Using Merchandise Hierarchy Fields in Item Saved Searches](#)
- **Transaction saved searches** – See [Using the Hierarchy Node Field in Transaction Saved Searches](#)

For more information regarding saved searches, see the help topic [Saved Searches](#).

Using Merchandise Hierarchy Fields in Item Saved Searches

Item saved searches help you filter item lists in NetSuite, such as when you want to limit the eligibility of a promotion to a specific group of items. You can filter the saved search by:

- **Merchandise hierarchy node** – creates a search that only lists items assigned to a specific node
- **Merchandise hierarchy attribute** – creates a search that only lists items with a specific attribute applied

For example, the following images show a saved search that lists all the items assigned to a node for women's jackets. You could then create a promotion that can only be applied to the women's jackets assigned to that node. For more information about using saved searches in promotions, see [Promotions](#).

The screenshot displays the NetSuite Hierarchy Manager interface. The top navigation bar includes 'Create Level', 'Create Node', and 'Open Workbook'. The main area shows a hierarchical tree structure for 'Sporting Goods Inc.' with levels for Department, Division, and Product. The 'Socks' node is selected, and a list of items is displayed on the right. The list includes the following items:

INTERNAL ID	NAME	ITEM TYPE
924	Ankle Socks	Inventory Item
925	Crew Socks	Inventory Item
926	Padded Socks	Inventory Item
928	Seamless Running Sock	Inventory Item
927	Thermal Running Socks	Inventory Item

5. In the Saved Item Search popup window select the node or nodes that you want to filter on.
6. Click **Set**.
7. Click **Preview** to see the search results, or click **Save** to create the saved search.

To create an item saved search based on a merchandise hierarchy attribute:


1. Go to Lists > Search > Saved Searches > New (Administrator)
2. In the **Search Type** list click **Item**.
3. Enter a name for the search in the **Search Title** field.
4. In the **Criteria** subtab, on the **Standard** subtab, select the name of the attribute in the **Filter** list.
5. In the Saved Item Search popup window select the attribute value or values that you want to filter on (for example Denim).
6. Click **Set**.
7. Click **Preview** to see the search results, or click **Save** to create the saved search.

Using the Hierarchy Node Field in Transaction Saved Searches

Transaction saved searches let you examine transactions for specific items. You can use a merchandise hierarchy node as a filter in such saved searches, creating a search that only lists transactions involving items assigned to a specific node.

To create a transaction saved search based on a hierarchy node:

1. Go to Lists > Search > Saved Searches > New (Administrator)
2. In the **Search Type** list click **Transaction**.
3. Enter a name for the search in the **Search Title** field.
4. In the **Criteria** subtab, on the **Standard** subtab, select **Item Fields...** in the **Filter** list.
5. In the Saved Transaction Search popup window select the hierarchy level that contains the node or nodes that you want to filter on. If you have prefixed the name of the hierarchy levels with [MH], it's easier to locate them in the list.



6. Select the hierarchy node or nodes that you want to filter on.
7. Click **Set**.
8. Click **Preview** to see the search results, or click **Save** to create the saved search.

Promotions

Promotions let you create special offers that motivate your customers to buy more products. Promotions can help you clear out old stock, boost sales, and reward your best clients. Promotions provide discounts that customers can apply to web store orders and orders placed with sales reps. NetSuite promotions also let you target certain customers, locations, channels, or time periods.

Promotions Overview

You can create a wide range of feature-rich promotions with SuitePromotions.

You can offer your customers:

- Item promotions that give percentage or currency amount discounts on items.
- Fixed price item promotions that let you offer items at a set discounted price.
- Order promotions that give percentage or currency discounts on the whole order.
- Shipping promotions that give your customers free shipping on specific shipping methods.
- Free gift promotions that give your customers an item for free.

Watch the following video for an introduction of the features and benefits of SuitePromotions.

 [SuitePromotions Overview](#)



Important: This help topic doesn't cover Standard promotions and promotions created using the Advanced Promotions SuiteApp. You are encouraged to replace such promotions with SuitePromotions. For more information, see [Migrating to SuitePromotions](#).

For information regarding standard and Advanced promotions, see the  [Standard and Advanced Promotions](#) guide.

Enhancements Introduced in SuitePromotions

SuitePromotions includes the following features that enrich the way you offer promotions to your customers:

- Combinable Promotions
- Auto-Apply Promotions
- Best Offer
- Cached Saved Searches
- Audit and Visibility
- Automatically Add Free Gift to the Transaction
- Customer Specific Promotions
- Qualifying Item Quantity
- Configure free shipping eligibility



Note: Standard and Advanced promotions aren't compatible with the new enhancements introduced in SuitePromotions.

Combinable Promotions

NetSuite lets you offer your customers better discounts by applying multiple promotions to one transaction. You can add any combination of item promotions, order promotions, and shipping

promotions to an order. You can choose which promotions can be stacked and which should stay exclusive.

Watch the following video for an overview of the combining options available with SuitePromotions and how each of the options impact the best offer logic when promotions are applied to a transaction.

 [Combining SuitePromotions](#)

Combinable Promotions work with the Auto-Apply Promotions feature so that sales reps can have NetSuite automatically apply multiple promotions to an order. For information about automatically applying promotions to a transaction, see [Automatically Applying Promotions](#).

Combinable Promotions require little configuration. After you enable the SuitePromotions feature, you can apply more than one promotion to a transaction. For more information, see [Configuring Promotions](#).


Auto-Apply Promotions

NetSuite lets you automatically apply multiple promotions to a transaction. This makes your sales reps' jobs easier by automatically applying eligible promotions, so they don't have to figure out which ones to use. The Auto-Apply Promotions feature ensures multiple promotions are quickly added to transactions at the point of sale. Auto-apply runs in the background and when changes are made to a transaction it determines which promotions the transaction is eligible for.

You can automatically apply up to 30 active promotions to a transaction for a specific date range per location. If the transaction qualifies, you can add more promotions manually. For more information, see [Auto-Apply Promotions Limits](#).

Before promotions can be automatically applied to a transaction you must first enable the required features in NetSuite and create the promotion records, see [Configuring Promotions](#).

The following diagram shows the steps needed to automatically apply promotions to a transaction.



For information about automatically applying promotions to a transaction, see [Automatically Applying Promotions](#).

Best Offer

When several promotions are eligible on a transaction including exclusive promotions, NetSuite applies the promotion or promotions that ensure the customer gets the best offer (the largest discount on the transaction) available. If you have many promotions running at the same time, Best Offer in combination with the Auto-Apply Promotions feature saves you valuable time and keeps your customers happy. Best Offer also works equally well with manually applied promotions.

For more information, see [How Best Offer is Applied](#).

Cached Saved Searches

The Cached Saved Search feature lets you configure the way that a promotion handles saved searches. You can choose to use cached saved searches which provide better performance by returning the results

faster. You can also choose to check for the latest saved search results every time a promotion is applied to a transaction to get the most up to date results possible, but results are retrieved slower.

For more information, see [Saved Search Performance](#).

Audit and Visibility

Audit and Visibility shows you which promotions are applied to transactions. This is important when multiple promotions can be automatically applied to a transaction, and the Best Offer logic is managing which combination of promotions are applied. With Audit and Visibility you can see which promotions have been applied to a transaction, which haven't been applied, and the reasons why.

For more information see [Viewing the Status of Applied Promotions](#).

Automatically Add Free Gift to the Transaction

SuitePromotions lets you create promotions that automatically add a free gift to eligible transactions. you can offer any inventory item as a free gift, except for parent-matrix items.

For more information see [Creating Free Gift Promotions](#).

Customer Specific Promotions

Customer Specific Promotions lets you create promotions destined for one or more customer categories, one or more customers, or a customer group. Customer groups can be either static or dynamic. If you use a dynamic customer group, you can choose to use a cached version of the results, or you can run the customer group every time the promotion is applied.

For more information, see [Setting Customer Eligibility on SuitePromotions](#).

Qualifying Item Quantity

This feature lets you specify how many items a shopper needs to buy to be eligible for the discount provided by a SuitePromotion. You can choose to repeat the discount for multiple qualifying items or apply it only one time per order. With Item and Item Fixed Price SuitePromotions, you can apply the discount to each eligible item in the order, not only the cheapest or most expensive one. Qualifying Item Quantity is available for all types of SuitePromotion.



Note: The following limitations exist on the usage of repeating the discount incrementally:

- You can't repeat a discount incrementally and apply the discount to each item in the order on an Item type SuitePromotion
- You can't repeat a discount incrementally and offer a percentage discount on an Order type SuitePromotion.
- You can't repeat discounts incrementally on Shipping type SuitePromotions.

Qualifying Item Quantity is defined in the [What the Customer Needs to Buy](#) section of a SuitePromotion form.

Configuring Promotions

To use promotions in NetSuite, an administrator must first enable the promotion features.

If you choose to use the Advanced Promotions SuiteApp, an administrator must first install the bundle and set up role permissions.

Enabling Promotion Features

An administrator can enable promotion features at Setup > Company > Setup Tasks > Enable Features (Administrator) on the Transactions subtab.

 **Note:** The role you use has a set of permissions that give you access to pages, transactions, and records. Your role also determines the tabs and navigation menu in the application.

Most of the tasks in this guide use the standard Marketing Manager role. If a task or procedure can't be completed with the Marketing Manager role, instructions are provided using the Administrator role.

If you have questions about your role and access permissions, speak with your account administrator. For more information about roles and permissions, see the help topic [NetSuite Access Overview](#).

Before enabling the SuitePromotions feature, the Promotion Codes feature must be enabled.

With the SuitePromotions feature enabled, the Promotions subtab appears on sales orders, cash sale transactions, invoices, and return authorizations. In addition, the Coupon Code and Promotions fields no longer appear on the Items subtab.

 **Important:** After enabling the SuitePromotions feature, if you have created transactions with or without any promotions included, then you shouldn't disable the Promotion Codes feature as you won't be able to edit or delete such transactions.

If the transactions aren't usable in the edit mode, you can enable the SuitePromotions feature again.

Before you can create promotions that can be automatically applied, you must first enable the Auto-Apply Promotions feature.

To enable Promotion features:

1. Go to Setup > Company > Enable Features, and click the **Transactions** subtab.
2. Under Sales:
 1. Check the **Promotion Codes** box.
 2. Check the **SuitePromotions** box.
 3. Check the **Auto-Apply Promotions** box.
3. Click **Save**.

Note: The SuitePromotions feature isn't compatible with the Revenue Commitments feature. Disable Revenue Commitments before you enable SuitePromotions. For more information, see the help topic [Enabling the Revenue Commitments Feature](#).

The SuitePromotions feature isn't compatible with the Customer Center. Customers can't open orders directly from the Customer Center when SuitePromotions is enabled.

Enabling Other Features that Impact SuitePromotions

To manage promotion eligibility based on sales channels, further features must be enabled, relating to:

- Locations
- Websites

Enabling Features for Location-Based Promotion Eligibility

Before you can set location-based promotion eligibility, you must first enable the Locations feature.

To enable the Locations feature:

1. Go to Setup > Company > Enable Features, and click the **Company** subtab.
2. Under Classifications, check the **Locations** box.
3. Click **Save**.

Enabling Features for Website-Based Promotion Eligibility

Before you can set website-based promotion eligibility, you must first set up Commerce Web Stores. For more information, see the help topic [Commerce Overview](#).

Note: Site Builder websites aren't eligible for website-based promotion eligibility.

Configuring How Free Shipping Eligibility is Calculated for SuitePromotions


You can choose how your shipping discount is calculated based on the order total. Eligibility for free shipping can be based on the original order total before any discounts have been applied from eligible promotions, or on the order total after discounts have been applied.

To configure how free shipping eligibility is calculated:

1. Go to Commerce > Marketing > Upsell > Promotions > Preferences.
2. Select to calculate shipping based on:
 - **Order total before discount** – the transaction is eligible for free shipping based on the order total before promotion discounts have been applied. This is the default option.

- **Order total after discount** – the transaction is eligible for free shipping based on the order total after promotion discounts have been applied.

3. Click **Save**.



The image shows a 'Promotions Preferences' dialog box. At the top, there are two buttons: 'Save' (in a dark blue box) and 'Cancel' (in a light gray box). Below the buttons, the text 'Calculate Shipping Discount Based On' is followed by two radio button options. The first option, 'Order Total Before Discount', is selected with a filled radio button. The second option, 'Order Total After Discount', is unselected with an empty radio button.

The Promotion Record

Each promotion type has a unique form, but they all have the same basic elements. Before you create a promotion, you should understand each of the following promotion elements:

- **Basic properties** – identify the promotion. See [Basic Properties of a Promotion](#).
- **Scheduling** – limit promotion usage to a specific date range. See [Scheduling Promotions](#).
- **Buy conditions** – define what the customer needs to buy to be eligible for the discount. See [Promotion Buy Conditions](#).
- **Get conditions** – define what the customer will get from the promotion. See [Promotion Get Conditions](#).
- **Coupon codes** – let you apply promotions to a transaction. See [Coupon Codes](#).
- **Targeting customers** – limit promotion usage to specific customers or groups of customers. See [Targeting Promotions at Specific Customers](#).
- **Sales channels** – limit promotion usage to specific sales channels. See [Setting Where Promotions Can Be Used](#).
- **Usage limits** – limit how many times a promotion can be used by each customer. See [Promotion Usage Limits](#).

Basic Properties of a Promotion

To identify a promotion, you must give each promotion a useful name. You can also provide a description for each promotion.

Name and description information is defined in the [SuitePromotions Basic Properties](#) section on the promotion record.

Scheduling Promotions

You can restrict promotions to make them available only during specific date ranges.

Use the Start Date and End Date fields on the promotion record to set scheduling criteria.

Start and end dates are defined in the [SuitePromotions Scheduling](#) section on the promotion record.

Note: There are limits to the number of promotions that can be automatically applied based on schedule and location. For more information, see [Auto-Apply Promotions Limits](#).

Promotion Buy Conditions

Buy conditions are the promotion's eligibility rules that determine the transactions that qualify for the promotion. A promotion applies to transactions that meet the eligibility rules.

You choose which customers are eligible for the promotion, specify locations or websites that are eligible, or if the order itself must meet specific criteria to be eligible for the promotion, or a combination of all the preceding factors. Criteria can include items that the customer must buy or a minimum amount that the customer must spend, or both. Item promotions for example, can contain eligibility criteria for a minimum order amount and a specific item or items. A transaction will be eligible for a promotion's discount only if it meets all of the defined eligibility criteria.

You can create promotions that don't have any Buy conditions.

Buy conditions are defined in the [What the Customer Needs to Buy](#) section.

Promotion Get Conditions

When creating a promotion, the first thing to consider are the Get conditions. Get conditions specify exactly what the customer gets when a transaction meets the requirements defined by the promotion's eligibility rules. You must determine the following:

- **What is the discount applied to?** – you can apply the discount to items, orders, or shipping. This choice determines the promotion type. See [What the Discount is Applied to – Promotion Types](#).
- **What is the discount rate?** – you can apply percentage or flat rate discounts, apply a fixed discounted price to an item, or provide a free gift. See [Promotion Discount Rates](#).
- **Which eligible item or items is the discount applied to?** – if you have an item promotion you must determine if the discount is applied to each eligible item in the transaction, or only the cheapest or most expensive. See [Apply Promotion Discount to Each or Every X Items](#).

What the Discount is Applied to – Promotion Types

You can apply discounts to different parts of a transaction. What you apply discount to determines what type of promotion you need to create.

There are five types of SuitePromotions:

- **Item Promotions** – percentage or currency amount discounts are applied to items included in an order. These promotions create line-level discounts for each item defined on the promotion. See [Creating Item Promotions](#).
- **Fixed price item promotions** – specific items are available for a fixed promotional price. These promotions create line-level discounts for each item defined on the promotion. See [Creating Fixed Price Item Promotions](#).
- **Order promotions** – percentage or currency amount discounts are applied at the order level and can be based on the order total or on items included in the order. See [Creating Order Promotions](#).
- **Shipping Promotions** – discounts are applied to certain shipping methods and can be based on the order total or on items included in the order. See [Creating Shipping Promotions](#).

- **Free gift promotions** – a specific item is available for free. This free item is automatically added to eligible transactions. See [Creating Free Gift Promotions](#).

Promotion Discount Rates

Promotions can offer percentage or currency amount discounts, or items (free gifts).

Currency amount discounts are referred to as flat rate discounts because the amount of discount awarded to the customer is fixed.

Promotion discounts aren't defined by discounts items selected in the **Discount Item for Accounting** field. This field is required only for accounting purposes.

Promotion discount rates are defined in the [What the Customer Will Get](#) section.

If you use the Multiple Currencies feature, you can offer flat rate discounts in each currency you use.

 **Note:** Promotion discounts can't exceed the item or order total.

Fixed Price Item Discounts

Instead of offering a percentage or amount off an item's price, you can set a fixed price. To do this, create a fixed price item promotion, set the eligibility criteria, and define the price for the discounted items.

For information, see [Creating Fixed Price Item Promotions](#).

Free Gift Promotions

You can offer specific items with 100% discount that will be automatically added to the customer's order. To do this, create a free gift promotion, set the eligibility criteria, and choose which item will be added to the transaction for free.

For information, see [Creating Free Gift Promotions](#).

Apply Promotion Discount to Each or Every X Items

Item promotion discounts (including fixed price item promotions) can be applied to:

- each eligible item in the transaction, or
- the cheapest or most expensive eligible item or items in the transaction

By default, a discount is applied to each eligible item.

When you create an item promotion with specific item buy conditions, you can select the quantity of items that must be bought at full price to make the transaction eligible for the promotion. In these promotions, the discount isn't applied to each eligible item, it's applied to the additional items added to the transaction after this quantity is met. For example, if a customer must buy one item at full price to get a discount on additional items and they have two of these items in their transaction, they will get a discount on one of these items. If they have four of these items in their transaction, they will get a discount on two. To determine which of the items is discounted, you specify if the discount is applied to the cheapest or most expensive of the eligible items.

For more information regarding setting the quantity of eligible items that must be bought at full price, see [What the Customer Needs to Buy](#).

Coupon Codes

Coupon codes can be multiple-use or single-use. Multiple-use codes can be used any number of times by any number of customers. Each single-use code can only be used one time by a single customer.

A promotion can include as many single-use codes as you require. If you are sending coupons out to a group of customers, you can provide a unique coupon code for each customer. You can import or generate these single-use codes on the promotion record.

Single-use codes can also be included in email offers you send through NetSuite marketing campaigns.

On SuitePromotions, coupon codes are defined on the **Coupon Codes** subtab.

See also [Associating Coupon Codes With a SuitePromotion](#).

Note: If you're using single-use coupon codes and a user event beforeSubmit script triggers a promotions recalculation, you might get an error when you try to save the Sales Order form. Promotions recalculation can happen because of updates to item, promotion, tax, shipping, or location.

To work around this, set your promotions to use multiple-use coupon codes instead of single-use coupon codes. This will stop the error when the beforeSubmit script triggers a promotions recalculation.

You can also consider customizing your beforeSubmit script, so it doesn't trigger a promotions recalculation.

Single-Use Coupons

You can create single-use coupon codes that let you personalize your promotional campaigns and email marketing by providing each recipient a unique coupon code that can only be used in one transaction by a single customer.

On the Coupon Codes subtab of promotion records, you can choose to use a list of single-use coupon codes or enter a multi-use coupon code that can be used any number of times. Single-use coupon codes can be used by any single customer who meets the promotion's customer eligibility requirements.

Note: If you don't set customer eligibility on the promotion, anyone with the code can use it if it hasn't been used before.

All single-use codes are listed on the Coupon Codes subtab on the promotion. You can click a code to see more details including the date it was sent and which customer used the code. Single-use coupon codes can be used on sales transactions entered through your web store as well as those entered in NetSuite.

Note: If a single-use coupon code is entered on a transaction and the transaction is then canceled, the coupon code is no longer valid and can't be used again.

To create a promotion with single-use coupon codes, click the Coupon Codes subtab, and in the Number of Uses field, select Single Use.



Important: For best performance, limit the total number of single-use coupon codes to 500,000 codes per promotion. If you need to generate more than 500,000 coupon codes, you can create multiple promotions.

There are two ways to create single-use coupon codes. You can either prepare a CSV file and import it into NetSuite, or you can have NetSuite generate the coupon codes for you. After you have saved a promotion, you can also click New on the Coupon Codes subtab to manually enter a single coupon code.

Importing Single-Use Coupon Codes

To import a CSV file with coupon codes, you can do any of the following:

- First create and save the promotion record. Then, go to Commerce > Marketing > Import Coupon Code. Download the CSV template, enter the name of the promotion record in the first column, enter your coupon codes in the second column, and then run the CSV import.
- You can also import coupon codes on the promotion record when you are creating the promotion record by selecting your CSV file in the Import File field. When you save the promotion, the coupon codes are imported.

The screenshot shows the 'Coupon Codes' subtab with the 'Import File' field. A 'Choose File' button is visible next to the text 'CouponCode863.csv'.

Generating Single-Use Coupon Codes on the Promotion Record

NetSuite can generate coupon codes for you on the promotion record. You define a code pattern and enter how many codes you would like to generate. When you save the promotion, the coupon codes are generated.

The screenshot shows the 'Coupon Codes' subtab with the 'Code Pattern' field set to '[AN.3]-[A.3]-[N.3]' and the 'Number of Codes to Generate' field set to '100'. The 'Import File' field shows 'No file chosen'.

You enter code patterns using the following components in any order you choose:

- [A.#] – This adds several random letters in the code.
- [N.#] – This adds several random numbers in the code.
- [AN.#] – This adds several random alphanumeric characters to the code.
- Hard-coded alphanumeric characters. don't enclose these in square brackets.
- Dashes (-)



Note: The following letters and numbers can't be used in coupon codes: 1, 0, I, L, O. don't include spaces.

When creating your code pattern, make sure that the pattern you give has enough variables to provide the number of unique codes you need for your promotion. If your code pattern doesn't have enough

variables to generate the number of unique codes requested, the promotion won't be saved successfully. Also, ensure that the code pattern has multiple variables and components so that it's simple to read and type but hard to predict.

For example, the millions of coupon codes that can be generated from the code pattern ABC-[AN.3]-[A.3]-[N.3] can far outnumber the codes issued for the promotion, making it hard to guess.

The code pattern ABC-[AN.3]-[A.3]-[N.3] would generate codes like:

- ABC-J3N-FLN-647
- ABC-45F-KPM-958
- ABC-5MP-PQA-874

The code pattern [N.1]-[A.1]-[AN.5]-T-SHRT would generate codes like:

- 1-Q-6NJWU-T-SHRT
- 2-X-J0BR1-T-SHRT
- 4-Y-K9ZHC-T-SHRT

Note: Use different code patterns for different promotions.

Coupon Code •		
View		
Coupon Codes ▾		
New Customize View Export - CSV		
Edit	Code ^	Used
Edit	ABC-1FD-ACY-331	No
Edit	ABC-1HD-YDT-592	No
Edit	ABC-1J1-JCY-511	No
Edit	ABC-1ZP-TTU-566	No
Edit	ABC-2GN-XLL-724	No
Edit	ABC-2RY-TRM-202	No
Edit	ABC-3BM-BJZ-613	No
Edit	ABC-3FP-NER-777	No

Promotions and Marketing Campaigns

Promotions can work with your marketing campaigns.

Single-use coupon codes and multi-use coupon codes are sent through campaigns differently. You can send both types of codes effectively with email campaigns. To include a single-use coupon code, you can use the `${campaignEvent.couponCode}` tag. This tag places a unique coupon code for each recipient to use. With multi-use coupon codes, you can include the coupon code in the text of the email.

When the coupon code is used on an order, the promotion's discount is applied, and you can track the revenue on promotion reports.

You can also pass coupon codes through links to your web store. To pass a coupon code, add the `promocode` parameter to the end of the URL. When a recipient follows the link to your site, the coupon code is stored and applied to your order when you check out.

The URL for a multi-use coupon code should be formatted like the following:

```
1 | http://www.yoursite.com?promocode=<insert your coupon code here>
```

If the coupon code was SPRINGSALE, your URL would be:

```
1 | http://www.yoursite.com?promocode=SPRINGSALE
```

If you are passing a single-use coupon code, the URL would include the tag enclosed in angle brackets:

```
1 | http://www.yoursite.com?promocode=${campaignEvent.couponCode}
```

When the email is generated by your marketing campaign, the tag in the URL is replaced with the single-use coupon code.

Note: Often links to your website include multiple parameters. The first parameter is preceded by a ?, and subsequent parameters begin with &.

If you use promotions to track campaigns or campaign events, make sure you don't associate a promotion with more than one campaign or campaign event. You should either create a separate promotion for each campaign, or if you are tracking revenue by promotion, use lead source for revenue tracking.

Note: If you include promotions in your marketing campaigns, you should use Lead Source to track campaign revenue instead of promotions.

Sending Single-Use Coupon Codes Through Email Campaigns

You can send single-use coupon codes through email marketing campaigns by including the `${campaignEvent.couponCode}` tag in your marketing template. This tag is replaced in the email with a unique coupon code for each email recipient.

Important: If your promotion has customer eligibility requirements defined by a saved search, be sure to use that same search to define the recipient group on the email campaign used to distribute the coupon code. If you use different saved searches, your recipients might not be able to use the code. Also, make sure these saved searches are both either dynamic or static.

If you are creating your template in NetSuite, to insert this tag, select Other in the Field Type list and in the Insert Field list, choose Coupon Code. If you are creating the template outside of NetSuite in an HTML editor, use the `${campaignEvent.couponCode}` tag in the HTML.

For information about passing coupon codes through URLs, see [Promotions and Marketing Campaigns](#).

To schedule an email campaign event that includes single-use coupon codes, your email event needs two things:

- a marketing template that includes the `${campaignEvent.couponCode}` tag
- a promotion with single-use coupon codes selected in the Promotion column for that event

Important: You can't use this tag for campaign events associated with multi-use coupon code promotions.

For promotions with coupon codes generated by a code pattern, if there are more recipients of the email campaign than you have coupon codes, NetSuite automatically generates enough codes for your recipient list.

If you have a promotion where you have imported the coupon codes, it's important that you make sure there are enough coupon codes to accommodate the number of the campaign's recipients. If there aren't enough coupon codes, some recipients won't be sent the email message. A list of intended recipients who were not sent the email because there were not enough codes is included in the confirmation email you receive after the event executes.

Note: On the details page of a single-use coupon code, the name in the Recipient field refers to the name of the customer the email marketing campaign was sent to. The coupon code can be used by a different customer meeting the promotion's customer eligibility requirements.

Therefore, the details page only indicates that the coupon code was sent through an email marketing campaign to a particular customer and that it was used, not that the coupon code was used by the customer displayed in the Recipient field.

Targeting Promotions at Specific Customers

You can choose the customers who are eligible for a promotion so that you can specifically target certain customers. This means you can define accurate pricing and promotions that reward more valued customers to strengthen loyalty.

Customer eligibility is defined on the **Audience** subtab on the promotion record. For more information, see [Setting Customer Eligibility on SuitePromotions](#).

Setting Where Promotions Can Be Used

You can restrict promotions so that they can only be used at specific locations, or on specific websites.

To set location-based promotion eligibility, you must first enable the Locations feature. See [Enabling Other Features that Impact SuitePromotions](#).

Location and website restrictions are defined on the **Sales Channel** subtab on the promotion record. For more information, see [Setting Sales Channel Eligibility on SuitePromotions](#).

Note: There are limits to the number of promotions that can be automatically applied based on schedule and location. For more information, see [Auto-Apply Promotions Limits](#).

Promotion Usage Limits

Usage limits enable you to specify how many times a customer can use a promotion. You can choose to permit unlimited usage per customer or limit each customer to use the promotion one time only.

Usage limits are defined on the **Usage Limits** subtab on the promotion record. For more information, see [Setting Usage Limits on SuitePromotions](#).

System Notes for Promotion Code and Coupon Code Records

Note: This topic applies to System Notes v2 only. For information about System Notes, see the help topic [System Notes Overview](#).

NetSuite logs system notes for changes to the promotion code (record ID **promotioncode**) and coupon code (record ID **couponcode**) REST records. You need to use the System Notes v2 Workbook to view

changes to the promotion code and coupon code records. For more information, see the help topic [System Notes v2 Workbook](#).

The System Notes tab isn't available on the promotion code and coupon code page. Therefore, you can only access system notes through the System Notes v2 Workbook.

Creating Promotions

You can create promotions for each predefined promotion type. This section explains the different promotion records in detail and how to create each type:

- **Item promotions** – give percentage or currency amount discounts on items, see [Creating Item Promotions](#).
- **Fixed price item promotions** – give items for a fixed discounted price, see [Creating Fixed Price Item Promotions](#).
- **Order promotions** – give percentage or currency discounts at the order level, see [Creating Order Promotions](#).
- **Shipping promotions** – give your customers free shipping on specific shipping methods, see [Creating Shipping Promotions](#).
- **Free gift promotions** – give your customers a free gift that is automatically added to their order, see [Creating Free Gift Promotions](#).

To create any type of promotion you must first go to the new promotions landing page, where you can select the type of promotion you want to create.

To open the new promotions landing page, go to Commerce > Marketing > Upsell > Promotions > New.

New Promotion

Item Promotion

Discount on items

Example: 25% off any Item A; Buy One Get One (BOGO); Buy Item A and get Item B at half price.

Fixed price item promotion

Selected items at a fixed price

Example: Any Item A for \$9.99; Buy Item A and get Item B for \$9.99.

Order Promotion

Discount on the Total Order Amount

Example: 20% off your order.

Shipping Promotion

Free Shipping

Example: Spend \$100 or more and get free shipping.


Free gift promotion

Free item automatically added to cart

Example: Free gift Item A automatically added to your cart, when you spend \$20 or more.

> Other Promotion Types - Not compatible with SuitePromotions enhancements

The basic workflow for creating SuitePromotions is as follows:



Each type of SuitePromotion follows the same workflow. You select the promotion type, enter basic properties and scheduling information, enter the Buy conditions, specify further Get conditions, and finally create a coupon code. The main variation in the process occurs when applying the Get conditions available, which differ depending on the type of promotion.

The promotion records for all SuitePromotions contain the following sections:

- **Basic Properties** – see [SuitePromotions Basic Properties](#)
- **Scheduling** – see [SuitePromotions Scheduling](#)
- **Further Settings** – see [SuitePromotions Further Settings](#)
- **What the Customer Needs to Buy** – see [What the Customer Needs to Buy](#)
- **What the Customer Will Get** – see [What the Customer Will Get](#)
- **Coupon Codes subtab** – see [Associating Coupon Codes With a SuitePromotion](#)
- **Audience subtab** – see [Setting Customer Eligibility on SuitePromotions](#)
- **Sales Channels subtab** – see [Setting Sales Channel Eligibility on SuitePromotions](#)
- **Usage Limits subtab** – see [Setting Usage Limits on SuitePromotions](#)

Each section is identical for each SuitePromotion type with the exception of the **What the Customer Needs to Buy** and **What the Customer Will Get** sections.

SuitePromotions Basic Properties

The Basic Properties section provides basic details regarding the promotion.

▼ Basic Properties

Custom Form *

Item Promotion ▼

Name *

Description

☐ Inactive

Field	Description
Custom Form	Select the promotion type. You can select one of the SuitePromotion types (item, order, or shipping) or the Standard Promotion Code Form.
Name	Enter a name for the promotion.
Description	Enter a description of the promotion.
Inactive	Check this box to make this promotion inactive but not deleted. The promotion won't be available for selection on a transaction.

SuitePromotions Scheduling

In the scheduling section, you can set time frames for when the promotion is valid.

▼ Scheduling

Start Date

End Date

Field	Description
Start Date	Enter the date from when the promotion is valid.
End Date	Enter the date after which the promotion is no longer valid.

If you leave the Start Date and End Date fields blank, the promotion is permanently valid.

SuitePromotions Further Settings

The Further Settings section provides controls specifically related to the behavior of promotions on transactions when the SuitePromotions feature is enabled.

You can determine:

- if a promotion can be automatically applied to a transaction
- if a promotion can be combined with other promotions, or is exclusive – globally or only in relation to a specific item, or promotion type

▼ Further Settings

Combination With Other Promotions *

☒ Combinable Promotion

☐ Exclusive Promotion

☐ Item Line Exclusive Promotion

☐ This Promotion Can Be Automatically Applied

When enabled, this promotion is eligible for automatic application on transactions.

Discount Item For Accounting *

Select a Discount Item. If there is an account associated with this Discount Item, it is impacted by this promotion's discount.

Field	Description
Combining Options SuitePromotions enable you to combine multiple promotions on the same transaction, but you can also determine exactly which promotions can or can't be combined with others.  Note: Free gift promotions can't be made exclusive and aren't considered in the Best Offer logic. For more information see Best Offer.	
 Combining SuitePromotions	
Combinable Promotion	Select this option to permit this promotion to be combined with other eligible promotions on a transaction when the SuitePromotions feature is enabled.
Exclusive Promotion	Select this option to prevent this promotion from being combined with other eligible promotions on a transaction when the SuitePromotions feature is enabled.
Item Line Exclusive Promotion	Select this option to prevent this promotion from being combined with other eligible promotions for the same item on a transaction when the SuitePromotions feature is enabled. It's important to emphasize that exclusivity is based on the item receiving the discount, not on the promotion type. This option is available for only item type promotions.
Order Type Exclusive Promotion	Select this option to prevent this promotion from being combined with other eligible order type promotions on a transaction when the SuitePromotions feature is enabled. This option is available for only order type promotions.
Shipping Type Exclusive Promotion	Select this option to prevent this promotion from being combined with other eligible shipping type promotions on a transaction when the SuitePromotions feature is enabled. This option is available for only shipping type promotions.
Field	Description
This promotion can be automatically applied	Check this box to enable this promotion to be automatically applied to transactions when the SuitePromotions feature is enabled.

Field	Description
Discount Item for Accounting	Select the discount item you want to assign to this promotion. The account on the discount item is impacted by the promotion's discount. This field is required for accounting purposes only.

What the Customer Needs to Buy

In the What the customer needs to buy section, you set the Buy conditions for the promotion. These determine what the customer must add to a transaction to be eligible for the discount provided by the promotion.

Note: Item promotions can contain eligibility criteria for a minimum order amount and a specific item or items, for example, a customer must spend at least \$100 and buy a blue scarf. A transaction will only be eligible for a promotion's discount if it meets all of the criteria. A blue scarf added to the order by a free gift promotion isn't taken into consideration for eligibility.

▼ **What the customer needs to buy**

☐ Buy Anything
☒ Spend A Minimum Order Amount Or Buy Specific Items
☐ Minimum Order Amount

☒ Specific Items
 From Items List

Item *

From Saved Search

Item Quantity

☐ Repeat discount incrementally

Field	Description
Buy Anything	Select this option if you don't want to specify any Buy conditions. The eligibility of the promotion won't depend on what the customer buys.
Spend a Minimum Order Amount or Buy Specific Items	Select this option if you want to specify Buy conditions. The Minimum Order Amount and Specific Items boxes will appear.
Minimum order Amount	Check this box if you want to specify a minimum order amount that must be spent before a transaction is eligible for the promotion.

Field	Description
Specific Items	Check this box if you want to specify an item or items that must be bought before a transaction is eligible for the promotion. The Item and Item Saved Search lists appear. Free gift items added to the order by a free gift promotion aren't taken into consideration for eligibility.
From Items List	Select an item or items from the Item list that must be bought before a transaction is eligible for the promotion.
From Saved Search	Select an item saved search from the From Saved Search list that must be bought before a transaction is eligible for the promotion. Saved searches can be created to group specific items together. For example, all the dresses to be discounted in the Spring Sale. For more information, see the help topic Saved Searches. When you use an item saved search, the Saved Search Preferences subtab appears on the promotion record. For more information, see Saved Search Performance.
Item Quantity	Enter the quantity of items that the shopper needs to buy to be eligible for the discount. For example, enter 2 to set up "Buy 2, Get 1" or "Buy 3 for the price of 2" promotions.
Repeat Discount Incrementally	Check this box to apply the discount to the order every time the customer buys the required item quantity. This option isn't available for Shipping type SuitePromotions. Note, if this box is checked: you can't apply the discount to each item in the order on an Item type SuitePromotion; you can't offer a percentage discount on an Order type SuitePromotion. See What the Customer Will Get.

What the Customer Will Get

In the What the customer will get section, you set the Get conditions for the promotion. The options available vary depending on the promotion type.

Item Promotion Get Conditions

Item promotions specify an item or items that will be discounted in the What the Customer Will Get section.

▼ **What the customer will get**

Discount Rate * ☐ % ☐ flat

From Items List

Item *

<Type then tab>

✓ Add ✕ Cancel + Insert 🗑 Remove

From Saved Search

Apply Discount To

☒ Each discountable item

☐ Cheapest Discountable Item

☐ Most Expensive Discountable Item

Field	Description
%	Select this option to give the customer a percentage off the selected item or items.
Flat	Select this option to give the customer a flat rate discount off the selected item or items.
Discount Rate	Enter the amount to be discounted. This will either be a percentage or a currency amount depending on the type of discount selected with the previous options.
From Items List	Select an item or items from the Item list that the discount will be applied to.
From Saved Search	Select an item saved search from the From Saved Search list. The discount will be applied to one or more of the items included in the saved search if they are added to an eligible transaction. Saved searches can be created to group specific items together. For example, all the dresses to be discounted in the Spring Sale. For more information, see the help topic Saved Searches. When you use an item saved search, the Saved Search Preferences subtab appears on the promotion record. For more information, see Saved Search Performance.
Apply Discount To	Select from: ■ Each Discountable Item – the discount is applied to each eligible item in the order. Note, you can't select this option when the Repeat Discount Incrementally box is selected in the What the Customer Needs to Buy section. Such promotions may potentially apply 100% discount to each discountable item. ■ Cheapest Discountable Item – the discount is applied to the cheapest eligible item in the order ■ Most Expensive Discountable Item – the discount is applied to the most expensive eligible item in the order

Fixed Price Item Promotion Get Conditions

Fixed price item promotions specify items that will be available at a fixed price in the What the Customer Will Get section.

▼ **What the customer will get**

Fixed Price *

From Items List

Item *

From Saved Search

Apply Discount To

☒ Each discountable item
☐ Cheapest Discountable Item
☐ Most Expensive Discountable Item

Field	Description
Fixed Price	Enter the amount of the fixed price for the selected item.
From Items List	Select an item or items from the Item list that the discount will be applied to.
From Saved Search	Select an item saved search from the From Saved Search list. The discount will be applied to one or more of the items included in the saved search if they are added to an eligible transaction. Saved searches can be created to group specific items together. For example, all the dresses to be discounted in the Spring Sale. For more information, see the help topic Saved Searches. When you use an item saved search, the Saved Search Preferences subtab appears on the promotion record. For more information, see Saved Search Performance.
Apply Discount To	Select from: ■ Each Discountable Item – the discount is applied to each eligible item in the order. Note, you can't select this option when the Repeat Discount Incrementally box is selected in the What the Customer Needs to Buy section. Such promotions may potentially apply 100% discount to each discountable item. ■ Cheapest Discountable Item – the discount is applied to the cheapest eligible item in the order ■ Most Expensive Discountable Item – the discount is applied to the most expensive eligible item in the order

Order Promotion Get Conditions

Order promotions specify a percentage or a currency amount discount that will be applied to an order in the What the Customer Will Get section.

▼ **What the customer will get**

Discount Rate * ☒ % ☐ flat

Field	Description
%	Select this option to give the customer a percentage off the order. Note, this option isn't available when the Repeat Discount Incrementally box is checked in the What the Customer Needs to Buy section.
Flat	Select this option to give the customer a flat rate discount off the order.
Discount Rate	Enter the amount to be discounted. This will either be a percentage or a currency amount depending on the type of discount selected with the previous options.

Shipping Promotion Get Conditions

Shipping promotions specify a shipping method that will provide the customer with free shipping on an eligible transaction in the What the Customer Will Get section.

▼ **What the customer will get**

Shipping Method *

Field	Description
Shipping Method	Select a free shipping method from the list to be applied to eligible transactions.

Free Gift Get Conditions

Free gift promotions specify items that will be added automatically to the customer's order with 100% discount in the What the Customer Will Get section.

▼ **What the customer will get**

Select free gift

Item *

Field	Description
Select Free Gift	Select an item from the Item list that the discount will be applied to. Note that you can only select a maximum of one free item. You can't select parent-matrix items as the free gift.

Associating Coupon Codes With a SuitePromotion

The Coupon Codes subtab is where you choose how many times your coupon codes can be used and where you import or generate coupon codes.

The screenshot shows the 'Coupon Codes' subtab within a SuitePromotion configuration window. At the top, there are four tabs: 'Coupon Codes' (selected), 'Audience', 'Sales Channels', and 'Usage Limits'. Below the tabs, an information icon (i) is followed by a message: 'Choose whether you are entering one coupon code that can be used by multiple customers for this promotion (multiple uses), or if you are entering coupon codes that can be used only once by one customer (single use)'. Below this message, there is a 'Coupon Code Type' dropdown menu currently set to 'Multiple Uses'. Underneath the dropdown is a 'Coupon Code' field with a red asterisk (*) indicating it is required.

To add coupon codes:

1. On the **Coupon Codes** subtab, in the **Coupon Code Type** field, choose whether the coupon code for this promotion can be used more than one time (Multiple Uses), or can only be used one time (Single Use).
2. If you are entering a multi-use coupon code, enter the code in the **Coupon Code** field.
3. If you are entering single-use coupon codes, do one of the following:
 - Select a CSV file to import
 - Enter a code pattern and the number of codes you want to generate

For more information regarding coupon codes, see [Coupon Codes](#).

Setting Customer Eligibility on SuitePromotions

The Audience subtab is where you select which customers are eligible for the promotion. You can specify if the promotion is available to:

- **Everyone** – select this option to set no restrictions on which customers are eligible for the promotion.
- **Specific Customers** – select this option to limit eligibility for the promotion to one or more of the following:
 - a target audience specified in a marketing campaign – see [Setting SuitePromotion Eligibility With Marketing Campaigns](#).
 - a specific customer category – see [Setting SuitePromotion Eligibility by Customer Category](#).
 - a specific customer – see [Setting SuitePromotion Eligibility by Customer](#).
 - a specific customer group – see [Setting SuitePromotion Eligibility by Customer Group](#).

You can use a combination of these criteria to set the target audience depending on your requirements.

Note: You can't delete customer categories, customers, customer groups, locations, nor websites when you create a promotion that has eligibility criteria based on them.

The screenshot shows the 'Audience' subtab of a SuitePromotion record. It contains the following elements:

- Radio buttons for 'Everyone' and 'Specific Customers' (selected).
- A text input field for 'Customer Category' with placeholder text '<Type & tab for single value>'.
- A text input field for 'Customers' with placeholder text '<Type & tab for single value>'.
- A dropdown menu for 'Customer Group'.

For example, you want to create a promotion that is limited to VIPs and also customers located in Oklahoma City. You can create a customer category for VIPs, and a new customer group that uses a saved search to include all customers with an address in Oklahoma City. In the Promotion record, you choose Specific Customers, select the VIP customer category and also select the Oklahoma City Customers customer group. Only customers who belong to the VIP category or who have an address in Oklahoma City can apply the promotion to a transaction.

Setting SuitePromotion Eligibility With Marketing Campaigns

Promotions are limited to specific marketing campaigns by choosing the Specific Customer option. You set the customers that are targeted by the marketing campaign in the campaign event. For more information, see the help topic [Scheduling Campaign Events](#)

For more information about how to use promotions in marketing campaigns, see [Promotions and Marketing Campaigns](#).

To limit eligibility for a promotion to a specific marketing campaign:

1. Make sure you have defined your marketing campaign and associated this promotion with the campaign.
2. On the **Audience** subtab, select the **Specific Customers** option.

Note: You don't need to specify the customers targeted in the Promotion record. The promotion is associated with the marketing campaign in the Campaign record and included in the marketing template.

Setting SuitePromotion Eligibility by Customer Category

You can target promotions at one or several customer categories. A customer category is used on customer records to categorize them. It's often used to indicate the source of the customer. You can only assign a customer to one customer category at a time in the Customer record.

For more information about how to set up a new customer category, see the help topic [Setting Up Accounting Lists](#).

To limit eligibility for a promotion to a specific customer category:

1. Make sure you have defined your customer categories and that your customers are correctly assigned to them.
2. On the **Audience** subtab, select the **Specific Customers** option.
3. Enter each customer category name in the **Customer Category** field.

Setting SuitePromotion Eligibility by Customer

You can target promotions at a single customer or a selection of customers.

To limit eligibility for a promotion to a specific customer:

1. On the **Audience** subtab, select the **Specific Customers** option.
2. Enter the name of each customer in the **Customer** field or select a range of customers.

Setting SuitePromotion Eligibility by Customer Group

You can target promotions at a specific customer group. There are two types of customer group:

- **Static** – membership of the group doesn't change. If you select a static customer group, only the customers included in the group are eligible for the promotion.
- **Dynamic** – membership of the group is determined by saved search criteria. If you select a dynamic customer group, before the promotion is applied to the transaction, the saved search for the customer group is run first to determine the customer's membership.

 **Note:** If you set up a promotion to use a customer group, the customer group can't be deleted until it has been removed from the promotion.

For more information about creating groups, see the help topic [Working with Groups](#).

To limit eligibility for a promotion to a specific customer group:

1. Make sure you have defined your customer group and checked that your customers are correctly assigned.
2. On the **Audience** subtab, select the **Specific Customers** option.
3. Select the customer group in the **Customer Group** field.

 **Tip:** If you select a dynamic customer group you can choose when the saved search criteria for the group membership is refreshed on the **Customer Group Preferences** tab. For more information, see [Customer Group Performance](#).

Setting Sales Channel Eligibility on SuitePromotions

The Sales Channels subtab is where you select if eligibility for the promotion is limited to a specific location, or a specific website.

The Sales Channel subtab doesn't appear if the Locations feature and Commerce Web Stores aren't enabled.

Select the **All Locations and Websites** option to set no restrictions regarding location and website eligibility for the promotion.

Note: You can't delete customer categories, customers, customer groups, locations, nor websites when you create a promotion that has eligibility criteria based on them.

See also [Enabling Other Features that Impact SuitePromotions](#).

Limiting Eligibility to Locations

Before you can set location-based promotion eligibility, you must first enable the Locations feature. For more information regarding creating locations and assigning them to transactions, see the help topic [Working with Locations](#).

Note: There are limits to the number of promotions that can be automatically applied based on schedule and location. For more information, see [Auto-Apply Promotions Limits](#).

To limit eligibility for a promotion to a specific location:

1. On the **Sales Channels** subtab, select the **Specific Locations** option.
2. Enter each location that is eligible for the promotion in the **Location** field that appears.

Limiting Eligibility to Websites

Before you can set website-based promotion eligibility, you must first set up Commerce Web Stores. Only Commerce web stores are eligible for website-based promotion eligibility. For more information regarding creating a Commerce web store, see the help topic [Commerce Overview](#).

To limit eligibility for a promotion to a specific website:

1. On the **Sales Channels** subtab, select the **Specific Websites** option.
2. Enter each website that is eligible for the promotion in the **Website** field that appears.

Setting Usage Limits on SuitePromotions

The Usage Limits subtab is where you select how many times a customer can use the promotion that has a multi-use coupon code. You can specify:

- **One time only** – select this option to limit usage of the promotion to one time only per customer.
- **Unlimited amount of times** – select this option to set no restrictions on how many times customers can use the promotion. This is the default behavior.

Coupon Codes	Audience	Sales Channels	Usage Limits
Each Customer Can Use The Promotion * Unlimited amount of times ▼			

Note: When multiple sales orders are created from a single estimate that has a promotion applied to it with one time only usage limits, the usage limits of the promotion are ignored. The promotion will be repeated for the same customer on each of the sales orders created from the estimate. When you make a copy of an estimate rather than creating a sales order, the usage limits of a one time only promotion are respected. A notification informs you that you can't apply the promotion. For more information about estimates, see the help topic [Estimates](#).

Creating Item Promotions

You can create item promotions that give customers discounts on specific items in a transaction.

To create an item promotion:

1. Go to Commerce > Marketing > Upsell > Promotions > New.
2. Select **Item Promotion** from the SuitePromotions category.
3. Enter a name and description for this promotion.
4. Check the **Inactive** box if you want to make the promotion inactive but not deleted. If this box is checked the promotion won't be available for selection on a transaction.
5. Enter a start date and an end date for this promotion.
After the end date, the promotion will no longer trigger discounts, and will no longer appear in the list of available promotions.
6. Select the combinability options for this promotion. For more information, see [SuitePromotions Further Settings](#).
7. Check the **This promotion can be automatically applied** box if you want this promotion to be automatically applied to transactions.
In the **Discount Item for Accounting** field, select the discount item you want to assign to this promotion. The account on the discount item is impacted by the promotion's discount. This field is required for accounting purposes only.
8. Enter the **Buy** conditions for this promotion. For more information, see [What the Customer Needs to Buy](#).
9. Enter the **Get** conditions for this promotion. For more information, see [Item Promotion Get Conditions](#).
10. Enter coupon code details for this promotion. For more information, see [Associating Coupon Codes With a SuitePromotion](#).
11. Enter usage limits for this promotion. For more information, see [Setting Usage Limits on SuitePromotions](#).
12. Click **Save**. You can also do one of the following:

- Click **Save & New** to save the form and create a new promotion.
- Click **Save & Copy** to save the form and create a new promotion with the same data.

Item Promotion Example

Buy One, Get One Free (BOGO)

- **Description** – Customers are eligible for a 100% discount on an additional item when they buy at least two of that item.
- **Tagline** – Buy 1 T-shirt and get 1 T-shirt for free! Or Buy 2 for the price of 1!
- **Small print** – Discount applied to the cheapest T-shirt or T-shirts.

 [How to Create a Buy One Get One Free SuitePromotion](#)

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	100.00
Items to be discounted	T-shirt
Apply discount to	Cheapest Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirts	\$10	–	\$10

What the customer buys	Price before discount	Discount	Price after discount
2 T-shirts	\$20	\$10 (\$10 off the cheapest T-shirt)	\$10
3 T-shirts	\$30	\$10 (\$10 off the cheapest T-shirt)	\$20
6 T-shirts	\$60	\$30 (\$10 off each of the three cheapest T-shirts)	\$30

For many more SuitePromotions examples, see [SuitePromotions Examples](#).

Creating Fixed Price Item Promotions

Fixed price item promotions let you offer a set price instead of a percentage or currency discount. You can create promotions that offer items at a fixed promotional price.

For example, a promotion that offers any dress for \$15 if a customer buys any T-shirt. Instead of entering a discount as a percentage or currency amount, you enter a fixed price for the dress. If the promotion is applied to an order that meets these criteria, the dress price is modified by calculating the amount of discount required to provide the dress for \$15.

To create a fixed price item promotion:

1. Go to Commerce > Marketing > Upsell > Promotions > New.
2. Select **Fixed Price Item Promotion** from the SuitePromotions category.
3. Enter a name and description for this promotion.
4. Check the **Inactive** box if you want to make the promotion inactive but not deleted. If this box is checked the promotion won't be available for selection on a transaction.
5. Enter a start date and an end date for this promotion.
After the end date, the promotion will no longer trigger discounts, and will no longer appear in the list of available promotions.
6. Select the combinability options for this promotion. For more information, see [SuitePromotions Further Settings](#).
7. Check the **This promotion can be automatically applied** box if you want this promotion to be automatically applied to transactions.
8. In the **Discount Item for Accounting** field, select the discount item you want to assign to this promotion. The account on the discount item is impacted by the promotion's discount. This field is required for accounting purposes only.
9. Enter the **Buy** conditions for this promotion. For more information, see [What the Customer Needs to Buy](#).
10. Enter the **Get** conditions for this promotion. For more information, see [Fixed Price Item Promotion Get Conditions](#).
11. Enter coupon code details for this promotion. For more information, see [Associating Coupon Codes With a SuitePromotion](#).
12. Enter usage limits for this promotion. For more information, see [Setting Usage Limits on SuitePromotions](#).
13. Click **Save**. You can also do one of the following:
 - Click **Save & New** to save the form and create a new promotion.

- Click **Save & Copy** to save the form and create a new promotion with the same data.

Fixed Price Item Promotion Example

Buy Items for a Discounted Fixed Price

- **Description** – Customers are eligible to buy any number of the same item for a fixed price without any buy conditions.
- **Tagline** – All T-shirts now only \$8!

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Fixed Price	8.00
Items to be discounted	T-shirt
Apply discount to	Each Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	\$2	\$8
2 T-shirts	\$20	\$4 (\$2 off each T-shirt)	\$16
3 T-shirts	\$30	\$6 (\$2 off each T-shirt)	\$24

What the customer buys	Price before discount	Discount	Price after discount
6 T-shirts	\$60	\$12 (\$2 off each T-shirt)	\$48

For many more SuitePromotions examples, see [SuitePromotions Examples](#).

Creating Order Promotions

You can create order promotions that give customers discounts that are applied to the order total.

To create an order promotion:

1. Go to Commerce > Marketing > Upsell > Promotions > New.
2. Select **Order Promotion** from the SuitePromotions category.
3. Enter a name and description for this promotion.
4. Check the **Inactive** box if you want to make the promotion inactive but not deleted. If this box is checked the promotion won't be available for selection on a transaction.
5. Enter a start date and an end date for this promotion.
After the end date, the promotion will no longer trigger discounts, and will no longer appear in the list of available promotions.
6. Select the combinability options for this promotion. For more information, see [SuitePromotions Further Settings](#).
7. Check the **This promotion can be automatically applied** box if you want this promotion to be automatically applied to transactions.
8. In the **Discount Item for Accounting** field, select the discount item you want to assign to this promotion. The account on the discount item is impacted by the promotion's discount. This field is required for accounting purposes only.
9. Enter the **Buy** conditions for this promotion. For more information, see [What the Customer Needs to Buy](#).
10. Enter the **Get** conditions for this promotion. For more information, see [Order Promotion Get Conditions](#).
11. Enter coupon code details for this promotion. For more information, see [Associating Coupon Codes With a SuitePromotion](#).
12. Enter usage limits for this promotion. For more information, see [Setting Usage Limits on SuitePromotions](#).
13. Click **Save**. You can also do one of the following:
 - Click **Save & New** to save the form and create a new promotion.
 - Click **Save & Copy** to save the form and create a new promotion with the same data.

Order Promotion Example

Flat Rate Discount on an Order if Minimum Order Amount is Met

- **Description** – Customers are eligible for a flat rate discount on any order over a certain value.

- **Tagline** – \$10 off your order, when you spend \$50 or more!

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	50.00
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	–	\$40
3 T-shirts, 1 dress	\$50	\$10	\$40
6 T-shirts, 2 dresses	\$100	\$10	\$90

For many more SuitePromotions examples, see [SuitePromotions Examples](#).

Creating Shipping Promotions

You can create shipping promotions that give customers free shipping for their transactions using a specified shipping method.

To create a shipping promotion:

1. Go to Commerce > Marketing > Upsell > Promotions > New.
2. Select **Shipping Promotion** from the SuitePromotions category.
3. Enter a name and description for this promotion.

4. Check the **Inactive** box if you want to make the promotion inactive but not deleted. If this box is checked the promotion won't be available for selection on a transaction.
5. Enter a start date and an end date for this promotion.
After the end date, the promotion will no longer trigger discounts, and will no longer appear in the list of available promotions.
6. Select the combinability options for this promotion. For more information, see [SuitePromotions Further Settings](#).
7. Check the **This promotion can be automatically applied** box if you want this promotion to be automatically applied to transactions.
8. Enter the **Buy** conditions for this promotion. For more information, see [What the Customer Needs to Buy](#).
9. Enter the **Get** conditions for this promotion. For more information, see [Shipping Promotion Get Conditions](#).
10. Enter coupon code details for this promotion. For more information, see [Associating Coupon Codes With a SuitePromotion](#).
11. Enter usage limits for this promotion. For more information, see [Setting Usage Limits on SuitePromotions](#).
12. Click **Save**. You can also do one of the following:
 - Click **Save & New** to save the form and create a new promotion.
 - Click **Save & Copy** to save the form and create a new promotion with the same data.

Shipping Promotion Example

Free Shipping if a Specific Item is Included in the Order

- **Description** – Customers are eligible for free shipping when they buy a minimum number of a specific item.
- **Tagline** – Buy a T-shirt and get free shipping on your order!

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	1

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Shipping Method	Select any available shipping method from the list (the selected shipping method will be free for any eligible order).

For many more SuitePromotions examples, see [SuitePromotions Examples](#).

Creating Free Gift Promotions

You can create free gift promotions that give customers an item with 100% discount. The free gift is automatically added to the customer's order if the transaction is eligible.

Note: You can only use inventory items with Free Gift Promotions for orders placed through the SuiteCommerce web store. If you try to use other item types, the free gift won't be added, and you'll get an error that says, "Sorry, something went wrong. We couldn't add your gift to the order." However, you can use any item type with Free Gift Promotions for orders placed through the NetSuite user interface.

Watch this video to learn how to create a free gift promotion.

 [Free Gift Promotion](#)

Note: Free gift promotions can't be exclusive and can't be excluded by other exclusive promotions.

To create a free gift promotion:

1. Go to Commerce > Marketing > Upsell > Promotions > New.
2. Select **Free Gift Promotion** from the SuitePromotions category.
3. Enter a name and description for this promotion.
4. Check the **Inactive** box if you want to make the promotion inactive but not deleted. If this box is checked the promotion won't be available for selection on a transaction.
5. Enter a start date and an end date for this promotion.
After the end date, the promotion will no longer trigger discounts, and will no longer appear in the list of available promotions.
6. Check the **This promotion can be automatically applied** box if you want this promotion to be automatically applied to transactions.
7. Enter the **Buy** conditions for this promotion. For more information, see [What the Customer Needs to Buy](#).
8. Enter the **Get** conditions for this promotion. For more information, see [Free Gift Get Conditions](#).
9. Enter coupon code details for this promotion. For more information, see [Associating Coupon Codes With a SuitePromotion](#).
10. Enter usage limits for this promotion. For more information, see [Setting Usage Limits on SuitePromotions](#).
11. Click **Save**. You can also do one of the following:
 - Click **Save & New** to save the form and create a new promotion.
 - Click **Save & Copy** to save the form and create a new promotion with the same data.

Note: When you use Custom Item Filters with Free Gift Promotions, make sure the items added by the promotion are included in your Custom Item Filter. If the item added by the Free Gift promotion isn't part of the custom item filter, the system might not process the added item correctly resulting in an inconsistent transaction state.

For more information about the Custom Item Filters feature, see the help topic [Filtering the Items Dropdown List on Transactions](#).

Free Gift Promotion Example

Free Gift With Any Order

- **Description** – Customers are eligible for a free gift with any order.
- **Tagline** – Get a free T-shirt with any order!

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt Note, you can't add parent matrix items as a free gift.

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	1 T-shirt	\$10 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
1 dress	\$20	1 T-shirt	\$20
1 T-shirt, 1 dress	\$30	1 T-shirt	\$30 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
2 T-shirts, 1 dress	\$40	1 T-shirt	\$40 (the T-shirts in the order aren't discounted, an extra T-shirt is added to the order)

For many more SuitePromotions examples, see [SuitePromotions Examples](#).

Applying Promotions and Discounts to a Transaction

Promotions are applied to transactions in NetSuite on the Promotions subtab of a sales order. Note that a customer and at least one item must be added to a transaction before you can add a promotion.

The topics outlined in this section refer to applying promotions in NetSuite. You can also apply promotions to transactions:

- on a web store order in Commerce web stores, see the help topic [Promotions in Commerce Web Stores](#).
- at the point of sale in SCIS, see the help topic [Promotions and Coupon Codes for SCIS](#).

Watch the following video to find out how to work with SuitePromotions so you can take advantage of its features.

 [Working with SuitePromotions](#)

To apply a promotion on a transaction:

1. Go to Transactions > Sales > Enter Sales Order
2. Create a sales order.
3. Select a customer.
4. On the **Items** subtab, add the items to be purchased in this transaction.
5. Click the **Promotions** subtab.
6. In the **Promotion** column, select a promotion from the list. This list is filtered to only show the promotions that can be applied to the transaction.
7. Click **Add**.

Free gift SuitePromotions automatically add the free item to a transaction. Promotions that offer an item or items for free – but aren't created using the free gift SuitePromotion type – don't automatically add the item to a transaction. For more information, see [Applying Automatically Added Free Gift Items](#).



Note: When using the Custom Item Filters feature in conjunction with Promotions, discount items added by the promotion must be included in the configured Custom Item Filter.

If the discount item isn't part of the custom item filter, the system might not process the added item correctly resulting in an inconsistent transaction state.

For more information about the Custom Item Filters feature, see the help topic [Filtering the Items Dropdown List on Transactions](#).

How Promotion Discounts Are Applied to Transactions

Discounts are applied to a transaction automatically when a promotion is applied. The value of the discount is dependent on how tax is calculated in your region.

By default, promotion discounts are applied to the transaction total after sales tax has been calculated. However, in the U.S. you have the option to apply the discount to all items in a transaction before sales tax is calculated. For more information, see the help topic [Applying a Discount Before Sales Tax](#)

Applying SuitePromotions to a Transaction

SuitePromotions provide the following added flexibility when applying promotions to a transaction:

- SuitePromotions can be stacked, so you can have more than one eligible promotion per transaction. For more information, see [Applying Combinable Promotions](#).
- SuitePromotions can be manually or automatically applied. For more information, see [Automatically Applying Promotions](#).
- Free gift SuitePromotions automatically add the free item to a transaction. Promotions that offer an item or items for free – but aren't created using the free gift SuitePromotion type – don't automatically add the item to a transaction. For more information, see [Applying Automatically Added Free Gift Items](#).

Applying Combinable Promotions

In this section, you will learn how to use the SuitePromotions feature to apply multiple promotions to one transaction.



Note: Before you can apply promotions to a transaction, you must first enter a customer, and select at least one item on the transaction.

To apply multiple promotions on a transaction:

1. Click the **Promotions** subtab.
2. In the **Promotion** column, select a promotion from the list. This list is filtered to only show the promotions that can be applied to the transaction.
3. Click **Add**.
4. Repeat steps 2 through 3 for each promotion you want to add.
5. Click **Save**.

Combination With Other Promotions

All promotions can be combined on one transaction by default if this transaction is eligible. However, you can prevent any promotion from being combined with other promotions. This functionality is useful, for example, when you have promotions that offer large order-level discounts that you don't want to combine with other promotions.

To prevent a promotion from being combined with other promotions, go to Commerce > Marketing > Promotions, edit the promotion and check the **Exclusive Promotion** box.

To prevent Item Promotions from being combined with other eligible promotions for the same item on a transaction, check the **Item Line Exclusive Promotion** box.

To prevent Order Promotions from being combined with other eligible order type promotions on a transaction, check the **Order Type Exclusive Promotion** box.

To prevent Shipping Promotions from being combined with other eligible shipping type promotions on a transaction, check the **Shipping Type Exclusive Promotion** box.

For more information about how exclusive promotions are automatically applied, see [How Best Offer is Applied](#).

Shipping Discounts and Combinable Promotions

Shipping discounts are applied to transactions in the form of promotions that offer free shipping on a particular shipping method. Currently, only promotions that offer 100% discount on a particular shipping method can be created and applied.

There is a new column on the Promotions subtab that provides specific information regarding the value of the shipping discount provided by applied promotions:

- **Shipping Discount:** shows the monetary value of the discount provided by the promotion on the shipping costs

Items Promotions Shipping Billing Accounting Relationships Communication Custom							
☐ Automatically apply promotions							
Clear All Lines							
Promotion *	Status	Status Information	Coupon Code *	Discount Item	Rate	Purchase Discount	Shipping Discount
UPS WEIGHT	Applied		UPSFREE		0.00	-	-7.96
Buy a T-shirt , get a dress for \$15	Applied		FIXED2	Partner Discount	0.00	-5.00	-
		N/A					
Add Cancel Insert Remove							

When you add a shipping promotion to a transaction, the shipping discount is calculated automatically unless:

- The shipping method selected on the Shipping subtab doesn't match the shipping method eligible for a discount in the promotion.
- The shipping discount is unknown because the shipping method must be calculated in real time. In such instances, the Shipping Discount column shows that the value is "Pending shipping cost calculation" and you must calculate the shipping cost to show the value of the shipping discount.

Items Promotions Shipping Billing Accounting Relationships Communication Custom							
☒ Automatically apply promotions							
Please calculate shipping cost to automatically apply promotions							
Clear All Lines							
Promotion *	Status	Status Information	Coupon Code *	Discount Item	Rate	Purchase Discount	Shipping Discount
Buy a T-shirt , get a dress for \$15	Applied		FIXED2	Partner Discount	0.00	-5.00	-
UPS GROUND FREE (Exclusive Promotion)	Not Applied		UPS GROUND FREE		0.00		Pending shipping cost calculation
		N/A					
Add Cancel Insert Remove							

To calculate the shipping discount when the shipping method must be calculated in real time:

1. Click the **Shipping** subtab.
2. Click the **Calculator** icon to calculate the shipping costs. The value of the shipping discount is added to the Shipping Discount column for the matching promotion on the Promotions subtab, and the shipping cost is adjusted in the transaction summary.

If there is a conflict involving exclusive promotions and shipping promotions when automatically applying promotions to a transaction, you must manually calculate shipping costs. For information, see [Calculating Shipping Costs Before Automatically Applying Promotions](#).

After adding a shipping promotion to a transaction, NetSuite doesn't automatically update the shipping method on the Shipping tab. To ensure the customer benefits from the discount provided by the shipping promotion, you must manually add the shipping method eligible for the promotion on the Shipping tab.

To manually add the shipping discount associated with a shipping promotion:

1. Click the **Shipping** subtab.
2. In the **Shipping Carrier** field, select a shipping carrier that is eligible for free shipping in a shipping promotion.
3. In the **Shipping Method** field, select a shipping method that is eligible for free shipping in a shipping promotion. The value of the shipping discount is added to the Shipping Discount column for the matching promotion on the Promotions subtab and the shipping cost is adjusted in the transaction summary.

Automatically Applying Promotions

After you have set up your automatically applied promotions, they can be added to a transaction automatically using the Auto-Apply Promotions feature.

Making a Promotion Available for Automatic Applying

To make a promotion available for automatic applying to a transaction, on the promotion form check the **This promotion can be automatically applied** box.

If you want customers to provide a coupon code at the point of sale to be eligible for the promotion, don't check the **This promotion can be automatically applied** box on the promotion form.

Automatically Applying Promotions to a Transaction

Promotions are considered for automatic application on a transaction only if they meet the following criteria:

- The **Inactive** box is cleared on the promotion.
- The **This promotion can be automatically applied** box is checked on the promotion.

However, not all promotions that the transaction is eligible for are applied. For more information, see [How Best Offer is Applied](#).

To automatically apply promotions to a transaction:

1. Go to Transactions > Sales > Enter Sales Order.
2. Create a sales order.
3. Select a customer.
4. On the **Items** subtab, add the items to be purchased in this transaction.
5. On the **Promotions** subtab, the **Automatically Apply Promotions** box is checked by default to indicate that eligible promotions have been automatically added to the transaction.



Important: A customer and at least one item must be added to a transaction before promotions can be automatically applied.



Note: You can also add SuitePromotions manually when the **Automatically Apply Promotions** box is checked. Select the promotion from the list and click the **Add** button to manually add the promotion discount. When a standard or Advanced Promotion is manually added to a transaction the **Automatically Apply Promotions** box is disabled. Standard and Advanced promotions can't be added if another promotion has already been automatically applied and the **Automatically Apply Promotions** box is checked.

Promotion *	Status	Status Information	Coupon Code *	Discount Item	Rate	Purchase Discount	Shipping Discount
Buy at least one T-shirt and get \$5 off dresses	Applied		02	Partner Discount	-5.00	-5.00	-
Spend \$20 or more, and get \$5 off T-shirts	Applied		03	Partner Discount	-5.00	-15.00	-
Buy a T-shirt, get a dress for \$15	Applied		FIXED2	Partner Discount	0.00	-5.00	-
Spend \$20 or more and buy 1 T-shirt to get \$5 off an additional T-shirt	Applied		06	Partner Discount	-5.00	-5.00	-

Below the table, there is a search bar with 'N/A' and buttons for 'Add', 'Cancel', 'Insert', and 'Remove'.

6. After you have finished adding promotions to the transaction, click **Save**.

How Best Offer is Applied

NetSuite provides flexible control over how promotions are added to transactions. You can use the Auto-Apply Promotions feature to ensure promotions are quickly added to a transaction at the point of sale. You can, however, also manually add promotions as needed.

For example, when you have promotions that require a customer to provide a coupon code at the point of sale to be eligible for that promotion's discount. Manually adding promotions ensures that you have complete control over the discount provided to your customers, so they are guaranteed to be able to receive the best offer available.

Free gift promotions aren't considered by the Best Offer logic. A free gift promotion can't be exclusive, nor excluded by other exclusive promotions and is therefore always considered for eligibility.

Whenever promotions are added automatically or manually, it's important to consider if the promotions can be combined. NetSuite manages exclusive promotions in the following way:

- When the Automatically Apply Promotions box is checked:
 - An exclusive promotion isn't applied unless there are no other promotions offering a greater discount for the customer, either alone or when combined with other promotions.
 - After you manually add an exclusive promotion, if it doesn't offer the greatest discount to the customer it will be automatically removed from the applied promotions list.
 - After you manually add an exclusive promotion, if it offers the greatest discount, it will be applied and all other promotions will be removed.
- When the Automatically Apply Promotions box is cleared:
 - After you manually add an exclusive promotion, when no other promotion is applied, the exclusive promotion is applied without conflict.
 - After you manually add an exclusive promotion, when there are one or more promotions already applied, NetSuite shows the total discount to be applied in each scenario. You must manually

consider which combination provides the best discount available for the customer and click **Replace** to apply the exclusive promotion, or click **Cancel** to discard it.

Note: When Item Line Exclusive promotions are applied and there are one or more promotions that can also be applied, NetSuite warns you that you can't combine the promotions. It doesn't, however, display the total discount that can be applied in each scenario.

When you check the Automatically Apply Promotions box again, NetSuite automatically applies the combination of promotions that provide the greatest discount possible to the customer. This combination can also include promotions that aren't available to be automatically applied but have been added manually. Manually added promotions remain applied until you click Clear All Lines to reset the list of applied promotions to the default selection.

The following scenarios illustrate how promotions are applied. In this example, the promotions are applied to a transaction with an order total of \$300 before promotions are applied. The value of the order doesn't change. The value of each promotion is the amount of US dollars that will be discounted from the order total.

When the Auto-Apply Box is Checked

Scenario 1: Default behavior, promotions are automatically applied.

Result: The exclusive promotion (Promotion 2) is excluded.

Total Discount: 150.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	Yes
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	No	100	Yes
Promotion 4	No	No	40	No
Promotion 5	No	No	200	No

Scenario 2: Promotion 3 is now exclusive. Default behavior, promotions are automatically applied, but now the promotion with the best discount is exclusive.

Result: The exclusive promotion with the highest discount to the customer (Promotion 3) is applied.

Total Discount: 100.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	No
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	Yes	100	Yes
Promotion 4	No	No	40	No
Promotion 5	No	No	200	No

Scenario 3: Promotion 4 is manually applied.

Result: Promotion 4 doesn't create the greatest discount when combined with other promotions so it's automatically removed. The promotion that offers the best discount is applied (promotion 3).

Total Discount: 100.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	No
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	Yes	100	Yes
Promotion 4	No	No	40	No
Promotion 5	No	No	200	No

Scenario 4: Promotion 5 is manually applied.

Result: Promotion 5 offers the greatest discount when combined with other promotions so it's applied with the other promotion that can be combined and automatically applied (Promotion 1), the exclusive promotion (Promotion 3) is removed.

Total Discount: 250.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	Yes
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	Yes	100	No
Promotion 4	No	No	40	No
Promotion 5	No	No	200	Yes

Scenario 5: Promotion 5 is manually applied, but is now exclusive.

Result: Promotion 5 offers the greatest discount compared with other possible combinations so it's applied. All other promotions are removed.

Total Discount: 200.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	No
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	Yes	100	No
Promotion 4	No	No	50	No
Promotion 5	No	Yes	200	Yes

When the Auto-Apply Box is Cleared

Scenario 1: Default behavior, promotions that are automatically applied before the box is cleared remain.

Result: The exclusive promotion (Promotion 2) is excluded.

Total Discount: 150.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	Yes
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	No	100	Yes
Promotion 4	No	No	40	No
Promotion 5	No	Yes	200	No

Scenario 2: Promotion 2 is manually applied.

Result: NetSuite displays a message that shows the total discount to be added to the transaction depending on which promotion is applied. Click **Cancel** to keep the currently applied promotions that offer a greater discount than Promotion 2.

Total Discount: 150.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	Yes
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	No	100	Yes
Promotion 4	No	No	40	No
Promotion 5	No	Yes	200	No

Scenario 3: Promotion 5 is manually applied.

Result: NetSuite displays a message that shows the total discount to be added to the transaction depending on which promotion is applied. Click **Replace** to apply Promotion 5 that offers a greater discount than the currently applied promotions.

Total Discount: 200.

Promotion	Automatically Applied?	Exclusive?	Value of Promotion	Applied?
Promotion 1	Yes	No	50	No
Promotion 2	Yes	Yes	10	No
Promotion 3	Yes	No	100	No
Promotion 4	No	No	40	No
Promotion 5	No	Yes	200	Yes

Viewing the Status of Applied Promotions

The Audit and Visibility SuitePromotions feature provides a clear overall view of the application of promotions on a transaction. Audit and Visibility shows if a promotion was added by the user or by best offer. If a promotion isn't applied, it also displays the reasons why it was not applied. Such information is invaluable if you need to track customer issues, especially considering the increasing complexity of how promotions are applied to transactions.

Status information regarding promotions that are applied to a transaction, as well as those that aren't applied, is displayed on the Promotions subtab on sales orders, cash sale transactions, invoices and return authorizations.

Promotions that aren't applied to a transaction only appear on the Promotions subtab if they are manually added or were previously automatically applied before a change to the eligibility criteria. For example, an item being removed from a transaction that had previously qualified the transaction for a promotion's discount.

To illustrate, an item promotion that offers \$5 discount on dresses when at least one T-shirt is bought, may be manually or automatically applied if a T-shirt and a dress are added to the transaction. This promotion will still show on the Promotions subtab if the T-shirt or dress are removed from the transaction, however it won't be applied. In the Status Information window, the reason for not applying this promotion will be listed as Criteria Not Met.

Promotion *	Status	Status Information	Coupon Code *	Discount Item	Rate	Purchase Discount	Shipping Discount
Summer Dress Promo	Applied		SUMMER25	Partner Discount	-25.00%	-10.00	-
Dress BOGO	Applied		DRESS BOGO	Partner Discount	-100.00%	-20.00	-
For every T-shirt you buy get \$5 off a dress	Not Applied	Click for details	TEE\$5	Partner Discount	-5.00	-	-

To view the status of a promotion on a transaction:

1. Click the **Promotions** subtab and click in the **Status Information** column for the promotion whose status you want to view.
2. Click the **Click for details** link that appears in the **Status Information** column.
3. The Status Information window opens.

The following promotion information is displayed in the Status Information window:

Field	Description
Promotion Name	The name of the promotion whose status is displayed
Status	Describes the current application status of the promotion regarding this transaction: - Applied - Not Applied
Mode	When a promotion is applied to this transaction, this field will show if it was initially applied automatically or manually. Note this feature is currently not available.
Reason For Not Applying	If the promotion isn't applied to this transaction, this field describes the reason why it hasn't been applied. Possible reasons are: Discarded by Best Offer – either this promotion is exclusive and the Best Offer logic has determined that one or more promotions offer more discount to the customer, or another exclusive promotion offers more discount to the customer. For more information, see How Best Offer is Applied.

Field	Description
	■ Discarded by the User – the user discarded the promotion from the transaction when prompted to choose between conflicting promotions (when there is at least one exclusive promotion). For more information, see How Best Offer is Applied. ■ Criteria Not Met – the transaction doesn't meet the eligibility criteria of this promotion. For example, the transaction is out of the scheduled time frame for the promotion, or eligibility items have been removed from the transaction.

Calculating Shipping Costs Before Automatically Applying Promotions

When a transaction is eligible for a shipping promotion, at least one combinable promotion, and one exclusive promotion, the shipping costs will impact which promotions offer the largest discount. Therefore, only in such circumstances and when the shipping costs are unknown, you must first calculate shipping costs before you can automatically apply promotions.

When this happens a warning message appears on the Promotions subtab.

Click the **calculate** link to calculate shipping costs for the transaction before the promotions can be automatically applied. This is the only way to ensure the best offer will be calculated on the transaction.

The screenshot shows the SuiteCommerce interface with the 'Promotions' subtab selected. A warning message at the top states: 'Please calculate shipping cost to automatically apply promotions'. Below this, there is a table with columns: Promotion, Status, Status Information, Coupon Code, Discount Item, Rate, Purchase Discount, and Shipping Discount. The table contains two rows: one for 'Buy a T-shirt, get a dress for \$15' (Applied) and one for 'UPS GROUND FREE (Exclusive Promotion)' (Not Applied). The 'Not Applied' row has a note: '- Pending shipping cost calculation'. At the bottom, there are buttons for 'Add', 'Cancel', 'Insert', and 'Remove'.

After the shipping costs have been calculated the warning message disappears and the promotion combination that offers the greatest discount to the customer is applied to the transaction.

Caching Limitation

When using SuitePromotions on a SuiteCommerce website, the Auto-Apply Promotions feature might exhibit a caching issue under certain scenarios. This issue occurs when Auto-Apply Promotion is set up with the Coupon Code Type as Multiple Uses and the Usage Limit per customer on the Promotion as One time only.

In this scenario, if a customer places an order where the promotion is automatically applied to the first order, they may encounter an error on any subsequent orders for the same item.

The following error message might be displayed when attempting to add the item to the cart: "Sorry, there is a problem with this Item and can't be purchased at this time. Please check back later."

To work around this issue, you can choose one of the following workarounds based on your specific business and customer needs:

- On the promotion record, clear the **This Promotion Can Be Automatically Applied** box.
- On the Website record, clear the **Auto-apply Promotions** box under Promotions on the Shopping tab. Note that to access the Website record, you need to go to Commerce > Websites > Website List, and click **Edit** next to the website.
- Change the promotion's Coupon Code Type to Single Use and send the generated Promotion Code to the customer by email.

- Wait for a few hours after the initial order before attempting to add the same item to the cart again. This waiting period allows the system to refresh the cached data, ensuring that the promotion is no longer applied and enabling the customer to complete their purchase without errors.

Applying Automatically Added Free Gift Items

The item provided by a free gift promotion is automatically added to a transaction if the transaction matches the promotion's eligibility criteria.

When you apply a free gift promotion on the Promotions subtab, the following columns provide information regarding the free gift promotion:

- **Eligible Free Gifts** – displays the number of free gifts eligible to be applied to this transaction with this promotion
- **Free Gifts Added** – displays the number of free gifts currently added to this transaction with this promotion

Promotion *	Status	Status Information	Coupon Code *	Discount Item	Rate	Purchase Discount	Shipping Discount	Eligible Free Gifts	Free Gifts Added
Free T-Shirt	Applied		FREE-T	Partner Discount	0.00	-	-	1	1

After the free gift promotion is applied to a transaction, either manually or automatically, the free item is added to the customer's order when the eligibility criteria is met. For example, if the customer must spend \$100 to receive the free gift, the free gift item will automatically be added after items to the value of \$100 or more are added to the transaction. The free gift appears on the Items subtab with the 100% discount showing on the line below in the Items list.

The Free Gift Promotion column in the Items list identifies the free gift promotion that is responsible for adding the free item to the order.

Item *	Quantity	Description	Price Level	Rate	Amount	Commit	Commitment Confirmed	Order Priority	Tax	Options	Gift Certificate	Create PO	Exclude Item from Rate Request	Closed	Cost Estimate Type	Est. Extended Cost	Free Gift Promotion
Dress	5		Base Price	20.00	100.00	Available Qty									Average Cost	0.00	
T-Shirt	1		Base Price	10.00	10.00	Available Qty									Average Cost	0.00	Free T-Shirt
Partner Discount			Custom	-100.00%	-10.00												

A free gift can't be added to an order automatically if required information regarding the free gift is missing. For example, a free gift promotion offers a warranty that requires a value to be entered in the Amount column in the Items list. In such cases a popup window displays the information that is required before the free gift can be added to the order. The free gift appears on the Items subtab but isn't added to the order until the missing information is entered. On the Promotions subtab, the Eligible Free Gifts column will indicate that there are free gifts eligible to be applied to the transaction, but the Free Gifts Added column will display zero.

Note: If the free gift item is already added to the order, this item doesn't become the free gift. An additional instance of the item is added.

To reject the free gift item, select it in the Items list and click the **Remove** button. The free gift item is discarded from the transaction.

SuitePromotions Best Practices

To take full advantage of SuitePromotions, you should follow the best practices outlined here:

- [Migrating to SuitePromotions](#)
- [Transactions that can't have Combinable Promotions](#)
- [Free Gift Promotion Item Considerations](#)
- [Shipping Promotions and Multiple Shipping Routes](#)
- [Saved Search Performance](#)
- [Customer Group Performance](#)
- [Auto-Apply Promotions Limits](#)
- [Changing Customer Details After Applying Promotions](#)
- [Planning Automatically Applied Promotions](#)

Migrating to SuitePromotions

Standard promotions and promotions created using the Advanced Promotions SuiteApp can't use the enhancements introduced by SuitePromotions. We therefore encourage users with existing standard and advanced promotions to replace them with SuitePromotions at the earliest opportunity.

SuitePromotions can be enabled at any time to allow you to take advantage of the new features they offer. For more information, see [Configuring Promotions](#).

Watch the following video for information about how to migrate from using standard and advanced promotions to using SuitePromotions.

 [Migrating to SuitePromotions](#)

You can use standard and Advanced promotions after SuitePromotions have been enabled, but you can't benefit from the new SuitePromotions features such as Combinable Promotions, Auto-Apply Promotions, or Best Offer when you apply them to a transaction. You will be able to apply only one standard or Advanced promotion to a transaction, for example.

By default, the first promotion you apply to a transaction determines if the SuitePromotions feature can be used. If you apply a standard or Advanced promotion to a transaction, SuitePromotion features are disabled for that transaction only.


The following table shows which features are supported by which promotion type:

Feature	SuitePromotions	Standard Promotions	Advanced Promotions
Combinable Promotions	Y	N	N
Auto-Apply Promotions	Y	N	N
Best Offer	Y	N	N
Cached Saved Searches	Y	N	N
Audit and Visibility	Y	N	N

Feature	SuitePromotions	Standard Promotions	Advanced Promotions
Automatically Add Free Gift to the Transaction	Y	N	N
Customer Specific Promotions	Y	N	N
Qualifying Item Quantity	Y	N	N
Display Line Discounts	N	Y	N
Tiered Promotions	N	N	Y

If you use the Auto-Apply feature, by default it will be enabled. To manually add standard, Advanced, or SuitePromotions that can't be automatically applied, you must first clear the **Automatically Apply Promotions** box on the transaction. For more information, see [Automatically Applying Promotions to a Transaction](#).

If you add a standard or Advanced promotion to a transaction, the Best Offer feature is disabled and you must manually determine if the promotion provides the best offer for the customer. For more information, see [Best Offer](#).



Transactions that can't have Combinable Promotions

Currently, transactions can't have multiple stacked promotions in the following cases:

- The transaction was created when the SuitePromotions feature was disabled.
- The transaction is a sales order with billing schedules. For more information regarding billing schedules, see the help topic [Billing Schedules](#).

Free Gift Promotion Item Considerations

Free gift promotions currently support all items with the exception of parent matrix items. For example, if you have a parent matrix item called Basic T-shirt that has child items for different sizes, the Basic T-shirt can't be selected as a free gift item. You can however, define one of the child items, such as Basic T-shirt: Medium as the free gift item for your promotion.

Free gift promotions are limited to only one free gift item per promotion.

You can't replace the free gift item added to a transaction by a free gift promotion with a different item. You can't change the quantity of the free gift item added to a transaction by a free gift promotion. You can reject the free gift by clicking the Remove button to discard it from the transaction.

Shipping Promotions and Multiple Shipping Routes

You can use multiple shipping routes only with SuitePromotions that have shipping impact.

Multiple shipping routes are supported when:

- The Multiple Shipping Routes feature is enabled
- The Enable Item Line Shipping box is checked on the Items subtab of the transaction
- The SuitePromotions feature is enabled

If the above criteria are met, when an eligible shipping SuitePromotion is added, the shipping discount is applied after you calculate the shipping costs.

Shipping SuitePromotions can only be automatically applied after shipping costs have been calculated.

 **Note:** If the SuitePromotions feature is disabled, NetSuite displays a message confirming that promotions with shipping impact aren't allowed when the transaction has Multiple Shipping Routes activated. The promotion is removed from the transaction.

For more information regarding Multiple Shipping Routes, see the help topic [Multiple Shipping Routes](#).

Saved Search Performance


When you use an item saved search to define item eligibility on SuitePromotions, the Saved Search Preferences subtab appears on the promotion record. Here you can configure the way that the promotion handles saved searches. The options let you choose between better performance or more accurate results.

Saved searches are cached periodically to update the items included. This also ensures the data is retrieved quickly every time a promotion that uses saved searches is evaluated on a transaction. If however, you have a saved search that is linked to an inventory that frequently changes, it's possible that recent updates to this inventory aren't taken into consideration when a promotion is evaluated. In such cases, it may be worth considering not relying on the cached version of the saved search.

You can select one of the following saved search options for each promotion:

- **Use cached saved search** – provides better performance as results are returned faster whenever the promotion is applied to a transaction. This is the default behavior.
- **Run saved search each time the promotion is applied** – uses the most up to date version of the saved search possible, but results are generated slower.

The frequency that saved searches are cached is illustrated in the following diagram.



When a new promotion is created, the caching process automatically runs after the promotion is saved. Then, for example, if a customer makes a purchase less than 24 hours but more than four hours after caching the saved search, the cached data is used and a new caching process is queued. If a customer makes a purchase more than 24 hours after the last cache, the cached data isn't used, a new search on the transaction is initialized, and a new caching process is queued.

Customer Group Performance

When you use a dynamic customer group to define audience eligibility on SuitePromotions, the Customer Group Preferences subtab appears on the promotion record. Here you can configure how the customer group is handled when evaluating the promotion's eligibility. The options let you choose between better performance or more accurate results.

Dynamic customer groups are cached periodically to update membership. This also ensures the data is retrieved quickly every time a promotion that uses a dynamic customer group is evaluated on a transaction. However, if you have a dynamic customer group that frequently changes, it's possible that recent updates to this group aren't taken into consideration when a promotion is evaluated.

For example, you may set up a customer group that determines group membership based on the State address field. When a new customer located in that state registers in your website, they are automatically added to the customer group. Since new users may register on your website at frequent intervals, it may be more effective to run the customer group each time a promotion is applied to ensure any new users can benefit from the promotion immediately. For example, if you create a promotion that offers new users 10% off their first order when they register.

You can select one of the following options for each promotion targeting dynamic customer groups:

- **Use cached customer group** – provides better performance as results are returned faster whenever the promotion is applied to a transaction. This is the default behavior.
- **Run customer group each time the promotion is applied** – uses the most up-to-date version of the customer group results possible, but the results are generated slower.

When a new promotion is created, the caching process automatically runs after the promotion is saved. The results of the customer group are cached again after 4 hours. For example, if a customer is added

less than four hours after caching the customer group, the customer isn't eligible for the promotion. You can manually trigger the caching process by clicking the **Update Now** link that appears under the Customer Group field on the Audience subtab.

Note: If you choose to run the customer group when the promotion is applied, you should test the promotion before making it available. If the customer group relies on a saved search with complex criteria, the promotion may take longer to run.

For more information, see [Setting SuitePromotion Eligibility by Customer Group](#).

To manage customer group performance on promotions targeting dynamic customer groups:

1. On the **Audience** subtab, select the **Specific Customers** option.
2. Select the dynamic customer group in the **Customer Group** field.
3. Click the **Customer Group Preferences** subtab and choose the customer group option you require.

Auto-Apply Promotions Limits

The number of active promotions that can have the **This promotion can be automatically applied** box checked is limited to 30 for a specific date range per location. This limitation is enforced when you create or edit a promotion record. You can't save a promotion if it exceeds this limit.

To save new promotions without exceeding the limit, you must do one of the following:

- Clear the **This promotion can be automatically applied** box for the new promotion.
- Check the **Inactive** box.
- Change the date range. Any promotions that don't specify a date range are considered as "any date" and are counted as one of the 30 available active promotions for all date ranges.
- Change the location. Any promotions that don't specify a location are considered as "any location" and are counted as one of the 30 available active promotions for all locations. For more information about setting locations, see [Setting Where Promotions Can Be Used](#).
- Clear the **This promotion can be automatically applied** box on another promotion with the same date range or location, or on a promotion with an unspecified date or location.

For more information about promotions that don't specify date ranges or locations, see [Promotions With Unspecified Schedules or Locations](#). See also, [Planning Automatically Applied Promotions](#).

Note: You can create an unlimited number of active promotions that don't have the **This promotion can be automatically applied** box checked, and you can apply these promotions manually.

Promotions With Unspecified Schedules or Locations

Promotions with blank date ranges and blank locations are considered as "any date and any location". These promotions are counted as one of the 30 active promotions available for automatic application. You can't create more than 30 active "any date and any location" promotions.

Coupon Codes and Auto-Apply

Promotions that have the **This promotion can be automatically applied** box checked are limited to Multiple Use coupon codes. Single-use coupon codes can't be automatically applied.

Changing Customer Details After Applying Promotions

If the customer details change after promotions have been applied to a transaction, you should clear all lines on the Promotions subtab. Promotions that have been previously added and are no longer available to the new customer aren't automatically removed. The discount these promotions offer isn't applied to the transaction, but any single-use coupon codes associated with these promotions will be used.

Planning Automatically Applied Promotions

When planning what promotions you want to be available for automatically applying to a transaction, you need to consider the Auto-Apply Promotions limits. For more information, see [Auto-Apply Promotions Limits](#).

To make additional promotions active, you may need to make some existing active promotions inactive. Consider the following scenario:

- Promotion locations:
 - Barcelona
 - New York
- Promotion date ranges:
 - October
 - November

The following tables illustrate some basic combinations of active promotions that can be created and can be available for automatically applying to transactions.

Combination 1

Combination 1 shows that the number of active promotions that can be automatically applied is 120, if you specify distinct date ranges for each location. You can have 30 active promotions for each date range, per location. This is the maximum number of automatically applied promotions that it's possible to create in this scenario.

Combination 1: total number of active promotions is 120			
	Unspecified Date Range	October	November
Unspecified Location	0	0	0
Barcelona	0	30	30
New York	0	30	30

Combination 2

Combination 2 shows that by specifying a location in each promotion without specifying a date range, the number of active promotions that can be automatically applied is decreased. You can have 30 active promotions per location.

Combination 2: total number of active promotions is 60			
	Unspecified Date Range	October	November

Combination 2: total number of active promotions is 60			
Unspecified Location	0	0	0
Barcelona	30	0	0
New York	30	0	0

Combination 3

Combination 3 shows that when no date ranges or locations are specified on any active promotion, the maximum number of active promotions that can be automatically applied is limited to 30.

Combination 3: total number of active promotions is 30			
	Unspecified Date Range	October	November
Unspecified Location	30	0	0
Barcelona	0	0	0
New York	0	0	0

Combination 4

Combination 4 shows that you can have various combinations of specific date ranges and locations.

Combination 4			
	Unspecified Date Range	October	November
Unspecified Location	0	5	0
Barcelona	10	15	20

In this example, the following active promotions are available in Barcelona during October:

- the 5 promotions for October with no specified location count as 5 of the promotions for Barcelona during October
 - there are also 10 promotions for Barcelona with no specified date range
 - the maximum number of active promotions that can be automatically applied specifically to Barcelona during October is 15
- 5 October with no specified location + 5 Barcelona with no specified date + 15 Barcelona in October = 30 active promotions.

SuitePromotions Examples

This section explains how to create frequently used promotions in NetSuite using SuitePromotions, and the expected outcomes for the following promotions:

- Item Promotions
- Fixed Price Item Promotions
- Order Promotions
- Shipping Promotions

■ Free Gift Promotions


SuitePromotions take advantage of all the most recent promotion enhancements, as well as user interface and performance improvements.

When creating any type of SuitePromotion, the basic workflow is as follows:

1. Choose what the discount is applied to (select the promotion type)
2. Enter basic properties and scheduling information
3. Define what the customer needs to buy to be eligible for the discount (Buy conditions)
4. Define the amount of discount the customer will get (Get conditions)
5. Create a coupon code

This section focuses on steps 3 and 4, the Buy and Get conditions for each SuitePromotion type.

The following image shows the similarities in the basic workflows for setting the Buy and Get conditions in item, order, or shipping SuitePromotions. Selecting the promotion type from the SuitePromotions landing page determines which Get and Buy conditions can be defined. Buy conditions are defined in the **What the customer needs to buy** section of the promotion record. Get conditions are defined in the **What the customer will get** section.



Note: Item, fixed price item, and free gift promotions have the same Buy conditions. However, the Get conditions differ for each of these promotion types.

Promotion Types

With SuitePromotions, you can offer your customers the following types of promotion:

- **Item promotions** – give percentage or currency amount discounts on items
- **Fixed price item promotions** – give items for a fixed discounted price
- **Order promotions** – give percentage or currency discounts at the order level
- **Shipping promotions** – give your customers free shipping on specific shipping methods
- **Free gift promotions** – give your customers a free gift that is automatically added to their order

Promotion Discounts and Application

Promotions provide different types of discount that can be applied in a variety of ways, resulting in a wide range of possible combinations. This section covers the most popular combinations.

Discounts are configured in the **What the customer will get** section of a promotion record and are also referred to as Get conditions.

Discount types:

- Flat rate
- Percentage
- Fixed price

Apply discount to:

- Each unit of the discounted item in the order
- Every X number of items. When a unit quantity is added, you must also select if the discount is applied to the cheapest or most expensive item. These promotions are repeated if multiples of the unit quantity are added to the transaction. Currently there is no option to set a limit on how many times the discount can be repeated.

Notes About the Examples

The examples in this section refer to SuitePromotions only. For standard and Advanced Promotions examples, see [Promotions](#).

The examples only use two inventory items. The price of each item before discount doesn't change:

- T-shirt – \$10
- Dress – \$20

The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. The workflows don't include steps to define:

- Basic properties (the Name field is a required property in this section)
- Scheduling
- Further settings (the Discount item for accounting field is a required property in this section)
- Scope of the promotion, by limiting its use to specific customers or locations

On item promotions, when the **Repeat Discount Incrementally** box is checked, a unit quantity must be added. You must also select if the discount is applied to the cheapest or most expensive item. You can't apply such a discount to each eligible item in the order.


Item Promotions

Item promotions let you offer discounts on items included in an order. These promotions create line-level discounts for each item defined on the promotion.

Item promotions may include the following:

- A percentage or amount off an item or items (for example, 40% off all laptops)
- A percentage or amount off an item or items, if certain order criteria are met (for example, "buy one, get one free" or "50% off monitors on orders over \$600")
- An item-specific promotional discount for a segment of customers (for example, customers who registered in the last twelve months get 20% off desktop computers)
- A promotional discount off an item or items for a segment of customers, if certain order criteria are met (for example, customers who registered in the last month and buy one item, get another free)

The basic workflow for creating an item promotion and setting the Buy and Get conditions is illustrated in the following image:



Note: The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. Steps to define the basic properties, scheduling, further settings or scope of the promotion aren't covered. For more detailed information regarding creating promotions, see [Promotions](#).

Flat Rate Item Promotions

Currency amount discounts are referred to as flat rate discounts because the amount of discount awarded to the customer is fixed. Flat rate item promotions provide a flat rate discount on a specific item or items when the Buy conditions of the promotion are met.

Each Item – No Conditions – Flat

Customers are eligible for a flat rate discount on a specific item when they buy anything.

Tagline: \$10 off all dresses!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Each Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 dress	\$20	\$10 (\$10 off the dress)	\$10
1 T-shirt, 1 dress	\$30	\$10 (\$10 off the dress)	\$20
2 T-shirts, 2 dresses	\$60	\$20 (\$10 off each dress)	\$40

Each Item – Buy Conditions – Flat

Customers are eligible for a flat rate discount on each specified item when they buy a specific item.

Tagline: Buy a T-shirt and get \$5 off dresses!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00
Items to be discounted	Dress
Apply discount to	Each Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	\$5 (\$5 off the dress)	\$25

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 2 dresses	\$50	\$10 (\$5 off each dress)	\$40
1 T-shirt, 3 dresses	\$70	\$15 (\$5 off each dress)	\$55
2 T-shirts, 3 dresses	\$90	\$15 (\$5 off each dress)	\$65

Each Item – Spend Conditions – Flat

Customers are eligible for a flat rate discount on each specified item when they spend a minimum amount.

Tagline: Spend \$20 or more, and get \$5 off T-shirts!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	20.00
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00
Items to be discounted	T-shirt

Field	Value
Apply discount to	Each Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	\$5 (\$5 off the T-shirt)	\$25
4 T-shirts, 1 dress	\$60	\$20 (\$5 off each T-shirt)	\$40

Every 1 Item – Buy X, Get X – Flat

Customers are eligible for a flat rate discount on an additional same item.

Tagline: Buy a dress and get \$10 off an additional dress!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	Dress
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
2 dresses	\$40	\$10 (\$10 off the cheapest dress)	\$30
3 dresses	\$60	\$10 (\$10 off the cheapest dress)	\$50
4 dresses	\$80	\$20 (\$10 off each of the two cheapest dresses)	\$60

Every 2 Items – Buy X, Get X – Flat

Customers are eligible for a flat rate discount on an additional same item when they buy three of that item.

Tagline: Buy 2 dresses and get \$10 off an additional dress!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select

Field	Value
Minimum Order Amount	–
Specific Items	Select
Item	Dress
Item Quantity	2
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
2 dresses	\$40	–	\$40
3 dresses	\$60	\$10 (\$10 off the cheapest dress)	\$50
6 dresses	\$120	\$20 (\$10 off each of the two cheapest dresses)	\$100

Every 1 Item – Spend and Buy X, Get X – Flat

Customers are eligible for a flat rate discount on each specified item when they spend a minimum amount.

Tagline: Spend \$20 or more and buy 1 T-shirt to get \$5 off an additional T-shirt!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	20.00
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00
Items to be discounted	T-shirt
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 T-shirt , 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	\$5 (\$5 off the cheapest T-shirt)	\$35
4 T-shirts, 1 dress	\$60	\$10 (\$5 off the two cheapest T-shirts)	\$50

Every 1 Item – Buy X, Get Y – Flat

Customers are eligible for a flat rate discount on a specific item when they buy at least one of a specified different item.

Tagline: For every T-shirt you buy, get \$5 off a dress!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	\$5 (\$5 off the dress)	\$25
1 T-shirt, 2 dresses	\$50	\$5 (\$5 off the cheapest dress)	\$45
1 T-shirt, 3 dresses	\$70	\$5 (\$5 off the cheapest dress)	\$65

What the customer buys	Price before discount	Discount	Price after discount
2 T-shirts, 3 dresses	\$80	\$10 (\$5 off each of the two cheapest dresses)	\$70

Every 2 Items – Buy X, Get Y – Flat

Customers are eligible for a flat rate discount on a specific item when they buy at least two of a specified different item.

Tagline: For every 2 T-shirts you buy, get \$5 off a dress!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	2
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts , 1 dress	\$40	\$5 (\$5 off the cheapest dress)	\$35
2 T-shirts, 2 dresses	\$60	\$5 (\$5 off the cheapest dress)	\$55
4 T-shirts, 2 dresses	\$80	\$10 (\$5 off the two cheapest dresses)	\$70

Every 1 Item – Spend and Buy X, Get Y – Flat

Customers are eligible for a flat rate discount on a specific item when they spend a minimum amount and buy at least one of a different item.

Tagline: Spend \$35 or more and buy 1 T-shirt to get \$10 off dresses!



Small print: Discount applied to the cheapest dress or dresses

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	35.00
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts , 1 dress	\$40	\$10 (\$10 off the dress)	\$30
2 T-shirts, 2 dresses	\$60	\$20 (\$10 off each dress)	\$40
3 T-shirts, 2 dresses	\$70	\$20 (\$10 off each dress)	\$50

Percentage Item Promotions

Percentage item promotions give customers a percentage off a selected item or items when the Buy conditions of the promotion are met.

Each Item – No Conditions – %

Customers are eligible for a percentage off each specified item.

Tagline: 10% off all dresses!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear

Field	Value
Minimum Order Amount	–
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Each Discountable Item

Examples of the discount provided

When there is a percentage promotion that applies to each item, the discount is returned as a percentage. The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 dress	\$20	10% (\$2 off the dress)	\$18
1 T-shirt, 1 dress	\$30	10% (\$2 off the dress)	\$28
2 T-shirts, 2 dresses	\$60	10% (\$2 off each dress (\$4))	\$56

Each Item – Buy Conditions – %

Customers are eligible for a percentage off each specified item when they buy a different item.

Tagline: Buy a T-shirt and get 10% off dresses!



Small print: Discount applied to each dress

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Each Discountable Item

Examples of the discount provided

When there is a percentage promotion that applies to each item, the discount is returned as a percentage. The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	10% (\$2 off the dress)	\$28
1 T-shirt, 2 dresses	\$50	10% (\$2 off each dress = \$4)	\$46
1 T-shirt, 3 dresses	\$70	10% (\$2 off each dress = \$6)	\$64
2 T-shirts, 3 dresses	\$80	10% (\$2 off each dress = \$6)	\$74

Each Item – Spend Conditions – %

Customers are eligible for a percentage off each specified item when they spend a minimum amount.

Tagline: Spend \$20 or more and get 50% off T-shirts!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	20.00
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	50.00
Items to be discounted	T-shirt
Apply discount to	Each Discountable Item

Examples of the discount provided

When there is a percentage promotion that applies to each item, the discount is returned as a percentage. The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	50% (\$5 off the T-shirt)	\$25

What the customer buys	Price before discount	Discount	Price after discount
4 T-shirts, 1 dress	\$60	50% (\$5 off each T-shirt = \$20)	\$40

Every 1 Item – Buy X, Get X – %

Customers are eligible for a percentage off an additional same item.

Tagline: Buy a dress and get 10% off an additional dress!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	Dress
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
2 dresses	\$40	\$2 (\$2 off the cheapest dress)	\$38
3 dresses	\$60	\$2 (\$2 off the cheapest dress)	\$58
4 dresses	\$80	\$4 (\$2 off each of the two cheapest dresses)	\$76

Buy One, Get One Free (BOGO)

Customers are eligible for a 100% discount on an additional item when they buy at least two of that item.

Tagline: Buy 1 get 1 free on T-shirts! Or 2 T-shirts for the price of 1!



Small print: Discount applied to the cheapest T-shirt or T-shirts.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	100.00

Field	Value
Items to be discounted	T-shirt
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirts	\$10	–	\$10
2 T-shirts	\$20	\$10 (\$10 off the cheapest T-shirt)	\$10
3 T-shirts	\$30	\$10 (\$10 off the cheapest T-shirt)	\$20
6 T-shirts	\$60	\$30 (\$10 off each of the three cheapest T-shirts)	\$30

Every 2 Items – Buy X, Get X – %

Customers are eligible for a percentage off an additional same item when they buy at least two that item.

Tagline: Buy two dresses and get 10% off an additional dress!



Small print: Discount applied to the cheapest dress or dresses.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	Dress
Item Quantity	2
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
2 dresses	\$40	–	\$40
3 dresses	\$60	\$2 (\$2 off the cheapest dress)	\$58
4 dresses	\$80	\$2 (\$2 off the cheapest dress)	\$78

Buy 2, Get 1 Free

Customers are eligible for a 100% discount on an additional item when they buy at least two of that item.

Tagline: Buy 2 get 1 free on T-shirts! Or Buy 3 for the price of 2!



Small print: Discount applied to the cheapest T-shirt or T-shirts.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear

Field	Value
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	2
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	100.00
Items to be discounted	T-shirt
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
2 T-shirts	\$20	–	\$20
3 T-shirts	\$30	\$10 (\$10 off the cheapest T-shirt)	\$20
6 T-shirts	\$60	\$20 (\$10 off each of the two cheapest T-shirts)	\$40

Every 1 Item – Spend and Buy X, Get X – %

Customers are eligible for a percentage off each specified item when they spend a minimum amount.

Tagline: Spend \$20 or more and buy 1 T-shirt to get 50% off an additional T-shirt!



Small print: Discount applied to the cheapest T-shirt or T-shirts.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	20.00
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	50.00
Items to be discounted	T-shirt
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	–	\$10
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts , 1 dress	\$40	\$5 (\$5 off the cheapest T-shirt)	\$35
4 T-shirts, 1 dress	\$60	\$10 (\$5 off the two cheapest T-shirts)	\$50

Every 1 Item – Buy X, Get Y – %

Customers are eligible for a percentage off a specific item when they buy at least one of a specific different item.

Tagline: For every T-shirt you buy, get 10% off a dress!



Small print: Discount applied to the cheapest dress or dresses.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	\$2 (\$2 off the dress)	\$28
2 T-shirts , 1 dress	\$40	\$2 (\$2 off the dress)	\$38

What the customer buys	Price before discount	Discount	Price after discount
2 T-shirts, 2 dresses	\$60	\$4 (\$2 off the two cheapest dresses)	\$56

Free Item (Buy X, Get Y Free)

Customers are eligible for a free item when they buy a specific different item.

Tagline: Buy a dress and get a free T-shirt!



Small print: Discount applied to the cheapest T-shirt or T-shirts .

Note: To create a promotion that automatically adds a free gift to a customer's order, see [Free Gift Promotions](#).

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	Dress
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	100.00
Items to be discounted	T-shirt

Field	Value
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	\$10 (\$10 off the T-shirt)	\$20
2 T-shirts , 1 dress	\$40	\$10 (\$10 off the cheapest T-shirt)	\$30
2 T-shirts, 2 dresses	\$60	\$20 (\$10 off the two cheapest T-shirts)	\$40

Every 2 Items – Buy X, Get Y – %

Customers are eligible for a percentage off a specific item when they buy at least two of a specific different item.

Tagline: For every 2 T-shirts you buy, get 10% off a dress!



Small print: Discount applied to the cheapest dress or dresses.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	–
Specific Items	Select
Item	T-shirt
Item Quantity	2

Field	Value
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	\$2 (\$2 off the dress)	\$38
2 T-shirts , 2 dresses	\$60	\$2(\$2 off the cheapest dress)	\$58
4 T-shirts, 2 dresses	\$80	\$4 (\$2 off the two cheapest dresses)	\$76

Every 1 Item – Spend and Buy X, Get Y – %

Customers are eligible for a percentage off a specified item when they spend a minimum amount and buy at least one of a specific different item.

Tagline: Spend \$35 or more and buy 1 T-shirt to get 50% off dresses!



Small print: Discount applied to the cheapest dress or dresses.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	35.00
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	50.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	\$10 (\$10 off the dress)	\$30
2 T-shirts , 2 dresses	\$60	\$20 (\$10 off each of the dresses)	\$40
3 T-shirts, 2 dresses	\$70	\$20 (\$10 off each of the dresses)	\$50

Fixed Price Item Promotions


You can create promotions that offer specific items at a fixed promotional price. You can also specify Buy conditions, Spend conditions, or both.

Fixed price item promotions may include the following:

- An item or items are available at a fixed price (for example, all dresses in the summer collection are now only \$15)
- An item or items are available at a fixed price if certain order criteria are met (for example, buy two T-shirts, get the third for \$5)

- An item-specific promotional discount for a segment of customers (for example, customers who registered in the last twelve months can get an exclusive bag for \$10)
- An item or items are available at a fixed price during a specified period (for example, this February, get any jeans from the winter collection only for \$25)

The basic workflow for creating a fixed price item promotion and setting the Buy and Get conditions is illustrated in the following image:



Note: The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. Steps to define the basic properties, scheduling, further settings or scope of the promotion aren't covered. For more detailed information regarding creating promotions, see [Promotions](#).

Each Item – No Conditions – Fixed Price

Customers are eligible to buy any number of the same item for a fixed price without any buy conditions.

Tagline: All T-shirts now only \$8!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–
Item Quantity	–
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Fixed Price	8.00
Items to be discounted	T-shirt
Apply discount to	Each Discountable Item

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	\$2	\$8
2 T-shirts	\$20	\$4 (\$2 off each T-shirt)	\$16
3 T-shirts	\$30	\$6 (\$2 off each T-shirt)	\$24
6 T-shirts	\$60	\$12 (\$2 off each T-shirt)	\$48

Each Item – Spend Conditions – Fixed Price

Customers are eligible for an item or items at a fixed price when they spend a minimum amount.

Tagline: Spend \$100 or more and all T-shirts are \$5 each!



Important: This promotion should be used with caution. You can't limit this type of promotion to one item per order. When the order total reaches the minimum order amount, every item in the order that is eligible for the fixed price will be discounted.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	100.00
Specific Items	Clear
Item	-
Item Quantity	-
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Fixed Price	5.00
Items to be discounted	T-shirt
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	-	\$10
5 T-shirts, 2 dresses	\$90	-	\$90
5 T-shirts, 3 dresses	\$110	\$25 (\$5 off each T-shirt)	\$85
10 T-shirts	\$100	\$50 (\$5 off each T-shirt)	\$50

Each Item – Buy X, Get Y – Fixed Price

Customers are eligible for an item at a discounted fixed price when they buy a specific different item.

Tagline: Buy 1 T-shirt and get a dress for \$15!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Fixed Price	15.00
Items to be discounted	Dress
Apply discount to	Cheapest

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt	\$10	-	\$10
1 T-shirt, 1 dress	\$30	\$5 (\$5 off the dress)	\$25
2 T-shirts, 1 dress	\$40	\$5 (\$5 off the dress)	\$35
2 T-shirts, 2 dresses	\$60	\$10 (\$5 off each dress)	\$50


Order Promotions

Order promotions offer percentage or currency discounts at the order level and can be based on the order total or on items included in the order.

Order promotions may include the following:

- A percentage or amount off (for example, 40% off the order)
- A percentage or amount off if certain order criteria are met (for example, 10% discount on orders over \$600)
- An order-specific promotional discount for a segment of customers (for example, customers who registered in the last twelve months get 20% off their first order)
- A promotional discount off items for a segment of customers if certain order criteria are met (for example, customers who registered in the last month get 25% off orders over \$100, during the first month)

The basic workflow for creating an order promotion and setting the Buy and Get conditions is illustrated in the following image:



Note: The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. Steps to define the basic properties, scheduling, further settings or scope of the promotion aren't covered. For more detailed information regarding creating promotions, see [Promotions](#).

Flat Rate Order Promotions

Currency amount discounts are referred to as flat rate discounts because the amount of discount awarded to the customers is fixed. Flat rate order promotions provide a flat rate discount on the order total when the Buy conditions of the promotion are met.

Order – No Conditions – Flat

Customers are eligible for a flat rate discount on any order.

Tagline: \$10 off all orders!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	\$10	\$20
2 T-shirts, 1 dress	\$40	\$10	\$30
3 T-shirts, 2 dresses	\$60	\$10	\$50
4 T-shirts, 2 dresses	\$80	\$10	\$70

Order – Spend Conditions – Flat

Customers are eligible for a flat rate discount on any order over a certain value.

Tagline: \$10 off your order, when you spend \$50 or more!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	50.00
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	–	\$40
3 T-shirts, 1 dress	\$50	\$10	\$40
6 T-shirts, 2 dresses	\$100	\$10	\$90

Order – Buy Conditions – Flat

Customers are eligible for a flat rate discount on any order when they buy a specific item.

Tagline: Buy a T-shirt and get \$5 off your order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	Flat
Discount Rate	5.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	\$5	\$25
2 T-shirts, 2 dresses	\$60	\$5	\$55
3 T-shirts, 2 dresses	\$70	\$5	\$65

Percentage Order Promotions

Percentage item promotions give customers a percentage off a selected item or items when the Buy conditions of the promotion are met.

Order – No Conditions – %

Customers are eligible for a flat rate discount on any order.

Tagline: 10% off everything!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	\$3	\$27
2 T-shirts, 1 dress	\$40	\$4	\$36
3 T-shirts, 2 dresses	\$60	\$6	\$54
4 T-shirts, 2 dresses	\$80	\$8	\$72

Order – Spend Conditions – %

Customers are eligible for a percentage off any order over a certain value.

Tagline: 10% off all orders over \$50!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	50.00
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 T-shirt, 1 dress	\$30	–	\$30
2 T-shirts, 1 dress	\$40	–	\$40
3 T-shirts, 1 dress	\$50	\$5	\$45
6 T-shirts, 2 dresses	\$100	\$10	\$90

Order – Buy Conditions – %

Customers are eligible for a percentage off any order when they buy a specific item.

Tagline: Buy a T-shirt and get 10% off your order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Discount Type	%
Discount Rate	10.00

Examples of the discount provided

The following table shows examples of the discount that this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Discount	Price after discount
1 dress	\$20	–	\$20
1 T-shirt, 1 dress	\$30	\$3	\$27

What the customer buys	Price before discount	Discount	Price after discount
2 T-shirts, 2 dresses	\$60	\$6	\$54
3 T-shirts, 2 dresses	\$70	\$7	\$63


Shipping Promotions

You can create promotions that provide free shipping on specified shipping methods. Shipping promotions can be:

- **Item-based** – providing free shipping when customers buy a specific item or items
- **Order-level** – providing free shipping on orders, with or without spend conditions

You can't offer a flat rate or percentage discount on shipping.

The basic workflow for creating a shipping promotion and setting the Buy and Get conditions is illustrated in the following image:



Note: The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. Steps to define the basic properties, scheduling, further settings or scope of the promotion aren't covered. For more detailed information regarding creating promotions, see [Promotions](#).

Item – Buy Conditions – Free Shipping

Customers are eligible for free shipping when they buy a minimum number of a specific item.

Tagline: Buy a T-shirt and get free shipping on your order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	T-shirt
Item Quantity	1
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Shipping Method	Select any available shipping method from the list (the selected shipping method will be free for any eligible order).

Item – Spend Conditions – Free Shipping

Customers are eligible for free shipping when they spend a minimum amount on a specific item or items.

Tagline: Spend \$50 or more on T-shirts or dresses and get free shipping on the order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	50.00
Specific Items	Select
Item	T-shirt or Dress
Item Quantity	1
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Shipping Method	Select any available shipping method from the list (the selected shipping method will be free for any eligible order).

Order – Spend Conditions – Free Shipping

Customers are eligible for free shipping when they spend a minimum amount.

Tagline: Spend \$50 or more and get free shipping on the order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	50.00
Specific Items	Clear
Item	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Shipping Method	Select any available shipping method from the list (the selected shipping method will be free for any eligible order).


Free Gift Promotions

You can create free gift promotions that give customers an item with 100% discount. The free gift is automatically added to the customer's order if the transaction is eligible. You can specify Buy conditions, Spend conditions, or both. Unlike other SuitePromotions, free gift promotions don't apply discount to the order total, they add an extra item to the order at no cost.

Free gift promotions may include the following:

- An item is available for free with any order (for example, get a free T-shirt with every order)
- An item is available for free if certain order criteria are met (for example, buy two pairs of jeans and get a free belt)
- A free item for a segment of customers (for example, customers who registered in the last twelve months get an exclusive bag for free)
- An item is given away for free during a specified period (for example, this February, get a free bag with every order)

The basic workflow for creating a free gift promotion and setting the Buy and Get conditions is illustrated in the following image:



Note: The workflows in this section outline the minimum steps required to define the Buy and Get conditions for a SuitePromotion. Steps to define the basic properties, scheduling, further settings or scope of the promotion aren't covered. For more detailed information regarding creating promotions, see [Promotions](#).

No Conditions – Free Gift

Customers are eligible for a free gift with any order.

Tagline: Get a free T-shirt with any order!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Select
Spend a minimum order amount or buy specific items	Clear
Minimum Order Amount	Clear
Specific Items	Clear
Item	–
Repeat Discount Incrementally	Clear
Item Quantity	–

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt Note, you can't add parent matrix items as a free gift.

Free gift promotions without eligibility criteria are often limited to one free gift per customer. To set up a promotion limited to one free gift per customer, select **One time only** on the Usage Limits subtab. For more information, see [Setting Usage Limits on SuitePromotions](#).

Examples of what the customer gets

The following table shows examples of how many free gifts this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	1 T-shirt	\$10 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
1 dress	\$20	1 T-shirt	\$20
1 T-shirt, 1 dress	\$30	1 T-shirt	\$30 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
2 T-shirts, 1 dress	\$40	1 T-shirt	\$40 (the T-shirts in the order aren't discounted, an extra T-shirt is added to the order)

Spend Conditions – Free Gift

Customers are eligible for a free gift when they spend a minimum amount.

Tagline: Spend \$50 or more and get a free T-shirt!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	100.00
Specific Items	Clear
Item	-
Repeat Discount Incrementally	Clear
Item Quantity	-

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt Note, you can't add parent matrix items as a free gift.

Examples of what the customer gets

The following table shows examples of how many free gifts this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	-	\$10
1 dress	\$20	-	\$20
5 T-shirts	\$50	1 T-shirt	\$50 (the T-shirts in the order aren't discounted, an extra T-shirt is added to the order)
5 dresses	\$100	1 T-shirt	\$100

Buy X, Get Y – Free Gift

Customers are eligible for a free item when they buy a specific different item.

Tagline: Buy a dress and get a free T-shirt!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	Dress
Item Quantity	1
Repeat Discount Incrementally	Clear

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt Note, you can't add parent matrix items as a free gift.

Examples of what the customer gets

The following table shows examples of how many free gifts this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	-	\$10
1 dress	\$20	1 T-shirt	\$20

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt, 1 dress	\$30	1 T-shirt	\$30 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
2 dresses	\$40	1 T-shirt	\$40

Every 1 Item – Buy X, Get Y– Free Gift

Customers are eligible for a free item every time they buy at least one of a specific different item.

Tagline: Buy a dress and get a free T-shirt!



Note that this promotion example has the same tagline as the previous example. This promotion however, is repeated and the customer can get more than one free T-shirt.

What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	Dress
Item Quantity	1
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt
	Note, you can't add parent matrix items as a free gift.

Examples of what the customer gets

The following table shows examples of how many free gifts this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	-	\$10
1 dress	\$20	1 T-shirt	\$20
1 T-shirt, 1 dress	\$30	1 T-shirt	\$30 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
2 dresses	\$40	2 T-shirts	\$40

Every 2 Items – Buy X, Get Y– Free Gift

Customers are eligible for a free item every time they buy at least two of a specific different item.

Tagline: Buy 2 dresses and get a free T-shirt!



What the customer needs to buy

The following table shows how to set up the Buy conditions for this type of promotion.

Field	Value
Buy Anything	Clear
Spend a minimum order amount or buy specific items	Select
Minimum Order Amount	Clear
Specific Items	Select
Item	Dress
Item Quantity	2
Repeat Discount Incrementally	Select

What the customer will get

The following table shows how to set up the Get conditions for this type of promotion.

Field	Value
Free Gift	T-shirt Note, you can't add parent matrix items as a free gift.

Examples of what the customer gets

The following table shows examples of how many free gifts this type of promotion provides when various quantities of items are added to a transaction.

What the customer buys	Price before discount	Free gifts	Price after discount
1 T-shirt	\$10	-	\$10
1 dress	\$20	-	\$20
1 T-shirt, 2 dresses	\$50	1 T-shirt	\$50 (the T-shirt in the order isn't discounted, an extra T-shirt is added to the order)
4 dresses	\$80	2 T-shirts	\$80

Searchandising

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

Searchandising adds extra features to your search tools, making product searches better and more profitable. With Searchandising features, you can entice shoppers to buy certain products and help move your inventory.

The Search Synonyms feature lets you set up synonyms in NetSuite, so when a shopper searches for a word, they'll also see results for its synonyms. For example, if you set trousers and pants as synonyms, anyone searching for pants will see results for both pants and trousers. This feature is available for all Commerce web stores and SuiteCommerce InStore customers. For more information, see [Search Synonyms](#).

With the Commerce Search Analytics feature, you can check out standard reports that show the top search queries your shoppers use to find products. Since these reports show the exact search terms people use, they help you understand your website visitors. For more information, see [Search Analytics](#).

Search Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

Search Synonyms

The Synonyms feature lets you set up different versions of terms in your product catalog. With synonyms, shoppers can use familiar search terms and receive expanded results. When someone searches for a term, the search also looks for its synonyms. This means you don't have to add every possible term and variant to your item records.

For example, if a shopper searches for pants but your catalog mostly uses trousers, you'd normally have to add pants as a keyword to every item—which takes a lot of time. With Synonyms, you set pants as a synonym for trousers one time, and now searching for pants brings up both pants and trousers.

Note: When you set up search synonyms, make sure the terms are in fields you've set as search fields with a **Keyword** match type. This is necessary because only indexed search fields are included in the search.

For example, if you set purple, magenta, violet, and lavender as synonyms, shoppers can find the closest shade. But you can only use the synonym if the product color is in the Product Description field, and you've set that field with a **Keyword** match type.

Types of Search Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

You can set up two types of search synonyms in NetSuite:

- **Group Synonym** — A group synonym is a set of terms that all return the same search results for any word in the group.

For example, if you set sneakers, trainers, and shoes as group synonyms, searching for any of those terms will search for all of them.

- **One-way Synonym** — A one-way synonym works in one direction to produce search results. For example, if candy is a one-way synonym for sweets (sweets → candy), searching for sweets will also search for candy, but searching for candy won't search for sweets. If you want it to work both ways, set up sweets and candy as group synonyms.

Defining Group Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

Group synonyms treat a set of terms as interchangeable, ensuring that a search for any one term in the group returns results for all its synonyms.

To define a group synonym:

1. Go to Commerce > Marketing > Search > Group Synonyms.
2. On the Group Synonyms page, click **New Group Synonym**.
3. On the Group Synonym page, enter a comma-separated list of synonyms in the **Synonyms** box.

Note: For example, you can enter handbag, purse, shoulder bag in the **Synonyms** box.

4. If you use multiple websites, select the site where you want this group synonym to apply.
5. If your site uses multiple languages, select the language for this group synonym.
6. (Optional) To disable the group synonym, check the **Inactive** box.
7. (Optional) To add more group synonyms, click **Save & New** and repeat steps 3–7.
8. Click **Save**.

Note: When you click Save, your search index automatically rebuilds to include these changes. When the search index is rebuilt successfully, you'll see **Synonyms Updated** under Job Name on the Search Index Job Status page.

Defining One-way Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

While group synonyms are bi-directional, one-way synonyms allow you to direct searches from one term to a preferred catalog term or terms.

To define a one-way synonym:

1. Go to Commerce > Marketing > Search > One-way Synonyms.
2. On the One-way Synonyms page, click **New One-way Synonym**.
3. On the One-way Synonym page, enter the search term in the **Searching For** box.

Note: This should be a search term your shopper might use but doesn't find results for. For example, you can enter pants in the **Searching For** box.

4. In the **Shows These Synonyms In Results** box, enter one or more synonyms, separated by commas.

Note: These should be the synonyms you use most in your catalog for that product. For example, you can enter jeans and trousers in the **Shows these synonyms in Results** box.

5. If you use multiple websites, select the site where you want this one-way synonym to apply.
6. If your site uses multiple languages, select the language for this one-way synonym.
7. (Optional) To disable the one-way synonym, check the **Inactive** box.
8. (Optional) To add more one-way synonyms, click **Save & New** and repeat steps 3–7.
9. Click **Save**.

Note: When you click Save, your search index automatically rebuilds to include these changes. When the search index is rebuilt successfully, you'll see **Synonyms Updated** under Job Name on the Search Index Job Status page.

Managing Search Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

After you set up search synonyms, you can view and edit them on the One-way Synonyms or Group Synonyms page. These pages show all your synonyms and their status. If there are too many, you can filter the list by Search Term, Synonyms, Site, Language, Last Modified Date, or Status.

To view, edit, or delete a defined synonym:

1. Go to Commerce > Marketing > Search > One-way Synonyms or Commerce > Marketing > Search > Group Synonyms.
2. You can view the defined synonyms on the One-way Synonyms/Group Synonyms page.
3. (Optional) To filter the list of defined synonyms:
 1. Expand **Filters**.
 2. Use the following fields to filter the list of defined synonyms:
 - Search Term and Synonyms
 - Site
 - Language
 - Last Modified Date
 - Status
4. (Optional) To edit a synonym, click **Edit** next to it.

Note: To edit multiple search synonym records, use the Edit toggle button.

5. (Optional) To delete a synonym, click **Edit** next to it and then click **Delete** under Actions.

Note: To delete multiple search synonym records, use the Edit toggle button and then click **Delete Record** under the New column.

Best Practices for Defining Search Synonyms

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

The following list contains best practices for defining search synonyms:

- If Google Analytics is enabled in your account, you can check out what search terms your shoppers use. This helps you spot which common terms aren't returning results, so you can add synonyms for those and make sure shoppers find the right products.
- Try out a few synonyms in a sandbox or test site to see how adding them changes your search results.
- Synonyms apply to your whole product catalog, so it's better to set up a few that give relevant results instead of making a huge list of every possible synonym.
- If you use multiple websites or languages, make different sets of synonyms for each group of customers. For example, since Americans and British use different words for the same item, you can set up those terms as synonyms for your US and UK websites.

Search Analytics

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

Analyze Top Search Queries Using Search Analytics

Knowing your customers is key to running a successful website. The Commerce Search Analytics workbooks help you understand the shoppers who visit your website. The workbooks show you not only what shoppers search for, but also the words they use to describe your products. You can use what you learn from these workbooks to tweak your product names or set up Search Synonyms for different terms in your catalog. For more information about the Search Synonyms feature, see [Search Synonyms](#).

After you identify the most popular search queries, you can run promotions on those products to encourage shoppers to buy. You might also want to feature your top related products on your home page.

The workbooks also help you identify popular searches that didn't return any results. If you're missing those products, consider adding them to your catalog or updating related product descriptions with the right keywords.

Enabling Search Analytics in Your NetSuite Account

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

The Search Analytics feature is available for all Commerce web stores and SuiteCommerce InStore customers. By default, it's disabled in all NetSuite accounts, but you can enable it at Setup > Company > Enable Features on the **Web Presence** subtab.

Note: Before you enable the Search Analytics feature, make sure the SuiteAnalytics Workbook feature is enabled. If you don't see the Analytics tab in your NetSuite menu, follow the steps in [Enabling SuiteAnalytics Workbook in Your NetSuite Account](#).

To enable the Search Analytics feature:

1. Go to Setup > Company > Enable Features, and click the **Web Presence** subtab.
2. Under Web Site check the **Commerce Search Analytics** box.
3. Click **Save**.

When you enable the Commerce Search Analytics feature, NetSuite starts creating commerce search activity data records with aggregated search activity data. You'll see the search data in the workbooks a few hours after enabling the feature.

Note: If you disable the Commerce Search Analytics feature, your existing records stay in the database, but new data won't be collected until you turn the feature back on.

Using Search Analytics to Analyze Top Search Queries

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

With Search Analytics, every search your shoppers make in the web store gets logged in the backend. When you enable the Search Analytics feature, a scheduled task pulls all that logged data into a NetSuite record called Commerce Search Activity Data. That data then gets organized into two workbooks. SuiteAnalytics Workbook is an analytical tool that lets you explore this data in NetSuite. For more information about SuiteAnalytics Workbook, see the help topic [SuiteAnalytics Workbook Overview](#).

Note: There's a 48-hour delay between when search data is logged and when it shows up in the workbooks. So, the newest data you'll see is always from two days ago.

Commerce Search Analytics uses the SuiteAnalytics Workbook feature to generate two standard workbooks:

- [SuiteCommerce Top Searches Workbook](#)
- [SuiteCommerce Top Searches with No Results Workbook](#)

The main goal of these workbooks is to help merchandisers get to the important search analytics data in a few clicks. Think of this data as a starting point for building more advanced visualizations. For information about creating visualizations from your search analytics data, see the help topics [Workbook Charts](#) and [Creating a Workbook](#).

Important: By default, only users with the Analytics Administrator permission can access the Commerce Search Activity: Top Searches and Commerce Search Activity: Top Searches with No Results workbooks. If you don't have this permission, you'll need someone who does to share the workbooks with you. For more information, see the help topic [Saving and Sharing Workbooks and Datasets](#). To access the workbooks, click the **SuiteCommerce Top Searches** or **SuiteCommerce Top Searches with No Results** link in the Standard Workbooks list on the Workbook Listing Page. For more information about the Analytics Administrator permission, see the help topic [The Analytics Administrator Permission](#).

SuiteCommerce Top Searches Workbook

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

SuiteAnalytics Workbook offers many workbook and dataset templates, each with predefined source data, criteria, pivot tables, and charts.

This section covers the SuiteAnalytics SuiteCommerce Top Searches Workbook in NetSuite. For more information about SuiteAnalytics Workbooks, see the help topic [Workbook and Dataset Templates](#).

- [SuiteCommerce Top Searches Dataset Template](#)
- [SuiteCommerce Top Searches Workbook](#)

SuiteCommerce Top Searches Dataset Template

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

This dataset combines fields from the Commerce Search Activity Data and Web Site record types so that you can view the top search queries your shoppers used to find products on your website. It forms the source data for the [SuiteCommerce Top Searches Workbook](#).

Dataset Configuration

The source data used in the SuiteCommerce Top Searches workbook combines fields from two record types and multiple criteria filters. To edit the dataset, see the help topic [Defining a Dataset](#).

Root Record Type	Joined Record Type	Custom Formula Fields	Data Grid	Criteria Filters
Commerce Search Activity Data	Web Site	(none)	The following record fields are included in the dataset. Commerce Search Activity Data ■ Aggregation Value ■ Duration ■ Position ■ Start Time ■ Value ■ Web Site Web Site ■ Depends on the number of sites configured in your account	The following criteria is used to filter the dataset: ■ Metric is Search Query ■ Start Time is 2 days ago

SuiteCommerce Top Searches Workbook

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

This workbook shows the top search queries your shoppers used to find products on your website. You'll see not only which products are popular, but also the words and phrases shoppers use to describe what they're looking for.

After you identify the popular search queries, merchandisers can do a few things to encourage shoppers to buy:

- Run promotions on the most searched products.
- Feature popular related products on the home page.

- Boost popular products higher in the search results.

In the workbook, you can check out pivot tables that sort search queries by number of searches (from most to least). By default, there's a pivot table for each site in your account. To open the workbook, click the **SuiteCommerce Top Searches** link in the Standard Workbooks list on the Workbook Listing Page. Click any site name tab and then click the refresh icon to load the data for that website.

Pivot Tables

There's a pivot table for each site you've set up in NetSuite, so the number of pivot tables in the Top Searches Workbook matches the number of sites in your account.

 **Note:** The name of the pivot table is same as the name of the site configured in your account.

SuiteCommerce Top Searches with No Results Workbook

 **Applies to:** SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

SuiteAnalytics Workbook offers many workbook and dataset templates, each with predefined source data, criteria, pivot tables, and charts.

This section covers the SuiteAnalytics SuiteCommerce Top Searches with No Results Workbook in NetSuite. For more information about SuiteAnalytics Workbooks, see the help topic [Workbook and Dataset Templates](#).

- [SuiteCommerce Top Searches with No Results Dataset](#)
- [SuiteCommerce Top Searches with No Results Workbook Template](#)

SuiteCommerce Top Searches with No Results Dataset

 **Applies to:** SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

This dataset combines fields from the Commerce Search Activity Data and Web Site record types, so that you can view the most common shopper queries that return zero results. It forms the source data for the [SuiteCommerce Top Searches with No Results Workbook Template](#).

Dataset Configuration

The source data used in the SuiteCommerce Top Searches with No Results workbook combines fields from two record types and multiple criteria filters. To edit the dataset, see the help topic [Defining a Dataset](#).

Root Record Type	Joined Record Type(s)	Custom Formula Field(s)	Data Grid	Criteria Filters
Commerce Search Activity Data	Web Site	(none)	The following record fields are included in the dataset. Commerce Search Activity Data ■ Aggregation Value ■ Duration ■ Position	The following criteria is used to filter the dataset: ■ Metric is Search Query No Results

Root Record Type	Joined Record Type(s)	Custom Formula Field(s)	Data Grid	Criteria Filters
			- Start Time - Value - Web Site Web Site - Depends on the number of sites configured in your account	Start Time is 2 days ago

SuiteCommerce Top Searches with No Results Workbook Template

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

This workbook shows you the most common shopper searches that return zero results. It also helps you figure out what your shoppers are struggling to find and lets you see exactly what words and phrases they're using to describe those products.

After you identify the search queries that didn't return any results, merchandisers can do a few things:

- Set up [Search Synonyms](#) so shoppers don't experience unsuccessful searches.
- Tweak your item search settings as described in [Search Settings Overview](#).
- Update product descriptions for related items to include the right keywords.
- Add new products to your catalog.

In the workbook, you can check out pivot tables that sort Search Queries with No Results by number of searches (from most to least). By default, there's a pivot table for each site in your account. To open the workbook, click the **SuiteCommerce Top Searches with No Results** link from the Standard Workbooks list on the Workbook Listing Page. Click any site name tab and then click the refresh icon to load the data for that website.

Pivot Tables

There's a pivot table for each site you've set up in NetSuite, so the number of pivot tables in the Top Searches with No Results Workbook matches the number of sites in your account.

Note: The name of the pivot table is same as the name of the site configured in your account.

Customize your Workbook

Applies to: SuiteCommerce | SuiteCommerce Advanced | SuiteCommerce InStore

In the Commerce Search Analytics workbooks, there's a pivot table for each site you've set up in NetSuite. By default, the timeline filter is set to **Start Time is 2 days ago** for all of them, but you can change it to a wider date range if you want.

To change the criteria filter to retrieve data for the past month:

1. Click the **SuiteCommerce Top Searches** link in the Standard Workbooks list on the Workbook Listing Page.
2. Go to the Datasets tab.
3. In the **Criteria Summary**, click the **Start Time is 2 days ago** filter.
4. In the Filter: Start Time window, set Days to **on or after 1 month ago**.
5. Click **Apply**.
6. Click any Site name tab and then click the refresh icon.
You'll see the top searches for that website from the past month.

 **Note:** This procedure won't change the standard workbook—it only shows your changes while the tab is open. If you want to save a version of the workbook with your customizations, make sure you click **Save**. For more information, see the help topic [Custom Workbooks and Datasets](#).