

ORACLE
NetSuite

Copy to Account Guide

2025.2

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Copy to Account	1
Setting Up Copy to Account	3
Enabling Copy to Account in Your NetSuite Account (Administrator Only)	3
Using Copy to Account	5
Starting Copy to Account on a Custom Record	5
Selecting a Target Account	5
Selecting Dependencies to Copy	6
Previewing the Copy	7
Deploying a Custom Object	8
Viewing the Copy to Account Log	8
Handling Dependency Errors	9

Copy to Account

Copy to Account


Copy to Account is an administrator tool that copies a custom object between your accounts. Use Copy to Account to select a target account, choose dependencies, select record instances to include, then preview and deploy your custom record. The tool can copy one custom object (including dependencies and instances) at a time.

Copy to Account is powered by SuiteCloud Development Framework (SDF). You can copy any object supported by SDF that is not locked, hidden, or part of another SuiteApp. The **Copy to Account** link only appears on custom record types that are associated with objects supported by SDF. For a list of supported object types, see the help topic [Customizations Supported by SuiteCloud Development Framework](#).

 **Note:** Single Page Application (SPA) objects cannot be copied using Copy to Account.

Copy to Account is available from production, development, and sandbox accounts in which you have administrator access.

The following diagram provides an overview of the Copy to Account process:



The Copy to Account tool can be accessed from a custom record. To view your custom records, go to Customization > Lists, Records, & Fields > Record Types. From the list of records, select the custom record you want to copy and click **Copy to Account** to start the process.

KPI Scorecard Copy to Account

[Edit](#) [Back](#) [Actions](#)

NAME: My Custom KPI Scorecard
 OWNER: Joe F Developer
☐ USE PERIODS

Content Audience

KPIs	Date Ranges	Custom	Highlighting						
KPI	COMPARE VALUE TO	COMPARE WITH PREVIOUS	COMPARISON TYPE	INVERT COMPARISON	FORMULA	LESS IS MORE	HIDDEN	LABEL	
Orders									

[Edit](#) [Back](#) [Actions](#)

The Copy to Account tool goes through four steps: Account, Dependencies, Preview, Deployment.



Logs show the current status of the copy process during the preview and deploy steps. For logging information, you can view audit trails of completed deployments in your target account.



Important: Some custom objects are partially supported and a subset of their fields cannot be copied. For more information, see the help topic [The SDF XML Reference](#). Object fields not listed in the SDF XML reference are not supported by SDF and cannot be copied with Copy to Account. For more information about other limits, see [Handling Dependency Errors](#).

When copying custom forms to another account, translations for field labels are not included. Currently, Copy to Account does not fully support translation collections.

Copy to Account uses plain text only. Entries for translations in the exported XML file contain text values in the preferred company language. There is no reference to translation terms in the translation collection. Optionally, to include the translations with the custom forms, you can use the SDF application to import the custom forms instead of using Copy to Account.


For more information, see [Enabling Copy to Account in Your NetSuite Account \(Administrator Only\)](#).

Setting Up Copy to Account

To use Copy to Account, verify that the NetSuite accounts you want to copy to and from meet these requirements:

Requirement	Description
SDF enabled	Ensure that SDF is enabled in both NetSuite accounts. For more information, see the help topic Enabling SuiteCloud Development Framework in the Target NetSuite Account (Administrator Only) .
Copy to Account enabled	Ensure the Copy to Account feature is enabled in the target NetSuite account. Turning on this feature indicates that the administrator of the account accepts new and updated customizations from another account through Copy to Account. For more information, see Enabling Copy to Account in Your NetSuite Account (Administrator Only) .
Matching NetSuite account versions	Your target account must be the same version of NetSuite as the account you copy from.
Administrator role access	Copy to Account is available to users with the Administrator role only. For more information, see the help topic NetSuite Account Administration .

If you are the administrator of an account that is missing any Copy to Account requirements, the account appears in the Target Account list but cannot be selected.



Enabling Copy to Account in Your NetSuite Account (Administrator Only)

To copy a custom object to your target account, the Copy to Account feature must be enabled in the target account. For more information, see the help topics [Enabling Features](#) and [SuiteCloud Features](#).

To grant Copy to Account access to your NetSuite account

1. Log in to NetSuite with an administrator role.
2. Go to Setup > Company > Enable Features.
3. On the **SuiteCloud** tab, in the SuiteCloud Development Framework section, check the **Copy to Account** box.

If you have not already enabled the SDF feature, you will be prompted to enable it to use Copy to Account.

To view all Copy to Account prerequisites, see [Setting Up Copy to Account](#).

Using Copy to Account

To copy an object into another account, the Copy to Account tool goes through the following steps:

1. [Starting Copy to Account on a Custom Record](#)
2. [Selecting a Target Account](#)
3. [Selecting Dependencies to Copy](#)

✓ **Tip:** When selecting dependencies to copy, you may see an error that indicates a dependency is not available for copy. For more information, see [Handling Dependency Errors](#).


4. [Previewing the Copy](#)
5. [Deploying a Custom Object](#)

After a deployment, you can go to the target account to download the log. For more information, see [Viewing the Copy to Account Log](#).

Starting Copy to Account on a Custom Record

From a custom record in the source account, click **Copy to Account**.

Note: The **Copy to Account** link appears only on custom record types that are associated with objects supported by SDF. Single Page Application (SPA) objects cannot be copied using Copy to Account. For a list of supported types, see the help topic [Customizations Supported by SuiteCloud Development Framework](#).



Selecting a Target Account

This topic is step two of the [Using Copy to Account](#) topic. If you have not already done so, complete step one: [Starting Copy to Account on a Custom Record](#).

After you click **Copy to Account**, choose the target account where you want to copy your custom object. The SDF and Copy to Account features must be enabled in the target account, and you must also have an Administrator role in the target account.

If you use Copy to Account on a production account, be aware that deployment immediately modifies data in a live environment.

To complete the Account page, specify a Deployment Audit Trail Name. This name is used to identify the log saved in the target account after a completed deployment.

To select a target account:

1. In the **Target Account** field, select the target account.

Note: If the target account that you want to select is dimmed or not in the list, review the requirements for using Copy to Account. For more information, see [Setting Up Copy to Account](#).

2. In the **Deployment Audit Trail Name** field, enter a name for the copy task. This is the name that will appear in the deployment audit trail.
3. Click **Next**.

Copy Object to Account

Account > Dependencies > Preview > Deployment

Specify a target account and audit trail name:

TARGET ACCOUNT * ⓘ
Blank Account

DEPLOYMENT AUDIT TRAIL NAME *
Custom KPI Copy

Warning: This is a production (or live) account.

Next Cancel

Selecting Dependencies to Copy

This topic is step three of the [Using Copy to Account](#) topic. If you have not already done so, complete step two: [Selecting a Target Account](#).

Copy to Account calculates the dependencies, references, and instances related to your custom record, and organizes them into a table. The table shows you the objects your record depends on and without which your record cannot function correctly. The table also displays the required and optional items, parent and child components, target account status, and other information.

The Present in Target Account status indicates that the object already exists in the target account. By default, these existing dependencies are not included in the copy process, but you can choose to include them to update the object in the target account.

Important: Custom objects in the source NetSuite account always replace the custom objects with the same script ID in the target NetSuite account during the copy operation, regardless of any previous changes made to those objects in the target account. Ensure that is the desired result before choosing to include such custom objects in the update in the target account.

Objects with an Absent from Target Account status are required. You cannot clear the box for Absent in Account dependencies in the Select dependencies table.

Required dependencies are automatically checked. You can select more components and instances to include. If the status of the dependency is Present in Target Account, including it in the copy is optional.

Note: You cannot copy customizations that are locked, part of an installed SuiteApp, or involved in a circular dependency. For more information, see [Handling Dependency Errors](#)

To select dependencies:

1. Select any additional dependencies you want to include.
2. (Optional) If you want to copy instances from a custom record type object, check the box in the **Include Instances** column.

Note: You can include up to 1000 instances of a custom record dependency into the target account.

3. Click **Next**.

Copy Object to Account Object: Office Hours

Account **Dependencies** Preview Deployment

Select dependencies: [Learn more about dependencies](#)

☐	NAME	SCRIPT ID	TYPE	STATUS	INCLUDE INSTANCES
☒	Office Hours	customrecord_office_hours	Custom Record Type	Absent from Target Account	☐
☒	Campus Building	customrecord_campus_building	Custom Record Type	Absent from Target Account	☐
☒	Room Number	customrecord_room_number	Custom Record Type	Absent from Target Account	☐
☒	Campus Building	customrecord_campus_building	Custom Record Type	Absent from Target Account	☐
☒	Campus Room	custentity_campus_room	Entity Custom Field	Absent from Target Account	
☒	Room Number	customrecord_room_number	Custom Record Type	Absent from Target Account	☐

[Back](#) [Next](#) [Cancel](#)

[Account](#) > **Dependencies** > [Preview](#) > [Deployment](#)

Select dependencies: [Learn more about dependencies](#)

☐	NAME	SCRIPT ID	TYPE	STATUS	INCLUDE INSTANCES
☒	Documentation Survey	customrecord6_1	Custom Record Type	Present in Target Account	☒
☐	ElementRankingList	customlist38	Custom List	Present in Target Account	
☒	Rate Help Types	customlist34	Custom List	Present in Target Account	
☐	Rate Help Sections	customlist35	Custom List	Present in Target Account	

Previewing the Copy

This topic is step four of the [Using Copy to Account](#) topic. If you have not already done so, complete step three: [Selecting Dependencies to Copy](#).


Preview includes a validation phase. When the preview is complete, the log shows you the expected modifications in the target account.

Object creations and updates that happen during deployment are noted at the bottom of the preview. If the preview is unsuccessful, you can find the component that caused the preview to fail by using the script ID that appears in the preview log. You can then go back to the Dependencies step to resolve the problem.

To preview your deployment:

1. Click **Preview**.

2. If preview is successful, click **Deploy**,



Deploying a Custom Object


This topic is step five of the [Using Copy to Account](#) topic. If you have not already done so, complete step four: [Previewing the Copy](#).

If you use Copy to Account on a production account, be aware that deployment immediately modifies data in a live environment. When you click **Deploy**, the object and selected dependencies are deployed to the target account. Deployment cannot be cancelled or reversed.

To deploying to your target account:

1. Click **Deploy**. To access a live log of the deployment, keep this page open.
2. When the deployment is complete, click **Done**.

To view the audit trail of a completed deployment, see [Viewing the Copy to Account Log](#)



Viewing the Copy to Account Log

You can download a log of the Copy to Account deployment as a text-formatted LOG file.

To view a Copy to Account log:

1. From the target account, go to Customization > SuiteCloud Development > Deployment Audit Trail. You can find the LOG file under the name you entered as the Deployment Audit Trail Name in the Selecting a Target Account step. For more information, see [Selecting a Target Account](#).
2. Click **Download Log**.

PUBLISHER ID	APP ID	NAME	VERSION	ACTION	STATUS	START DATE	END DATE	USER	ERROR REFERENCE	LOG
		Custom KPI Copy		INSTALL	COMPLETE	1/4/2019 8:47 am	1/4/2019 8:47 am			Download Log

Handling Dependency Errors

If an icon listed below appears beside a dependency, a component that the object is dependent on is not available for copy. Dependencies must be in the target account. You can cancel Copy to Account, remove the dependency from the Choose Dependencies table, or remove the dependency from the object itself.

Note: If the icon is gray, the error does not block copying.

Icon	Description
	Locked or Hidden – The component is locked, hidden, or owned by a SuiteApp. Unless you are the owner of the SuiteApp or component, the component cannot be unlocked, made visible, or shared with another account.
	Circular dependency – The component is part of an interdependent, non-hierarchical cycle. All components that are part of a circular dependency depend on each other either directly or indirectly. Copy to Account does not support circular dependencies.

If the dependency already exists in the target account it is not required for the copy. You can remove that dependency to proceed.

If the dependency is absent from the target account, the dependency is required but cannot be copied into other accounts. On the Choose Dependencies page, click **Cancel**. If you want to try Copy to Account again, you must modify the custom object to remove the dependency that cannot be copied.

Example

Choose object dependencies to include:

☐	OBJECT NAME	SCRIPT ID	OBJECT TYPE
☒	Entity Value	cust_rec_entity_value	Custom Record
☐	Custom Entities List	cust_list_entities_list	Custom List
☐	Customer Rating	cust_rec_customer_rating	Custom Record
☐	Top Customers	cust_search_top_customers	Saved Search
☐	Customer Review	cust_rec_customer_review	Custom Record
☐	Customer Rating	cust_script_customer_review_approval	Script

In the example above, the object being copied is the Entity Value custom record. The Copy to Account tool calculated its dependencies and shows them in hierarchical order. The Custom Entities List and Customer Rating objects are dependencies of Entity Value. The Customer Review custom record and Top Customers saved search are dependencies of the Customer Rating Record and Entity Value. Every dependency listed in the grid is needed on the target account for Entity Value to function properly.

If a dependency is listed as present in the target account, Copy to Account may skip it because it already exists in the target account.