



ORACLE
NetSuite

Country-Specific Reports



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Country-Specific Reports



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.



Note: There are changes to the planned migration of the country-specific reporting features. For more information, see [Changes to the Migration and Level of Support for the Country-Specific Reports SuiteApp](#).

The following topics describe the features included in the Country-Specific Reports SuiteApp:

- [Country-Specific Reports Overview](#)
- [Enabling Required Features for the Country-Specific Reports SuiteApp](#)
- [Installing the Country-Specific Reports SuiteApp](#)
- [Roles and Permissions in Country-Specific Reports](#)
- [Creating Reports with the Country-Specific Reports SuiteApp](#)
- [Creating a Template for the Country-Specific Reports SuiteApp](#)
 - [Sample Table in Country-Specific Reports](#)
 - [Subtotals and Totals in Country-Specific Reports](#)
 - [Indentation Levels in Country-Specific Reports](#)
 - [List of Accounts in Country-Specific Reports](#)
 - [Comparative Columns in Country-Specific Reports](#)
 - [Two-Column Layout in Country-Specific Reports](#)
 - [Custom Cell Alignment in Country-Specific Reports](#)
 - [About Sections in Country-Specific Reports](#)
- [Adding NetSuite Data to the Template File](#)
 - [System variables](#)
 - [Filter variables](#)
 - [Adding and Editing Report Elements](#)
 - [Variables in Country-Specific Reports](#)
 - [Filters in Country-Specific Reports](#)
- [Viewing Country-Specific Reports](#)
- [Working with Reports](#)
 - [Importing reports](#)
 - [Copying reports](#)
 - [Exporting Country-Specific Reports](#)
 - [Viewing the report structure](#)

Country-Specific Reports Overview



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.



Note: There are changes to the planned migration of the country-specific reporting features. For more information, see [Changes to the Migration and Level of Support for the Country-Specific Reports SuiteApp](#).

The Country-Specific Reports SuiteApp enables users to build complex financial reports such as balance sheets and income statements for different countries. The SuiteApp can be used with other Localization SuiteApps, which can provide more reporting capabilities. For example, the Country-Specific Reports SuiteApp used with Contra Accounts Sheet SuiteApp enables you to drill-down on an account in the report.

Country-Specific Reports SuiteApp Mechanics

Each value in the report is stored as a variable. A variable can be a computation of values from a single or multiple accounts in your general ledger, or a computation of values involving other variables. For more information, see [Adding and Editing Report Elements](#).

To define the structure of your report, such as defining the level of indentation and the number of columns, you create a HTML/XML template using a set of macros. For more information, see [Creating a Template for the Country-Specific Reports SuiteApp](#).

The HTML/XML template and the variables in your report are stored in a report record. The report record is where you can set the method for calculating the net amount, the accounting context, and the type of financial report, which determines, for example, the drill-down characteristics, among other reporting details. For information about creating a report record, see [Creating Reports with the Country-Specific Reports SuiteApp](#).

Country-Specific Reports SuiteApp Users

Users of the Country-Specific Reports SuiteApp can be classified into three categories according to a user's knowledge level of using NetSuite customizations. Building a report needs more than a basic user. You can consider your NetSuite administrators as NetSuite developer-level users. By default, administrators have Full permission level to this SuiteApp's records.

- **NetSuite developers** – Power users with the level of knowledge enabling them to create new financial reports. For this purpose, they must create an initial HTML/XML report template (a table formatted as desired report and containing cells) and upload it to NetSuite. Then, they can set the variables assigned to individual cells as well as filters for arranging displayed data in different ways.
- **Advanced users** – Advanced users with the level of knowledge permitting them to customize already existing reports (typically professional services staff or administrators from partner companies). In the most typical case, they make copies of official financial reports delivered by a Localization SuiteApp (that are locked and cannot be edited) and adjust them as needed.
- **Basic users** – Users who need this SuiteApp to view the reports (either those delivered by a Localization SuiteApp or adjusted by advanced users). These users (typically accountants) are also allowed to export financial statements to different formats.

Enabling Required Features for the Country-Specific Reports SuiteApp

Before installing the Country-Specific Reports SuiteApp, go to Setup > Company > Setup Tasks > Enable features, and make sure that you have the following features enabled in your NetSuite account:

- In the **Company** tab: Multi-Language
- In the **Accounting** tab: Accounting
- In the **SuiteCloud** tab: Custom Records, Advanced PDF/HTML Templates, Server SuiteScript, Client SuiteScript, SuiteFlow

For more information, see the help topic [Enabling Features](#).

Also, go to Setup > Accounting > Preferences > Accounting Preferences. On the **General** subtab, check the **Use Account Numbers** box. For more information, see the help topic [Chart of Account Numbering](#).

Finally, to open the Country-Specific Reports SuiteApp, the **hidden feature for aggregating financial data** must be active for your account. If this feature is disabled, you'll not be able to access the Country-Specific Reports dashboard (Reports > Financial > Country-Specific Reports). This feature will be activated automatically; its activation usually takes up to 10 minutes to complete. In case of any issues, contact NetSuite Technical Support.

Contra Account Sheets SuiteApp

If you want to use the drill-down feature of the Country-Specific Reports SuiteApp, you must install the Contra Account Sheets SuiteApp. With this additional SuiteApp installed, you can click account values in your reports to open the Contra Account Sheets dashboard containing detailed transaction level information for the selected account and period. The drill-down feature helps you to better understand the report data related to a single account.

Note that only drill-down into a single account balance is supported. Also, this feature is only available for reports using the [List of Accounts in Country-Specific Reports](#) macro.

To learn more about the Contra Account Sheets installation, see the help topic [Installing Contra Account Sheet](#).

For more information about how to use the drill-down feature, see [Viewing Country-Specific Reports](#).

Installing the Country-Specific Reports SuiteApp



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.

Country-Specific Reports SuiteApp enables users to create, edit, and view custom financial reports.

To install the Country-Specific Reports SuiteApp:

1. Go to Customization > SuiteBundler > Search & Install Bundles (Administrator).

Note: Read the Installation Terms of Service on the use of the NetSuite SuiteBundler. Click **I Agree** if you agree, and **I Disagree** if you don't agree with the terms.

2. In the Keywords field, enter **Country-Specific Reports**, or the Bundle ID **301545**.
3. Click **Search**.
4. In the **Name** column, click **Country-Specific Reports**.
5. On the Bundle Details page, click **Install**.

The Country-Specific Reports SuiteApp is currently available as a public SuiteApp. Contact NetSuite Customer Support to request access to the SuiteApp. For information on installing SuiteApps, see the help topic [Installing a Bundle](#).

The Country-Specific Reports is a managed bundle, and is automatically updated whenever improvements or new features are added.

Roles and Permissions in Country-Specific Reports

Access to certain records in the Country-Specific Reports SuiteApp is only restricted to certain user roles. The following table shows the permission levels of standard roles to certain SuiteApp records:

User Role / Action	Accountant	Accountant (Reviewer)	Administrator	CEO	CEO (Hand Off)	CFO	System Administrator
CSR – Variable (record)	View	View	Full	View	View	View	View
CSR – Variable Filter (record)	Edit	View	Full	Edit	View	Edit	View
CSR – Filter Block (record)	Edit	View	Full	Edit	View	Edit	View
CSR – Export (record)	View	View	Full	Edit	View	Edit	View
CSR – Report (record for a new report creation)	View	View	Full	Edit	View	Edit	View
CSR – Report Data Log (record, used for monitoring errors)	Create	Create	Full	Create	Create	Edit	View
Country-Specific Reports (Reports > Financial > Country-Specific Reports)	Yes	Yes	Yes	Yes	Yes	Yes	No
Report Structure (Reports > Financial > Country-Specific Reports, select a report, click the Report Structure button)	Yes	Yes	Yes	Yes	Yes	Yes	No

Granting Custom Roles the Access to the Country-Specific Reports Page

If you want to give access to the Country-Specific Reports Dashboard to a certain custom role (which is the most common permission), proceed with the following steps:

1. Go to Customization > Scripting > Script Deployments (filter out the Suitelet script type and make sure the **Show Undeployed** box is selected).
2. In the list, locate the **customdeploy_csr_sl_dashboard** script, and click the corresponding **Edit** link.
3. In the Audience subtab, select the custom role that you would like to give access to the Country-Specific Reports Dashboard (click the name of the custom role while pressing the Ctrl key).
4. Click **Save**.

To learn more about deploying scripts in NetSuite, see the help topic [Script Deployment](#).

Granting Custom Roles the Access to the Country-Specific Reports SuiteApp Records

You can provide access to the records delivered by the Country-Specific Reports SuiteApp to both new roles and to customized standard NetSuite roles.

To create a new role, go to Setup > Users/Roles > User Management > Manage Roles > New Role.

To customize an already existing role, go to Setup > Users/Roles > User Management > Manage Roles to open the Manage Roles page. Then click the corresponding **Customize** link to create a custom version of a certain standard role.

For more information, see the help topic [Customizing or Creating NetSuite Roles](#).

Afterwards, proceed with the following:

1. On the **Permissions** subtab, gradually go to the **Lists**, **Setup**, and **Custom Record** subtabs.
2. To add a permission, click the blank line at the bottom of a list, select a permission (like CSR - Report or CSR - Variable), and click **Add**.
3. To set the level of access for a permission, click a line in a list and select one of the options from the Level column (None, View, Create, Edit, or Full). To learn more about the permission levels in NetSuite, see the help topic [Access Levels for Permissions](#).
4. Click **Save**.

In the following table, you can see the permission categories, types, and levels required by the primary users of the Country-Specific Reports SuiteApp. The primary users are people who can create and edit financial records, like NetSuite developers or professional services consultants. If necessary, you can assign higher permission levels than those listed in the Minimum Permission Level column.

Category	Name	Minimum Permission Level
Lists	Documents and Files	Full
Setup	SuiteScript	View
Setup	Custom Lists	View
Setup	Custom Record Types	View
Custom Record	CSR - Country	View
Custom Record	CSR - Export	Edit
Custom Record	CSR - Filter Block	Full
Custom Record	CSR - Report	Full
Custom Record	CSR - Report Copy Task	Create
Custom Record	CSR - Report Data Log	View
Custom Record	CSR - Settings	View
Custom Record	CSR - Variable	Full
Custom Record	CSR - Variable Filter	Full
Custom Record	CSR - Variable Value	Edit

Note: Secondary users (like accountants) are only expected to view financial reports. There is usually no need for them to see the custom records delivered by the Country-Specific Reports SuiteApp. Therefore, giving them access to the Country-Specific Reports dashboard (as described above) should be sufficient.

Important: When using the drill-down feature, you are accessing the dashboard that already belongs to a different SuiteApp: the Contra Account Sheets. This SuiteApp uses a different set of permissions; see the help topic [Access to Contra Account Sheet](#) to learn more. For more information about the drill-down feature itself, see [Viewing Country-Specific Reports](#).

Creating Reports with the Country-Specific Reports SuiteApp

Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.

To create your custom report with the Country-Specific Reports SuiteApp, you need to do the following actions:

- Build an HTML/XML template for your report. For more information, see [Creating a Template for the Country-Specific Reports SuiteApp](#).
- Create a record of your report.

To create a record of your report:

1. Go to Reports > Financial > Country-Specific Reports.
2. Click the New icon next to the Report field.
3. On the CSR - Report page, enter a name for your report in the Name field.
The name you enter here is the name that will be displayed in the Report list on the Country-Specific Reports page.
4. In the Template File field, click the double arrow and click **List**.
5. Select the HTML/XML template that you built for this report.
6. *(Optional)* Fill-in the following fields:
 - **2nd Column Definition** – If you want your report to display transactional data from the previous year in a second column, select **Minus One Year**.
 - **Net Amount Calculation Method** - Select the method for calculating the net amount type of variables.
Debit minus Credit and **Credit minus Debit** use simple subtraction. **System calculation** means the report will use the values returned by the NetSuite system search.

Note: If you leave this field blank, the default net calculation method will be used. The default method is System calculation. If you want to change the default method, go to Setup > Company > Preferences > General Preferences. On the **Custom Preferences** subtab, go to the Country-Specific Reports subtab. Edit the entry in the **Net Amount** field as necessary.

- **Report Type**– Edit the default entry if you are creating a balance sheet or income statement. Balance sheet and income statement have drill-down features specific to the type of the report.

Note: The Contra Account Sheets SuiteApp and other Localization SuiteApps provide features that process certain country-specific report types. Custom reports that were created before the drill-down feature was implemented are automatically marked as Other Report.

- **Accounting Context**– Select an entry if you want a specific accounting context to be applied to your report. For more information, see the help topic [Accounting Contexts](#).

7. Click **Save**.

When you are done with this procedure, you can start adding variables and filters to your report. For more information, see [Adding and Editing Report Elements](#).

Country-Specific Reports Link

A unique link is assigned to every report you create. You can find this link on your report record at Customization > List, Records, & Fields > Record Types. To view a report record, click **List** in the CSR - Report record type, then click **View** next to the report you want to see.

You cannot edit the provided report link. NetSuite users with the Creating Center Links permission can use this report link to create a center link. For more information, see the help topic [Creating Center Links](#).

If you want to share this link, click **Copy this link to clipboard**. When you share the link, add the following text in the beginning of the copied report link: `https://system.netsuite.com`.

Creating a Template for the Country-Specific Reports SuiteApp

Every report created using the Country-Specific Reports SuiteApp is based on an HTML/XML template.

Create a report template in your preferred HTML/XML editor. When you have created your report template, upload the template file to the File Cabinet at Documents > Files > File Cabinet. For more information, see the help topic [Uploading Files to the File Cabinet](#).

Create a report template in the following structure:

```

1 <table class="csr-about">
2   <tr>
3     <td>
4       <h2 class="csr-title">${VAR.report_title.name}</h2>
5       <!-- Other report info go here -->
6     </td>
7   </tr>
8 </table>
9
10 <div class="csr-content">
11   <table class="csr-data">
12     <!-- Reported data go here -->
13   </table>
14 </div>

```

Note: You don't have to include the `<body>` tag.

In case you need to specify a maximum width of the report (for example, in case of an income statement), wrap the code into a `<div>` and add your preferred max-width attribute. The default maximum width of the whole report container is 1400px:

```

1 <div style="max-width: 1000px;">
2
3   <table class="csr-about">
4     <tr>
5       <td>
6         <h2 class="csr-title">${VAR.report_title.name}</h2>
7         <!-- Other report info go here -->
8       </td>
9     </tr>
10  </table>
11
12  <div class="csr-content">
13    <table class="csr-data">
14      <!-- Reported data go here -->
15    </table>
16  </div>
17
18 </div>

```

You can then add classes to apply certain formatting styles, or macros that handle drill-downs. To add and adjust elements to your report, see the following help topics.

- [Sample Table in Country-Specific Reports](#)
- [Subtotals and Totals in Country-Specific Reports](#)
- [Indentation Levels in Country-Specific Reports](#)
- [List of Accounts in Country-Specific Reports](#)
- [Comparative Columns in Country-Specific Reports](#)
- [Two-Column Layout in Country-Specific Reports](#)
- [Custom Cell Alignment in Country-Specific Reports](#)
- [About Sections in Country-Specific Reports](#)

Sample Table in Country-Specific Reports

The content of the report should be added to the **.csr-content** section. Usually, this section should contain one table with the **.csr-data** class.

Each cell in the data table should be assigned the right class depending on its type:

- **.csr-label** - the text describing the value (e.g. "A. Fixed Assets")
- **.csr-value** - the computed value

```

1 <div class="csr-content">
2   <table class="csr-data">
3     <thead>
4       <tr>
5         <td width="80%">${VAR.header_label.name}</td>
6         <td width="20%" class="csr-align-right">${VAR.header_value.name}</td>
7       </tr>
8     </thead>
9     <tbody>
10      <tr>
11        <td class="csr-label">${VAR.some_var_1.name}</td>
12        <td class="csr-value">${VAR.some_var_1.value}</td>
13      </tr>
14      <tr>
15        <td class="csr-label">${VAR.some_var_2.name}</td>
16        <td class="csr-value">${VAR.some_var_2.value}</td>
17      </tr>

```

```

18     </tbody>
19   </table>
20 </div>

```

Income Statement

LABEL	VALUE
Sales	1,234.00
Costs	2,345.00

Subtotals and Totals in Country-Specific Reports

To include subtotals inside the table, mark the `<tr>` element with class `.csr-total`.

To include the total for the whole table, use `<tfoot>` element with class `.csr-totalall`.

Note: Don't forget to repeat the width of each cell in the `<tfoot>` element.

```

1  <table class="csr-about">
2    <!-- ... -->
3  </table>
4
5  <div class="csr-content">
6    <table class="csr-data">
7      <thead>
8        <tr>
9          <td width="80%">${VAR.header_label.name}</td>
10         <td width="20%" class="csr-align-right">${VAR.header_value.name}</td>
11       </tr>
12     </thead>
13     <tbody>
14       <tr>
15         <td class="csr-label">${VAR.some_var_1.name}</td>
16         <td class="csr-value">${VAR.some_var_1.value}</td>
17       </tr>
18       <tr>
19         <td class="csr-label">${VAR.some_var_2.name}</td>
20         <td class="csr-value">${VAR.some_var_2.value}</td>
21       </tr>
22       <!-- Subtotal -->
23       <tr class="csr-total">
24         <td class="csr-label">${VAR.subtotal.name}</td>
25         <td class="csr-value">${VAR.subtotal.value}</td>
26       </tr>
27       <!-- END Subtotal -->
28       <tr>
29         <td class="csr-label">${VAR.some_var_3.name}</td>
30         <td class="csr-value">${VAR.some_var_3.value}</td>
31       </tr>
32     </tbody>
33     <!-- Total all -->
34     <tfoot class="csr-totalall">
35       <tr>
36         <td width="80%" class="csr-label">${VAR.total_all.name}</td>
37         <td width="20%" class="csr-value">${VAR.total_all.value}</td>
38       </tr>
39     </tfoot>
40     <!-- END Total all -->
41   </table>
42 </div>

```

Income Statement

LABEL	VALUE
Sales	1,234.00
Gross revenue	2,345.00
TOTAL SALES	3,579.00
Costs	1,456.00
TOTAL ALL	2,135.00

Indentation Levels in Country-Specific Reports

To format the rows into a more readable structure, use four predefined indentation levels. Assign the **.csr-level-1** (resp 2, 3, or 4) class to each `<tr>` element.

There are two possible styles for indentation:

- **Default** (no additional class required) - Use when there is less than four levels of indentation and when there are no subtotals; for example, in the income statement.
- **Deep indentation** (mark the table.csr-data with class `.csr-indent-deep`) - use when the report structure is more complicated, made of multiple levels of sections (when there is more than 3 levels of indentation); for example in the (German) balance sheet.

Example of the default indentation:

```

1 <table class="csr-about">
2   <!-- ... -->
3 </table>
4
5 <div class="csr-content">
6   <table class="csr-data">
7     <thead>
8       <tr>
9         <td width="80%">${VAR.header_label.name}</td>
10        <td width="20%" class="csr-align-right">${VAR.header_value.name}</td>
11      </tr>
12    </thead>
13    <tbody>
14
15      <!-- Section 1 -->
16      <tr class="csr-level-1">
17        <td class="csr-label">${VAR.var_1.name}</td>
18        <td class="csr-value">${VAR.var_1.value}</td>
19      </tr>
20      <tr class="csr-level-2">
21        <td class="csr-label">${VAR.var_1a.name}</td>
22        <td class="csr-value">${VAR.var_1a.value}</td>
23      </tr>
24      <tr class="csr-level-3">
25        <td class="csr-label">${VAR.var_1a_of.name}</td>
26        <td class="csr-value">${VAR.var_1a_of.value}</td>
27      </tr>
28      <!-- END Section 1 -->
29
30      <!-- Section 2 -->
31      <tr class="csr-level-1">
32        <td class="csr-label">${VAR.var_2.name}</td>
33        <td class="csr-value">${VAR.var_2.value}</td>

```

```

34     </tr>
35     <tr class="csr-level-2">
36         <td class="csr-label">${VAR.var_2a.name}</td>
37         <td class="csr-value">${VAR.var_2a.value}</td>
38     </tr>
39     <tr class="csr-level-3">
40         <td class="csr-label">${VAR.var_2a1.name}</td>
41         <td class="csr-value">${VAR.var_2a1.value}</td>
42     </tr>
43     <!-- END Section 2 -->
44
45 </tbody>
46
47
48 <!-- Total all -->
49 <tfoot class="csr-totalall">
50     <tr>
51         <td width="80%" class="csr-label">${VAR.total_all.name}</td>
52         <td width="20%" class="csr-value">${VAR.total_all.value}</td>
53     </tr>
54 </tfoot>
55 <!-- END Total all -->
56 </table>
57 </div>

```

Income Statement

LABEL	VALUE
1. Costs	3,456.00
a) Costs of raw material	1,234.00
of which relating to pensions	345.00
2. Expenses	2,345.00
a) Social security	1,234.00
b) Wages	1,234.00
NET PROFIT/LOSS	10,123.00

Example of the deep indentation:

Note: When using totals, the title of the section should have an empty value, and the total should have the same indentation level as the title (see the code sample below).

```

1 <table class="csr-about">
2     <!-- ... -->
3 </table>
4
5 <div class="csr-content">
6     <table class="csr-data csr-indent-deep">
7         <thead>
8             <tr>
9                 <td width="80%">${VAR.header_label.name}</td>
10                <td width="20%" class="csr-align-right">${VAR.header_value.name}</td>
11            </tr>
12        </thead>
13        <tbody>
14
15            <!-- Section A -->
16            <tr class="csr-level-1">
17                <td class="csr-label">${VAR.var_A.name}</td>
18                <td></td>

```

```

19      </tr>
20
21      <!-- Subsection A I. -->
22      <tr class="csr-level-2">
23          <td class="csr-label">${VAR.var_AI.name}</td>
24          <td></td>
25      </tr>
26      <tr class="csr-level-3">
27          <td class="csr-label">${VAR.var_AI1.name}</td>
28          <td class="csr-value">${VAR.var_AI1.value}</td>
29      </tr>
30      <tr class="csr-level-3">
31          <td class="csr-label">${VAR.var_AI2.name}</td>
32          <td class="csr-value">${VAR.var_AI2.value}</td>
33      </tr>
34      <tr class="csr-level-4">
35          <td class="csr-label">${VAR.var_AI2_of.name}</td>
36          <td class="csr-value">${VAR.var_AI2_of.value}</td>
37      </tr>
38      <!-- Total for subsection A I. -->
39      <tr class="csr-level-2 csr-total">
40          <td class="csr-label">${VAR.var_AI_total.name}</td>
41          <td class="csr-value">${VAR.var_AI_total.value}</td>
42      </tr>
43      <!-- END Subsection A I. -->
44
45      <!-- Subsection A II. -->
46      <tr class="csr-level-2">
47          <td class="csr-label">${VAR.var_AII.name}</td>
48          <td class="csr-value">${VAR.var_AII.value}</td>
49      </tr>
50      <!-- END Subsection A II. -->
51
52      <!-- Total for section A -->
53      <tr class="csr-level-1 csr-total">
54          <td class="csr-label">${VAR.var_A_total.name}</td>
55          <td class="csr-value">${VAR.var_A_total.value}</td>
56      </tr>
57      <!-- END Section A -->
58  </tbody>
59
60  <!-- Total all -->
61  <tfoot class="csr-totalall">
62      <tr>
63          <td width="80%" class="csr-label">${VAR.total_all.name}</td>
64          <td width="20%" class="csr-value">${VAR.total_all.value}</td>
65      </tr>
66  </tfoot>
67  <!-- END Total all -->
68
69  </table>
70 </div>

```

Balance Sheet

ASSETS	VALUE
A. Fixed Assets	
I. Intangible assets	
1. Self-created...	1,234.00
of which to shareholders	234.00
TOTAL I.	3,579.00
II. Tangible Assets	3,456.00
TOTAL A. FIXED ASSETS	12,345.00
TOTAL ASSETS	17,890.00

List of Accounts in Country-Specific Reports

Add the List of Accounts macro to your report's HTML/XML template if you want to see the balance of each variable split into balances of individual accounts. This means that for each variable in your report, you'll see the list of accounts that are included in the variable.

The List of Accounts macro also contains the macro for handling a hierarchical display of accounts according to the parent-child relationship in your Chart of Accounts. When you have added this macro, you can then enable this hierarchical view on a variable level. For more information, see [Displaying Parent-Child Hierarchy of Accounts in Country-Specific Reports](#).

If you are using the Contra Account Sheet SuiteApp, adding the List of Accounts macro to your report template is necessary for the drill-down feature to work. For more information, see [Viewing Country-Specific Reports](#).

You must add the List of Accounts macro to the beginning of your template before the rest of the code. You can copy and paste the whole macro to your template. If your template has a custom layout, such as for instances that your report contains additional columns, you need to edit the macro's content accordingly.



Important: If you want to be able to toggle the display of the list of accounts in your report, you can add the List of Accounts filter on the report record. This filter adds the **Show individual accounts** box when you view your report on the Country-Specific Reports page. For more information, see [Filters in Country-Specific Reports](#).

The following is the macro for handling the display of a list and hierarchy of accounts in a variable:

```

1  <!-- Paste this macro before at the beginning of your template -->
2
3  <#macro printFullVariable name value value2=0 accounts=[] level=1>
4      <tr class="csr-level-{$level}">
5          <td class="csr-label">{$name}</td>
6          <td class="csr-value"><#if !accounts?has_content>{$value}</if></td>
7          <td class="csr-value csr-secondary"><#if !accounts?has_content>{$value2}</if></td>
8      </tr>
9      <#list accounts as acc>
10         <tr class="csr-level-{$level + 1}">
11             <td class="csr-label"><#if acc.number?length gt 0 >{$acc.number} - </if>{$acc.name}</td>
12             <td class="csr-value">{$acc.value}</td>
13             <td class="csr-value csr-secondary">{$acc.value2}</td>
14         </tr>
15     </list>
16     <#if accounts?has_content>
17         <tr class="csr-level-{$level} csr-total">
18             <td class="csr-label">Total - {$name}</td>
19             <td class="csr-value">{$value}</td>
20             <td class="csr-value csr-secondary">{$value2}</td>
21         </tr>
22     </if>
23 </#macro>
24
25 <!-- Macro for the hierarchical display of accounts-->
26
27 <#macro printAcc acc level=2>
28     <tr class="csr-level-{$level}">
29         <td class="csr-label">{$acc.number} {$acc.name} </td>
30         <td class="csr-value"><#if !acc.accounts?has_content>{$acc.value}</if></td>
31         <td class="csr-value csr-secondary"><#if !acc.accounts?has_content>{$acc.value2}</if></td>
32     </tr>
33     <#if acc.accounts?has_content>
34         <#list acc.accounts as acch>
35             <@printAcc acch level+1/>
36         </list>
37     <tr class="csr-level-{$level} csr-total">
38         <td class="csr-label">{$SYS.totalstring}>{$acc.number} {$acc.name} </td>
39         <td class="csr-value">{$acc.value}</td>

```

```

40         <td class="csr-value csr-secondary">${acc.value2}</td>
41     </tr>
42 </#if>
43 </#macro>
44
45 <!-- END of macro -->
46
47 <!-- About section-->
48
49 <table class="csr-about">
50     <!-- ... -->
51 </table>
52 <!-- End of About section-->
53
54 <!-- Contents of the report start here-->
55
56 <div class="csr-content">
57     <table class="csr-data csr-indent-deep">
58         <thead>
59             <tr>
60                 <td width="80%">${VAR.header_label.name}</td>
61                 <td width="20%" class="csr-align-right">${VAR.header_value.name}</td>
62             </tr>
63         </thead>
64         <tbody>
65
66             <!-- Section A -->
67             <tr class="csr-level-1">
68                 <td class="csr-label">${VAR.var_A.name}</td>
69                 <td></td>
70             </tr>
71
72             <!-- Subsection A I. -->
73             <tr class="csr-level-2">
74                 <td class="csr-label">${VAR.var_AI.name}</td>
75                 <td></td>
76             </tr>

```

Then, you must call this macro for every variable where you want the list or hierarchy of accounts to be displayed. This macro is for low-level variables only. Don't use for the total variables (these are variables that contain other variables).

In this sample code, the macro is called for var_AI1, var_AI2, and var_AI3 variables:

```

1 <!-- To render the lowest-level variable with the list of included accounts, call the macro -->
2 <!-- The first arguments are attributes of the variable and the last one is the indentation level to be printed -->
3 <@printFullVariable VAR.var_AI1.name VAR.var_AI1.value VAR.var_AI1.value2 VAR.var_AI1.accounts 3 />
4
5 <@printFullVariable VAR.var_AI2.name VAR.var_AI2.value VAR.var_AI2.value2 VAR.var_AI2.accounts 3 />
6
7 <tr class="csr-level-4">
8     <td class="csr-label">${VAR.var_AI2_of.name}</td>
9     <td class="csr-value">${VAR.var_AI2_of.value}</td>
10 </tr>
11
12 <@printFullVariable VAR.var_AI3.name VAR.var_AI3.value VAR.var_AI3.value2 VAR.var_AI3.accounts 3 />
13
14 <!-- Total for subsection A I. -->
15 <tr class="csr-level-2 csr-total">
16     <td class="csr-label">${VAR.var_AI_total.name}</td>
17     <td class="csr-value">${VAR.var_AI_total.value}</td>
18 </tr>
19 <!-- END Subsection A I. -->
20
21 <!-- Subsection A II. -->
22 <tr class="csr-level-2">
23     <td class="csr-label">${VAR.var_AII.name}</td>
24     <td class="csr-value">${VAR.var_AII.value}</td>
25 </tr>
26 <!-- END Subsection A II. -->
27

```

```

28      <!-- Total for section A -->
29      <tr class="csr-level-1 csr-total">
30          <td class="csr-label">${VAR.var_A_total.name}</td>
31          <td class="csr-value">${VAR.var_A_total.value}</td>
32      </tr>
33      <!-- END Section A -->
34  </tbody>
35
36  <!-- Total all -->
37  <tfoot class="csr-totalall">
38      <tr>
39          <td width="80%" class="csr-label">${VAR.total_all.name}</td>
40          <td width="20%" class="csr-value">${VAR.total_all.value}</td>
41      </tr>
42  </tfoot>
43  <!-- END Total all -->
44
45  </table>
46  </div>

```

Figure 1. Sample Report with List and Hierarchy of Accounts

	THIS FY
Equity	
Share capital	0.00
Additional paid in capital	0.00
Variation of reevaluation of which variation of equivalence	0.00
Legal reserve	0.00
Statutory or contractual reserves	0.00
Regulated reserves	0.00
Other reserves	0.00
Carry forward	38,086,772.00
<i>1100 - Accounts Receivable</i>	
1100 - Accounts Receivable	37,496,058.00
1100.1 - Accounts Receivable 1	11,001.00
1100.2 - Accounts Receivable 2	11,002.00
1100.3 - Accounts Receivable 3	11,003.00
1100.4 - Accounts Receivable 4	11,004.00
Total - 1100 - Accounts Receivable	37,540,068.00
1102 - Allowance for Doubtful Accounts	220,424.00
1105 - Other Receivables	187,743.00
1150 - Employee Advances	138,537.00
Retained Earnings Previous FY	-21,627,866.99
1200 - Inventory	-21,627,866.99
Financial period earnings (profit or loss)	-30,585,764.00

Comparative Columns in Country-Specific Reports

When including comparative column, assign the **.csr-secondary** class to related value cells.

```

1  <table class="csr-about">
2      <!-- ... -->
3  </table>
4

```

```

5 <div class="csr-content">
6   <table class="csr-data">
7     <thead>
8       <tr>
9         <td width="70%" rowspan="2" class="csr-valign-middle">${VAR.header_label.name}</td>
10        <td width="15%" class="csr-align-right">${VAR.header_value_now.name}</td>
11        <td width="15%" class="csr-align-right">${VAR.header_value_previous.name}</td>
12      </tr>
13    </thead>
14    <tbody>
15      <tr>
16        <td class="csr-label">${VAR.some_var_1.name}</td>
17        <td class="csr-value">${VAR.some_var_1.value}</td>
18        <td class="csr-value csr-secondary">${VAR.some_var_1.value2}</td>
19      </tr>
20      <tr>
21        <td class="csr-label">${VAR.some_var_2.name}</td>
22        <td class="csr-value">${VAR.some_var_2.value}</td>
23        <td class="csr-value csr-secondary">${VAR.some_var_2.value2}</td>
24      </tr>
25    </tbody>
26  </table>
27 </div>

```

Income Statement

LABEL	SELECTED PERIOD	PREVIOUS PERIOD
Sales	1,234.00	2,234.00
Costs	2,345.00	3,345.00

Two-Column Layout in Country-Specific Reports

For special cases (like the balance sheet report), there is a possibility to split the report into two columns. The rows containing totals for both columns are automatically aligned.

To use the two-columns layout, assign the **.csr-columns-2** class to the `div.csr-content`. This section must contain two columns: `<div>` elements using the **.csr-column** class.

```

1 <table class="csr-about">
2   <!-- ... -->
3 </table>
4
5 <div class="csr-content csr-columns-2">
6   <!-- Column 1 -->
7   <div class="csr-column">
8
9     <table class="csr-data">
10      <!-- ... -->
11    </table>
12
13  </div>
14  <!-- END Column 1 -->
15
16  <!-- Column 2 -->
17  <div class="csr-column">
18
19    <table class="csr-data">
20      <!-- ... -->
21    </table>
22
23  </div>
24  <!-- END Column 2 -->

```

25 | </div>

Balance sheet

ASSETS	SELECTED PERIOD	EQUITY	SELECTED PERIOD
Fixed Assets	1,234.00	Capital	3,579.00
Current Assets	2,345.00		
TOTAL ASSETS	3,579.00	TOTAL EQUITY	3,579.00

Custom Cell Alignment in Country-Specific Reports

Cells with the **.csr-value** class are automatically aligned to the right. Everything else is aligned to the left. To manually override the default alignment, assign the **.csr-align-right** (or left/center) class to the `<td>` element.

To override the vertical alignment of the cell, use the **.csr-valign-bottom** (or top/middle) class.

```

1 <table class="csr-about">
2   <!-- ... -->
3 </table>
4
5 <div class="csr-content">
6   <table class="csr-data">
7     <thead>
8       <tr>
9         <td width="70%" rowspan="2" class="csr-valign-bottom">${VAR.header_label.name}</td>
10        <td width="30%" colspan="2" class="csr-align-center">${VAR.header_value.name}</td>
11      </tr>
12      <tr>
13        <td width="15%" class="csr-align-right">${VAR.header_value_now.name}</td>
14        <td width="15%" class="csr-align-right">${VAR.header_value_previous.name}</td>
15      </tr>
16    </thead>
17    <tbody>
18      <tr>
19        <td class="csr-label">${VAR.some_var_1.name}</td>
20        <td class="csr-value">${VAR.some_var_1.value}</td>
21        <td class="csr-value csr-secondary">${VAR.some_var_1.value2}</td>
22      </tr>
23      <tr>
24        <td class="csr-label">${VAR.some_var_2.name}</td>
25        <td class="csr-value">${VAR.some_var_2.value}</td>
26        <td class="csr-value csr-secondary">${VAR.some_var_2.value2}</td>
27      </tr>
28    </tbody>
29  </table>
30 </div>

```

Income Statement

LABEL	VALUE	
	NOW	BEFORE
Sales	1,234.00	2,234.00
Costs	2,345.00	3,345.00

About Sections in Country-Specific Reports

The About sections contain additional information about the report (for example, the report's title, selected period, company, author, or date). To add an About section, use the table with class **.csr-about**. This table is usually filled with system variables.

Note: The About section can be used both above the main content and under it. In most of the cases, the date and author should be added to the bottom.

There are several predefined classes for the most used types of information. View the sample code for examples of their use.

- **.csr-title** - contains title of whole report (e.g. "Income statement")
- **.csr-period** - contains the selected period (e.g. "Feb 2019 - Mar 2019")
- **.csr-company-name** - contains the name of the company (system variable: "SYS.COMPANYNAME" / "SYS.SUBSIDIARYNAME")
- **.csr-address** - contains the address of the company (system variable: "SYS.COMPANYADDRESS" / "SYS.SUBSIDIARYADDRESS")
- **.csr-date** - date of report generation (system variable: "SYS.DATETIME")
- **.csr-author** - identification of user generating the report (system variable: "SYS.USERNAME")

```

1  <!-- About section over the content -->
2  <table class="csr-about">
3    <tr>
4      <td width="60%" rowspan="2" class="csr-valign-bottom">
5        <h2 class="csr-title">${VAR.report_title.name}</h2>
6        <h4 class="csr-period"><span class="csr-period-from">${FLT.period_from}</span> - <span class="csr-period-to">${FLT.peri
od_to}</span></h4>
7      </td>
8      <td width="20%" class="csr-company-name">${SYS.companyname}</td>
9      <td width="20%" class="csr-company-address">${SYS.companyaddress}</td>
10     </tr>
11     <tr>
12       <td class="csr-company-name">${SYS.subsidiaryname}</td>
13       <td class="csr-company-address">${SYS.subsidiaryaddress}</td>
14     </tr>
15   </table>
16   <!-- END About -->
17
18   <div class="csr-content">
19     <table class="csr-data">
20       <!-- ... -->
21     </table>
22   </div>
23
24   <!-- About section under the content -->
25   <table class="csr-about">
26     <tr>
27       <td width="80%">
28       <td width="20%">
29         <div class="csr-date">${SYS.datetime}</div>
30         <div class="csr-author">${SYS.username}</div>
31       </td>
32     </tr>
33   </table>
34   <!-- END About -->

```

Income Statement Feb 2019 - Mar 2019		Oracle Inc. Oracle Inc. Down Street 33/1 Boston 55500 United States	Oracle Czech, s.r.o. Oracle Czech, s.r.o. Dornych 510/38 Brno 61700 Czech Republic
LABEL	VALUE		
Sales	1,234.00		
Costs	2,345.00		
		3/19/2019 8:37am John Doe	

Adding NetSuite Data to the Template File

To add NetSuite data to your HTML report template, use FreeMarker, a Java library used to generate text outputs based on templates and dynamic data. FreeMarker interpolations will enable you to include NetSuite content in the template. An interpolation is an expression, such as `${record.entity}` which is replaced in the output with the actual value of the expression. For complete information about FreeMarker, see the [FreeMarker documentation](#)

Every template consists of a number of cells with IDs that you create yourself. **Valid Cell ID must start with a letter (A-Z) and it must not contain white spaces. Also, it must only consist of alphabetic characters, numeric characters, or the underscore (_) symbol. Finally, it must be unique (you cannot have multiple variables with the same Cell ID in one report).**

Note that to comply with the FreeMarker syntax rules, all variables in your template must be prefixed with the \$ sign. Therefore, follow these conventions when adding different types of variables to your cells:

- **Cells containing text** – If you want to use a variable containing text only in your cell, use the "name" attribute. The math part of such variable will be ignored. To learn more about variables created by the Country-Specific Reports SuiteApp, see [Variables in Country-Specific Reports](#).

The following example shows how the text variable with cell ID MY_VARIABLE should look like in your template:

```
1 | <p>${VAR.MY_VARIABLE.name}</p>
```

- **Cells containing math operations** – If you want to use a variable containing sums and differences in your cell, use the "value" attribute (or "value2" if your report uses the second comparative column). The text part of such variable will be ignored. To learn more about variables created by the Country-Specific Reports SuiteApp, see [Variables in Country-Specific Reports](#).

The following example shows how the math variable with cell ID MY_VARIABLE should look like in your template:

```
1 | <p>${VAR.MY_VARIABLE.value}</p>
```



Note: If your variable has both text (Name) and math operations (Sum of Values) defined, you can apply it as both a text variable and as a math variable (in different cells of your report). To do so, use a different attribute ("name" or "value") as shown in the examples above.

- **Cells containing system variables** - System variables add various information to your report drawing data from the NetSuite system. These variables must be added directly to your template and must

start with a prefix SYS (for example, SYS.companyaddress). To learn more about the system variables (and to view the list of all system variables available), see [System variables](#).

The following example shows how the system variable User Name should look like in your template:

```
1 | <p>${SYS.username}</p>
```

Note: Unlike standard variables, the system variables are added directly to your HTML/XML report template. It means that you don't have to create separate NetSuite records for them.

- **Cells containing filter variables** - Filter variables contain information about filters currently selected in the report. This is particularly important in exported files - the data in them depend on selected filters. These variables must be added directly to your template and must start with a prefix FLT (for example, FLT.subsidiary). To learn more about the filter variables (and to view the list of all filter variables available), see [Filter variables](#). To learn more about filters in the Country-Specific Reports SuiteApp, see [Filters in Country-Specific Reports](#).

The following example shows how the filter variable Subsidiary Context should look like in your template:

```
1 | <p>${FLT.subsidiary}</p>
```

Note: Unlike standard variables, the filter variables are added directly to your HTML/XML report template. It means that you don't have to create separate records for them.

System variables

The system variables add certain information to your report using data obtained from NetSuite records. Unlike standard variables, system variables have to be added directly to your HTML/XML report template. You can identify system variables through the prefix SYS.

Name	ID	Description
Company Address	SYS.companyaddress	Information from Setup > Company > Company Information (Address field in Addresses subtab).
Company Name	SYS.companyname	Information from Setup > Company > Company Information (Company Name field).
Date and Time	SYS.datetime SYS.date SYS.time	Time and date when this report was generated. This time stamp can be adjusted in the Formatting section of the Set Preferences dialog (General subtab).
Format: decimal separator	SYS.formatdecseparator	The decimal separator. Either "." or ",".
Format: negative numbers	SYS.formatnegnumenum	The same as using the Negative Number Format dropdown list in the Formatting section of the Set Preferences dialog (General subtab).
Format: numbers	SYS.formatnumenum	The same as using the Number Format dropdown list in the Formatting section of the Set Preferences dialog (General subtab).
Format: thousands separator	SYS.formatthousseparator	The thousands separator. Either " ", " ", or " ".

Name	ID	Description
Show or Export	SYS.isexporting	Checking whether this report will be displayed in the Country-Specific Reports (value 0) dashboard or exported (value 1). For exported reports, the template will be adjusted to improve exported report's appearance.
OneWorld	SYS.isow	Checking whether this is a OneWorld account.
User Name	SYS.username	Name of the user who displayed this report (in a format "FirstName MiddleName(s) Surname").
Subsidiary Address	SYS.subsidiaryaddress	Available only if Subsidiary filter is present on this report. Information about selected subsidiary selected subsidiary is displayed (Parent company, inactive, consolidated, specific subsidiary).
Currency Symbol	SYS.currencysymbol	Displays the currency symbol. For example: €.
Currency Code	SYS.currencycode	Displays the currency code. For example: EUR.
Totals label	SYS.totalstring	Displays the text Total before the number. This text is translatable.

Note: When you open a report containing a system variable that isn't available, this variable will be highlighted in red. You should consider deleting it from your report.

Filter variables

The filter variables contain information about filters currently selected in the report. This is particularly important in exported files, because the data that they contain depend on selected filters. Unlike standard variables, you have to add them directly to your HTML/XML report template. Listed below are the filter variables that can be used in reports created by this SuiteApp:

Name	ID	Description
Accounting Book	FLT.accountingbook	Displays the value selected in the Accounting Book filter.
Period From	FLT.periodfrom	Displays the value selected in the Period From filter.
Period To	FLT.periodto	Displays the value selected in the Period To filter.
Comparative Period From	FLT.periodfrom2	If you use the comparative column in your report, this filter will display the value selected in the Period From filter minus one year.
Comparative Period To	FLT.periodto2	If you use the comparative column in your report, this filter will display the value selected in the Period To filter minus one year.
Subsidiary Context	FLT.subsidiary	Displays the value selected in the Subsidiary Context filter.

Note: When you open a report containing a filter variable that isn't available (the filter that it refers to isn't present on this report), this variable will be highlighted in red. You should consider deleting it from your report.

To learn more about filters in the Country-Specific Reports SuiteApp, see [Filters in Country-Specific Reports](#).

Adding and Editing Report Elements

Reports created using the Country-Specific Reports SuiteApp are based on HTML/XML report templates. These tables contain cells that you need to fill with NetSuite data. There are two different data types that you can add to your reports:

- **Variables** – A variable is the basic element of every report created by the Country-Specific Reports SuiteApp. For each of them, you must define a cell of your template in which they will be displayed. You can use your variables as text only, inserting them into your report as labels or captions. However, your variables can be much more advanced: you can use them in formulas. Values from various accounts are either added or subtracted and the final count of every such formula is then displayed in a certain cell of a report. More complex actions are also permitted. For example, you can set variables to include only specific accounts or define conditions (if you want your variables to be used under specific circumstances).

To learn more about variables in the Country-Specific Reports SuiteApp, see [Variables in Country-Specific Reports](#).

- **Filters** – Filters let you arrange the data in your reports in different ways. Certain filters are automatically added to every report created by the Country-Specific Reports SuiteApp. Some are optional and must be added manually. The following filters are currently available: Accounting Book, Subsidiary Context, Period From / To, Period To, and List of Accounts.

To learn more about filters in the Country-Specific Reports SuiteApp, see [Filters in Country-Specific Reports](#).

To add variables or filters to a country-specific report:

1. Go to Reports > Financial > Country-Specific Reports.
2. From the Report list, select a report.
3. Click the Open icon.
4. On the report record, click **Edit**.
5. Add a variable to the report:
 - a. Go to the Variables subtab.
 - b. Click **New CSR - Variable**.
 - c. Fill-in the fields for the new variable record.
For more information, see [Variables in Country-Specific Reports](#).
6. Add a filter to the report:
 - a. Go to the Filters subtab.
 - b. From the CSR - Filter Block Type list, select any of the following optional filters:
 - List of Accounts
 - Period From / To
 - Period To
 For information about these optional filters, see [Filters in Country-Specific Reports](#).
 - c. Click **Add** for each filter you have selected.
 - d. Click **Save**.

Note: Other types of variables (system and filter) are added directly to your HTML/XML report template. It means that you don't have to create separate records for them. To learn more about the system variables, see [System variables](#). To learn more about the filter variables, see [Filter variables](#).

Important: Reports delivered by NetSuite Localization SuiteApps are **locked**. You cannot edit the reports, add any variables and filters to them, or to delete them. This is because these reports are tailored to suit the reporting requirements of a specific country. You can create copies of these locked reports and edit them as necessary. For more information about making a copy of the report, see [Copying reports](#).

The only element of locked reports that you are allowed to edit is the Accounting Context (because its content depends on the accounting contexts currently available in your NetSuite account). To learn more about accounting contexts in NetSuite, see the help topic [Accounting Contexts](#).

Variables in Country-Specific Reports

To add a new variable, go to Customization > List, Records, & Fields > Record Types, locate the CSR - Variables record, and click the **New Record** link in this row. You can also click the **List** link in the same row to view a list of already existing variables (which also permits you to edit them).

Note: Alternatively, you can go to Reports > Financial > Country-Specific Reports, select a report from the dropdown list and click **Show Report**. To view the variables in a report, click **View Structure**. You can then click on any variable in the report to edit.

For each variable, the following parameters must be set:

- **Name** – Enter a name for your variable (use alphanumeric characters only). A name is usually a short text (for example, a label). If you decide to use this variable as text only, this text will be displayed in a corresponding cell of your report (for example, Trade Receivables).
- **Cell ID** – Each variable is displayed in a particular cell of your report template. Every cell of your report template has an ID. Use this field to enter the cell ID for this variable. Valid Cell ID must start with a letter (A-Z) and it must not contain white spaces. Also, it must only consist of alphabetic characters, numeric characters, or the underscore (_) symbol. Finally, the Cell ID must be unique (you cannot have multiple variables with the same Cell ID in one report).
- **Report** – Use this list to select a report to which you would like to add your new variable. Every variable must be assigned to at least one report. To add your variable to multiple reports, click their names in the list while holding the CTRL key.
- **Relative Period From / Relative Period To** – Use these dropdown menus to choose a starting point and an end point for the date range of referenced data. Setting relative periods on variable level is required if you want the Net profit and Unrealized gains from previous periods to be properly displayed in your reports. The date range is defined relative to the date range of the current financial statement. When the current financial statement's date range is changed, the date range of the referenced value is adjusted accordingly.

Note that the inclusion or exclusion of start and end dates may vary according to the combination of options selected and the type of report being referenced. Be aware of how the values in these two dropdown lists can be used as shown in the following table:

Start	End	End of Range Definition	Example Usage
Balance Forward	Beginning of Year	(Exclusive) Ends on day before Beginning of Year	Balance Sheet, Retained Earnings Net Income row; referencing Income Statement, Income section
Balance Forward	Start Date	(Exclusive) Ends on day before Start Date	Cash Flow Statement, Cash at Beginning of Period row; referencing Cash Statement, Bank Accounts section
Balance Forward	End Date	(Inclusive) Ends on End Date	Balance Sheet, Net Income row; referencing Income Statement, Income section
Beginning of Year	Start Date	Not applicable	 Note: This combination should not be used.
Beginning of Year	End Date	(Inclusive) Ends on End Date	
Start Date	End Date	(Inclusive) Ends on End Date	Cash Flow Statement, Net Income row; referencing Income Statement, Income section



Important: The relative period defined for a variable applies to the individual lines added on the Sum of Values subtab. However, it doesn't apply to the lines with the value type Variable selected. These lines are referencing other variables assigned to this report, which may be using a different relative period setting.

- **Display Hierarchy** – Check this box if you want your report to display the variable's accounts in a hierarchy instead of a list. The hierarchy is based on the accounts' parent-child relationship in the Chart of Accounts.

If you want your variable to be text only, you don't have to add anything else. However, if you want to create a math variable (that is, if you want this variable to contain calculated values), click the **Sum of Values** subtab. Use this subtab to add lines, thus applying various math operations, parameters, and conditions to your variable:

1. **Math Method** – Use this dropdown list to choose the basic role of this variable in a formula. Math variables can be either **added** or **subtracted**.
2. **Account Type** – You can set the variable to include accounts of a specific type. For example, you can set the variable to include only accounts receivables. In the report, this variable line will return the total balance of all accounts receivables.
3. **Filter Account By** – If you are filtering by account type, you can further filter the accounts by the following:
 - Account number
 - Account prefix
 - Range of account numbers
 - Range of account prefixes
 - Account regular expression

If you are not filtering by account type, you can filter accounts by the following:

- Variable
- CTA

4. **Filter Value** – You can add your filter criteria in this field based on the type of filter you selected. The following table shows examples of filter values if you are filtering account types or filtering accounts by CTA or variable:

For Filtering Account Types By	Filter Value
Account number	Enter an account number. For example, if you enter 1000, your variable will use an account that has the number 1000. You can only use alphabetic and numeric characters, the underscore symbol (_), the period symbol (.), or the hyphen (-). Space is only allowed before or after the account number. Accounts with numbers that contain characters that are not allowed won't be used in the report. For example, 1010, 10a1, 10_A, 10.A, 10-A.
Account prefix	Enter an account number prefix (which refers to the beginning characters of an account number). For example, if you enter 1000, your variable will use accounts with the numbers 1000, 10001, 100099, and other numbers that start with 1000. You can only use alphabetic and numeric characters, the underscore symbol (_), the period symbol (.), or the hyphen (-). Space is only allowed before or after the account prefix. You can add an asterisk (*) after the prefix but it isn't required. For example, 1010, 1010*, 10a1, 10_A, 10.A, 10-A.
Range of account numbers	Enter a range represented by two account numbers separated by a space, or a hyphen that is set off by spaces. For example, you can enter 1000 2000 or 1000 - 2000. This means your variable will use the accounts with the numbers 1000, 2000, as well as the account numbers in between. For the account numbers, you can use alphabetic and numeric characters, the underscore symbol (_), the period symbol (.), or the hyphen (-). Additional space is only allowed before or after the account number. For example, 1010 1020, 1010 - 1020, 10a1 - 20a1, 10-a - 20-a.
Range of account prefixes	Enter a range represented by two account number prefixes separated by a space, or a hyphen that is set off by spaces. For example, you can enter 1000 2000 or 1000 - 2000. This means your variable will use the accounts with the numbers from 1000 (inclusive) to 2000 (inclusive), the numbers from 10000 (inclusive) to 20000 (inclusive), as well as the numbers from 10001 (inclusive) to 20001 (inclusive), and so on. For the account number prefixes, you can only use alphabetic and numeric characters, the underscore symbol (_), the period symbol (.), or the hyphen (-). Additional space is only allowed before or after the account prefix. You can add the asterisk symbol (*) after the prefix but it isn't required. Examples: 1010 1020, 1010 - 1020, 1010* - 1020*.
Account regular expression	Filtering using regular expressions help to further specify the accounts that will be used by your variable. You can use regular expressions ?, !, (), \$, ^, among other characters. If you leave this field blank, all accounts with a number (meeting the formatting requirements) will be used by this variable. To meet the formatting requirements, the account number must only contain alphabetic and numeric characters, the underscore symbol (_), the period symbol (.), or the hyphen (-). The following are examples of using regular expressions: ■ ^100 ^101 100\$ – Uses all accounts with a prefix 100, a prefix 101, or a suffix 100 ■ (?!^1001 ^1002)^100 ^200 – Uses all accounts with a prefix 100 or 200, except for accounts with a prefix 1001 or 1002
For Filtering Accounts By	Filter Value

For Filtering Account Types By	Filter Value
Variable	With the Country-Specific Reports SuiteApp, you don't have to use only values from NetSuite accounts. Values can also be drawn from other variables assigned to the same report. This is particularly useful if you want to display a sum or a difference of multiple variables. Use this field to enter the Cell ID of the variable that you would like to add or subtract. The parameter field cannot be left blank for this value type.  Important: Don't reference a variable to itself even indirectly.  Important: The relative period set for this variable doesn't apply to the lines with this value type. As these lines are referencing other variables assigned to this report, they may be using a different relative period setting.
CTA	The Cumulative Translation Adjustment (CTA) is used in consolidated reports for balancing accounts. This is necessary because the exchange rate types of the accounts (with multicurrency enabled) on reports may differ and different rates may be used. By choosing this value, you add the CTA to this variable definition. If there is at least one variable with the CTA defined in a report, it means that for this report, the CTA can be calculated. The Value parameter field is disabled for this value type (as well as the Credit/Debit/Net field).  Important: If you have the Period End Journal feature installed, you must not add the CTA to your variables. Otherwise, the same entries will be double counted, leading to incorrect results. Go to Setup > Company > Setup Tasks > Enable Features, click the Accounting subtab, and see if the Period End Journal Entries box is checked.

 **Note:** If an accounting context has been set both for this NetSuite account and this report, account numbers and prefixes from it will be used. For more information, see the help topic [Accounting Contexts](#).

5. **Credit/Debit/Net** – For each variable, you must select its type. It can be either a debit, a credit, or a net amount (balance). By default, the net amount option is selected.

There are several ways to calculate the net amount for variables. The default method is the system calculation. It uses values returned by the standard NetSuite search. However, in case of some reports, the final results might be distorted. It means that a different calculation methods must be set.

To change the net amount calculation method, go to Setup > Company > Preferences > General Preferences, click the Custom Preferences subtab, and select one of the options from the dropdown list in the Country-Specific Reports section.

The following methods for the net amount calculation are available:

- System calculation – Values returned by the NetSuite system search will be used.
- Debit minus Credit – Simple subtraction method.
- Credit minus Debit – Simple subtraction method.

6. **Variable Filters** - Use this menu if you want this value to be added or subtracted from the report cell only under specific conditions (specific account balance).

If some conditional operators already exist (that is, they have been previously created and saved by you), you can select one of them from the dropdown menu.

If you want to create a new conditional operator, select - **New** - item from the list and in the new dialog, fill in the following fields:

- Name – Insert a name for your custom conditional operator.
- Conditional Operator – Choose the type of conditional operator. The following types are available: Less than, Less than or equal to, Greater than, Greater than or equal to. Once you set the type, the Condition Value field becomes visible.
- Conditional Value – Use this field to specify an account balance that will be evaluated by the conditional operator selected above. Only numeric characters are allowed.
- Apply to every account in range – Check this box to set this conditional operator to be individual. The difference between the **standard** and **individual** operators plays an important role when evaluating ranges of accounts or account prefixes. With standard operator selected, the total amount of all accounts within the range is being evaluated. However, if you choose the individual operator, every single account within the range will be evaluated separately. Therefore, only accounts that meet the specified condition will be used.

 **Note:** If you want to create a conditional operator in advance (outside of the variable creation process), go to Customization > Lists, Records & Fields > Record Types, locate the CSR - Variable Filter record, click the New Record link in this row, and fill in the fields as described above.

Filters in Country-Specific Reports

Filters provide different ways of arranging data displayed in your report.

The following filters will be added to your reports by default (so you don't have to set them up):

- **Accounting Book** - This filter will be automatically added to all reports created by the Country-Specific Reports SuiteApp if the Multi-Book Accounting feature is active in your NetSuite account. See the help topic [Multi-Book Accounting Overview](#) chapter for more information.

This filter enables you to use different accounting books (provided by the Multi-Book Accounting feature) in your reports. The content of this filter is affected by your current NetSuite role. By default, users only have access to the Primary Accounting Book. To learn more about granting your role a permission to access other secondary accounting books, see the help topic [Roles and Data Access for Multi-Book Accounting](#).

Also, the Accounting Book filter is linked to the Subsidiary Context filter (see below). If you select a certain accounting book from this menu, it can affect the list of available subsidiaries, because only subsidiaries associated with the selected book (and which the current user's role is allowed to access) will be displayed. If you select an accounting book assigned to a specific subsidiary only, but your current NetSuite role doesn't allow you to access this subsidiary, an error message will be displayed. You'll be prompted to choose a different accounting book or to change your NetSuite role.



Important: If a user doesn't have the access to Parent Company but only to one of its subsidiaries, the Parent Company (Context) option will be displayed in this menu.

If a user doesn't have the access to Parent Company but only to multiple subsidiaries, the Parent Company (Consolidated) option will be displayed in this menu (yet the behavior remains the same as in the previous case).

For more information, see the help topic [Subsidiary Context for Reports](#).

- **Subsidiary Context** – This filter will be automatically added to all reports created by the Country-Specific Reports SuiteApp if you are using NetSuite OneWorld account. See the help topic [Introduction to NetSuite OneWorld](#) chapter for more information.

The default value of this filter is based on the current user. That is, if you display any report created by the Country-Specific Reports SuiteApp, you'll see the data for the subsidiary set in your own Employee record (without consolidation).

The following filters are optional, so you must add them to your reports manually:

- **List of Accounts** – Adds the **Show individual accounts** box to your report. Checking this box enables you to see an expanded view of your report with the list of individual accounts and their balances under each section.

This filter will only work if you have added the List of accounts macro to the beginning of the selected report's HTML/XML template. In the template, this macro must also be called for every variable for which you would like to see the list of accounts. To learn more about this macro and its usage, see [List of Accounts in Country-Specific Reports](#).



Note: If you check the **Show individual accounts** box, your report data may use two different accounting contexts at one time. All values and balances will be calculated based on the accounting context set for this specific report. However, the names and numbers of displayed accounts will be taken from the accounting context indicated at Home > Set Preferences on the Localization subtab.



Note: Inactive accounts don't appear in the lists of accounts. In cases where you have a two-column layout where the second column displays the comparative data from the previous period, accounts active in one of the periods and inactive in the other period will still be listed.

- **Period From / To** – Enables you to display data from the specified period. If you choose to add this filter, you'll not be allowed to use the Period To filter in the same report.
- **Period To** – Enables you to set the period end and to display data from the previous time. If you choose to add this filter, you'll not be allowed to use the Period From / To filter in the same report.

Displaying Parent-Child Hierarchy of Accounts in Country-Specific Reports

For variables that consist of multiple accounts, you can enable a hierarchical display of the accounts in your report. Instead of a list, the report displays the accounts included in a variable based on the parent-child hierarchy in your Chart of Accounts.



Important: This display type works only if your report's HTML/XML template contains the macro for handling a hierarchy view. Make sure your List of Accounts macro includes the hierarchy view macro. For more information, see [List of Accounts in Country-Specific Reports](#).

To display the parent-child hierarchy of accounts in your report:

1. Enable the hierarchical display feature on the variable record:
 - a. Open a report on Reports > Financial > Country-Specific Reports.
 - b. Click **View Structure**.
 - c. On the Variables subtab, click **Edit** next to the variable whose accounts you want to be displayed in a hierarchy.
 - d. On the variable record, check the **Display Hierarchy** box.
 - e. Click **Save**.
2. Go to Reports > Financial > Country-Specific Reports.
3. Select the same report in step 1a.
4. Click **Show Report**.
5. Check the **Show Individual Accounts** box.

Viewing Country-Specific Reports



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.

You can view all reports that are built using the Country-Specific Reports SuiteApp on the Country-Specific Reports page. These reports include the reports that are provided by Localization SuiteApps such as Contra Account Sheet SuiteApp and France Localization SuiteApp.

On the Country-Specific Reports page, you can do the following actions:

- Display a report.
- View the structure (filters and variables) of the report. You can click on any variable in the report to go to the variable record. There you can edit or delete the variable as necessary.
- Show a list of accounts in a variable.
- Drill-down on an account balance.



Note: This feature only applies to NetSuite accounts that have the Contra Account Sheet SuiteApp installed. For more information, see the help topic [Contra Account Sheet Overview](#).

To view a country-specific report:

1. Go to Reports > Financial > Country-Specific Reports.
2. Select a report from the **Reports** list.
3. Click **Show Report**.
4. To see an overview of the variables in a report, and the accounts included in a variable, click **View Structure**.

If you see variables that are highlighted in red, this means that these variables are undefined. You can click on any variable so that you can edit the variable record. For more information about the actions you can do while viewing the report structure, see [Viewing the report structure](#).

5. To view the list of accounts that make up a balance, check the **Show Individual Accounts**.
6. To drill-down on an account balance, click a value from the list of accounts.

 **Note:** The drill-down feature is only available if you are using the Contra Account Sheet SuiteApp.

When you click on an account balance, the Contra Account Sheets page opens. This page contains detailed transaction-level information for the selected account and period. For more information, see the help topic [Contra Account Sheet Dashboard Management](#).

Viewing a Country-Specific Report's List of Variables

You can find a list of the variables included in a country-specific report on the report's record. If the report isn't locked, you can add or remove variables from the list. In most cases, the reports that are provided by Localization SuiteApps are locked. You cannot add or remove variables in locked reports.

To view a list of variables assigned to a report:

1. Select a report that you would like to view from the **Reports** dropdown list.
2. Click the **Open** button next to the dropdown list.
3. A new CSR-Report page opens.
4. On this page, click the Variables subtab.
5. The CSR-Variable subtab contains a list of variables assigned to this report. If the report isn't locked (which is the case with original NetSuite reports delivered by the Localization SuiteApps), you can also use this list to add or remove variables to this report (or to edit the existing ones).

Deleting Country-Specific Report Records

This help topic is about deleting records that you created with the Country-Specific Reports SuiteApp. These records include a report or variable record.

 **Note:** In most cases, the reports that are provided by Localization SuiteApps are locked. You cannot delete locked reports as well as the variables and filters in these locked reports.

To delete a report, filter, or variable:

1. Go to Customization > List, Records, & Fields > Record Types.
2. Find the appropriate record that you want to delete:
 - a. If you are deleting a report, find CSR - Report.
 - b. If you are deleting a variable, find CSR - Variable.
3. Click **List** on the row of the record type where you want to delete a record.
4. Click **Edit** next to the name of the variable or report that you want to delete.
5. Click the **Actions** dropdown arrow and click **Delete**.
6. Click **OK** to confirm.

You cannot delete any record that has dependent records. For example, you cannot delete a report that still contains variables or filters. In the same way, you cannot delete a variable that is referenced in a report or in another variable. You need to delete the dependent records first.

You can also consider inactivating a report or variable record. Inactive variables won't be used in the reports. Inactive reports are not visible on the Country-Specific Reports page. For more information, see [Inactivating Country-Specific Report Records](#).

Inactivating Country-Specific Report Records

You may consider inactivating a variable or report record instead of deleting these records. This way, the records are kept and may still be used in the future. Inactive variables won't be used in reports. Inactive reports won't be visible on the Country-Specific Reports page.

To inactive a country-specific report record:

1. Go to Customization > List, Records, & Fields > Record Types.
2. Find the appropriate record that you want to delete:
 - a. If you are deleting a report, find CSR - Report.
 - b. If you are deleting a variable, find CSR - Variable.
3. Click **List** on the row of the record type where you want to delete a record.
4. Click **Edit** next to the name of the variable or report that you want to delete.
5. Check the **Inactive** box.
6. Click **Save**.

Working with Reports



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.

The following chapters provide information about additional report-related actions:

Importing reports

The easiest way to add new, previously created reports to the Country-Specific Reports SuiteApp, is to use the CSV import. It is necessary to have three separate CSV files prepared for each new report (with variables, filters, and the report itself). To learn more about CSV imports in NetSuite system, see the help topic [CSV Imports Overview](#).



Note: The import of a report CSV file must be always performed first. This will let other imports (variables and filters) refer to this newly created report.

Copying reports

If you don't want to create new reports, you can use those already existing and edit them. Original reports delivered by NetSuite Localization SuiteApps are locked, so it is impossible to modify them. However, it is possible to create their copies and edit them as needed.

To make copies of existing reports:

1. Go to Reports > Financial > Country-Specific Reports, use the dropdown list to select a report that you would like to copy, and click the Open button next to the dropdown list.
2. On the report screen, click the **Copy Full Report** button.

3. The new report screen appears and the copying process starts. It takes several minutes to accomplish (depending on the number of records related to this particular report). The process status (the number of records already copied) can be seen in the notification in the upper part of the screen. You can use the Reload this page link in this notification to update the progress.
4. Once all related records are successfully copied and the whole process is over, a new notification appears in the upper part of the screen. It informs you if the process has been successful or not. You'll also receive an email notification.
5. If the copied report has been created successfully, you can start editing its records straight away.

Instructions and recommendations for copying reports

- During the process of copying, don't edit the original report. If you do so, some records (for example, variables) might be left out from the copy. Wait for the process of copying to finish.
- You can only copy one report at the same time. If you try to start another copying, your action will fail. Wait for the first process to finish.
- The copied report keeps the original report name but a **_copy** suffix is added to it. It is allowed to have multiple copied reports with the same name (because they are still distinguishable by their unique IDs). Still, since the report copies are always adjustable, they can be easily renamed.

Viewing the report structure

The Report Structure feature enables you to show the structure of any report created by the Country-Specific Reports SuiteApp. Instead of the report itself, you'll display the overview of all variables that this report contains, as well as the accounts used by these variables, their numbers, and other additional information. You can also apply several filters to this overview to filter out variables using a certain account or accounts of a certain type. The main purpose of the Report Structure feature is to help you to identify potential trouble spots in your reports (for example, accounts not included in any of the report variables or accounts included multiple times).

To display the structure of a report:

1. Go to Reports > Financial > Country-Specific Reports.
2. From the **Reports** dropdown list, select a report which structure you would like to view.
3. Click the **View Structure** button.

In the Report Structure dashboard, you can use several buttons to perform basic actions:

- **Refresh** - Always click this button after adjusting the filters. This will apply the filters and change the content of the report structure overview (variables, accounts, and so on) accordingly.
- **Clear Filters** - Click this button to reset all filters that you have previously adjusted (for example, if you want to start adjusting them anew).
- **Show Report** - Currently, you are only viewing the structure of the report that you have selected. You can click this button to display the report itself.
- **Select Report** - Click this button to go back to the Country-Specific Reports dashboard. In this dashboard, you can select another report to display (or to view its structure).

Available filters and additional fields

The View Data section and the Filter section contain several fields adjusting the appearance of the report structure overview and several filters applicable to this overview. Note that after adjusting any of these fields, you must also click the **Refresh** button for the changes to take effect.

The View Data section contains the following field:

- **Show variable Cell ID** - The Cell ID is a unique identifier of each variable in a report. It assigns the variable to a particular cell of your report template. If you want to see each variable's Cell ID in the report structure overview, check this box and click the **Refresh** button. This will add the new Variable Cell ID column to the overview. To learn more about variables in the Country-Specific Reports SuiteApp and their Cell IDs, see [Variables in Country-Specific Reports](#).

The Filters section contains the following filters:

- **Subsidiary** - Use this filter to select a subsidiary; in the report structure overview, you'll only see accounts relevant to this subsidiary. By default, the Parent Company is selected (or the highest subsidiary, if you don't have the permission to access the Parent Company).
- **Account number/prefix** - Use this field to filter out accounts with a specific number or prefix and display them in the report structure overview. This way, you can quickly determine whether a certain account is included in this report or not. Note that the prefix always represents the first digits of an account number. For example, if you enter 1000 into this field, you'll filter out an account with the number 1000 (exact match) but also accounts 10000, 1000123, 1000a, and so on.
- **Account type** - Use this list to select one or multiple account types that you want to filter out and view. Account types that are not selected won't be displayed. This enables you to check whether an allocated account is relevant to this report or not (as some account types are not used by certain reports). If you want to select more than one account type, click their names while holding Ctrl key (or Cmd key on Mac keyboards). If you don't select any account type from this list, all account types will be automatically displayed. To learn more about the existing account types, see the help topic [Account Types and Intercompany Transactions](#).

Report structure overview

This section displays variables that this report contains, as well as the accounts used by these variables, their numbers, and other additional information. To make the overview more specific (for example, to display only variables using account with a certain number or accounts of a certain type), use filters available in the Filters section above.

 **Note:** Accounts not included in any of the report variables are displayed in the **Not included in variable** section on the bottom of the overview.

The report structure overview is split into the following columns:

- Variable title - Displays the name of each variable. Click it to access the variable record (see [Variables in Country-Specific Reports](#)).
- Variable Cell ID (Optional) - Displays the Cell ID of each variable. The Cell ID is a unique identifier of each variable in a report. To add this column to the report structure overview, check the **Show variable Cell ID** box in the View Data section and click the **Refresh** button.
- Account number in report context - If this report uses an accounting context, this column displays the number of each account in this context. If no accounting context is in use, this number remains the same as the standard account number. For more information, see the help topic [Accounting Contexts](#).
- Account number - Displays the number of each account (from the Chart of Accounts).
- Account name - Displays the name of each account (from the Chart of Accounts). Click this name to view the account's details.
- Account type - Displays the type of each account (for example, Equity or Expense). To learn more about the existing account types, see the help topic [Account Types and Intercompany Transactions](#).
- Inactive account - Displays if the account is inactive (Yes) or active (No).
- Condition applied - Displays the variable filter (condition) applied to the account or remains empty if no condition is used. Conditions can be applied to accounts if you want certain values to be added or subtracted only under specific conditions (specific account balance). The following types are available: Less than, Less than or equal to, Greater than, Greater than or equal to.

Exporting Country-Specific Reports



Important: The Country-Specific Reports SuiteApp will no longer receive feature enhancements. Support will still be provided to issues but no new features will be added.

You can export to PDF any report that you created using the Country-Specific Reports SuiteApp. The PDF file will contain the same report structure as it is viewed on the Country-Specific Reports page.

For information about exporting a report to other formats, see [Exporting Country-Specific Reports to Non-PDF Formats](#).

To export a country-specific report to PDF:

1. Go to Reports > Financial > Country-Specific Reports.
2. From the Report list, select the report that you want to export.
3. Click **Show Report**.
4. Edit the filters as necessary.
5. Click **Show Report** again to refresh the report and display the new values based on the adjusted filters.
6. Click **Export to PDF**.



Note: If you want to change the structure (such as the variables and columns) of your exported report, you can customize the export template and upload this template to the NetSuite File Cabinet. For more information, see

Exporting Country-Specific Reports to Non-PDF Formats

You can export a report, which you created using the Country-Specific Reports SuiteApp, to a format other than PDF such as CSV or XML. When exporting to non-PDF formats, you need to create your own custom export template.

For more information, see the following topics:

- [Creating a Custom Template for Exporting Country-Specific Reports](#)
- [Uploading the Custom Template for Exporting Country-Specific Reports](#)

Creating a Custom Template for Exporting Country-Specific Reports

Use this procedure if you want to export a report (that is created using the Country-Specific Reports SuiteApp) to CSV or XML format. In this procedure, you'll create a custom template that will define the structure of your file export.

You can create a custom template file with any HTML or XML editor of your choice. Save the template file in HTML or XML format. In this template file, you can define the variables that you want to export into the report.

For example, you have the following variable that you want to include in the file export of a specific report:

- **Internal ID** - 135
- **Name** - Sales of Goods
- **Cell ID** - FrenchIS_FC

■ Report - France SIG

See how this variable is included in the following sample custom templates:

- [Custom Template for CSV Export](#)
- [Custom Template for XML Export](#)

Example 1. Custom Template for CSV Export

Include the internal ID of the variable, the variable name and value, separated by ;. Use a delimiter for the text, such as quotation marks (""), comma (,), or semicolon (;) as such:

Internal ID; "Text"; Value

so the code looks like the following:

```
1 | 1; "${VAR.VARIABLE.name}"; ${VAR.VARIABLE.value}
```

Replace VARIABLE with the Cell ID of the variable. You can find the Cell ID in the variable record. To view a variable record, go to Customization > Lists, Records & Fields > Record Types, and click **List** next to CSR – Variable.

Using the mentioned example variable, your code should include:

```
1 | 135; "${VAR.FrenchIS_FC.name}"; ${VAR.FrenchIS_FC.value}
```

Example 2. Custom Template for XML Export

```
1 | <?xml version="1.0" encoding="UTF-8"?>
2 | <report>
3 |   <cells>
4 |     <cell>
5 |       <title>REPORT NAME</title>
6 |     </cell>
7 |     <cell>
8 |       <text>
9 |         ${VAR.VARIABLE.name}
10 |       </text>
11 |       <val>
12 |         ${VAR.VARIABLE.value}
13 |       </val>
14 |     </cell>
15 |     <cell>
16 |       <sys>
17 |         ${SYS.companyname}
18 |       </sys>
19 |     </cell>
20 |   </cells>
21 | </report>
```

Replace REPORT NAME with the title of your report.

Replace VARIABLE with the Cell ID of the variable. You can find the Cell ID in the variable record. To view a variable record, go to Customization > Lists, Records & Fields > Record Types, and click **List** next to CSR – Variable.

Using the mentioned example variable, your code should include:

```
1 | <cell>
2 |   <text>
3 |     ${VAR.FrenchIS_FC.name}
4 |   </text>
5 |   <val>
6 |     ${VAR.FrenchIS_FC.value}
7 |   </val>
8 | </cell>
```

After creating the custom template, you must upload the file to NetSuite. For more information, see [Uploading the Custom Template for Exporting Country-Specific Reports](#).

Uploading the Custom Template for Exporting Country-Specific Reports

After creating a custom template for your file export, you must upload the template to the File Cabinet in NetSuite.

To upload a custom template:

1. Upload the custom template file to the File Cabinet:
 - a. Go to Documents > Files > File Cabinet:
 - b. Click the folder to where you want to store your custom template.
 - c. Click **Add File**.
 - d. In your computer drive, select the custom template file.
2. Set your custom template file as the export template for a specific report:
 - a. Go to Customization > Lists, Records, & Fields > Record Types.
 - b. Click **List** next to **CSR – Report**.
 - c. Click **Edit** next to the country-specific report that you want to have a CSV or XML export option.
 - d. Go to the **Exports** subtab.
 - e. In the Name field, enter an identifying label for your export. The name you enter here will be displayed as a button on the Country-Specific Reports page.
For example, if, under Name, you wrote **CSV**, on the Country-Specific Reports page, a button **Export to CSV** is added.
 - f. From the Format list, select CSV, XML, or PDF.
 - g. In the Template field, click the double arrow. Select the template file that you uploaded to the File Cabinet.
 - h. Click **Add**.
 - i. Click **Save**.