



ORACLE
NetSuite

Custom Centers



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Custom Centers 1
 - Creating and Editing Custom Centers 2
 - Creating Center Tabs 3
 - Creating Center Categories 6
 - Creating Center Links 7
 - Assigning a Custom Center to a Custom Role 10

Custom Centers

Administrators and users with Custom Centers permissions can create and apply custom centers to custom roles. To use the Custom Centers feature, you need to enable the Custom Records feature, at Setup > Company > Setup Tasks > Enable Features > SuiteCloud.

NetSuite Centers determine which tabs and links are available for groups of similar user roles. For example, the Sales Center is used by the Sales Rep, Sales Manager, and Sales Administrator roles and includes tabs like Leads, Opportunities, and Forecast. For a visual representation of a center, see the help topic [Centers](#) in the [Customization Overview](#) section.

Each tab contains links to transactions, lists, and setup pages, which are determined by the user's role and permissions for that role. For example, users assigned to the Sales Rep role would not see the same links on the Forecast tab as users with the Sales Administrator role because of permissions granted to each role. However, both roles share the Sales Center.

To create a custom center, you create a center record and then create its custom tabs. When you create custom tabs, you choose the center where you want the tab to appear. The center can be either an existing or custom center. You also choose the links and portlets that will appear in the center. You can customize centers and tabs only if the Custom Records feature is enabled.

 **Note:** Users can use only links and information that their roles have access to. To customize roles, go to Setup > Users/Roles > Manage Roles. You must create a new role to apply a custom center to it. To create a new role, click New on the Manage Roles page, select your custom center in the Center Type field and customize your new role.

Note that newly enabled feature menu items aren't automatically added to custom centers. You must manually add menu items to custom centers after a feature is enabled.

 **Important:** SuiteScript doesn't support direct access to the NetSuite UI through the Document Object Model (DOM). You should access the NetSuite UI only by using SuiteScript APIs. For information about using SuiteScript APIs to customize the UI, see the help topic [SuiteScript 2.x Custom Pages](#).

Custom Centers are supported in SuiteCloud Development Framework (SDF). SDF is a development framework that you can use to create SDF SuiteApps, or to customize NetSuite accounts, using an integrated development environment (IDE) on your local computer. SuiteCloud projects are file-based and use XML definitions of custom NetSuite objects. For more information, see the help topic [SDF Custom Object and File Development in SuiteCloud Projects](#).

Account-Specific Domains in Custom Center Links

You should use URLs that include account-specific domains in all custom center links.

In the past, NetSuite domains contained an identifier of the data center where your account was hosted. Links in custom centers used these data center-specific domains. NetSuite domains no longer include data center identifiers. Instead, the domain identifies your account, not to the data center where your account is hosted. These are called account-specific domains.

When you create custom center links, if you attempt to add a URL that includes a data center-specific domain, a warning message appears. The warning suggests an alternative URL with an account-specific domain. You should make the suggested change. If you do not make the change, the URL as you entered it is saved.

Currently, a data center-specific domain in the URL will automatically be modified to an account-specific domain in the NetSuite center. The automatic modification from a data center-specific domain to your account-specific domain is applied to your active session. The configuration of the URL does not change. Links that use account-specific domains are faster than links modified in the current session. You should update all links in custom centers to use your account-specific domain.

See the following topics.

- [Creating and Editing Custom Centers](#)
- [Creating Center Tabs](#)
- [Creating Center Categories](#)
- [Creating Center Links](#)
- [Assigning a Custom Center to a Custom Role](#)

Creating and Editing Custom Centers

You can create custom centers for custom roles to tailor the experience. After creating a custom center, you can add tabs and links, define the order of tabs, and translate labels.

You need to enable Custom Records to customize centers.

See the following sections:

- [Creating a Custom Center](#)
- [Entering Translation Labels for a Custom Center](#)
- [Changing the Order of Tabs in a Custom Center](#)
- [Managing Centers with SuiteCloud Development Framework \(SDF\)](#)

Creating a Custom Center

To create a custom center:

1. Go to Customization > Centers and Tabs > Centers > **New**.
2. In the **Label** field, enter a name for the center.
3. In the **ID** field, enter an internal ID for the center, if required.
4. Click **Save**.

Entering Translation Labels for a Custom Center

After you create and save a custom center, you can edit the center to define translated labels.

To translate labels in a custom center:

1. On the **Centers** list page, click **Edit** next to the center you want to define translations for.

2. On the **Translation** subtab, enter the translated labels.
3. Click **Save**.

For more information about translating languages, see the help topic [Configuring Multiple Languages](#).

After you've created a custom center, you can add tabs and links for the center. You can create a custom tab from the following locations:

- [Creating Center Tabs](#)
- [Creating Center Categories](#)

Changing the Order of Tabs in a Custom Center

From the Centers page, you can change the order of the tabs in a custom center. The definition page for the center lists the tabs in the order in which they are displayed. To change the order, select a tab listing and drag it to another place in the order. Or select a tab listing and click **Move to Top** or **Move to Bottom**.

Managing Centers with SuiteCloud Development Framework (SDF)


You can use SuiteCloud Development Framework (SDF) to manage custom centers as part of file-based customization projects. For information about SDF, see the help topic [SuiteCloud Development Framework](#). You can use the Copy to Account feature to copy an individual custom center to another of your accounts. Each custom center page has a clickable Copy to Account option in the upper right corner. For information about Copy to Account, see the help topic [Copy to Account](#).

Creating Center Tabs

Administrators and users with the Custom Center Tabs permission can create center tabs.

Add custom tabs to roles using center tabs. Center tabs can include categories of links to NetSuite pages, custom records, Suitelets, or external web pages. You can also designate which portlets you want to appear on the dashboard when users click the tab. You need to enable Custom Records to customize center tabs.

In the following screenshot, the tabs are Documents, Setup, Customization, and Support. Off the Documents tab, the categories are Files, Templates, and Mail Merge. Off the Files category, the links to the File Cabinet are the SuiteScripts, Attachments Received, and so on.



If you want to create a tab that displays internal information in your account, you should create your own custom intranet tab. For more information, see the help topic [Publishing Information to an Internal Site](#).

To create a center tab:

1. Go to Customization > Centers and Tabs > Center Tabs > New.

2. In the **Label** field, enter a name for the tab.
Users click the name to view the contents of the tab.
3. From the **Center** list, select where you want to add the tab.
If you want to show the tab in all centers, select **-All-**.

Note: If you create a custom center tab and specify that it be shown in all centers, it will not appear in a dashboard that is already published.

4. Click the **Content** subtab. Then, on the **Categories** subtab, enter a name for a category of links in the **Name** column. After creating the categories, you will later follow the steps in [Creating Center Links](#) to assign specific links to each category.

Warning: This step is for adding custom categories to custom tabs. If you want to add custom categories to standard, built-in NetSuite tabs, see [Creating Center Categories](#).

5. Click **Add**.
6. Add all the category links that should appear on the tab.
7. Click the **Portlets** subtab.
8. In the **Type** column, add **Links**.
9. In the **Column** column, enter left, right, or center to define the location where the portlet appears on the tab.
10. To have the link show, check the **Show** box.
11. Click **Add**.
12. Add all the required portlets to the tab.
13. Click the **Audience** subtab.

14. Define who can access the custom center. For each area, you can make the custom center available to all by checking the **Select All** box. Indicate the areas that have access. You can specify:
 - roles
 - employees – giving permission to specific employees could create extra maintenance requirements when employees change roles or leave the company. The best practice is to assign a custom center to a role instead of directly to an employee.
 - departments
 - groups
 - customers
 - vendors
 - partners
15. On the **Translation** subtab, enter translated labels for the custom center tab. The Translation subtab is available only if the Multi-Languages feature is enabled in your account. For more information, see the help topic [Configuring Multiple Languages](#).
16. Click **Save**.
17. Next, add links to the categories. See [Creating Center Links](#) for details.

For information about changing the order of tabs, see [Changing the Order of Tabs in a Custom Center](#).

Note: If you return to the tab and do not see the changes you have made, clear your browser cache.

You can use SuiteCloud Development Framework (SDF) to manage center tabs as part of file-based customization projects. For information about SDF, see the help topic [SuiteCloud Development Framework](#). You can use the Copy to Account feature to copy an individual center tab to another of your accounts. Each center tab page has a clickable Copy to Account option in the upper right corner. For information about Copy to Account, see the help topic [Copy to Account](#).

You can also use the Dashboard Tiles SuiteApp to create a dashboard with tiles that display your business critical KPIs in a bold visual layout with images and blinking alerts. For more information about the Dashboard Tiles SuiteApp, see the help topic [Dashboard Tiles](#).

Creating Center Categories

Administrators and users with the Custom Center Categories permission can create center categories.

Use the following steps to add custom categories to standard, built-in NetSuite tabs. After creating custom categories for standard tabs, you can then add links to each category. The links can go to NetSuite pages, custom records, Suitelets, or external websites. You need to enable the Custom Records feature to customize center categories.

Note: To add custom categories to custom tabs, see [Creating Center Tabs](#). On the Categories subtab, in the Label column, enter a name for a category of links. After creating the categories, you will later follow the steps in [Creating Center Links](#) to assign specific links to each category.

To add custom categories to standard tabs:

1. Go to Customization > Center and Tabs > Center Categories > **New**.

Center Category More

Save **Cancel**

Label *
Contact Details

ID
_contact_detail

Center Type *
CC Sales Representative Center

Center Tab *
New Leads

Insert Before

Values **Translation**

Remove all **Add Multiple**

Link *	Label	Translation	Short List
New Corporate Leads	New Corporate Leads		
Customer Profile	Customer Info		
Referrer			

<Type then tab>

Add **Cancel** **Insert** **Remove** **Move Up** **Move Down** **Move To Top** **Move To Bottom**

2. On the Center Category page, complete the following steps:
 - a. In the **Label** field, enter a category name.
 - b. In the **ID** field, enter an ID for the category, if required.
 - c. From the **Center Type** list, select an existing center.
 - d. From the **Center Tab** list, select one of the standard, built-in NetSuite tabs (also referred to as sections).
 - e. From the **Insert Before** list, select where to insert the custom category.
3. On the **Values** subtab, in the **Link** list, select the appropriate link.

Available links include NetSuite pages, custom records, Suitelets, and external websites. Links to NetSuite pages, custom records, and Suitelets appear by default.

To select a link to an external website, you must have already created that link by going to Customization > Centers and Tabs > Center Link. See [Creating Center Links](#) for details. After the link is created, the link appears in the **Link** list.

4. In the **Label** field, enter a UI label for the link.
5. The short list setting is applicable to some center types. In the **Short List** column, to indicate that the link should appear in a portlet when the link is in a narrow column of the dashboard, check the box.
6. Click **Add**.
7. Click **Save**.
8. On the **Translation** subtab, enter translated labels for the category. The Translation subtab is available only if the Multi-Languages feature is enabled in your account. For more information, see the help topic [Configuring Multiple Languages](#).

 **Note:** If you return to the tab and do not see the changes you have made, clear your browser cache.

You can use SuiteCloud Development Framework (SDF) to manage custom center categories as part of file-based customization projects. For information about SDF, see the help topic [SuiteCloud Development Framework](#). You can use the Copy to Account feature to copy an individual custom center category to another of your accounts. Each custom center category page has a clickable Copy to Account option in the upper right corner. For information about Copy to Account, see the help topic [Copy to Account](#).

Creating Center Links

Administrators and users with the Creating Center Links permission can create center links.

You can create links for your custom categories as well as for standard NetSuite categories. Center links can go to other pages within NetSuite (including public saved searches for which a role has access), custom records, Suitelets, or external websites. You need to enable the Custom Records feature to customize center links.

You can create links to NetSuite pages and web pages. For more information, see [Creating Links to NetSuite Pages](#) and [Creating Links to Web Pages](#).

Creating Links to NetSuite Pages

You can create center links to NetSuite pages.

To create links to NetSuite pages, custom records, and Suitelets:

1. Go to Customization > Centers and Tabs > Center Categories.
2. On the **Center Categories** list page, click **Edit** next to the category where you want to add links. On the **Center Categories** list page, click Edit next to the category where you want to add links.

Center Category More

Save **Cancel**

Label *
Contact Details

ID
_contact_detail

Center Type *
CC Sales Representative Center

Center Tab *
New Leads

Insert Before

Values **Translation**

Remove all **Add Multiple**

Link *	Label	Translation	Short List
New Corporate Leads	New Corporate Leads		
Customer Profile	Customer Info		
Referrer			

<Type then tab>

Add **Cancel** **Insert** **Remove** **Move Up** **Move Down** **Move To Top** **Move To Bottom**

- On the **Values** subtab, from the **Link** list, select the NetSuite page, custom record, or Suitelet to link to. Use an account-specific domain for NetSuite page links. For more information, see [Account-Specific Domains in Custom Center Links](#)

Note: For custom records, you can also create links using the Links subtab on the Custom Record Type definition page. To have a link appear on a standard category, you must set the link on the Custom Record Type definition page. Also, to copy the center link and custom record to another account, you must set the link on the Custom Record Type definition page. See the help topic [Creating Links to Custom Records](#) for details. Note that a link to a custom record type does not display for users who do not have permission to access that custom record type.

- In the **Label** field, enter a UI label for the link. The label appears off to the side of the category in the UI.
- Use the short list setting for eligible center types. In the **Short List** column, you can indicate that the link should appear in a portlet when the link is in a narrow column of the dashboard. To do so, check the box.

Note: If the link is on a custom tab, the short list setting does not control whether the link is included on the links portlet. For custom tabs the link is always included.

- Click **Add**.

Note: The link will open in the existing window. You cannot set up a link to open in a new window.

- On the **Translation** subtab, enter translated labels for the custom link. The Translation subtab is available only if the Multi-Languages feature is enabled in your account. For more information, see the help topic [Configuring Multiple Languages](#).
- For centers that support it, you can indicate that the link should appear in a portlet when the link is in a narrow column of the dashboard. To do so, check the **Short List** column box. Note that for custom tabs, the link always displays on the links portlet regardless of the Short List setting.

9. Add and reorder values as needed. To change the order, select an item in the list and drag it to another place in the order. Or select a item and click **Move Up**, **Move Down**, **Move to Top**, or **Move to Bottom**.
10. Click **Save**.

Creating Links to Web Pages

You can create center links to web pages.

To create links to web pages:

1. Go to the website or NetSuite page for which you want to create a link. Right-click the address bar and select **Copy**.
2. Go to Customization > Centers and Tabs > Center Links > New.

Label *	URL *
New User Interface	https://system.netsuite.com/help/helpcenter/en_US/Output/Help/SetupConfiguration/UserExperience/UEupdates_Version_2010_Release_2_User_Interface_Overview.html?NS_VER=2010.2.0
Bowling	www.googlemaps.ca
Cards	https://system.netsuite.com/app/crm/common/merge/emailtemplates.nl?whence=
Hiking	https://system.netsuite.com/app/common/entity/employeeelist.nl?whence=
Form Layout Enhancements	https://system.netsuite.com/help/helpcenter/en_US/Output/Help/SetupConfiguration/UserExperience/UEupdates_Version_2010_Release_2_User_Interface_Overview.html?NS_VER=2010.2.0#1111021
Baseball	https://563214.app.netsuite.com/app/common/entity/employeeelist.nl?whence=
Employee Search Test	https://563214.app.netsuite.com/app/common/search/search.nl?searchtype=Employee&whence=
Dashboard	app.farapp.com
Manage Translations	https://563214.app.netsuite.com/app/translations/ui/managetranslations.nl?whence=
Form Deployment	https://system.netsuite.com/help/helpcenter/en_US/Output/Help/SuiteFlex/Customization/Forms_CustomForms_2.html?NS_VER=2010.2.0
Go to the Web	www.google.com target="_blank"

3. In the **Label** column, name your custom link.
4. In the **URL** column, enter the URL for the link.
5. In the **Script ID** field, enter a unique alphanumeric ID for the custom center link.
6. Click **Add**.

Note: The link will open in the existing window. You cannot set up a link to open in a new window.

7. Click **Save**.
8. To add the link to a custom category, go to Customization > Centers and Tabs > Center Categories.
9. Click **Edit** next to the category where you want to add the link.

Center Category Copy to Account More

Save Cancel Change ID Actions

Label *

ID
 custcentercategory_contact_detail

Center Type
 CC Sales Representative Center

Center Tab
 New Leads
 Insert Before
 - Unchanged -

Values **Translation**

Remove all Add Multiple

Link *	Label	Translation	Short List
☐ New Corporate Leads	New Corporate Lead		
☐ Customer Profile	Customer Info		
☐ Referrer	Referral		
☐ Manage Translations	Manage Translations		

<Type then tab>

✓ Add ✕ Cancel + Insert 🗑 Remove ⬆ Move Up ⬇ Move Down ⬅ Move To Top ➡ Move To Bottom

- From the **Link** list, select the custom link label.
- Click **Add**.
- Click **Save**.

Note: On the **Translation** subtab, enter translations for the custom center link. The Translation subtab is available only if the Multi-Languages feature is enabled in your account. For more information, see the help topic [Configuring Multiple Languages](#).

Assigning a Custom Center to a Custom Role

You can assign the custom center to a custom role.

Note: You can assign a custom center only to a new custom role. If you customize an existing NetSuite role, NetSuite uses the standard center.

To assign a custom center to a custom role:

- Go to Setup > User/Roles > Manage Roles > New > New.
- In the **Name** field, enter a name for the new role.
- In the **ID** field, enter an ID for the new role, if required.
- From the **Center Type** list, select the custom center that you created.
- Complete all required settings for the new role. For information, see the help topic [Customizing or Creating NetSuite Roles](#).
- Click **Save**.

Important: After you've created and saved a custom role, you can't change the center assigned to that role.

Testing a New Custom Center

Test your custom center by assigning the new role to yourself and switching to it.

To test a new custom center:

1. Go to List > Employees > Employees.
2. Click **Edit** next to your name.
3. Click the **Access** subtab.
4. From the **Role** list, select the new role that you created.
5. Click **Add**.
6. Click **Save**.
7. Switch to your new role. For information, see the help topic [Roles and Accounts](#). The dashboard for the role appears with your custom center.
8. Test the links in your new custom center.