



ORACLE
NetSuite

Customer Lifetime Value



2025.2

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Customer Lifetime Value	1
Installing Customer Lifetime Value	1
Prerequisites for Customer Lifetime Value	2
Customer Lifetime Value SuiteApp Permissions	2
Customer Lifetime Value Setter Script	2
Scheduling the Customer Lifetime Value Setter Script	3
Manually Running the Customer Lifetime Value Setter Script	3
Map/Reduce Saved Searches for Customer Lifetime Value	4
Viewing the Customer Lifetime Value	4

Customer Lifetime Value

Overview

Customer Lifetime Value SuiteApp identifies premier customers based on the value of transactions. It provides valuable information when analyzing customer base in terms of dollars spent. You can use this SuiteApp for targeted marketing efforts and customer satisfaction strategies, such as promotional campaigns and loyalty programs.

After you install Customer Lifetime Value, it creates a field in the customer record that displays the total revenue for a customer. The Customer Lifetime Value field amount is calculated as total cash sales plus invoices minus credit memos and cash refunds. The calculation of the amount depends on the script's default parameters, which you can change in the saved search criteria.

This SuiteApp is available in all languages that NetSuite supports. For more information, read the help topics [Configuring Multiple Languages](#) and [Choosing a Language for Your NetSuite User Interface](#).

Availability

Customer Lifetime Value is a public and managed SuiteApp. Since it's a managed SuiteApp, NetSuite automatically updates it whenever there are enhancements or new features.

For instructions on installing the SuiteApp, see [Installing Customer Lifetime Value](#).

To get you started in using Customer Lifetime Value, read the following topics:

- [Installing Customer Lifetime Value](#)
- [Prerequisites for Customer Lifetime Value](#)
- [Customer Lifetime Value SuiteApp Permissions](#)
- [Customer Lifetime Value Setter Script](#)
 - [Scheduling the Customer Lifetime Value Setter Script](#)
 - [Manually Running the Customer Lifetime Value Setter Script](#)
- [Map/Reduce Saved Searches for Customer Lifetime Value](#)
- [Viewing the Customer Lifetime Value](#)

Installing Customer Lifetime Value

To install the Customer Lifetime Value SuiteApp:

1. Go to Customization > SuiteBundler > Search & Install Bundles.
2. On the Search & Install Bundles page, use the following information to search for the SuiteApp:
 - **Bundle Name:** Customer Lifetime Value
 - **Bundle ID:** 254383
3. Click **Customer Lifetime Value** to display its Bundle Details page.
For more information, see the help topic [Bundle Details](#).
4. Click **Install**.

If you're prompted, let NetSuite automatically upgrade the SuiteApp when updates become available. During installation, click **Refresh** to get the latest status.

After you install the SuiteApp, you'll see the **Customer Lifetime Value** field in the customer record. This field is initially blank until you schedule or manually run the **Customer Lifetime Value Setter** script. For more information, see [Customer Lifetime Value Setter Script](#).

The following table lists the minimum permission level required to view the Customer Lifetime Value field.

Permission	Minimum Permission Level
Customers	View

Prerequisites for Customer Lifetime Value

Before installing Customer Lifetime Value, an administrator must enable the following required features:

Subtab	Feature
SuiteCloud	Custom Records
	Client SuiteScript
	Server SuiteScript

For information about enabling features, read the help topic [Enabling Features](#).

Customer Lifetime Value SuiteApp Permissions

By default, only users with an Administrator role can do the following actions for the Customer Lifetime Value (CLV) saved search and script:

Action	Permission	Minimum Permission Level
View CLV saved search on the portlet	Customers	View
Run CLV Map/Reduce script	SuiteScript	Full
Schedule CLV Map/Reduce script	SuiteScript	Edit

The Administrator can give other roles access by setting the right permissions. For information about customizing roles, see the help topic [Customizing or Creating NetSuite Roles](#).

Customer Lifetime Value Setter Script

The **Customer Lifetime Value** field is initially blank until you schedule or manually run the **Customer Lifetime Value Setter** script. The script calculates the Customer Lifetime Value amount and populates the **Customer Lifetime Value** field in the customer record. For more information about running the script, read the following topics:

- [Scheduling the Customer Lifetime Value Setter Script](#)
- [Manually Running the Customer Lifetime Value Setter Script](#)

Scheduling the Customer Lifetime Value Setter Script

You can schedule the **Customer Lifetime Value Setter** script to run daily, weekly, monthly, yearly, or as a single event. You can also set the start date and time, and set an end date if desired.

To schedule the Customer Lifetime Value Setter script:

1. Go to Customization > Scripting > Scripts.
2. Look for **Customer Lifetime Value Setter** and click **View**.
3. On the **Deployments** subtab, click **Customer Lifetime Value Setter**.
4. On the Script Deployment page, click **Edit**, go to the **Schedule** subtab, and set your preferred schedule.



Note: Only set the script schedule to run during off-peak hours. See the help topic [Scheduling a Map/Reduce Script Submission](#).

5. Go to the **Parameters** subtab and select the appropriate Customer Lifetime Value (CLV) map/reduce saved search from the **Map Reduce Saved Search** list:
 - **CLV MR Saved Search Exclude Inactive Customers** – This saved search updates the Customer Lifetime Value field for all customers, except those that are Inactive. This is selected by default.
 - **CLV MR Saved Search Include Inactive Customers** – This updates the Customer Lifetime Value field for all customers.
6. Check the **Write Results** box to display the number of customers already processed by the script. Clear the **Write Results** box to include only the script log.
7. Click **Save**.

To view the list of processed customers in the custom record, go to Customization > Lists, Records, & Fields > Record Types. On the Record Types page, locate **CLV MR Customer Lifetime Value Results**, and click **List**.

For more information about the map/reduce saved searches for CLV, see [Map/Reduce Saved Searches for Customer Lifetime Value](#).

Manually Running the Customer Lifetime Value Setter Script

You can schedule the **Customer Lifetime Value Setter** script to run at any interval — daily, weekly, monthly, yearly, or as a single event. You can also set the start date, time, and optional end date.

To manually run the Customer Lifetime Value Setter script:

1. Go to Customization > Scripting > Scripts.
2. Look for **Customer Lifetime Value Setter** and click **View**.
3. On the **Deployments** subtab, click **Customer Lifetime Value Setter**.
4. On the Script Deployment page, click **Edit**, and go to the **Parameters** subtab.
5. Select the appropriate Customer Lifetime Value (CLV) map/reduce saved search from the **Map Reduce Saved Search** list:

- **CLV MR Saved Search Exclude Inactive Customers** – This saved search updates the Customer Lifetime Value field for all customers, except those that are Inactive. This is selected by default.
 - **CLV MR Saved Search Include Inactive Customers** – This updates the Customer Lifetime Value field for all customers.
6. Check the **Write Results** box to display the number of customers already processed by the script. Clear the **Write Results** box to include only the script log.
 7. Click **Save and Execute**.
 8. On the Map/Reduce Script Status page, click **Refresh** to verify the status of the script. The **Status** column displays **Complete** after the script has finished running.

To view the list of processed customers in the custom record, go to Customization > Lists, Records, & Fields > Record Types. On the Record Types page, locate **CLV MR Customer Lifetime Value Results** and click **List**.

For more information about the map/reduce saved searches for CLV, see [Map/Reduce Saved Searches for Customer Lifetime Value](#).

Map/Reduce Saved Searches for Customer Lifetime Value

There are two map/reduce saved searches that identify whether inactive customers are included or excluded in the Customer Lifetime Value (CLV) calculation.

- **CLV MR Saved Search Exclude Inactive Customers** – This saved search updates the Customer Lifetime Value field for all customers, except those that are Inactive. This is the default setting.
- **CLV MR Saved Search Include Inactive Customers** – This updates the Customer Lifetime Value field for all customers.

Both saved searches use cash sales, invoices, credit memos, and cash refunds.

The following table identifies excluded transaction types and statuses specified in the default saved search criteria.

Transaction Type	Status
Cash Sale	Unapproved Payment
Invoice	Voided Rejected Pending Approval
Credit Memo	Voided

The default saved search criteria can be modified as necessary. For more information, see the help topic [Saved Searches](#).

Viewing the Customer Lifetime Value

The Customer Lifetime Value is the total revenue generated for a customer.

To view the Customer Lifetime Value:

1. Go to Lists > Relationships > Customers.
2. Look for the customer name and click **View**.
3. Click the **Custom** subtab.

 **Note:** The Customer Lifetime Value field is initially blank and is populated only after you run or schedule the Customer Lifetime Value Setter script. For more information, see [Customer Lifetime Value Setter Script](#).

The Customer Lifetime Value amount displayed is calculated based on valid transactions using the following formula:

Customer Lifetime Value = Total Cash Sale Amount + Total Invoice Amount – Total Credit Memo Amount – Total Cash Refund Amount

The calculation of the amount depends on the saved search used in the parameters of the Customer Lifetime Value Setter script. You can modify these parameters. For more information, see [Map/Reduce Saved Searches for Customer Lifetime Value](#).

 **Note:** If you use the Multiple Currencies feature, the amount in **Customer Lifetime Value** field is shown in the account's base currency.