



ORACLE
NetSuite

Email for Administrators Guide

2025.2

November 12, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

DomainKeys Identified Mail (DKIM)	1
Procedures to Set Up DKIM in Your Production Account	1
Enter Email Domains in NetSuite	2
Set Up CNAME Records in DNS	4
CNAMEs for Existing Email Domains	5
Email Domains (DKIM) FAQ	5
More Information About DKIM	6
FROM Headers in Email Can Be Rewritten	6
Additional Sources of DKIM Information	7
Opportunistic TLS and NetSuite Email	8
Size Limits for Emails and Attachments	9
Email Blocklists and Spamlists	11
DMARC-Compliant Messaging in NetSuite	12

DomainKeys Identified Mail (DKIM)

DomainKeys Identified Mail (DKIM) is a method of digitally signing your email messages to allow authentication. To protect customers from spam, many ISPs check the domain key in an email to determine whether it is spam.

When you're sending email from your NetSuite production account, using your own domain key helps enhance your reputation as a legitimate marketer.



Important: As of NetSuite 2024.1, DKIM setup has changed. NetSuite generates the necessary information (including the naming of the selector) for customers to add two DNS CNAME records at their domain provider's website. These two CNAME records let Oracle NetSuite manage the rotation of DKIM keys. The rotation of DKIM keys is an important security feature.

Only one CNAME record has a DKIM linked. This is an expected behavior.

To create your own domain keys:

- A user with an Administrator role (or the Full level of the Set Up Company permission) must go to the Email Preferences page in NetSuite and set up your email domain on the **Email Domains (DKIM)** subtab.
- A person with DNS experience must use the information generated in NetSuite and go to the website of your domain provider to add two CNAME records to DNS.

After completing the setup in NetSuite and adding CNAME records to DNS at your domain provider, your domain keys will authenticate email messages sent from NetSuite.

This section contains the following topics:

- [Procedures to Set Up DKIM in Your Production Account](#)
 - [Enter Email Domains in NetSuite](#)
 - [Email Domains \(DKIM\) Details Column](#)
 - [Email Domains \(DKIM\) Status Column](#)
 - [Set Up CNAME Records in DNS](#)
- [CNAMEs for Existing Email Domains](#)
- [Email Domains \(DKIM\) FAQ](#)
- [More Information About DKIM](#)
 - [FROM Headers in Email Can Be Rewritten](#)
 - [Additional Sources of DKIM Information](#)



Note: DKIM keys aren't copied to your non-production accounts. You're not required to set up DKIM keys in non-production accounts, although it's possible. Based on the email preferences set in sandbox or Release Preview accounts, email is typically sent only to a specified list of addresses, or to the logged-in user. For more information, see the help topic [Setting Preferences for Sandbox Email](#) or [Setting Preferences for Release Preview Email](#).

Procedures to Set Up DKIM in Your Production Account

Complete all procedures in this section to set up DKIM. The following procedures contain instructions for setting up email domains in your NetSuite production account and for creating the necessary DNS records at your domain provider.

- Only users with an Administrator role or with the Full level of the Set Up Company permission can perform the NetSuite procedure.

Note: You need the Full level of the Set Up Company permission to set up email domains in NetSuite. For more information, see the help topic [NetSuite Permissions Overview](#).

- Have someone with DNS experience set up the DNS records at your domain provider.

Follow these steps to set up email domains:

- Enter [Email Domains in NetSuite](#) on the Email Preferences page.
- Set Up [CNAME Records in DNS](#) with your domain provider.

Enter Email Domains in NetSuite

A user with an Administrator role or a user with the Full level of the Set Up Company permission can enter email domains in NetSuite. NetSuite generates the necessary information for you to create and publish two CNAME records in DNS for each domain and each subdomain you want to send email from.

Note: For more information about campaigns and bulk email, see the help topic [Campaign Email Domains](#).

Repeat the following procedures for each domain and subdomain you want to use for sending email.

To set up Email Domains in your NetSuite account:

- Go to Setup > Company > Email > Email Preferences.
- Click the **Email Domains (DKIM)** subtab.
- In the **Domain Name** field, enter the domain name (or subdomain name) you're using to send email from NetSuite. For example:
 - If you're sending email from jwolfe@wolfeelectronics.com, the domain is wolfeelectronics.com.
 - If you're sending email from jwolfe@marketing.wolfeelectronics.com, marketing.wolfeelectronics.com is the subdomain.

After the setup is complete in NetSuite and at your domain provider, an email address from the domain or subdomain appears in the FROM header of emails sent from NetSuite.

- Click **Save**.

A banner appears containing the information for CNAME records. Use this information to add CNAME records in DNS at your domain provider's website.

Note: Click **Show DNS Info** to view the DNS record information at any time.

- Check the **Status** column for each domain to see its current status. The **Status** field can display the following values:
 - Pending Verification**
 - Requires Action**
 - Ready**

See [Email Domains \(DKIM\) Status Column](#) for more information about each status.
- Check any messages shown in the **Details** column.

See [Email Domains \(DKIM\) Details Column](#) for more information about each message.

7. Complete the following procedure to finish your DKIM setup [Set Up CNAME Records in DNS](#).



Important: If you don't complete the [Set Up CNAME Records in DNS](#), the FROM header of email sent from that domain will continue to be rewritten. See [FROM Headers in Email Can Be Rewritten](#) for more information.

Related Topics

- [Procedures to Set Up DKIM in Your Production Account](#)
- [Set Up CNAME Records in DNS](#)

Email Domains (DKIM) Details Column

You may see the following messages in the Details column on the Email Domains (DKIM) subtab.

For more information about the statuses that can be displayed, see [Email Domains \(DKIM\) Status Column](#).



Note: No messages are displayed in the **Details** column when the **Status** is **Pending Verification**.

Status	Details Message	Description
Requires Action	Please ensure that DNS records are correctly configured.	Indicates that no valid DNS records can be found for this domain. You should add CNAME records to DNS at your domain provider's website.
Ready	This email domain is currently configured with a TXT record in DNS. Do not delete the TXT record, but please create additional CNAME records for this domain with your domain provider.	Alerts you that you should add CNAME records to DNS at your domain provider's website. Note: You'll also see a Warning banner on the Email Preferences page.

Related Topics

- [Enter Email Domains in NetSuite](#)
- [Email Domains \(DKIM\) Status Column](#)

Email Domains (DKIM) Status Column

In the Status column on the Email Domains (DKIM) subtab, the following states are displayed.

- **Requires Action:** You've saved a domain name on the **Email Domains (DKIM)** subtab in NetSuite, but your DNS records need attention.
- **Pending Verification:** The DNS records you added at your domain provider's website are being verified.

Note: If you add your DNS records right after saving your email domain in NetSuite, the **Pending Verification** status usually lasts from 30 minutes to two hours. In some cases, it may take longer for the status to change from **Pending Verification** to **Ready**. If the email domain remains in **Pending Verification** status for more than 24 hours after publishing your DNS records, contact NetSuite Customer Support for assistance.

- **Ready:** Your email domain is verified, and email messages sent from NetSuite are authenticated with your domain keys.
- **Removing:** Your email domain is no longer present in the NetSuite UI, and the system is cleaning it up.

For more information about the messages that can be displayed for each status, see [Email Domains \(DKIM\) Details Column](#).

Set Up CNAME Records in DNS

Important: If you don't set up DNS CNAME records after completing the [Enter Email Domains in NetSuite](#) procedure, the FROM headers of email sent from that domain will continue to be rewritten. For more information, see [FROM Headers in Email Can Be Rewritten](#).

Someone with DNS experience should complete the following procedure.

To set up two DNS CNAME records with your domain provider:

1. Open a new browser window, and log in to your domain provider.

Note: Check your domain provider's documentation for adding a DNS record.

2. Add a DNS record of the type CNAME.
3. Copy the DNS record information from NetSuite and paste it in the record you are adding to DNS.

To view the information generated in NetSuite for the DNS record:

- a. Go to Setup > Company > Email > Email Preferences.
- b. Click the **Email Domain (DKIM)** subtab.
- c. Click the **Domain Name** in the row for which you're adding the DNS record.
- d. Click **Show DNS Info**.
- e. Copy the information in the first row of the popup for the first DNS CNAME record you're adding.
- f. Save the record.

Note: You must add two CNAME records to DNS for each email domain.

- g. Add another record to DNS of the type CNAME.
- h. Copy the information in the second row of the popup in NetSuite for the second DNS CNAME record.
- i. Save the record.

Allow some time for the new DNS records to propagate to all DNS servers, which may take several hours. In some cases, it may take up to 24 hours.

4. In NetSuite, check the **Status** of the email domain. After the DNS records are published, the status changes from **Pending Verification** to **Ready** and the **Details** column will be empty.

For more information, see [Email Domains \(DKIM\) Status Column](#) and [Email Domains \(DKIM\) Details Column](#).

CNAMEs for Existing Email Domains

You may see one of the following messages in the **Details** column on the **Email Domains (DKIM)** subtab:

- Please ensure that DNS records are correctly configured.
- This email domain is currently configured with a TXT record in DNS. Do not delete the TXT record, but please create additional CNAME records for this domain with your domain provider.

Although the cause of these messages is different, the solution is the same. NetSuite contains the necessary information for you to create and publish two CNAME records in DNS for your existing email domains. Use the information in NetSuite to add CNAME records to DNS at your domain provider's website.

A user with an Administrator role or with the Full level of the Set Up Company permission can complete the following procedure.

To obtain the CNAME information for an existing email domain:

1. Go to Setup > Company > Email > Email Preferences.
2. Click the **Email Domains (DKIM)** subtab.
3. Click the row of the existing domain that has a message in the Details column.
4. Click **Show DNS Info** to display the information needed for the CNAME records.
5. Use the information in the popup to add two CNAME records to DNS at your domain provider's website. See [Set Up CNAME Records in DNS](#) for more information.

DOMAIN NAME	STATUS	DETAILS
shop.example.com	Requires Action	Please ensure that DNS records are correctly configured.
example.com	Ready	This email domain is currently configured with a TXT record in DNS. Do not delete the TXT record, but please create additional CNAME records for this domain with your domain provider.

Email Domains (DKIM) FAQ

What has changed with DKIM setup?

On the Email Preferences page, the name of the subtab has changed to **Email Domains (DKIM)**. The new layout of the subtab is simpler. You don't need to create domain selector names, copy complex information for your DNS record, verify your setup, or activate your domain keys anymore.

Why has the DKIM setup changed?

The new DKIM setup in NetSuite is less complex than the previous setup procedures. Enter the email domain name, click **Save**, and use the provided information to add two CNAME records to DNS at your domain provider's website. NetSuite can activate your domain keys and rotate them regularly to enhance the security of your email domains.

 **Note:** Only one CNAME record has a DKIM linked, which is expected behavior.

Why is there a warning about TXT records on the Email Preferences page?

 **WARNING**
Click the Email Domain (DKIM) subtab below. At least one of your email domains has only a TXT record in DNS. Please create additional CNAME records in DNS for email domains. See [Procedures to Set Up DKIM in Your Production Account](#) for more information.

This warning alerts you to add CNAME records for your email domains listed on the **Email Domains (DKIM)** subtab. Although the current **Status** of your email domain is **Ready**, you should add two CNAME records to DNS so that NetSuite can activate your domain keys and rotate them regularly to enhance the security of your email domains. To view the information you need for the CNAME records, click the email domain name on the **Email Domains (DKIM)** subtab, and click **Show DNS Info**. For more information, see [Set Up CNAME Records in DNS](#).

My email domain already has a DNS TXT record, why do I need to add CNAME records to DNS?

Don't delete your existing TXT record, but add CNAME records to DNS so that NetSuite can activate your domain keys and rotate them regularly to enhance the security of your email domains. To view the information needed for the CNAME records, click the email domain name on the **Email Domains (DKIM)** subtab, and click **Show DNS Info**. For more information, see [Set Up CNAME Records in DNS](#).

 **Note:** Only one CNAME record has a DKIM linked, which is expected behavior.

More Information About DKIM

This topic includes the following sections:

- [FROM Headers in Email Can Be Rewritten](#)
- [Additional Sources of DKIM Information](#)

 **Note:** Note that DKIM keys aren't copied to non-production accounts. You can set up DKIM keys in non-production accounts but it's not necessary. Based on the email preferences set in sandbox or Release Preview accounts, email is usually delivered only to a specified list of addresses, or to the logged-in user. For more information, see the help topic [Setting Preferences for Sandbox Email](#) or [Setting Preferences for Release Preview Email](#).

FROM Headers in Email Can Be Rewritten

If you don't complete the [Procedures to Set Up DKIM in Your Production Account](#), the FROM header on emails sent from NetSuite will be rewritten by default.

When the FROM header is rewritten, the original email address is moved to the display string, and the email address related to SMTP refers to netsuite.com. For example, an email from `jsmith@example.com` would be rewritten to `jsmith@example.com <system@sent-via.netsuite.com>`.

What your recipients see as the sender depends on the email client in use at the recipient's site.

- Some recipients will see the original email address with the modified `<system@sent-via.netsuite.com>` FROM header.

- Some recipients might not see the original email address, only the display string.

You may be concerned about the branding of your email messages. That is, you want only your domain name displayed in the FROM header of your email messages. If so, follow the [Procedures to Set Up DKIM in Your Production Account](#).

Note that sent-via.netsuite.com is a shared email domain.

Additional Sources of DKIM Information

For more information about DKIM, go to:

- [DKIM.org](#)
- Wikipedia: [Domain Keys Identified Mail](#)
- See also the DKIM specifications: [RFC 6376 DomainKeys Identified Mail \(DKIM\) Signatures](#).



Tip: Consider setting up a DMARC policy record for your company's entire email infrastructure. See the subtopic [Domain-based Message Authentication, Reporting and Conformance \(DMARC\) in Email Best Practices](#).

Opportunistic TLS and NetSuite Email

For information about how NetSuite handles the opportunistic Transport Layer Security (TLS) in email, see the following:

- [Opportunistic TLS for Inbound Email](#)
- [Opportunistic TLS for Outbound Email](#)



Note: For information about TLS, see the help topic [Supported TLS Protocol and Cipher Suites](#).

Opportunistic TLS for Inbound Email

Inbound email messages to NetSuite use opportunistic TLS. If the sender of the email supports TLS, NetSuite sends the message over an encrypted connection. If the sender doesn't support TLS, NetSuite processes the email in plain text.

NetSuite scans attachments to inbound emails for malware. If the attachment fails the malware scan, NetSuite quarantines the email internally and won't deliver it. NetSuite applies the same filter to attachments as it does to files uploaded to the file cabinet.

Opportunistic TLS for Outbound Email

Outbound email messages from NetSuite use opportunistic TLS. That is, outbound email messages use TLS encryption, if the receiving SMTP server supports it. Don't include sensitive or personally identifiable information (PII) in outbound email. If the receiving SMTP server doesn't support TLS, emails aren't encrypted.

Size Limits for Emails and Attachments

NetSuite email size limits cover include both the message and its attachments.

- [Outbound Email Limits](#)
- [Inbound Email Limits](#)

Outbound Email Limits

The total email size limit is 15 MB for outbound emails. This limit covers both the email content and all attachments. The limit leaves space for things like email headers and message encoding. Therefore, after NetSuite processes the email, the final message might be larger than 15 MB.

Attachment size limits can vary depending on what you send. The table below shows the size limits for email messages and each attachment sent from NetSuite.

Sender from NetSuite	Total Email Size Limit	Individual Attachment File Size Limit	Notes
Marketing email merge	15 MB	5 MB	--
Records		5 MB	--
SuiteFlow "Send Email" action		10 MB	--
Dunning Letters SuiteApp		5 MB	The email includes a link to the folder with the PDF files. If a PDF is over 5 MB, NetSuite splits it into separate files and lets the recipient know in the email.
SuiteCommerce InStore (SCIS)		10 MB	If a file is too big, SCIS might fail when you try to email or print a receipt at the end of a transaction. To avoid this, use smaller or lower-resolution images for products in SCIS.

Inbound Email Limits

The table below shows the size limits for emails and attachments sent to NetSuite.

Receiver in NetSuite	Total Email Size Limit	Individual Attachment File Size Limit	Notes
Email Capture Plug-in	25 MB	10 MB	If an inbound email has an attachment larger than 10 MB, NetSuite might reject it. If NetSuite accepts the email and captures it on a record, it might not reach the intended recipient. NetSuite doesn't guarantee delivery of the email, if the attachment is bigger than 10 MB.
Email Case Capture	10 MB	Not specified, but less than the 10 MB email size limit	If an inbound case capture email is bigger than 10 MB, NetSuite might not create a case.

Receiver in NetSuite	Total Email Size Limit	Individual Attachment File Size Limit	Notes
			An email over 10 MB can create a case, but it's not guaranteed.
Transaction Email Capture SuiteApp	10 MB	5 MB	- You can send up to 20 email attachments in one message. - Image files (PNG, JPEG) can have one page with a single invoice. - PDF files can have up to five pages, but only one invoice per file. - Don't include email signature images when sending vendor bills to NetSuite. Signature images count as attachments and can push you over the attachment size limits.

Email Blocklists and Spamlists

 **Applies to:** Administration | Email

Oracle NetSuite actively monitors our outbound mail servers to make sure they're not listed by major, reputable lists. As of NetSuite 2020.2, the only lists that are actively monitored are Spamhaus and SpamCop.

 **Note:** For information about how to keep your email reputation strong, see the help topic [Email Best Practices](#).

It's possible that our mail servers may appear on lesser-known or less credible blocklists than Spamhaus or SpamCop. Because there are countless blocklists and junk mail lists in use, many of which are not widely recognized, it's nearly impossible to monitor every list that recipient mail servers may reference.

If your email wasn't delivered because the outbound email IP address appears on either Spamhaus or SpamCop, contact NetSuite Customer Support.

If your email wasn't delivered because the outbound email IP address is on a different blocklist, request that the recipient mail server be reconfigured to use only Spamhaus and SpamCop.

DMARC-Compliant Messaging in NetSuite

DMARC (Domain-based Message Authentication, Reporting and Conformance) is an anti-spoofing technology that lets domain owners use the Domain Name System (DNS) to inform receiving servers of their DMARC policy. This policy specifies how the domain owner wants the receiving mail server to handle messages claiming to be sent from their domain, but that can't be authenticated as having originated from that domain. DMARC is a widely-recognized standard and is being implemented by major ISPs and mail service providers. This is a positive move and will help enhance the email reputation of commercial organizations. This topic explains how DMARC works. It also provides links to information and resources about setting up a DMARC policy for incoming and outgoing mail messages.

How Does DMARC work?

DMARC is a policy layer that sits on top of two email authentication technologies known as SPF and DKIM.

- SPF helps verify the email's origin. Does this mail originate from where it says it does?
- DKIM helps verify the message content. Is this the same message as the sender sent, or was tampered with?

DMARC verifies from the user's perspective whether the **FROM** name in the inbox is authentic and comes from the domain it claims. DMARC uses the FROM address to perform what is known as an alignment check against SPF and DKIM. In the alignment check, DMARC tests and enforces alignment between the incoming mail's SPF and DKIM headers and the **From** domain in the mail header (known as RFC5322.From.).

For more information about DMARC, go to dmarc.org. DMARC requires that only one authenticated identifier (either SPF or DKIM) needs to match the **From** domain to be considered in alignment. While visiting the DMARC website, you may want to read the following articles:

- **DMARC and the Email Authentication Process** section of the Overview page. dmarc.org/overview.
- [How Many From: Addresses Are There?](#)

How is email handled in NetSuite?

If you've enabled the Capture Email Replies feature, NetSuite generates and adds a special **reply to** address to your email message. NetSuite uses this address to log the communication when a customer replies to you. First, the message is routed to NetSuite, where it's recorded in the system. Next, it's forwarded to your regular email address (the one set in your User Preferences). NetSuite handles this process seamlessly.

With DMARC alignment, forwarded email in NetSuite may fail the alignment check. That's because if the NetSuite SMTP IP addresses aren't in the originating domain owner's SPF record, the SPF alignment check in DMARC will fail. The DKIM alignment check will also fail if NetSuite doesn't have access to the domain owner's private key. If either check fails, the message won't pass DMARC because at least one authentication method needs to be aligned for DMARC to pass the mail.

 **Note:** For information about how to ensure that email you send reaches the intended recipients, see the help topic [Email Best Practices](#).

Consider setting up a DMARC policy record for your company's entire email infrastructure.



Important: Setting up a DMARC policy affects your company's entire email infrastructure. Your company's email administrator should be involved in setting up a DMARC policy record with your domain provider. Consider carefully how strong a policy to implement, because it may have consequences. For example, if you use the optional rua tag, it might consume some of your company's email resources, depending on how many reports you get.

See also [Domain-based Message Authentication, Reporting and Conformance \(DMARC\)](#).

Both DKIM and DMARC policy records must be published for email messages to be recognized as DMARC-compliant. See [DomainKeys Identified Mail \(DKIM\)](#).

In the past, messages forwarded by NetSuite from Yahoo and some of the larger ISPs and mail service providers could fail DMARC alignment. Because Yahoo doesn't include NetSuite on its SPF record, nor is it possible to have their private key for DKIM authentication, forwarded email can't pass DMARC. In these cases, the sending domain is overwritten. See [FROM Headers in Email Can Be Rewritten](#).



Note: This only applies to inbound forwarded mail. Outbound mail in NetSuite isn't affected if the account owner has full control of DKIM signing and it's set up correctly.

For more information about DMARC:

- Go to <https://dmarc.org/overview>. You may find the **Anatomy of a DMARC resource record** and **How Senders Deploy DMARC in 5-Easy Steps** sections of that page particularly helpful.
- See also the DMARC specification, [RFC 7489](#).