



ORACLE
NetSuite

Enhanced Validations and Defaulting

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Enhanced Validations and Defaulting	1
Enhanced Validations and Defaulting Process Flow	3
Installing the Enhanced Validations and Defaulting SuiteApp	4
Required Permissions for Enhanced Validations and Defaulting	4
Setting Up Enhanced Validations and Defaulting	5
Creating Item Sets	5
Excluding an Item Set From an Existing Customer Group	6
Setting the Prevent Negative Inventory Preference	6
Adding the Unbilled Quantity When Using Custom Forms	6
Setting Default Discounts	7
Enabling Validations on Transactions	8
Item Set Validation	8
Negative Inventory Validation	8
Default Discounts	9
Enabling Item Set Validation	11
Enabling Negative Inventory Validation	11
Enabling Default Discounts	12
CSV Imports for Enhanced Validations and Defaulting	12

Enhanced Validations and Defaulting

The Enhanced Validations and Defaulting SuiteApp is designed to implement item and inventory validations on sales transaction and inventory adjustment records. The SuiteApp includes the following key features that you can use separately or in combination on sales and inventory adjustment transactions:

- **Item Set Validation** – Assigns items to different categories and applies restrictions when selling items to a customer group
- **Negative Inventory Validation** – Creates restrictions when you enter an item quantity that is more than the on-hand quantity of items across locations. The SuiteApp warns you that the item quantity entered will result to a negative inventory. If the **Prevent Negative Inventory** preference is enabled, you can't save any transaction that includes an item with a negative inventory.
- **Default Discounts** – Applies a default header-level discount for a specific customer or customer group.

The following table lists the transactions available for each validation type:

Transaction	Validation Types		
	Item Set Validation	Negative Inventory Validation	Default Discounts
Cash Sale	Y	Y	Y
Invoice	Y	Y	Y
Sales Order	Y	Y	Y
Work Order	Y	Y	N
Transfer Order	N	Y	N
Inventory Adjustment	Y	Y	N

To get you started with using Enhanced Validations and Defaulting, read the following topics:

- [Enhanced Validations and Defaulting Overview](#)
- [Enhanced Validations and Defaulting Process Flow](#)
- [Enhanced Validations and Defaulting SuiteApp Availability](#)
- [Installing the Enhanced Validations and Defaulting SuiteApp](#)
 - [Feature Dependencies](#)
 - [Required Permissions for Enhanced Validations and Defaulting](#)
- [Setting Up Enhanced Validations and Defaulting](#)
 - [Creating Item Sets](#)
 - [Setting the Prevent Negative Inventory Preference](#)
 - [Adding the Unbilled Quantity When Using Custom Forms](#)
 - [Setting Default Discounts](#)
- [Enabling Validations on Transactions](#)
 - [Enabling Item Set Validation](#)
 - [Enabling Negative Inventory Validation](#)

- [Enabling Default Discounts](#)
- [CSV Imports for Enhanced Validations and Defaulting](#)

For more information about the validation types, see [Enabling Validations on Transactions](#).

 **Note:** There is a SuiteApp limitation for quantities in transactions. Units of measure are excluded by the SuiteApp in any computation. For example, if there are 300 kilograms of a stock on hand and there is an order for 500 grams, the SuiteApp prevents the transaction from happening because it does not factor in the unit of measure.


Enhanced Validations and Defaulting SuiteApp Availability

The Enhanced Validations and Defaulting SuiteApp is a public and managed SuiteApp that is automatically updated whenever enhancements or new features are added.

For instructions on installing the SuiteApp, see [Installing the Enhanced Validations and Defaulting SuiteApp](#).

Enhanced Validations and Defaulting SuiteApp is available in all languages supported by NetSuite. For more information, read the help topics [Configuring Multiple Languages](#) and [Choosing a Language for Your NetSuite User Interface](#)

Enhanced Validations and Defaulting Process Flow



The diagram shows the process flow for the different key feature validations of Enhanced Validations and Defaulting SuiteApp.

Negative Inventory Validation validates the inventory in the selected location for the added line-item. If the item quantity entered is more than the on-hand stock in the selected location, the SuiteApp displays a message that warns you of the negative inventory for the item. If the **Prevent Negative Inventory** preference is enabled, you can't save the transaction. Otherwise, you can save the record. For more information, see [Negative Inventory Validation](#).

Note: In accounts where the **Multi-Location Inventory** feature is enabled, the SuiteApp validates the inventory in the locations specified on the transaction. For more information, see the help topic [Multi-Location Inventory](#).

Default Discounts automatically applies the header level discount that you set for a customer or customer group. Discounts are applied on transactions based on the discount level available for the customer or customer group. For more information about the application of discounts, see [Default Discounts Scenarios](#).

In Item Set Validation, items that are restricted for a customer group can't be added as line-item. The SuiteApp validates the item restrictions for the selected customer and prevents saving of transactions.

For more information, see [Enabling Validations on Transactions](#).

Installing the Enhanced Validations and Defaulting SuiteApp

 **Note:** Only administrators can install this SuiteApp.

To install the Enhanced Validations and Defaulting SuiteApp:

1. Go to Customization > SuiteBundler > Search and Install Bundles.
2. On the Search and Install Bundles page, use the following information to search for the SuiteApp:
 - Bundle Name: **Enhanced Validations and Defaulting**
 - Bundle ID: 213294
3. Click the Enhanced Validations and Defaulting link to display its Bundle Details page.
 - To review the documentation for the SuiteApp, click the Documentation link.
 - The **Overview** subtab displays the abstract and description of the SuiteApp.
 - The **Components** subtab lists bundle objects, including their custom script IDs, referencing objects, and lock status.

For more information, see the help topic [Bundle Details](#).

4. Click **Install**.

If asked, indicate your agreement to allow NetSuite to automatically upgrade the SuiteApp in your account when new updates become available.

During the installation, you can click **Refresh** to get the latest status.

Feature Dependencies

After installing the SuiteApp, you must enable the NetSuite **Inventory** feature. The feature enables tracking of item quantities for the validation of item sales. To enable this feature, go to Setup > Company > Enable Features. Click the **Items & Inventory** subtab, then check the box for **Inventory**.

 **Important:** If you want to use Negative Inventory Validation for work orders, enable **Work Order**, also under the **Items & Inventory** subtab.

For more information, see the help topic [Items and Inventory Features](#).

Required Permissions for Enhanced Validations and Defaulting

The following table lists the minimum permission levels required to use Enhanced Validations and Defaulting:

Permissions	Minimum Permission Level
CRM Groups	View

Permissions	Minimum Permission Level
Custom Record Entries	View
Customers	View
Items	View
Locations	View

For more information about setting permissions, see the help topic [Customizing or Creating NetSuite Roles](#).

Setting Up Enhanced Validations and Defaulting

Read the following topics to learn more about the required records you must set up before you can apply any validation to a transaction:

- [Creating Item Sets](#)
- [Setting the Prevent Negative Inventory Preference](#)
- [Adding the Unbilled Quantity When Using Custom Forms](#)
- [Setting Default Discounts](#)

For instructions on how to enable the validations on a transaction, see [Enabling Validations on Transactions](#).

Creating Item Sets

Before you create an item set validation record, you must first create an item set. An item set contains items that can be excluded from a customer group. Excluded items are items that are not available to sell to a customer that belongs to a customer group. If the item set is selected to exclude from a customer group, the items that belong to the specific item set will not be available for customers included in the customer group.

- When excluded, the items are not available to be sold to a customer that belongs to the customer group.
- If you exclude an item set from a customer group, the items in that item set are not available to customers included in the customer group.

To create an item set:

1. Go to Lists > Enhanced Validations > Item Set > New.
2. In the **Name** field, specify a name for the item set. Ensure that you use a descriptive name to help you identify the items included in the item set.



Important: The item set name must be unique.

3. Ensure that you clear the **Inactive** box to keep the item set record as active.
4. In the **Items To Include In The Item Set** field, select the items that you want to include in the item set.

You can select an inventory item, assembly item, or item group to include in the item set.

To select multiple items, press the **Ctrl** key on your keyboard as you click the items.

 **Note:** You can only include a maximum of 500 items in an item set.

If the item set that you created is excluded from the customer group, the included items become restricted from the customer group.

5. Click **Save**.

Excluding an Item Set From an Existing Customer Group

To sell the excluded items to a specific customer, you must remove the customer from the customer group.

To exclude an item set from an existing customer group:

1. Go to Lists > Relationships > Groups.
2. Search for the customer group to which you want to assign an excluded item set.
3. Click the **Edit** link for the record.
4. In the Customer Group record, select an item set in the **Item Sets Excluded From Customer Group** field. Items that belong to the selected item set become restricted for the specific customer group.
5. Click **Save**.

 **Note:** You can also exclude an item set when you create a new customer group record. To exclude items in the new customer group record, select the item set in the **Item Sets Excluded From Customer Group** before saving the record.

Setting the Prevent Negative Inventory Preference

Use the Prevent Negative Inventory preference in Negative Inventory Validation.

After you set this preference, you can't save any transaction that includes an item with a negative inventory. If this preference is not set, a warning message appears when you try to save the transaction with a negative inventory.

To set the Prevent Negative Inventory preference:

1. Go to Setup > Company > General Preferences.
2. Click the **Custom Preferences** subtab.
3. In the Enhanced Validations and Defaulting section, check the **Prevent Negative Inventory** box.

 **Note:** If the preference is not visible, follow the instructions in [Installing the Enhanced Validations and Defaulting SuiteApp](#).

4. Click **Save**.

Adding the Unbilled Quantity When Using Custom Forms

For the SuiteApp to perform Negative Inventory Validation, the unbilled quantity value is required in the transaction record.

To add the Unbilled column in transaction records, you must customize every custom transaction form you use when creating an invoice or a cash sale transaction from a sales order.



Important: Cash Sale and Invoice transaction forms must be enabled for your role before you can customize a form. If you don't have permission to customize a form, contact your account administrator to set the default forms for your role.

To add the unbilled quantity when using custom forms:

1. Go to Customization > Forms > Transaction Forms.
2. Click the **Customize** link of the form you want to customize.
3. On the **Sublist Fields** subtab, check the **Back Ordered** box.
4. Click **Save**.

Setting Default Discounts

To use the Default Discounts feature of Enhanced Validations and Defaulting SuiteApp, you must set a default discount for customers or customer groups. Default discounts are automatically applied when you sell items to the customer or customer group. For more information about default discounts, see [Default Discounts](#).

Refer to the following topics for instructions on how to set default discounts for customers:

- [Setting Default Discounts for Customers](#)
- [Setting Default Discounts for Customer Groups](#)

Setting Default Discounts for Customers

To set a default discount on a customer record:

1. Go to Lists > Relationships > Customers > New.
2. Specify the details for the customer record. See the help topic [Customers](#).
3. In the Classification field group, select the applicable discount in the **Default Discount** field.
To create a new discount, see the help topic [Configuring Discounts](#).
4. Click **Save**.



Important: Read the [Default Discounts](#) topic. Certain scenarios may result to different default discounts being applied to customers on transactions.

Setting Default Discounts for Customer Groups

Default discounts for customer groups are automatically applied to all customers that belong to the customer group.

To set a default discount for a customer group:

1. Go to Lists > Relationships > Groups > New.
2. Create a customer group. For instructions, see the help topic [Working with Groups](#).
3. In the **Default Discount** field, select the applicable discount for the customer group.

To create a new discount, see the help topic [Configuring Discounts](#).

4. Click **Save**.

Enabling Validations on Transactions

After setting up the validations, you can apply any of the validations separately or in combination on sales transactions and inventory adjustments. When you create or use a specific transaction that has an enabled validation type, the validation that you set applies to the transaction.

Read the following topics for instructions on how to enable the validations in transactions:

- [Enabling Item Set Validation](#)
- [Enabling Negative Inventory Validation](#)
- [Enabling Default Discounts](#)

For a visual representation of the process, see [Enhanced Validations and Defaulting Process Flow](#).

Item Set Validation

This validation enables you to apply restrictions when selling items to a customer group. You can select which items are restricted to a specific customer group during the setup for Enhanced Validations and Defaulting SuiteApp.

When adding line items on a transaction, the item set validation applies when one or both conditions occur:

- The item belongs to an item set that is excluded for the customer group.
- The customer belongs to a customer group that is restricted to purchase the item.

For more information about applying customer restrictions, see [Setting Up Enhanced Validations and Defaulting](#).

Negative Inventory Validation

On supported transactions, this feature restricts the entry of an item quantity that is more than the on-hand inventory across locations.

 **Note:** Item quantities in transactions must not exceed six decimal places.

Posting and Nonposting Transactions

The SuiteApp checks for negative inventory differently for posting and non-posting transactions when you modify item quantities in a transaction record.

For posting transactions where the original item quantity is immediately fulfilled, the SuiteApp validates only the additional quantity requested. For example, a cash sale transaction has an item quantity of 10. When you edit the transaction and change the item quantity to 12, the popup message shows Requested: 2 ; On Hand: 0.

For nonposting transactions where the original item quantity is not immediately fulfilled, the SuiteApp validates the total of the original and additional quantity requested. For example, a sales order transaction has an item quantity of 10. When you edit the transaction and change the item quantity to 12, the popup message shows Requested: 12 ; On Hand: 10.

The Enhanced Validations and Defaulting SuiteApp can validate the posting and nonposting transactions as shown in the following table.

Posting Transactions	Nonposting Transactions
Cash Sale	Sales Order
Invoice	Work Order
Inventory Adjustment	Transfer Order



Note: For invoice, validation is available for both standalone invoice and invoice from a sales order.

Multi-Location Inventory Feature is Enabled

If the Multi-Location Inventory feature is enabled in your account, you can select different locations for each line item that you add to the transaction. The SuiteApp then validates the inventory in each specified location to verify enough stock for the line item.

If the item quantity entered results in negative inventory, the Negative Inventory Validation prevents saving of the record. A message appears to show how many stock there is currently on-hand for the item. This occurs when the **Prevent Negative Inventory** preference is enabled for Negative Inventory Validation.

When this preference is not enabled, you can save the transaction even with negative inventory. The SuiteApp displays a warning message to show the negative inventory. To review information about this preference, see [Setting the Prevent Negative Inventory Preference](#).

Multi-Location Inventory Feature is Not Enabled

When the Multi-Location Inventory feature is not enabled, the SuiteApp validates inventory across all locations when you add line items. A message appears when you enter an item quantity that is more than the on-hand inventory. The item quantity must be changed before you can add the item to the transaction.

A warning message is also displayed when you add multiple items to a transaction. The message identifies which items don't have enough on-hand inventory. It also shows the number of available items for a selected location. You can then change the item quantity or select a different location for each item before you can add the item to the transaction.

For more information about Multi-Location Inventory, see the help topic [Multi-Location Inventory](#).

Transformed Transactions

The Negative Inventory Validation feature of the Enhanced Validations and Defaulting SuiteApp supports the following transformed transactions:

- Cash Sale to Invoice
- Sales Order to Invoice

Default Discounts

Default Discounts enables you to assign header-level discounts for a specific customer or customer group. The default discount automatically applies to the customer on supported transactions.



Important: After changing the value of the **Customer** field in a transaction, be sure to verify the values in the **Discount Item** and **Rate** fields. These fields are customer-specific and are automatically populated. When you edit a transaction and select a customer without a default discount, the SuiteApp clears any existing values in these fields.

Transformed Transactions

The Default Discounts feature of the Enhanced Validations and Defaulting SuiteApp supports the following transformed transactions:

- Cash Sale from a Sales Order
- Invoice from a Sales Order

The SuiteApp does not support Cash Sale and Invoice transactions created from a customer record.

Default Discounts Scenarios

By default, the discounts you set on the customer or customer group record automatically applies. However, some scenarios may occur that may change the default discounts applied to customers. Read the following examples to better understand how default discounts are applied:

Scenario 1: Customer has default discount and also belongs to the customer group with default discount

Default discounts on the customer record and customer group are both assigned to the customer. For this scenario, the SuiteApp applies the default discount set on the customer record.

Scenario 2: Customer belongs to two or more customer groups with default discounts

If there is no default discount set on the customer record, the SuiteApp applies the default discount from the customer group with the higher percentage or value.

For example, Customer A belongs to Customer Groups X and Y. Customer Group X has a default discount of 25% while Customer Group Y has 40%. The SuiteApp applies the default discount of Customer Group Y.

If the applicable default discounts are in currency value, the SuiteApp applies the discount of the customer group with the higher value.

Scenario 3: Customer is a parent subsidiary and default discount on customer record is for Child Subsidiaries

In this scenario, the default discounts selected on the customer record is for child subsidiaries. On a sales transaction, no default discounts apply for the parent subsidiary customer because the default discounts set is for a child subsidiary.

Scenario 4: Customer is a parent Subsidiary and belongs to two customer groups with different subsidiary discounts

In this scenario, Customer B is a parent subsidiary that belongs to Customer Groups F and G. The default discount for Customer Group F is 50% discount for child subsidiaries. Customer Group G has a default discount of 40% for parent subsidiaries.

In this example, no discount is applicable for parent subsidiary Customer B because the customer group with the higher default discount percentage (Customer Group F) sets discounts only for child subsidiaries.

Scenario 5: Customer is a parent subsidiary and belongs to customer groups with child subsidiary discounts

If there is no default discount set on the customer record, no discounts can be applied for the customer on the transaction.

The same result as in this scenario applies if a customer is a child subsidiary (with no discounts set on its record) and the customer group it belongs to have discounts only for parent subsidiaries.

Scenario 6: Customer belongs to two or more customer groups with mixed default discounts in percentage and currency value

This scenario illustrates a case where the customer groups where a customer belongs to – differ in default discounts. For example, Customer C is a parent subsidiary that belongs to Customer Groups J and K that both have default discounts for parent subsidiaries. Customer Group J has a default discount of 50% and Customer Group K has a default discount of 100USD.

In this example, the SuiteApp applies the discount from Customer Group J because the discount is in percentage. The percentage discount is always applied to transactions regardless of whether it has the lesser value in actual computation.

Enabling Item Set Validation

When you enable Item Set Validation, validation applies to all item sets you created in the Create Customer Group page. To review, see [Creating Item Sets](#).

To enable item set validation:

1. Go to Lists > Enhanced Validations > Enable Validations > New.
2. On the Enable Validations/Default Discount page, select **Item Set Validation** in the **Transaction Validation Type** field.
3. In the Transactions with Validation/Default Discount field group, select the transactions where you want the validation to apply.



Note: The item set validation for the selected transactions applies to all item sets that you created.

4. Click **Save**.

Enabling Negative Inventory Validation



Important: The Enhanced Validations and Defaulting SuiteApp displays inventory warnings for negative inventory. To avoid duplicate alert messages, you should disable the NetSuite preference for inventory level warnings. For more information about disabling this NetSuite feature, see the help topic [Setting the Inventory Level Warnings Preference](#).

To enable negative inventory validation:

1. Go to Lists > Enhanced Validations > Enable Validations > New.
2. On the Enable Validations/Default Discount page, select **Negative Inventory Validation** in the **Transaction Validation Type** field.
3. In the Transactions with Validation/Default Discount field group, select the transactions where you want the validation to apply.
4. Click **Save**.

Note: The SuiteApp validates on-hand inventories for the selected locations in line-item level. If there is no selected location in line-item level, the SuiteApp then validates on-hand inventories of selected locations on the transaction.

If there's no location selected on a transaction, the SuiteApp validates on-hand inventories across all locations. This occurs if location is not required on the transaction.

To prevent users from saving a transaction that includes an item with negative inventory, enable the Prevent Negative Inventory preference. For more information, see [Setting the Prevent Negative Inventory Preference](#).

Enabling Default Discounts

To enable default discounts:

1. Go to Lists > Enhanced Validations > Enable Validations > New.
2. In the Enable Validations/Default Discount page, select **Default Discounts** in the **Transaction Validation Type** field.
3. In the Transactions with Validation/Default Discount field group, select the transactions where you want the validation to apply.

Note: The default discount set for a selected transaction applies to all customers and customer groups with a specified default discount. For more information, see [Setting Default Discounts](#).

4. Click **Save**.

CSV Imports for Enhanced Validations and Defaulting

The Enhanced Validations and Defaulting SuiteApp supports CSV imports for item sets and transaction records with enabled validations.

When you use CSV Import for Enhanced Validations and Defaulting, ensure that the SuiteScript that triggers duplicate records is enabled to prevent importing duplicate validation records into your account. For more information about enabling the SuiteScript, see the help topic [Setting CSV Import Preferences](#).

For more information about CSV Imports, see the help topic [Importing CSV Files with the Import Assistant](#).