



ORACLE
NetSuite

GL Matching



2025.2

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

GL Matching

The following topics describe the features included in the GL Matching SuiteApp:

- [GL Matching Overview](#)
- [Enabling Required Features for GL Matching](#)
- [Installing the GL Matching SuiteApp](#)
- [Roles and Permissions Setup for GL Matching](#)
- [Setting Role Restrictions on GL Matching Features](#)
- [GL Matching Dashboard Management](#)
 - [Matchable Transactions](#)
 - [Including Custom Transactions in GL Matching](#)
 - [Including Accounts in GL Matching](#)
 - [Searching for Matchable Transaction Lines](#)
 - [Matching Transaction Lines](#)
 - [Reviewing the Matching History](#)
- [Finding Accounts with Unmatched Transaction Lines](#)
- [GL Matching Elements on Transaction Records](#)
 - [Updating the Matching Reference on Transaction Records](#)
- [Multiple Associations Check in GL Matching](#)
- [Summary of GL Matching Results](#)

GL Matching Overview

The GL Matching SuiteApp gives your NetSuite account a transaction matching feature to support an accounting practice that's common in several countries, especially in Europe. In France, this reconciliation practice is called Lettrage. The SuiteApp gives you tools that'll make Lettrage easier.

With this SuiteApp, you can search for transaction lines belonging to an account (like Accounts Payables) right from the GL Matching Dashboard. You can then match these transaction lines, like matching a bill to a bill payment, or a bill to three bill payments. To help with matching, you'll see the credit and debit values for each transaction line, along with the total balance on the dashboard.

When you match transactions, the SuiteApp groups them and gives them a matching status and code. A matching code is a set of letters that's unique for every combination of account, subsidiary, and accounting book (if you enabled the Full Multi-Book Accounting feature). The matching code shows you which transactions are already matched. For information about the matching code and matching status, see [GL Matching Terminology](#).

 **Note:** The GL Matching SuiteApp doesn't match whole transactions, it matches transaction lines. Each account transaction can have several lines. The GL Matching Dashboard shows each line as a separate result, so you can match different lines from one transaction.

For information about what you can do on the dashboard, see [GL Matching Dashboard Management](#).

The GL Matching SuiteApp works with Accounts Payables, Accounts Receivables, and custom transactions. For information about the transaction types that you can match, see [Matchable Transactions](#).

Enabling Required Features for GL Matching

Before you install the GL Matching SuiteApp, make sure the required features are enabled. For more information, see the help topic [Enabling Features](#).

To enable required features for GL Matching:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. On the **Company** subtab, check the box for the following features:
 - Multi-Language
 - Multiple Currencies
3. On the **Accounting** subtab, check the box for the following features:
 - Accounting
 - A/R
 - A/P
4. On the **SuiteCloud** subtab, check the box for the following features:
 - Custom Records
 - Client SuiteScript
 - Server SuiteScript
5. Click **Save**.

Installing the GL Matching SuiteApp

The GL Matching SuiteApp is managed and gets updated automatically when new features are added.

To install the GL Matching SuiteApp:

1. Go to Customization > SuiteBundler > Search & Install Bundles.

 **Note:** Read the Installation Terms of Service on the use of the NetSuite SuiteBundler. Click **I Agree** if you agree, or **I Disagree** if you don't agree with the terms.

2. In the Keywords field, enter **GL Matching**, or the Bundle ID **254263**.
3. Click **Search**.
4. In the **Name** column, click **GL Matching**.
5. On the Bundle Details page, click **Install**.

For more information about installing SuiteApps, see the help topic [Installing a Bundle](#).

Roles and Permissions Setup for GL Matching

To use GL Matching features, complete the following setup:

- Create a custom role or update an existing one for GL Matching. For more information, see the help topic [Customizing and Creating Roles](#).

- Assign standard and GL Matching custom permissions to the role. For a list of required permissions, see [Standard and Custom Permissions for GL Matching](#).
- Give the custom role access to GL Matching suitelets.

Adding Standard and GL Matching Custom Permissions

After you identify the custom role (new or existing) for GL Matching, assign the minimum required permissions.

The GL Matching SuiteApp comes with a custom role called **GLM Role (Use as model for custom role)**. As the name suggests, don't assign this role to users.

Use this role only as a guide for the permissions your custom role needs for GL Matching features. For information about these required permissions, see [Standard and Custom Permissions for GL Matching](#).

To assign permissions to a custom role:

1. Go to Setup > Users/Roles > User Management > Manage Roles.
2. Click **Customize** to create a new custom role, or **Edit** to update an existing one, next to the role you want to use with GL Matching.
3. On the **Permissions** subtab, add the standard and custom permissions shown in the **GLM Role** model. For a list of these permissions, see [Standard and Custom Permissions for GL Matching](#).

If you can't do this, contact your account administrator.

4. Click **Add** after you select a permission and level.
5. Click **Save**.

Setting Access to GL Matching Pages

The following scripts let a role view the GL Matching Dashboard, see the List of Accounts, and search for transaction lines. These scripts use the permissions of the user who's currently logged in.

- GL Matching Dashboard
- GL Matching – List of Accounts (Administrator)
- GL Matching Checklist

As an Administrator, you'll need to set these scripts to run for the custom role you choose with the right GL Matching permissions.

To set access to GL Matching pages for the custom role:

1. Go to Customization > Scripting > Scripts.
2. On the **Filters** subtab, select **Suitelet** from the Type field.
3. Click **View** next to **GL Matching Dashboard**.
4. On the **Deployments** subtab, click **GL Matching Dashboard**.
5. Click **Edit**.
6. On the **Audience** subtab, select the custom role that you had assigned with the required GL Matching permissions.

7. Click **Save**.
8. Go to Customization > Scripting > Scripts.
9. Click **View** next to **GL Matching Checklist**.
10. On the **Deployments** subtab, click **GL Matching Checklist**.
11. Repeat steps 5 to 7.

Standard and Custom Permissions for GL Matching

The following are the minimum standard and custom permissions you need to view the GL Matching Dashboard, see the List of Accounts, and search and match transaction lines:

Subtab	Permission	Level
Transactions	Find Transaction	View
Reports	SuiteAnalytics Workbook	Edit
Lists	Accounts	View
Lists	Currency	View
Lists	Document and Files	View
Lists	Perform Search	View
Lists	Subsidiaries	View
Setup	Accounting Book	View
Setup	Custom Record Types	View
Setup	Manage Accounting Period	View
Setup	SuiteScript	View
Setup	SuiteScript Scheduling	Full
Custom Record	GLM – Dashboard matching permission	Full or Create
Custom Record	GLM – Dashboard reference permission	Full or Create
Custom Record	GLM - Job	Edit
Custom Record	GLM - Matching	Edit
Custom Record	GLM - Sequence	Edit
Custom Record	GLM - Tranline	Edit
Custom Record	GLM - Variable	View

For the GL Matching custom permissions (GLM – Dashboard matching and GLM – Dashboard reference), choose the permission level based on what you want the role to do, as shown in the following table:

Custom Permission	Level	Capability
GLM – Dashboard matching permission	Create	Match or unmatched transaction lines in open accounting periods.

Custom Permission	Level	Capability
GLM – Dashboard reference permission	Full	Match or unmatched transaction lines in both open and closed accounting periods.
	Create	Add, edit, or delete the Matching Reference for transaction lines in open accounting periods.
GLM – Job	Full	Add, edit, or delete the Matching Reference for transaction lines in both open and closed accounting periods.
	Edit	Create, view existing, and edit GLM – Job records. You can't delete existing GLM – Job records.
GLM – Matching	Edit	Create, view, and edit GLM – Matching records. You can't delete existing GLM – Matching records.
GLM – Sequence	Edit	Create, view, and edit GLM – Sequence records. You can't delete existing GLM – Sequence records.
GLM – Tranline	Edit	Create, view, and edit GLM – Tranline records. You can't delete existing GLM – Tranline records.
GLM – Variable	View	View existing GLM – Variable records. You can't create, edit, or delete GLM – Variable records.

Setting Role Restrictions on GL Matching Features

Administrators can set restrictions for custom roles on the Subsidiary, Department, Class, and Location filters in the GL Matching Dashboard. For example, depending on the restrictions, a custom role may select all active subsidiaries on the GL Matching Dashboard, or only the subsidiary set on their employee record.

To set restrictions for custom roles:

1. Go to Setup > Users/Roles > Manage Roles.
2. Click **Edit** next to the custom role that you want to have restrictions.
3. On the Subsidiary Restrictions section, select the subsidiaries that this custom role will have access to:
 - **All** – All subsidiaries, including those that are inactive.
 - **Active** – Active subsidiaries only.
 - **User Subsidiary** – User's subsidiary only. A user's subsidiary is set on the employee record.
 - **Selected** – Selected subsidiaries from the list. You may select more than one subsidiary from the list.

For more information, see the help topic [Restricting Role Access to Subsidiaries \(OneWorld Only\)](#).

4. On the **Restrictions** subtab, set the custom role's restrictions to all or any of the segments (Class, Department, or Location) according to the following levels:
 - **none - default to own** – No restriction on what can be selected.
 - **own, subordinate, and unassigned** – Users are restricted to records with their own location/department/class, children records of their location/department/class, and records with

unassigned location/department/class field. For example, if your role has access to department A, you can only see accounts in department A, as well as its children or unassigned accounts.

- **own and subordinates only** – Users are restricted to records with their own location/department/class and children records of their location/department/class. For example, if your role has access to location B, you can only see records with location B, as well as its children.

For more information, see the help topic [Setting Department, Class, and Location Restrictions](#).

5. Click **Add** after adding every segment and its corresponding restriction level.
6. Click **Save**.

 **Note:** If a custom role doesn't have a Department, Class, or Location set on its employee record, any restrictions for those fields on the role record are ignored.

GL Matching Dashboard Management

The GL Matching Dashboard lets you search for matchable transaction lines using different filters. You can view, edit, match, or unmatch the transaction lines in the Search Results list. When you complete a match, the SuiteApp assigns a matching code and status (Matched or Partially Matched) based on the total balance of the group.

If you're using an Administrator role, go to Transactions > Financial > GL Matching Dashboard to access the GL Matching dashboard. If your role uses the Accounting Center, go to Financial > Other Transactions > GL Matching Dashboard.

To use the GL Matching Dashboard, read the following topics:

- [Searching for Matchable Transaction Lines](#)
- [Matching Transaction Lines](#)
- [Reviewing the Matching History](#)

GL Matching Terminology

The following terms are used when referring to GL Matching:

- **Group** – A group of transaction lines that the SuiteApp matches and assigns a matching code.
- **Transaction Lines** – The lines in a transaction record. Each transaction line has a debit or credit value. The GL Matching SuiteApp matches transaction lines, not transactions as a whole.
- **Matching Status** – The current state of the matching process. The matching status can be one of the following:
 - **None** – These transaction lines haven't been matched yet, so these transaction lines don't have a matching code.
 - **Matched** – These transaction lines are already in a group where the total credits is equal to the total debits. Each group has a matching code assigned.
 - **Partially Matched** – These transaction lines are in a group and have a matching code, but the group isn't complete yet.
The total credits is not equal to the total debits, so additional transaction lines have to be added to get a zero balance.
- **Matching Code** – A unique string of letters for each combination of account, subsidiary, and accounting book, assigned to Matched or Partially Matched groups.

- **Match** – The action of reconciling or evaluating the debit and credit values of transaction lines to form a group with a matching code.
- **Unmatch** – The action of undoing a group. The SuiteApp removes the matching code and matching status.
- **Unmatched Debit/Unmatched Credit** – Debit and credit amounts that haven't been reconciled yet.

Matchable Transactions

The GL Matching SuiteApp can match the following transaction types:

■ Advanced Intercompany Journal ■ Intercompany Journal ■ Assembly Build ■ Assembly Unbuild ■ Cash Refund ■ Cash Sale ■ Check ■ Credit Card Charge ■ Credit Card Refund	■ Credit Memo ■ Customer Deposit ■ Customer Refund ■ Currency Revaluation ■ Deposit ■ Deposit Application ■ Expense Report	■ Finance Charge ■ GL Impact Adjustment ■ Inventory Adjustment ■ Inventory Cost Revaluation ■ Inventory Transfer ■ Invoice ■ Item Fulfillment	■ Item Receipt ■ Journal ■ Book Specific Journal ■ Payment ■ Tax Liability ■ Vendor Bill ■ Vendor Credit	■ Work Order Close ■ Work Order Completion ■ Work Order Issue ■ Store Pickup Fulfillment
--	--	---	--	---

 **Note:** The GL Matching SuiteApp doesn't match transactions as a whole, it matches transaction lines. Each transaction has multiple transaction lines. The GL Matching Dashboard shows each line as a separate search result, so you can match different lines from the same transaction separately.

Including Custom Transactions in GL Matching

The GL Matching SuiteApp also lets you match custom transactions. To learn more about the custom transactions in NetSuite, see the help topic [Custom Transactions](#).

To make a custom transaction matchable:

1. Go to Customization > Scripting > Scripts.
2. Next to the **GLM - UE - Custom Transaction** script, click **Edit**.
3. On the Scripts page, click the **Deployments** subtab.
4. From the list in the Applies To column, select your custom transaction, and then click **Add**.
5. Click **Save**. Your custom transaction now appears in the Applies To column.
6. Click the custom transaction. The Script Deployment page appears.
7. Set the **Audience** for your custom transaction to **All roles**.



Important: If you limit the Audience to certain roles, it can cause inconsistencies in matching data.

8. Set the **Status** of your custom transaction to **Released**.

9. Click **Save**.

 **Note:** It takes up to 10 minutes for your new custom transaction to show up in the Transaction Types list of the GL Matching Dashboard.

Including Accounts in GL Matching

By default, the Accounts filter on the GL Matching Dashboard only includes Accounts Receivables (A/R) and Accounts Payables (A/P). GL Matching is mainly used to reconcile these account types, which is needed for a complete and orderly accounting. For this reason, you can't exclude A/P and A/R accounts from GL Matching.

If you want to match other account types besides A/P and A/R, you can add them to the Accounts filter on the GL Matching Dashboard.

To include an account in GL Matching:

1. Go to Setup > Accounting > Manage G/L > Chart of Accounts.
2. Click **Edit** next to the Account name that you want to include in GL Matching.
3. Check the **Include in GL Matching** box on the right side of the page.
4. Click **Save**.

You can include or exclude an account from GL Matching by checking or clearing the **Include in GL Matching** box.

 **Note:** You can't include the nonposting account type in GL Matching. The **Include in GL Matching** box is also disabled for A/P and A/R accounts because they're included in GL Matching by default.

Searching for Matchable Transaction Lines

The GL Matching Dashboard contains different filters that you can use to search for matchable transaction lines.

All transaction lines that match your filters appear on the Search Results list, where you can match them. For more information, see [GL Matching Search Results List](#). To match transaction lines, see [Matching Transaction Lines](#).

To search for matchable transaction lines:

1. Go to Transactions > Financial > GL Matching Dashboard (Administrator). For roles that use the Accounting Center, go to Financial > Other Transactions > GL Matching Dashboard.
2. Fill in the search filters, and be sure to complete the required filters.
The other search filters are optional. For more information, see [GL Matching Dashboard Search Filters](#).
3. Click **Search** to initiate the search for transaction lines. Click **Reset** to clear all filters and start a new search.
4. Go to the Search Results subtab to see a list of the transaction lines that match the filters you set. For more information, see [GL Matching Search Results List](#).

GL Matching Dashboard Search Filters

Some filters are required and can't be left blank. Use the advanced filters to narrow down your search.

Filter	Description
Basic Filters	
Subsidiary	Select a subsidiary you want to match transactions for. This filter is required.  Note: This filter is only available in OneWorld accounts. See the help topic Introduction to NetSuite OneWorld chapter for more information.
Account	Select an account to search for matchable transaction lines. This filter is required. If you want to add account types besides Accounts Receivables and Accounts Payables to the list, you can manually include them in the filter on the Dashboard. For more information, see Including Accounts in GL Matching  Note: If you've selected an accounting context at Home > Set Preferences, the Account filter only lists account names that match the accounting context and language defined in the account record. For more information, see the help topic Accounting Contexts.
Accounting Book	Select the accounting book you want to use to search for matchable transaction lines. You can't select multiple accounting books, and the Primary Accounting Book is selected by default. This filter is required.  Note: This filter is only available in OneWorld accounts with the Multi-Book Accounting feature is enabled. For more information, see the help topic Multi-Book Accounting Overview.
Matching Status	Select the matching state of transaction lines you want to search for. You can choose one of the following matching statuses: None, Matched, or Partially Matched.  None  Matched  Partially Matched For more information, see GL Matching Terminology. By default, Partially Matched and None matching statuses are selected. If you clear the default, the results list shows transaction lines with all matching statuses. To select more than one matching status, hold the Ctrl key and click the status names.
Advanced Filters	

Filter	Description
Matching code	Use this field if you want to search for transaction lines by their matching code. For more information about matching codes, see GL Matching Terminology.  Note: Matching codes for Matched transaction lines use upper case letters. On the other hand, Partially Matched transaction lines use lower case letters. The GL Matching Dashboard matching code filter isn't case sensitive, so it doesn't matter if you enter ABC or abc in this field.
Matching reference	Use this field if you want to search for transaction lines with a specific matching reference. Unlike a matching code, a matching reference isn't created automatically. You can add it to any transaction line. It's a short description, which may include why the transaction line belongs to a group.
Memo	Use this field if you want to search for transactions by their memo. A memo's a short description of a transaction.
Transaction Line Memo	Use this field if you want to search for transaction lines with a specific memo. Some transaction lines may have their own memo, different from the header memo of the transaction they belong to. For example, you may use a memo to identify a journal entry in a list of other journal entries.
Customer	If you want to search for transaction lines that only apply to a certain customer, select the customer from the list. This filter only works for transactions with customer data. If you use the Vendor or Employee filter, this filter becomes unavailable.
Vendor	If you want to search for transaction lines that only apply to a certain vendor, select the vendor from the list. This filter only works for transactions with vendor data. If you use the Customer or Employee filter, this filter becomes unavailable.
Employee	If you want to search for transaction lines that only apply to a certain employee, select the employee from the list. This filter only works for transactions with employee data. If you use the Customer or Vendor filter, this filter becomes unavailable.
Billing Status	This filter is available when you search for Accounts Payables or Accounts Receivables account types. For these account types, you can select the billing status of the transaction lines that you want to filter: ■ Closed – transaction lines with no outstanding balance. ■ Open – transaction lines with an outstanding balance. By default, no billing status is selected, so both Closed and Open transaction lines show up in the Results list.

Filter	Description
Transaction Types	Use this list to select one or more transaction types you want to search for. If you want to select more than one transaction type, hold the Ctrl key and click their names. If you don't select a specific transaction type, the dashboard automatically searches for all supported transaction types.  Important: If the Intercompany Journals feature is disabled, the Intercompany Journal Entries filter still shows up under the transaction type filter. However, using the filter will return an empty search result. For more information, see the help topic Making Intercompany Journal Entries. Only matchable transaction types available in your NetSuite account show up in this list.
Date From	Enter a date. GL Matching only searches for transactions issued on this date or later. Earlier transaction lines are ignored.
Date To	Enter a date. GL Matching only searches for transactions issued on or before this date, and ignores later transaction lines.
Minimum Amount	Enter the minimal amount (in base currency) for transactions. GL Matching only searches for transactions exceeding this amount.
Maximum Amount	Enter the maximum amount (in base currency) for transactions. GL Matching only searches for transactions that don't exceed this amount.
Department	If you want to search for transaction lines that only apply to a certain department or business area, select the department from the list.
Class	If you want to search for transaction lines that only apply to a certain class for an account type, select the class from the list.
Location	If you want to search for transaction lines that only apply to a certain company location, select the location from the list.
 Note: The Department, Class, and Location filters are only available if you've enabled the Departments, Classes, and Locations features. For more information about these segments, see the help topic Classifications Overview .	

GL Matching Search Results List

All found transaction lines appear in the Search Results tab. Every transaction line in the search results appears in a separate row with several columns of additional information:

All found transaction lines show up in the Search Results tab. Each transaction line in the search results has its own row with several columns of additional information:

- **Type** – The transaction type (for example, Journal).

- **Number** – Automatically generated for each transaction line. In the search results, you can click this number to open the transaction and see its details.
- **Date** – The date the transaction was issued.
- **Entity** – Only shows if the transaction applies to a specific customer, vendor, or employee.
- **Transaction Currency** – The currency used for the transaction.
- **Debit()/Credit()** – Debit and credit values in base currency, shown with the three-letter ISO code in parentheses. The GL Matching SuiteApp matches transaction lines based on these values. For more information, see the help topic [Currency Management](#).
- **Debit(fx)/Credit(fx)** – Debit and credit values in the transaction currency, shown with the ISO code in the Transaction Currency column.
- **Memo** – Shows the memo for the transaction, usually a short description.
- **Matching Code** – A combination of letters unique to each account, subsidiary, and accounting book, assigned to every group of transaction lines. NetSuite uses uppercase for matched lines and lowercase for partially matched lines.
- **Matching Status** – If this is blank, the line hasn't been matched. For more information, see [GL Matching Terminology](#).



Important: Matching Status and Matching Code show **Processing** when at least one transaction line is being handled by the SuiteApp. You can check their status in the Matching In Progress subtab. You can't take any action on transaction lines that are in Processing or Pending status.

- **Matching Date** – When the SuiteApp matched or unmatched this transaction line.
- **Matching Reference** – A short description of the line that might include why it's part of a group. You can add, edit, or delete a reference here. After making changes, press **Enter** and confirm the changes in the window.



Note: Click any column header to sort the Results list by text (A to Z or Z to A) or by numbers (smallest to largest or largest to smallest) for that column.

Exporting GL Matching Search Results to CSV

You can export the search results to CSV and open the file in external applications.

Click **Export to CSV** to save your current search results in CSV format. The exported data only covers one combination of account, subsidiary, and accounting book.

Matching Transaction Lines

After you search for transaction lines, you can start matching. The SuiteApp lets you match up to 500 transaction lines in one go.

To help you reconcile, check the top of the Search Results subtab for a summary of total values. The summary of the values are displayed according to **Balance Selected/Total**, **Debit Selected/Total**, and **Credit Selected/Total**. The first figure (in bold) is the sum for the selected transaction lines. The second figure is the total for all transaction lines in the search results list.

To match transaction lines:

1. In the Search Results list, select the transaction lines you want to match.

To select all transaction lines, click **Select All**. Click **Clear All** to clear all checked boxes .

You can select up to 500 lines. In the **Results Per Page** field, set how many transaction lines you want to display per page. Use the **Page Number** to go between pages.

2. Click **Match**.

3. To check the matching status, click the **Matching In Progress** subtab.

The transaction lines on this subtab are grouped by account. Check the following columns for more information about the process:

- **Action** – Shows the SuiteApp process: Matching, Unmatching, or Reference editing (SuiteApp is changing the Matching Reference).
- **Matching Status** – Shows the current status of the matching process:
 - **Pending** – Transaction lines awaiting action.
 - **Processing** – Transaction lines being processed.
 - **Failed** – Action wasn't successful on the transaction lines.
- **Matching Date** – Shows the date and time the action started.
- **User** – Shows the employee who did the action.

Selected transaction lines get a matching code, and their matching status updates. If a new group's total balance is zero, the status is Matched. For information about the matching status, see [GL Matching Terminology](#).

4. (Optional) On the **Matching In Progress** subtab, click **Show List of Transactions** to see transaction lines in an account.



Note: Click the transaction line name or number to view the record, but you can't make changes to it.

Best Practice for Matching more than 500 Lines

If you need to match more than 500 transaction lines, match these transaction lines in batches by doing the following:

- Select and match 500 transaction lines. When they get a matching code, they belong to a matched group.
- Select a transaction line from the group, then select other transaction lines you want to add. When you click **Match**, you'll be asked whether to add them to the group or create a new one with a new matching code. For more information, see [Adding Transaction Lines to a Group](#).

Reviewing the Matching History

You can review the last 100 actions the GL Matching SuiteApp performed. Successfully processed transaction lines show up in the History subtab. Failed actions stay in the Matching In Progress subtab.

To review the matching history:

1. Go to Transactions > Financial > GL Matching Dashboard (Administrator). For roles that use the Accounting Center, go to Financial > Other Transactions > GL Matching Dashboard.
2. Go to the **History** subtab.

In the Transactions column, you'll see groups or single transaction lines that were successfully processed.

Each transaction line shows the new and previous Matching Code and Status. The Matching Date shows when the process finished.

3. Click **Refresh** to reload and update the History list.
4. Click **Show list of transactions** to see the full list of transaction lines in an account.
5. Click each transaction line link to go to the transaction record.

 **Note:** If a group of transaction lines is deleted, the transactions list shows **Undefined**. For deleted single transaction lines, the deleted record icon  appears in the Transactions column.

Operations with Groups of Transaction Lines

You can do the following actions with existing groups of Matched or Partially Matched lines on the GL Matching Dashboard:

- Add non-matched transaction lines to a group
- Remove transaction lines from a group
- Create a new group from matched transaction lines
- Undo a group of transaction lines

Adding Transaction Lines to a Group

You can add unmatched transaction lines to an existing group.

To add transaction lines to a new or existing group:

1. In the Search Results list, select a transaction line from the group you want to add new transaction lines to.
2. Select the transaction lines you want to add to the group.

 **Note:** You can add only unmatched transaction lines to a group. To add transaction lines that are already matched, remove them from their group first or unmatched the group entirely.

3. Click **Match**.
4. In the popup window, complete one of the following actions:
 - To add transaction lines to an existing group, click **Add to the Group**. The SuiteApp gives them the same matching code.
 - To create a new group, click **Create a New Group**. The SuiteApp gives the group a new matching code.

Removing Transaction Lines from a Group

You can remove one or more transaction lines from a group. Removed transaction lines lose their matching code. Their matching status is set to None or left blank in the Search Results list. The SuiteApp recalculates the group's total balance. Depending on the new balance, the matching status and code may change.

To remove transaction lines from a group:

1. In the Search Results list, select the matched transaction lines you want to remove from the group.
2. Click **Unmatch**.

Creating a New Group from Matched Transaction Lines

You can create a new group from transaction lines that belong to another group. The new group gets a new matching code. The old groups may keep or get a new matching code and status, depending on their balance.

To create a new group from already matched transaction lines:

1. In the Search Results list, select matched transaction lines from two or more groups.

 **Note:** If you select an entire group, that group will be removed afterward.

2. Click **Match**. You'll see a message if you select transaction lines with different matching codes.
3. Click **OK**.

Undoing a Group of Transaction Lines

You can unmatch a group of transaction lines. After the group is removed, the transaction lines lose their matching code. Their matching status is set to None or appears blank in the Search Results list.

To undo a matched group of transaction lines:

1. In the Search Results list, select any transaction line from a group marked by the same matching code.
2. Click **Unmatch**.

 **Important:** Adding or removing transaction lines can change a group's total balance. Some groups may lose their zero balance and change from Matched to Partially Matched.

Adjusting Transaction Lines Matched by the GL Matching SuiteApp

You can still edit transaction lines the SuiteApp already matched, but your changes might affect the matching status and code. For more information, see [Changes that Affect GL Matching Data](#).

You can edit the amount, account, subsidiary, and entity for a transaction line. Click the link in the Number column of the Search Results list to edit the transaction line.

On the GL Matching Dashboard, you can update the matching reference for searched transaction lines. Use the Matching Reference field in the Search Results list to add or change the text. If the transaction line is part of a matched (or partially matched) group, you can unmatch it, change its reference, or update the reference for the whole group.

To edit matched transaction lines:

1. Go to Transactions > Financial > GL Matching Dashboard. For roles that use the Accounting Center, go to Financial > Other Transactions > GL Matching Dashboard.

2. Using the filters, search for the group with the transaction lines you want to edit.
3. On the Search Results subtab, click the transaction line number to open its record.
4. Click **Edit**.
5. Click **Save** when you're done editing.

To update the matching reference on the GL Matching Dashboard:

1. Go to Transactions > Financial > GL Matching Dashboard. For roles that use the Accounting Center, go to Financial > Other Transactions > GL Matching Dashboard.
2. Use the filters to find the group whose matching reference you want to edit.
3. On the Search Results subtab, add or change the text in the Matching Reference field.
4. Click outside the field and you'll see a message.
5. Click **Cancel** if you don't want to continue. Click **Yes** to make the change.
6. If you clicked **Yes**, click one of these options:
 - **Unmatch this transaction** – Changing the reference will unmatch the transaction line from the group.
 - **Change all references in this group** – Your text will replace the matching reference for every transaction line in the group.
 - **Change this reference only** – Your text will update the reference for this transaction line. The matching references for the other transaction lines in the group won't change.

Changes that Affect GL Matching Data

Editing transactions or transaction lines already matched (or partially matched) may affect their matching status. Actions that affect the matching status includes the following:

- **Changing the Amount** – Transaction lines stay in the group, but the whole group is recalculated and the status may change.
- **Changing Account, Subsidiary, or Entity (Vendor, Customer, Employee)** – Transaction lines are unmatched from the group. The rest of the group is recalculated and the status may change.
- **Deleting the transaction or one of its lines** – The remaining transaction lines in the group are recalculated and their matching status may change.

After you save your changes, a notification shows an overview of your action and lets you see which lines were affected.

Click **Group Details** in the notification to return to the GL Matching Dashboard, where you'll see the updated status, code, and date for your grouped transaction lines.

Finding Accounts with Unmatched Transaction Lines

The GL Matching SuiteApp gives you a **GL Matching - List of Accounts** page, where you can find accounts with unmatched transaction lines.

You can filter your search by date, subsidiary (if you use NetSuite OneWorld), or accounting book (if Multi-Book Accounting features are enabled).

Note: The List of Accounts only searches account types included in GL Matching. For more information, see [Including Accounts in GL Matching](#).

Administrators can access the GL Matching – List of Accounts page by default. To give other roles access, see [Setting Access to GL Matching Pages](#).

To find unmatched accounts:

1. Go to Transactions > Financial > GL Matching – List of Accounts. For roles that use the Accounting Center, go to Financial > Other Transactions > GL Matching Checklist.
2. Fill in the search filters to narrow your results.
3. Check the **Only with Matchable Amounts** box to search for accounts where both debit and credit amounts can be matched.
4. Click **Show Accounts** to search for accounts with unmatched credit and debit values.
The results are displayed on the **Accounts** subtab.

GL Matching Elements on Transaction Records

Installing the GL Matching SuiteApp adds a GL Matching subtab to every supported standard transaction record. This subtab shows GL Matching data for the transaction record.

Note: The GL Matching subtab is available for all standard matchable transactions except Vendor Prepayment and Vendor Prepayment Application.

For custom transactions, you'll need to add the GL Matching subtab manually. For more information, see [Adding the GL Matching Subtab to Custom Transactions](#).

The information in the subtab changes based on whether the Multi-Book Accounting feature is enabled in your NetSuite account.

Important: If you turn the Multi-Book Accounting feature on or off after installing the GL Matching SuiteApp, the subtab data may become inaccurate or cause errors. To fix this issue, contact NetSuite Customer Support to update your GL Matching SuiteApp.

This subtab is for viewing only and you can't match or unmatch transaction lines here. To do that, click **Group Details**. The link takes you to the GL Matching Dashboard where you can match or unmatch transaction lines.

You can add or edit the matching reference for transaction lines in a transaction. For more information, see [Updating the Matching Reference on Transaction Records](#).

Adding the GL Matching Subtab to Custom Transactions

Installing the GL Matching SuiteApp adds the GL Matching subtab to each standard transaction record. You can add the GL Matching subtab to any custom transaction record included in GL Matching.

To add the GL Matching subtab to a custom transaction record:

1. Go to Customization > Forms > Sublists > List.
2. Next to the **GL Matching** sublist, click **Edit**.

3. Select your custom transaction in the Custom Transactions list.
4. Click **Save**.

Updating the Matching Reference on Transaction Records

You can add or change the matching reference on the transaction record to help find transaction lines on the GL Matching Dashboard.

Adding or editing the matching reference updates all transaction lines in that record that belong to a GL Matching account.

Anyone with the GLM - Dashboard reference permission can add, edit, or delete the matching reference. For information about custom permissions, see [Adding Standard and GL Matching Custom Permissions](#).

You can update the matching reference on the transaction record or through a CSV import.

To update the matching reference on a transaction:

1. Open the transaction record you want to add or edit the matching reference for.
2. Go to the **GL Matching** subtab.
3. On the **Matching Reference for All Lines** field, enter the new matching reference.
4. Click outside the field and you'll see a message.
5. Click **Yes, continue** to proceed with the change.
Click **No, cancel** if you don't want to update the matching reference.
6. Click **Save**.

The update may take a few minutes after you save the transaction.

To update the matching reference using a CSV import:

1. Go to Setup > Import/Export > Import CSV Records.
2. In the **Import Type** field, select Transactions.
3. In the **Record Type** field, select the transaction type you want to import.
4. Choose One File to Upload or Multiple Files to Upload, depending on how many files you're importing.
5. Select the file you want to import from your computer. For more information, see the help topic [Select a File for Import](#).
6. Click **Next**.
7. On the Import Options page, choose Add. For more information about other import options, see the help topic [Step Two Import Options](#).
8. Click **Next**.
9. (Required for multiple files import only) On the File Mapping page, select a key column from the linked files to map to the primary key column. For more information, see the help topic [Step Three File Mapping](#).
10. On the Field Mapping page, verify that the Memo on your CSV file is mapped to the CSV Reference field in the left pane.
11. (Optional) On the Field Mapping page, click the edit icon next to the CSV Reference field in the left pane. Add a short text that will be used as the matching reference.

12. Click **Next**.
13. On the Save Mapping & Start Import page, enter an import map name and description.
14. Click **Save & Run**.

For more information about checking the import status, see the help topic [Viewing the CSV Import Job Status Page](#).

 **Note:** The reference may take some time to update after the import process is complete.

Multiple Associations Check in GL Matching

The GL Matching SuiteApp has a safeguard that checks if a matched group of transaction lines is linked to more than one account, subsidiary, or accounting book.

A group of transaction lines can only be linked to one account, one subsidiary, and one accounting book. If multiple associations are found, you'll get an email notification.

To resolve the issue, you'll need to unmatch the group in the account, subsidiary, or accounting book where they don't belong. Click **Group Details** in the email to go to the GL Matching Dashboard and unmatch the group. For more information, see [Undoing a Group of Transaction Lines](#).

Summary of GL Matching Results

To see all transaction lines matched (or partially matched) by the GL Matching SuiteApp, use a saved search for a summary.

After you install the SuiteApp, NetSuite provides the GL Matching Report saved search. The saved search contents change based on whether the Multi-Book Accounting feature is enabled in your NetSuite account.

 **Important:** If you turn the Multi-Book Accounting feature on or off after installing the GL Matching SuiteApp, the subtab data may become inaccurate or cause errors. To fix this issue, contact NetSuite Customer Support to update your GL Matching SuiteApp.

Accessing GL Matching Saved Searches

You can find transaction lines with GL Matching data such as matching code, status, reference, and date in the GL Matching Report saved search. The GL Matching Report saved search includes all transaction lines that have already been matched or partially matched by the SuiteApp. It also gives you a link to each matched group's details.

To access the GL Matching Report saved search, go to Reports > Saved Searches > All Saved Searches and click **View** next to the saved search you want.

On the GL Matching Report results page, you can use these filters to display results:

- **Period** – Shows transaction lines for the selected accounting period.
- **Accounting Book** – Shows transaction lines from the selected accounting book.
- **Account** – Shows transaction lines from the selected account. If Account Numbering feature is enabled, results also show the account number next to the account name.

- **Name** – Shows transaction lines for the selected customer or vendor.

You should use the GL Matching Dashboard to find matched, partially matched, and unmatched transaction lines.

If you still want to filter matching status using the GL Matching Report saved search, first add Internal ID (Summary Type: GROUP) as a column in the **Results** subtab. Then add filters for Account, Subsidiary, Book, Date, or Posting Status in the **Criteria** subtab. This way, the saved search shows transaction lines that are not matched, partially matched, or fully matched. You can then export the results to CSV or Excel, and use Excel to filter the Matching Status column for the results you want.



Note: If Multi-Book Accounting feature is enabled, the GL Matching Report groups results by accounting book.

With a saved search, you can share GL Matching summaries and show them on your home page. You can also export the results to CSV, Excel, or PDF by clicking the icons at the top of the page. For more information, see the help topic [Saved Searches](#).