



ORACLE
NetSuite

Localization Assistant SuiteApp

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Localization Assistant SuiteApp 1
 - Installing the Localization Assistant SuiteApp 1
 - Managing the Localization SuiteApps 1
 - Managing the Components of Localization or Partner SuiteApps 3
 - Managing Payment Formats 5
 - ISO 20022 Payment Templates Customization 7
 - Localization Record Context Field Management (LRCFM) 15

Localization Assistant SuiteApp

The Localization Assistant SuiteApp enables you to identify and install the SuiteApps that are mandatory to a specific location. The SuiteApp also lists recommended NetSuite SuiteApps that are optional based on the best practices in your country of operation.

The Localization Assistant SuiteApp also supports NetSuite Record Localization Context feature.

Localization Assistant SuiteApp helps manage the components of localization or partner SuiteApps by using the features of the following SuiteApps.

- Electronic Bank Payments
- Electronic Invoicing
- Tax Reporting Framework

The SuiteApps must first integrate with Localization Assistant SuiteApp to manage the components. For more information, see [Managing the Components of Localization or Partner SuiteApps](#)

For more information about the Localization Assistant SuiteApp, refer to the following help topics:

- [Installing the Localization Assistant SuiteApp](#)
- [Managing the Localization SuiteApps](#)
- [Managing the Components of Localization or Partner SuiteApps](#)
- [Managing Payment Formats](#)
- [Localization Record Context Field Management \(LRCFM\)](#)

Installing the Localization Assistant SuiteApp

You can install the Localization Assistant SuiteApp from the SuiteApp Marketplace in NetSuite. For more information about installing the SuiteApp, see the help topic [Installing from the SuiteApp Marketplace](#).

The Localization Assistant SuiteApp is a managed SuiteApp. After you install the SuiteApp, your accounts automatically update whenever an update to the SuiteApp is available. For more information about Localization Assistant SuiteApp, see [Managing the Localization SuiteApps](#).

Managing the Localization SuiteApps

You can use the Localization Assistant SuiteApp to identify the SuiteApps specific to your country and manage their components. You can also view the status of the SuiteApps as well as perform actions like installing and accessing SuiteApp's help topics from the Localization SuiteApps page. The following are the types of SuiteApps:

- **Mandatory SuiteApps** – The required SuiteApps you must install in your account so that you can use the localization features specific to your country. For the order of installation, refer to the specific Localization SuiteApp. This ensures that the SuiteApps which are required by the others are installed first.
- **Recommended SuiteApps** – The optional SuiteApps are recommended based on the best practices in your country. You can install these SuiteApps depending on the features you need.

To manage the localization SuiteApps:

1. Go to Setup > Localization Assistant > Manage Localizations.
2. From the Manage Localization SuiteApps page, select a **Country**.

The **Country** list displays the list of countries depending on the parent country and the subsidiaries associated with your account. After you select a country, you can view the Mandatory and Recommended SuiteApps applicable to your accounts.

Note: The Manage Localization SuiteApp displays a list of all the SuiteApps that have the following accounts enabled for the country you select from the **Country** list.

- Legacy
- SuiteTax
- LegacyAndSuiteTax

Hovering over SuiteApp Actions shows a tooltip indicating whether SuiteTax feature is enabled or disabled in your account.

INSTALLATION ORDER	SUITEAPPS	SUITEAPP STATUS	SUITEAPP ACTIONS	HELP TOPICS	MANAGE SUITEAPP AND COMPONENTS
1	SuiteTax Engine	Not installed	Install	Admin Documentation	
2	SuiteTax Data Records	Not installed	Install	Admin Documentation	
3	International Tax Reports	Not installed	Install	Admin Documentation	
4	Country Specific Address Forms	Not installed	Install	Admin Documentation	
5	Mexico Localization	Installed	Reinstall	Admin Documentation	
6	Mexico Bill of Lading (Complemento Carta Porte)	Not installed	Install	Admin Documentation	

SERIAL NUMBER	SUITEAPPS	SUITEAPP STATUS	SUITEAPP ACTIONS	HELP TOPICS	MANAGE SUITEAPP AND COMPONENTS
1	Mexico Deferred Taxes	Not installed	Install	Admin Documentation	
2	Electronic Invoicing	Installed	Reinstall	Admin Documentation	
3	Electronic Bank Payments	Not installed	Install	Admin Documentation	
4	NetSuite SuiteApps License Client	Installed	Reinstall	Admin Documentation	
5	Tax Reporting Framework	Installed	Reinstall	Admin Documentation	
6	Tax Audit Files	Installed	Reinstall	Admin Documentation	
7	Withholding Tax	Not installed	Install	Admin Documentation	

3. The **Mandatory SuiteApps** subtab has the following columns:
 - **Installation Order** – This column displays the installation order of the mandatory SuiteApps.
 - **SuiteApps** – This column displays the names of the mandatory SuiteApps.
 - **SuiteApp Status** – This column displays the status of the SuiteApp. The following are the statuses:
 - **Installed** – The SuiteApp is already installed in your account.
 - **Not Installed** – The SuiteApp is not yet installed in your account.
 - **SuiteApp Actions** – This column displays the following links that you can click to perform the required actions for the SuiteApps.
 - **Install** – Click the **Install** link to install the SuiteApp.
 - **Refresh** – Click the **Refresh** link to get the updated status of the SuiteApp installation.
 - **Reinstall** – Click **Reinstall** link to reinstall the SuiteApp.

- **Help Topics** – Click the **Admin Documentation** link in this column to open the help topics for the mandatory SuiteApps.
 - **Manage SuiteApp and Components** – This column displays the mandatory SuiteApp's components. Click **View** to view and install the required components. A Manage SuiteApp page specific to the localization SuiteApp is displayed to view and install the required components. For more information, see [Managing the Components of Localization or Partner SuiteApps](#).
4. The **Recommended SuiteApps** subtab has the following columns:
- **Serial Number** – This column displays the recommended SuiteApps' serial numbers.
 - **SuiteApps** – This column displays the names of the recommended SuiteApps.
 - **SuiteApp Status** – This column displays the status of the SuiteApp. The following are the statuses:
 - **Installed** – The SuiteApp is already installed in your account.
 - **Not Installed** – The SuiteApp is not yet installed in your account.
 - **SuiteApp Actions** – This column displays the following links that you can click to perform the required actions for the SuiteApps.
 - **Install** – Click the **Install** link to install the SuiteApp.
 - **Refresh** – Click the **Refresh** link to get the updated status of the SuiteApp installation.
 - **Reinstall** – Click **Reinstall** link to reinstall the SuiteApp.
 - **Help Topics** – Click the **Admin Documentation** link in this column to open the help topics for the recommended SuiteApps.
 - **Manage SuiteApp and Components** – This column displays the recommended SuiteApp's components. Click **View** to view and install the required components. A Manage SuiteApp page specific to the localization SuiteApp is displayed to view and install the required components. For more information, see [Managing the Components of Localization or Partner SuiteApps](#).

Managing the Components of Localization or Partner SuiteApps

Localization Assistant SuiteApp currently integrates with the following SuiteApps to manage the components for localization or partner SuiteApps:

- Electronic Bank Payments
- Electronic Invoicing
- Tax Reporting Framework

Localization Assistant SuiteApp enables localization country's teams to manage their SuiteApp's components. You can also use the Localization Assistant SuiteApp to configure custom actions of the localization country's SuiteApp.

To manage the components, first install the localization SuiteApp. Next, use the **Component Name** and **Component Status** search filters on the Manage SuiteApps page to find the required components.

FEATURE	COMPONENT TEMPLATES	COMPONENT STATUS	ACTIONS	LAST UPDATED ON	LAST UPDATED BY
Reporting	☐ Tax Reporting Framework (Admin Documentation)	✓ 3 of 3 components installed			
	☐ Reports	Installed	Reinstall	1/24/2023 11:11:01 pm	Vinay
	☐ Periodic VAT return - VAT3				
	☐ Intrastat - Dispatches				
	☐ Intrastat - Dispatches (post-2021)				
	☐ Intrastat - Arrivals				
	☐ EC Sales List				
	☐ Return of Trading Details				
	☐ Saved Searches	Installed	Reinstall	1/22/2023 11:12:50 pm	Vinay
	☐ tax reporting category	Installed	Reinstall	1/22/2023 11:12:51 pm	Vinay
	☐ Country-Specific Reports (Admin Documentation)	0 of 3 components installed			
Invoicing	☐ Electronic Invoicing (Admin Documentation)	3 of 4 components installed			
Payments	☐ Electronic Bank Payments (Admin Documentation)	Install the SuiteApp first	Install SuiteApp		
Localization SuiteApp	☐ Norway Localized SuiteApp (Admin Documentation)	✓ 2 of 2 components installed			

To manage the components of SuiteApps:

1. Go to Setup > Localization Assistant > Manage Localizations.
2. From the Manage Localization SuiteApps page, click **View** for the required SuiteApp in the Manage SuiteApp and Components column.

A Manage SuiteApp page for the respective country SuiteApp is displayed to view and install the required components

3. The Manage SuiteApp page has the following columns:
 - **Feature** – This column displays the name of the features.
 - **Component Templates** – This column displays the component templates available for the feature. You must check the box beside each template to select the required component templates and perform an action.
 - **Component Status** – This column displays the status of the component. If the components are installed, it displays the number of components installed. The following are the statuses:
 - **Installed** – The component is already installed in your account.
 - **Not Installed** – The component is not yet installed in your account.
 - **Not Available** – The component is not available because you don't have the core SuiteApp installed.
 - **Installation Failed** – The component installation failed in your account.
 - **In Progress** – The component installation is in progress.
 - **Actions** – This column displays the following links that you can click to perform the required actions for the components.
 - **Install** – Click **Install** to install the SuiteApp components.
 - **Reinstall** – Click **Reinstall** to reinstall the SuiteApp component.
 - **Last Updated On** – This column displays the date and time on which the component was last updated.
 - **Last Updated By** – This column displays the name of the user who last updated the component

Note: Loading the components takes time as processing the components based on the processing queue also takes time.

In the Localization Assistant SuiteApp, Localization SuiteApps have the ability to customize Custom Actions and a **Configure** button. For more information about the customizations, contact customer support for the localization SuiteApps specific to your country or region.

Note: Custom Actions and **Configure** button are optional features. If the features are not setup by your respective Localization SuiteApps, then they are not displayed on the Manage SuiteApps page.

Managing Payment Formats

You can use the Localization Assistant SuiteApp to manage payment formats of a country. You can install and manage the required payment formats based on the country of operation from the Payments Formats page. You need not install the country's localization SuiteApp to use their templates from the Payment Formats page.

Note: You must first install the Electronic Bank Payments SuiteApp to manage the payment formats. For more information, see the help topic [Installing the Electronic Bank Payments SuiteApp](#).

PAYMENT FORMATS	STATUS	ACTIONS	COUNTRY	HELP TOPICS
Electronic Fund Transfer				
CustomerCreditTransferInitiatorV02 (pain.001.001.029)	Not Installed	Customize		Admin Documentation
CustomerCreditTransferInitiatorV09 (pain.001.001.009)	Not Installed	Customize		Admin Documentation
Nordea P27 Credit Transfer	Not Installed	Install	Denmark, Finland, Norway, Sweden	Admin Documentation
SEPA Credit Transfer (ABN AMRO) v2019	Not Installed	Install	Austria, Germany	Admin Documentation
SEPA Credit Transfer (Austria) v2019	Not Installed	Install	Austria, Germany	Admin Documentation
SEPA Credit Transfer (Bank of Ireland) v2019	Not Installed	Install	Ireland	Admin Documentation
SEPA Credit Transfer (Netherlands) v2019	Not Installed	Install	Netherlands	Admin Documentation
SEPA Credit Transfer (SEB) v2019	Not Installed	Install	Sweden	Admin Documentation
SEPA Credit Transfer (Belgium) v2019	Not Installed	Install	Belgium	Admin Documentation
SEPA Credit Transfer (France) v2019	Not Installed	Install	France	Admin Documentation
SEPA Credit Transfer (HSBC) v2019	Not Installed	Install	Austria, Belgium, Czechia, France, Germany, Ireland...	Admin Documentation
SEPA Credit Transfer (Luxembourg) v2019	Not Installed	Install	Luxembourg	Admin Documentation
Direct Debit				
CustomerDirectDebitInitiatorV08 (pain.008.001.008)	Not Installed	Customize		Admin Documentation
SEPA Direct Debit (ABN AMRO) v2019	Not Installed	Install	Belgium, France, Germany, Luxembourg, Netherlan...	Admin Documentation

To manage Payment Formats of a country:

1. Go to Setup > Localization Assistant > Payment Formats.
2. From the Payment Formats page, select a **Country**.
The **Country** list displays the list of countries according to the available payment formats.
3. Select a type of template from the **Template Type** list to filter the required templates. Alternatively, you can search for a template by name in the **Search by Keyword** box.
4. The Payments Formats page has the following columns:

- **Payment Formats** – This column displays the payment format types and the list of available templates for the selected country.
- **Status** – This column displays the installation status of payment format templates.
 - **Installed** – The payment format template is already installed in your account.
 - **Not Installed** – The payment format template is not yet installed in your account.
- **Actions** – This column displays the following links that you can click to perform the required actions for the payment format templates.
 - **Install** – Click **Install** to install the payment format template.
 - **Reinstall** – Click **Reinstall** to reinstall the payment format template.
 - **Customize** – Click **Customize** to create a new payment format template using the base template.
- **Country** – Displays the list of the countries to which the payment format templates belong to.
- **Help Topics** – Click the **Admin Documentation** link in this column to open the payment file formats help topics.

The following tables shows the EFT payment formats used for different countries to process payments from Electronic Bank Payment SuiteApp.

Country	EFT Format	Required SuiteApp
Austria	SEPA Credit Transfer (ABN AMRO) v2019	Electronic Bank Payments
	SEPA Credit Transfer (Austria) v2019	
	SEPA Credit Transfer (HSBC) v2019	
Belgium	SEPA Credit Transfer (Belgium) v2019	Electronic Bank Payments
	SEPA Credit Transfer (HSBC) v2019	
Czechia	SEPA Credit Transfer (HSBC) v2019	Electronic Bank Payments
Denmark	Nordea P27 Credit Transfer	Electronic Bank Payments
Finland	Nordea P27 Credit Transfer	Electronic Bank Payments
France	SEPA Credit Transfer (France) v2019	Electronic Bank Payments
	SEPA Credit Transfer (HSBC) v2019	
Germany	SEPA Credit Transfer (ABN AMRO) v2019	Electronic Bank Payments
	SEPA Credit Transfer (Austria) v2019	
	SEPA Credit Transfer (HSBC) v2019	
Ireland	SEPA Credit Transfer (Bank of Ireland) v2019	Electronic Bank Payments
	SEPA Credit Transfer (HSBC) v2019	
Italy	SEPA Credit Transfer (HSBC) v2019	Electronic Bank Payments
Jersey	SEPA Credit Transfer (HSBC) v2019	Electronic Bank Payments
Luxembourg	SEPA Credit Transfer (Luxembourg) v2019	Electronic Bank Payments
	SEPA Credit Transfer (HSBC) v2019	

Country	EFT Format	Required SuiteApp
Netherlands	SEPA Credit Transfer (Netherlands) v2019	Electronic Bank Payments
	SEPA Credit Transfer (HSBC) v2019	
Norway	Nordea P27 Credit Transfer	Electronic Bank Payments
Spain	SEPA Credit Transfer (HSBC) v2019	Electronic Bank Payments
Sweden	Nordea P27 Credit Transfer	Electronic Bank Payments
	SEPA Credit Transfer (SEB) v2019	
United Kingdom	SEPA Credit Transfer (HSBC) v2019	Electronic Bank Payments

The following are the ISO formats available for customizations. You can use the **Customize** link on the Payments Formats page to customize or create new payment format templates using the base version of the templates. These formats are applicable for all countries:

- [CustomerCreditTransferInitiationV09 \(pain.001.001.09\)](#)
- [CustomerDirectDebitInitiationV08 \(pain.008.001.08\)](#)
- [CustomerDirectDebitInitiationV02 \(pain.008.001.02\)](#)
- [CustomerCreditTransferInitiationV03 \(pain.001.001.03\)](#)

For more information, see [ISO 20022 Payment Templates Customization](#).

ISO 20022 Payment Templates Customization

You can customize or create new ISO 20022 EFT and DD templates from the Payments Formats page. You can use the **Customize** link on the Payments Formats page to customize or create new payment format templates using the base version of the templates.

Note: The base version of the payment format templates have tags with default possible mappings to the electronic bank payments SuiteApp fields. You can edit or remove any mapping values as required. For more information, see [Default Possible Mapping Values in ISO 20022 Templates](#).

The following are the templates supported for ISO customizations:

- [CustomerCreditTransferInitiationV09 \(pain.001.001.09\)](#)
- [CustomerDirectDebitInitiationV08 \(pain.008.001.08\)](#)
- [CustomerDirectDebitInitiationV02 \(pain.008.001.02\)](#)
- [CustomerCreditTransferInitiationV03 \(pain.001.001.03\)](#)

Creating and Customizing Payment Format Templates

You can create and customize payment format templates in the following stages:

1. [Select Format](#)
2. [Field Mapping](#)

3. Template Review

Select Format

You can enter a template name and select the required countries to customize the payment format template. The template type is automatically updated for the selected template.

To select a format:

1. Go to Setup > Localization Assistant > Payment Formats.
2. Click **Customize** next to the required template.
3. In the **Template Name** field enter a name for the payment template.
The template name is validated for duplications.
4. From the **Country** list, select the required countries.
5. The **Template Type** field displays the type of template. This field is automatically updated from the selected template.
6. Click **Next**.

Field Mapping

You can use ISO 20022 tags from the **ISO Tags Names** list to map the fields available in the Electronic Bank Payments SuiteApp records. The ISO Mapping page has a left and right panel. The left panel has the **ISO Tags Names** list and search bar to search and select the ISO tags. The right panel displays the fields available in the each ISO tag selected in the left panel.

To select an ISO tag and map the fields:

1. From the Select Format page, click **Next**.
2. On the Field Mapping page, select the required tag from the **ISO Tags Names** list.
You can also search for the ISO Tags by typing the names of the tags in the search bar.
3. The right panel displays the following fields for the selected ISO tag:
 - **Record Type** – Select a record from the list of Electronic Bank Payment SuiteApp records.
 - **Record Field** – Select the required field name from the list. This field is populated depending on the selected record type.



Note: If the required record field is not available, enter the internal Id of the **Record Field** in the **Mapped Value** text box.

A Processing. Please wait, message appears when the **Record Field** list is retrieving the fields of each record. It takes a few seconds for the fields to load in the beginning.

- **Label** – Enter a custom field label that appears in the Company Bank Details or Entity Bank Details page. This field is enabled only when you select either Company Bank Details or Entity Bank Details options from the **Record Type** list.
- **Description** – Enter the field description used in the Company Bank Details or Entity Bank Details page. This field is enabled only when you select Company Bank Details or Entity Bank Details from the **Record Type** list.
- **Mapped Value** – The final value used to map the selected tags. If a default mapping value is available, the value is automatically populated.

Note: If the field is not available in **Choose Record Field** list, enter the field ID in **Mapped Value** field inside the brackets `{}`.
For example: `${cbank.custrecord_temp}`.

- **Mandatory** – Check this box on the Bank Details page if you want to make the fields required during company or entity bank details setup.
 - **Enable FreeMarker Functions** – Use the switch to enable validations and formatting functions provided by Electronic Bank Payment SuiteApp.
4. Click **Next** to move to the next page.
 5. Click **Save as Draft**, to save the template as draft.

Note: Saving the template as a draft saves your progress at any time while you're editing. On the ISO Standard Format page, the template's in **Draft** status. The draft template has an **Edit** option. You can click **Edit** to update the template and submit your changes. After you submit your changes, the template's available to install.

6. Click **Submit** to submit the template.

Looping

You can use the following loops in the Localization Assistant SuiteApp:

- **Payment loop** – This is a default loop applied at the credit transfer transaction information tag. No manual input is required.
- **TransHash loop** – This loop's applied to the remittance information tag. For more information, see the help topic [transHash](#).

Note: You can map a transaction record only when TransHash loop is enabled.

Because of a limitation, the **Apply Transaction Loop** switch is available in the unstructured tag. But in the final template, you'll see the transaction loop applied at the start of the structured tag.

Template Review

You can review the all the customized ISO tags and fields from the ISO Template Review page. After you review the template, click **Confirm** to save the custom template.

After you save the template, you can view the newly created custom template in the Payments Format page. You can customize this template again by clicking the **Customize** link next to the template name.

Default Possible Mapping Values in ISO 20022 Templates

The CustomerCreditTransferInitiation message is sent by the initiating party to the forwarding agent or debtor agent. It is used to request movement of funds from the debtor account to a creditor.



Note: The following guidelines allows the user to understand the default possible mapping values in the ISO 20022 template tables.

- Default mapping values are provided for your convenience and taken as reference from previous templates. You can edit or modify the values as required.
- The bold text in the Message Element column indicates the parent tags and its position in the hierarchy.
- Default mapping values are displayed when you select the respective tag with a tick mark while customizing a template. Mapping values guide you to effectively use free marker functions when you customize the template.
- If you don't need a mapped value for a tag, clear the text in the **Mapped Value** text box of the respective tag and save it. You can do this if you don't want an pre-existing default mapping value.

CustomerCreditTransferInitiationV09 (pain.001.001.09)

The following table has the default possible mapping values for CustomerCreditTransferInitiationV09 (pain.001.001.09) ISO 20022 template.

Message Element	XML Tag	Mapping Value
GroupHeader	<GrpHdr>	
MessageIdentification	<MsgId>	\${setMaxLength(pfa.id,35)}
CreationDateTime	<CreDtTm>	\${pfa.custrecord_2663_file_creation_timestamp?date?string("yyyy-MM-dd")}T\${pfa.custrecord_2663_file_creation_timestamp?time?string("HH:mm:ss")}'
NumberOfTransactions	<NbOfTx>	\${setMaxLength(pfa.custrecord_2663_total_transactions,15)}
ControlSum	<CtrlSum>	\${formatAmount(computeTotalAmount(payments,false), "decLessThan1")}
InitiatingParty	<InitgPty>	
Name	<Nm>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_statement_name,140)}
Country	<Ctry>	\${cbank.custpage_eft_custrecord_2663_bank_country}
OrganisationIdentification	<OrgId>	
AnyBIC	<AnyBIC>	\${cbank.custpage_eft_custrecord_2663_bic}
Identification	<Id>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_bank_comp_id,35)}
Issuer	<Issr>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_issuer_num,35)}
PaymentInformation	<PmtInf>	

Message Element	XML Tag	Mapping Value
PaymentInformationIdentificatio	<PmtInfId>	\${setMaxLength(pfa.id,35)}
NumberOfTransactions	<NbOfTx>	\${setMaxLength(pfa.custrecord_2663_total_transactions,15)}
ControlSum	<CtrlSum>	\${formatAmount(computeTotalAmount(payments,false), "decLessThan1")}
RequestedExecutionDate	<ReqdExctnDt>	
Date	<Dt>	\${pfa.custrecord_2663_process_date?string("yyyy-MM-dd")}
Debtor		
Name	<Nm>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_ statement_name,140)}e
Country	<Ctry>	\${cbank.custpage_eft_custrecord_2663_bank_country}
AddressLine	<AdrLine>	\${cbank.custpage_eft_custrecord_2663_bank_address1}
OrganisationIdentification	<OrgId>	
AnyBIC	<AnyBIC>	\${cbank.custpage_eft_custrecord_2663_bic}
Issuer	<Issr>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_issuer_ num,35)}
Debtor Account		
IBAN	<IBAN>	\${cbank.custpage_eft_custrecord_2663_iban}
Currency	<Ccy>	\${cbank.custrecord_2663_currency}
Debtor Agent	<DbtrAgt>	
Financial Institution Identification	<FinInstnId>	
BICFI	<BICFI>	\${cbank.custpage_eft_custrecord_2663_bic}
Creditor Account	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	\${ebank.custrecord_2663_entity_iban}
Creditor Agent	<CdtrAgt>	
BICFI	<BICFI>	\${ebank.custrecord_2663_entity_bic}
Creditor	<Cdtr>	
Postal Address	<PstlAdr>	
Country	<Ctry>	\${ebank.custrecord_2663_entity_country_code}

CustomerDirectDebitInitiationV08 (pain.008.001.08)

The CustomerDirectDebitInitiation message is sent by the initiating party to the forwarding agent or creditor agent. It is used to request a single or bulk collections of funds from one or various debtor's accounts for a creditor.

Message Element	XML Tag	Mapping Value
GroupHeader	<GrpHdr>	
MessageIdentification	<MsgId>	\${setMaxLength(pfa.id,35)}

Message Element	XML Tag	Mapping Value
CreationDateTime	<CreDtTm>	\$(pfa.custrecord_2663_file_creation_timestamp?date?string("yyyy-MM-dd"))T\$(pfa.custrecord_2663_file_creation_timestamp?time?string("HH:mm:ss"))
NumberOfTransactions	<NbOfTx>	\$(setMaxLength(pfa.custrecord_2663_total_transactions,15))
ControlSum	<CtrlSum>	\$(formatAmount(computeTotalAmount(payments,false),"decLessThan1"))
InitiatingParty	<InitgPty>	
Name	<Nm>	\$(setMaxLength(cbank.custpage_dd_custrecord_2663_statement_name,140))
Country	<Ctry>	\$(cbank.custpage_dd_custrecord_2663_bank_country)
OrganisationIdentification	<OrgId>	
AnyBIC	<AnyBIC>	\$(cbank.custpage_dd_custrecord_2663_bic)
Identification	<Id>	\$(setMaxLength(cbank.custpage_dd_custrecord_2663_bank_comp_id,35))
Issuer	<Issr>	\$(setMaxLength(cbank.custpage_dd_custrecord_2663_issuer_num,35))
PaymentInformation	<PmtInf>	
PaymentInformationIdentification	<PmtInfId>	\$(setMaxLength(convertSEPACharSet(pfa.custrecord_2663_ref_note),30))
Local Instrument	<LclInstrm>	
Code	<Cd>	\$(pfa.custrecord_2663_direct_debit_type)
NumberOfTransactions	<NbOfTx>	\$(setMaxLength(pfa.custrecord_2663_total_transactions,15))
ControlSum	<CtrlSum>	\$(formatAmount(computeTotalAmount(payments,false),"decLessThan1"))
RequestedExecutionDate	<ReqdExctnDt>	\$(pfa.custrecord_2663_process_date?string("yyyy-MM-dd"))
Creditor	<Cdtr>	
Name	<Nm>	\$(setMaxLength(cbank.custpage_dd_custrecord_2663_statement_name,140))
Country	<Ctry>	\$(cbank.custpage_dd_custrecord_2663_country_code)
AddressLine	<AdrLine>	{cbank.custpage_dd_custrecord_2663_bank_address1}
Creditor Account		
IBAN	<IBAN>	\$(cbank.custpage_dd_custrecord_2663_iban)
Currency	<Ccy>	\$(cbank.custrecord_2663_currency)
Creditor Agent	<CdtrAgt>	
Financial Institution Identification	<FinInstnId>	
BICFI	<BICFI>	\$(cbank.custpage_dd_custrecord_2663_bic)
MemberIdentification	<MmbId>	'\$(cbank.custpage_dd_custrecord_2663_branch_num)
CreditorSchemeIdentification	<CdtrSchmeId>	
Identification	<Id>	

Message Element	XML Tag	Mapping Value
OrganisationIdentification	<OrgId>	
Other	<Othr>	
Identification	<Id>	\${cbank.custpage_dd_custrecord_2663_processor_code}
DirectDebitTransactionInformation	<DrctDbtTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	\${setMaxLength(pfa.id,35)}
DirectDebitTax	<DrctDbtTx>	
MandateRelatedInformation	<MndtRltdInf>	
ElectronicSignature	<ElctrncSgntr>	\${ebank.custrecord_2663_entity_signature}
MandateIdentification	<MndtId>	\${ebank.custrecord_2663_entity_issuer_num}
AmendmentInformationDetails	<AmdmntInfDtls>	
Identification	<Id>	
PrivateIdentification	<PrvtId>	
Other	<Othr>	
Identification	<Id>	\${ebank.custrecord_2663_entity_bank_no}
OriginalDebtorAccount	<OrgnIDbtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	\${ebank.custrecord_2663_entity_iban}
OriginalCreditorSchemeIdentification	<OrgnCdtrSchmeId>	
Name	<Nm>	\${ebank.custrecord_2663_entity_acct_name}
Debtor Agent	<DbtrAgt>	
Financial Institution Identification	<FinInstnId>	
BICFI	<BICFI>	\${ebank.custrecord_2663_entity_bic}
Debtor Account		
Identification	<Id>	
IBAN	<IBAN>	\${ebank.custrecord_2663_entity_iban}

CustomerDirectDebitInitiationV02 (pain.008.001.02)

The CustomerDirectDebitInitiation message is sent by the initiating party to the forwarding agent or creditor agent. It is used to request a single or bulk collections of funds from one or various debtor's accounts for a creditor.



Note: You can refer the mappings from [CustomerDirectDebitInitiationV08 \(pain.008.001.08\)](#) to customize your template.

CustomerCreditTransferInitiationV03 (pain.001.001.03)

The CustomerCreditTransferInitiation message is sent by the initiating party to the forwarding agent or debtor agent. It is used to request movement of funds from the debtor account to a creditor.

Message Element	XML Tag	Mapping Value
GroupHeader	<GrpHdr>	
MessageIdentification	<MsgId>	\${setMaxLength(pfa.id,35)}
CreationDateTime	<CreDtTm>	\${pfa.custrecord_2663_file_creation_timestamp?date?string("yyyy-MM-dd")}T\${pfa.custrecord_2663_file_creation_timestamp?time?string("HH:mm:ss")},
NumberOfTransactions	<NbOfTx>	\${setMaxLength(pfa.custrecord_2663_total_transactions,15)}
ControlSum	<CtrlSum>	\${formatAmount(computeTotalAmount(payments,false), "decLessThan1")}
InitiatingParty	<InitgPty>	
Name	<Nm>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_statement_name,140)}
Country	<Ctry>	\${cbank.custpage_eft_custrecord_2663_bank_country}
OrganisationIdentification	<OrgId>	
BICorBEI	<BICorBEI>	\${cbank.custpage_eft_custrecord_2663_bic}
Identification	<Id>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_bank_comp_id,35)}
Issuer	<Issr>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_issuer_num,35)}
PaymentInformation	<PmtInf>	
PaymentInformationIdentification	<PmtInfId>	\${setMaxLength(pfa.id,35)}
NumberOfTransactions	<NbOfTx>	\${setMaxLength(pfa.custrecord_2663_total_transactions,15)}
ControlSum	<CtrlSum>	\${formatAmount(computeTotalAmount(payments,false), "decLessThan1")}
RequestedExecutionDate	<ReqdExctnDt>	\${pfa.custrecord_2663_process_date?string("yyyy-MM-dd")}
Debtor		
Name	<Nm>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_statement_name,140)}
Country	<Ctry>	\${cbank.custpage_eft_custrecord_2663_bank_country}
AddressLine	<AdrLine>	\${cbank.custpage_eft_custrecord_2663_bank_address1}
OrganisationIdentification	<OrgId>	
BICorBEI	<BICorBEI>	\${cbank.custpage_eft_custrecord_2663_bic}
Other	<Othr>	
Issuer	<Issr>	\${setMaxLength(cbank.custpage_eft_custrecord_2663_issuer_num,35)}
Debtor Account	<DbtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	\${cbank.custpage_eft_custrecord_2663_iban}
Currency	<Ccy>	\${cbank.custrecord_2663_currency}
Debtor Agent	<DbtrAgt>	

Message Element	XML Tag	Mapping Value
Financial Institution Identification	<FinInstnId>	
BIC	<BIC>	\${cbank.custpage_eft_custrecord_2663_bic}
Creditor Agent	<CdtrAgt>	
BIC	<BIC>	\${ebank.custrecord_2663_entity_bic}
Creditor	<Cdtr>	
Identification	<Id>	\${entity.internalid}
Country	<Ctry>	\${ebank.custrecord_2663_entity_country_code}
Creditor Account	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	\${ebank.custrecord_2663_entity_iban}
RemittanceInformation	<RmtInf>	
Unstructured	<Ustrd>	\${setMaxLength(pfa.custrecord_2663_file_ref,140)}

Localization Record Context Field Management (LRCFM)

The Localization record context field management system enables you to hide the fields, sublists, sublist columns on a record opened based on the localization context.



Important: LRCFM hides the fields, sublists, sublist columns on a record if the localization context doesn't match.


The Localization Assistant SuiteApp supports the LRCFM feature. You or your developers can apply the filters of the localization record context to the workflows of different countries.

Implementation of LRCFM by Localization Assistant SuiteApp

A custom user event script is setup in the Localization Assistant SuiteApp. The LRC Field Manager Plug-in type triggers the BeforeLoad user event script when a supported record is updated. For more information about the supported records, refer to [Records Supporting LRCFM by Localization Assistant SuiteApp](#)

The LRC Field Manager Plug-in hides the fields, sublists, sublist columns with internal Ids mentioned in the plug-in implementation.

The following image displays the flow of the plug-in implementation:



Advantages of Record Localization Context

The advantages of using the Localization Assistant SuiteApp for Record Localization Context are as follows:

- Partners and customers can use this feature in their country-specific feature implementation.
- This feature eliminates the need for creating multiple user event scripts to hide fields based on their localization context for multiple SuiteApps.
- Prevent performance delays by avoiding multiple user event scripts and the time used for loading the records.

Records Supporting LRCFM by Localization Assistant SuiteApp

LRCFM feature supports the following records:

- ☐ Assembly/Bill of Materials
- ☐ Blanket Purchase Order
- ☐ Cash Refund
- ☐ Cash Sale
- ☐ Check
- ☐ Contact
- ☐ Credit Card Charge
- ☐ Credit Memo
- ☐ Customer
- ☐ Customer Deposit
- ☐ Customer Payment
- ☐ Customer Refund
- ☐ Employee

- Estimate
- Expense Report
- Gift Certificate Item
- Inventory Part
- Inventory Status Change
- Invoice
- Item Fulfillment
- Journal Entry
- Kit Item
- Lead
- Lot Numbered Assembly/Bill of Materials
- Lot Numbered Inventory Item
- Non-Inventory Part
- Opportunity
- Other Charge Item
- Partner
- Prospect
- Purchase Contract
- Purchase Order
- Requisition
- Return Authorization
- Sales Order
- Serialized Assembly/Bill of Materials
- Serialized Inventory Item
- Service
- Subsidiary
- Vendor
- Vendor Bill
- Vendor Credit
- Vendor Payment
- Vendor Return Authorization

LRCFM feature doesn't support the following records:

- Blanket Purchase Order
- Credit Card Charge
- Journal Entry
- Purchase Contract
- Requisition
- Subsidiary

Note: The Localization Assistant SuiteApp is required for localization SuiteApps that use the record localization context in country-specific workflows. For more information about Record Localization Context, see the help topic [Record Localization Context Overview](#).

Creating LRCFM Plug-in Implementation

You must create a plug-in implementation for the LRC field manager plug-in type for each localization country.

The following is a sample script of Mexico Localization that you can use as a reference in creating your own script file:

```

1  /**
2  * @ApiVersion 2.x
3  * @NScriptType plugintypeimpl
4  */
5  define(['N/format', 'N/record'], function(format, record) {
6
7      function addUIElementsForManagement(obj) {
8          return {
9              country: 'MX',
10             fields: [{
11                 id: 'custbody_mx_trans_body_fld',
12                 type: format.Type.TEXT, //or "checkbox"
13                 clearingValue: 'defaultstring',
14                 showOnlyIn: [
15                     record.Type.PURCHASE_ORDER
16                 ],
17                 isMandatory: false
18             },
19             {
20                 id: 'custentity_mx_entity_fld',
21                 type: format.Type.TEXT,
22                 clearingValue: 'defaultString',
23                 showOnlyIn: [
24                     record.Type.CUSTOMER,
25                     record.Type.EMPLOYEE
26                 ],
27                 isMandatory: true
28             },
29             {
30                 id: 'custitem_lrc_test_mx_item_field'
31             }
32         ]
33         sublists: ['recmachcustrecord_lrc_test_link_mx_entity', 'recmachcustrecord_lrc_test_link_mx_item'],
34         sublistColumns: [{
35             id: 'recmachcustrecord_lrc_test_link_mx_entity',
36             columnIds: ['custrecord_lrc_test_sub_col_mx']
37         }],
38     },
39     },
40     },
41     return {
42         addUIElementsForManagement: addUIElementsForManagement
43     }
44 })

```

The parameters of this script are listed in the following table:

Parameter	Type	Description	Required
country	String	This parameter refers to the code of the localization country for which the plug-in implementation is created. Example: MX, US, CA	Yes

Parameter	Type	Description	Required
fields	Array of Objects	This parameter refers to an array of objects with the following parameters: ■ id – Internal Id of the field. This is a required field. ■ type – Type of field. ■ clearingValue – If the context doesn't match, this parameter value is replaced after clearing the field value. ■ showOnlyIn – This parameter displays the fields only in mentioned records if the localization context matches. □ Default value – All the records supported by LRCFM. For more information about the supported records, see Records Supporting LRCFM by Localization Assistant SuiteApp ■ isMandatory – This parameter validates and saves the record when the context matches. By default the Mandatory box on all custom field records must be cleared. □ Default value – False	No
sublists	Array of Strings	This parameter refers to an array having the list of sublist's Ids that belong to the selected localization country.	No
sublistsColumns	Array of Objects	This parameter refers to an array of objects with the following parameters: ■ Id ■ ColumnsIDs	No
Id	String	This parameter refers to the Id of the sublist on which the sublist column is displayed.	Yes
columnsIds	Array of Strings	This parameter refers to the column Ids for the given sublist.	Yes

 **Note:** If there is no sublist mentioned in the script, then you must not delete the sublist. You must identify the sublist as an empty parameter. This rule also applies for fields and sublistscolumns parameters.

To create LRC field manager plug-in implementation:

1. Go to Customization > Plug-ins > Plug-in Implementations > New.
2. Create a JavaScript file using the sample script.
3. Select the JavaScript file you created from the **Script File** field and click **Create Plug-in Implementation**.
4. Select the **LRC Field Manager Plug-in Type** from the Select Plug-in Type record.
5. Type the information in the required fields on the Plug-in Implementation record.
6. Click **Save**.