



ORACLE
NetSuite

Lot and Serial Number Trace



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Lot and Serial Number Trace 1
 - Installing Lot and Serial Number Trace 1
 - Setting Roles and Permissions to Use Lot and Serial Number Trace 2
 - Trace Preferences 4
- Working with Lot and Serial Number Trace 5
 - Viewing Trace Results 8
 - Emailing Trace Results 10

Lot and Serial Number Trace

The Lot and Serial Number Trace SuiteApp helps you to trace components, semi-finished, or finished goods from a raw material supplier through to the customer. The SuiteApp enables you to trace and report the following:

- Vendors who supplied the lot or serial numbered items
- Customers who bought the lot or serial numbered items
- Procurements, deliveries, internal transfers, and manufacturing inputs and outputs
- Additional details such as expiry date, total quantity, quantity on hand, and so on
- If you have the Quality Management SuiteApp installed, the trace report also displays quality data. For more information about the SuiteApp, read the help topic [Quality Management Overview](#).

You can trace transactions for the following:

- Traced item lot – The item lot that is traced.
- Forward assemblies – Items in which the traced item was used as a component.



Note: The SuiteApp does not perform any transactions, it only provides a report of historical transactions.

Watch the following help video for an overview of the Lot and Serial Number Trace SuiteApp:



[Lot and Serial Number Trace SuiteApp Overview](#)

Installing Lot and Serial Number Trace

Only users with an Administrator role or with SuiteBundler permission can install the SuiteApp. The following are the bundle details:

- Bundle name: Lot and Serial Number Trace
- Bundle ID: 322956

For more information, read the help topic [Installing a Bundle](#).

Lot and Serial Number Trace is a managed SuiteApp that automatically updates whenever enhancements or new features are added.



Note: After the SuiteApp version 2.0.0 update, you may encounter an error on the Lot Trace page or the Serial Number Trace page asking you to save the Trace Preferences page. To resolve the error, open the Trace Preferences page in **Edit** mode, and save the page.

Prerequisites for Lot and Serial Number Trace

The Lot and Serial Number Trace SuiteApp is developed and tested for use primarily with the following products:

- NetSuite
- NetSuite OneWorld

To use the Lot and Serial Number SuiteApp, enable features listed in the following procedure:

To enable features:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. Check the boxes next to all the features listed in the following table:

Subtab	Feature Name
Company	- Locations - Multiple Units of Measure
Items & Inventory	- Inventory - Serialized Inventory (required for serial number trace) - Lot Tracking (required for lot trace) - Bin Management - Advanced Bin/Numbered Inventory Management
CRM	Customer Relationship Management
Analytics	SuiteAnalytics Workbook
SuiteCloud	- Custom Records - Client SuiteScript - Server SuiteScript - SuiteFlow

Supported Browsers for Lot and Serial Number Trace

The Lot and Serial Number Trace SuiteApp supports the following browsers and operating systems:

Browser	Platform
Google Chrome 71 or newer	- Windows 10 - Windows 8.x - Windows 7
Microsoft Edge (Anniversary Update and later)	Windows 10 (Anniversary Update)
Mozilla Firefox 60 or newer	- Windows 10 - Windows 8.x - Windows 7 - Windows Vista

Setting Roles and Permissions to Use Lot and Serial Number Trace

If you are an administrator, you can create new roles or customize roles for using the Lot and Serial Number Trace SuiteApp. For more information, read the help topics [Assigning Roles to an Employee](#)

and [Customizing or Creating NetSuite Roles](#). Refer to the following table for minimum access levels for different permissions required to use the Lot and Serial Number Trace SuiteApp:

Permissions	Minimum Access Level
Lists > Subsidiaries	View
Lists > Items	View
Lists > Custom Record Entries	View
Custom Record > Trace Preferences	View
Custom Record > Trace-Grid	Edit

The following scripts must have the new or custom role included as audience:

- LOT SN SL Serialized Tracing Filter
- LT SN SL TracingFilter
- LT SL Data Service
- Tracing Field Change Suitelet
- LOT SN SL EXPORT CONTENT
- LT SN SL Item Number Fields Popup

For more information, read the help topic [Defining Script Audience](#).

Enabling Quality Data

If you have the Quality Management SuiteApp installed, you can view the quality data for the traced item. Follow this procedure to enable viewing the quality data.

 **Note:** Make sure you have the Quality Management SuiteApp installed.

To enable quality data:

1. Go to Setup > User/Roles > Manage Roles.
2. On the **LOT_SN_CustomRole** role row, click **Customize**.
The Role page opens.
3. Create a custom role:
 - a. (Optional) To rename the custom role, enter the role name in the **Name** field.
 - b. Click the **Custom Record** subtab.
 - c. From the **Record** list, select **Quality Data**.
 - d. From the level list, select **View**.
 - e. Click **Add**.
 - f. Click **Save**.
4. Add the custom role to the scripts:
 - a. Go to Customization > Scripting > Scripts.

- b. On the **LOT SN SL Serialized Tracing Filter** script row, click **Deployments**.
- c. On the Script Deployments page, click **Edit**.
- d. From the **Execute As Role** list, select the custom role that you created in step 3.
- e. Click **Save**.
- f. Repeat steps 4a to 4e for the following scripts:
 - LT SN SL TracingFilter
 - LOT SN SL EXPORT CONTENT

Adding Center Category and Center Types

For custom role, add the **Lot / Serial Trace** center category to the **Reports** menu. Use the following information when creating the center category:

- Center category label – Lot / Serial Trace
- Add the following links:
 - Trace Preferences
 - Lot Trace
 - Serial Number Trace

For more information, read the help topics [Creating Center Categories](#) and [Creating Center Links](#).

Trace Preferences

Set the preferences for tracing by going to Reports > Lot / Serial Trace > Trace Preferences. The following table lists the preferences for using the SuiteApp:

Preference	Description
Email Settings	
Email Sender	Select the employee record whose email address you want to use for sending the trace results.
Successful Email Template	Select the email template for sending the trace results.
Error Email Template	Select the email template for sending the error report when the trace is unsuccessful.
Email Recipient	Enter the email addresses of the recipients. Separate the email addresses by a comma. The total number of email addresses in Email Recipient , Email CC , and Email BCC fields combined cannot exceed 10.
Export File Format	Select the default file format in which you want to export the trace report. You can change the default format from the Export File Format field in the Lot Trace and Serial Number Trace pages.
Concise Report	If you check the Concise Report box, the SuiteApp exports the first level of trace details in the report. If you clear this box, the SuiteApp exports the complete trace report. The status of this box is by default the status of the Concise Report box in the Lot Trace and Serial Number Trace pages.

Preference	Description
Email CC	Enter the email addresses that you want to add in email carbon copy (CC). Separate the email addresses by a comma. The total number of email addresses in Email Recipient, Email CC, and Email BCC fields combined cannot exceed 10.
Email BCC	Enter the email addresses that you want to add in email blind carbon copy (BCC). Separate the email addresses by a comma. The total number of email addresses in Email Recipient, Email CC, and Email BCC fields combined cannot exceed 10.
Transaction Display Settings	
Maximum Rows Per Page	Enter the maximum number of rows to display per page in the search results. Enter a number between 10 and 500. By default, the value is 500. The SuiteApp aggregates multiple rows of same transaction type on the basis of Lot Number and inbound/outbound. Therefore, the number of rows shown in the trace results can be different from the number of rows counted per this preference.
Transaction Date Range	The number of days between the Start Date and End Date fields in the Lot Trace and Serial Number Trace pages. Enter a number between 1 and 9999.
Transaction Display Settings Sublist	From this sublist, select the transactions that you want to display in the subtabs. The supported transaction types for the Lot and Serial Number Trace SuiteApp are purchase receipt, transfer receipt, intercompany transfer receipt, customer return, assembly build/work order, sales shipment, transfer shipment, intercompany transfer shipment, vendor return, inventory transfer, inventory adjustment, bin putaway worksheet, bin transfer. You can override these settings in the Lot Trace page or Serial Number Trace page.

Working with Lot and Serial Number Trace

You can perform following actions using the SuiteApp:

- Perform a lot or serial number trace
- Export trace result

Watch the following help video for an overview of how to perform the serial or lot trace in the Lot and Serial Number Trace SuiteApp:

 [Lot and Serial Number Trace](#)

Performing Lot Trace

You can perform the lot trace from the Lot Trace page.

To perform a lot numbered item trace:

1. Go to Reports > Lot / Serial Trace > Lot Trace.

2. In the **Item** field, enter any three or more characters of the item name and select the desired item from the list.

 **Note:** If you enable the **Show Display Name with Item Codes** preference, you can also search an item by its display name. The display name also appears in the **Items** field. At any time, you can either search by item name or its display name.

The **Lot Number** field lists only the lot numbers associated with the selected item.

3. In the **Lot Number** field, enter any three or more characters of the lot number and select the desired lot number from the list.

 **Note:** The lot number should not contain the following characters:

- Special characters **<** and **>**. These characters are encoded to **<** and **>** respectively in the **Lot Number** field.
- HTML encoded characters. For example, **&**;
- Arithmetic operators such as **+**, **-**, **/**, *****, **=**, and **%**. These characters can evaluate the numbers into different values when you export to a CSV file and open the file in Microsoft Excel.

4. (Optional) To change the transaction display settings:
 - a. Check the **Show Transaction Display Settings**.
 - b. In the **Transaction Display Settings** sublist, check or clear the transaction types that you want to show in the trace results.
5. Click **Submit**.

The trace results appear in subtabs on the Lot Trace page.

Performing Serial Number Trace

You can perform the serial number trace from the Serial Number Trace page.

To perform a serial number trace:

1. Go to Reports > Lot / Serial Trace > Serial Number Trace.
2. From the **Trace Type** list, select the trace type.
3. In the **Item** field, enter any three or more characters of the item name and select the desired item from the list.

 **Note:** If you enable the **Show Display Name with Item Codes** preference, you can also search an item by its display name. The display name also appears in the **Items** field. At any time, you can either search by item name or its display name.

The **Serial Number** field lists only the serial numbers associated with the selected item.

4. In the **Serial Number** field, enter any three or more characters of the serial number and select the desired serial number from the list.



Note: The serial number should not contain the following characters:

- Special characters < and >. These characters are encoded to **<** and **>** respectively in the **Lot Number** field.
- HTML encoded characters. For example, &
- Arithmetic operators such as +, -, /, *, =, and %. These characters can evaluate the numbers into different values when you export to a CSV file and open the file in Microsoft Excel.

5. (Optional) To change the transaction display settings:
 - a. Check the **Show Transaction Display Settings**.
 - b. In the **Transaction Display Settings** sublist, check or clear the transaction types that you want to show in the trace results.
6. Click **Submit**.

Advanced Lot Number Filtering

For lot trace, if there are too many options in the **Lot Number** list, you can filter the list using advanced lot number filtering. Click **Advanced Lot Number Filter** to open the Advanced Lot Number Filter window. Using this method, you can filter the lot numbers based on the lot fields. Lot fields on this window, list as per the item number fields.

For example, if there is an item number field for melting point and you want to list only the lots with melting point value of 100. In the Advanced Lot Number Filter, select 100 in the **Melting Point** field and click **Submit**. Only the lots that satisfy the melting point criteria display in the **Lot Number** list.

Advanced lot number filtering works with the following item number field types:

- Check Box
- Currency
- Date
- Decimal Number
- Free-Form Text
- Integer Number
- Percent
- Time of Day

You can optionally use the Lot Auto Numbering SuiteApp so that only the lot fields that are related to the traced item are displayed. For more information, read the help topic [Lot Auto Numbering SuiteApp](#).

Note: The SuiteApp does not support the use of cyclic data. For example, if item A is used as a component to create another instance of item A, this results in cyclic data. Consequently, the SuiteApp may display an error or show inconsistent results.

This limitation is regardless of the user type, role, or lot number.

Viewing Trace Results

After performing the item trace, you can view the result of the trace. The results appear in the subtabs on the Lot Trace or Serial Number Trace pages.

The SuiteApp traces and displays the following transactions in subtabs for assembly and inventory item trace:

Subtab	Assembly Item Trace	Inventory Item Trace
Production	- Work orders, completions, and assembly builds of the traced item and its multilevel components. For the first level components, the subtab also displays the issued quantity. However, if the first level components have multiple orders, the quantity will be blank. For further levels, the quantity is indirectly consumed and therefore not displayed. - Assembly unbuilds of the traced item Note: When multiple assembly builds or completions are created through a work order, their components and built assemblies are grouped and displayed at same work order level.	Not applicable
Consumed By	Work orders and assembly builds where the traced item or forward assemblies of the traced item were consumed. Indirectly consumed quantities are not displayed. Assembly unbuilds of the forward assemblies where the traced item was consumed Note: When multiple assembly builds or completions are created through a work order, their components and built assemblies are grouped and displayed at same work order level.	
Component Receipts	Following transactions of the multilevel component items of the traced item: - Purchase receipts - Transfer receipts - Intercompany transfer receipts	Not applicable
Purchase Receipts	Not applicable	Purchase receipts of the traced item
Other Transactions	Following transactions of the traced item: - Inventory adjustments - Inventory transfers	

Subtab	Assembly Item Trace	Inventory Item Trace
	- Bin transfers - Bin putaway worksheets	
Fulfillments	Following transactions of the traced item and its forward assemblies: - Sales shipments - Transfer shipments - Intercompany transfer shipments - Vendor returns	
Customer Returns and Assembly Receipts	Following transactions of the traced item and its forward assemblies: - Customer returns - Transfer receipts - Intercompany transfer receipts - Purchase receipts of the traced item	Not applicable
Customer Returns and Transfer Receipts	Not applicable	Following transactions of the traced item and its forward assemblies: - Customer returns - Transfer receipts - Intercompany transfer receipts
Quality Data (Available only if the Quality Management SuiteApp is installed)	Quality data of the traced item	

You can filter the trace results by enabling or disabling the options in the **Transaction Display Settings** sublist.

 **Note:** The Lot and Serial Number Trace SuiteApp supports assembly builds created from work orders or independently created assembly builds. If an assembly build is created through any other transactions, the data will be inconsistent.

 **Tip:** In the trace results:

- Hover over the item name in the trace result to see the item's display name.
- If an item is listed in the trace result, trace that item by clicking **Trace** on the item's result row.

Information in the Quality Data Subtab

If you have the Quality Management SuiteApp installed and you enable viewing quality data, the quality information for the lot number displays in the **Quality Data** subtab. For more information about enabling quality data, read [Enabling Quality Data](#).

The results in this subtab do not depend on the transaction display settings. Also, the selections in the **Location** and **Subsidiary** filters do not apply to the results in this subtab.

The inspection date in the results is filtered based on the selection in the **Start Date** and **End Date** fields.

For more information about the Quality Management SuiteApp, read the help topic [Quality Management Overview](#).

Additional Fields in Trace Results

The following additional fields appear in the trace results:

Field Name	Lot Trace	Serial Number Trace
Total Quantity on Hand (Base Unit)	Displays the total quantity on hand for the lot, in base unit.	Displays the total quantity on hand for the lot, in base unit.
Total Quantity on Hand (Stock Unit)	Displays the total quantity on hand for the lot, in stock unit.	Displays the total quantity of the item, in stock unit.
Location Quantity on Hand (Base Unit) (This field is available only when you select a specific location)	Displays the quantity on hand for the lot at the location, in base unit.	Displays the total quantity of the item at the location, in base unit.
Location Quantity on Hand (Stock Unit) (This field is available only when you select a specific location)	Displays the quantity on hand for the lot at the location, in stock unit.	Displays the total quantity of the item at the location, in stock unit.

Emailing Trace Results

After performing a trace, you can email the trace results as a CSV file or an XLS file to selected recipients. You can email the results of either a single subtab or all the subtabs.

 **Note:** In case of multilevel trace results, the SuiteApp can export trace results up to 240 unique levels. If you have more levels, either optimize the results by adding appropriate filters, or export a **Concise Report**.

Emailing Trace Results of a Subtab

Click **Export** in each subtab to email the results of the respective subtab.

To email trace results of a subtab:

1. In the Lot Trace page or Serial Number Trace page, go to the subtab whose results you want to email.
2. Click **Export**.
The Email Trace Report window opens. If you have emails added in the Trace Preferences page, they list in this window.
3. If the **Email Recipient** field is empty, enter the recipient email address.
4. (Optional) To add email addresses in CC or BCC list, enter the email addresses in the **Email CC** and **Email BCC** fields, respectively.
The total number of email addresses in **Email Recipient**, **Email CC**, and **Email BCC** fields combined cannot exceed 10.

5. (Optional) To change the export file format, select the desired file format from the **Export File Format** list.
6. (Optional) To get a concise report, check the **Concise Report** box.
7. Click **Submit**.

Emailing Trace Results of All Subtabs

Click **Export All** to email results of all subtabs.

Note: If the export process for **Export All** exceeds 15 minutes, as a workaround, you can also export the results for each subtab individually.

To email trace results of all subtabs:

1. In the Lot Trace page or Serial Number page, click **Export All**.
The Email Trace Report window opens. If you have any emails listed in the Trace Preferences page, they are listed in the window.
2. If the **Email Recipient** field is empty, enter the recipient email address.
3. (Optional) To add email addresses in CC or BCC list, enter the email addresses in the **Email CC** and **Email BCC** fields, respectively.
The total number of email addresses in **Email Recipient**, **Email CC**, and **Email BCC** fields combined cannot exceed 10.
4. (Optional) To change the export file format, select the desired file format from the **Export File Format** list.
5. (Optional) To get a concise report, check the **Concise Report** box.
6. Click **Submit**.

Note: When you open an exported .xls file in Microsoft Excel, you may get an alert about the format or extension not matching. You can safely ignore the alert and open the file.