



ORACLE
NetSuite

Lot Auto Numbering



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Lot Auto Numbering SuiteApp	1
Installing the Lot Auto Numbering SuiteApp	3
Create Item Number Fields	6
Creating Lot and Serial Number Format Elements	8
Creating Lot and Serial Number Formats	9
Creating Additional Lot and Serial Fields	9
Mapping Additional Lot or Serial Fields to Items	10
Lot and Serial Numbering Subtab	11
Generating Lot Numbers	13
Generating Serial Numbers	14
Fixing Inventory Detail Display Issue	15

Lot Auto Numbering SuiteApp

The Lot Auto Numbering SuiteApp enables you to define lot and serial numbering formats and select items that require auto numbering. You can also configure additional information such as supplier lot number, sequence number, and manufactured date, and maintain this information in the inventory detail.

The following video gives an introduction to Lot Auto Numbering SuiteApp:

 [Lot Auto Numbering SuiteApp](#)

The SuiteApp supports lot and serial numbering for both assembly and inventory items.

Transaction Types

The SuiteApp autogenerates lot and serial numbers for new lots or serial items that are created within the following transaction types:

- Purchase order
- Item receipt
- Receive inbound shipment
- Work order completion
- Assembly build
- Outsourced manufacturing

Note: When you install the SuiteApp and provide the required permissions and minimum access levels to your role, a custom Inventory Detail popup window appears during the transaction entry. This custom Inventory Detail popup window lets you use the Lot Auto Numbering SuiteApp features. If the role does not have the required permissions and minimum access levels, you get an alert and the standard Inventory Detail popup window opens.

For more information, read [Roles and Permissions to Use the Lot Auto Numbering SuiteApp](#).

Lot and Serial Number Formats

Lot and serial number formats are custom numbering formats. You create these formats using lot or serial number format elements. You can assign a single lot number format to one or more items. Similarly, you can assign a serial number format to one or more items.

Once you set up a lot or serial number format for an item, the SuiteApp automatically generates the lot or serial numbers when you enter inventory details.

Lot and Serial Number Format Elements

Lot and serial number format elements are used to build lot and serial number formats respectively. There are 17 default number format elements delivered with the SuiteApp. You can create additional lot and serial number format elements using item number fields. For more information, see [Creating Lot and Serial Number Format Elements](#).

Note: All 17 default lot and serial number format elements are supported as a part of the WMS PO (purchase order) receiving process.

Each number format element used in a lot or serial number format appears as a required field in the Inventory Detail popup window.

The SuiteApp provides the default lot and serial number format elements described in the following table:

Format Element	Description
Country of Origin	Country of origin of the lot numbered item, or serialized item.
Day	Two-digit day in the transaction date.
Expiration Date	Expiration date of the lot numbered item, or serialized item.
Heat Code	Heat code for an item.
Internal ID	Internal Id of the lot numbered item, or serialized item.
Julian Days	Number of days from January 1 in that year to the transaction date.
LDY	Last digit of transaction year.
Location	Receiving or manufacturing location of the transaction.
Manufactured Date	Date of manufacturing of the lot numbered item or serialized item.
Month	Two-digit transaction month.
Order Number	Purchase order or work order number.
Receipt Date	Date of item receipt.
Sequence Number	Number uniquely defined on each item record that automatically increments by one for each new lot number.
Supplier Lot Number	Lot number received from the supplier.
Text	Free format text that can be up to 12 characters in length.
YY	Last two digits of the transaction year.
YYYY	Last four digits of the transaction year.

Following are some additional notes on the lot and serial number format elements:

- For outsourced manufacturing, the SuiteApp derives values for the following elements from the receipt date. For other transaction types, it derives the values from the transaction date:
 - Julian Days
 - Month
 - Day
 - LDY
 - YY
 - YYYY
- For purchase order transactions, the receipt date element will be blank when determining the lot or serial number.

- If you include a lot or serial number format element in a number format, be sure to add that element as an additional lot or serial field, either globally or at the item level.
- The lot and serial number format element names are translatable, except for abbreviations like LDY, YY, and YYYY. However, you cannot translate the description of the lot and serial number format elements.
- For new custom date elements, you'll see a blank value in the **Date Format** column on the Lot/Serial Number Format Elements list page and Lot/Serial Number Format page. You can change the date format by editing the custom date element and selecting required format.

Additional Lot and Serial Fields

The SuiteApp enables you to configure an item to capture additional lot and serial information and maintain this information in inventory detail. The SuiteApp provides the following default additional lot and serial fields:

- Country of Origin
- Manufactured Date
- Heat Code
- Supplier Lot Number

You can create additional lot and serial fields using item number fields at the global level to apply them to all items. You can also create these fields at the item level to apply them to one item only. These additional lot and serial fields are visible only when you create or edit a transaction. For more information, see [Creating Additional Lot and Serial Fields](#).

 **Note:** The additional lot and serial fields **Country of Origin** and **Heat Code** are editable.

Known Limitations

The SuiteApp has the following known limitations:

- You cannot import the following using the CSV import feature:
 - Lot and serial number formats
 - Lot and serial number format elements
 - Additional lot and serial fields in inventory detail
- You cannot perform the following operations using SOAP or REST web services:
 - Create or update lot numbered item and serialized item information
 - Create or update additional lot and serial fields
 - Import additional lot and serial fields in inventory detail

Installing the Lot Auto Numbering SuiteApp

Install the Lot Auto Numbering SuiteApp from the SuiteApp Marketplace. For more information, see the help topic [Installing from the SuiteApp Marketplace](#).

Lot Auto Numbering is a managed SuiteApp that automatically updates whenever enhancements or new features are added.

 **Note:** Do not use the AutoLot_Custom_Role role delivered with the SuiteApp. The role is provided for internal processing and you must not use the role.

Prerequisites for Lot Auto Numbering

The Lot Auto Numbering SuiteApp is designed and tested mainly for use with NetSuite OneWorld. For more information about NetSuite OneWorld, see the help topic [Introduction to NetSuite OneWorld](#).

To use the Lot Auto Numbering SuiteApp, an administrator must enable the features described in the following table.

Subtab	Feature Name
Items & Inventory	- Advanced Bin/Numbered Inventory Management - Lot Tracking (check this box to use the SuiteApp for generating lot numbers) - Serialized Inventory (check this box to use the SuiteApp for generating serial numbers)
SuiteCloud	- Custom Records - Client SuiteScript - Server SuiteScript - SuiteCloud Development Framework

For more information, see the help topic [Enabling Features](#).

 **Important:** Make sure that you do not have existing additional lot or serial fields with any of the following names:

- Heat Code
- Manufactured Date
- Supplier Lot Number
- Country of Origin

If you have existing fields with any of the above names, you must rename them.

Required Inventory Features

Before you install You'll need to enable certain NetSuite inventory features based on your business needs. Go to Setup > Company > Setup Tasks > Enable Features. On the **Items & Inventory** subtab, enable one or both of the following features:

- Lot Tracking**- Enable this feature to generate auto lot numbers.
- Serialized Inventory**- Enable this feature to generate auto serial numbers for individual serialized items.

When you install the SuiteApp, it detects and configures itself based on the features you've enabled in your NetSuite account. If only one of these features is enabled at the time of installation, the SuiteApp configures itself to support that feature only.

For example, if you enable only the Serialized Inventory feature before installing the SuiteApp, the SuiteApp provides only auto serial number generation. If you also want to use the Lot Tracking feature, the SuiteApp won't support it. In that case, you'll need to uninstall and reinstall the SuiteApp after enabling Lot Tracking.

Note: To avoid reinstalling, make sure you enable both the Lot Tracking and Serialized Inventory features in your NetSuite account before installing the Lot Auto Numbering SuiteApp.

Roles and Permissions to Use the Lot Auto Numbering SuiteApp

Administrators can create new roles or customize existing roles to use the Lot Auto Numbering SuiteApp. For more information, see the help topics [Assigning Roles to an Employee](#) and [Customizing or Creating NetSuite Roles](#).

The following table provides minimum access levels for different permissions required to use the Lot Auto Numbering SuiteApp.

Subtab	Permissions	Minimum Access Level
Transactions	Find Transaction	View
Lists	Custom Record Entries	Full
	Documents and Files	View
	Locations	View
	Items	Edit
Setup	Custom Entity Fields	Full
	Custom Fields	View
	Custom Item Number Fields	Full
	Set Up Company	View
	SuiteScript	View
	SuiteScript Scheduling	Full
Custom Record	Auto Format Element Mapping	View

If your role doesn't have Edit access for Items permission, the following procedure helps to update the custom roles with Execute As Role for deployment. Follow the steps below to update the role in deployments:

To Update Custom Roles for Deployments:

1. Go to Customizations > Scripting > Scripts.
2. On the ALN UE Transaction script record, click **Deployments**. The script id for this record is customscript_aln_ue_transaction.
3. On the customdeploy_aln_ue_txn link record, click **Edit**.
4. From the **Execute As Role** dropdown list, select **AutoLot_Custom_Role**.

5. Click **Save**.
6. Perform the steps 3 to 5 for the below deployments:
 - customdeploy_aln_ue_transaction
 - customdeploy_aln_ue_transaction_po
 - customdeploy_aln_ue_inbound
 - customdeploy_aln_wo_cmplt

Center Category and Center Types

For a custom role, you can add the Lot Auto Numbering center category and links. Use the following information when creating the center category:

- **Center category label** – Label the center category as Lot Auto Numbering.
- **Center type** – Select the desired center type.
- **Center tab** – Select the desired center tab.
- **Links** – Add the links described in the following table.

Link	Label
Lot/Serial Number Format	Lot/Serial Number Formats
Lot/Serial Number Format Element	Lot/Serial Number Format Elements
Additional Lot/Serial Fields	Additional Lot/Serial Fields

For more information, see the help topics [Creating Center Categories](#) and [Creating Center Links](#).

Multi-Language Support for Lot Auto Numbering SuiteApp

If you enable the **Multi-Language** feature on the Enable Features page after installing the Lot Auto Numbering SuiteApp, follow the below procedure.

Running a Script for Supporting Multi-Language

If you have enabled the multi-language feature, you must run the **ALN Multi Language Support Suitelet** script. This step ensures that the lot and serial number format elements available as part of the SuiteApp are also updated for translation.

To run a script for supporting Multi-Language:

1. Go to Customization > Scripting > Script Deployments.
2. On the **ALN Multi Language Support Suitelet** script deployment, click **View**.
3. On the deployment page, click the hyperlink in the **URL** field.

Create Item Number Fields

You'll need Item number fields to create lot and serial number format elements, and additional lot and serial fields. You can create item number fields from the Item Number Field page. Go to Customization > Lists, Records, & Fields > Item Number Fields > New. When creating an item number field, you must make the following selections on the Item Number Field page:

- Choose the **All Items** radio button (required for additional lot and serial fields created at the global level).
- Check the **Lots** box (required for additional lot fields created at the global level).
- Check the **Serialized** box (required for additional serial fields created at the global level).
- Make sure the **Default Access Level** list in the **Access** subtab is set to **Edit**.

Lot and serial number format elements work with the following item number field types:

- Check Box
- Date
- Decimal Number
- Free-Form text
- Integer Number
- List/Record
- Percent
- Time of Day

Additional lot and serial fields work with the following item number field types:

- Check Box
- Currency
- Date
- Decimal Number
- Email
- Free-Form text
- Hyperlink
- Integer Number
- List/Record
- Percent
- Phone Number
- Text Area
- Time of Day

 **Note:** After you add an item number field to an additional lot or serial field, do not change the item number field to an unsupported type.

Edit Item Number Field Name or Type

If you have to edit the type of an item number field that's part of a lot or serial number format element, check the recommendations in the table below.

Change in Item Number Field	Recommended Actions	
	Additional Lot/Serial Fields Page	Lot/Serial Number Format Page and Lot/Serial Number Format Elements Page
To a type supported for lot or serial number format element	No action required	Remove the item number field from the lot or serial number format element that

Change in Item Number Field	Recommended Actions	
	Additional Lot/Serial Fields Page	Lot/Serial Number Format Page and Lot/Serial Number Format Elements Page
		uses the item number field and add it back. Also, remove the lot or serial number format element from the lot or serial number format and add it back again.
To a type not supported for lot or serial number format element but supported for additional lot and serial fields	No action required	Remove the element from the lot or serial number format and delete the lot or serial number format element.
To a type not supported for additional lot or serial fields	Choose from the following options: - Remove the item number field from additional lot or serial fields - Revert the item number field to the previous type	Choose from the following: - Remove the element from the lot or serial number format - Revert the item number field to the previous type

For an item number field name change, you must update the lot or serial number format element that uses the item number field. Remove the item number field from the lot or serial number format element and add the same item number field again.

Creating Lot and Serial Number Format Elements

Use the Lot/Serial Number Format Elements page to create additional lot and serial number format elements.

To create a lot or serial number format element:

1. Go to Lists > Lot Auto Numbering > Lot/Serial Number Format Elements > New.
2. From the **Item Number Field**, click the double arrow to list the item number fields, and then select the item number field.
3. (Optional) In the **Description** field, enter the description for the lot or serial number format element.
4. (Optional) For date elements such as **Expiration Date**, **Receipt Date**, **Manufacturing Date**, and **custom date elements**, select the format from the **Date Format** list. The SuiteApp will show dates in that format. By default, the format YYMMDD is used to display dates.

Following are the available date format types:

- YYMMDD
- DDMMYYYY
- DDMMYY
- DDMMYYYY

When the **Date Format** field is empty, the SuiteApp considers the default YYMMDD format for the date elements. Also, for the custom date elements, you can select the required date format from the **Date Format** field.

5. Click **Save**.

Creating Lot and Serial Number Formats

Use the Lot/Serial Number Formats page to create lot and serial number formats and apply the format to items.

To create a lot or serial number format:

1. Go to Lists > Lot Auto Numbering > Lot/Serial Number Formats > New.
2. In the **Name** field, enter the name of the lot or serial number format.
3. In the sublist, add elements.
 - a. From the **Element** list, select an element.



Note: To create a serial number format for serialized items, you must add **Sequence Number** as one of the format element.

- b. (Optional) If you select **Text** element, to add text to the lot or serial number, enter the text in the **Text** field.
 - c. Click **Add**.
 - d. To add more elements, repeat steps a to c.
4. (Optional) To see a preview sample of the lot or serial number generated from the selected elements, click **Preview**.



Note: **Preview** option is available only when NetSuite is used in English (US) language.

5. Click **Save**.

Creating Additional Lot and Serial Fields

Create additional lot and serial fields that you want to add to your inventory details. You can then map these additional fields to specific items.

To create an additional lot or serial field:

1. Go to Lists > Lot Auto Numbering > Additional Lot/Serial Fields.
2. Click **Edit**.
3. In the sublist, make the following selections:
 - a. From the **Element** list, select the item number field that you want to use as an additional lot or serial field.
To create item number field, see [Create Item Number Fields](#).
 - b. From the **Purchase Order** list, select how you want the element to apply in a purchase order.
 - **Not Applicable** (default selection)- This field does not display in the **Inventory Detail** popup window.
 - **Optional**- This field displays as a column but entering a value in it is optional.
 - **Required**- This field displays as a column and you must enter a value in the column.
 - c. From the **Work Order** list, select the way in which the element applies in a work order. To know more about the options, refer to the step b.

- d. Click **Add**.
 - e. To add more lot and serial fields, repeat steps a to d.
4. Click **Save**.

The additional lot and serial fields are mapped to all items.

Based on what you select in the purchase order and work order columns, the additional lot or serial fields appear as columns in the **Inventory Detail** popup window.

Depending on system resources and concurrency limits, you may experience delays when updating lot or serial records with additional information after saving a transaction.

Mapping Additional Lot or Serial Fields to Items

Use the following procedure to map additional lot or serial fields to specific items.

To map additional lot or serial fields to selected items:

1. Go to Lists > Lot Auto Numbering > Additional Lot/Serial Fields.
2. Click **Edit**.
3. Click the **Item-Element Mapping** button.
4. In the popup window, do one of the following to select items for mapping:
 - From the **Items** list, select the items to which you want to map the elements.
 - If you have a saved search to select items, you can use the saved search. Choose the **Select Items Using Saved Search** radio button and then select a saved search from the **Saved Search for Selecting Items** list.



Note: The **Saved Search for Selecting Items** list only shows searches not locked by other SuiteApps.

5. In the **Elements** sublist, make the following selections:
 - a. From the **Element** list, select the item number field that you want to use as additional lot or serial field.
To create item number field, see [Create Item Number Fields](#).
 - b. From the **Purchase Order** list, select the applicability of the element in a purchase order.
 - c. From the **Work Order** list, select the applicability of the element in a work order.
 - d. Click **Add**.
 - e. To add more fields, repeat steps a to d.
6. Click **Submit**.

A banner shows your mapping progress. When it's complete, the banner provides you a link to see the mapping report with results and any item-mapping error messages.

Depending on the system resources and concurrency limit, you may face delay in item element mapping appearing on the item record.

Depending on the selection in the purchase order and work order columns, the additional lot and serial fields appear in the custom Inventory Detail popup window.

You can also map elements to an item from the **Item Additional Fields** sublist in **Lot/Serial Numbering** subtab of the item record.

Map Additional Lot and Serial Fields Using CSV Import

You can use the CSV import feature to map additional lot and serial fields with items. The import type is **Custom Records** and record type is **Item Additional Fields**. When using CSV import, you must:

- Choose **Add** as the **Data Handling** option.
- Check the **Run Server SuiteScript and Trigger Workflows** box.

For more information about the CSV import feature, see the help topic [CSV Imports Overview](#).

Guidelines for Mapping Additional Lot and Serial Fields to Matrix Items

When mapping additional lot and serial fields to matrix items, note the following:

- When you map additional lot and serial fields to matrix items using CSV import and include the parent item in the import, the subitems are automatically mapped.
- For matrix items, the additional lot or serial fields defined in **Item Additional Fields** sublist of the parent item are propagated to the child items.
- You can use CSV import to map an item's lot or serial info only for matrix items and subitems that already exist. CSV import can't map info for parent-child relationships that weren't created before the import.
- When you map a parent matrix item using CSV import, the SuiteApp can map up to 499 child items.

Lot and Serial Numbering Subtab

After creating lot and serial number formats, you can add these formats to items. The **Lot/Serial Numbering** subtab in the item record provides the following settings for adding the lot or serial number formats to items.

Lot Numbered Items

The settings applicable to lot numbered items are described in the following table.

Setting	Description
Enable Lot/Serial Numbering	Check this box to apply lot autonumbering for lot numbered item.
Number Format	Select the lot number format for an item.
Initial Sequence Number	If sequence number is part of the lot number format, enter the number from which you want to start the sequence number.
Current Lot Sequence Number	Shows the number that will be assigned as part of the lot number in the next transaction.
Additional Lot/Serial Fields	Click View to open the Additional Lot/Serial Fields page. On the Additional Lot/Serial Fields page, you can set up how custom columns show in the Inventory Details popup window.
Item Additional Fields	In this sublist, select additional lot or serial fields that you want to display in the Inventory Detail popup window.

Setting	Description
	 Note: When you create a copy of the item, additional lot and serial fields are not copied to the item's copy.

When you create or update items using the CSV import feature, note the following:

- Using the CSV import feature, you can add and update the **Item Additional Fields** sublist information.
- If the **Enable Lot/Serial Numbering** field is set to **No**, the **Lot/Serial Number Format** field and the **Initial Sequence Number** field values are ignored.
- If the **Enable Lot/Serial Numbering** is set to **Yes**, but the lot number format does not contain a sequence number, the **Initial Sequence Number** value is ignored.
- When updating an item, if the **Initial Sequence Number** field already has a value, any value for this field in the CSV file is ignored.

When importing non lot inventory and assembly items using CSV import, the fields in the **Lot/Serial Numbering** subtab appear on the Field Mapping page. However, any data for these fields is ignored when importing.

Serialized Items

The settings applicable to serialized items are described in the following table.

Setting	Description
Enable Lot/Serial Numbering	Check this box to apply serial autonumbering for a serialized item.
Set Serial Sequence Automatically	Check this box to automatically generate sequence numbering for serial items. By default, it's not checked. If you clear this box, you can enter the initial sequence in the Starting Sequence Number field in the Lot/Serial Inventory Detail pop-up window.
Number Format	Select the serial number format for an item.
Initial Sequence Number	Enter the initial sequence number you want to use for the serial items.  Note: You can set the serial number sequence for serial items only if you check the Set Serial Sequence Automatically box. The initial sequence number you enter appears in the Starting Sequence Number field in the Lot/Serial Inventory Detail pop-up window.
Increase Serial Sequence By	Enter the value you want each new serial number to increase by. For example, enter 1 to increment by one each time, or 5 to increment by five for each new serial number.
Last Serial Sequence Number	Displays the last serial number generated for a serial item. For example, if Increase Serial Sequence By is set to 5 and the last serial number was 20, the next serial number will be 25. The SuiteApp doesn't use the Initial Sequence Number value; it only considers the last serial number to generate the next one.
Additional Lot/Serial Fields	Click View to open the Additional Lot/Serial Fields page. On the Additional Lot/Serial Fields page, you can configure the display of custom fields in the custom Inventory Details popup window.

Setting	Description
Item Additional Lot/ Serial Fields	In this sublist, select additional lot or serial fields that you want to display in the custom Inventory Detail popup window.  Note: When you create a copy of the item, additional lot and serial fields are not copied to the item's copy.

When you create or update items using the CSV import feature, note the following:

- The CSV import feature does not add or update the **Item Additional Fields** sublist information.
- If the **Enable Lot/Serial Numbering** field is set to **No**, the **Lot/Serial Number Format** field value is ignored.

 **Note:** If **Sequence Number** element is missing in a number format, you cannot map that format to a serial item.

When importing non serialized inventory and assembly items using CSV import, the fields in the **Lot/Serial Numbering** subtab appear on the Field Mapping page. However, any data for these fields is ignored when importing.

Generating Lot Numbers

For a lot autonumbering enabled item, when you add a lot and enter values in the additional lot fields, the lot number generates automatically. The generated lot number shows up in the **Lot Number** column of the Inventory Detail popup window.

To generate lot numbers:

1. Open a purchase order.
2. Select an item in the **Items** sublist that has the **Enable Lot/Serial Numbering** box checked. You can check this box in the **Lot/Serial Numbering** subtab of an item.
3. Click the **Inventory Detail** icon to open the Inventory Detail popup window.

 **Note:** Allow the popup window to load completely so you can see the Lot Auto Inventory Detail section.

4. In the **Lot Auto Inventory Detail** sublist, enter the required lot information, such as quantity.
5. Click **Add**.

The lot number automatically generates and displays in the **Lot Number** column.

When adding multiple rows for the same lot number, values in all other fields must be the same, except for the following:

- Quantity
- Bin (applies to item receipts, work orders, and assembly builds)
- Status (applies to item receipts, work orders, and assembly builds)

The automatically generated lot number replaces space character in a lot number format element with a hyphen.

In the Inventory Detail popup window, the date and time format derives from what you set on the Set Preferences page.

The value for the **Time of Day** field is based on the date and time format selected on the General Preferences page.

Generating Serial Numbers

When you map a serial format and fill in the additional serial fields for an item with serial autonumbering enabled, the system automatically creates a serial number. The generated serial number is then displayed in the **Serial Number** column of the Inventory Detail popup window.

To generate serial numbers:

1. Open a purchase order.
2. In the **Items** sublist, select an item that has **Enable Lot/Serial Numbering** checked. You can check this box in the **Lot/Serial Numbering** subtab of an item.
3. Click the **Inventory Detail** icon to open the Inventory Detail popup window.

 **Note:** Let the popup window load completely to view the Lot/Serial Inventory Detail section.

4. In the **Primary Information** section, enter the required serial information, such as starting sequence number, country of origin, and manufactured date.
5. (Optional) If the Bin Management and Inventory Status options are enabled, you'll see those fields in the **Primary Information** section. Select the **Bin** and **Status** for the item.
6. Click **Generate**.

The serial number automatically generates and displays in the **Serial Number** column of the **Auto-Generated Serial Number** sublist.

With the **Generate** option, you can save the autogenerated serial numbers data for the current instance.

 **Note:** Note the points below:

- The SuiteApp can generate up to 700 serial numbers for an item in an instance.
- The **Auto-Generated Serial Numbers** subtab shows up to 10 serial numbers at a time. If your list of serial numbers exceeds this limit, you can use the pagination feature to go through additional rows.

When adding multiple rows for the same serial number, values in all other fields must be the same, except for the following:

- **Quantity**
- **Bin** (applies to item receipts, work orders, and assembly builds)
- **Status** (applies to item receipts, work orders, and assembly builds)

The automatically generated serial number replaces a space character in a serial number format element with a hyphen.

Note: When checking the **Enable Lot/Serial Numbering** box in the **Lot/Serial Numbering** subtab for an item, you must select **Number Format**. If you fail to do so, the SuiteApp displays an error.

In the **Lot/Serial Numbering** subtab of an item, if the **Enable Lot/Serial Numbering** box is unchecked, the core Inventory Detail popup window is displayed.

The **Date** and **Time** field formats in this window are derived from the Set Preferences page. The **Time of Day** field follows the date and time format selected on the General Preferences page.

Fixing Inventory Detail Display Issue

If you are unable to view the lot or serial inventory details or get an error when opening the Inventory Detail window, try the following steps. These steps will reattach the **ALN_InventoryDetails_CC_main.js** script to the **Custom Inventory Detail Form** custom entry form.

To reattach a script in Custom Inventory Detail form:

1. Go to Customization > Forms > Entry Forms.
2. In the **Custom Inventory Detail Form**, click **Edit**.
3. On the **Custom Code** subtab, in the **Script File** list, select an empty value.
4. Click **Save**.
5. In the **Custom Inventory Detail Form**, click **Edit** again.
6. On the **Custom Code** subtab, in the **Script File** list, select **ALN_InventoryDetails_CC_main.js**.
7. Click **Save**.