

ORACLE
NetSuite

NSPOS Register Verification Checklist

Active Releases

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NSPOS Verification Checklist Overview	1
NSPOS Verification Steps	2
NSPOS Verification Form	11

NSPOS Verification Checklist Overview

① Applies to: NetSuite Point of Sale (NSPOS)

This document provides steps and a form for testing NetSuite Point of Sale (NSPOS) register and NetSuite ERP synchronization functionality. Retailers or their representatives should always include testing in their NSPOS upgrade process. Each section will help identify issues prior to a store resuming with consumer transactions.

We assume that you have a good understanding of how the application works and of the typical business tasks that are required to complete each test. In the event you uncover issues during your testing, please note the issue as well as the steps taken just prior to experiencing the issue.

 **Tip:** We recommend testing at least one register in every store.

Note that custom configurations to the user interface, processes or other NSPOS areas might require different testing scenarios. Customizations can also affect results. Before marking any verification unsuccessful, you should consider the impact customizations might have had on the test scenario.

Before escalating a concern, verify that all instructions were followed and recheck any values that were entered during the testing. Repeat the individual steps as required. If the failure persists, contact Customer Support.

Open a Verification Testing Case with Support

Before starting these tests, open a case with Support stating that you are performing verification. You can use this case to report success or to report any issues that are found.

To open a Support Case:

1. Log into NetSuite.
2. From the **Support** tab, click **Go to SuiteAnswers**.
3. Select from the options in the right pane to open a case.

NSPOS Verification Steps

i Applies to: NetSuite Point of Sale (NSPOS)

This chapter provides steps to verify the functionality of a NetSuite Point of Sale (NSPOS) register and its synchronization with NetSuite ERP.

- **At the Register**
 - User Interface
 - Create a Customer in NSPOS
 - Find a Customer and Add to a Transaction
 - Find an Item
 - Sell an Item
 - Return an Item
 - Work with Gift Cards/Gift Certificates
 - Run a Report in NSPOS
 - NSPOS Synchronization to NetSuite
- **In NetSuite ERP**
 - Create a Customer in NetSuite
 - Create an Employee in NetSuite/NSPOS
 - Create an Item in NetSuite
- **Verify Customizations**




Tip: If already logged in to NSPOS, it is not necessary to log in again for each test procedure.

At the Register

Perform these tests at a register that has been staged for testing.

User Interface

Use this section to verify general NSPOS user interface (UI) functionality. The image below shows the default UI layout.



To verify user interface functionality:

1. Log into NSPOS.
2. Check if **Status Bar** is visible.
3. Check if **Main Button Bar** is visible.
4. Check if **Side Button Bar** is visible.
5. Check if **Journal Window** is present and visible.

Create a Customer in NSPOS

Use these steps to verify that you can create a customer at the register in NSPOS.

To verify creating a customer in NSPOS:

1. Log in to NSPOS.
2. Tap **Find Customer**.
3. Tap **Create Customer**.
4. Enter basic information about the customer:
 - First Name
 - Last Name
 - Email Address

If other customer fields are important to your business processes, please complete those fields as well.

5. Tap **Done**.

Find a Customer and Add to a Transaction

Use these steps to verify that you find a customer and add them to a transaction.

To verify finding a customer and adding them to a transaction in NSPOS:

1. Log in to NSPOS.
2. Tap **Find Customer**.
3. Search for the customer you created by drilling into alphabetized folders or by entering the first few letters of that customer's first or last name.

Search results should display after entering three characters.



Note: NetSuite limits the search to customers in the same subsidiary as the store. Subsidiaries are different divisions or companies under a corporate parent.

4. Tap the customer name to select them for a transaction.



Tip: To view the customer's past five transactions, tap the customer's name. Tap anywhere on the screen to return.

Find an Item

This section checks the functionality for finding items in NSPOS, both manually and by scanning bar codes if a scanner is available.



Note: the location of the **Find Item** button may vary based on individual customizations. By default, the button is on the **Side Button Bar** at the right side of the screen.

To verify finding an item:

1. Log in to NSPOS.
2. Locate the **Find Item** button and tap it.
3. Enter item name in the open form and confirm search. Wait for search processing.
4. Tap item and add it to the Journal.
5. If you use bar code scanning hardware:
 - a. Locate a physical item known to be an item in NSPOS.
 - b. Scan the item's bar code.



Tip: If you have different item types, such as matrix items, you should perform this test for each item type.

Sell an Item

These steps check the transaction process for selling an item. When done in a production environment, the test can include payment gateway functionality.

 **Warning:** When done in production, these procedures create live transactions with corresponding ledger entries and a payment card debit. The credit or debit card used for testing might be charged. You can use the steps for testing item returns to refund the charge.

To verify selling an item:

1. Log in to NSPOS.
2. Sell an item using cash as payment.
 - a. Choose an item to purchase.
Verify taxes and price are applied correctly.
 - b. Complete transaction with a cash payment.
 - c. Print receipt.
Verify receipt prints with expected information such as logos, customer number, prices and taxes.
3. Sell an item using credit or debit card as payment.
A valid credit or debit card is required to complete this procedure. The card might be charged.
 - a. Choose an item to purchase.
Verify taxes and price are applied correctly.
 - b. Complete transaction with a credit or debit card payment.
 - c. Print receipt.
Verify receipt prints with expected information such as logos, customer number, prices and taxes.

Return an Item

These steps check the transaction process for returning an item to the store. The task can be used to refund any credit or debit card charges applied in the previous selling steps.

 **Note:** The location of the **Voids/Returns** button may vary based on individual customizations. By default, the button is on the **Main Button Bar** at the bottom of the screen.

To verify returning an item:

1. Log in to NSPOS.
2. Locate the return function and tap it.
3. Find the transaction to return. You can use a receipt number, scanning the bar code if a scanner is available.
4. Return the transaction.
Verify transaction was returned, with taxes and prices applied correctly.
5. Print receipt.

Work with Gift Cards/Gift Certificates

This section checks basic gift cards and gift certificate functionality in NSPOS. You can skip to [Run a Report in NSPOS](#) if you are not using gift cards or certificates in your business.

Gift cards and gift certificates use similar processes in NetSuite ERP and NSPOS. Although these steps list gift card, substitute gift certificate as needed to fit your business model.



Important: These procedures create a live transaction, with corresponding ledger entries. Keep these entries in mind if you test in a production environment.

- [Sell a Gift Card](#)
- [Check a Gift Card Balance in NSPOS](#)
- [Check a Gift Card Balance in NetSuite](#)
- [Use a Gift Card as Payment](#)



Note: The location of the **Sell Gift Card** button may vary based on individual customizations. By default, the button is on the **Side Button Bar** at the right side of the screen.

Sell a Gift Card

To verify selling a gift card:

1. Log in to NSPOS.
2. Locate the **Sell Gift Card** function and tap it.
3. Create and sell gift card with the amount of money desired.
The process for selling gift cards or gift certificates can vary, so follow steps normally used for your business.
4. Wait for the transaction to upsync with NetSuite ERP.
The default upsync frequency for integration with NetSuite ERP is 15 minutes. To be certain the upsync completes, you might wait 20 minutes.

Check a Gift Card Balance in NSPOS

Complete this task after the upsync to NetSuite completes. (Approximately 15 minutes)

To verify checking a gift card balance in NSPOS:

1. Log in to NSPOS.
2. Locate the **Gift Card Balance** button and tap it.
Your button may be labeled **Balance Check** or another name.



Tip: By default, the button is on the **Side Button Bar** at the right side of the screen. If the button is not visible, press **Ctrl+F12** to navigate to the function list, find and tap **Authorized Gift Card Balance**.

3. Choose **Certificate** or **Card** based on the type you sold in the **Selling Gift Cards** steps.
You are prompted to enter the **Authorization Code** (certificate) or **Number** (card).
You can swipe a gift card in an attached PIN pad.
4. Complete the information based on the details from the **Selling Gift Cards** steps.

5. Verify that balance matches the price of the gift card sold.

Check a Gift Card Balance in NetSuite

To verify checking a gift card balance in NetSuite:

1. Log in to NetSuite.
2. Go to Lists > Accounting > Gift Certificates.
3. Locate the card sold in the **Selling Gift Cards** steps.
You can search for the **Gift Certificate Code** using the gift card number or authorization code for a certificate.
4. Compare the **Remaining Value** with the sell amount performed in the **Selling Gift Cards** steps.
Verify that remaining value is equal to price of gift card or gift certificate sold.

Use a Gift Card as Payment

Use these steps to verify that NSPOS registers will accept a gift card as tender for a transaction.

To verify using a gift card as payment:

1. Log in to NSPOS.
2. Choose a purchase item that, with taxes, will sell at or below the gift card or certificate balance.
3. Tender transaction using gift card or certificate.
Verify that transaction shows paid in full.

Run a Report in NSPOS

This section checks NSPOS basic reporting functionality.

 **Note:** The location of the **Reports** button may vary based on individual customizations. By default, the button is on the **Main Button Bar** at the bottom of the screen. The type of reports available can differ based on your assigned user role and business type.

To verify reports functionality at the register:

1. Log in to NSPOS.
2. Locate the **Transaction Detail** report and tap it.
You can run another report if the Transaction Detail report is unavailable.
3. Verify that report displays and contains data from previous transaction.

 **Tip:** You should test all reports that are important to your business.

NSPOS Synchronization to NetSuite

These steps test the synchronization from NSPOS to NetSuite ERP. This synchronization is called **upsync**.

To verify NSPOS synchronizes to NetSuite:

1. Log in to your sandbox account as an administrator.
2. Go to Transactions > Sales > Create Invoices > List.
3. Sort the transaction list by the most recent **Date**.
4. Locate the previous transaction made during the verification process.
5. Verify the transaction details are correct. If desired, use receipt from the previous transaction.



Tip: Tasks in the next section test the synchronization downsync.

In NetSuite ERP

Perform these tests while logged into NetSuite as an administrator. The tests verify bundle and form functionality in NetSuite ERP, as well as confirm that the synchronization **downsync** to your registers is working.



Important: Administrator access to your NetSuite sandbox account is required to complete these tests.

Create a Customer in NetSuite

Follow these steps to verify you can set up a new customer in NetSuite. After the customer setup is completed, you will verify that the new customer is available for cashiers to select at the register.

To verify creating a customer in NetSuite

1. Log in to your sandbox account as an administrator.
2. Go to Lists > Relationships > Customers > New.
3. Complete these fields:
 - **Custom Form** - Standard Customer Form
 - **Type** - Individual
 - **Name** - Example first name, middle initial, last name
 - **Status** - CUSTOMER-Closed Won
 - Classification subtab > **Primary Subsidiary** - Any available subsidiary
 - Financial subtab > **Primary Currency** - US Dollar (if prompted to complete when saving)



Tip: Primary Subsidiary and Primary Currency appear for **NetSuite OneWorld** accounts only.

4. Click **Save**.
5. Wait 15 minutes for the new customer to downsync to a sandbox register.
6. Log in to an NSPOS register set up in your sandbox . Use an administrator login ID.
7. Tap **Find Customer** in the side bar.
8. Search for and tap the example name you entered.

Create an Employee in NetSuite/NSPOS

Follow these steps to verify you can set up a new employee in NetSuite. After saving the employee record, you will complete the setup at the register.

 **Tip:** Employees are called **Operators** in the NSPOS application.

To verify creating an employee in NetSuite:

1. Log in to your NetSuite sandbox account as an administrator.
2. Go to List > Employees > Employees > New.
3. Complete these fields:
 - **Custom Form** – RA-Employee Form
 - **Name** – Example first name, middle initial, last name
 - Info subtab > **Subsidiary** - Any available subsidiary

 **Tip:** Subsidiary appears for **NetSuite OneWorld** accounts only.

4. Click **Save**.
5. Wait 15 minutes for the new employee to downsync to a register.

To verify completing employee creation in NSPOS:

1. Log in to NSPOS with an administrator login.
2. Press **Ctrl+F12**.
3. Search for and tap **Edit Operator**.
4. Search for the new employee (operator) by last name.
5. Tap the employee name.
6. Tap **Password** and enter a new password.
7. Tap **OK** and then **Done**.
8. Log out from NSPOS.
9. Log in to NSPOS using the new employee's credentials.
10. Log out the new employee.

Create an Item in NetSuite

Use these steps to verify you can set up a new item in NetSuite and have it synchronize to your registers.

To verify creating an item in NetSuite:

1. Login in to your NetSuite sandbox account as an administrator.
2. Go to Lists > Accounting > Items > New.
3. Click **Inventory Item**.

4. Complete these fields. The examples are suggestions only.

- **Item Name/Number** – Item99
- **UPC Code** – UPC99
- **Subsidiary** – Any available subsidiary
- **Location** – Test Location (or other)



Tip: Subsidiary appears for **NetSuite OneWorld** accounts only.

5. Open the **Sales/Pricing** subtab.
6. Scroll to the **USA** and international currencies pricing grid.
7. Enter a **Base Price** for the item.
8. Open the **Accounting** subtab.
9. For **Tax Schedule**, select **Taxable Schedule** or another schedule.
10. Click **Save**.
11. Wait 15 minutes for the new item to downsync to a sandbox register.

To verify NetSuite item synchronized to NSPOS:

1. Log in to NSPOS.
2. Tap **Find Item** in the side bar and search for Item99.

Verify Customizations

Because most NSPOS and NetSuite customizations are unique, you should work with your administrator user or NetSuite Customer Support to ensure functionality.

NSPOS Verification Form

i Applies to: NetSuite Point of Sale (NSPOS)

Use this form after upgrading to a new NetSuite Point of Sale (NSPOS) release to verify functionality of one or more registers in each store. You can print this form as a single page to use in each store where a register is being verified.

NSPOS Release _____

Store # _____

Register or Lane # _____

Date _____

Verification Tests Performed By _____

NSPOS Function	All Steps Working?		Notes
	Yes	No	
At the Register			
User Interface	_____	_____	_____
Create a Customer in NSPOS	_____	_____	_____
Find a Customer and Add to Transaction	_____	_____	_____
Find an Item	_____	_____	_____
Sell an Item	_____	_____	_____
Return an Item	_____	_____	_____
Gift Cards: Sell a Gift Card	_____	_____	_____
Gift Cards: Check a Gift Card Balance in NSPOS	_____	_____	_____
Gift Cards: Check a Gift Card Balance in NetSuite	_____	_____	_____
Gift Cards: Use a Gift Card as Payment	_____	_____	_____
Run a Report in NSPOS	_____	_____	_____
In NetSuite ERP	Yes	No	
Create a Customer in NetSuite	_____	_____	_____
Create an Employee in NetSuite/NSPOS	_____	_____	_____
Create an Item in NetSuite	_____	_____	_____
Customizations	Yes or N/A	No	
1 _____	_____	_____	_____
2 _____	_____	_____	_____
3 _____	_____	_____	_____

Comments
