



ORACLE
NetSuite

NetSuite AI Connector Service Guide

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NetSuite AI Connector Service	1
Get Started with the NetSuite AI Connector Service	1
Required Features and Permissions	2
Connect to the NetSuite AI Connector Service	2
NetSuite AI Connector Service And Concurrency Governance	5
Associated Risks, Controls, and Mitigation Strategies	6
Creating Custom Tools for the NetSuite AI Connector Service	8
MCP Standard Tools SuiteApp	10
Installing the MCP Standard Tools SuiteApp	11
Available Tools in the MCP Standard Tools SuiteApp	12
Best Practices for MCP Standard Tools SuiteApp	21
MCP Sample Tools	22
Available Tools in the MCP Sample Tools	24
NetSuite AI Connector Service FAQ	34
SuiteScript 2.1 Custom Tool Script Type	37
SuiteScript 2.1 Custom Tool Script Type Reference	37
SuiteScript 2.1 Custom Tool Script Type Code Samples	41

NetSuite AI Connector Service

NetSuite gives you the option to use an external AI client to complete some of your tasks.

NetSuite has adopted the Model Context Protocol (MCP), which boosts its integration capabilities and enables secure interactions between AI models and data systems. NetSuite provides the MCP Standard Tools SuiteApp with a set of tools that let you interact with your NetSuite data, but you also have the option to build your own tools.

For more details go through the topics listed here:

- [Get Started with the NetSuite AI Connector Service](#)
- [Associated Risks, Controls, and Mitigation Strategies](#)
- [Creating Custom Tools for the NetSuite AI Connector Service](#)
- [MCP Standard Tools SuiteApp](#)
- [NetSuite AI Connector Service FAQ](#)



Note: In user-facing contexts, AI applications that can connect to MCP servers are often called **AI assistants**, while applications that act autonomously may be also referred to as **AI agents**. For consistency, the NetSuite AI Connector Service and other related help topics use the term **AI clients** to refer to all such applications. Other terms used in the help topics may also differ in documentation produced by different companies, as naming conventions are not standardized yet across the industry.

Get Started with the NetSuite AI Connector Service

NetSuite has adopted the Model Context Protocol (MCP), which boosts its integration capabilities and enables secure interactions between AI models and data systems. This feature provides users, such as financial users, with a seamless integration that lets supported AI clients directly access and interact with NetSuite data and functionality.

NetSuite provides the MCP Standard Tools SuiteApp with a set of tools that let you interact with your NetSuite data, but you also have the option to build your own tools. For detailed installation guidance and more information about the SuiteApp, see [MCP Standard Tools SuiteApp](#). To build your own tools, see [Creating Custom Tools for the NetSuite AI Connector Service](#).

The following topics demonstrate how you can get started with the NetSuite AI Connector Service:



Important: Before working with the NetSuite AI Connector Service, consider the following:

- It's important to familiarize yourself with [Associated Risks, Controls, and Mitigation Strategies](#) when working with AI clients and large language models (LLMs).
- To add the NS AI Connector, you'll need the Pro plan (or higher) for Claude, or the Plus plan (or higher) for ChatGPT.
If you're using a different AI client, please check that provider's help documentation for their requirements, and review [Creating Custom Tools for the NetSuite AI Connector Service](#).

- [Required Features and Permissions](#)

- [Connect to the NetSuite AI Connector Service](#)
- [NetSuite AI Connector Service And Concurrency Governance](#)
- [Associated Risks, Controls, and Mitigation Strategies](#)

Note: In user-facing contexts, AI applications that can connect to MCP servers are often called **AI assistants**, while applications that act autonomously may be also referred to as **AI agents**. For consistency, the NetSuite AI Connector Service and other related help topics use the term **AI clients** to refer to all such applications. Other terms used in the help topics may also differ in documentation produced by different companies, as naming conventions are not standardized yet across the industry.

Required Features and Permissions

Before you try anything else, you must make sure that you have the correct features enabled. Go to Setup > Company > Enable Features, then click the SuiteCloud subtab and make sure the following features are enabled:

- Server SuiteScript
- OAUTH 2.0

Important: The NetSuite AI Connector Service can't be activated for healthcare customers with a signed Business Associate Agreement (BAA), as it has not yet been assessed for its compliance with the US Health Insurance Portability and Accountability Act (HIPAA). Please contact your NetSuite representative if you have any questions.

Also, you must give the required permissions to all roles in your account that should be able to use the NetSuite AI Connector Service. To do that, go to Setup > Users/Roles > Manage Roles, and edit each role that needs the NetSuite AI Connector Service by adding the required permissions under the Permissions > Setup subtab:

- MCP Server Connection
- Log in using OAuth 2.0 Access Tokens – Do not confuse it with the Log in using Access Tokens permission.

Important: To prevent unwanted results in case the external AI client's security is at risk, it is not possible to run the NetSuite AI Connector Service if you've logged in to NetSuite with the Administrator role or roles that have full permissions to access NetSuite features.

Important: If you want to install the MCP Standard Tools SuiteApp, in addition to the required features and permissions for the NetSuite AI Connector Service, you must also enable the **REST Web Services feature**. If you want your users to also be able to use the SuiteApp to create, retrieve, and update NetSuite records, you must give the **REST Web Services permission** to the specific role. For more information, see [MCP Standard Tools SuiteApp](#).

Connect to the NetSuite AI Connector Service

Important: Before connecting to the NetSuite AI Connector Service, it's important to familiarize yourself with [Associated Risks, Controls, and Mitigation Strategies](#) when working with AI clients and LLMs.

This section explains how to connect to the NetSuite AI Connector Service using Claude or ChatGPT.

Connect using Claude (MCP Standard Tools SuiteApp)

1. Go to **claude.ai** in your browser and login to your Claude account.
2. Go to Search and tools > Add connectors.
3. In the Connectors section under the **Web** tab select the **NetSuite** AI connector.
4. Click **Connect**
5. Paste the Server URL below with the account ID of your account:
`https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/suiteapp/
com.netsuite.mcpstandardtools`
6. Click **Continue**
7. Go to Search and tools > Manage connectors.
8. Under **Your connectors**, go to NetSuite and click **Connect**.
9. On the first connection, you're prompted to allow or deny access to your NetSuite account. Make sure you review [Associated Risks, Controls, and Mitigation Strategies](#) before proceeding. After you allow access, on subsequent connections you're informed that Claude already has access and you're asked to go back or continue. If connected successfully, a popup message appears.

Connect using Claude (Custom Tools)

1. Open a browser window and log in to your NetSuite account.
2. Open a new tab in your browser and go to **claude.ai**.
3. Log in to your Claude account.
4. In Claude, go to Settings > Connectors.
5. In the Connectors section, click **Add custom connector**.
6. Enter the name of your connector and your remote NetSuite AI Connector Service URL. To learn where to obtain this URL, see [Server URL and SuiteApp Namespacing](#).
7. Click **Add**. Your custom NetSuite connector is visible in the list of connectors.
8. Click **Connect**.
 On the first connection, you're prompted to allow or deny access to your NetSuite account. Make sure you review [Associated Risks, Controls, and Mitigation Strategies](#) before proceeding. After you allow access, on subsequent connections you're informed that Claude already has access and you're asked to go back or continue. If connected successfully, a popup message appears.
9. You can now see your connector in Claude by clicking the Search and tools icon on your new chat page. You can disable this functionality by removing the MCP Server Connection permission.

Connect using ChatGPT

1. With ChatGPT you can use the MCP Standard tools SuiteApp, but you must first enable the Developer mode. Before enabling Developer mode, review the [Associated Risks, Controls, and Mitigation Strategies](#) topic, as well as any Open AI documentation about risks and safety of the MCP and the Developer mode. If you're confident to proceed, go to Setting > Connectors > Advanced > Developer mode.
2. Open a browser window and log in to your NetSuite account.
3. Open a new tab in your browser and go to **chatgpt.com**.
4. Log in to your ChatGPT account.
5. Go to the Connectors section

- In ChatGPT Business, go to Workspace > Connectors.
 - In ChatGPT Plus or Pro, go to Settings > Connectors.
6. Go to **Create a connector**.
 7. Enter the name of your connector, a description, your remote NetSuite AI Connector Service URL, and the Authentication method. For the remote NetSuite AI Connector Service URL, see [Server URL and SuiteApp Namespacing](#).
 8. Check the **I trust this application** box.
 9. Go to **Create**. Your custom NetSuite connector is visible in the list of connectors.
 10. Start a new chat, go to the Plus menu and select **Developer mode** and then select your NetSuite connector.
 11. If you receive an error message, you must press the refresh button on your AI client.



Important: In case you are disconnected during working with your AI client, open your AI client in a new browser window and start a new chat. If this doesn't fix your connection, go to the Connectors section, disconnect and create a new connection.

For other AI agents, you must adjust the instructions accordingly, and before you connect you must read and familiarize yourself with the [NetSuite AI Connector Service-specific Integration Record](#).

Information about how to [Connect to the NetSuite AI Connector Service using Postman](#) and how to [Connect to the NetSuite AI Connector Service using Microsoft Copilot \(Copilot Studio\)](#) is also available in SuiteAnswers.

NetSuite AI Connector Service-specific Integration Record

An integration record is automatically installed in your account after the first connection with Claude. After the installation, users with the Administrator role and all other users with appropriate permissions can view the record by going to Setup > Integration > Manage Integrations. This record is enabled automatically regardless of account settings. This record differs from other integration records in the following ways:

- The name of the integration is populated.
- The **Public Client** box is checked.
- The **Redirect URI** field is populated.
- The **Authorization Code Grant** box is checked.
- The **NetSuite AI Connector Service** scope is enabled.
- The **State** and **Concurrency Limit** fields are editable, which means you can disable the integration record, or allocate part of your total concurrency limit to it.

If you're using a different AI client, other than Claude or ChatGPT, you must confirm the following:

- If you have installed a SuiteApp, go to your Integrations page in NetSuite, and confirm whether a new Integration record has been created during the SuiteApp installation.
 - If not, you must create one manually.
 - If an integration record has been created, and the NetSuite AI Connector Service scope is enabled, the integration record is initially in a pending state. An administrator must manually enable the integration record by accessing it directly. When enabled, the integration record can't revert to the pending state; it can only be disabled if needed.
 - If an integration record has been created, but the NetSuite AI Connector Service scope isn't enabled, you must recreate the integration record.

- If you have not installed a SuiteApp, you need to build your own MCP tools and manually create the Integration record.

For more information, see also [Creating Custom Tools for the NetSuite AI Connector Service](#) and [Create Integration Records for Applications to Use OAuth 2.0](#).

Server URL and SuiteApp Namespacing

To establish a connection, you need a remote NetSuite AI Connector Service URL. This URL is unique to your NetSuite account and an Administrator can provide you with this URL.

Depending on your use case, your URL uses one of the following formats:

- **`https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/suiteapp/<applicationid>`** –

Returns only the custom tools exposed by the specified SuiteApp.

For example, the **URL for the MCP Standard Tools SuiteApp** is:

`https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/suiteapp/
com.netsuite.mcpstandardtools`

Where you must replace `<accountid>` with the ID of your account.

The structure of `<applicationid>` is: `<publisherid>.<projectid>` where `<publisherid>` could be, for example, "com.netsuite", and `<projectid>`, for instance, "mcpstandardtools".

- **`https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/all`** – Returns all available custom tools in the account from both SuiteApps and account customization projects (ACPs). Replace `<accountid>` with your real account ID, for example "TD12345678".

To learn more about URLs used for different types of accounts, see the help topic [URLs for Account-Specific Domains](#).

NetSuite AI Connector Service And Concurrency Governance

Unless an administrator has assigned a specific concurrency governance limit to the relevant integration record, the NetSuite AI Connector Service uses the same resources as other integrations and is limited by your account's limit for concurrent requests and how much of this limit has already been allocated to specific integrations. If, for example, you have a total integration concurrency limit of five concurrent requests, but the administrator has assigned two of those to a REST web services integration, the NetSuite AI Connector service integration is able to use only the unallocated three requests limit remaining.

If your request exceeds your concurrency limit, you see an error for Too Many Requests, and you must ask your AI client to retry.

You must ensure that your account has enough resources to process all the requests sent concurrently by the NetSuite AI Connector Service and any other integrated applications that are running in parallel.



Note: When you use a prompt in your AI client that calls an MCP tool, you have one main request for calling the MCP tool, but it this request is typically preceded by additional requests specified by the MCP protocol. You should also consider these requests when you review your account's concurrency governance.

Your account's governance limit for concurrent requests depends on your service tier and how many SuiteCloud Plus licenses you've purchased. Different service tiers have different base limits. For more details, see the help topics [Concurrency Governance Limits Based on Service Tiers and SuiteCloud Plus Licenses](#) and [SuiteCloud Plus Settings](#).

Associated Risks, Controls, and Mitigation Strategies

While AI agents and large language models (LLMs) offer significant benefits, their use can introduce additional risks to organizations. This topic is intended for both end users who will interact with AI agents and account administrators responsible for configuring NetSuite and managing this technology within the organization.

This topic outlines the key risks associated with the use of external AI agents and LLMs, security controls available in NetSuite, and suggest mitigation strategies. Note that this list may not be exhaustive or universally applicable, as both technology and associated risks continue to evolve.

- [Risks](#)
- [Controls in NetSuite](#)
- [Mitigation Strategies](#)
- [Compliance Risks](#)

Risks

The following are some of the key risks inherent to the use of LLMs:

- *Prompt injection* occurs when a malicious actor embeds hidden instructions within content that is processed by the LLM. This can cause the AI agent to perform unintended actions, such as executing unauthorized commands or leaking sensitive data. These hidden instructions can be placed in various sources, including PDF documents, web pages, or responses from third-party MCP servers or MCP tools added by end users.
- *Hallucination* refers to situations where the LLM generates information that appears accurate but is in fact incorrect or entirely fabricated.

Both prompt injection and hallucination can result in:

- **Unintended Actions** – The AI agent may run powerful MCP tool functions – such as making payments or granting approvals – without the user's explicit intent.
- **Corruption of Data** – The AI agent may call MCP tools that delete or modify data in ways not intended by the user, potentially leading to data loss or integrity issues.
- **Sensitive Information Disclosure** – The AI agent may access sensitive data from NetSuite and disclose it to unauthorized parties.

Controls in NetSuite

Prompt injection and hallucination are LLM weaknesses and out of NetSuite control. Although NetSuite cannot eliminate these risks, it offers controls that account administrators and end users can use to reduce the impact of these risks.

- Account administrators have full control over which users are granted access to MCP. By default, no users have access. MCP permission must be explicitly granted to a role.
- MCP tools run with the same permissions as a NetSuite user who is using an external AI agent.
- MCP tools are never executed with Administrator or roles that have full permissions to access NetSuite features.
- MCP tools can only access a subset of SuiteScript API actions. Specifically:

- "Run as role" is disabled for all tools.
- Tools cannot invoke any SuiteScript scripts that run with elevated privileges.
- Tools cannot invoke Suitelets.
- Tools cannot perform HTTP requests to external destinations.
- All usage of MCP tools is logged, providing traceability and accountability for actions performed by AI agents.
- During the OAuth 2.0 authorization flow, the MCP server obtains explicit consent from each user for every AI agent.
- End users can scope MCP tools for an AI agent by specifying the MCP tools namespace.

Enabling External AI Agents in NetSuite

By default, the use of external AI agents in NetSuite is disabled. Enabling this feature requires coordinated actions from both account administrators and end users:

Steps for Account Administrators

- **Assign MCP permissions** – Grant MCP permissions to users who are authorized to use the feature.
- **Install MCP tools** – Install the MCP tools, which define the specific actions that external AI agents can perform.



Important: The actions available to external AI agents are strictly limited to the functionality exposed by the installed MCP tools. Because external AI agents act on behalf of users, only agents representing users with MCP permissions can call MCP tool functions.

Steps for End Users

- Configure an external AI agent.
- Authorize the external AI agent within your NetSuite account to act on your behalf.

Mitigation Strategies

Prompt injection and hallucination are known LLM weaknesses and out of NetSuite control. The following strategies can help to reduce the risks of unintended actions, data corruption, and sensitive information disclosure:

- [Vendor and Tool Trustworthiness](#)
- [Access Management](#)
- [Scope Limitation](#)
- [User Awareness](#)
- [Technical Safeguard](#)

Vendor and Tool Trustworthiness

- Use only trusted AI agents. Review their documentation or contact vendors to understand how they address prompt injection and hallucination risks.
- Connect to trusted MCP servers.
- Use only trusted MCP tools.

Access Management

- Grant MCP permission only to users who require it.
- Do not assign MCP permission to users with high privileges. NetSuite does not allow Administrator roles or roles that have full permissions to access NetSuite features to use MCP.
- Create separate roles for different MCP tools to further limit the scope of what an external AI agent can do.
- Regularly review and update the permissions for all MCP tools and end users.

Scope Limitation

- Install and enable only the MCP tools that are necessary for your business needs.
- When trying new external AI agents, MCP servers, or MCP tools, start with a limited scope to minimize potential impact if something goes wrong.
- Encourage end users to carefully select which MCP tools are enabled in their AI agents using MCP tools namespaces.

User Awareness

- Prefer external AI agents that prompt users for confirmation before executing sensitive or high-impact actions.
- Train end users on the risks of external AI agents and LLMs, and best practices for safe usage.

Technical Safeguard

- Carefully consider simultaneous use of MCP tools that allow access to your local file system or other internal or external systems, or ensure they are run in a secure sandbox environment.

Compliance Risks

As part of your use of MCP get familiar with potential limitations or restrictions establish in the regulations where you operate that may affect your use of existing tools or the use of new tools created by you. Certain geographies have restrictions and requirements for certain use cases like HR, financial, etc.

Creating Custom Tools for the NetSuite AI Connector Service

i Applies to: SuiteScript 2.x | SuiteCloud Developer

By building custom tools, you can automate tasks and extend NetSuite's capabilities. Custom tool scripts let you define the operations a tool can perform and configure it to work with external AI clients that support the Model Context Protocol (MCP). With custom tools, you can build solutions for data retrieval, process automation, and integration with AI clients. This topic outlines the workflow for developing and deploying custom tools using SuiteScript and the SuiteCloud Development Framework (SDF).

You can also find sample implementations of custom tools in the [MCP-Sample-Tools](#) directory of the [SuiteCloud Project Repository on Oracle Samples GitHub](#).

Prerequisites for Custom Tools

Before you can start developing custom tools, ensure that you've set up the following prerequisites in your NetSuite account.

Required Tools and Features	Related Help Topic
Enable the necessary features in your NetSuite account: - Server SuiteScript - OAuth 2.0 - SuiteCloud Development Framework (SDF)	Enabling SuiteScript Enable the OAuth 2.0 Feature SuiteCloud Development Framework Setup
Set up your preferred SuiteCloud SDK Tools. Choose a supported IDE and set up the appropriate SuiteCloud plug-in or extension. If you prefer a different IDE, you can use the CLI tools from your terminal.	SuiteCloud Plug-ins and Extensions SuiteCloud CLIs
Set up a role to be used with the NetSuite AI Connector Service.	Required Features and Permissions

Creating Custom Tools

The following table shows the workflow for creating custom tools in NetSuite:

Procedure	Related Help Topic
Step 1: Create a SuiteCloud project using either a SuiteApp project or an account customization project (ACP).	SuiteCloud Project Types
Step 2: Write your custom tool script. Custom tool scripts don't have predefined entry points, so you must define all tool entry points in a single script.	SuiteScript 2.1 Custom Tool Script Type SuiteScript 2.1 Custom Tool Script Type Reference SuiteScript 2.1 Custom Tool Script Type Code Samples
Step 3: Define your tools in a JSON schema file.  Important: The method name and description for each tool help the AI client decide the tool's purpose and when it should be used.	SuiteScript 2.1 Custom Tool Script Type Reference SuiteScript 2.1 Custom Tool Script Type Code Samples
Step 4: Create the SDF Object XML for your custom tool script. In the SDF object XML, set the file paths for the script and schema, configure tool exposure for AI clients, and define the permissions required to view the tool in AI clients.	Custom Tool Scripts as XML Definitions SuiteScript 2.1 Custom Tool Script Type Code Samples
Step 5: When your tool is ready, deploy the SuiteCloud project to your NetSuite account.	—
Step 6: From your AI Client, connect to the NetSuite AI Connector. After integration, your external AI client should list the deployed tools from your NetSuite account.	Connect to the NetSuite AI Connector Service

Procedure	Related Help Topic
Step 7: Invoke the tools using natural language prompts.	—



Important: To undeploy a custom tool:

- If it's part of a SuiteApp, uninstall the SuiteApp.
- If it's part of an ACP, set the `exposeto3rdpartyagents` attribute to **F** in the custom tool SDF Object XML, then redeploy the project.

MCP Standard Tools SuiteApp

The MCP Standard Tools SuiteApp is designed for use with the [NetSuite AI Connector Service](#). It provides a set of tools that let you interact with your NetSuite data — including working with records, reports, saved searches, and SuiteQL queries — through an AI client using the Model Context Protocol (MCP). With this SuiteApp, you can get insights from your NetSuite data and perform a wide range of tasks in NetSuite using natural language input.

The SuiteApp is designed to work with your existing NetSuite roles and permissions. It uses the same access controls as the NetSuite UI, so you can only see data and take actions allowed by your assigned roles.



Important: The MCP Standard Tools SuiteApp includes tools that can create and update records in NetSuite using REST Web Services. Users with roles that already have the MCP Server Connection permission can perform these actions on any records available through REST, if their current permissions allow it.

Before installing the SuiteApp, consider reviewing which users and roles are assigned this permission and ensure that these roles are authorized to perform record actions in the AI client through MCP. For a more granular access control, you can create a separate role with the MCP Server Connection permission and add specific permissions for the records and actions that users are allowed to perform through the AI client.

For information about roles and permissions for the NetSuite AI Connector Service, see [Required Features and Permissions](#) and [Associated Risks, Controls, and Mitigation Strategies](#).

Read the following topics to learn more about the MCP Standard Tools SuiteApp:

- [Installing the MCP Standard Tools SuiteApp](#)
- [Available Tools in the MCP Standard Tools SuiteApp](#)
- [Best Practices for MCP Standard Tools SuiteApp](#)

Key Features

- **Query NetSuite in natural language** – Describe the data you need, and your AI client will automatically construct and run the appropriate SuiteQL query to retrieve it.
- **Access NetSuite reports** – View and interact with NetSuite reports directly from your AI client.

- **Create and update records** – Use your AI client to create new NetSuite records or update existing ones.
- **Access saved searches** – Run saved searches through your AI client.
- **Permission compliance** – All data access and actions are determined by your NetSuite role and permissions. The tools don't provide any additional access beyond what your NetSuite role allows. Your ability to view data, perform operations, or use specific tools depends on the permissions assigned to the NetSuite role you use to connect.

How MCP Standards Tools Work

The MCP Standard Tools SuiteApp enables you to interact with NetSuite data using conversational AI. The typical workflow includes the following steps:

1. Install the MCP Standard Tools SuiteApp

Install the MCP Standard Tools SuiteApp from the SuiteApp Marketplace. For installation instructions, see [Installing the MCP Standard Tools SuiteApp](#).

2. Invoke Tools through Conversational AI

After installing the SuiteApp and connecting to the NetSuite AI Connector Service, you can access the available tools in your AI client. Open your AI client and start a conversation using natural language commands or queries.

The AI client interprets your request and presents a set of available tools and actions. For more information about the available tools, see [Available Tools in the MCP Standard Tools SuiteApp](#).

3. Perform Operations

When you make a request through the AI client, the SuiteApp translates your command into the appropriate NetSuite API calls or operations.

The SuiteApp performs the task in NetSuite and returns the results to your AI client, where you can view the outcome directly in your conversation interface.

Installing the MCP Standard Tools SuiteApp



Important: The MCP Standard Tools SuiteApp is a managed SuiteApp and is automatically updated whenever enhancements or new features are released. The tools provided in the SuiteApp may be modified over time. If you have customizations or workflows that use these tools, be aware that some updates may change how the tools operate.

This topic guides you through the installation of the MCP Standard Tools SuiteApp.

Prerequisites for the MCP Standard Tools SuiteApp

Ensure that you have set up the required features and permissions to use the NetSuite AI Connector Service. For more information, see [Required Features and Permissions](#).

Before you install the MCP Standard Tools SuiteApp, you must enable the **Server SuiteScript** and **REST Web Services** features.

To enable the required features:

1. Go to Setup > Company > Enable Features.
2. On the **SuiteCloud** subtab:

- Under SuiteScript, check the **Server SuiteScript** box.
 - Under SuiteTalk (Web Services), check the **REST Web Services** box.
3. Click **Save**.

Installing the MCP Standard Tools SuiteApp

The MCP Standard Tools SuiteApp is a managed SuiteApp and is automatically updated whenever enhancements or new features are released.

To install the MCP Standard Tools SuiteApp:

1. Go to the **SuiteApps** tab.
2. In the **Search SuiteApps** field, enter **MCP Standard Tools**.
3. Click the **MCP Standard Tools** icon.
4. On the top right of the SuiteApp details page, click **Install**.
5. Wait for the installation to complete.

For more information about installing a SuiteApp from the SuiteApp Marketplace, see the help topic [Installing from the SuiteApp Marketplace](#).

Accessing MCP Standard Tools

After installing the SuiteApp, connect to your AI client to start using the tools. To connect and return only the tools provided by the MCP Standard Tools SuiteApp, use the following URL and replace `<accountid>` with your NetSuite account ID: `https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/suiteapp/com.netsuite.mcpstandardtools`. For more information, see [Connect to the NetSuite AI Connector Service](#).

The tools you see in your AI client depend on the permissions defined for each tool. A tool is visible only if your role has all the required permissions for that tool. However, access to data and the ability to execute tool actions still depend on your NetSuite role and permissions. You can only access data and perform operations that your NetSuite role allows, regardless of tool visibility.

In addition, to use the tools, your role must have access to the SuiteApp folder in the File Cabinet. If you receive an access denied error when accessing the tools from the AI client, verify that access to the SuiteApp folder in the File Cabinet is not restricted for your role. For more information, see the help topic [Restricting Access to File Cabinet Folders](#).

If the AI client shows an empty list of tools, the SuiteApp may not have been installed successfully or your role doesn't have the permissions required to view the tools. For information about required permissions, see [Available Tools in the MCP Standard Tools SuiteApp](#). To check the installation status of the SuiteApp, see the help topic [Viewing SuiteApp Installation or Uninstallation Status](#).

Available Tools in the MCP Standard Tools SuiteApp

The MCP Standard Tools SuiteApp includes:

- [Record Tools](#) – Create, retrieve, and update NetSuite records.
- [Report Tools](#) – Access and run reports from your NetSuite account.
- [Saved Search Tools](#) – List and run saved searches in NetSuite.
- [SuiteQL Tools](#) – Run custom SuiteQL queries to gather and analyze data in NetSuite.

How To Invoke a Tool

You can use natural language in your AI client to invoke a tool. Use the tool description as a guide on how to write your message. For example: Create a customer record in NetSuite for <first name> <last name>.

The client then shows a pop-up asking for permission to use an external integration tool.

Permissions for Available Tools

The permissions defined for each tool determine the visibility of the tool in the AI client. A tool is visible only if your NetSuite role has all the required permissions for that tool. However, access to data and the ability to execute tool actions still depend on your NetSuite role and permissions. You can only access data and perform operations that your NetSuite role allows, regardless of tool visibility.

For information about the permissions required to view each tool, see [List of Available Tools](#) or the tool-specific help topics.

List of Available Tools

The following table provides an overview of the tools available in the MCP Standard Tools SuiteApp. For detailed information such as the permissions and required parameters, click the tool name to view its help topic.

Note: Parameters provided to a tool call are verified. Required parameters must be included in the request. If a required parameter is missing, the AI client may either use a default value or ask for additional details.

	Tool Name	Description	Required Permission
Record Tools	ns_createRecord	Creates a new record in NetSuite.	REST Web Services (Full)
	ns_getRecord	Retrieves a record in NetSuite.	
	ns_getRecordTypeMetadata	Retrieves metadata for all NetSuite record types or for a specific record type, including available fields and their data types.	
	ns_updateRecord	Updates an existing record in NetSuite.	
Report Tools	ns_getSubsidiaries	Lists the subsidiaries in your NetSuite account you can use to filter results for reports with a subsidiary filter.	—
	ns_listAllReports	Lists all standard and custom reports in your NetSuite account.	
	ns_runReport	Runs a report in your NetSuite account and displays the results.	
Saved Search Tools	ns_listSavedSearches	Lists all saved searches in your NetSuite account.	Perform Search (View)
	ns_runSavedSearch	Runs an existing saved search from your NetSuite account.	
SuiteQL Tools	ns_runCustomSuiteQL	Runs a custom SuiteQL query in NetSuite. Only read-only queries are supported. Useful for gathering information of all types.	—

Record Tools

The record tools let you interact with any records that you have access to based on your current permissions. With these tools, you can view and update existing records, and create new ones.

The record tools use REST Web Services to create and update records in NetSuite. These tools support the same record types and actions that are available in REST Web Services and are subject to the same limitations. For example, if a record or field is read-only in REST Web Services, this restriction also applies when using these tools from the AI client.

For information about the working with records using REST Web Services, read the following topics:

- [Overview of SuiteTalk REST Web Services](#)
- [REST Web Services Supported Records](#)
- [Working with Records](#)

The following record tools are available:

Name	Description
ns_createRecord	Creates a new record in NetSuite.
ns_getRecord	Retrieves a record in NetSuite.
ns_getRecordTypeMetadata	Retrieves metadata for all NetSuite record types or for a specific record type, including available fields and their data types.
ns_updateRecord	Updates an existing record in NetSuite.

Only users with the following permissions can see the record tools in the AI client.

Permission ID	Permission Name	Level
ADMI_RESTWEBSERVICES	REST Web Services	Full

ns_createRecord

Tool Description	Creates a new record in NetSuite. Before creating the new record, this tool uses ns_getRecordTypeMetadata to retrieve information about available fields and their types.
Annotation	Create Record

Properties

Property	Type	Required or Optional	Description
recordType	string	Required	The NetSuite record type you want to create.
data	string	Required	The list of record data, specified in JSON format as key-value pairs for field names and values.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, your ability to create records depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
ADMI_RESTWEBSERVICES	REST Web Services	Full

ns_getRecord

Tool Description	Retrieves a record from NetSuite.
Annotation	Get Record

Properties

Property	Type	Required or Optional	Description
recordType	string	Required	The NetSuite record type you want to retrieve.
recordId	string	Required	The internal ID of the record you want to retrieve.
fields	string	Optional	Comma-separated list of specific fields to retrieve.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, your ability to view records depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
ADMI_RESTWEBSERVICES	REST Web Services	Full

ns_getRecordTypeMetadata

Tool Description	Retrieves metadata for all NetSuite record types or for a specific record type, including available fields and their data types. By obtaining this metadata, you can ensure that any new records or updates are structured correctly and include all required data. This tool is called by ns_createRecord and ns_updateRecord first before performing their respective operations.
Annotation	Get Record Type Metadata

Properties

Property	Type	Required or Optional	Description
recordType	string	Optional	The NetSuite record type you want to get metadata for. If not specified, the tool returns metadata for all available records types.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, the data you can see depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
ADMI_RESTWEBSERVICES	REST Web Services	Full

ns_updateRecord

Tool Description	Updates an existing record in NetSuite. Before updating the record, this tool uses ns_getRecordTypeMetadata to retrieve information about available fields and their types.
Annotation	Update Record

Properties

Property	Type	Required or Optional	Description
recordType	string	Required	The NetSuite record type you want to update.
recordId	string	Required	The internal ID of the record you want to update.
data	string	Required	The list of record data to update, specified in JSON format as key-value pairs for field names and values.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, your ability to update records depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
ADMI_RESTWEBSERVICES	REST Web Services	Full

Report Tools

The report tools enable you to access and run NetSuite reports from your AI client. With these tools, you can retrieve a list of standard and custom reports and run any report that you have access to based on your current permissions. These tools support custom reports and most of the standard reports available in [Standard Reports](#).

The following report tools are available:

Name	Description
ns_getSubsidiaries	Lists the subsidiaries in your NetSuite account you can use to filter results for reports with a subsidiary filter.
ns_listAllReports	Lists all standard and custom reports in your NetSuite account.
ns_runReport	Runs a report in your NetSuite account and displays the results.

Known Limitations of the Report Tools

The following are known limitations of the report tools:

- Accounting periods are not supported. Currently, the report tools ignore the Report by Period user preference. The AI client won't be able to see the accounting periods that you have set up in your NetSuite account, and may use the calendar year as the fiscal year or ask you to provide more details about your fiscal year.
- Only date and subsidiary filters are supported when running the reports. Other filters or report footer options available in the UI are currently not supported by the report tools.
- Subsidiary (Consolidated) and Subsidiary (Context) views are currently not supported when running reports with the report tools. You can view the report data for individual subsidiaries only.
- For accounts with one or more subsidiaries, the reports use the currency of the subsidiary selected in the report. For accounts without subsidiaries, the reports use the base currency set up on the Company Information page.
- Report tools may return null values for reports that use column segmentation (that is, reports with multi-level or nested headers). This is a known limitation that affects reports such as the A/R Aging Summary and A/P Aging Summary, as well as other reports with similar column structure.

ns_getSubsidiaries

Tool Description	Lists the subsidiaries you can use to filter results for reports with a subsidiary filter. If your NetSuite account has subsidiaries, this tool returns the subsidiary name and internal ID. If not, it returns an empty list. ns_runReport calls this tool to check for available subsidiaries if the report you want to run has a subsidiary filter.
Annotation	Get Subsidiaries

Permissions

There are no specific permission requirements to see this tool in the AI client. However, the data you can see depends on the permissions assigned to your NetSuite role.

ns_listAllReports

Tool Description	Lists all standard and custom reports in your NetSuite account. Returns the name and internal ID of each report, plus other relevant properties that help identify which parameters are required to run the report.
Annotation	List All Reports

Permissions

There are no specific permission requirements to see this tool in the AI client. However, the data you can see depends on the permissions assigned to your NetSuite role.

ns_runReport

Tool Description	Runs a report in your NetSuite account and displays the results. You can run ns_listAllReports to obtain the list of available standard and custom reports, and their corresponding IDs. Before running any report, this tool first calls ns_listAllReports to check if the report exists and find out which parameters are needed. If the report uses the subsidiary filter, this tool calls ns_getSubsidiaries to get the subsidiaries in your account.
-------------------------	---

	Note: Required date inputs vary by report. If a date is missing, the AI client may return an error, make assumptions, or ask you for more information, and its response may not always be predictable. Including all relevant date information in your request can help the AI process your report more effectively. For known limitations when running reports from the AI client, see Known Limitations of the Report Tools.
Annotation	Run Report

Properties

Property	Type	Required or Optional	Description
reportId	number	Required	The internal ID of the report.
dateFrom	string	Required for from-to date type, optional for as-of date type	Start date for the report. This date is required for reports that use from-to dates, and optional for reports that use as-of dates.
dateTo	string	Required	End date for the report.
subsidiaryId	number	Required if the report has a subsidiary filter and your account has subsidiaries, optional otherwise.	The internal ID of the subsidiary you want to filter the results by. This parameter is required if both of these conditions are true: ■ The report uses the subsidiary filter. ■ The NetSuite account has subsidiaries. You can run the ns_getSubsidiaries tool to get a list of subsidiaries in your account.

Permissions

There are no specific permission requirements to see this tool in the AI client. However, your ability to run reports depends on the permissions assigned to your NetSuite role.

Saved Search Tools

The following tools let you access saved searches from your AI client.

Name	Description
ns_listSavedSearches	Lists all saved searches in your NetSuite account.
ns_runSavedSearch	Runs an existing saved search from your NetSuite account.

Only users with the following permissions can see the saved search tools in the AI client.

Permission ID	Permission Name	Level
LIST_FIND	Perform Search	View

ns_listSavedSearches

Tool Description	Lists all saved searches in your NetSuite account. Returns the saved search ID, title, record type, and public setting. Saved searches can be filtered by name.
Annotation	List Saved Searches

Properties

Property	Type	Required or Optional	Description
query	string	Optional	Query to filter the results of the saved search.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, the data you can see depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
LIST_FIND	Perform Search	View

ns_runSavedSearch

Tool Description	Runs an existing saved search from your NetSuite account.
Annotation	Run Saved Search

Properties

Property	Type	Required or Optional	Description
searchId	string	Required	The ID of the saved search.
type	string	Required for standalone search type, optional otherwise	The search type of the saved search to load. This parameter is required if the saved search to load uses a standalone search type. A standalone search type is a search type that does not have a corresponding record type. For standalone search types, you must specify the search type explicitly using this parameter. The following is a list of standalone search types: ■ DeletedRecord ■ EndToEndTime ■ ExpenseAmortPlanAndSchedule ■ RevRecPlanAndSchedule ■ GLLinesAuditLog ■ Crosschargeable ■ FinRptAggregateFR ■ BillingAccountBillCycle ■ BillingAccountBillRequest

Property	Type	Required or Optional	Description
			- BinItemBalance - PaymentEvent - Permission - GatewayNotification - TimeApproval - RecentRecord - Role - SavedSearch - ShoppingCart - SubscriptionRenewalHistory - SuiteScriptDetail - SupplyChainSnapshotDetails - SystemNote - TaxDetail - TimesheetApproval - Uber - ResAllocationTimeOffConflict - ComSearchOneWaySyn - ComSearchGroupSyn - Installment - InventoryBalance - InventoryNumberBin - InventoryNumberItem - InventoryStatusLocation - InvtNumberItemBalance - ItemBinNumber
range_start	number	Optional	The lower bound of the range of the search results.
range_end	number	Optional	The higher bound of the range of the search results.

Permissions

Only user roles with the following permissions can see this tool in the AI client. However, your ability to run saved searches depends on the permissions assigned to your NetSuite role.

Permission ID	Permission Name	Level
LIST_FIND	Perform Search	View

SuiteQL Tools

The following tool lets you query your NetSuite data from AI clients.

Name	Description
ns_runCustomSuiteQL	Runs a custom SuiteQL query in NetSuite. Only read-only queries are supported. Useful for gathering information of all types.

ns_runCustomSuiteQL

Tool Description	Runs a custom SuiteQL query in NetSuite. Only read-only queries are supported. Useful for gathering information of all types. This tool can use ns_getRecordTypeMetadata to confirm the structure of a record before creating a query.
Annotation	Run Custom SuiteQL

Properties

Property	Type	Required or Optional	Description
sqlQuery	string	Required	SuiteQL query string. Only SuiteQL syntax is allowed.
description	string	Optional	Description of the query.
pageSize	number	Optional	Indicates the page size of the results. If included, the tool uses pagination to retrieve large amounts of data.

Permissions

There are no specific permission requirements to see this tool in the AI client. However, the data you can see or query with SuiteQL depends on the permissions assigned to your NetSuite role.

Best Practices for MCP Standard Tools SuiteApp

Refer to [Associated Risks, Controls, and Mitigation Strategies](#) for information about the following:

- Risks associated with using external AI clients and large language models (LLMs).
- Security controls available in NetSuite.
- Mitigation strategies for these risks.

For tips on structuring prompts to achieve clear, effective communication with the AI, see [Prompting Guidelines](#).

The following best practices may not fully prevent inaccuracies or hallucinations from large language models (LLMs), but they can help minimize errors and support better results.

■ Data Accuracy and Validation

- Review the tools used and the outputs generated by the LLM. Check both the steps taken (shown as tool selections, requests, and responses) and the final answer for accuracy, because LLMs may sometimes make up information.
- Tell the model to use real data from your NetSuite account, so you don't get sample data in the results.
- When you create records ([ns_createRecord](#)), always set the External ID (externalId). This helps prevent duplicate records and makes tracking easier.

■ Tool Selection and Execution

- When possible, have the model use [ns_runReport](#) or [ns_runSavedSearch](#) before trying [ns_runCustomSuiteQL](#).
- Clearly explain what you expect the model to do and show an example, including which tools it should use and the type of answer you want.

- Use clear error-handling steps so it's easier to troubleshoot when problems happen.
- **NetSuite Data Processing and Reporting**
 - Don't use SuiteQL or build new reports for financial reports. NetSuite standard reports use important business rules that SuiteQL can't apply.
 - Use SuiteQL for complex queries, such as when you need to combine data from multiple tables.
- **User Experience and Guidance**
 - Ask the model to include direct links in its results—for example, links to reports, transactions or records—so users can quickly access related information in NetSuite.

Prompting Guidelines

This section outlines the key elements of well-structured prompts. Follow these guidelines to clarify requests and reduce misunderstandings when interacting with the AI client.

1. **Define your objective** – Clearly say what outcome or insight you want to achieve.
2. **Reference traditional methods** – Think about how you would usually get this result (for example, with a specific report, saved search, or analysis).
3. **Leverage available tools** – Identify which tools or features are best for the job (for example, standard reports, saved searches, or SuiteQL if needed). When mentioning reports or saved searches, include their names in your prompt.
4. **Structure your prompt thoughtfully** – Try using this format:
 - **Instruction** – Clearly state the task or question.
 - **Role** – Specify what role or perspective the model should take.
 - **Context** – Give any background or situational details that matter.
 - **Input Data** – Explain what dataset, query, or focus area to use.
 - **Output Format** – Mention the format, structure, or level of detail you want for the response.

MCP Sample Tools



Important: As of September 2025, the MCP Sample Tools SuiteApp is no longer available for new installations. It has been replaced by the MCP Standard Tools SuiteApp, which is available for installation from the SuiteApp Marketplace. For more information, see [MCP Standard Tools SuiteApp](#).

If the MCP Sample Tools SuiteApp is still installed in your account, you should uninstall it and switch to the MCP Standard Tools SuiteApp as soon as possible. There will be no further updates or fixes for existing installations of the MCP Sample Tools SuiteApp. Additionally, the SuiteApp will stop working at any time from December 2025 onward. For information about uninstalling SuiteApps, see the help topic [Uninstalling SuiteApps Obtained from the SuiteApp Marketplace](#).

The sample tools remain available in the [MCP-Sample-Tools](#) directory of the [SuiteCloud Project Repository on Oracle Samples GitHub](#), for reference or as a starting point for building your own custom tools.

The MCP Sample Tools are designed for use with the NetSuite AI Connector Service and provide basic examples of how to perform NetSuite operations using conversational AI. These tools let you interact

with NetSuite using natural language commands from an AI client that communicates through Model Context Protocol (MCP). The MCP Sample Tools serve as a starting point for building your own solutions, demonstrating how SuiteScript and the SuiteCloud Development Framework (SDF) can be used to enable natural language interactions with NetSuite.

These tools are designed to work with your existing NetSuite roles and permissions. It uses the same access controls as the NetSuite UI, so you can only see data and take actions allowed by your assigned roles.

To learn more about the sample tools, see [Available Tools in the MCP Sample Tools](#).

NetSuite also provides the MCP Standard Tools SuiteApp, which you can install from the SuiteApp Marketplace. This SuiteApp includes tools for running custom SuiteQL queries, accessing NetSuite reports and saved searches, and creating or updating records using REST Web Services. For more information, see [MCP Standard Tools SuiteApp](#).

Key Features

- **Conversational Data Access** – Retrieve information about NetSuite records (such as customers, transactions, and financial data) using natural language queries.
- **Record Operations** – Create or update records through conversational commands. Supported operations are securely executed according to your NetSuite permissions.
- **Data Visualization** – View information in user-friendly formats such as tables and summaries that are compatible with the AI client's display capabilities.
- **Permission Compliance** – All data access and actions are determined by your NetSuite role and permissions. The tools don't provide any additional access beyond what your NetSuite role allows. Your ability to view data, perform operations, or use specific tools depends on the permissions assigned to the NetSuite role you use to connect.

How MCP Sample Tools Work

The MCP Sample Tools enable you to interact with NetSuite data using conversational AI. The typical workflow includes the following steps:

1. Download MCP Sample Tools

Download [MCP-Sample-Tools](#) from the [SuiteCloud Project Repository on Oracle Samples GitHub](#) and deploy the project to your NetSuite account.

2. Invoke Tools through Conversational AI

After deploying the project, connect to the AI client to start using the tools. See [Connect to the NetSuite AI Connector Service](#).

Open the AI client and start a conversation using natural language commands or queries. The conversational AI interprets your request and presents you with a set of available tools and actions. The tools you see in the AI client depend on the permissions defined for each tool. A tool is visible only if your role has all the required permissions for that tool. For more information about the available tools, see [Available Tools in the MCP Sample Tools](#).

3. Perform Operations

When you make a request through the AI client, your commands are translated into the appropriate NetSuite API calls or operations.

The tools perform the task in NetSuite, such as retrieving records or updating information. The results are then returned to the AI client, where you can view the outcome directly in your conversation interface.

Available Tools in the MCP Sample Tools

The [MCP-Sample-Tools](#) project from the [SuiteCloud Project Repository on Oracle Samples GitHub](#) includes a set of tools that demonstrate the types of operations you can perform through conversational AI. These tools serve as practical examples of what you can build using SuiteScript. The tools are implemented using custom tool scripts and SuiteScript 2.1, and are developed and managed within an SDF account customization project (ACP). These tools use the same SuiteScript modules, script types, and project structure available to SuiteCloud developers, enabling you to develop and deploy your own custom tools using the same approach.

For information about the available tools in this sample SuiteCloud project, see [List of Sample Tools](#).

Read the following help topics for information about the NetSuite AI Connector Service and developing custom tools:

- [Get Started with the NetSuite AI Connector Service](#)
- [Creating Custom Tools for the NetSuite AI Connector Service](#)
- [SuiteScript 2.1 Custom Tool Script Type](#)

NetSuite also provides the MCP Standard Tools SuiteApp, which you can install from the SuiteApp Marketplace. For more information, see [MCP Standard Tools SuiteApp](#).

How To Invoke a Tool

You can use natural language in your AI client to invoke a tool. Use the tool description as a guide on how to write your message. For example: Create a customer for Name Surname in NetSuite.

The client then shows a pop-up asking for permission to use an external integration tool.

Permissions for MCP Sample Tools

The permissions defined for each tool determine the visibility of the tool in the AI client. A tool is visible only if your NetSuite role has all the required permissions for that tool. However, access to data and the ability to execute tool actions still depend on your NetSuite role and permissions. You can only access data and perform operations that your NetSuite role allows, regardless of tool visibility.

To use most tools, you need at least view permissions. Creating or updating customer records require edit permissions. The SuiteQL tool is an exception, there are no specific permission requirements to access it. However, the data you can see or query with SuiteQL still depends on your existing NetSuite permissions.

List of Sample Tools

The following table provides an overview of the MCP Sample Tools. For detailed information such as the permissions and required parameters, see the help topic for each tool.

 **Note:** Parameters provided to a tool call are verified. Required parameters must be included in the request.

Name	Description
checkInventoryLevels	Checks inventory levels, with an option to filter by location ID.

Name	Description
createCustomer	Creates a new customer record in NetSuite.
generateSalesReport	Generates a sales report, with an option to group by customer or date.
getCustomerBalance	Retrieves customer balance information.
getCustomerDetails	Retrieves detailed information about a specific customer.
getCustomerTransactions	Retrieves the transaction history for a customer.
getFinancialPerformance	Generates a simple financial performance summary for a specific date range.
getItemDetails	Retrieves detailed information about a specific item, including inventory details by location.
getSalesOrder	Retrieves detailed information about a specific sales order, including header fields and line items.
getSalesOrderWithFilters	Retrieves sales orders, with an option to filter by customer, date range, and status.
runCustomSuiteQL	Runs a custom SuiteQL query in NetSuite. Only read-only queries are supported. Useful for gathering information of all types.
searchCustomer	Searches for customers in NetSuite based on a partial name match. With an empty string, it retrieves all customers.
updateCustomer	Updates customer information in NetSuite.

checkInventoryLevels

Tool Description	Checks inventory levels, with an option to filter by location ID.
Annotation	Check Inventory Levels

Properties

Property	Type	Required or Optional	Description
locationId	string	Optional	Location ID to filter by.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
LIST_ITEM	Items	VIEW

createCustomer

Tool Description	Creates a customer record in NetSuite.
-------------------------	--

	Set the isperson parameter to 'T' if the customer is a person or to 'F' if the customer is a company. If the customer is a person, the firstname and lastname parameters are required. If the customer is a company, the companyname is required.
Annotation	Create Customer

Properties

Property	Type	Required or Optional	Description
subsidiary	string	Required	Subsidiary ID.
isperson	string	Required	Determines whether the customer is a person (T) or a company (F).
firstname	string	Required if isperson is T .	Customer's first name.
lastname	string	Required if isperson is T .	Customer's last name.
companyname	string	Required if isperson is F .	Customer's company name.
email	string	Optional	Customer's email address.
phone	string	Optional	Customer's phone number.
creditlimit	number	Optional	Customer's credit limit.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

generateSalesReport

Tool Description	Generates a sales report for specified date range. You can group the report by customer or date. Use the date format MM/DD/YYYY when specifying the dates.
Annotation	Generate Sales Report

Properties

Property	Type	Required or Optional	Description
dateFrom	string	Required	Start date of the sales report in MM/DD/YYYY format.

Property	Type	Required or Optional	Description
dateTo	string	Required	End date of the sales report in MM/DD/YYYY format.
grouping	string	Optional	Grouping of columns. Can be set to customer or date, or empty for default grouping.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	VIEW
LIST_EMPLOYEE_RECORD	Employee Record	VIEW
LIST_EMPLOYEE	Employees	VIEW
TRAN_CUSTINVC	Invoice	VIEW
REPO_BOOKINGS	Sales Order Reports	VIEW

getCustomerBalance

Tool Description	Retrieves customer balance information.
Annotation	Get Customer Balance

Properties

Property	Type	Required or Optional	Description
customerId	string	Required	The ID of the customer in NetSuite.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

getCustomerDetails

Tool Description	Retrieves detailed information about a specific customer. Returns the following information: - Customer ID - Name - Company Name - Email - Phone - Credit Limit - Terms - Ship Address ID - Billing Address ID - Category - Date Created - Subsidiary ID - Currency ID - Sales Rep ID - Price Level - Contacts IDs
Annotation	Get Customer Details

Properties

Property	Type	Required or Optional	Description
customerId	string	Required	ID of the customer in NetSuite.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

getCustomerTransactions

Tool Description	Retrieves the transaction history for a specific customer. Use the date format MM/DD/YYYY when specifying the dates.
-------------------------	--

	Returns a list of transaction with the following fields: ■ ID ■ Date ■ Document Number ■ Type ■ Customer ID ■ Amount ■ Status ■ Memo ■ Reference
Annotation	Get Customer Transactions

Properties

Property	Type	Required or Optional	Description
customerId	string	Required	ID of the customer in NetSuite.
dateFrom	string	Optional	Start date in the format MM/DD/YYYY.
dateTo	string	Optional	End date in the format MM/DD/YYYY.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

getFinancialPerformance

Tool Description	Generates a simple financial performance summary of your NetSuite account. Use the date format MM/DD/YYYY when specifying the dates.
Annotation	Get Financial Performance

Properties

Property	Type	Required or Optional	Description
dateFrom	string	Required	Start date for the date range filter in the format MM/DD/YYYY.

Property	Type	Required or Optional	Description
dateTo	string	Required	End date for the date range filter in the format MM/DD/YYYY.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_SALESORD	Sales Order	VIEW
REPO_FINANCIALS	Financial Statements	VIEW

getItemDetails

Tool Description	Retrieves detailed information about a specific item, including inventory details by location. Returns the following item details: ■ Internal ID ■ Item ID ■ Display Name ■ Display Name ■ Description ■ Type ■ Base Price ■ Cost ■ Quantity Available ■ Quantity On Hand ■ Reorder Point ■ Preferred Location ■ Units Type ■ Stock Unit ■ Purchase Unit ■ Sale Unit ■ Weight ■ Weight Unit ■ Date Created ■ Is Inactive
Annotation	Get Item Details

Properties

Property	Type	Required or Optional	Description
itemId	string	Required	Internal ID of the item to retrieve details for.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
LIST_ITEM	Items	VIEW

getSalesOrder

Tool Description	Retrieves detailed information about a specific sales order, including header fields and line items. Returns the following information: ■ Internal ID ■ Transaction ID ■ Customer ID ■ Customer Name ■ Date ■ Status ■ PO Number ■ Memo ■ Sales Rep ID ■ Sales Rep Name ■ Total Items ■ Array of items with the following fields: □ Line □ Item ID □ Item Name □ Quantity □ Amount □ Description
Annotation	Get Sales Order

Properties

Property	Type	Required or Optional	Description
orderId	string	Required	Internal ID of the sales order to retrieve.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_SALESORD	Sales Order	VIEW

Permission ID	Permission Name	Level
LIST_CUSTJOB	Customers	VIEW
LIST_EMPLOYEE_RECORD	Employee Record	VIEW
LIST_EMPLOYEE	Employees	VIEW
TRAN_CUSTINVC	Invoice	VIEW
REPO_BOOKINGS	Sales Order Reports	VIEW

getSalesOrderWithFilters

Tool Description	Retrieves sales orders with an option to filter by customer, date range, and status. Use the date format MM/DD/YYYY when specifying the dates.
Annotation	Get Sales Order with Filters

Properties

Property	Type	Required or Optional	Description
customerId	string	Optional	Filter by specific customer internal ID.
dateFrom	string	Optional	Start date for the date range filter in the format MM/DD/YYYY.
dateTo	string	Optional	End date for the date range filter in the format MM/DD/YYYY.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	VIEW
LIST_EMPLOYEE_RECORD	Employee Record	VIEW
LIST_EMPLOYEE	Employees	VIEW
TRAN_CUSTINVC	Invoice	VIEW
REPO_BOOKINGS	Sales Order Reports	VIEW

runCustomSuiteQL

Tool Description	Runs a custom SuiteQL query in NetSuite. Only read-only queries are supported. This tool is useful for gathering information of all types.
-------------------------	--

Annotation	Run Custom SuiteQL
-------------------	--------------------

Properties

Property	Type	Required or Optional	Description
sqlQuery	string	Required	SuiteQL query string.
description	string	Optional	Description of the query.

Permissions

There are no specific permission requirements to see this tool in the AI client. However, the data you can see or query with SuiteQL depends on your existing NetSuite permissions.

searchCustomer

Tool Description	Searches for customers in NetSuite based on a partial name match. With an empty string, it retrieves all customers.
Annotation	Search for Customers

Properties

Property	Type	Required or Optional	Description
query	string	Required	Query search string.

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

updateCustomer

Tool Description	Updates the customer information in NetSuite.
Annotation	Update Customer Information

Properties

Property	Type	Required or Optional	Description
customerId	string	Required	ID of the customer that you want to edit.
firstname	string	Optional	Customer's first name.
lastname	string	Optional	Customer's last name.
email	string	Optional	Customer's email address.
phone	string	Optional	Customer's phone number.
companyname	string	Optional	Customer's company name.
creditlimit	string	Optional	Customer's credit limit.
subsidiary	string	Optional	ID of the customer's subsidiary.
isperson	string	Optional	Indicates whether the customer is a person (T) or a company (F).

Permissions

Only user roles with the following permissions can see this tool in the AI client.

Permission ID	Permission Name	Level
TRAN_FIND	Find Transaction	VIEW
TRAN_CUSTINVC	Invoice	VIEW
TRAN_SALESORD	Sales Order	VIEW
LIST_CUSTJOB	Customers	EDIT
LIST_CONTACT	Contacts	VIEW

NetSuite AI Connector Service FAQ

Here you can find the answers to the most common questions about the NetSuite AI Connector Service.

How do I set up NetSuite AI Connector Service?

Most AI clients that support remote MCP servers with the 2025-06-18 protocol version, OAuth 2.0 Authentication Code Grant flow with PKCE, and streamable HTTP work with the MCP Standard Tools SuiteApp. These include Claude Pro, Chat GPT Pro, Chat GPT Business and Chat GPT Plus in developer mode, and others. You can also build your own custom tools. For more information, see [Creating Custom Tools for the NetSuite AI Connector Service](#).

You can install the MCP Standard Tools SuiteApp from the SuiteApp Marketplace, create a custom role or use a role other than administrator, enable features (Server SuiteScript, REST Web Services (only required for MCP Standard Tools SuiteApp) and OAuth2.0) and assign permissions (MCP Server Connection and OAuth 2.0 Access Tokens) in NetSuite. For more details on how to set up NetSuite AI Connector Service, see [Connect to the NetSuite AI Connector Service](#).

Which URL should the AI client call?

The AI client should call `https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/all` to retrieve all available MCP tools. Without `/all` at the end, the connection will appear disconnected. You can also call `https://<accountid>.suitetalk.api.netsuite.com/services/mcp/v1/suiteapp/<applicationid>` to retrieve only specific custom tools exposed by a specific SuiteApp. For more details, see [Server URL and SuiteApp Namespacing](#).

Why doesn't the Administrator role work? What permissions do I need?

The NetSuite AI Connector Service does not work with the Administrator role. Create a custom role and assign the required permissions (MCP Server Connection and OAuth 2.0 Access Tokens) to an existing role.

If you are using the MCP Standard Tools SuiteApp, additional permissions are required for some of its tools. For more information, see [Available Tools in the MCP Standard Tools SuiteApp](#).

Why does Claude say I'm connected but the connector is disconnected?

This usually happens if the wrong endpoint is used or the SuiteApp/role isn't configured properly. Use the `/all` endpoint, ensure MCP Standard Tools SuiteApp is installed, and confirm the custom role has the necessary permissions.

What AI clients are supported?

We enable any client that supports the MCP protocol.

The MCP Standard Tools SuiteApp works with most AI clients, like Claude Pro or higher, and Chat GPT Plus or higher, that:

- Support remote MCP.
- Follow the Protocol version 2025-06-18.
- Support streamable HTTP.
- Support OAuth 2.0 Authorization Code Grant flow with Proof Key for Code Exchange (PKCE).

Some AI clients, like Chat GPT Business, require the activation of developer mode, before you can set up the connector. Any additional limitations are usually on the client side, so it is best to go through the AI client's relevant documentation.

Does AI have access to all my data?

Queries executed through the connector respect your NetSuite role's permissions, so tools can only access data you're allowed to see.

How accurate are the results?

AI may hallucinate; always validate results against source data.

What are the performance or data limits?

Unless an administrator has assigned a specific concurrency governance limit to the relevant integration record, the NetSuite AI Connector Service uses the same resources as other integrations and is limited by your account's limit for concurrent requests and how much of this limit has already been allocated to specific integrations. For more details, see [NetSuite AI Connector Service And Concurrency Governance](#).

When will pricing and general availability be announced?

NetSuite AI Connector Service is not a paid feature. MCP Standard Tools is a free SuiteApp.

What about data privacy and compliance?

You should familiarize yourself with the terms and policies of the specific AI client you are using. For more information, see [Associated Risks, Controls, and Mitigation Strategies](#). When authorized, data sent to the third-party LLM is governed by the third-party LLM's privacy policy on data handling. You can choose the tools and the data that will be processed by the third-party LLM. Data in the NetSuite Service will be handled as per Oracle Terms of Service.

How should I write prompts to get accurate results from the AI?

Use clear, specific prompts that include date ranges, subsidiaries and filters. Use prompt engineering techniques for better outcomes.

What tasks or use cases are supported by the NetSuite AI Connector Service?

By default, the MCP Standard Tools SuiteApp comes with tools for working with records, reports, saved searches, and SuiteQL queries. The MCP Standard Tools SuiteApp is compatible with AI clients that:

- Support remote MCP.
- Follow the Protocol version 2025-06-18.
- Support streamable HTTP.
- Support OAuth 2.0 Authorization Code Grant flow with Proof Key for Code Exchange (PKCE).

If you want, you can build your own tools. For more information, see [Creating Custom Tools for the NetSuite AI Connector Service](#). MCP also allows orchestration with other business applications within your AI client's environment.

Can I connect the NetSuite AI Connector Service with NSAW/EPM?

The NetSuite AI Connector Service follows a client-server model. NetSuite provides the MCP server, while your preferred AI client (for example, Claude) requests information from it. Currently, NSAW and EPM do not support the MCP protocol and therefore cannot connect to NetSuite AI Connector Service.

How do I set up an Integration Record for the NetSuite AI Connector Service?

Best practice when setting up an integration record for the NetSuite AI Connector Service is to follow the OAuth 2.0 documentation. For more information, see the help topic [Create Integration Records for Applications to Use OAuth 2.0](#).

How does authentication and access work?

OAuth 2.0 authentication leverages NetSuite roles and permissions. Your NetSuite account administrator authorizes specific roles to have access to the MCP server and MCP tools to be installed. Your administrator can review this access and make changes to it at any time.

How transparent is the data sharing process?

Data sharing requires your explicit acknowledgment before you connect NetSuite with a third-party LLM. You are responsible for maintaining control over what data is shared and how the integration is used within your organization.

SuiteScript 2.1 Custom Tool Script Type

Custom tool scripts let you build NetSuite tools that external AI clients can invoke through the NetSuite AI Connector Service. With these scripts, you can retrieve data, trigger actions, or perform most SuiteScript-supported operations—all from natural language prompts in your AI client.

By using custom tools, your AI client can provide more accurate responses to prompts and perform specific actions for you in NetSuite. You can deploy custom tools to your NetSuite account only through the SuiteCloud Development Framework (SDF), either as a SuiteApp project or an account customization project (ACP). Each tool must be defined in a JSON Schema.

 **Important:** The N/http and N/https modules are not supported in custom tool scripts.

Read the following topics to learn how custom tool scripts work, what their technical requirements are, and how to implement them effectively in your NetSuite account.

- [SuiteScript 2.1 Custom Tool Script Type Reference](#)
 - [Custom Tool Script Requirements](#)
 - [Custom Tool JSON Schema](#)
 - [Custom Tool Script Best Practices](#)
 - [Custom Tool Script Impact on Other Customizations](#)
 - [Custom Tool Script Error Messages](#)
- [SuiteScript 2.1 Custom Tool Script Type Code Samples](#)
- [Creating Custom Tools for the NetSuite AI Connector Service](#)
- [Custom Tool Scripts as XML Definitions](#)

NetSuite provides samples of basic tools to help you get started with the NetSuite AI Connector Service and the custom tool script type. You can find sample tool implementations in the [MCP-Sample-Tools](#) directory of the [SuiteCloud Project Repository on Oracle Samples GitHub](#).

SuiteScript 2.1 Custom Tool Script Type Reference

Building a custom tool in NetSuite takes several key steps, from implementing your tool's actions to defining how the external AI client should interact with it. As you develop your custom tool scripts, it's important to understand the deployment requirements and be aware of any limitations that can affect your implementation. The following topics cover the essential information you'll need when creating a custom tool script:

- [Custom Tool Script Requirements](#)
- [Custom Tool JSON Schema](#)
- [Custom Tool Script Best Practices](#)
- [Custom Tool Script Impact on Other Customizations](#)
- [Custom Tool Script Error Messages](#)

Custom Tool Script Requirements

In NetSuite, creating your own tool requires the following:

- **Custom Tool Script File** – Contains the SuiteScript code for your tool. Each method in the script can be defined as a separate tool in the tool schema. For guidance on writing code and structuring your custom tool scripts effectively, see [Custom Tool Script Best Practices](#).



Important: The N/http and N/https modules are not supported in custom tool scripts.

- **Custom Tool JSON Schema** – A JSON file that defines all properties for the actions in your custom tool. For information about the properties defined in the tool schema, see [Custom Tool JSON Schema](#).
- **Tool SDF Object** – The SDF object XML definition file associated with the custom tool script. In SuiteCloud Development Framework (SDF), custom tools are defined as [tool](#) SDF custom objects. For more information, see the help topic [Custom Tool Scripts as XML Definitions](#).

For complete samples of each file, see [SuiteScript 2.1 Custom Tool Script Type Code Samples](#).

Custom Tool JSON Schema

The following table describes the properties defined in the tool schema.



Note: If you include a property that is not listed in the following table, it will be ignored.

Property	Type	Required or Optional	Description
name	string	Required	Method name as written in the script file.
description	string	Required	Explains the tool's purpose. The AI client uses this information to decide when to use the tool.
inputSchema	object	Required	Details of the input parameters
inputSchema.type	object	Required	The type of the input parameter.
inputSchema.properties	object	Required	Key-value pairs for parameter names and their properties. Each parameter has a type and description. Example: <pre>1 { 2 "firstname": { "type": "string", "description": "First Name" }, 3 "lastname": { "type": "string", "description": "Last Name" } 4 }</pre>
inputSchema.required	array<string>	Required	Array of required parameters, as defined in inputSchema.properties.
inputSchema.nullable	array<string>	Required for ChatGPT	Array of nullable parameters, as defined in inputSchema.properties. This parameter is ChatGPT-specific.
outputSchema	object	Required for ChatGPT, optional for other AI clients	Defines the expected output structure. If specified, the tool returns a structured output.
outputSchema.type	object	Required for ChatGPT, optional for other AI clients	The type of the output parameter.
outputSchema.properties	object	Required	Key-value pairs for parameter names and their properties. Each parameter has a type and description.

Property	Type	Required or Optional	Description
<code>outputSchema.required</code>	<code>array<string></code>	Required	Array of required parameters, as defined in <code>outputSchema.properties</code> .
<code>outputSchema.nullable</code>	<code>array<string></code>	Required for ChatGPT	Array of nullable parameters, as defined in <code>outputSchema.properties</code> . This parameter is ChatGPT-specific.
<code>annotations</code>	<code>object</code>	Optional	Additional metadata for the tool.
<code>annotations.title</code>	<code>string</code>	Optional	Tool title. If not specified, the tool name will be used.
<code>annotations.readOnlyHint</code>	<code>boolean</code>	Optional	Default value is false. If not specified, the default value will be used. If true, the tool doesn't change its environment.
<code>annotations.idempotentHint</code>	<code>boolean</code>	Optional	Default value is false. If not specified, the default value will be used. If true, calling the tool repeatedly with the same arguments have no further effect on its environment. This property applies only when <code>readOnlyHint</code> is set to false.
<code>annotations.openWorldHint</code>	<code>boolean</code>	Optional	Default value is false. If not specified, the default value will be used. If true, the tool can interact with external entities beyond its predefined domain. If false, the tool's interactions are limited to its defined scope.
<code>annotations.destructiveHint</code>	<code>boolean</code>	Optional	Default value is true. If not specified, the default value will be used. If true, the tool can remove or overwrite existing information in its environment. If false, the tool only adds new information and doesn't remove or change existing data. This property applies only when <code>readOnlyHint</code> is set to false.

Custom Tool Script Best Practices

Following a few best practices can help you write custom tool scripts that are reliable and simple to maintain. The following list contains best practices for developing custom tools.

- **Use unique method names** – Give each method a unique name to avoid conflicts and ensure clear mapping between your tool schema and script. This helps AI clients and developers find the right functionality.
- **Ensure tool descriptions are accurate** – Write clear, precise descriptions for each tool. Accurate descriptions help AI clients and developers understand, maintain, and extend your tools.

- **Stringify objects before returning** – Convert objects to JSON strings before returning them. This ensures compatibility with AI clients and avoids serialization issues. This also gives you a predictable data format for downstream processing.
- **Avoid semantic collision between tools** – Ensure that no two tools perform similar or confusing actions. Overlap can cause unpredictable AI behavior and make maintenance harder.
- **Plan each operation for the AI-as-customer-agent model** – The tool user is an AI acting for a customer. Make operations safe, auditable, and suitable for automation—not requiring human judgment.
- **Exclude data from untrusted sources in output** – Only include information from trusted or verified sources in your tool's output. This keeps your data reliable, protects against security risks, and ensures that AI-driven actions are based on trusted information.

Custom Tool Script Impact on Other Customizations

When external AI clients run custom tools, some scripts and customizations in NetSuite may also be triggered. The following table shows how these components are affected during execution.

Customization	Impact
User Event Scripts Workflow Action Scripts	Run as the role configured for the NetSuite AI Connector Service.
Workflow	If not set to run as administrator, workflows are triggered as the role configured for the NetSuite AI Connector Service.

Custom Tool Script Error Messages

When working with custom tool scripts, you may encounter various error messages that can help identify and resolve issues during development or deployment. The following table provides common error messages along with their descriptions, so you can quickly understand what each message means and how it might affect your workflow.

Error Message	Description
Access denied.	The user's role does not have access to the File Cabinet folder where the tools are located. Verify that access to the File Cabinet folder is not restricted for the role. For more information, see the help topic Restricting Access to File Cabinet Folders .
Couldn't load modules in the tool implementation. Make sure your custom tool script doesn't use unsupported modules like N/http or N/https. If the issue persists, check your script for syntax errors or other problems.	Possible causes of this error include: ■ Using unsupported SuiteScript modules in the tool implementation ■ Providing the wrong path for a custom module ■ Syntax error or other problems in the tool implementation
Invalid call, the following required properties are missing: [parameter1, parameter2])	Some required parameters are missing.
The script execution context creation failed due to the following issue: <error details>	A critical error occurred during preparation, so the tool couldn't run.

Error Message	Description
This tool is not allowed	The tool needs a permission that the current session doesn't have.
There was an unexpected error while executing the tool: <error details>	The tool runs but fails on a line or throws an exception.
Tool execution failed	The tool doesn't return a result properly.

SuiteScript 2.1 Custom Tool Script Type Code Samples

This sample consists of the three requirements for building a custom tool: a custom tool script, a JSON file for the schema, and the SuiteCloud Development Framework (SDF) object XML file. These files show how to structure your custom tool before deployment to your NetSuite account.

In this example, the custom tool script defines two tool methods: `add()` and `reverseText()`. The `add()` tool method takes two parameters and returns their sum. The `reverseText()` method takes a string and returns the reversed string.

- [Custom Tool Script that Adds Numbers and Reverses a String](#)
- [Custom Tool Definition Schema Samples](#)
- [Custom Tool SDF XML Object Sample](#)

You can also find sample tool implementations in the [MCP-Sample-Tools](#) directory of the [SuiteCloud Project Repository on Oracle Samples GitHub](#). This project includes SuiteScript-based sample tools for performing common business tasks through conversational AI. These examples demonstrate the types of AI-powered solutions that you can build and deploy to your own NetSuite account.

NetSuite also provides the MCP Standard Tools SuiteApp, which is available in the SuiteApp Marketplace. For more information, see [MCP Standard Tools SuiteApp](#).

Custom Tool Script that Adds Numbers and Reverses a String

This sample shows a custom tool script that implements two tools: one for adding two numbers, and another for reversing a string.

Note: This script sample uses the `define` function, which is required for an entry point script (a script you attach to a script record and deploy). You must use the `require` function if you want to copy the script into the SuiteScript Debugger and test it. For more information, see the help topic [SuiteScript 2.x Global Objects](#).

Important: This sample uses SuiteScript 2.1. For more information, see the help topic [SuiteScript 2.1](#).

```

1  /**
2   * exampletools.js
3   * @NApiVersion 2.1
4   * @NModuleScope Public

```

```

5  * @NScriptType CustomTool
6  */
7
8  define([], function() {
9      return {
10         add: async function (args) {
11             try {
12                 const a = args["a"];
13                 const b = args["b"];
14                 return {
15                     result: a+b
16                 };
17             } catch(e) {
18                 return {
19                     result: "",
20                     error: "There was an error executin the tool: " + e
21                 }
22             }
23         },
24         reverseText: async function (args) {
25             try {
26                 const text = args["text"];
27                 return {
28                     result: text.split('').reverse().join('')
29                 };
30             } catch(e) {
31                 return {
32                     result: "",
33                     error: "There was an error executin the tool: " + e
34                 }
35             }
36         }
37     };
38 });

```

Custom Tool Definition Schema Samples

This sample shows the JSON schema definition for the tools defined in the custom tool script. For more information about the properties of the JSON schema, see [Custom Tool JSON Schema](#).

```

1  {
2      {
3          "tools": [
4              {
5                  "name": "add",
6                  "description": "Add two numbers together",
7                  "inputSchema": {
8                      "type": "object",
9                      "properties": {
10                         "a": { "type": "number", "description": "First addend" },
11                         "b": { "type": "number", "description": "Second addend" }
12                     },
13                     "required": ["a", "b"]
14                 },
15                 "outputSchema": {
16                     "type": "object",
17                     "properties": {
18                         "result": {
19                             "type": "number",
20                             "description": "Value of adding the two input numbers"
21                         },
22                         "error": {
23                             "type": "string",
24                             "description": "Error message if execution fails"
25                         }
26                     },
27                     "required": ["result"]
28                 },
29                 "annotations": {

```

```

30         "title": "Add Numbers",
31         "readOnlyHint": true,
32         "idempotentHint": true,
33         "openWorldHint": false
34     },
35 },
36 {
37     "name": "reverseText",
38     "description": "Reverses a given text string. Example: if the user says 'Reverse the text: I like apples', call this
tool with { \"text\": \"I like apples\" }. ",
39     "inputSchema": {
40         "type": "object",
41         "properties": {
42             "text": { "type": "string", "description": "Text to reverse" }
43         },
44         "required": ["text"]
45     },
46     "outputSchema": {
47         "type": "object",
48         "properties": {
49             "result": {
50                 "type": "string",
51                 "description": "Value of reversing the input text value"
52             },
53             "error": {
54                 "type": "string",
55                 "description": "Error message if execution fails"
56             }
57         },
58         "required": ["result"]
59     },
60     "annotations": {
61         "title": "Reverse Text",
62         "readOnlyHint": true,
63         "idempotentHint": true,
64         "openWorldHint": false
65     }
66 }
67 ]
68 }

```

This sample shows the JSON schema definition for the tools defined in the custom tool script, without using outputSchema.

```

1  {
2      "tools": [
3          {
4              "name": "add",
5              "description": "Add two numbers together",
6              "inputSchema": {
7                  "type": "object",
8                  "properties": {
9                      "a": { "type": "number", "description": "First addend" },
10                     "b": { "type": "number", "description": "Second addend" }
11                 },
12                 "required": ["a", "b"]
13             },
14             "annotations": {
15                 "title": "Add Numbers",
16                 "readOnlyHint": true,
17                 "idempotentHint": true,
18                 "openWorldHint": false
19             }
20         },
21         {
22             "name": "reverseText",
23             "description": "Reverses a given text string. Example: if the user says 'Reverse the text: I like apples', call this
tool with { \"text\": \"I like apples\" }. ",
24             "inputSchema": {
25                 "type": "object",
26                 "properties": {
27                     "text": { "type": "string", "description": "Text to reverse" }

```

```

28         },
29         "required": ["text"]
30     },
31     "annotations": {
32         "title": "Reverse Text",
33         "readOnlyHint": true,
34         "idempotentHint": true,
35         "openWorldHint": false
36     }
37 }
38 ]
39 }

```

If you are using ChatGPT, you need to define which schema properties are nullable. The following sample is the JSON schema definition for the custom tools when you use ChatGPT.

```

1  {
2    "tools": [
3      {
4        "name": "add",
5        "description": "Add two numbers together",
6        "inputSchema": {
7          "type": "object",
8          "properties": {
9            "a": { "type": "number", "description": "First addend" },
10           "b": { "type": "number", "description": "Second addend" }
11          },
12          "required": ["a", "b"],
13          "nullable": []
14        },
15        "outputSchema": {
16          "type": "object",
17          "properties": {
18            "result": {
19              "type": "number",
20              "description": "Value of adding the two input numbers"
21            },
22            "error": {
23              "type": "string",
24              "description": "Error message if execution fails"
25            }
26          },
27          "required": ["result"],
28          "nullable": ["error"]
29        },
30        "annotations": {
31          "title": "Add Numbers",
32          "readOnlyHint": true,
33          "idempotentHint": true,
34          "openWorldHint": false
35        }
36      },
37      {
38        "name": "reverseText",
39        "description": "Reverses a given text string. Example: if the user says 'Reverse the text: I like apples', call this
40        tool with { \"text\": \"I like apples\" }. ",
41        "inputSchema": {
42          "type": "object",
43          "properties": {
44            "text": { "type": "string", "description": "Text to reverse" }
45          },
46          "required": ["text"],
47          "nullable": []
48        },
49        "outputSchema": {
50          "type": "object",
51          "properties": {
52            "result": {
53              "type": "string",
54              "description": "Value of reversing the input text value"
55            },
56            "error": {

```

```

56         "type": "string",
57         "description": "Error message if execution fails"
58     },
59     },
60     "required": ["result"],
61     "nullable": ["error"]
62 },
63 "annotations": {
64     "title": "Reverse Text",
65     "readOnlyHint": true,
66     "idempotentHint": true,
67     "openWorldHint": false
68 }
69 }
70 ]
71 }

```

Custom Tool SDF XML Object Sample

This sample shows the SDF XML definition for the custom tool. In SDF, custom tools are defined as a [tool](#) SDF custom object. For more information, see the help topic [Custom Tool Scripts as XML Definitions](#).

```

1 <tool scriptid="customtool_test1">
2   <name>Test Tool 1</name>
3   <scriptfile>[/SuiteApps/com.netsuite.tools/tools/exampletools.js]</scriptfile>
4   <rpcschema>[/SuiteApps/com.netsuite.tools/tools/exampletools_schema.json]</rpcschema>
5   <exposeTo3rdPartyAgents>T</exposeTo3rdPartyAgents>
6   <permissions>
7     <permission>
8       <permkey>LIST_EMAILTEMPLATE</permkey>
9       <permlevel>FULL</permlevel>
10    </permission>
11    <permission>
12      <permkey>ADMIN_CRM_LIST</permkey>
13      <permlevel>VIEW</permlevel>
14    </permission>
15  </permissions>
16 </tool>

```