

ORACLE
NetSuite

NetSuite Account Types Guide

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NetSuite Account Types Overview	1
Understanding NetSuite Account Types	1
The Production Account	1
The Release Preview Account	1
The Sandbox Account	1
The Development Account	2
NetSuite Sandbox	3
About Sandbox Accounts	3
Features Available for Testing in a Sandbox	5
Features Available for Full Testing in Sandbox Accounts	6
Features Available for Limited Testing in Sandbox Accounts	7
Requesting a Sandbox Account for the First Time	9
Logging in to Your Sandbox Account	9
Granting Access to Your Sandbox Account	11
Removing Sandbox Access from Individual Users	13
Working with Multiple Sandbox Accounts	14
Refreshing Sandbox Accounts	14
Requesting a Refresh	15
Using the Sandbox Accounts Page	17
Data That is Not Copied from Production to Sandbox	22
Credit Card Processing in Your Sandbox After a Refresh	23
When a Sandbox Account Expires	24
Setting Preferences for Sandbox Email	24
NetSuite Sandbox FAQ	27
NetSuite Development Accounts	32
Uses for Development Accounts	32
Benefits of Development Accounts	32
Features Available in Development Accounts	33
Logging in to Development Accounts	33
Granting Access to Development Accounts	34
Contacting Support for Development Account Issues	34

NetSuite Account Types Overview

The [Understanding NetSuite Account Types](#) section gives you an overview of the different NetSuite account types.

More in-depth descriptions are available for specialized accounts used by account administrators and developers to build and test customizations. See the following:

- [NetSuite Sandbox](#)
- [NetSuite Development Accounts](#)
- [Release Preview Guide](#)

Understanding NetSuite Account Types

In addition to the live production account, NetSuite provides customers with various types of accounts to use to run their business. An account is a place to work, where you'll do your daily tasks.

Types of NetSuite accounts include:

- [The Production Account](#)
- [The Release Preview Account](#)
- [The Sandbox Account](#)
- [The Development Account](#)

The Production Account

The production (or live) account is where you do the daily work necessary to run your business. Many users spend most of their time working in the production account.

You access your production account by logging in to `system.netsuite.com` with your email and password. For more information, see the help topic [Understanding NetSuite URLs](#).

The Release Preview Account

All customers with a NetSuite production account can request access to a Release Preview account when it is available. Release Preview is available twice a year, right before each NetSuite release. This account lets you test your daily business processes with the new features available in the upcoming release.

Initially, only users with an Administrator role have access to the Release Preview account.

Administrators log in to NetSuite at `system.netsuite.com` and switch to the Release Preview Administrator role. An Administrator can grant access to Release Preview to other users as needed for testing.

Users can also access their Release Preview account from the New Release portlet.

See the [Release Preview Guide](#) and the [Release Preview Guide](#) for more information.

The Sandbox Account

A NetSuite sandbox is a safe and isolated account where you can develop new processes and applications. You can use a sandbox to test and train your employees in existing integrations and

processes without affecting your production data, so you don't disrupt your business. The data in the sandbox is a copy of your production data. The sandbox can be refreshed from production, bringing in new data and customizations. Each refresh overwrites the previous sandbox. You can purchase one sandbox or several sandboxes to allow for development and testing teams to have their own accounts in which to experiment.

Production and sandbox roles are clearly labeled in the Account Type column on the My Roles page. Account administrators and system administrators can modify the sandbox account name by adding a suffix to help distinguish it from other accounts.

See [NetSuite Sandbox](#) for more information.

The Development Account

The NetSuite development account is a place that is isolated from your production account in which teams can develop solutions. The development account offers a better way to develop NetSuite customizations. NetSuite development accounts never contain production data. This separation of development accounts prevents in-progress customizations from being overwritten by refreshes, as can happen in sandbox accounts, and enables controlled access to sensitive, restricted, and financial data. These lightweight accounts support rapid deployment and testing processes.

 **Warning:** The development account is isolated from the production account, but not in the same way as a sandbox account. For example, invoices will be created and email will be sent from this account, so ensure that you use only test data in this account. You shouldn't add real customer information, like contact details, to a development account.

The development account can be selected from the My Roles page.

The best time to begin using development accounts is at the start of a new project. It can be difficult to migrate to a development account if you are already in the middle of a development project in your sandbox. You should finish your existing projects in your sandbox before starting new ones in your development account, so you don't get confused.

 **Note:** You need multiple development accounts for large projects that require separate UAT accounts.

For more information about development accounts, see [NetSuite Development Accounts](#).

NetSuite Sandbox

You can use a NetSuite sandbox to safely test and develop new applications and customizations without affecting your production account. You can have one or more sandboxes provisioned for each production account. Each sandbox account has the same setup, data, and customizations as your company's production account.

Sandbox accounts are great for:

- Testing customization elements before deployment.
- Fixing issues with existing customizations.
- Trying out third-party integration features.
- Training employees in existing and new business practices in an account identical to your production account.

Actions you take in sandbox accounts, such as transaction entries, record deletions, and form customizations, don't affect your production account. You can make changes in a sandbox account without altering your production data.

To help users distinguish between production roles and sandbox roles, see [Logging in to Your Sandbox Account](#).

 **Note:** For more information about acquiring one or more sandbox accounts, contact your account representative.

Review the following for more details about sandboxes:

- Some features are not fully available for testing in a sandbox account. For details, see [Features Available for Testing in a Sandbox](#).
- For information about how to log in to your sandbox, see [Logging in to Your Sandbox Account](#).
- For information about providing user access to a sandbox, see [Granting Access to Your Sandbox Account](#).
- For information about using more than one sandbox, see [Working with Multiple Sandbox Accounts](#).
- Account administrators and users with the System Administrator role can review details about the sandbox account(s) associated with a production account, and initiate the first copy of production data into newly provisioned sandbox accounts. See [Using the Sandbox Accounts Page](#).
- Sandbox accounts can be periodically refreshed from production, upon your request. See [Refreshing Sandbox Accounts](#). This task is managed through the Sandbox Accounts page in your production account.
- For details about what happens when a sandbox account expires, see [When a Sandbox Account Expires](#).
- For instructions on setting preferences for email messages coming from your sandbox account, see [Setting Preferences for Sandbox Email](#).

About Sandbox Accounts

Sandbox users access the sandbox account from the same URL that they use to access their production account (<https://system.netsuite.com>). They can use the My Roles page, or the Change Roles list, to select a sandbox role.

On the My Roles page, users will see their roles within a specific account after they select the Account Name.

My Roles

Example.com Production Show All

ROLE	LAST LOGIN	
Administrator	✓ Logged in	⋮
Employee Center	4/19/2021 10:40 am	⋮

Or switch to another account

ACCOUNT NAME	ACCOUNT TYPE	
Example.com (Dev Account 1)	DEVELOPMENT	⋮
Example.com_(SB_1)	SANDBOX	⋮
Wolfe Electronics - 01 4472135	PRODUCTION	⋮

In the Change Roles list, all sandbox roles are identified by an  icon.

See [Logging in to Your Sandbox Account](#) for more information.

Administrators have the ability to add a suffix to the sandbox Account Name for identification purposes. For details, see [Account Name Suffix: Labeling Your Sandbox Account](#).

There are a few features where testing in sandboxes is limited. Review the Notes column in the [Features Available for Testing in a Sandbox](#) tables for details.

Account ID Numbering Conventions for Sandbox Accounts

Sandbox account IDs are always the same as the account ID for your production account, appended with _SB1, _SB2, _SB3, and so on, like this:

- Production account ID: 345678
- Sandbox account ID: 345678_SB1
- Sandbox account ID: 345678_SB2
- Sandbox account ID: 345678_SB3

Account Name Suffix: Labeling Your Sandbox Account

Administrators have the option to add a suffix to the sandbox account name before every refresh or copy data to sandbox and before every activation. This option helps users differentiate between multiple accounts. After entering the desired text for the suffix, to submit the request for a sandbox refresh, click **Copy Data to Sandbox** or **Refresh Sandbox**. The option appears again when the account is ready for activation. Enter the desired text for the suffix, then click **Activate Sandbox**. The suffix is appended to the account name and appears in the Account Name field after the refresh is complete and the account is activated.

Sandbox Accounts

✓ Sandbox Account:4775004_SB1

General

Account Name
Example.com_(SB_1)

Account Name Suffix

Expiration Date
6/17/2025 12:00:00 AM

Last Refresh Completed

Last Refresh Requestor

Last Refresh Activated By
jmcquay@netsuite.com

Snapshot Date

Access After Sandbox Refresh ☒ All Users
☐ Administrators Only

Refresh Summary

Refreshes Used / Refreshes Total
1/25

Estimated Refresh Time (in hours)

Date Refresh Requested
6/5/2023 8:56:04 AM

Date Refresh Activated
5/21/2021 5:15:52 AM

Refresh Status
☐

[Refresh Sandbox](#)

Account Notifications

To access this account, go to <https://system.netsuite.com> and select the sandbox account from the My Roles page.

In this example, after submitting the refresh request and activating the refreshed account, the account names would change as follows:

- Sandbox account ID: 123456_SB1
Account Name: MyCompany, Inc._Integration Testing
- Sandbox account ID: 123456_SB2
Account Name: MyCompany, Inc._Training Sandbox

You can also modify the Account Name of your sandbox by going to Setup > Company > Company Information and editing the Company Name field.

Features Available for Testing in a Sandbox

A sandbox account is a copy of your production account, as of a specific date and time. As a sandbox is only a copy of the information from your production account, the actions you perform in the sandbox do not affect the information in your production account.

Many NetSuite features are available for testing in sandbox accounts. Some features have limited functionality in sandbox accounts, and a few background tasks don't run there. For example, billable components information is not calculated for the sandbox. To view your Total Storage Size (MB) information, go to Setup > Company > View Billing Information in your production account. The billing information page in a sandbox account displays the billing information copied from production. Therefore, the Total Storage Size (MB) information displayed in the sandbox is not changed by tasks completed in the sandbox account, such as deletion of custom records.

During sandbox refreshes, certain objects are not copied from your production account. For more information, see [Data That is Not Copied from Production to Sandbox](#).

See the following for details about features in sandbox accounts:

- [Features Available for Full Testing in Sandbox Accounts](#)
- [Features Available for Limited Testing in Sandbox Accounts](#)

Features Not Available for Testing in Sandbox Accounts

The following features are not available for testing in sandbox accounts:

- Fax
- Memorized Transactions
- NetSuite for Outlook
- Outlook Integration
- Payroll

Features Available for Full Testing in Sandbox Accounts

Features in the following table can be fully tested in sandbox accounts.

Feature	Testing Notes
Bulk Merge	
CTI Integration	Partners are Contivio and Five9
CSV Import	
Custom Records	Security-sensitive fields on custom records will display the same values displayed in the production account.
Email Campaigns	Email campaigns must have fewer than 25 recipients.  Note: The From header on email you send from your sandbox account will be rewritten to use the SMTP-related email address (netsuite.com). For more information, see the help topic FROM Headers in Email Can Be Rewritten.
Email Case Capture	
Email Notifications and Outgoing Email	Saved searches are automatically set to inactive in sandbox accounts. For email routing options, see Setting Preferences for Sandbox Email .
Intellesync	
NetSuite Analytics Warehouse (NSAW)	NSAW is disabled by default. You must purchase an NSAW license for sandbox before you can enable it. To do this, contact your account manager. For more information about enabling NSAW after you have purchased the license, see the Enabling NetSuite Analytics Warehouse section of the NetSuite Analytics Warehouse Overview.
OpenID Connect (OIDC)	For instructions, see the help topic OpenID Connect (OIDC) Single Sign-on .
Reports Scheduled Reports	Reports and Scheduled Reports do not send email alerts in sandbox. Alert Me When Ready reports do send emails (assuming a user initiates this action).

Feature	Testing Notes
	 Note: The company preference for sandbox email is evaluated after the Alert Me When Ready report is executed and prepares to send email. Depending on the preference specified, the email is sent to a specific user or not sent at all. See Setting Preferences for Sandbox Email for more information. If creating a report using a large Item Pricing dataset, it is possible that the oldest items were truncated due to size when copied from production to sandbox and this could impact your reports.
Saved Searches Scheduled Saved Searches	Saved Searches and Scheduled Saved Searches do not send email alerts in sandbox.  Note: The company preference for sandbox email is evaluated after the Alert Me When Ready report is executed and prepares to send email. Depending on the preference specified, the email is sent to a specific user or not sent at all. See Setting Preferences for Sandbox Email for more information.
Secure Domains	It is possible to test and verify a custom secure domain from the user's perspective in a sandbox account.  Note: Don't try to reuse domains that are already live in your production account. You must set up a unique domain for each of your accounts: production, sandbox, and Release Preview. See the help topics Secure Domain Licenses, Manual Certificates and Set Up Domains for Web Stores for more information.
Server SuiteScript	
Client SuiteScript	
SuiteAnalytics Connect (formerly ODBC)	
SuiteFlow (Workflows)	SuiteFlow can be fully tested.  Note: Scheduled SuiteFlow (workflows) are not run automatically in sandbox accounts, but can be tested manually.
Telephony Integration (Basic)	
Two-Factor Authentication	2FA Settings are shared between a production account and the sandbox accounts that are associated with that production account. Users do not need to recreate their 2FA Settings for sandbox accounts.
SOAP Web Services	The SOAP requests and responses for each job can be viewed in the SOAP Web Services Usage Log. In sandbox accounts, requests and responses are accessible for one day. For more information, see the help topic Using the SOAP Web Services Usage Log .

Features Available for Limited Testing in Sandbox Accounts

The following features are only available in a limited form in sandbox accounts:

Feature	Testing Notes
Alternative Payment Methods	No actions taken (no payment sent).

Feature	Testing Notes
	Test mode is on for all payment processing profiles.
Credit Card Processing	Real credit card numbers are not copied. They are replaced with test numbers; for example, 1111111111111117. To create billing processes or credit card processing for testing in your sandbox, use only test credit card numbers and a valid expiration date.  Important: See Credit Card Processing in Your Sandbox After a Refresh for more information.
Direct Deposit	No actions taken.
Map/Reduce Scripts Scheduled Map/Reduce Scripts	Scripts scheduled in production are copied to sandbox accounts, but are not scheduled by default. You can set them to Scheduled after your sandbox refresh is activated. For details, see the help topic Scheduled Script Execution.
NetSuite Connector	You cannot connect multiple NetSuite accounts (production, sandbox, Release Preview) to the same NetSuite Connector account. You can only connect one NetSuite account to a NetSuite Connector account at a time. For more information, see the help topics General NetSuite Connector FAQ and Checking Accounts for NetSuite Connector Deployment.
PayPal Integration	No actions taken.
Perquest	No actions taken.
SAML Single Sign-on	SAML configuration is not copied from the production account to the sandbox account. You must configure SAML in your sandbox account after each refresh.
Scheduled SuiteScripts	Scripts scheduled in production are disabled by default in sandbox accounts, but you can set them up and test them. For details, see the help topic Scheduled Script Execution.
SSN or TIN (Social Security Number or Tax Identification Number)	Real numbers not copied. Use only test numbers.
Token-based Authentication	Tokens created using the Token-based Authentication feature in your NetSuite production account are not copied to your sandbox account. To test this feature, you must create tokens in that sandbox account. Each time your sandbox is refreshed, you must create new tokens in that sandbox account.
UPS/FedEx Integration for Shipping Labels	No actions taken.
Website and Web Store	Websites that exist in your production account are copied to your sandbox, but you must set up domains after a refresh. Domains are not copied from your production account to your sandbox account. After a sandbox refresh, you must set up domains in the sandbox account. See the help topics Automatic and Manual Certificates and Set Up Domains for Web Stores for more information.

Feature	Testing Notes
	 Note: If you have multiple sandbox accounts, ensure that the domains are unique across all of your accounts. An error message is generated if there are duplicate domains. Websites created only in your sandbox account are lost after a sandbox refresh, and need to be recreated. For more information, see the help topic Getting Started.

Requesting a Sandbox Account for the First Time

If you want to purchase a sandbox account, contact your NetSuite account manager. After a license is created for your sandbox account, a user with the Administrator role in your production account should complete these steps.

 **Note:** These steps also apply if you are requesting a new sandbox account after a previous sandbox expired or was deleted.

To complete your new sandbox account request:

1. Log in to the production account that is associated with the sandbox account you purchased.
2. Go to Setup > Company > Company Management > Sandbox Accounts (Administrator).
3. Click **Copy Data to Sandbox** for your new sandbox account.
4. Wait until users with the Administrator role receive a notification email that your sandbox account is ready for use.
5. Log in to the production account that is associated with your new sandbox, and from the Change Roles list, select your new sandbox account.

For more information, see [Refreshing Sandbox Accounts](#) and [When a Sandbox Account Expires](#).

Logging in to Your Sandbox Account

By default, new sandbox accounts are accessible only to NetSuite account administrators. If you are not an administrator and do not have access to your sandbox account, contact your NetSuite account administrator for access.

All of your roles can be found on the My Roles page. You can identify each account by viewing the Account Type column.

My Roles

Example.com Production Show All

ROLE	LAST LOGIN	
Administrator	✓ Logged in	⋮
Employee Center	4/19/2021 10:40 am	⋮

Or switch to another account

ACCOUNT NAME	ACCOUNT TYPE	
Example.com (Dev Account 1)	DEVELOPMENT	⋮
Example.com_(SB_1)	SANDBOX	⋮
Wolfe Electronics - 01 4472135	PRODUCTION	⋮

You can also determine which role is a sandbox role by looking for the SB icon in the Change Roles list.

Help
Feedback
K B Wilson
Example.com - Administrator

Log Out ↗

View My Roles

EXAMPLE.COM - PRODUCTION

Administrator ✓

Marketing Assistant

Sales Person

SWITCH TO ANOTHER ACCOUNT

Example.com_(SB_1) SB

Example.com (Dev Account 0)

Example.com (Dev Account 1)

If you are prompted to update or set up your security questions, see the help topic [Setting Up Security Questions](#).

Simultaneous Access to More than One NetSuite Account Type

Most users log in to their production account to perform tasks in NetSuite. Some users may also want simultaneous access to another NetSuite account type, for example, a sandbox account or a Release Preview account.

Watch this video to see how you can have two or more NetSuite account types open at the same time:

 [Running Simultaneous NetSuite Sessions](#)

The following procedure describes accessing a sandbox account, but also applies to accessing other account types (Release Preview or development accounts, for example).

To access more than one account type at the same time:

1. Open your browser and log in to your NetSuite production account.
2. From the Change Roles list, select a sandbox account, right-click, and select open in a different tab. (The wording varies slightly depending on the browser you are using.)

The selected sandbox account opens in a new tab. If you do not have a default role indicated in the sandbox account, your browser history is used to automatically log you in to your last used role.

For more information, see the help topic [Roles and Accounts](#)

3. Click the first tab, the tab with your production account role.
4. Click Login and log in to NetSuite again.

Now both accounts have active sessions: one tab with your production account role, and one tab with your sandbox role.

Granting Access to Your Sandbox Account

On the Sandbox Accounts page, account administrators can select who can access the sandbox: only users with an administrator role, or all users.

Preference for Access After Sandbox Refresh

A preference is provided on the Sandbox Accounts page to indicate who should have access to a sandbox account after it is refreshed: either administrators only or all users. If the Administrators only option is selected, only the Administrator role is copied to the sandbox. That is, for a user with multiple roles, only the administrator role for that user is copied to the sandbox. For more information, see [Refreshing Sandbox Accounts](#).

Giving Sandbox Access to Individual Users

After a refresh of a sandbox account is complete, access can be added or removed as necessary for individual users in that account.

To give sandbox access to individual users:

1. In the sandbox account, go to Lists > Employees > Employees (Administrator) and click **Edit** next to the name of the employee.

Important: Customer Center and Partner Center roles are never allowed access to sandbox accounts.

- On the **Access** subtab in the employee record, clear the **Give Access** checkbox.

Communication Address Human Resources Time Tracking Related Records Marketing **Access** System Information Custom

For new access provisioning consider sending a New Access Notification Email with a password setup URL instead of manually assigning a user password.

☒ **Give Access** ☐ Manually assign or change password

☐ Send New Access Notification Email

☐ Inherit IP Rules from Company *

IP Address Restriction

Confirm Password

☐ Require Password Change On Next Login

Password Criteria

- Is at least 12 characters long
- Does not contain illegal characters
- Contains at least 3 of these 4 character types:
 - Uppercase alpha characters (A, B, ... Z)
 - Lowercase alpha characters (a, b, ... z)
 - Numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 0)
 - Non-alphanumeric ASCII characters (!@#\$%^&*.,;:'"~\^+?_-=(){}<>)
- New passwords match

Roles Global Permissions History

Role *

✓ Add X Cancel + Insert Remove

Save Cancel Search Actions

Note: Make note of the roles assigned to the user for later.

- Click **Save**.
- Edit** the same employee record.
- On the **Access** subtab, check the **Give Access** box again and enter any required information.
- Reassign the appropriate roles to the user.
- Click **Save**.
- Advise the user to log out of their account and then log back in to access the sandbox account.
 - On the My Roles page, the role is labeled Sandbox in the Account Type column.
 - In the Change Roles list, the sandbox role is indicated by an SB symbol.

To give sandbox access to all users of your production account, you must go to the Sandbox Accounts page in your production account, select the **All Users** option for **Access After Sandbox Refresh**, and click **Refresh Sandbox** to request a refresh of your sandbox account.

Giving Sandbox Access to Multiple Users

The Administrator can use the CSV Import Assistant to give sandbox access to multiple users at a time.

To give multiple users access to the sandbox account using CSV import:

- From your sandbox account, create a search for **Employee** with the following results:
 - Internal ID (of the Employee)
 - Give Access
- Export the search results as a CSV file.
- Add the non-administrator employees that you want to have sandbox access to the CSV file.

4. Update the employee record in sandbox using the CSV Import Assistant.
 1. Go to Setup > Import/Export > Import CSV Records.
 2. Set the Import Type to **Employees**.
 3. Set the Record Type to **Employees**.
 4. Select the CSV file you want to import, and click **Next**.
 5. Set Data Handling to **Update**, and click **Next**.
 6. Make sure you map the following fields (your field and the NetSuite field must match), and then click **Next**:
 - Internal ID
 - Give Access
 7. Click **Save & Run**.

Note: For more information, see the help topic [Importing CSV Files with the Import Assistant](#).

Important: During the upgrade period for a new release of NetSuite, please pay attention to your scheduled upgrade date. Do not request a sandbox refresh when the upgrade date is near. A refresh will fail if it does not complete before your scheduled upgrade begins. See [Scheduled Version Upgrade Dates and Refresh Requests](#).

Removing Sandbox Access from Individual Users

Access can also be removed as necessary for individual users in that account.

To remove sandbox access from individual users:

1. Log in to your sandbox account in an Administrator role.
See [Logging in to Your Sandbox Account](#) for more information.
2. Go to Lists > Employees > Employees and select the employee record on sandbox.
3. On the **Access** subtab in the employee record, clear the **Give Access** box.

Communication Address Human Resources Time Tracking Related Records Marketing **Access** System Information Custom

i For new access provisioning consider sending a New Access Notification Email with a password setup URL instead of manually assigning a user password.

☒ **Give Access** ☐ Manually assign or change password

☐ Send New Access Notification Email

☐ Inherit IP Rules from Company *

IP Address Restriction

Password

Confirm Password

☐ Require Password Change On Next Login

Password Criteria

- Is at least 12 characters long
- Does not contain illegal characters
- Contains at least 3 of these 4 character types:
 - Uppercase alpha characters (A, B, ... Z)
 - Lowercase alpha characters (a, b, ... z)
 - Numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 0)
 - Non-alphanumeric ASCII characters (!@#\$%^&*~`~'~"~#~+~?~.,_-|=~[]{}<>)
- New passwords match

Roles Global Permissions History

Role *

4. Click **Save**.

The employee to whom you have removed access can no longer log in to your sandbox account.

 **Note:** To ensure the user will not have access to the sandbox account after the next refresh, make sure these changes are reflected in your production account as well.

 **Important:** During the upgrade period for a new release of NetSuite, please pay attention to your scheduled upgrade date. Do not request a sandbox refresh when the upgrade date is near. A refresh will fail if it does not complete before your scheduled upgrade begins. See [Scheduled Version Upgrade Dates and Refresh Requests](#).

Working with Multiple Sandbox Accounts

You can use sandbox accounts to test your own bundles or third-party SuiteApps, such as independent software vendors (ISVs). You can use a single sandbox account to develop and test bundles or use multiple sandbox accounts for additional flexibility. For example, you could use one sandbox account for development and one for testing.

 **Note:** When you request a sandbox refresh, the bundle definition in a sandbox is completely overwritten so that it mirrors your production account.

For more information, see the help topic [SuiteApps and Sandbox Accounts](#).

 **Important:** If you have multiple sandboxes, for websites and web stores, ensure that across all of your sandboxes, the domains are unique. An error message is generated if there are duplicate domains.

About Multiple Sandbox Accounts

Review the following for more details about working with multiple sandbox accounts:

- If multiple sandbox accounts are associated with a single production account, users and their assigned roles are duplicated across these accounts.
- Each user has a separate role for each sandbox account on the My Roles page and in the Change Roles list.
- Each sandbox account has its own unique ID. To locate your sandbox account ID, go to **Setup > Company > Company Information**. The account ID field is located near the bottom of the right column.
- To distinguish between multiple sandboxes, an administrator could change the company name (Setup > Company > Company Information) to identify each sandbox, however, this name change will be overwritten when the sandboxes are refreshed.

Refreshing Sandbox Accounts

You can refresh each of your sandbox accounts from your production account whenever you need to.

Note: If you are on a Premium, Enterprise, or Ultimate service tier, you can refresh each of your sandbox accounts from either your production account or another sandbox account.

The account where the data is copied from is referred to as the source account. Refreshing a sandbox account copies all configurations, data, user passwords, and customizations from the source account into the target sandbox account. Any changes you have made to the target sandbox account are overwritten.

Accounts are not taken offline when a refresh is requested.

Users can use the sandbox account while a new copy is being prepared. Before you activate the new sandbox, save any changes you've made since the refresh request. These changes must be saved outside of the sandbox account so that they are available to be added to the new sandbox after activation. Administrators receive an email notification that the refreshed sandbox is ready to be activated. An administrator can activate this new sandbox by clicking a button on the Sandbox Accounts page. When the new copy of the sandbox account is activated, the previous version is deleted. All old data is replaced with new account data copied from the source account.

For more details, see [Requesting a Refresh](#).

Requesting a Refresh

A refresh of your sandbox account copies a snapshot of all configurations, data, user passwords, and customizations from your source account into your target sandbox account. Submit a sandbox refresh request if you would like to perform this action.

To submit a sandbox refresh request:

1. Log in to the production account that is associated with the sandbox account(s) you want to refresh.

Important: During the upgrade period for a new release of NetSuite, you should pay attention to your scheduled upgrade date. Do not request a sandbox refresh when the upgrade date is near. A refresh will fail if it does not complete before your scheduled upgrade begins. See [Scheduled Version Upgrade Dates and Refresh Requests](#).

2. Go to Setup > Company > Sandbox Accounts.
3. For each sandbox account you want to refresh, do the following:
 - a. Indicate which users should have access after the refresh occurs:
 - To only allow access to the account administrator, select the **Administrators Only** option. (You can give access to additional users after the refresh as needed. See [Granting Access to Your Sandbox Account](#).)
 - To allow access to all existing production account users (except Customer Center users), select the **All Users** option.
 - b. Select the account you would like to copy data from for this sandbox refresh.

Note: This field only appears if you are on a Premium, Enterprise, or Ultimate service tier. If you are on the Standard service tier, your source account is always your production account for sandbox refreshes.

- c. Click **Refresh Sandbox**.

Note: If all of your existing sandbox refreshes have been used, contact your Account Manager to purchase more.

Sandbox Accounts

✓ Sandbox Account:4775004_SB1

General Account Name Example.com_(SB_1) Account Name Suffix Expiration Date 6/17/2025 12:00:00 AM Last Refresh Completed Last Refresh Requestor Last Refresh Activated By jmcquay@netsuite.com Snapshot Date Access After Sandbox Refresh ☒ All Users ☐ Administrators Only	Refresh Summary Refreshes Used / Refreshes Total 1/25 Estimated Refresh Time (in hours) Date Refresh Requested 6/5/2023 8:56:04 AM Date Refresh Activated 5/21/2021 5:15:52 AM Refresh Status ☐ ☒ Refresh Sandbox	Account Notifications To access this account, go to https://system.netsuite.com and select the sandbox account from the My Roles page.
---	---	--

Your existing sandbox will remain online so you can continue working during the refresh process.

- d. Click **OK** on the Confirmation popup.

Note: Your sandbox refresh may not contain all data in your source account at the moment you select Refresh Sandbox. To check what data will be present, see the Snapshot Date field on the Sandbox Accounts page.

Use your current sandbox account during the refresh process. You will receive an email notification when the new sandbox is ready to be activated.

- e. When the new copy of the sandbox is ready, go to the Sandbox Accounts page and click **Activate Sandbox**.

Warning: When you activate a refreshed sandbox, the new sandbox completely replaces the previous sandbox. The new sandbox contains a copy of account data that is a snapshot taken from your chosen source account at the time of the sandbox refresh request. Any changes to the target sandbox account during the refresh process are not included in the newly activated sandbox. Before you activate the new sandbox, you must save any sandbox customization changes that occurred after the refresh request. These changes must be saved outside of the sandbox account so that they are available to be added to the new sandbox after activation. Account administrators should formulate a strategy to save these changes and add them to the new sandbox, and inform users of the processes to be used. For more information, see [Refreshing Sandbox Accounts](#).

- f. To acknowledge that the current sandbox data and configuration will be completely replaced with a new copy from your chosen source account, click **OK** on the Confirmation popup.

 **Note:** When your sandbox is ready for activation, you have two weeks to click **Activate Sandbox**. If you do not activate your new copy within the 14 days, it will be deleted.

You can monitor the **Refresh Status** and view the **Estimated Refresh Time (In Hours)** on the Sandbox Accounts page

For more information, see [More About Sandbox Refresh Statuses](#) and [Requesting a Sandbox Account for the First Time](#).

Preserving Sandbox Changes

You need to ensure that users of your sandbox account understand that any changes they make to a sandbox account after a refresh request is made are not included in the new sandbox. When a new sandbox is activated, these changes, including any edits to custom objects, are overwritten with the data from the chosen source account.

SDF users can save all sandbox customization changes to SuiteCloud projects before the activation of the new sandbox. After activation, the updated SuiteCloud project can be deployed to the new sandbox.

If SDF is not in use, users must save sandbox customization changes in another manner so that these changes are available to be added to the new sandbox account after activation.

For more details, see the help topic [Sandbox Refresh Impact on Bundles](#).

Using the Sandbox Accounts Page

The Sandbox Accounts page is available in production accounts, at Setup > Company > Sandbox Accounts. It is available to users logged in with the System Administrator role. This page is not available to any other roles. You can use this page to review details about your sandbox accounts and to request refreshes of these accounts.

For more information about the Sandbox Accounts page, see:

- [Sandbox Accounts Page Overview](#)
- [General](#)
- [Refresh Summary](#)
- [More About Sandbox Refresh Statuses](#)
- [Account Notifications](#)
- [Scheduled Version Upgrade Dates and Refresh Requests](#)
- [Sandbox Refresh Notifications](#)



Important: Log in to your production account to see the Sandbox Accounts page. This page displays details about all sandbox accounts associated with the production account to which you are logged in.

Sandbox Accounts Page Overview

On the Sandbox Accounts page, each sandbox account is listed by the NetSuite account ID. Account status is displayed to the left of the Sandbox Account heading. Account status options include:

- Online: A green check mark.
- Offline: An empty circle. The account is not available for use.

- Expired: A red X. The account was not renewed as of the expiration date and is no longer available for use.

The Sandbox Accounts page is broken down into three main sections for each sandbox account listed:

- General
- Refresh Summary
- Account Notifications

General

The general section includes account information such as the name and suffix of the sandbox account and the date on which the sandbox is scheduled to expire. It also includes some details about the last time the sandbox account was refreshed, including:

- Last Refresh Copied From: Account that data was copied from for the last refresh.

Note: This field only appears if you are on a Premium, Enterprise, or Ultimate service tier. If you are on the Standard service tier, your source account is always your production account for sandbox refreshes.

- Last Refresh Completed: Date when the most recent refresh of the account was completed.

Note: You have 14 days from this date to activate the new copy of your sandbox account.

- Last Refresh Requestor: User who requested the most recent refresh.
- Last Refresh Activated By: User who activated the most recent refresh.
- Snapshot Date: Date and time of the snapshot used for the most recent refresh. (Note that the time is formatted according to the current user's Time Format preference, set at Home > Set Preferences.)
- Access After Sandbox Refresh: You can choose to provide default account access to all users or only to administrators after the refresh. The selection you make remains in effect for subsequent refreshes unless you change it.
 - All Users: If you select this option, after the refresh you can remove access from users as needed.

Important: Customer Center roles are not copied during sandbox refreshes. Even if you select the option to give all users access after the refresh, users assigned the Customer Center role are excluded from this access. Because of this limitation, customer login functionality does not work in a sandbox account after a refresh, even if it has been working in the production account. If you want to set up this functionality to work in a sandbox account, you can do a CSV import of customer records into the sandbox account, to set passwords and Give Access to True for customer users.

- Administrators Only: If you select this option, after the refresh you can add access to users as needed.

Important: Only the Administrator role is copied to the sandbox. That is, for a user with multiple roles, only the administrator role for that user is copied to the sandbox.

Refresh Summary

The Refresh Summary section includes current details about the number of refreshes available and the current status of any refresh in progress.

Note: For all Date fields, the time is formatted according to the current user's Time Format preference, set at Home > Set Preferences.

Details include:

- Refreshes Used / Refreshes Total: Number of refreshes used out of the total number of refreshes available. If you have multiple sandbox accounts, the refresh count is shared between all of the sandbox accounts. If you have questions about this number, contact your Account Manager.
- Estimated Refresh Time: Estimated number of hours required for the current refresh to complete. (Note that this estimate is not exact.)
- Date Refresh Requested: Date and time when the most recent refresh was requested.
- Date Refresh Activated: Date and time when the most recent refresh was activated.
- Copy Data From: Account that data is copied from for the refresh.

Note: This field only appears if you are on a Premium, Enterprise, or Ultimate service tier. If you are on the Standard service tier, your source account is always your production account for sandbox refreshes.

You cannot copy data from the following types of accounts:

- The sandbox account you are trying to refresh
- Sandbox accounts not associated with your production account
- Sandbox accounts with expired licenses
- Sandbox accounts that are inactive
- Refresh Status: Status of the most recent refresh.
 - When a refresh fails, a popup error message displays. This message includes an error ticket number that you can provide to Customer Support to help them resolve the issue.
 - For more information, see [More About Sandbox Refresh Statuses](#).

More About Sandbox Refresh Statuses

The following section lists the various refresh statuses that are displayed and describes what each status means.

Note: If the Refresh Status field is blank, the sandbox refresh is taking longer than usual. However, it is still in progress and should complete soon.

- Awaiting Processing: The refresh request has been submitted and will be processed in the order received.
- Copy Data to Sandbox: This button only appears on the Sandbox Accounts page of newly provisioned sandboxes. Administrators can choose when to initiate the copy of data from the chosen source account to the sandbox. Click Copy Data to Sandbox to initiate the copy of data from the associated source account. The sandbox status will not change to online until the copy of data is completed. (After the initial data copy to the sandbox has completed, the Refresh Sandbox button is displayed on the Sandbox Accounts page.)
- Delayed: On the Sandbox Accounts page, when the refresh status field displays Delayed, it indicates the refresh progress has stalled for some reason. When a sandbox refresh status is changed to Delayed, the Estimated Refresh Time field is blank. When the refresh resumes, the estimated refresh time is recalculated, and the new value is displayed in the Estimated Refresh Time field.
- Refresh In Progress: The sandbox refresh is ongoing.

- Refresh Failed: An error occurred during the refresh process. NetSuite Customer Support will intervene to help resolve the problem.

 **Note:** When a refresh fails, a popup error message displays. This message includes an error ticket number that you can provide to NetSuite Customer Support to help them resolve the issue.

- Pending Sandbox Activation: This status appears on the Sandbox Accounts page when a new sandbox copy is ready to be activated by the account administrator. To activate the new copy of the sandbox account, click Activate Sandbox.

 **Warning:** When you activate a refreshed sandbox, the new sandbox completely replaces the previous sandbox. The new sandbox contains a copy of account data that is a snapshot taken from your chosen source account at the time of the sandbox refresh request. Any changes to the target sandbox account made during the refresh process are not included in the newly activated sandbox. Before you activate the new sandbox, you must save any sandbox customization changes that occurred after the refresh request. These changes must be saved outside of the sandbox account so that they are available to be added to the new sandbox after activation. Account administrators should formulate a strategy to save these changes and add them to the new sandbox, and inform users of the processes to be used. For more information, see [Refreshing Sandbox Accounts](#).

- Complete: The sandbox refresh process is complete.

 **Important:** During the upgrade period for a new release of NetSuite, you should pay attention to your scheduled upgrade date. Do not request a sandbox refresh when the upgrade date is near. A refresh will fail if it does not complete before your scheduled upgrade begins. See [Scheduled Version Upgrade Dates and Refresh Requests](#).

For details on how to request a refresh, see [Refreshing Sandbox Accounts](#) and [Requesting a Refresh](#).

Account Notifications

The Account Notifications section contains notifications related to each of your accounts. Notifications will alert you to required action items or status updates for each account, along with any instructions you need.

For more information, see [Sandbox Refresh Notifications](#).

Scheduled Version Upgrade Dates and Refresh Requests

When a new NetSuite release is coming, check your scheduled upgrade date in the New Release portal. Avoid requesting a sandbox refresh close to your upgrade date. A sandbox refresh will fail if it doesn't finish before your scheduled version upgrade starts.

Use your best judgement to decide when to request a sandbox refresh during the version upgrade period for a new NetSuite release. For example, if it usually takes approximately two days for your sandbox refresh to complete, and:

- if your scheduled version upgrade date is 72 hours (three days) away, defer your refresh request until your production and sandbox upgrades are complete.
- if your scheduled version upgrade date is a week away, you might decide to go ahead and refresh your sandbox.



Important: All sandbox accounts are targeted to be taken offline for upgrade at the time and date mentioned on the New Release portlet. The time to complete a sandbox upgrade can vary depending on the amount of data in the account. Average time is about an hour and most complete within 2 hours, but times can vary. The New Release portlet is located on the home page of your sandbox account. If you do not see the portlet, see the help topic [Add the New Release Portlet to Your Dashboard](#).

You can request a refresh and monitor its status on the Sandbox Accounts page. This page is available to users with the Administrator or System Administrator roles. Go to Setup > Company > Sandbox Accounts.



Note: If you upgrade your sandbox before your production account and then refresh it, the sandbox will revert to the same version as your production account.

When your account is ready to be activated, you will receive an email notification asking you to select the **Activate Sandbox** button on the Sandbox Accounts page.



Warning: When you activate a refreshed sandbox, the new sandbox completely replaces the previous sandbox. The new sandbox contains a copy of your chosen source account data that is a snapshot taken at the time of the sandbox refresh request. Any changes made to the sandbox during the refresh are not included in the new sandbox. Before you activate the new sandbox, save any changes you made after the refresh request. These changes must be saved outside of the sandbox account so that they are available to be added to the new sandbox after activation. Account administrators should formulate a strategy for saving these changes and adding them to the new sandbox, and inform users of the processes to be used. Change management across your sandbox accounts is your responsibility. For more information, see [Refreshing Sandbox Accounts](#).

Sandbox Refresh Notifications

Administrators receive an email when the sandbox refresh is ready to be activated. It includes the sandbox account name and ID, the date the refresh was requested, the user who requested the refresh, the date of the production data used to refresh the sandbox, the number of refreshes used and remaining, and instructions on how to activate that sandbox account with the new copy.

You have 14 days to activate the new copy of your sandbox. You will receive a second notification after 12 days if you have not yet activated the account. If you do not activate the new copy of your sandbox account within the 14 days, it will be deleted and you will need to go through the sandbox refresh process again.

To activate the new copy of your sandbox, go to Setup > Company > Sandbox Accounts and select the **Activate Sandbox** button.



Warning: When you activate a refreshed sandbox, the new sandbox completely replaces the previous sandbox. The new sandbox contains a copy of your chosen source account data that is a snapshot taken at the time of the sandbox refresh request. Any changes to the target sandbox account during the refresh process are not included in the newly activated sandbox. Before you activate the new sandbox, you must save any sandbox customization changes that occurred after the refresh request. These changes must be saved outside of the sandbox account so that they are available to be added to the new sandbox after activation. Account administrators should formulate a strategy for saving these changes and adding them to the new sandbox, and inform users of the processes to be used. For more information, see [Refreshing Sandbox Accounts](#).



Important: If you do not activate the new copy of your sandbox and it is deleted, that refresh will still count against your total refreshes used.

Also be aware of the following information about sandbox refreshes:

- **You do not need to refresh a sandbox to update it to the latest NetSuite version.**

Sandbox accounts are automatically updated to the same release level as the associated production account when the production account is updated. A refresh is not required for this type of update.

- **Sandbox refreshes cannot be done when a sandbox account is running a different version of NetSuite than the associated production account is running.**

During the release of a new version of NetSuite, there may be a period of time when your production account has been updated to the latest version but your sandbox account has not yet been updated, or the inverse. A refresh cannot occur in this case. If you request a refresh, it is delayed until both sandbox and production accounts have both been updated to the latest version. During this period, the Sandbox Refresh page displays a red X in the Refresh Status page with a popup version mismatch error.

 **Note:** This indicator only appears if you are on a Premium, Enterprise, or Ultimate service tier.

Data That is Not Copied from Production to Sandbox

During sandbox refreshes, the following things are not copied from production:

- **Websites and web store domains**

Domains are not copied from your production account to your sandbox. After a sandbox refresh, you must set up domains in the sandbox. If you have multiple sandboxes, ensure that across all of your sandboxes, the domains are unique. An error message is generated if there are duplicate domains. See the help topics [Manual Certificates](#) and [Set Up Domains for Web Stores](#) for more information.

- **Hard-coded Link Behavior**

Neither internal nor external hard-coded links are modified during sandbox refreshes. Use supported dynamic tags or placeholders to generate links that resolve to the corresponding environment.

For more information about Web Site Tags, see the help topic [Tags for Use in HTML Pages and Site Templates](#).

- **Customer Center role assignments for customer users**

Customer Center role assignments for customer users are not copied from production accounts to sandboxes during refreshes. Due to this limitation, customer login functionality does not work in sandbox after a refresh, even if it has been working in the production account. If you want to set up this functionality to work in sandbox, you can do a CSV import of customer records into the sandbox, to set passwords and Give Access to True for customer users.

For more information, see the help topic [CSV Imports](#).

- **SAML configuration**

SAML configuration is not copied from the production account to the sandbox. For details, see the help topic [SAML SSO in Multiple NetSuite Account Types](#).

 **Note:** It can happen that the configuration gets copied to your sandbox after refresh. However, you should always configure SAML in your sandbox again, because there is no guarantee that the copied configuration works correctly.

- **System notes on records**

System notes are not copied from the production account to the sandbox. For more information about system notes, see the help topic [System Notes Overview](#).

■ Deleted Records

Deleted records aren't copied from the production account to the sandbox. For information about deleted records, see the help topic [Searching for Deleted Records](#)

■ SuiteFlow (workflow) history logs

SuiteFlow (workflow) history logs are not copied from the production account to the sandbox. For more information, see the help topics [SuiteFlow Overview](#) and [Workflow History Subtab](#). Workflow instances are not copied from the production account to the sandbox either.

■ Token-based Authentication (TBA)

Tokens created in your production account are not copied to your sandbox during a refresh. To test token-based authentication in your sandbox, you must create tokens in that sandbox. Each time your sandbox is refreshed, you will need to create new tokens in the sandbox. For information about creating tokens, see the help topic [Manage TBA Tokens in the NetSuite UI](#).

■ OAuth 2.0

Applications authorized using the OAuth 2.0 feature in your NetSuite production account are not copied to your Release Preview or to your sandbox accounts. Users must authorize applications explicitly in Release Preview or in a sandbox to test OAuth 2.0 feature in these accounts. Each time the sandbox is refreshed, users must authorize applications explicitly in the sandbox. For more information about OAuth 2.0 Authorized Applications, see the help topic [Managing OAuth 2.0 Authorized Applications](#).

■ Eliminate Intercompany Transactions

The Eliminate Intercompany Transaction tasks are not copied from production to sandbox accounts. This means the Eliminate Intercompany Transactions task status results only appear in the account in which the tasks are run, and may not be the same in your production and sandbox accounts. For more information, see the help topic [Viewing Intercompany Elimination Results](#).

■ Campaign response history

Campaign response history is not copied from production to sandbox accounts. For more information about campaign response history, see the help topic [Campaign Response Summary Report](#).

Credit Card Processing in Your Sandbox After a Refresh

An account administrator must complete the following procedure to process credit card transactions in your sandbox account after a refresh.

To enable credit card profiles for use in sandbox:

1. In your sandbox account, go to Setup > Accounting > Financial Statements > Payment Processing Profiles.
2. Click **Edit** next to the payment processing profile you want to use in your sandbox account.
3. On the payment processing profile, under **Authentication Credentials**, re-enter the credentials required for this profile.
4. Click **Save**.
5. Repeat these steps for each payment processing profile you want to use in your sandbox account.



Important: Each time you refresh your sandbox account, you must repeat this procedure to process credit card transactions in your sandbox. No change is required in your production NetSuite account.

When a Sandbox Account Expires

Sandbox accounts are created with expiration dates. When a sandbox account is not renewed and expires, the status of the sandbox is set to inactive. Users are no longer able to log in to an inactive sandbox account. Administrators can view the sandbox expiration date on the Sandbox Account page.

Administrators of sandbox accounts receive email notifications before a sandbox account expires, so they can renew the account without experiencing an interruption of sandbox availability or potential data loss.

Administrators are notified by email several times before the expiration date, giving them plenty of time to renew the sandbox account. The first notification email is automatically generated one month before the sandbox expires. Notifications continue weekly until the sandbox account is renewed. If the sandbox account is not renewed, a final notification email arrives on the expiration date.



Note: Contact your NetSuite account representative to renew your account before it expires.

There is a 30-day grace period after expiration during which an inactive sandbox account can be re-activated and the data retained. If you do not renew the sandbox account before this grace period ends, the sandbox is deleted and the data is purged. If your account has expired, contact your NetSuite account representative for more information.



Warning: Data from expired sandbox accounts is purged after 30 days and cannot be recovered.

Setting Preferences for Sandbox Email

When you use a sandbox account, anyone with the Administrator role can set a preference for delivery of email messages from the sandbox account. The **Send Email To** option is suggested. You can enter specific email addresses (separated by commas) giving you complete control over exactly who receives email messages from your sandbox.

For example, if you are testing marketing campaigns in your sandbox account, you might not want customers to receive email messages generated by those campaigns until they have been finalized and rolled out in your production account. You might want email messages from your sandbox account delivered only to yourself, or to the people in your organization who are responsible for designing the new campaigns. You might want to ensure email messages generated from sandbox web stores are not delivered to recipients outside your organization. In all these cases, choose the **Send Email To** option.



Important: Email messages generated from sandbox web stores will not be sent to the user logged in to the NetSuite UI. For example, an order notification email message would be sent to the shopper's email address, not the logged in user's email address. To prevent this, choose the **Send Email To** option.

There are exceptions to the email routing rules you specify. Security-sensitive emails will be always sent to the owner of the email address. For example, password reset emails do not obey preferences that override routing rules.

Examples of security-sensitive emails include:

- Reset Password
- Change Password
- Change Email Address
- Security Questions (Setup or Update)
- Two-Factor Authentication Setup (one-time password)

Set preferences for sandbox email delivery in your production account on the Email Preferences page.

To set email delivery preferences for all sandbox accounts:

1. Log in to your NetSuite production account.
2. Go to Setup > Company > Email > Email Preferences.
3. Choose your preference on the **Sandbox and Release Preview** subtab. Under **Sandbox Options**, choose from the following:

Option	Description
Send Email To (Suggested)	Choose this option to ensure email messages are delivered to specific addresses. ■ Enter the email address or email addresses to which to deliver email messages. Separate each email address entered with a comma. ■ Choose this option when testing your web store in your sandbox. This option ensures web store generated email messages are routed to the desired recipient.
Send Email to Logged In User	Choose this option to route email messages to the user logged in to the NetSuite UI. If you select this option, be aware of the following behaviors: ■ Email messages initiated by an error in a scheduled script follow the notification settings in the script record. ■ Email messages generated from web stores will not be sent to the user logged in to the NetSuite UI. For example, an order notification email message would be sent to the shopper's email address, not the logged in user's email address. To prevent this, choose the Send Email To option instead. ■ Email messages sent from an external email client will not be sent to the user logged in to the NetSuite UI. For example, a reply email message would not be sent to the logged in user's email address. To prevent this, choose the Send Email To option instead.
Do Not Send Emails	Choose this option if you do not want any email messages sent.

4. Click **Save**.
5. On the Sandbox Accounts page, click **Copy Data to Sandbox** (or **Refresh Sandbox**). Your email delivery preferences are applied to all your sandbox accounts.



Important: During the upgrade period for a new release of NetSuite, please pay attention to your scheduled upgrade date. Do not request a sandbox refresh when the upgrade date is near. A refresh will fail if it does not complete before your scheduled upgrade begins. See [Scheduled Version Upgrade Dates and Refresh Requests](#).

After your sandbox account has been refreshed, you can log in to modify your email preferences directly on the sandbox account. This way, if you use multiple sandbox accounts, you can set different preferences for email delivery in each account. Go to **Setup > Company > Email Preferences** in your sandbox account and click the **Email Options** subtab.



Note: Upon refresh, the settings in your sandbox accounts always revert to the sandbox email preferences you set in your production account.

NetSuite Sandbox FAQ

See the following for answers to common NetSuite sandbox questions.

I do not see my new sandbox when I log in. Why not?

When you are notified that your new sandbox has been provisioned, the initial account status of the sandbox is **Offline** and the refresh status is **Pending Copy to Sandbox**. Your company's NetSuite administrator must log in to your production account, go to the Sandbox Accounts page, and click the **Copy Data to Sandbox** button. Clicking the button initiates the copy of production data to the sandbox. When the data copy is done, you'll see a green check (#) on the Sandbox Accounts page, indicating the sandbox is online and available.

For more information, see [Using the Sandbox Accounts Page](#).

How can I tell if I am in my sandbox?

- You'll see a sandbox logo in the header.



- There is also an Account Type column on the My Roles page so you can distinguish between your production and sandbox accounts. Sandbox accounts have the account type **SANDBOX**.

My Roles


Example.com Production ⌵ Show All

ROLE	LAST LOGIN
Administrator	✓ Logged in
Employee Center	4/19/2021 10:40 am

Or switch to another account

ACCOUNT NAME	ACCOUNT TYPE
Example.com (Dev Account 1)	DEVELOPMENT
Example.com_(SB_1)	SANDBOX
Wolfe Electronics - 01 4472135	PRODUCTION

- From the Change Roles list it is indicated by an **SB** logo beside any sandbox accounts.



How can I differentiate between my production and sandbox accounts?

Administrators can rename each account to include its type, making it easier to tell them apart. Go to **Setup > Company > Company Information** and change the **Company Name**. Users can color code their accounts by changing the Color Theme under Appearance on the **Set Preferences** page.

Can I access my production and sandbox accounts simultaneously?

Yes. For details, see [Simultaneous Access to More than One NetSuite Account Type](#).

What is the difference between a sandbox account and a development account?

Sandboxes are intended for full end-to-end testing, using your production data. Development accounts are intended for unit testing, and should only contain test data.

For more information, see [NetSuite Development Accounts](#), [Understanding NetSuite Account Types](#), and [NetSuite Sandbox](#).

For information about working in these different types of accounts with SuiteApps, see the help topics [SuiteApps and Sandbox Accounts](#) and [SuiteApp Development Process with SuiteBundler](#).

What features can I test in a sandbox?

Many NetSuite features can be tested in sandbox accounts. For more information, see [Features Available for Testing in a Sandbox](#). The **Testing Notes** column in the **Testing Features in a Sandbox** table contains details about differences that might affect how you test the feature.

Can I test secure domains in my sandbox account?

Yes. For more details on what can be tested, see [Features Available for Testing in a Sandbox](#).

I do not see all my production data in my sandbox. Why not?

For various reasons, not all data from your production account is copied to your sandbox account. See [Data That is Not Copied from Production to Sandbox](#) for more information.

My account has more than one sandbox. How do I switch between sandboxes?

If multiple sandbox accounts are associated with a single production account, users and their assigned roles are duplicated across these accounts.

Each user has a separate role for each sandbox account on the My Roles page and in the Change Roles list. Sandboxes are identified by the SB icon in the Change Roles list and by the label SANDBOX in the Account Type column on the My Roles page.

 **Note:** To help distinguish between multiple accounts, you can change the name of each account by going to **Setup > Company > Company Information** and changing the **Company Name**. Users could also color code accounts by changing the **Color Theme** under **Settings > Set Preferences > Appearance**. These measures will need to be reset after each refresh.

Will Two-Factor Authentication work?

Yes. Two-factor authentication using your phone or an Authenticator app is shared between your production and sandbox accounts. For details, see the help topic [2FA in the NetSuite Application](#).

Will all users who have access to my production account see a sandbox role when they log in to the production account?

As the administrator, you decide who has access to the sandbox account. Go to the Sandbox Accounts page and under the Access After Sandbox Refresh preference, select either administrators only or all users. If the administrators only option is selected, only the administrator role is copied to the sandbox account.

How do I add (or remove) individual user access to a sandbox?

After a sandbox has been refreshed, account administrators can grant individual users access to this sandbox. See [Granting Access to Your Sandbox Account](#) for information about adding and removing access for individual users to your sandbox account.

 **Important:** Customer Center and Partner Center roles are never allowed access to sandbox accounts.

About Sandbox Refreshes

The following questions and answers are specific to refreshing your sandbox. To request a sandbox refresh, see [Requesting a Refresh](#).

What determines the Snapshot Date?

The **Snapshot Date** field on the Sandbox Accounts page displays the date and time of the snapshot taken of the account that was used for the most recent refresh. This date is not necessarily the same as the date the refresh was requested. It depends on the date when your refresh request starts processing.

It is not possible to guarantee a specific date or time to be used for the snapshot.

Why is the Refresh Sandbox button missing from the Sandbox Accounts page?

You will not see the Refresh Sandbox button or the Copy Data to Sandbox button on the Sandbox Accounts page in the following circumstances:

- When a refresh request is already in progress.
- When the sandbox has been taken offline for a NetSuite version upgrade.
- During NetSuite version upgrades, except in cases where the sandbox account and its associated production account are running the same version of NetSuite.

 **Note:** When they are not running the same version, the Refresh Status field will display a popup with a **version mismatch** error message.

How long does it take for my sandbox to be refreshed?

Various factors determine how long it takes to refresh your sandbox, including the size of your production account (the amount of data), the number of integrations in your production account, and the number of customers requesting a sandbox refresh during the same time period as your request was submitted.

Can I cancel my sandbox refresh request?

It is not possible to cancel a refresh request.

A refresh completely replaces the content of the sandbox account with the content of the production account. After your sandbox account has been refreshed from production, it cannot be restored to its prior state. Before submitting a request to refresh a sandbox account, please ensure that your company is fully notified and ready for the refresh from production. Your refresh request cannot be canceled or otherwise modified in any way after it has been accepted.

I have a question about the number of sandbox refreshes used. Who should I contact?

For questions about the **Refreshes Used/Refreshes Total** field, please contact NetSuite Customer Support.

I have some important data I want to keep in my sandbox. Can my data be saved during the next refresh?

A sandbox is not intended for storage of data. A refresh completely replaces the content of the sandbox account with the content of the production account snapshot. Any data that exists in a sandbox before a refresh is requested is overwritten by the refresh.

What happens to my sandbox during a NetSuite version upgrade?

All sandbox accounts are taken offline for upgrade at the same time the production account is taken offline for upgrade. For more information, see [Scheduled Version Upgrade Dates and Refresh Requests](#).

Will the NetSuite version upgrade change the data and customizations in my sandbox account?

No. Your sandbox account is not refreshed during the NetSuite version upgrade. Sandbox refresh and NetSuite version upgrade in sandbox are two different processes. The refresh copies data and customizations from your production account to your sandbox account. The NetSuite version upgrade

is a maintenance that does not touch the data and customizations in your sandbox. It only changes the NetSuite version on which the account is running.

My NetSuite version upgrade date is near, should I refresh my sandbox?

Do not request a sandbox refresh when the upgrade date is near. A sandbox refresh request will fail if it does not complete before your scheduled version upgrade begins.

Use your best judgment to decide when to request a sandbox refresh during the version upgrade period for a NetSuite release. For guidelines, see [Scheduled Version Upgrade Dates and Refresh Requests](#).

What does the refresh status Delayed mean?

On the Sandbox Accounts page, when the refresh status field displays **Delayed**, it indicates the refresh progress has stalled for some reason. When a sandbox refresh status is changed to Delayed, the Estimated Refresh Time field is blank. When the refresh resumes, the estimated refresh time is recalculated, and the new value is displayed in the Estimated Refresh Time field.

NetSuite Development Accounts

NetSuite development accounts are isolated from your production account. You can use NetSuite development accounts to develop and test new apps and customizations without affecting your production account.

It's best to start using development accounts when you begin a new project. It can be difficult to migrate to a development account if you are already in the middle of a development project in your sandbox. You should finish existing projects in your sandbox, and start new projects in a development account.

Note: You need multiple sandbox accounts if you have multiple large projects which need distinct accounts for User Acceptance Testing (UAT).

Uses for Development Accounts

Development accounts have the same features and NetSuite-provisioned SuiteApps as your company's production account, but do not contain any production data.

Examples of users who might find development accounts useful, include:

- SuiteApp developers
- SDN Partners
- Contractors who need limited system access

Note: For information about acquiring one or more development accounts, contact your NetSuite account representative.

You can populate development accounts with only the data you need for development and testing purposes. Because development accounts do not contain any production data, you can also let outside partners develop something for you.

Warning: Don't enter sensitive information or any real customer data, such as contact information or credit card numbers, in development accounts. Transactions are processed and invoices are generated.

Note: Email messages sent from development accounts are delivered to the logged-in user.

Benefits of Development Accounts

Development accounts provide ideal places for:

- Creating new applications and customizations.
- Testing customization elements before deployment.
- Fixing issues with existing customizations.
- Trying out third-party integration features.

Actions you take in development accounts, such as transaction entries, record deletions, and form customizations, have no effect on your NetSuite production account. However, development accounts are not guarded from external touch points in the same way as sandbox and Release Preview accounts.

can be. For example, in sandbox and Release Preview, you can specify how you want email to be handled in these accounts. You cannot configure email delivery from a development account in a similar manner. Email messages sent from development accounts are delivered to the logged-in user.

Development accounts are never refreshed, unlike sandbox accounts, so you never have to worry about your work in progress being accidentally overwritten by a refresh. Administrators can also change the name of each development account at Setup > Company > Company Information to help distinguish between accounts.

Note: You cannot access SuiteAnswers from your development account. Instead, refer to the NetSuite Help Center by selecting the Help icon from within your development account.

Features Available in Development Accounts

The development account is different from a sandbox account, in that the development account does not contain a copy of your production data. When the development account is provisioned, NetSuite makes available the same features and NetSuite-provisioned SuiteApps that are available in your production account. SuiteApps created by third parties are not included in development accounts when they are provisioned.

Warning: Do not enter sensitive information or any real customer data, such as contact information or credit card numbers, in development accounts. Transactions will be processed and invoices will be generated.

Note: Email messages sent from development accounts are delivered to the logged-in user.

Logging in to Development Accounts

Users access development accounts in the same way that they access their production account. They can open a browser window and go to system.netsuite.com and enter their email address and password on the login page. Their role in a development account can be selected from the My Roles page or the Change Roles list.

My Roles

Example.com Production Show All

ROLE	LAST LOGIN
Administrator	✓ Logged in
Employee Center	4/19/2021 10:40 am

Or switch to another account

ACCOUNT NAME	ACCOUNT TYPE
Example.com (Dev Account 1)	DEVELOPMENT
Example.com_(SB_1)	SANDBOX
Wolfe Electronics - 01 4472135	PRODUCTION

By default, new development accounts are only accessible to the administrator for whom the account was provisioned. This administrator can create up to 10 users for each account. See [Granting Access](#)

to [Development Accounts](#). Users who need access to development accounts should contact this administrator.

Granting Access to Development Accounts

Account administrators can select 10 users who can access each development account. Users must be created separately in each development account.

To grant development account access to a user:

1. Log in to a development account. See [Logging in to Development Accounts](#).
2. Go to Lists > Employees > Employees > New and create an employee record for the user.
If this user is an employee in your production account, you can enter the username, email address, assign a role, and check the **Give Access** box on the **Access** subtab. For more information about creating an employee record, see the help topic [Adding an Employee](#).
3. Click **Save**.
If prompted whether the user should inherit the password from the production account, click OK. The employee to whom you have granted access can now log in to this development account.

Contacting Support for Development Account Issues

To report problems with your development account in this release, create a support case. You will need to provide your account ID when creating a case. From your development account, go to Setup > Company > Company Information to view the Account ID field, located below the Time Zone field in the right column.



Important: The way you contact NetSuite Customer Support, and the way you create a case varies depending on the level of support purchased with your account.

You can submit a question or issue online to NetSuite Support professionals. You can send questions or comments 24 hours a day. You will receive a response as soon as possible. Response times vary depending on the level of support you have purchased and the support team's current case load. To improve response times, please provide lots of information (more is better), and if applicable, include steps to reproduce the problem.

Contact Support by Phone is available to customers with Premium support, and to eligible NetSuite Partners, 24 hour a day, seven days a week. Call the number provided by your account manager. Please have your account number ready when you call for quicker assistance.