



ORACLE
NetSuite

NetSuite Analytics Warehouse

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NetSuite Analytics Warehouse Overview	1
Enabling NetSuite Analytics Warehouse	1
Supported Functional Areas	1
Data Warehouse Integrator Role	4
Setting Up NetSuite Analytics Warehouse	6
Adding Users to NetSuite Analytics Warehouse	6
Setting Up the Data Transfer	7
Transferring Custom and Supplemental Fields to NetSuite Analytics Warehouse	8
Reloading Your Data to NetSuite Analytics Warehouse	9
Understanding Data Lineage	10
Resetting NetSuite Analytics Warehouse Transfer Credentials	11
Updating the Notification Recipient Email	12
Removing Personal Information (PI) from NetSuite Analytics Warehouse	12
NetSuite Analytics Warehouse Basics	13
NetSuite Analytics Warehouse Service Tier Structure	13
Sandbox Refresh Impact on NetSuite Analytics Warehouse	14
Using Single Sign-On with NetSuite Analytics Warehouse	15
Setting up SAML SSO for NetSuite Analytics Warehouse	15
Setting up OIDC SSO for NetSuite Analytics Warehouse	15
Adding NetSuite Analytics Warehouse Workbooks to a Dashboard	18
Adding NetSuite Analytics Warehouse Workbooks Using the SuiteApp Portlet	18
Merging Your NetSuite Accounts Data Into Your NetSuite Analytics Warehouse Instance	21

NetSuite Analytics Warehouse Overview

Watch the following help video for information about NetSuite Analytics Warehouse:

 [NetSuite Analytics Warehouse Overview](#)

With NetSuite Analytics Warehouse, you can broaden the analysis of your NetSuite data beyond what is currently available in SuiteAnalytics Workbook. The Analytics Warehouse enables businesses to analyze historical data from multiple sources and determine how to improve their business. After it's enabled, you can start transferring your data to the Analytics Warehouse. You can then blend your NetSuite data with data from other sources and analyze it using a wide set of visualizations.

Enabling NetSuite Analytics Warehouse

Before you begin transferring your data to the Analytics Warehouse, you need to enable the feature first.

To enable NetSuite Analytics Warehouse in your account:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. Click the **Analytics** subtab.
3. Check the **NetSuite Analytics Warehouse** box.

Your Analytics Warehouse account starts configuring. This process may take some time. When the configuration is complete, the **NetSuite Data Warehouse** integration record is created automatically.

 **Note:** The **NetSuite Data Warehouse** integration record state is set to **Enabled** by default. If its state is set to **Blocked**, you are not able to access the NetSuite Analytics Warehouse Configuration page. Complete the following steps only if you can't access the NetSuite Analytics Warehouse Configuration page after enabling the feature.

To enable the NetSuite Data Warehouse integration record:

1. Go to Setup > Integration > Manage Integrations.
2. Click the **NetSuite Data Warehouse** integration record.
3. Click **Edit**. In the **State** field, choose **Enabled**.
4. Click **Save**.

After enabling your account, you need to set it up by:

- [Adding Users to NetSuite Analytics Warehouse](#)
- [Setting Up the Data Transfer](#)

Supported Functional Areas

NetSuite groups your data into functional areas in the Analytics Warehouse. To add a functional area to your data transfer, see [Setting Up the Data Transfer](#).

To see which record types and fields are available in the NetSuite2.com data source, see the help topic [Record Types and Fields](#).

The following functional areas are currently supported in NetSuite Analytics Warehouse:

- Bank
- Employee Expense
- Financials

- Inventory
- Manufacturing
- Payroll
- Projects and Support Management
- Purchases
- Sales
- Sales Snapshot

Subject Areas

The table below shows how the functional areas connect to the subject areas:

Functional Area	Subject Area
Bank	Check Credit Card Charge Credit Card Refund Deposit Sales Tax Payment Tax Liability Cheque Transfer
Employee Expense	Expense Report Expense Report Snapshot
Financials	Budget Cross Charge Journal Currency Revaluation GL Impact Adjustment Journal Netting Settlement Revenue Arrangement Revenue Arrangement Snapshot Revenue Commitment Revenue Commitment Reversal
Inventory	Bin Putaway worksheet Bin Transfer Inventory Adjustment Inventory Cost Revaluation Inventory Count Inventory Item Location Quantity Inventory Snapshot Inventory Transfer

Functional Area	Subject Area
	Inventory Worksheet Ownership transfer Transfer Order Wave
Manufacturing	Assembly Build Assembly Unbuild Work Order Work Order Close Work Order Completion Work Order Issue Work Order Snapshot
Payroll	Paycheck Paycheck Journal
Projects and Support Management	Charge Support Case Time Tracking Timesheet Work Breakdown Structure
Purchases	Inbound Shipment Inbound Shipment Snapshot Item Receipt Purchase Contract Purchase Order Purchase Order Snapshot Purchase Requisition Vendor Bill Vendor Bill Credit Vendor Bill Payment Vendor Bill Snapshot Vendor Prepayment Vendor Prepayment Application Vendor Return Authorization Vendor Return Authorization Snapshot
Sales	Cash Refund Cash Sales Charge

Functional Area	Subject Area
	Commissions Credit Memo Customer Deposit Customer Invoice Customer Invoice Snapshot Customer Payment Customer Payment Authorization Customer Refund Deposit Application Estimate Fulfillment Request Item Fulfillment Opportunity Return Authorization Return Authorization Snapshot Sales Order Sales Order Snapshot Statement Charge Store Pickup Fulfillment Subscription Wave
Sales Snapshot	Commissions Snapshot Customer Payment Snapshot Item Fulfillment Snapshot Opportunity Snapshot

Data Warehouse Integrator Role

When you enable the Analytics Warehouse feature in your account, you're automatically assigned the Data Warehouse Integrator role. You can also assign the Data Warehouse Integrator role to any user. When you assign this role to a user, their name appears in the User Account for Data Transfer Credentials dropdown list on the NetSuite Analytics Warehouse Configuration page.

The Data Warehouse Integrator role has view access to all standard and custom production data. The Data Warehouse Integrator role is for machine-to-machine integration, so you can't sign in using this role.

 **Note:** The Data Warehouse Integrator role doesn't count against the Full Licensed Users count.

To assign the Data Warehouse Integrator Role to users

1. Log in to NetSuite with an administrator role.

2. Go to Lists > Employees > Employees.
3. Click **Edit** next to the employee you want to assign the Data Warehouse Integrator role to.
4. Click the **Access** subtab.
5. On the Roles subtab, select the Data Warehouse Integrator role from the list.
6. Click **Add**.
7. Click **Save**.



Important: There needs to be at least one user with the Data Warehouse Integrator role assigned. If there are no users with this role, the data pipeline doesn't work.

For more information, see the help topic [Assigning Roles to an Employee](#).

Setting Up NetSuite Analytics Warehouse

Watch the following help video for information about how to set up NetSuite Analytics Warehouse:

 [Setting Up NetSuite Analytics Warehouse](#)

After the NetSuite Analytics Warehouse feature is enabled in your account, you must complete the setup by [Adding Users to NetSuite Analytics Warehouse](#) and [Setting Up the Data Transfer](#).

Adding Users to NetSuite Analytics Warehouse

Adding users to your account enables them to work with data transferred to NetSuite Analytics Warehouse. You can add NetSuite users and non-NetSuite users.

To add NetSuite users to your NetSuite Analytics Warehouse account:

1. Go to Setup > Integration > Configuration.

 **Note:** The configuration page might take some time to load. If you get an error message, ensure the **NetSuite Data Warehouse** integration record is enabled. For more information, see [Enabling NetSuite Analytics Warehouse](#).

2. Click **NSAW User Management**.
3. At the bottom of the page, click **Add NetSuite Users**.
4. Select the users you want to add and click **Apply**.

To add an external user to your NetSuite Analytics Warehouse account:

1. Go to Setup > Integration > Configuration.

 **Note:** The configuration page might take some time to load. If you get an error message, ensure the **NetSuite Data Warehouse** integration record is enabled. For more information, see [Enabling NetSuite Analytics Warehouse](#).

2. Click **NSAW User Management**.
3. At the bottom of the page, click **Add External User**.
4. Enter the first name, last name, and email address of the user. Then click **OK**.

You need to specify a role for every user you add to the NetSuite Analytics Warehouse account. To do so, select a role from the **NSAW Role** list. The following roles are available:

- **NSAW Administrator** – Lets you perform all administrator related activities, manage data components, and create data visualizations in the Analytics Warehouse.
- **NSAW Author** – Lets you manage data components and create data visualizations in the Analytics Warehouse.
- **NSAW Viewer** – Lets you view data components and visualizations in the Analytics Warehouse.

 **Note:** There must be a minimum of two NetSuite users with the NSAW Administrator role.

All new users, whether they're NetSuite or external, get an email notification asking them to complete their account activation and set a password. Use these credentials to log in to the Analytics Warehouse.

Creating User Groups for NetSuite Analytics Warehouse

In NetSuite, you can create user groups for NetSuite Analytics Warehouse and manage the users in each group. You can then use these groups to add application roles and security assignments.

Note: You need to have the Administrator role assigned to create and manage groups. Application roles and security assignments are managed on the NetSuite Analytics Warehouse Console page. For more information, see [Manage Users, Groups, and Application Roles](#).

To create and manage user groups:

1. Go to Setup > Integration > Configuration.

Note: The configuration page might take some time to load. If you get an error message, ensure the **NetSuite Data Warehouse** integration record is enabled. For more information, see [Enabling NetSuite Analytics Warehouse](#).

2. Click **NSAW User Management**. Then, click the **Groups** subtab.
3. Click the button **Create Group** to create a new group. Add a name and a description for the group.
4. Click the **Edit Group Users** icon . The **Edit Group Users** window appears.
5. Select the users you want to add to the group on the left pane. Then, move them to the right pane and click **Apply**.
6. To view the users that are part of the group, click the **View Group Users** icon .
7. To delete a group, click the delete icon  in the **Actions** column.

Setting Up the Data Transfer

To start transferring data to the Analytics Warehouse, you need to go to the data transfer setup page and select the functional areas to include. Your NetSuite data is grouped into predefined functional areas. To learn about the record types and fields available in the NetSuite2.com data source, see the help topic [Record Types and Fields](#).

For more information about the functional areas, see [Supported Functional Areas](#).

To set up the data transfer:

1. Go to Setup > Integration > Configuration.

Note: The configuration page might take some time to load. If you get an error message, ensure the **NetSuite Data Warehouse** integration record is enabled. For more information, see [Enabling NetSuite Analytics Warehouse](#).

2. Click **NSAW Data Transfer Setup** to go to the data transfer setup page.
3. In the **Initial Extract Date** field, select the date from when you want your data transferred.
4. In the **Subsidiary** field, select the subsidiary for which you want to transfer the data.
5. Select the functional areas to include in the transfer.

Data from the selected functional areas is refreshed automatically every 24 hours. The **Last Transfer** column shows the date and time of the first automatic data transfer, or the last manual data transfer. You can see the time remaining before the next automatic data transfer above the functional area list.

The first data transfer may take some time. The subsequent data transfers happen incrementally every day.

You don't have to wait until the scheduled data transfer. If you want the latest data, click **Transfer Data** in the **Transfer Data** column to manually start a transfer for a specific functional area. You can see the last transfer date for each functional area in the **Status** column.

Viewing the Data Transfer Audit Log

You can use the NetSuite Analytics Warehouse Customization History page as a data transfer audit log to check and track all the data transfer operations and their statuses. It shows the operation name, status, and a time stamp for when each operation occurred.

 **Note:** You must be assigned the NSAW Administrator role to view the Data Transfer Audit Log page.

To view the data transfer audit log:

1. Go to Setup > Integration > Configuration.

 **Note:** The configuration page might take some time to load. If you get an error message, ensure the **NetSuite Data Warehouse** integration record is enabled. For more information, see [Enabling NetSuite Analytics Warehouse](#).

2. Click **NSAW Data Transfer Setup** to go to the data transfer setup page.
3. Click the **Request History** button.

Transferring Custom and Supplemental Fields to NetSuite Analytics Warehouse

In NetSuite, you can create custom fields to enhance standard records and transactions, and record information specific to your business needs. When you transfer your NetSuite data to the Analytics Warehouse, only some of the standard NetSuite fields are included. To transfer your custom fields and the supplemental standard fields, you need to do it manually on the data transfer setup page. This procedure makes sure you can work with all your NetSuite data in the Analytics Warehouse and build accurate data visualizations for your business.

To transfer custom and supplemental fields data to NetSuite Analytics Warehouse:

1. Go to the data transfer page. For more information, see [Setting Up the Data Transfer](#).
2. On the data transfer setup page, click the Edit icon  next to the functional area from which you want to transfer custom or supplemental fields.

 **Note:** For functional areas that are not active, click the **Select data for transfer** button on the data transfer setup page. Then, click the switch button next to them, and click **Next**.

3. In the **Custom Fields** tab, select the custom fields that you want to transfer by checking the box next to the field.
4. In the **Supplemental Fields** tab, select the supplemental standard fields that you want to transfer by checking the box next to the field.

 **Note:** Use the search bar and filters to make selecting fields easier, especially if you have a long list. Transferring both custom and supplemental fields is optional, choose only the data that you need.

 **Important:** You can transfer custom and supplemental fields from up to 10 different source tables at a time. If you want to transfer fields from more than 10 source tables, select up to 10 tables, complete the transfer, then repeat the process with the remaining fields.

5. Click **Next**.
6. Review the fields you've selected to ensure your data transfer is accurate.
7. Click **Transfer Data**.

 **Note:** The data transfer starts 20 minutes after you click **Transfer Data**.

Reloading Your Data to NetSuite Analytics Warehouse

Data transfers from NetSuite to the Analytics Warehouse happen daily by incremental updates. This means only new data added after the last transfer is uploaded. To keep your data consistent, especially when records are modified, you need to reload your data to the Analytics Warehouse. You can reload the standard fields of your active functional areas as well as any custom and supplemental data you've transferred to the Analytics Warehouse.

 **Important:** To remove personal information (PI) from your Analytics Warehouse instance, reload the data in both your active functional areas and custom fields after removing the PI from your fields in NetSuite. This ensures that any PI removed from NetSuite is also deleted from the Analytics Warehouse, maintaining data privacy and security. For more information about removing PI from your fields in NetSuite, see the help topic [Personal Information \(PI\) Removal](#).

 **Note:** Only users assigned the NSAW Administrator role can complete the following steps.

To reload the data in your active functional areas:

1. Go to the data transfer setup page. This is where you manage the data transfers between your NetSuite account and the Analytics Warehouse. For more information, see [Setting Up the Data Transfer](#).
2. Hover over the **Reload** button located at the top of the page.
3. Click **Functional Area** to open the Functional Area Reload Configuration page.
4. Check the box next to the functional areas you want to reload. Then, click **Reload**. This starts the full data transfer for all the functional areas you've selected.

To reload your custom and supplemental fields data:

1. Go back to the data transfer setup page.
2. Hover over the **Reload** button located at the top of the page. Then, click **Augmentations**.
3. Select the custom and supplemental fields you want to reload.

Note: Use the search bar and filters to make selecting fields easier, especially if you have a long list.

4. To automate future reloads for custom and supplemental fields, turn on the scheduler:
 1. Click the **Scheduler Status** switch at the top of the page to activate it.
 2. In the **Interval** field, set how often you want reloads: daily, weekly, monthly, or yearly.
 3. In the fields below, set the day and time for the reload. If it's yearly, choose the month too.
5. Hover over the **Schedule and Reload now** button, then choose **Schedule** to set up future reloads with the parameters specified in step 4 or **Reload now** to initiate an immediate data reload. This starts a full data transfer for all the custom and supplemental fields you've selected.

Data Augmentation Reload Configuration

Schedule and Reload now [Cancel]

Scheduler Status ☒ **Schedule**
☐ **Reload now**

Interval

Day

Time ASIA/CALCUTTA

Augmentations

Search

☒ VIEW SELECTED Show: 25 1 - 25 of 75 < >

NAME	DESCRIPTION	SOURCE TABLE	TYPE	WAREHOUSE TABLE
☐ State/Province	nsreq_DROPDOWNSTATE_DIM	state	CustomDimension	DW_NS_X_NSREQ_DROPDOWN
☐ Contact EXT	nsreq_Contact_EXT	ContactExtension	Extension	DW_NS_X_NSREQ_CONTACT_EX
☐ ODBC Entity CustomField Std List	nsren_CUSTENTIT4R_DIM	transaction	CustomDimension	DW_NS_X_NSREQ_CUSTENTITV

Understanding Data Lineage

Data lineage is the process of tracing where your data comes from and how it changes throughout its whole lifecycle within a system or across several. In the context of data transfers from NetSuite to the Analytics Warehouse, it refers to the process of understanding and documenting how data moves from NetSuite to the Analytics Warehouse platform, so you always have a clear and traceable path for analysis and reporting.

NetSuite Analytics Warehouse Data Lineage Mapping Guide

Data lineage helps analysts and business users see where data comes from and how it changes, making it easier to understand and use the fields effectively in the Analytics Warehouse.

To get a better look at how data moves from NetSuite to the Analytics Warehouse, download the [Data_Lineage_NS_NSAW](#) mapping guide.

This mapping guide has eight columns that show how data moves through three key stages:

1. **NetSuite:** this is the initial stage. It shows the original structure of your data in NetSuite, and it is represented by the columns under the **NetSuite Linage** section.
2. **Data Warehouse:** this is the middle stage. It shows how your data is stored in NetSuite Analytics Warehouse. It is represented by the **Physical Table** and **Physical Column** columns under the **Semantic Model (RPD) Linage** section.

3. **Analytics:** this is the final stage. It shows the semantic layer of the data as it appears in the Analytics Warehouse, specifically designed to make reporting and analysis easier. It is represented by the **Subject Area**, **Table (Analytics)**, and **Column (Analytics)** columns.

The table below explains what each column in the mapping guide means:

NetSuite Lineage			Semantic Model (RPD) Lineage				
NetSuite Table	NetSuite Column	NetSuite Table Type	Physical Table	Physical Column	Subject Area	Table (Analytics)	Column (Analytics)
This column shows the name of the table in NetSuite where the data comes from, for example Account .	This column lists the name of the specific data field in the NetSuite table, for example displaynamewithhierarchy .	This column defines the type of table in NetSuite, for example Other Record .	This column shows the name of the table in the Analytics Warehouse where the data is stored after transfer, for example DW_NS_ACCOUNT_D .  Note: This name may be different from the NetSuite table name due to data warehousing conventions.	This shows indicates the name of the data field in the data warehouse table, for example DISPLAYNAMEWITHHIERARCHY .  Note: This name may be different from the NetSuite column name due to data warehousing conventions.	This column shows the subject areas within a functional area in the Analytics Warehouse. Subject areas group related data to help you find what you need. For example, NetSuite – Assembly Build .	This column shows the table name as it appears in the analytics tools. These tables are set up to make reporting easier. For example, Item .	This column lists the data field name as it appears in the Analytics Warehouse. These names are meant to be more descriptive and intuitive. For example, Item Income Account .

Resetting NetSuite Analytics Warehouse Transfer Credentials

To keep your data safe, you can reset your data transfer credentials anytime. When you reset your transfer credentials, new tokens are created and sent to NetSuite Analytics Warehouse automatically. Allow a few minutes for your transfer settings to finish configuring. While your new transfer credentials are being set up, you can't access the Analytics Warehouse configuration.

To reset your transfer credentials on the configuration page, click **Reset Transfer Credentials**. By default, transfer credentials are assigned to the user who enabled NetSuite Analytics Warehouse. If you want to give the transfer credentials to a different user, choose the user from the dropdown list and click **Reset**.

 **Note:** You can only give data transfer credentials to a user who is assigned the Data Warehouse Integrator role.

Resolving the Invalid Credentials Error

You always need a user with the Data Warehouse Integrator role and transfer credentials. If you receive an invalid credentials error email, you need to reset the transfer credentials. The data transfer to the Analytics Warehouse will pause until you add a valid user.

 **Note:** You must be assigned the NSAW Administrator role to complete these steps.

To resolve the error:

1. Check the **User account for data transfer credentials** list, and ensure the list is not empty.
2. Select the user from the list and click **Reset Transfer Credentials**.

3. Go to the Analytics Warehouse Administration Console page. For more information, see [NetSuite Analytics Warehouse Basics](#).
4. Click **Data Configuration**, and then, **Pipeline Settings**.
5. Change the **Data Pipeline Status** switch to **Enabled**.

Updating the Notification Recipient Email

The notification recipient gets emails about your Analytics Warehouse account, such as service availability. To change the notification recipient email address, choose a user from the dropdown list and click **Update NSAW notification recipient email**.

You can use email addresses that aren't linked to NetSuite users. To do this, click the NSAW notification recipient email field, and then the clear icon . After clearing the field, type the email address you want. You can also add multiple emails as notification recipients by entering an email distribution list.

Removing Personal Information (PI) from NetSuite Analytics Warehouse

To keep your data private and secure, it's important to remove personal information (PI) from both NetSuite and the Analytics Warehouse when required. To do so, remove the PI from your NetSuite fields, then reload the data in the corresponding functional areas and custom fields. This action ensures that the PI is fully removed from both systems.

For more information about removing PI from your NetSuite fields, see the help topic [Personal Information \(PI\) Removal](#). To learn more about reloading your data, see [Reloading Your Data to NetSuite Analytics Warehouse](#).

NetSuite Analytics Warehouse Basics

To work with data transferred to the Analytics Warehouse, go to Setup > Integration > Configuration and click the link **Log in to NetSuite Analytics Warehouse**. Your "Welcome to Oracle NetSuite Analytics Warehouse" email also contains a direct link to the service.

For more detailed information about working with data in the NetSuite Analytics Warehouse, see the following links:

- [Get Started with Oracle NetSuite Analytics Warehouse](#)
- [Access Oracle NetSuite Analytics Warehouse Content](#)
- [Overview to Using Datasets](#)

For more information about managing NetSuite Analytics Warehouse advanced settings, see [Configure Oracle NetSuite Analytics Warehouse Data](#).

NetSuite Analytics Warehouse Service Tier Structure

NetSuite Analytics Warehouse service tiers are designed to align with your needs and provide an optimal experience at various levels of scale. Each tier includes different services such as instances, warehouse storage, or number of users.

The table below summarizes the characteristics of the NetSuite Analytics Warehouse service tiers.

	NetSuite Analytics Warehouse Standard	NetSuite Analytics Warehouse Premium	NetSuite Analytics Warehouse Enterprise
Instances	1 production instance	1 production instance 1 sandbox instance	1 production instance 1 sandbox instance
Warehouse Storage	1TB	3TB	5TB
Users Included	10	50	100
Additional User Packs (5 users each)	Maximum of 7 user packs	Maximum of 9 user packs	#
Pre-built NetSuite Connector	#	#	#
Additional NetSuite Connectors (MIC)	#	# Maximum of 2 instances	# Maximum of 10 instances
DA Connector	#	#	#
OAC Connector	#	#	#
Data Transforms (For more information, see Using Oracle Data Transforms .)	# No incremental synchronization Only the first six months after purchase	#	#
Pre-built NetSuite Data Model	#	#	#

	NetSuite Analytics Warehouse Standard	NetSuite Analytics Warehouse Premium	NetSuite Analytics Warehouse Enterprise
Frequent Data Refresh	#	#	#
AI Assistant	#	#	#
Auto Insights	#	#	#
Pre-built AI Predictive Models	#	#	#
Oracle Machine Learning	#	#	#
Adding Workbooks to your NetSuite Dashboard (For more information, see Adding NetSuite Analytics Warehouse Workbooks to a Dashboard .)	#	#	#
Pre-built Analytics Warehouse Dashboards and Reports	#	#	#
Oracle REST Data Service	#	#	#
APEX	#	#	#
Supported Languages	English Arabic Chinese Simplified Chinese Traditional French Dutch		

Sandbox Refresh Impact on NetSuite Analytics Warehouse

When you refresh a sandbox account, production data is copied over and the old sandbox content is overwritten. Before every sandbox refresh, ensure you back up your NetSuite Analytics Warehouse configuration by saving all relevant bundles and exporting or documenting any custom configurations.

To avoid compatibility issues or unexpected problems, be sure that your sandbox and your production NetSuite account versions match. For example, if the version of your NetSuite sandbox account with Analytic Warehouse instance is 24.1 and you try to refresh it with a 24.2 NetSuite production account, you may lose data.

After you refresh your sandbox account, you may lose the connection to your NetSuite Analytics Warehouse instance. To reestablish the connection, submit a support ticket with the necessary details.

Using Single Sign-On with NetSuite Analytics Warehouse

You can use single sign-on (SSO) to go from NetSuite to your Analytics Warehouse instance without entering your login credentials. To enable users do this, you need to:

- Have an account with an SSO service that uses Security Assertion Markup Language (SAML) or OpenID Connect (OIDC). The NetSuite Analytics Warehouse SSO currently supports these identity providers (IdP):
 - For SAML SSO: Azure, Okta.
 - For OIDC SSO: Azure, Okta, NetSuite.
- Have the NSAW Administrator role assigned.
- Have set up the initial data transfer.

Note: All users who access the Analytics Warehouse with SSO need to be added to the SSO network (SAML or OIDC) first. If you want to let external users log in to the Analytics Warehouse with their own credentials, you need to ask Technical Support before setting up SSO. For more information about contacting Technical Support, see the help topic [Technical Support](#).

Setting up SAML SSO for NetSuite Analytics Warehouse

You can enable users to access their Analytics Warehouse instance with SAML SSO. For more information about SAML SSO, see the help topic [SAML Single Sign-on](#).

To set up SAML SSO for NetSuite Analytics Warehouse:

1. Get the metadata file from your IdP.
2. Verify that the users exist both in your IdP and in NetSuite Analytics Warehouse with the same email address. For more information, see [Managing Users, Groups, and Access](#).
3. Enable SAML SSO in NetSuite. The process for enabling SAML SSO in NetSuite depends on your IdP.
4. Go to Setup > Integration > Configuration and click **Log in to NetSuite Analytics Warehouse**.
5. Click **Authentication**.
6. Select **Enable SSO**.
7. Select **SAML** as the IdP type.
8. Upload the IdP metadata file you saved in step 1.
9. Click **Save**.
10. Log in to NetSuite with the SSO user and role through the IdP.

Setting up OIDC SSO for NetSuite Analytics Warehouse

You can enable users to access their instance of NetSuite Analytics Warehouse with OIDC SSO. For more information about OIDC SSO, see the help topic [OpenID Connect \(OIDC\) Single Sign-on](#).

To do this, you need to:

- Create an integration record.
- Set up OIDC SSO for NetSuite Analytics Warehouse.
- Set up and enable the roles.

 **Note:** Only users assigned the Administrator role can complete these steps. Also, only users assigned the NSAW Administrator role can set up OIDC SSO.

To create an integration record:

1. Go to Setup > Integration > Configuration and click **Log in to NetSuite Analytics Warehouse**.

 **Note:** Be sure that you see the login page. If you're automatically logged in to your Analytics Warehouse instance, you need to sign out to see the NetSuite Analytics Warehouse Login page and complete the following step.

2. Copy the login page URL from *https://* up until *oraclecloud.com*, then add */oauth2/v1/social/callback* at the end (for example, *https://idcs-39681a0d2c9d40e486d5cbfec8e8aaab.identity.oraclecloud.com/oauth2/v1/social/callback*). Save this URL for later and keep this tab open.
3. Go to Setup > Integration > Manage Integrations > New. For more information, see the help topic [Creating an Integration Record](#).
4. Enter a name for the integration record.
5. Clear the **TBA: Authorization Flow** and **Token-based Authentication** boxes.
6. In the **Redirect URI** field, paste the URL you have created in step 2.
7. Click **Save**.

 **Important:** Don't close the integration record page until you've completed all steps in this section. You need information from this page to finish the setup.

To set up OIDC SSO for NetSuite Analytics Warehouse:

1. Open a new tab. Go to Setup > Integration > Configuration and click **Log in to NetSuite Analytics Warehouse**.
2. Click **Authentication**.
3. Select **Enable SSO**.
4. Select **OIDC (OpenID Connect)** as the IdP type.
5. In the Authentication System Settings section, enter the following information:
 - Go to the integration record page. Copy the **Consumer Key / Client ID** and paste it in the **Client ID** field.
 - Go to the integration record page. Copy the **Consumer Secret / Client Secret** and paste it in the **Client Secret** field.
 - In another tab, open NetSuite, go to Setup > Integration > NetSuite as OIDC Provider Setup, and copy the **Metadata URL**. Then go back to the NetSuite Analytics Warehouse tab and paste it in the **Discovery service URL** field.
6. Click **Save**.

To set up and enable the roles:

1. In NetSuite, go to Setup > Users/Roles > Manage roles.
2. Create a new role or find the one you want to enable OIDC SSO for, then click **Customize** or **Edit**. For more information, see the help topic [Customizing and Creating Roles](#).
3. Go to the **Permissions** subtab and select the **Setup** sublist.
4. Add the following permissions to the role:
 - REST Web Services
 - Login using OAuth 2.0 Access Tokens
5. Click **Save**.
6. Assign this role to the employees you want to give OIDC SSO access to. For more information, see the help topic [Assigning Roles to an Employee](#).
7. Go to Setup > Integration > NetSuite as OIDC Provider Setup.
8. Click the integration record you have created previously.
9. Click the **Entities** tab. In the **Employees** pane, select the employees you want to give SSO access to and move them to the **Selected Employees** pane.
10. Click the **Roles** tab. In the **Roles** pane, select the roles you set up earlier and move them to the **Selected Roles** pane.
11. Click **Save**.

Adding NetSuite Analytics Warehouse Workbooks to a Dashboard

You can add your NetSuite Analytics Warehouse workbooks to your dashboard to have at-a-glance information about your business without having to log in to a different interface. To do so, you need to:

1. Enable the feature in the NetSuite Analytics Warehouse console.

 **Note:** You need to have the NSAW Administrator role assigned to complete this step.

2. Add a NSAW portlet and set it up with your NetSuite Analytics Warehouse workbook.

 **Note:** You need to set up SAML SSO for NetSuite Analytics Warehouse before adding the workbooks to your dashboard. For more information, see [Setting up SAML SSO for NetSuite Analytics Warehouse](#).

After personalizing a dashboard, you can share it with other users in your center by publishing it. For more information, see the help topic [Publishing a Dashboard](#).

To enable the feature in the NetSuite Analytics Warehouse console:

1. Log in to your Analytics Warehouse instance.
2. Click the Navigator menu icon . Then, select **Console**.
3. Click **Safe Domains**.
4. Click **Add domain** and paste your NetSuite account URL (<https://<accountID>.app.netsuite.com/>), where *<accountID>* is your NetSuite account ID.
5. Check all the boxes for the URL you added.

To add a portlet and set it up:

1. Open NetSuite Analytics Warehouse. Go to your workbooks, click the actions icon  of the workbook you want, and select **Export**. Then, click **Copy Link**.
2. Open your NetSuite account in another tab. Go to your dashboard and click **Personalize**.
3. In the **Standard Content** tab of the **Personalize Dashboard** palette, click the NSAW portlet icon or drag it onto your dashboard.
4. In the NSAW portlet, click  and select **Set Up** from the menu.
5. Paste the workbook URL into the **Visualization URL** field, then click **Save**.

 **Note:** The portlet shows data from the last incremental data transfer.

Adding NetSuite Analytics Warehouse Workbooks Using the SuiteApp Portlet

You can add Analytics Warehouse workbooks to your dashboard using SuiteApp portlets instead. To do so, you need to:

1. Enable the feature in the NetSuite Analytics Warehouse console.

Note: You need to have the NSAW Administrator role assigned to complete this step.

2. Set up a SuiteApp portlet by downloading and deploying the script file.
3. Add the portlet to your dashboard. You can add up to six SuiteApp portlets.

Note: You need to set up SAML SSO for NetSuite Analytics Warehouse before adding the workbooks to your dashboard. For more information, see [Setting up SAML SSO for NetSuite Analytics Warehouse](#).

To enable the feature in the NetSuite Analytics Warehouse console:

1. Log in to your Analytics Warehouse instance.
2. Click the Navigator menu icon . Then, select **Console**.
3. Click **Safe Domains**.
4. Click **Add domain** and paste your NetSuite account URL (<https://<accountID>.app.netsuite.com/>), where <accountID> is your NetSuite account ID.
5. Check all the boxes for the URL you added.

To download and deploy the script file:

1. Download the script file by clicking this link: [nsawportlet.js](#)
2. Go to Customization > Scripting > Scripts > New.
3. Click the + icon next to **Script File**.
4. In the **Select File** field, upload the script file you have downloaded in step 1. Click **Save**.
5. Click **Create Script Record**. Fill out the following fields:
 - In the **Name** field, type a name for your portlet based on the workbook you want to add (for example, NSAW Sales).
 - In the **Portlet Type** field, select **Inline HTML** from the list.
 - Click the **Parameters** subtab.
 - Type *nsawurl* in the **Label** and **ID** fields.
 - Select **Hyperlink** in the **Type** field.
 - Click **Add**, and then **Save**.
6. Click **Deploy Script**. Fill out the following fields:
 - Check the **Dashboard SuiteApp** box.
 - In the **Status** field, select one of these options:
 - **Testing** – The portlet is visible to you only.
 - **Released** – The portlet is visible to the audience you specify.
 - Click the **Audience** subtab and select the audience to which you want to make the portlet visible.

Note: This is applicable only if you have selected **Released** in the **Status** field.

- Click the **Parameters** subtab. In the **NSAWURL** field, paste the URL of the workbook you want to add.

7. Click **Save**.

To add the workbook to your dashboard:

1. Go to your dashboard and click **Personalize**.
2. On the **SuiteApps** tab of the **Personalize Dashboard** palette, click the workbook you have set up or drag it onto the dashboard.

 **Note:** The data in the portlet is generated based on the last incremental data transfer.

Merging Your NetSuite Accounts Data Into Your NetSuite Analytics Warehouse Instance

If your company has more than one NetSuite production account, you can bring all the data together into a single Analytics Warehouse instance. The NetSuite Analytics Warehouse Multi-Instance Connector (MIC) enables you to combine your financial and operational data, saving you time and effort when building a business intelligence solution.

The number of accounts you can connect depends on your NetSuite Analytics Warehouse service tier:

- **NSAW Premium** – you can connect up to two additional accounts.
- **NSAW Enterprise** – you can connect up to ten additional accounts.

For more information about the NetSuite Analytics Warehouse service tiers, see [NetSuite Analytics Warehouse Service Tier Structure](#).

To set up the MIC feature, you need to do the following:

- Enable the MIC feature.
- Add an integration record.
- Create a token-based authentication permission and add it to a user.
- Create a token.
- Set up the connector in NetSuite Analytics Warehouse.
- Create a data augmentation using the NetSuite data.

 **Note:** You need to be a NetSuite Analytics Warehouse administrator to set up the MIC feature.

To enable the MIC feature:

1. Place your connector order on the NetSuite account you want to integrate the data from. This is the account without an Analytics Warehouse instance. Wait until your order is provisioned.
2. Go to Setup > Company > Setup Tasks > Enable Features.
3. In the **Analytics** subtab, enable the **Multi-Instance Connector** feature along with **SuiteAnalytics Connect**.
4. In the **SuiteCloud** subtab, check the **Token-based Authentication** box in the **Manage Authentication** section.

To add an integration record:

1. Go to Setup > Integration > Integration Management > Manage Integrations > New.
2. Fill out the following fields:
 - **Name** – name the integration record. For example, NSAW_Connect.
 - Check the **Token-Based Authentication** box.
 - Clear the **TBA: Authorization Flow** and **Authorization Code Grant** boxes.
3. Click **Save**.
4. Make a note of the **Consumer Key / Client ID** and **Consumer Secret / Client Secret** for later.

To add the token-based authentication permission to a role and assign it to a user:

1. Go to Setup > Users/Roles > User Management > Manage Roles.
2. Find the role you want to update and click **Edit** or **Customize**.
3. Click **Permissions** and then **Setup**.
4. Add the **Log in using Access Tokens** permission. Click **Add**, and then click **Save**.
5. Go to Setup > Users/Roles > User Management > Manage Users.
6. Find the user you want to assign the role to, then click **Edit**.
7. Go to the **Access** tab and click **Roles**. Select the role you have set up, click **Add**, and then click **Save**.

To create a token for a user:

1. Go to Setup > Users/Roles > User Management > Access Tokens > New. Fill out the following fields:
 - **Application Name** – select the integration record you have previously created.
 - **User** – select the user you have assigned the token-based authentication permission to.
 - **Role** – select the role with the token-based authentication permission.
2. Click **Save**. Be sure to note down the **Token ID** and **Token Secret** for later.

To set up the connector in NetSuite Analytics Warehouse:

1. Log in to your Analytics Warehouse instance and go to **Data Configuration**. Then, go to **Manage Connections**.
2. Find the **NetSuite 2** connection, click the three-dot icon next to it, then click **Edit**.
3. Fill out the following fields:
 - **Notification Email** – enter the email where you want to receive notifications.
 - **User Name** – enter your user name.
 - **JDBC URL** – enter this URL: `jdbc:ns://<NS Account ID>.connect.api.netsuite.com:1708;ServerDataSource=NetSuiteDW;Encrypted=1;CustomProperties=(AccountID=<NS Account ID>;RoleID=57;Uppercase=1)`. Replace `<NS Account ID>` with your NetSuite Account ID.
 - **Account ID** – enter your NetSuite Account ID.
 - **Consumer Key** – paste the **Consumer Key / Client ID** you saved from the integration record.
 - **Consumer Secret** – paste the **Consumer Secret / Client Secret** you saved from the integration record.
 - **Token Key** – paste the **Token ID** you saved from the token.
 - **Token Secret** – paste the **Token Secret** you saved from the token.

To create a data augmentation using the NetSuite data:

1. In the Analytics Warehouse, go to **Data Configuration** and click the **Data Augmentation** tile.
2. Click **Create**, then select **Augmentation**.
3. Be sure to select **Regular** as the source dataset type and **NetSuite database** as the pillar.
4. Select the NetSuite database source tables you need.

For more information about data augmentation, see [Augment Your Data](#).