



ORACLE
NetSuite

NetSuite Field Service Management

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NetSuite Field Service Management	1
Scheduler User Guide	2
Resources	2
Tasks	3
Navigation	7
Board	7
Map	8
Extension Panels	10
Settings	12
Scheduling	13
Keyboard Shortcuts	15
Mobile User Guide	16
Granting Access to FSM Mobile	16
Mobile Installation Guide	18
Mobile FAQs	19
Field Service Mobile Screen Layout	36
Screen Sections	40
Screen Details	46
Login Screen	48
Task List Screen	50
Selected Task Details Screen	57
Summary of Mobile Tabs	68
Asset Tab	69
Consumables Tab	71
Deciding Between the Consumables and Sales Order Tab	74
Contact Tab	75
Details Tab	78
Expenses Tab	82
Files Tab	88
History Tab	94
Inventory Section	103
Notes Tab	107
Quote Tab	112
Receive Tab	122
Return Tab	128
Sales Order Tab	133
Task Tab	136
Time Tab	144
Transfer Order Tab	151
Features	160
Assets	160
Configuration	161
Configuration File Structure	162
Running Searches in Config	164
Configuration Preview	166
Troubleshooting Configuration	167
Consumables	168
Contact	169
File Management	170
Idempotency	170
Multi-Language Support for FSM	172
Dates, Times, and Number Formats in the FSM Scheduler Board and Mobile App	173
Notifications	174

Program	175
Recurrence	176
Script	181
Status Management	181
The Field Service Center	182
Restoring Field Service Center Categories and Links	184
Time Zone	187
Tracking Field Service Time	189
Setting Up the Track Service Time Feature	190
Tracking Field Service Time on Mobile	191
Viewing Time Activities on Field Service Tasks	191
Viewing Field Service Time Bills in the Employee Record	192
Unbilled Amounts	192
Field Service Management Administrator Guide	194
Getting Started	194
Importing Work Calendars	195
Resource Icons	196
Color Coding	198
Dynamic Forms	201
Service Provider	208
Sales Order Templates	211
Configuration Pitfalls	213
Updating the Configuration File	214
Feedback and Net Promoter Score (NPS)	218
Recurring Cases with Program	220
Recurrence Fields	223
Recurrence Config	226
Recurrence Life Cycle	227
Life Cycle of Recurrence	227
Final Order Of Actions	232
Mobile Element Types	232
Mobile Element Select Options	238
Mobile Element Properties	240
Compatibility and Expected Behaviors	244
Compatibility with NetSuite Features	244
Mobile App	254
Schedule Board	257
NetSuite User Interface	258
Others	259

NetSuite Field Service Management

NetSuite Field Service Management (formerly NextService) is an end-to-end solution for field service companies to simplify scheduling and dispatch, automate inventory and customer asset management while increasing data visibility in real-time. Drag-and-drop scheduling and dispatch allows managers to streamline job assignments and provides a clear view of the team's availability. The mobile app gives field technicians access to the all information they need from anywhere including job details and customer and asset history.

For more information about Field Service Management, see the following topics:

- [Scheduler User Guide](#)
- [Mobile User Guide](#)
- [Features](#)
- [Field Service Management Administrator Guide](#)

Scheduler User Guide

The Field Service Management (formerly NextService) Schedule Board helps you manage resources and the work they do. This guide shows you how to use the Schedule Board's features to make resource planning quick and effective.


- [Resources](#)
- [Tasks](#)
- [Navigation](#)
- [Board](#)
- [Map](#)
- [Extension Panels](#)
- [Settings](#)
- [Scheduling](#)
- [Keyboard Shortcuts](#)

Resources

Resources are employees, vendors, or other NetSuite entity records you can assign work to. In the scheduler, resources display with a circular avatar displaying their image or initials.

Online Status


Resources display a green status icon when they've recently used the Field Service Mobile app.



Context Menu


Right clicking or **Ctrl + Left clicking** a resource opens a context menu. Click the menu title to go to the record in NetSuite.

Marker




Centers the map on the resource.

Mobile




Opens a mobile emulator for that resource. This only shows up if the resource is a mobile user and your role has Mobile Administrator permission.

Letter



Opens an email draft addressed to that resource using the default email application.

Phone



Starts a phone call with the default VoIP application.

Tasks

Tasks are NetSuite tasks, project tasks, non-working days, leave requests, or any other record that takes time and can be assigned to a resource. Tasks appear as rectangular elements with a label and status icon. Tasks may be single day or multi-day, have a primary assignee and secondary assignees.

Color Coding


Tasks are color-coded to make them easier to browse. By default, they're color-coded based on their priority. Completed tasks are gray but still show their priority in the border.

Baylor Institute	Blue Low Priority
Baylor Institute	Yellow Medium Priority
Baylor Institute	Red High Priority
Baylor Institute ✓	Grey Completed
PTO	Stripes Unavailable

Icons

Tasks will show a status icon in the top right corner if they are on today or have activity on them.

Clock



Status is **Not Started**.

Vehicle



Status is **In Progress** but the primary assignee hasn't been detected on site.

Person




The task status is **In Progress** and the primary assignee has been detached on site.

Check



Status is **Completed**.

Alert



Status is **Not Started**, and the start time has passed.

Error




Changes to this task didn't save successfully to NetSuite.

Context Menu

Right clicking or **Ctrl + Left clicking** a task opens a context menu. Click the customer, project, case, task, or asset name to go to the record in NetSuite.

Marker




Centers the map on the task.

Download




Downloads the latest service report for that task.

Copy




Opens a new record form in NetSuite that's a copy of this task.

Cancel



Resets changes to this task.

Save




Saves changes to this task.

Time Zone

Tasks display a time zone with their date and time if they're not in the same time zone as your current view. The context menu always displays the task's time zone.


Navigation

The scheduler shows resources and tasks for a set time window. Every 60 seconds, it refreshes everything in view to keep information up to date. As you browse, it loads tasks for new resources or dates you see.



Board

The board shows rows of resources and their assigned tasks for the current date range.




Time Zone

Tasks are displayed local to your current time zone. To change it, see [Settings](#).

Groups

Resource rows are displayed in groups to logically segment them depending on your needs. By default, they're grouped by region.




Mode

You can view the board in different modes to see different information for resources and tasks. Select the mode in the header.




List

Simplified information is displayed.



Detailed


Detailed information is displayed.



Map

Note: Starting with version 2024.08, maps are rendered using Oracle Maps.

The map displays the location of resources, their assigned tasks, and all unassigned tasks for the current date range. To pan the map, press the space bar then click and drag. To zoom, hold the space bar and scroll your mouse wheel. Click **Fit All** button in the bottom right to zoom out and fit all resources and tasks.



Resources



Resources display a circular marker at their last known coordinate with their initials.


Tasks




Tasks display a rectangular marker at their coordinate. By default, this is the coordinate of the asset being serviced. Task markers use the same color and icon as the task on the board.

Clusters

At different zoom levels, resources or tasks close to each other group into a single marker, displaying the total number of present markers. Left-click on a marker cluster to zoom in and view all its markers.




Resource clusters are circular, like the resource markers.



Task clusters are rectangular, like the task markers. They use the color of the highest priority task.

Extension Panels


Extension panels are collapsible panels that let you customize which resources and tasks display on the board and map by filtering values of their properties.



Header

Click the panel header to open or close it. The header shows a filter icon if filters are available. The unassigned tasks panel also shows a count of unassigned tasks for the current date view.

Filters



Click filters to show or hide the available filters. When hidden, filters display the number of filters you've applied. Each filter shows the selected filter values.

Add

Add a filter by clicking the dropdown and selecting the values to filter by. To select more than one, hold Cmd/Ctrl and click on the options or hold Shift and select a range of options.

Remove


Remove an individual filter value by clicking its label. Remove all values for a single filter by clicking **Clear** button in its drop down. Remove all filters by clicking the **Clear All** button.

All/Any

Change the filter logic to require the property to have all or any of the selected values.


Results

The resources or tasks that match the filters are displayed in the list. You can sort this list by selecting a sort option from the dropdown. You can toggle the view mode of this list between list and detailed list on the board.



Settings

User preferences and settings are preserved between uses of the scheduler. You can open settings by clicking the icon in the header.



Hours Shown

The board displays a date as a range of hours. By default, this is 9:00am to 5:00pm. You can change this by adjusting the **From** and **To** sliders or select **Show 24 hrs** option to see the whole day.

Time Zone

Select the time zone you want to view the board in. On the first launch, the default is your NetSuite time zone preference. But the following launches remember your preferred setting.

View

Show or hide elements on the scheduler by checking or unchecking these options.

Resizing

You can resize the Map, Control Panel, and Board Resource column by dragging their borders.

Scheduling

You can schedule or assign resources to tasks on the board and extension panels by dragging and dropping. Then, save your changes to NetSuite. You can't edit tasks after they've started.

Selection

You can select one or more tasks on the board or extension panel by clicking them or dragging a selection box around them. To toggle the selection, hold the Shift button and click on the tasks or drag a selection box around them.

When you select a task, linked tasks are also selected. By default, this applies to tasks on the same case. Hold the shift button then select individual linked tasks to schedule them independently.

Drag and Drop

Drag and drop selected tasks on the board to change their start date and time, end date and time, primary assignee, and secondary assignees.

Apply different drag modes by holding down these keys:

Drag mode	Hold Key
Date and Resource Default: The Start and End times are locked but the Date and Primary resource can be changed.	N/A
Free Move Drag from the middle of the Task to change the Start time, End time, Date, and Primary resource.	Alt 
Start Only Drag from the left side of the Task to change only the Start time.	Alt 
End Only Drag from the right side of the Task to change only the End time.	Alt 
Secondary Resource To add a Secondary Resource, drag from the Task on the Primary Resource to the Secondary Resource you want to add. To remove a Secondary Resource, drag from the Task on the Secondary Resource back to the same Task on the Primary Resource.	Ctrl 
Tasks can also be assigned or unassigned by dragging between the Board, Assigned tasks panel, and Unassigned tasks panel.	


You can also assign or unassign tasks by dragging them between the board, assigned tasks panel, and unassigned tasks panel.

Time Zones


When you edit a task, it uses the time zone of your current view. If you intend to edit a task in a different time zone, change the time zone setting first to match that task. This way, you'll see the task in its local time and that it saves as expected.

Saving or Cancelling

Tasks with unsaved changes display using a red border. The total number of unsaved tasks also displays in the **Sync** menu.



Click **Save** to prompt all unsaved tasks to save their changes to NetSuite. Click **Cancel** to clear all unsaved changes. You can also save or cancel changes for a single task from its context menu.





If an error occurs when saving a task, it displays the Error status icon and a red border, like an unsaved task. Click **Save** again to reattempt, or contact NetSuite Support if the problem persists.



Keyboard Shortcuts

Keyboard shortcuts let you quickly perform tasks on the Scheduler using a key or a combination of keys. The table below lists Scheduler icons and keyboard shortcuts.

Icon	Action	Description
	Cursor	The standard cursor for the Scheduler view. No changes will occur when this cursor is displayed.
	Move Task	Reassign or reschedule a task by placing the cursor over it and dragging it to the desired employee or day. The start and end times of the task will not change.
	Change Start and End Time	Press Alt (Windows) or Option (Mac) and use the cursor to change start and end times on tasks. Place the cursor on the start or end time of the task to change the time. Alternatively, place the cursor in the middle of the task to move the whole appointment to a different time.
	Zoom and Move the Map	Press and hold Spacebar and use your mouse scroll to zoom in and out of the map.
	Assign and Remove Team Members	Press Ctrl (Windows) or Command (Mac) and use the cursor to assign the main task to different employees and include them as team members. To remove a team member, drag their task back onto the main task.
	Apply or Cancel Scheduler Changes	The Scheduler lets users to move tasks and visualize alternate scenarios for resource scheduling without saving changes. You can go back to the original view or save your changes. The Save icon shows how many records have changes. Click the icon to save changes.  Note: After your changes are saved, you can no longer revert them.
		The Cancel icon shows on hover. It lets you cancel all changes. The view also refreshes when you cancel.

Mobile User Guide

The Field Service Management (formerly NextService) mobile application empowers resources in the field to manage their work and effectively collaborate with their colleagues in the office and in the field.

- [Granting Access to FSM Mobile](#)
- [Mobile Installation Guide](#)
- [Mobile FAQs](#)
- [Field Service Mobile Screen Layout](#)
- [Screen Sections](#)
- [Screen Details](#)
- [Login Screen](#)
- [Task List Screen](#)
- [Selected Task Details Screen](#)
- [Summary of Mobile Tabs](#)
- [Asset Tab](#)
- [Consumables Tab](#)
- [Contact Tab](#)
- [Details Tab](#)
- [Expenses Tab](#)
- [Files Tab](#)
- [History Tab](#)
- [Inventory Section](#)
- [Notes Tab](#)
- [Quote Tab](#)
- [Receive Tab](#)
- [Return Tab](#)
- [Sales Order Tab](#)
- [Task Tab](#)
- [Time Tab](#)
- [Transfer Order Tab](#)

Granting Access to FSM Mobile

You can grant access to the FSM Mobile application to employees and other workers. The process is a little different depending on whether the user also has access to NetSuite.

After you've given users access, they can install FSM Mobile on their device. To install FSM Mobile on a tablet or phone, see [Mobile Installation Guide](#).

Prerequisite

To give someone access to FSM Mobile, they must have an existing employee record with an email address. The email address is the user ID in both NetSuite and FSM Mobile.

To add an employee record, see the help topic [Adding an Employee](#).



Important: Don't give access to unknown email addresses or employees. It's also unsafe to use generic emails like test@test.com or emails that several people can access.

Grant Access to a NetSuite User

You can give a NetSuite user access to FSM Mobile. They'll use the same user ID and password they use in NetSuite to log in to Mobile.

To give an existing NetSuite user access to FSM Mobile:

1. Go to Lists > Employees > Employees.
2. Next to the person's name you want to set up, click **Edit**.
3. Click the **Field Service** subtab.
4. Check the **Field Service Mobile User** box. The numbers next to the box show how many FSM licenses you've used out of your total.



Note: To free up licenses, you'll need to clear this box on the employee record of anyone who doesn't need FSM Mobile access anymore.

5. Click **Save**, then refresh the page.
6. Click **Email Mobile Login** at the top of the page. This sends an email with a link to FSM Mobile to the person's email address on their employee record. They'll use their NetSuite login to sign in to FSM Mobile.

Grant Access to a Non-NetSuite User and Assign a Password

Here's how to give access to someone who doesn't use NetSuite and set an FSM Mobile password for them

To give a user access to FSM Mobile and set a password:

1. Go to Lists > Employees > Employees.
2. Next to the person's name you want to set up, click **Edit**.
3. Click the **Field Service** subtab.
4. Check the **Field Service Mobile User** box. The numbers next to the box show how many FSM licenses you've used out of your total.



Note: To free up licenses, you'll need to clear this box on the employee record of anyone who doesn't need FSM Mobile access anymore.

5. Click the **Access** subtab.
6. Check the **Manually Assign or Change Password** box.
7. Enter a password. As you type, the characters are checked against NetSuite password rules.



Important: FSM Mobile doesn't have the same password requirements as NetSuite.

- While you can set a password that doesn't follow NetSuite complexity rules, you shouldn't use common, plain or obvious passwords for security reasons.
- The **Give Access** box gives you NetSuite access, so make sure it remains cleared.

8. In the **Confirm Password** field, type the password again.
9. Click **Save**, then refresh the page.
10. Click **Email Mobile Login** at the top of the page. This sends an email with a link to FSM Mobile to the person's email address on their employee record.
11. Let your user know their email address is their FSM Mobile user ID and give them the password you set. For security, don't send the password by email.

Mobile Installation Guide

The Field Service Management Mobile application is powered by HTML5. This means the download is initiated through the mobile device's web browser and not from the Play Store or App Store. Updates are received by refreshing the application when you are logged in. You should download the Mobile app's home page icon to your device before use so the experience feels like the app was downloaded from the Play Store or App Store.

The supported browsers are:

- Google Chrome
- Microsoft Edge
- Safari (iOS)



Important: The mobile device should be running the latest Android or iOS version. Make sure that browsers are also updated to their latest versions.

To install the Field Service Management Mobile application on Android:

1. On your mobile device's email app, open the Field Service Mobile Login email invitation.
On the email, click **Go to Mobile!**.
2. The Field Service Mobile login page opens on the device's default browser.
If the browser requests to use the device's location, click **Allow**. This permits your location pin to display on the Scheduler and Mobile.
3. On Google Chrome, click More (denoted by three dots) in the upper right corner and select **Add to Home screen**.
On Microsoft Edge, click the Menu (denoted by three horizontal lines) on the lower right corner and select **Add to phone**.
4. The **Create shortcut** popup appears. Click **Add**.
The Field Service Management Mobile application should now display as an icon on your device's home screen.
5. Click the Mobile icon to open the application and log in with your username and password.

To install the Field Service Management Mobile application on iOS:

1. On the mobile device's email app, open the Field Service Mobile Login email invitation.
On the email, click **Go to Mobile!**.
2. The Field Service Mobile login page opens on Safari.
If Safari requests to use the device's location, click **Allow**. This permits your location pin to display on your Scheduler and Mobile.
3. Click Share (denoted by a box with an upward arrow icon) on the bottom of the page and select **Add to Home Screen**.
4. Click **Add**.
The Field Service Management Mobile application should now show up as an icon on your device's home screen.
5. Click the Mobile icon to open the application and log in with your username and password.

Field Service Management Mobile Application on NetSuite Sandbox

You can also install the Field Service Mobile app through a Sandbox link for testing. The mobile app icon for the Sandbox account is identical to the icon generated from the Production environment. You should delete the Sandbox icon from your home screen before installing the Field Service Mobile app for the Production account.

Mobile FAQs

What can I do in Field Service Mobile?

- View assigned tasks
- View map of all tasks
- View map for a task
- Launch external GPS maps
- View Task Details
- Start and complete tasks
- View customer contact info
- Record time spent
- Record consumables used
- Order parts
- View asset history
- Record safety check results
- Record custom data
- Record photos
- Create new tasks

Field Service Mobile can do all of the above and, with further customization, can do even more.

What can't I do in Field Service Mobile?

The configuration of the **Field Service** system lets field service technicians using the Field Service Mobile app to view and record a broad range of data for each task.

However, the **Field Service Mobile** app is in no way designed to duplicate all functions of **Field Service Core** or **Field Service Schedule**. To keep the app as simple as possible it has only the functions that most field service technicians need.

Most businesses that use **Field Service** require functions such as scheduling, reassigning tasks, deleting tasks and other advanced features to be performed in **Field Service Core** or **Field Service Schedule** by either senior field technicians or office-based staff.

What are the terms used in Field Service Mobile?

Customer

A Customer represents a client of your business, internal or external.

One customer can have many Assets, and many Service Locations.

Asset

An Asset represents a physical item or location that is subject to service or support using Field Service.

Assets can be created automatically as part of the standard NetSuite Sales and Fulfillment process or manually.

An Asset is what Employees 'work' on, when completing a Task.

Task

Task is a standard NetSuite record, and represents a specific, identified piece of work that an Employee will perform.

A Task is what is shown on the Field Service Schedule Board and the Field Service Mobile app.

Generally, a Task will be associated with a Field Service Project, Case and Field Service Asset.

A Task can also be used to capture Leave or general work not associated with a Case or Asset.

Inventory (Consumables), Time Costs (Timebills) and Expenses processed through the Field Service Mobile app are recorded against the Task.

Technician

A Technician represents an employee that is able to perform Tasks.

A custom extension field in the standard NetSuite employee record marks an employee as being able to access the Field Service Mobile app therefore being a technician.

It can be said that not all employees are technicians, but all technicians are employees.

Case

A (Support) Case is a standard NetSuite record representing a service rendered to a Customer or a job delivered to a Customer. This captures the details of the issue that needs to be fixed or a service that needs to be performed. A Case is associated with a Project.

A Project may have many Cases associated with it over time.

Cases are generally assigned to a Service Manager or Service Administrator who assigns the Task work and ensures the job is completed.

See NetSuite User Guide for more information.

Project

A Project is a standard NetSuite record created under a Customer record and is used to capture the costs and revenues specific to a Project.

Inventory

Inventory Items are items which are stocked and stored in a Location in NetSuite.

Inventory Items display on the Field Service Mobile on the Inventory Tab. It covers the item types of Assemblies and Inventory Items and their variants, such as Serialized, Lot Numbered and Bin Managed.

Expense Item

An expense item is a type and cost recorded for an expense incurred by the technician when performing a task. Expenses are often for meals, fuel or mobile phone usage.

Why does my screen look different to the examples in this guide?

Field Service is a flexible system and can be configured to suit each client's needs. For that reason, some items in the standard installation can be hidden. In addition, you can add custom items to capture information that suits how you perform your tasks.


Also, **Field Service** is a rapidly changing solution. As we grow **Field Service** and make it compatible with new devices, we make minor adjustments to the way the application looks and operates.

For example, you may find that on mobile devices with different screen resolutions, the **Task List View** screen looks quite different. But the functions available are the same on all devices.

App Appearance Depending on Device


Phone

Low resolution mobile device such as a standard size phone.




Small Tablet

Medium resolution mobile device such as a 7-inch tablet.



Large Tablet

High resolution mobile device such as a 10-inch tablet.



How does my screen resolution affect navigation around Field Service Mobile?

Navigating between screens might be different on devices with different resolutions.


For example, navigating from viewing the **Contact Details** screen within the **Contacts** tab to the **Asset Details** screen in the **Asset** tab may be different on different devices.

Large tablet - High resolution device


1. If the Selected Task Details screen isn't visible, then click anywhere in the Control Bar.

CONTACTS		
Name	Email	Phone
Bradley Harris	bradleyh@nettechnix.com	(330) 569-2331


The **Selected Task Details** screen will show up, including the **Task Tab** list.



2. In the Task Tab list, press the entry for Asset.



The **Tab – Asset** screen will show up.




Standard tablet - Medium resolution device


1. Click anywhere in the **Control Bar**.

CONTACTS		
Name	Email	Phone
Bradley Harris	bradleyh@nexttechnik.com	(039) 568-2331


The **Selected Task Details screen** will show up, including the **Task Tab list**.



2. In the Task Tab list, press the entry for Asset.




The **Tab – Asset** screen will show up.




Smartphone - Low resolution device


1. Click anywhere in the **Control Bar** or click the **Back** button.



The **Selected Task Details** screen will show up, including the **Task Tab** list.



2. In the **Task Tab** list, press the entry for **Asset**.



The **Tab – Asset** screen will show up.



What is a common progression through the screens?

The table below outlines the typical progression through the screens on the mobile app:

1. Wait for app to update itself to the latest version	Update screen
2. Login into the system	Login screen
3. View task list	Task List Screen
4. View Selected Task Details	Selected Task Details Screen
5. View map & travel to location	Task Map Screen
6. Start task	Selected Task Details Screen
7. Read and fill out during-task tabs	Task Tabs Screen
8. Complete task	Selected Task Details Screen
9. Fill in post-task information	Task Tabs Screen
10. Return to task list	Task List Screen
11. Logout of the system	Task List Screen

Field Service Mobile Screen Layout


Note: Starting version 2024.08, maps are rendered using Oracle Maps.

Field Service Mobile is a simple application to use. These are the screen types that you need to know about:

Update screen


At start up the Field Service Mobile app checks whether there are any updates to itself.

If there is a new version the Update screen is displayed and shows you the progress update.



Login screen


Lets you enter your email address and password to log into the system.



Task List screen

Shows you assigned tasks ordered from oldest to newest date.

Depending on the resolution of your mobile device, a map showing the location of all tasks in the list.



Add Task screen


Lets you add a new task that is not necessarily related to any of your currently assigned tasks.

Selected Task Details screen

Shows you more details for the selected task including a map displaying the route to the task location.

In addition to the extra task detail, this screen shows a list of tab headings.

Also lets you start and complete the selected task.



Selected Task Tab screen

Shows you the content of a particular tab so that you can read or record information for the selected task.

Each tab may have multiple screens.

JSA CHECKLIST

Full JSA Required

Permit Required

Hot Work
Confined Space
Excavation/ Penetration
Roof or Chimney Access

Isolation Required

Electrical
Mechanical
Manual Valves
Pneumatics

Risk Level

High
Critical
Medium
LOW

Equipment Required

Barricading/Signs
Electrical Earth Leakage
Fire Extinguisher
Lifting Equipment

Manual Handling

NONE - There will be no Hazardous Manual handling in this job

MH1 - The task may involve high forces

MH2 - The task will require repetitive forceful movements

MH3 - The task is likely to cause fatigue or soreness due to it's long duration

Environmental Hazards

Air Pollution (dust, fumes)
Hazard to Flora or Fauna
Noise (plant & equipment)
Spills to drains/waterways

PPE Required


Laser Glasses

Screen Sections

Login Screen

This screen controls access to the sensitive business data within the Field Service Mobile app. You must provide a valid login and password to proceed past this screen and gain full permissions to the app.


Section	Description	Highlighted in Screenshot
Login Controls	The tree controls on this screen form a standard email field, password field, and sign in button.	1



Task List screen

The **Task List screen** is basically the “home” screen of the **Field Service Mobile** app. From this screen, you can view a map showing your current location and the location of all your displayed tasks, select a particular task from the list to see more detail, refresh task data from the cloud, and add a new task, or log out.

Section	Description	Highlighted in Screenshot
Control Bar	Contained within the Control Bar are several buttons. These cover function such as view map, logout, refresh task data and add new task.	1
Task List	Contains an entry for each assigned task that falls within the configured date range. From each of these entries you can either go to the Selected Task Details screen for more details or launch your mobile device's default GPS mapping app to view the route to the task.	2




Task List screen - Map view

Description

The Map View within the Task List screen lets you see your current location as well as the location for task displayed in the **Task List** in the **Task List screen**.


Section	Description	Highlighted in Screenshot
Control Bar	Within the Control Bar is a button that lets you show the Selected Task Details screen .	1
Map	The map lets you zoom in and out, pan north, south, east, or west and view details for a selected task.	2



Selected Task Details screen

This screen informs you of more detailed information about the current task. It also lets you view a map, start and complete the task and go to each of the tab screens.


Section	Description	Highlighted in Screenshot
Control Bar	Contained within the Control Bar are buttons which let you go to the Task List screen or to the Selected Task Details screen – Map View .	1
Task General Details	This section informs you of details about the selected task like asset name, scheduled start and end times (in the user's time zone) and more.	2
Task Status Controls	These controls let you start or complete the selected task.	3
Task Tab List	This list shows all available tabs. It lets you go to the tab screen for any particular tab by simply pressing on its entry within the tab list.	4



Selected Task Details screen - Map view

This screen lets you view a map showing your location, the task location, the fastest route and the travel time (without traffic delays).

Section	Description	Highlighted in Screenshot
Control Bar	The Control Bar contains buttons which let you go back to the standard view of the Selected Task Details screen. It also launches your mobile device's default GPS mapping app to view the displayed route with a more advanced data like live traffic data.	1
Map for Selected Task	This map displays your current location and the location of the selected task. This map also shows the quickest route to the task location without traffic being taken into account.	2
Task General Details	This section informs you of details about the selected task like asset name, scheduled start and end times (in your time zone) and more.	3
Task Status Controls	These controls let you start or complete the selected task.	4



Task Tab Detail screen

Task tabs lets you view or record data associated with the selected task. Each tab has one or more screens that together make up its functionality.

Section	Description	Highlighted in Screenshot
Control Bar	Contained within the Control Bar are buttons which let you go to other screens within the current tab or to toggle the visibility of the Selected Task Details screen .	1
Task Tab Details Area	Made up of many different combinations of data display and data entry fields, this area lets you view or record data relevant to the selected task.	2

The screenshot shows a 'JSA CHECKLIST' form. Callout 1 points to the top section, and callout 2 points to the 'Equipment Required' section.

JSA CHECKLIST	
1	Full JSA Required Permit Required Hot Work Confined Space Excavation/ Penetration Roof or Chimney Access Isolation Required Electrical Mechanical Manual Valves Pneumatics Risk Level High Critical Medium Low
2	Equipment Required Barricading/Signs Electrical Earth Leakage Fire Extinguisher Lifting Equipment Manual Handling *NONE - There will be no Hazardous Manual handling in this job MH1 - The task may involve high forces MH2 - The task will require repetitive forceful movements MH3 - The task is likely to cause fatigue or soreness due to it's long duration Environmental Hazards Air Pollution (dust, fumes) Hazard to Floors or Fauna Noise (plant & equipment) Spills to drains/waterways PPE Required Laser Glasses

Screen Details

Update screen

The **Update screen** informs you of the progress update about the local information that **Field Service Mobile** stores on your mobile device.

This screen will only be displayed if there is new data for **Field Service Mobile** to download from the cloud.


This screen may also be displayed if you perform other tasks on your mobile device and then goes back to the **Field Service Mobile** app.



Update screen in detail


Informs you of the progress update of the **Field Service Mobile** app data.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Update Progress indicator	Informs you of the progress update of the process.	If this instance of the Update screen was displayed at the start-up of Field Service Mobile, then as soon as the Update Progress indicator shows that the update process is complete, the Login screen is displayed. If this instance of the Update screen was displayed as Field Service Mobile was made the foreground app on your mobile device, then as soon as the Update Progress indicator shows that the update process is complete, the screen that was current before Field Service Mobile turned into a background app is displayed.	Always	None	1



Login Screen


The **Login screen** lets you enter an email address as a login and an associated password to gain access to the **Field Service Mobile** system.



Login screen in detail

The **Login screen** lets you enter an email address as a login and an associated password to gain access to the **Field Service Mobile** system.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Login text field	Lets you enter your email address as a unique login identifier.	None	Always	None	1
Password text field	Lets you enter a password.	None	Always	None	2
Sign In button	Lets you submit the values entered in the Login text field and Password text field .	If the Login text field and Password text field contain the correct values for a valid login then the Task List screen is loaded.	Always except when replaced to show "Unable to authenticate" error message.	If the Login text field and Password text field are blank, then a "Fill in this field" error message is displayed. If this Login text field contains data but that data does not contain a "@" character, then a "Enter an email address" error is shown. If the Login text field and Password text field both contain values but do not form a valid password/login combination, then the Sign In button is replaced with an "Unable to authenticate" error message. This message is hidden and the Sign In button becomes available again as soon as you change the values in the Login text field or Password text field.	3



Task List Screen

The Task List screen is the “home” screen of **Field Service Mobile**.

From this screen, you can:


- see assigned tasks
- view a map showing the location of all assigned tasks
- select one task to show more detail
- refresh the task data from the cloud
- add new tasks
- logout of the system.

The Task List screen displays all of the tasks assigned to you for a set date range.

By default, the date range is from 5 days before to 5 days after the current date.

Depending on your device's resolution, the Field Service Mobile app might show a map to the right of your task list.

Note: You can have more than one task set to in progress. In this document where a reference is made to the “selected task” this refers to the task that was selected for viewing in the **Task list** on the **Task List screen**.



Task List screen in detail

The Task List screen is the “home” screen of **Field Service Mobile**. From here, you can see assigned tasks, view a map of all assigned tasks, select a task for more details, refresh task data from the cloud, add new tasks, and log out.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Show Map View button	Lets you show or enlarge (depending on your device's screen resolution) the map showing your current location and the locations of all tasks in the Task list .	On low or medium resolution mobile devices: Hides the Task list so that the Map panel now shows. On high resolution mobile devices: Hides the Task list so that the Map panel now takes up the entire width of the screen.	Always	None	1

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Offline indicator	Informs you that the Field Service Mobile app is not able to connect to the internet to communicate with the cloud.	None	When the mobile device is not connected to the internet or if the cloud server(s) are unavailable.	None	2
Log Out button	Lets you log out of the Field Service Mobile app.	Logs you out of the app and then displays the Login screen .	Always	None	3
Refresh Data button	Lets you force the app to reload task data from the cloud.	Clears the Task list of all Task List entry instances. Then reloads the most up to date task date from the cloud and populates the Task list with Task List entry occurrences based on the data downloaded.	When the Offline indicator is not showing.	None	4
Add New Task button	Lets you add a new task that is not related to any other tasks in the Task list .	Displays the Add New Task screen .	Always	None	5
Task list	Lets you see basic information for each task assigned to you within the configured date range.	None	Always	None	6
Task list entry	Lets you see basic information for a particular task displayed in the Task list . Each Task List entry is divided left-to-right into two sections: The first is the Task List Entry button and the next is the Task List Entry Map Launch button . There are 5 display styles for Task List entry . See Task List entry display styles explained below for explanation.	None	If there's one or more tasks assigned to you that fall within the configured date range.	None	7

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Task list entry button	Lets you see more details for a particular task in the Task list . This also functions as a button that displays the Selected Task Details screen when you press it.	Displays the Selected Task Details screen showing detailed data for the selected task.	When there are one or more Task List entry occurrences shown in the Task list .	None	8
Task list entry map launch button	Lets you use your device's default GPS mapping application for advanced mapping capabilities, like live traffic information.	Launches your mobile device's default GPS mapping app to show the route from your current location and the location for the selected task.	When there's one or more Task List entry occurrences shown in the Task list .	None	9
Map panel	Lets you see your current location and the location of each of your assigned task. Pressing any Task Location button will display the Selected Task Details screen in Map View, so you can see more details about the selected task.	If you press on one of the Task Location buttons , then the Selected Task Details screen will be displayed in Map View . See Task List map view explained below for more detail. Displays the alert below if you attempt to pan the map with only one finger.	Always	"Use two fingers to move the map"	10

The following is a screenshot of the Task List screen in a low or medium resolution mobile device:

Task List entry display styles explained

The **Task entry** occurrences in the **Task list** have 5 visual styles that inform you of the task status. These are explained below.

The **Data Loading Status** describes whether the app has finished loading the data for this particular task from the cloud. The possible values are **Loading** and **Loaded**.


The **Task Status** reflects the progress of a task from start to end. The possible values are **Not Started**, **In Progress** and **Completed**.

Data Loading Status	Task Status
Loading	Not Started or Completed
Loading	In Progress
Loaded	Not Started
Loaded	In Progress
Loaded	Completed

Task List map view explained

This map panel shows you symbols signifying your location as well as the location of each of the assigned tasks.

Like most GPS apps, you can zoom in, zoom out and pan around the map to see the location and level of details you need.



Technician Symbol



The location of the technician is signified by an instance of the Technician Symbol.

If Field Service has a photo of the technician, it'll show up as part of the symbol.

Task Location Symbol



Each task location is signified by an instance of the Task Location icon.

Pressing on any one of these icons will display the **Selected Task Detail** screen in **Map View** lets you see more details for the selected task.

Zoom In



To zoom in on the map, spread two fingers apart on your device's screen where you want to zoom. Double-tapping quickly in one location on the map will also zoom in.

Zoom Out



To zoom out, pinch two fingers together anywhere on the map on your device's screen.

Pan North/South/East/West



To pan around the map, place two fingers anywhere on the map on your device's screen and slide up, down, left or right.


Selected Task Details Screen

The **Selected Task Details screen** lets you see more details about a task selected in the **Task List screen**.

Note: You can have more than one task set to In Progress. In this document when you see a reference to “selected task”, this refers to the task you selected last to view in the **Task list** on the **Task List screen**.

From this screen, you can:

- Start a task.
- Complete a task.
- View a map showing your current location and the location of the task.
- See basic travel distance and time to get to the task.
- Launch your mobile device's default GPS mapping app to see the route from your current location to the location of the task with more advanced information such as live traffic information.
- Go to any of the available tab screens to record or view other data for the selected task.



Selected Task Details screen in detail

The **Selected Task Details** screen is where you can view more detailed information about the selected task. Here you can start a task, complete a task, view a built-in map or launch an external GPS mapping app, go to all available tab screens to record or view other data for the selected task.

Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Task List screen .	Displays the Task List screen .	Always	None	1
Toggle Map View Display button	Low to medium resolution mobile device: - Lets you show or hide the Map panel. - This button, positioned in the Control Bar, spans the entire width of the screen except where other buttons are placed. - The start date of the selected task is displayed inside this button. High resolution mobile device: - Lets you expand or contract the width of the Map panel, making it completely hidden when contracted. - This button, positioned in the Control Bar, spans the entire width of the screen except where other buttons are placed. - The start date of the selected task is displayed inside this button. Also, the distance to the task location and estimated travel time are shown.	On a low or medium resolution mobile device, pressing this button will slide all screen items below the Control Bar downwards to reveal the Map panel. Clicking the Toggle Map View Display button again will slide the screen items back up, hiding the Map panel. On a high-resolution mobile device pressing this button will slide all screen items below the Control Bar and to the left of the Map panel so that the Map panel may take up more of the screen left-to-right. Clicking the Toggle Map View Display button again will slide the screen items back to the right, shrinking the Map panel.	Always	None	2

Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
GPS App Launch button	Lets you use your device's default GPS mapping app for advanced mapping capabilities, including live traffic information.	Launches your mobile device's default GPS mapping app to show the route from your current location and the location for the selected task.	On a low or medium resolution mobile device this button is only displayed when the Current Task Map panel is also displayed. On a high-resolution mobile device this button is always displayed.	None	3
Task Detail panel	Lets you see detailed information about the current task. This panel has several text display fields, which are explained in Selected Task Detail Panel explained below. Also, on low or medium resolution mobile devices, this functions as a button to let you show or hide the Map panel . On a high-resolution mobile device, this panel does not function as a button.	On a low or medium resolution mobile device, pressing this button will slide all screen items below the Control Bar downwards to reveal the Map panel . Clicking the Toggle Map View Display button again will slide the screen items back up, hiding the Map panel .	Always	None	4
Start button	Lets you mark the current task as started if you haven't started it yet.	Sets the Status of the current task as In Progress and changes the button to an inactive state (as shown by the change of display style.	Always displayed but may be displayed differently depending on the status of the current task as shown in the Start button availability styles and statuses below.	None	5
Complete button	Lets you mark the current task as completed.	Sets the Status of the current task as Completed and changes the display style of the Complete button to Completed .	Always displayed but may be displayed differently depending on the status of the current task and the recording to data in any tabs marked in the configuration as Mandatory as shown in the Complete button availability styles and statuses below.	None	6

Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
			 Note: If there are no tabs marked as required then, when the Status of the current task is set to In Progress , the Complete button will be set to Started And Able To Complete .		
Tab list	Shows you all tabs that have been made active in the configuration.  Note: In addition to the tabs displayed for the asset that the selected task is for, Field Service Mobile can show child assets of that asset. Each of these child assets will have one or more of its own tabs. See Child Asset Tabs explained below for more detail.	None	The task list is hidden until all of the data for the selected task has been downloaded from the cloud.	None	7
Tab List entry	To show you the name, current status and required status of a particular tab. This also functions as a button that displays the Tab screen for that particular tab when you press it. There are several display styles for Current Task Tab List entry. These are detailed below in Selected Task Tab	Displays the appropriate screen for the particular tab. Opened screen may depend on whether you have been into that tab previously for this task and saved data. For example, if you press on the Quote Tab List entry and has not saved any quote data previously for the current task then the Add/Edit/Delete/View Quote screen will be displayed.	One or more tabs are set to active in the configuration.	None	8

Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
	list display styles explained.	Conversely if you have previously saved quote data for the current task and pressed on the Quote Tab List entry then the Quote List screen will be displayed.			
Map panel	Lets you see your current location and the task location on a map. Pressing on the Task Location button will display the Task List screen in Map View so that you may see more details about their assigned tasks.	If you press on one of the Task Location buttons, then the Selected Task Details screen will be displayed in Map View. See Selected Task Detail Screen Map Panel explained below for more detail. Displays the alert below if you attempt to pan the map with only one finger.	For low and medium resolution mobile devices the map is only visible when you press on the Toggle Map View Display button or on the Task Detail panel .	"Use two fingers to move the map".	9

Start button availability styles and statuses


Display Style	Status	Effect
Not started	Not started	If you press this button, it changes the Status of the current task to In Progress . Also, the Start text on the button is replaced with the time at which the Status of the current tab was set to In Progress .
In Progress	In Progress	When the status of the current task is In Progress then this button becomes inactive while displayed.
Completed	Completed	When the status of the current task is Completed then this button becomes inactive when displayed.

Complete button availability styles and statuses


Display Style	Status	Mandatory Tab Completion	Effect
Not Complete	Not Started	—	When the status of the current task is Not Started then this button, while displayed, becomes inactive.
Started But Not Yet Able To Complete	In Progress	Incomplete	When the status of the current task is In Progress but you haven't saved data for one or more required tabs, then this button, while displayed, becomes inactive.
Started And Able To Complete	In Progress	Complete or there are no required tabs	
Completed	Completed	—	When the status of the current task is Completed then this button, while displayed, becomes inactive. Also,

Display Style	Status	Mandatory Tab Completion	Effect
			the Complete text on the button is replaced with the time at which the Status of the current task was set to Complete .

The following is a screenshot of the Selected Task Details screen in a low or medium resolution mobile device:




The following is a screenshot of the Selected Task Details screen in a high resolution mobile device:



Selected Task Detail Panel explained

Section	Description	Highlighted in Screenshot
Selected Task Customer Name display text field	This field displays the name of the customer for the selected task.	1
Selected Task Projected Start and End Time display text field	This field displays the projected start time and projected end time. This time is displayed in your time zone (rather than the scheduler, should they be in different time zones). The format of this field is a concatenation of the following database fields and display items: [START TIME]+{am pm blank}+” – “+[END TIME]+{am pm} Note: For the first am/pm label, if the second am/pm label matches the first, then the first am/pm label is set to blank.	2
Selected Task Asset Details display text field	This field displays the name of the asset for the selected task.	3
Selected Task Purpose display text field	This field displays information that is designed to inform you of this field's purpose.	4
Selected Task Details display text field	This field displays several details about the task including, but not limited to, the task number and the case number.	5
Selected Task Address display text field	This field displays the address of the asset for the selected task.	6

The following is a screenshot of the Selected Task Details panel:



Selected Task Tab list display styles explained

The items in the Selected Task Tab list have several visual styles that inform you of the tab's status. These are explained below.


Tab Status	Description	Explanation
Standard	Light text	The name of the tab being shown in light gray text shows that the tab contents are viewable, editable and, if all requirements within that tab have been met, able to be saved to the cloud.
Not Editable	Dark text	The name of the tab being shown in dark gray text shows that the tab contents are viewable but not editable or able to be saved to the cloud. Note: Field Service Mobile can be configured so that a tab is not editable until: - The Status of the selected task is marked as In Progress. - The Status of the selected task is marked as In Progress and the data within one or more other tabs has been saved to the cloud. - The Status of the selected task is marked as Complete.
Current	Light green bar at left plus white text	A light green bar at the far left-hand side of the list shows that this tab is the last one that you have selected by pressing on its entry in the tab list. If the tab is not set as not editable then the name of the tab will be displayed in white text.
Current and Not Editable	Light green bar at left plus dark text	A light green bar at the far left-hand side of the list shows that this tab is the last one that you have selected by pressing on its entry in the tab list. If the tab is not set as not editable then the name of the tab will be displayed in dark text.
Mandatory Completion	Dark green bar at left	A dark green bar at the far left-hand side of the list entry shows that this tab must be appropriately filled out and its content saved before the Status of the selected task may be set to Complete .

Tab Status	Description	Explanation
		 Note: If a tab is set to the Mandatory Completion setting but the task has not yet been marked as started then the display style will be set to Not Editable until the Status of the selected task is set to In Progress.


Child Asset Tabs explained

Besides the tabs for the selected task, **Field Service Mobile** can also show child assets in the **Tab list**.

An asset can have one or more child assets shown for a particular task. Each of these child assets in the tab list will have its own tabs.




To see the **Tab list** entries for a child asset, press on the **Tab List entry** and its tabs will show up. These child asset tabs are indented to the right of the standard tab entries.



Selected Task Detail Screen Map Panel explained

The map panel below shows you a symbol signifying your location as well as the location of the selected task.

Similar to many GPS mapping apps, you can zoom in, zoom out and pan around the map so that you can see the location and level of detail required.



Technician Symbol



The location of the technician is signified by an instance of the **Technician Symbol**.

If the technician's information in **Field Service** includes a photo of them this will be shown as part of the symbol.

Task Location Symbol



The task location is signified by an instance of the **Task Location** icon.

Pressing on any one of these icons opens the **Selected Task Detail** screen in **Map View** lets you see more details for the selected task.

Fastest Route indicator



Running between the **Technician symbol** and the **Task Location symbol** is shown as the fastest route between the two points. The distance and estimated travel time are shown in the **Control Bar** at the top of the screen.

Note: The estimated travel time is based on data excluding live traffic information. If you want a traffic-based estimate, you should load the route into your device's default GPS mapping app like Google Maps, using the **GPS App Launch** button.

Splay Zoom In gesture



To zoom in on the map, spread two fingers apart on your device's screen on the location you want to zoom into.

Double Press Zoom In gesture



Double-tap quickly in one location on the map to zoom in.

Zoom Out gesture



To zoom out, pinch two fingers together on your device's screen anywhere on the map.

Pan North/South/East/West gestures



To pan around the map, place two fingers on your device's screen anywhere on the map and slide up, down, left or right.

Summary of Mobile Tabs

Mobile tabs can:

- be shown or hidden in mobile
- be required or optional
- be ordered to follow how field personnel might submit the records or transactions
- be renamed
- be enabled or disabled based on other tabs

Below are the standard mobile tabs in FSM:


Tab Label	Config Section	Bundle	Purpose	NetSuite Record, Transaction, or Saved Search	Configurable Features
Add New Task	addable	Product	Lets you create a case and a task from the mobile. You may create a new project or a case may be filed under an existing project.	Project, Case, Task	—
Asset Details or Site Details	asset	Product	Lets you see information about the asset that the selected task is for. Mapped to the Task > Field Service Asset Field	Field Service Asset Records	—
Add Child Asset	addchildasset	NXC	Creates new child assets underneath the primary asset selected on the case or task.	Field Service Asset Records	—
Commissioned Assets	commissioned assets	NXC	NXC base history of commissioned assets for demonstration and building upon. Commissioned assets (commissioningrecord) display here when set to completed. This tab is only presented on multi-asset commissioning jobs.	Saved Search	—
Commissioning Record	commissioning record	NXC	NXC base Installation or Commissioning Checklist for demonstration and building upon	Commissioning Record	—
Contact	contact	Product	Lets you: ■ View a list of contacts for the task. ■ Select one of those contacts to see more details. ■ Launch your mobile device's default phone dialer app to automatically dial a mobile or landline phone number. ■ Launch your mobile device's default email app to automatically add the customer's email details to a new email message.	Contact	Can be mapped to the Contact field on the Asset Record.
Expenses	expenses	Product	Lets you record expenses for the selected task.	Expense Report	—
Files	files	Product	Lets you attach files from their mobile device to the selected task.	Files	Can be configured to be on the Case or Task level.
History	history	Product	Lets you view completed tasks that have been carried out on the current Field Service Task Asset.	Saved Search	—
Inventory	consumable	Product	Lets you record inventory used in the completion of the selected task. Consumed inventory is added to a custom Consumables record. These inventory items are then added to a Sales Order when the task is completed. The Sales Order that is created is stored on the Field Service Transaction field on the Case.	Field Service Consumable Record	—
Job Status	newdetails	NXC	Lets you add final notes about a task, and record if completion of the task should trigger that case being closed. If not, capture the details why the case will remain open.	Task	—
Job Completion and	■ signatures ■ casesignatures	NXC	Capturing of customer and technician name and signature.	Case or Task	Can be configured to

Tab Label	Config Section	Bundle	Purpose	NetSuite Record, Transaction, or Saved Search	Configurable Features
Signatures					be on the Case or Task level.
JSA	jsa	NXC	Lets you submit the Job Safety Assessment checklist	JSA	—
Maintenance Record	maintenance record	NXC	NXC base Maintenance Checklist for demonstration and building upon	Maintenance Record	—
Notes	notes	Product	Lets you record text notes relating to the selected task.	Task	Can be configured to be on the Case or Task level.
Quote	quote	Product	Lets you create a quote and send an email to the person requesting the quote.	Quote	—
Receive	receive	Product	Lets you receive an item into their local (van) warehouse.	Item Receipt	—
Repaired Assets	repairedassets	NXC	NXC base history of repaired assets for demonstration and building upon. Repaired assets (repair record) display here when set to Completed. This tab is only presented on multi-asset repair jobs.	Saved Search	—
Repair Record	repairrecord	NXC	NXC base Repair Checklist for demonstration and building upon	Repair Record	—
Return	return	Product	Lets you create and save a list of warehouse items that are currently in their local (van) warehouse and send them back to the technician's default warehouse.	Transfer Order	—
Sales Order	salesorder	Product	Lets you record a list of items and quantities to create a sales order. The sales order is created real time with the result presented back to the mobile user. Note that this is different to the Inventory tab.	Sales Order	—
Serviced Assets	servicedassets	NXC	NXC base history of maintenance or serviced assets for demonstration and building upon. Serviced assets (maintenance record) display here when set to Completed. This tab is only presented on multi-asset maintenance or service jobs.	Saved Search	—
Service History	servicehistory	NXC	Lets you see previous commissioning records, maintenance records and repair records against the machine asset. This is required for customers utilization multi-asset job functionality.	Saved Search	—
			 Note: This is different and separate to the History tab which comes with the Product, but is limited to reporting on the history of the asset on the task. For multi-asset servicing this will be the site asset, meaning the child or machine asset will not have a history.		
Sign Off	details	Product	Lets you capture customer and technician name and signature	Project Task or CRM Task	—
Task	actions	Product	Lets you create a new task.	Task	—
Task Blocker	genericcompletionblocker	NXC	Prevents you from completing the Project Task on the Mobile	Project Task	—
Team Blocker	smartcompletionblocker	NXC	Prevents a team member from completing a Task on the mobile	Task	—
Time	times	Product	Lets you record a list of actions (items) and time spent on that action for the selected task.	Time	—
Order	order	Product	Lets you order parts from another warehouse to be transferred into their local (van) warehouse location.	Transfer Order	—

Asset Tab

The **Asset tab** lets you see more information about the asset for the selected task.


This tab has one screen known as the **Asset screen**.



Asset screen in detail

This screen lets you view the model name and a photo of the asset for the task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Selected Task Details screen.	Shows the Selected Task Details screen.	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen.	Shows the Selected Task Details screen.	Always	None	2
Asset image	Lets you see an image of the asset for the selected task.	None	None	None	3
Asset Model text display field	Lets you see the model name of the asset for the selected task.	None	Always	None	4



Consumables Tab

The consumables tab lets a technician record inventory used from their van or location in a custom Field Service Consumable record in NetSuite. After the task is finished on mobile, that info is used to create a sales order in NetSuite.

The user selects an item, sets a quantity, saves the record, and repeats for the next item.

The mobile user never sees the sales order that's created; they only record inventory usage.

When the task is done, a scheduled script creates or updates the sales order with the parts used and sets it on the case in the Field Service Case Transaction field.

The consumables and sales order tab both let you add parts or items to a sales order, but they work differently and each has its own advantages. To help you decide the right option for your needs, see [Deciding Between the Consumables and Sales Order Tab](#).

To learn more about the consumables tab, see the following:

- [Default Configuration](#)
- [Limitations and Key Considerations](#)
- [Supported Item Types](#)
- [Configurability](#)

Default Configuration

You can view the default configuration of the consumables tab using the Configuration Preview feature. Its structure is shown below:

```

1  "consumables": {
2      "label": "Inventory",
3      "icon": "wrench",
4      "element": {
5          ...
6      },
7      "article": {
8          ...
9      },
10     "enable": []
11 },

```

The following defaults are set on a consumable record when it's created: task, asset, and employee.

```

1  "defaults": {
2      "custrecord_nx_constask": "${ event.internalid }",
3      "asset": "${ options.asset || event.asset }",
4      "custrecord_nx_consemployee": "${ user.internalid }"
5  }

```

Limitations and Key Considerations

Here are a some things to keep in mind, including some limitations, when using the consumables tab.

- The consumables tab works with child assets and can show up under each one. On the sales order, each line links to the related child asset. This helps with profitability and financial reporting by child asset.
- The sales order creation process doesn't support customers with the Inventory Status feature enabled. For these accounts, turn off auto-fulfillment on the sales order and fulfill manually. Inventory Status is supported through the Sales Order tab and is a better option if you need auto-fulfillment.

Supported Item Types

The table below lists the NetSuite item types and their support levels when used with the consumable tab.

Item Type	Item Subtype	Support Level	Limitations
Description	–	Unsupported	
Discount	–	Unsupported	
Inventory Item	–	Supported	
Inventory Item - Lot Numbered	–	Supported	
Inventory Item - Serialized	–	Supported	
Item Group	–	Partially Supported	Item groups load on mobile even if some components aren't in stock at the location. This can cause unfulfilled sales orders, especially if there are data entry mistakes or inventory isn't reconciled. Practically, users shouldn't consume stock they don't have, but errors can happen.
Kit/Package	–	Unsupported	

Item Type	Item Subtype	Support Level	Limitations
Markup	–	Unsupported	
Non-Inventory Item	For Purchase	Unsupported	
	For Sale	Supported	
	For Resale	Supported	
Other Charge	For Purchase	Unsupported	
	For Sale	Supported	
	For Resale	Supported	
Payment	–	Unsupported	
Service	For Purchase	Unsupported	
	For Sale	Supported	
	For Resale	Supported	
Subtotal	–	Unsupported	

You can add more searches within the consumable element in the inventory section to include non-inventory, service, and other charge items.

Configurability

Here are some things to keep in mind when configuring the consumables tab.

- As a custom record, the Field Service Consumables can have additional fields added, but the record and bundled fields are locked to ensure the product will function as designed.
- You can add more fields to the consumables record, but you can't connect them to the sales order creation process through configuration; scripts or workflows may be able to do this.
- The consumables tab is supported by the billing feature of FSM, meaning that the billing rules for the consumables tab can be configured through the billing feature. This includes applying price levels and more complex business requirements, or making the charges billable, or billable at \$0 (no revenue or financial impact to the end customer).
- You can't set specific pricing or let users set pricing for an item in the mobile. You can only choose between billable and non-billable or set price levels, however the price levels will in turn apply different rates, and if a customer has customer specific pricing set, that pricing will be applied when the sales order is created.
- You can set up the consumables so users can choose if an item is billable or non-billable through configuration.
- You can turn off sales order creation or auto-fulfillment from consumables through configuration.

You can set the bill and fulfill properties to true or false. The "bill" element controls whether a sales order is created, and "fulfill" controls whether it gets fulfilled.

```

1  "consumable": {
2    "bill": true,
3    "fulfill": true
4  },

```

Deciding Between the Consumables and Sales Order Tab

The consumables tab and sales order tab both let you add parts or items from the field to a sales order, but they do it in different ways. They each have their own pros and cons, so think about your use case before choosing one.

You can use both in an account. Usually, it's best to have both tabs on the same task for the same user to add items. But you might also have a team lead create a sales order and let team members use the consumables tab to add items to that sales order. If you do this, timing is important.

Consumables work better for multi-asset jobs because you can place the tab under each child asset, so users can easily record items for specific assets.

Key Considerations Between the Consumables and Sales Order Tab

The following table summarizes some of the things to consider when choosing between the consumables and sales order tabs.

	Consumables	Sale Order
UI Experience	One item is added and saved at a time.	Many items are added and then the whole order is saved.
Multi-Asset Task	You can set up consumables under each child asset so users can easily record items for each asset as they use parts.	The sales order tab can only appear one time on mobile, so users would have to use a dropdown to select the asset for each line if they need to assign lines to different assets. They'd have to save the order each time they add parts, or wait until the end and go back to the sales order to record parts for different assets. Overall, this is less intuitive than using consumables for multi-asset jobs.
Timing of Sales Order Creation	Consumables are saved to the Consumables custom record in NetSuite. When the task is done, they're added to a sales order, which is set on the case in the Field Service Case Transaction field.	A sales order is created and fulfilled in real time in NetSuite if there's an internet connection. The resulting sales order is shown right away in the mobile.
Billing Rules	Consumables are managed through the billing rules, that is, the "billing" section in configuration.	The sales order isn't linked to the billing rules section in config. Any rules need to be set up directly in the sales order tab in the mobile config.
Custom Billing Rules from the Mobile (User Override)	This can be done with the consumable model and billing rules.	This can be done directly in the sales order tab and with price levels.
Prefilled Sales Order Template	Not applicable	You can set up an item template to pre-fill a new sales order when it's first created on mobile.
Generate Invoice Button on Case	This will work since the consumables created the sales order on the case.	This will work if the sales order is set on the Case > Field Service Case Transaction field.
Real Time Sales Order	Users can't see a completed sales order on mobile unless there's a separate sales order tab and they refresh the app after finishing the task, which is complex.	A sales order is created and appears immediately on mobile assuming there's an internet connection.

	Consumables	Sale Order
Project Tasks	Can't be used with project tasks.	Supports project tasks.

Contact Tab

The **Contact tab** lets you:

- View a list of all contacts for the task
- Select one of those contacts to see more details
- Launch your mobile device's default phone dialer app to automatically dial a mobile or landline phone number
- Launch your mobile device's default email app to automatically add the customer's email details to a new email message




Contact List screen in detail

The **Contact List** screen displays basic contact information for all contacts on the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go back from the Contact List screen to the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Contact list	Displays contact information for the selected task and lets	When you press any row in the	Always	None	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	you go to the Contact Details screen to see all available information for a particular contact.	Contacts list the Contact Details screen is displayed.			




Contact Details screen in detail

The **Contact Details screen** shows you more details, like mobile number. You can press on a phone number to launch your mobile device's phone dialer app and to automatically dial a number. You can also press on the email address to launch your mobile device's default email app and create a new email with the contact's email address automatically filled in.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go back to the Contact List screen .	Shows the Contact List screen .	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	the entire width of the screen except where other buttons are placed. The name of the selected contact is displayed inside this button.				
Email text display field	Displays the email address of the selected contact person. This also functions as a button to let you launch your mobile device's default email app and send an email to the selected contact person.	When you press anywhere on the displayed email address, your mobile device's default email app is launched and a new email is loaded with the email address of the selected contact person in the To field.	Always	None	3
Phone text display field	Displays the phone number of the selected contact person. This functions as a button to let you launch your mobile device's default phone app to automatically call the selected contact person.	When you press anywhere on the displayed phone number the Field Service Mobile app will ask the mobile device to dial the displayed number. Depending on the specific device used, it will ask whether you want to dial the number first. If you agree to making the call, then the number will be dialed.	Always	None	4
Mobile text display field	Displays the mobile number of the selected contact person. This also functions as a button to let you launch your mobile device's default phone app and automatically dial the selected contact person.	When you press anywhere on the displayed mobile number the Field Service Mobile app will ask your mobile device to dial the displayed number. Depending on the specific device used, it will ask whether you want to dial the number first. If you agree to making the call, then the number will be dialed.	Always	None	5



Details Tab

The **Details tab** lets you make final notes about a task, add your signature, capture the client's name, email and signature to record completion of the task.

This tab has one screen known as the **Details screen**.

Even after you save data to the cloud, you can still edit and the updated data may be saved over existing data.

DETAILS

Actions Taken

Actions taken...

Case Closed ☐

Technician Signature

The Customer agrees that NextService has fulfilled its obligations under the applicable Agreement for Services, along with any Change Notes agreed upon, and that no further work is required beyond what has been done.

Name

Email

Customer Signature

Details screen in detail

This screen lets you record final information for the selected task. By default, the **Details tab** is set to mandatory completion and you cannot save information in the Details screen until there is data in the **Technician Signature drawing box**. This means that you should sign on this screen and save the data before the **Status** of the task can be set to **Complete**.

Optionally, you can also record actions taken, close the entire case of tasks if necessary, and add the customer representative's name, email address and signature.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Discard Changes button	Lets you clear any changes made in the Details screen .	Shows the alert below. If you press OK on the alert, then Field Service	As soon as changes are made to any of the data entry items in the screen.	Shows the alert "Are you sure you want to discard your changes?"	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		Mobile reverts the contents of all data entry fields to the previous values. If no details data has been saved previously for the selected task, then all data entry items are set to default values. If details data has been saved previously for the selected task, then all values revert to their previous values when the details data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.			
Save button	Lets you save the entered values for each data entry item.	Save the values into a new details record, showing the Saving To Cloud indicator while this happens. When the data has been saved, either locally or in the cloud the Saving To Cloud indicator is hidden.	When the Actions Taken text box and the Technician Signature drawing box both contain data.	None	4
Actions Taken text box	Lets you record text comments regarding the task.	None	Always	None	5
Case Closed checkbox	Lets you mark the entire case as closed. If you check this box when the data is saved and the selected task is completed, then other tasks in the case are set to Closed.	None	Always	None	6
Clear Technician	Lets you clear the contents of	Clears the contents of the Technician	When the Technician	None	7

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Signature button	the Technician Signature drawing box .	Signature drawing box .	Signature drawing box has data in it.		
Technician Signature drawing box	Lets you sign on your mobile device and show completion of the task.	None	Always	None	8
Name text field	Lets you enter the customer's name.	None	Always	None	9
Email text field	Lets you enter the customer's email address.	None	Always	None	10
Clear Customer Signature button	Lets you clear the contents of the Customer Signature drawing box.	Clears the contents of the Customer Signature drawing box.	When the Customer Signature drawing box has data in it.	None	11
Customer Signature drawing box	Lets you sign on your mobile device's screen and accept that the task has been completed.	None	Always	None	12


The screenshot shows a mobile application interface for a 'Details' tab. It features a top navigation bar with a back arrow (1), a 'DETAILS' title (2), and a close icon (3). Below the bar is a section titled 'Actions Taken' with a large text area (4) and a 'Case Closed' checkbox (5). A 'Technician Signature' field (6) is followed by a red-bordered signature box (7) and a text area for customer agreement (8). Below this are 'Name' (9) and 'Email' (10) input fields. A 'Customer Signature' field (11) is followed by a large purple-bordered signature box (12). The interface is annotated with 12 numbered callouts: 1 (back arrow), 2 (DETAILS title), 3 (close icon), 4 (Actions Taken text area), 5 (Case Closed checkbox), 6 (Technician Signature label), 7 (Technician Signature box), 8 (Customer agreement text), 9 (Name input), 10 (Email input), 11 (Customer Signature label), and 12 (Customer Signature box).

Expenses Tab

The **Expenses tab** lets you record expenses for the selected task.

This tab has two screens: **Expense Item List screen**, and the **Add/Edit/Delete/View Expense Item screen**.

After you save data to the cloud, you can still edit and the updated data may be saved over existing data.




Expense Item List screen in detail

This screen lets you view all the expense items added for the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Delete All Expenses button	Lets you delete all expense items entered for the selected task.	Displays alert below. If you press OK on the alert, then Field Service Mobile deletes all of the expense items saved for this task. If you press Cancel on alert, then the alert is hidden, and no changes are made.	As soon as one or more expense items have been saved to the cloud.	Shows alert reading "Are you sure you want to Delete? OK. Cancel".	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Saving To Cloud indicator	Informs you that expense item details are being saved to the cloud.	None	After you press the Save button and the data has been saved to the cloud.	None	3
Exit Without Saving button	Lets you delete one or more expenses added to the Expense Items list but not yet saved for this task.	Shows the alert below. If you press OK on the alert, then Field Service Mobile deletes any expense items entered but not yet saved for this task. If you press Cancel on alert, then the alert is hidden, and no changes are made.	When one or more Expense Item entry instances in the Expense Item list have not been saved to the cloud.	Shows the alert "Are you sure you want to discard your changes?"	4
Save button	Lets you save one or more expense items added to the Expense Item list but not yet saved.	Saves the unsaved data from the Expense Item list to the cloud.	When one or more Expense Item entry instances in the Expense Item list have not been saved to the cloud.	None	5
Add New Expense button	Lets you go to the Add/Edit/Delete/View Expense Item screen .	Displays the Add/Edit/Delete/View Expense Item screen with all data entry fields filled with default values.	Always	None	6
Expense Items list	Displays all expense items for the selected task, both saved and unsaved.	If you press any entry in the list on the Add/View/Delete Expense screen .	Always	None	7
Expense Items List entry	Displays details for a particular Expense Item like category, description, date and amount. This also functions as a button that displays the Add/Edit/Delete Expense Item screen when you press it.	Displays the Add/Edit/Delete Expense Item screen with all data entry fields filled with the values from the current expense item.	When there's one or more expense items added for the selected task.	None	8
Total Of Expenses text display field	Displays the sum of all saved expense items.	None	Always	None	9
Status display field	Displays the status of the expenses in	None	Always	None	10

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	the Field Service system.				



Add/Edit/Delete/View Expense Item screen in detail

This screen lets you add, edit, delete or view expense items.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Expense Items List screen .	Displays the Expense Items List screen .	Always	None	1
View Previous Expense Item button	Lets you view the previous expense item.	Populates the Category dropdown list , Amount text field and Description text box with the values from the previous expense item.	When you enter two or more expense items and Field Service Mobile is not displaying the first expense.	None	2
View Next Expense Item button	Lets you view the next expense item.	Populates the Category dropdown list , Amount text field and Description	When you enter two or more expense items and Field Service Mobile is	None	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		text box with the values from the next expense item.	not displaying the last expense.		
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	4
Add New Expense Item button	Lets you add a new expense item for the selected task.	Displays the Add/Edit/Delete Expense Item screen and populates the Category dropdown list , Amount text field and Description text box with the default values.	Always	None	5
Delete Current Expense Item button	Lets you delete the currently displayed expense item for the selected task.	Deletes the current expense and shows the Expense Item List screen .	Always	None	6
Category dropdown list	Lets you select a category in the current expense item for the selected task.	None	Always	None	7
Amount text field	Lets you enter a cost amount	None	Always	None	8

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	in the current expense for the selected task.			 Note: This field only lets you type numerals, decimal points or the letter "e". To be considered valid, you should not enter a value with more than one decimal point preceding another character or the letter "e".	
Description text box	Lets you to enter a description in the current expense item for the selected task.	None	Always	None	9
Receipt Upload button	Lets you select an existing image of the receipt from your mobile device.	Shows you the operating system's default image selection tool.	When the Receipt Image field contains no data.	None	10
Receipt image field	Lets you view the uploaded image for the current expense item .	Shows you the operating system's default image selection tool.	When you have successfully used the Receipt Upload button to select an image for the current expense item and you haven't pressed the Clear Receipt Image Field button while viewing the current expense item .	None	11
Clear Receipt image field button	Lets you delete the image for	Clears the contents of the Receipt Image field for the	When the Receipt Image field contains data.	None	12

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	the current expense item .	current expense item .			

Files Tab

The **Files tab** lets you attach files from your mobile device to the selected task.

This tab has three screens: **Add File Item screen**, the **Edit/Delete File Item screen** and the **File Item List screen**.




Add File Item screen in detail

This screen lets you add and attach file items to the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the File Item List screen .	If there's one or more saved files for this task, then the File Item List screen is displayed.	When there's one or more saved file items for the selected task.	None	1

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		If there are no saved notes for this task, then this button has no effect.			
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Saving To Cloud indicator	Informs you that the file item is being saved to the cloud.	None	After you press the Save button until data has been saved to the cloud.	None	3
Discard Changes button	Lets you clear any changes made in the Add/Edit File screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the default values. If you press Cancel on alert, then the alert is hidden, and no changes are made.	As soon as changes are made to any of the data entry items in the screen.	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	4
Save button	Lets you save any changes made in the Add File Item screen .	Saves all data entered in the Add File Item screen then displays the Edit/View File Item screen with all the fields and data for the newly added file item.	When both the File autoload text field and the Description text box contain valid values.	None	5
Upload Autoload text field	Lets you select a file to upload and attach to the selected task. This also functions as a button when you press anywhere in the field, Field Service Mobile opens your device's default file selection tool. When you select a field, the field displays the	Displays your mobile device's default file selection tool so you may select one file to upload to the cloud.	Always	None	6

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	filename of the selected file.				
Clear Upload Autoload text field button	Lets you clear contents of the Upload autoload text field .	Clears contents of the Upload autoload text field .	When the Upload autoload text field contains data.	None	7
File Description text box	Lets you enter a description for the current file.	None	Always	None	8




Edit/Delete File Item screen in detail

This screen lets you edit or delete files attached to the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the File Item List screen.	If there's one or more saved files for this task, then Field Service Mobile shows File Item List screen. If there are no saved notes for this task, then this button has no effect.	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Delete File Item button	Lets you delete a file item. This includes the attached file itself and associated data like description, that has been saved to the cloud.	Deletes the current file and associated data from the cloud. If the file you deleted is the only file saved for the selected task, then the Add File Item screen is displayed. Otherwise, the File Item List screen is displayed.	When viewing a file record that has been saved.	None	3
Saving To Cloud indicator	Lets you know the file item is being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Edit/Delete File Item screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the default values. If no data has been saved to the cloud for the current file item, then all data entry items are set to default values. If data has been saved previously for the current file item, then all values revert to their previous	As soon as changes are made to the File Description text box .	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		values when the file item was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.			
Save button	Lets you save any changes made in the Edit/Delete File Item screen.	Saves all the data entered in the Edit/Delete File Item screen for the selected task.	As soon as changes are made to the File Description text box .	None	6
Download button	Lets you download and view a file that has been previously saved to the cloud.	The file will be launched into a new browser tab. Depending on the operating system of your mobile device, the file, and the file type, this file will either display in the new tab or be saved in your device so that another app may be able to display the file.	Always	None	7
File Size text display field	Shows you the file size, in kilobytes, of the stored file.	None	Always	None	8
File Description text box	Shows you the previously saved description for the current file record. However, if you edit the contents of this text box, you can save the new contents to the cloud by pressing the Save button .	None	Always	None	9




File Item List screen in detail

This screen lets you view all of the file items added for the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Add New File Item button	Lets you go to the Add File Item screen to add a new file item.	Shows the Add File Item screen with all data entry fields filled with default values.	Always	None	2
File Item list	Shows you all the saved files for the selected task.	None	Always	None	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
File Item list entry	Lets you show the file name, description and file size of each file in the File Item list. This also functions as a button that displays the Edit/Delete File Item screen when you press it.	Shows the Edit/Delete File Item screen with the data entry fields filled with the saved values for the current note.	Always	None	4



History Tab

The **History tab** lets you view completed tasks that have been carried out on the current asset.

This tab has four screens: **History Task List screen**, **History Task Details screen**, **History Inventory Display screen** and **History File Display screen**.




History Task List screen in detail

This screen lets you view all historical tasks that have been performed on the selected task’s asset.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Search text field	Lets you type a search query in the History Task list to only display a subset of the historical tasks for the current asset.	When you enter the search query and then press Enter on your mobile device Field Service Mobile will download from the cloud a subset of the historical tasks for the current asset and show the	When you've pressed the Search button without pressing the Hide Search Text Field button .	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		results in History Task list .			
Search button	Lets you display the search text field.	Displays the Search text field .	When the Search text field is not visible.	None	3
Hide Search text field button	Hides the Search Text Field button and displays the total number of historical tasks for the current asset.	Hides the Search text field then Field Service Mobile will download from the cloud the total number of historical tasks for the current asset and show the results in the History Task list .	When the Search text field is visible.	None	4
History Data Download indicator	Informs you that Field Service Mobile is downloading data from the cloud for the history.	None	From when you first see the History Task List screen until the history data finishes downloading from the cloud. Or, when you enter a search query into the Search text field and press Enter on your mobile device the History Data Download indicator shows until the search results finish downloading.	None	5
History Task list	Shows you all the historical tasks for the current asset.	None	Always	None	6
History Task list item	Shows you the Details and Date of a historical task in the History Task list . This also functions as a button that displays the History Task Details screen when you press it.	Shows the History Task Details screen with the fields filled with values for the current historical task.	Always	None	7



History Task Details screen in detail

This screen lets you view details for the selected historical task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the History Task List screen .	Shows the History Task List screen .	Always	None	1
Toggle Selected Task Screen Visibility button	Lets you access functions on the Selected Task Details screen . Lets you access functions on the Selected Task Details screen . The task number of the selected task is displayed inside this button.	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Date text display field	Shows you the start date for the selected historical task.	None	Always	None	3
Assigned text display field	Shows you the primary assigned technician field for the selected historical task.	None	Always	None	4
Phone text display field	Shows you the phone number field for the selected historical task. This also functions as a button when you press it, the phone number will be sent to your mobile device's default phone dialing app.	Launches your mobile device's default phone dialing app.	Always	None	5
Details text display field	Shows you a job summary for the selected historical task.	None	Always	None	6
Actions text display field	Shows you the actions for the selected historical task.	None	Always	None	7
Inventory Items list	Shows you all inventory items used for the selected historical task.	None	Always	None	8
Inventory Items list entry	Shows you the Item and Quantity fields of a particular inventory item for the selected historical task. This also functions as a button that displays the History Inventory Items screen when you press it.	Shows you the History Inventory Items screen with the values for the selected inventory item in the selected historical task.	If there's one or more inventory items saved for the selected historical task.	None	9
Files list	Displays all the saved files for the selected historical task.	None	Always	None	10

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Files List entry	Displays the name, description and file size of a saved file for the current historical task in the current asset. This also functions as a button that displays the History File Item Details screen when you press it.	Shows the History File Item Details screen with the current file item values in the historical task of the current asset.	If there's one or more files saved for the current historical task.	None	11


The screenshot shows the History Inventory Display screen for a specific historical task. The interface includes a header with a location pin icon and a task ID (146108). Below the header, there are sections for Date, Assigned, Phone, Details, Actions, Inventory, and Files. The Inventory section contains a table with columns for Item and Quantity. The Files section contains a table with columns for Name, Description, and Size. Numbered callouts (1-11) highlight specific elements: 1 points to the back arrow, 2 to the location pin, 3 to the Date field, 4 to the Assigned field, 5 to the Phone field, 6 to the Details section, 7 to the Actions section, 8 to the Inventory section, 9 to the Inventory table, 10 to the Files section, and 11 to the Files table.

Date	Nov 24 18	
Assigned	Bradley Harris	
Phone	(041) 341-3413	
Details	Visit 146108 in PM Monthly Cleaning 1530.	
Actions	gfgf	
Inventory		
Item	Quantity	
Washer 32mm Box	6	
La Marzocco Linea PB Coffee Machine	1	
Files		
Name	Description	Size
Patton Pak Photo.jpeg	Image of generator post repair	688

History Inventory Display screen in detail

This screen lets you view all of the inventory items that are saved for the selected historical task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the History Task Display screen .	Displays the History Task Display screen .	Always	None	1
View Previous Historical Inventory Item button	Lets you view the details for the previous historical inventory item.	Replaces the value of the Item display text field and the Quantity display text field with the stored values for the previous historical inventory item.	If the currently displayed historical inventory item is not the first in the list.	None	2
View Next Historical Inventory Item button	Lets you view the details for the next historical inventory item.	Replaces the value of the Item display text field and the Quantity display text field with the stored values for the next historical inventory item.	If the currently displayed historical inventory item is not the last in the list.	None	3
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans the entire width of the screen except where other buttons are placed. When the transfer order has been saved, the transfer order number shows up inside the button.	Shows the Selected Task Details screen .	Always	None	4
Item display text field	Displays the item name for the selected historical inventory item.	None	Always	None	5
Quantity display text field	Displays the quantity for the selected historical inventory item.	None	Always	None	6




History File Item Details screen in detail

This screen lets you view details of the selected file item saved for the selected historical task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the History Task Details screen .	Displays the History Task Details screen .	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans the entire width of the screen except where	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	other buttons are placed. The file name for the selected file item shows up inside this button.				
View History File button	Lets you view the historical file.	The file will be launched into a new browser tab. Depending on the operating system of the mobile device being used the file, and depending on the file type, this file will either display in the new tab or be saved into the device's permanent storage so that another app may be able to display the file.	Always	None	3
History File Size text display field	Lets you see the size of the historical file.	None	Always	None	4
History File Description text display field	Lets you see the historical file's description.	None	Always	None	5



Inventory Section

The inventory section loads whenever the mobile app is started or refreshed, and provides inventory or item data for the quote, consumables, salesorder, order, receive, and return tabs.

It loads four elements, each with a specific purpose:

- consumable
- kit
- orderable
- receivable

You can see the basic configuration shell in the code block below.

```

1  "inventory": {
2    "element": {
3      "consumable": {
4        "uri": "consumable",
5        "type": "datalist",
6        "options": {
7          .... }
8      },
9      "kit": {

```

```

10     "uri": "kit",
11     "type": "datalist",
12     "options": {
13         .... }
14     },
15     "orderable": {
16         "uri": "orderable",
17         "type": "datalist",
18         "options": {
19             .... }
20     },
21     "receivable": {
22         "uri": "receivable",
23         "type": "datalist",
24         "options": {
25             .... }
26     }
27 }
28 }

```

The Consumable Element

The consumable element loads inventory from the employee's location set to appear on mobile.

This data is used on the consumables, salesorder and return tabs.

The base product is set up to load these types of items:

- Inventory Item
- Serialized Inventory Item
- Lot Numbered Inventory Item
- Assembly Item
- Serialized Assembly Item
- Lot Numbered Assembly Item

Only items available in the employee's location and with the **Field Service Show On Mobile** box checked will be loaded. Item Groups are also loaded if the box is checked, but location availability isn't validated.

If you change your inventory or item features, the searches here will also change. Don't copy this section between accounts. Use the config preview as your starting point. You'll see different search labels below, but it's best to view the code directly in the account using the Configuration Preview feature.

```

1  "inventory": {
2    "element": {
3      "consumable": {
4        "group": {},
5        "location": {},
6        "inventorylocation": {},
7        "inventorynumber": {},
8        "inventorynumberbinonhand": {},
9        "binnumber": {},
10       "binonhand": {}
11     }
12   }
13 }

```

The Kit Element

The kit element works with the consumable element on the salesorder tab and checks if all components and quantities are in the user's location. If so, the kit will appear in the available items list on the salesorder tab.

The Orderable Element

The orderable element loads any items with the **Field Service Show On Mobile** box checked. This data is used on the quote and order tabs.

✓ **Tip:** Don't set up more than 10,000 items for the mobile quote and order tabs, since this slows down app loading and item field performance. Show only the most common parts and add a miscellaneous item for the back office to flag extra parts.

The Receivable Element

The receivable option loads any transfer orders pending receipt to the employee's location, plus the lines, items, and quantities to be received. This data is used on the receive tab.

To learn more about the inventory section, see the following:

- [Default Configuration](#)
- [Limitations and Key Considerations](#)
- [Configurability](#)

Default Configuration

Elements loaded in the inventory section can be accessed elsewhere on the mobile through user resources.

```

1  "user": {
2    "employee": {
3      ...
4      "map": {
5        ....
6      },
7      "resources": [
8        {
9          "resources": [
10           "inventory"
11         ]
12       }
13     ]
14   }
15 },

```

You can also add new components that aren't inventory or item related and they'll be available on mobile too. For more examples, see [Configurability](#).

Limitations and Key Considerations

Here are a some things to keep in mind, including some limitations, when using the inventory section.

- Data loaded in options is cached until you refresh the mobile app, so item quantities aren't updated automatically. Updates appear after they're saved in NetSuite and the mobile app is refreshed.

- You can add or change elements, but inventory and item searches are used in other parts of mobile. For example, the consumable option loads available stock to fulfill sales orders. Changing these searches can cause errors or affect other FSM functions like order fulfillment, so you shouldn't modify them unless you're sure of the impact.

Configurability

Adding Additional Searches to the Inventory Section

You can add more content to the inventory section and make it available to mobile. To do this, define additional elements in the same way as the default content.

For example, you might add elements like taskresources or services.

Note: Every item must have a unique uniform resource identifier (uri) property, a datalist type, and a set of options.

```

1      "inventory": {
2        "element": {
3          "consumable": {
4            ....
5          },
6          "orderable": {
7            },
8          "taskresources": {
9            "uri": "taskresources",
10           "type": "datalist",
11           "options": {
12             "sort": "label",
13             "employee": {
14               "record": "employee",
15               "filters": [
16                 ["isinactive", "is", "F"], "and",
17                 ["custentity_nx_region", "noneof", "@NONE@"]
18               ],
19               "map": {
20                 "id": "internalid",
21                 "label": "formulatext:nvl(trim(trim(trim({firstname}))||' '||{middlename}))||' '||{lastname}), {entityid}"
22               }
23             }
24           }
25         },
26         "services": {
27           "uri": "services",
28           "type": "datalist",
29           "options": {
30             "all": true,
31             "record": "item",
32             "filters": [
33               ["isinactive", "is", "F"], "and",
34               ["type", "anyof", "Service"]
35             ],
36             "map": {
37               "id": "internalid",
38               "label": "name"
39             }
40           }
41         },
42         "timeclass": {
43           "uri": "time_class",
44           "type": "datalist",
45           "options": {

```



```

46         "all": true,
47         "record": "classification",
48         "filters": [
49             ["isinactive", "is", "F"]
50         ],
51         "map": {
52             "id": "=internalid",
53             "label": "formulatext: {name} || ' : ' || {custrecord_lit_class_description} || ' : ' ||
{custrecord_del_as_pl_assetnumber.custrecord_del_as_pl_platenu}",
54             "items": "=custrecord_lit_other_service_options[]",
55             "defaultitem": "=custrecord_lit_main_service_item"
56         }
57     },
58 },
59 "plant_items": {
60     "uri": "plant_items",
61     "type": "datalist",
62     "options": {
63         "all": true,
64         "record": "item",
65         "filters": [
66             ["isinactive", "is", "F"], "and",
67             ["custitem_lit_cost_type", "anyof", "2"], "and",
68             ["type", "anyof", "Service"]
69         ],
70         "map": {
71             "id": "=internalid",
72             "label": "formulatext: nvl({custitem_nxc_mobile_display_name},{itemid})",
73             "maxplant": "formulatext:nvl({custitem_nxc_mobile_max},24)[integer]"
74         }
75     }
76 }
77 }
78 }

```

You can reference these extra elements by their uri, like `time_class`, to return their options elsewhere in the mobile app.

```

1     "timeclass": {
2         "type": "select",
3         "label": "Plant",
4         "search": true,
5         "class": "el-6",
6         "required": true,
7         "column": 1,
8         "options": "time_class.options"
9     },

```

Notes Tab

The **Notes tab** lets you record text notes relating to the selected task.

This tab has two screens: **Add/Edit/Delete Note screen** and **Note List screen**.




Add/Edit/Delete Note screen in detail

This screen lets you add, edit or delete notes.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Notes List screen .	If there's one or more saved notes for this task, then the Notes List screen is displayed. If there are no saved notes for this task, then this button has no effect.	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans the entire width	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	of the screen except where other buttons are placed. The creation date of the note is displayed inside the button.				
Delete Note button	Lets you delete a note that has already been saved to the cloud.	Deletes the current note from the cloud and then shows the Add/Edit/Delete Note screen with all data entry fields set to default values.	When viewing a note that has been saved.	None	3
Saving To Cloud indicator	Informs you that the note is being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Add/Edit/Delete Note screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values. If no data has been saved to the cloud for the current note, then all data entry items will be set to default values. If data has been saved previously for the current note, then all values revert to their previous values when the note data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.	As soon as changes are made to any of the data entry fields in the screen.	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5
Save button	Lets you save any changes made in the Add/Edit/Delete Note screen .	Saves all the data you enter in the Add/Edit/Delete Note screen for the selected task.	When both the Note Title text field and the Note Message text box contain valid values.	None	6

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Title text field	Lets you enter a title for the current note.	None	Always	None	7
Message text box	Lets you enter a message for the current note.	None	Always	None	8




Note List screen in detail

This screen lets you view all the notes added for the current task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Visibility button					
Add New Note button	Lets you display the Add/Edit/Delete Note screen to add a new note.	Shows the Add/Edit/Delete Note screen with all data entry fields set to default values.	Always	None	2
Note list	Displays all of the saved notes for the selected task.	None	Always	None	3
Note List entry	Displays the note's title and creation date in the Note list . This also functions as a button that displays Add/Edit/Delete Note screen when you press it.	Shows the Add/Edit/Delete Note screen with the data entry fields pre-filled with the saved values for the current note.	Always	None	4




Quote Tab

The **Quote tab** lets you create a quote and send an e-mail to the person requesting the quote.

Also, if the quote is acceptable to the client, they can sign right on the mobile device and the **Field Service Mobile** will create a sales order from the quote.

This tab has three screens: **Add/Edit/Delete/View Quote Item screen**, **Quote Details screen** and **Quote List screen**.



Quote Details screen in detail

This screen lets you collect all the data you need to create a quote for a customer.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Quote List screen .	If there's one or more saved quotes for this task, then Field Service Mobile displays the Quote List screen . If there are no saved notes for	Always	None	1

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		this task, then this button has no effect.			
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen. This button, positioned in the Control Bar, spans the entire width of the screen except where other buttons are placed. Quote number is displayed inside this button when you've saved the quote.	Shows the Selected Task Details screen .	Always	None	2
Delete Note button	Lets you delete a quote saved to the cloud and with an Open status.	Deletes the current quote from the cloud. If there's one or more quotes saved for the task after you delete, then Field Service Mobile displays the Quote list. If there are no quotes saved for the selected task after you delete, then Field Service Mobile displays the Quote Details screen with all data entry fields set to default values.	When viewing a quote that has been saved and the status for that quote is Open .	None	3
Saving To Cloud indicator	Informs you that the quote is being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Quote Details screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values.	As soon as changes are made to any of the data entry items in the screen.	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		If no data has been saved to the cloud for the current quote, then all data entry items will be set to default values. If data has been saved previously for the current quote, then all values revert to their previous values when the note data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.			
Save button	Lets you save any changes made in the Quote Details screen.	Saves all the data you entered in the Quote Details screen.	As soon as the Quote Item list contains one or more Quote Item List entry instances.	None	6
Add New Quote Item button	Lets you go to the Add/Edit/Delete/View Quote Item screen to add a new quote item.	Shows the Add/Edit/Delete/View Quote Item screen with the data entry items set to default values.	When the current quote status is set to Open .	None	7
Quote Item list	Displays all of the quote items for the current quote.	None	Always	None	8
Quote Item List entry	Displays the Item, Description, Quantity and Amount values for a particular quote item.	Displays the Add/Edit/Delete Quote Item screen with the data entry items set to the values of the current quote item.	When one or more quote items have been added for the current quote.	None	9
Total text display field	Displays the total amount for each quote item saved to the cloud, plus any applicable tax. If you haven't saved a quote item to the cloud yet, then its value is unknown and will not be included	None	Always	None	10

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	in the total amount displayed. If you edit a quote item by changing either the Item dropdown list contents or the Quantity text field contents in the Add/Edit/Delete Quote Item screen, then the previous value of the Amount text display field in the Quote Item List entry will be used in the total. If you delete a quote item by using the Add/Edit/Delete Quote Item screen, then the previous value for the Amount text display field will be used in the total. At the same time, any change made as detailed as above, you should save the data to the cloud using the Save button. Wait for the completion of this saving action for the Total text display field to be updated with the correct value.				
Purchase Order Number text field	Lets you enter a purchase order number for the current quote.	None	When the value of the Status text display field of the current quote is Open. If the Status text display field of the current quote is set to any value except Open, then the Purchase Order Number text field is replaced with a non-editable Purchase Order Number text display field filled with the value of the Purchase Order Number text field when you save the data to the cloud.	None	11
Status text display field	Displays the status of the quote.	None	Always	None	12

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Send Mail checkbox	Lets you decide whether an email is sent to the address entered in the Email text field when you save the current quote to the cloud. Checked means that an email will be sent. Unchecked means that an email will not be sent.	None	When the value of the Status text display field of the current quote is Open. If the Status text display field of the current quote is set to any value except Open, then the Send Mail checkbox is replaced with a non-editable Send Email text display field. If the Send Mail checkbox was checked when the quote was saved to the cloud, then the Send Mail text display field is set to Yes. If the Send Mail checkbox was unchecked when you save the quote to the cloud, then the Send Mail text display field is set to No.	None	13
Email text field	Displays the default email address for the current case contact person. However, you can edit the contents of the Email text field as needed.	None	When the value of the Status text display field of the current quote is Open. If the Status text display field of the current quote is set to any value except Open, then the Email text field is replaced with a non-editable Email text display field filled with the value of the Email text field when you save data to the cloud.	None  Note: This field lets you type in any character. However, if the data you entered does not form a valid email address, the data will be deemed invalid and the Save button will not be available.	14
Apply To Current Job checkbox	Lets you decide whether the quote you're creating will be applied to the project and case of the selected task.	None	When the value of the Status text display field of the current quote is Open. If the Status text display field of the current quote is set to any value except Open, then the Apply	None	15

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
			To Current Job checkbox is replaced with a non editable Apply To Current Job text display field. If the Apply To Current Job checkbox was checked when you save the quote to the cloud then the Apply To Current Job text display field is set to Yes. If the Apply To Current Job checkbox was unchecked when you saved the quote to the cloud, then the Apply To Current Job text display field is set to No.		
Clear Signature Drawing Box button	Lets you clear the contents of the Signature drawing box .	Clears the contents of the Signature drawing box .	When the Signature drawing box contains data.	None	16
Signature drawing box	Lets you capture the customer's signature to show that the customer has approved creating a sales order from the quote.	None	When the value of the Status text display field of the current quote is Open. If the Status text display field of the current quote is set to any value except Open, then the Signature drawing box is replaced with a non editable Signature drawing display box filled with the data from the Signature drawing box field when you save data to the cloud.	None	17

The screenshot shows a mobile application interface for managing quote items. It includes a top navigation bar with a back button (1), a search bar (2), and three action buttons (3, 4, 5). Below the navigation bar is a list of items with columns for Item, Description, Qty, and Amount. The first item is '4K HDMI Cable' with a quantity of 1 and an amount of \$450.00. The second item is 'LABOUR STANDARD CHARGE' with a quantity of 6 and an amount of \$90.00. The total amount is \$594.00. Below the items list are fields for PO# (00954), Status (Open), and a Send Email button (13) with an email address field (14). At the bottom, there are checkboxes for 'Apply to current Job' (15) and 'Sign to create Sales Order' (16), and a large empty box (17).


Add/Edit/Delete/View Quote Item screen in detail

This screen lets you add, edit, delete and view quote items.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Quote Details screen .	Displays the Quote Details screen .	Always	None	1
View Previous Quote Item button	Lets you view the previous quote item.	Populates the Item dropdown list , Quantity text field and Description text field with the values from the previous quote item.	When there are two or more quote items entered and Field Service Mobile is not showing the first quote item.	None	2
View Next Quote Item button	Lets you view the next quote item.	Populates the Item dropdown list , Quantity text field and Description text field with the	When there are two or more quote items entered and Field Service Mobile is not	None	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		values from the next quote item.	showing the last quote item.		
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Displays the Selected Task Details screen .	Always	None	4
Add Quote Item button	Adds a new quote item for the current quote.	Adds a new quote item for the selected task and populates the Item dropdown list , Quantity text field and Description text field fields with default values.	If the Status text field of the current quote has a value of Open .	None	5
Delete Current Quote Item button	Deletes the currently displayed quote item for the current quote.	Deletes the current sales order item and displays the Quote Details screen .	If the Status text field of the current quote is Open .	None	6
Item Search button	Displays the hidden Item Search text box to type in a search query.	If you press the Item Search button , then the Item Search text box slides out from the right-hand side of the Item Search button letting you type in a search query.	If the Status text field of the current quote has a value of Open . If the Status text field of the current quote has a value other than Open , then the Item Search button will be hidden.	None	7
Item Search text field	Lets you enter a search query to show only matching items in the Item dropdown list making it easier and quicker to find your desired item.	As you type the search query text in the Item Search text box the Item dropdown list changes to show how many items match your search query. As soon as you've typed the query, you should press on the Item dropdown list to show the matching items.	If the Item Search button is visible and after you press the Item Search button but you haven't pressed anywhere on the screen except for the Item Search button or Item Search text box .	None	8
Item dropdown list	Lets you select from a list of items. The list will be either the full list of all items in	None	If the Status text field of the current quote has a value of Open . If the Status text field of the current	None	9

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	the system if you haven't entered a search query using the Item Search text box or a subset of all items in the system matching your search query.		quote has a value other than Open , then the Item dropdown list will be replaced with an Item text display field .		
Quantity text field	Lets you add a quantity for the current quote item in the selected task.	None	If the Status text field of the current quote has a value of Open. If the Status text field of the current quote has a value other than Open, then the Quantity text field will be replaced with a Quantity text display field.	None	10
Description text field	Lets you add a description for the current quote item in the selected task.	None	If the Status text field of the current quote has a value of Open. If the Status text field of the current quote has a value other than Open, then the Description text field will be replaced with a Description text display field.	None	11




Quote List screen in detail

This screen lets you view all the quotes added for the selected task.

Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Add New Quote button	Lets you display the Add/Edit/Delete/View Quote Item screen to add a new file record.	Shows the Add/Edit/Delete/View Quote Item screen with default values for all data entry fields.	Always	None	2
Quote list	Displays all the quotes for the selected task.	None	Always	None	3
Quote List entry	Lets you view Transaction, Status,	Shows the Quote Details screen with	Always	None	4


Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
	Apply To Current Job, Total and Quote Status of a particular quote in the Quote list. This also functions as a button that displays Quote Details screen when you press it.	the data entry fields pre-filled with the values for the current quote.			



Receive Tab

The **Receive tab** lets you receive an item into your local (van) warehouse.

This tab has two screens: the **Add/Edit/Delete Received Item screen** and the **Received Item List screen**.



Add/Edit/Delete Received Item screen in detail


This screen lets you add, edit or delete a received item.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Receive Item List screen .	Displays the Receive Item List screen .	If there's one or more Receive Item List entry instances in the Receive Item list .	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans the entire width of the screen except where other buttons are placed. The receive order number is displayed inside this button.	Shows the Selected Task Details screen .	Always	None	2
Delete Received Item button	Lets you delete a previously saved received item.	Shows the alert below.	If you have recently saved the data or opened Add/Edit/Delete Receive Item	Shows the alert "Are you sure you want to Delete? OK. Cancel".	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		If you press OK, then the current new task for the current case is deleted and all values on the Add/Edit/Delete Receive Item screen are reverted to the default values. If you press Cancel, then the alert is hidden, and no changes are made.	screen from a Receive Item List entry and haven't changed any data entry fields on the Add/Edit/Delete Receive Item screen .		
Saving To Cloud indicator	Lets you know that the new received item details are being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Add/Edit/Delete Receive Item screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values. If no new received item data has been saved previously for the selected received item, then all data entry items will be set to default values. If new received item data has been saved previously for the selected received item, then all values revert to their previous values when the new received item data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.	As soon as changes are made to any of the data entry items in the Add/Edit/Delete Receive Item screen .	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Save button	Lets you save any changes made in the Add/Edit/Delete Receive Item screen .	Saves all the data entered in the Add/Edit/Delete Receive Item screen .	When the Item dropdown list and the Quantity text field both contain valid data.	None	6
Item dropdown list	Lets you select an item to receive.	None	Always	None	7
Quantity text field	Lets you enter a quantity value.	None	Always	None	8


Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
				Note: This field only lets you type numerals, decimal points or the letter "e". To be considered valid, you should not enter a value with more than one decimal point preceding another character or the letter "e".	



Received Item List screen in detail

This screen lets you view all of the received items added for this task.


Section	Task	Effect	Availability	Errors/ Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Add Received Item button	Lets you add a new receive item.	Shows the Add/Edit/Delete/View Receive Item screen with all data entry item values set to default.	Always	None	2
Received Item list	Lets you see all current received items that have been added.	None	Always	None	3
Received Item List entry	Shows the basic information for each received item that has been added. This also functions as a button that displays Add/Edit/Delete Receive Item screen when you press it to edit or delete the information about the received item.	Shows the Add/Edit/Delete Receive Item screen and fills the data fields with the data from the selected received item.	When there's one or more received items added for the selected task.	None	4



Return Tab

The **Return tab** lets you create and save a list of warehouse items in your local (van) warehouse and send them back to the technician's default warehouse.

This tab has two screens: the **Return Item List screen**, and the **Add/Edit/Delete Return Item screen**.




Return Item List screen in detail

This screen lets you view all returned items for the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Saving To Cloud indicator	Lets you know that the return item is being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	2
Discard Changes button	Lets you clear any changes made in the Return Item screen .	Shows the alert below. If you press OK on the alert, then Field Service	When there are unsaved changes in the Return Item list .	Shows the alert "Are you sure you want to discard your changes? OK. Cancel."	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		Mobile reverts the contents of all data entry fields to the previous values. If no data has been saved to the cloud for the current return item, then all data entry items will be set to default. If data has been saved previously for the current return item, then all values revert to their previous values when the return data was last saved. If the you press Cancel on alert, then the alert is hidden, and no changes are made.			
Save button	Lets you save changes that have been made in the Return Item List screen .	Saves all the data entered in the Return Item List screen for the selected task.	When there are unsaved changes in the Return Item list .	None	4
Add New Return Item button	Lets you go to the Add/Edit/Delete Return Item screen to add a new return item.	Shows the Add/Edit/Delete Return Item screen with the data entry items set to default values.	Always viewable but not active when the Saving To Cloud indicator is not visible.	None	5
Return Items list	Lets you see all return items that have been added for the selected task.	None	Always	None	6
Return Item List entry	Shows the basic information for each return item that has been added. This also functions as a button that displays Add/Edit/Delete Return Item screen when you press it to view more detailed information about the return item.	Shows the Add/Edit/Delete Return Item screen .	When there's one or more return items added for the selected task.	None	7



Add/Edit/Delete Return Item screen in detail.

This screen lets you add, edit or delete a returned item.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Return Item List screen .	Displays the Return Item List screen .	Always	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Delete Return Item button	Lets you delete a previously saved returned item.	Shows the alert below. If you press OK , then the current new task for the current case is deleted and all values on the Add/Edit/Delete Return Item screen are reverted to the default values.	If you recently saved the data for a received item or opened the Add/Edit/Delete Return Item screen from Return Item List entry in the Return Item list and haven't changed the data entry fields on the Add/Edit/Delete Return Item screen .	Shows the alert "Are you sure you want to Delete? OK. Cancel".	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		If you press Cancel , then the alert is hidden, and no changes are made.			
Saving To Cloud indicator	Lets you know that the new returned item details are being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Add/Edit/Delete Return Item screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values. If no new return item data has been saved previously for the selected received item, then all data entry items will be set to default values. If new return item data has been saved previously for the selected return item, then all values revert to their previous values when the new return item data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.	As soon as changes are made to any of the data entry items in the Add/Edit/Delete Return Item screen .	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5
Save button	Lets you save any changes made in the Add/Edit/Delete Return Item screen .	Saves all the data entered in the Add/Edit/Delete Return Item screen .	When the Item dropdown list and the Quantity text field both contain valid data.	None	6
Item dropdown list	Lets you select an item to return.	None	Always	None	7

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Quantity text field	Lets you enter a quantity value.	None	Always	None Note: This field only lets you type numerals, decimal points or the letter “e”. To be considered valid, you should not enter a value with more than one decimal point preceding another character or the letter “e”.	8

The screenshot shows the 'RECEIVE' screen in NetSuite Field Service Management. It features a top navigation bar with a back arrow (1), a 'RECEIVE' title (2), and action buttons: cancel (3), delete (4), and save (5). Below the navigation bar, there are two main input fields: 'Item' (7) with a dropdown menu showing 'Select...' and 'Quantity' (8) with a text input field. A green arrow (6) points to the right side of the screen.

Sales Order Tab

The sales order tab lets technicians create sales orders and use inventory from their van or location in real time. When a sales order is saved on mobile, it gets created and fulfilled in NetSuite right away. The sales order is then returned and shown on the mobile. If the user is offline, it is cached until they're online.

The sales order tab works differently from the consumables or inventory tab, which adds items to a custom record and creates the sales order in NetSuite after the task is done. With that tab, mobile users never see the sales order. For more information, see [Deciding Between the Consumables and Sales Order Tab](#)

The sales order tab has a set of body fields and a table of items, similar to the NetSuite UI.

Since the sales order is created and fulfilled in real time on mobile, only one technician should create and manage it.

The sales order tab can show a pre-existing sales order on mobile, but those lines are read-only by default. Mobile users can only add new lines and fulfill them from their van or location.

To learn more about the sales order tab, see the following:

- [Default Configuration](#)
- [Limitations and Key Considerations](#)
- [Supported Item Types](#)
- [Configurability](#)

Default Configuration

You can view the default configuration of the sales order tab using the Configuration Preview feature.

By default, the tab allows only one sales order to be created or shown on the mobile.

```
1 | "max": 1,
```

When the sales order is created, it sets the task, case, customer, subsidiary, project, and asset on the body. If there's no project, only the customer is set.

```
1 | "defaults": {
2 |   ...
3 |   "customer": "${ event.customer }",
4 |   "project": "${ event.company == event.customer ? null : event.company }",
5 |   "custbody_nx_task": "${ event.crmtask }",
6 |   "custbody_nx_projecttask": "${ event.projecttask }",
7 |   "custbody_nx_case": "${ event.supportcase }",
8 |   "custbody_nx_asset": "${ event.asset }",
9 |   "subsidiary": "${ event.subsidiary }",
10 |   ...
11 | },
12 |
```

The default search filter shows sales orders that have the same project or task set on the body as the related task.

```
1 | "filters": "${ event.company && event.company != event.customer ? ['job.internalid', 'anyof', event.company] : ['custbody_nx_task',
   | 'anyof', event.crmtask || 0] }",
```

The lines on the sales order are set from the task or project task and are as follows : task or project task, technician's van or location, and the asset.

```

1      "task": {
2          "type": "hidden",
3          "value": "${ event.crmtask }",
4          "parent": "items"
5      },
6      "projecttask": {
7          "type": "hidden",
8          "value": "${ event.projecttask }",
9          "parent": "items"
10     },
11     "asset": {
12         "type": "hidden",
13         "value": "${ event.asset }",
14         "parent": "items"
15     },

```

By default, only lines added or created on the same task or project are editable on mobile. Item group types are also set to read-only.

```

1  "readonly": "formulatext:case when {item.type.id} like '%Group%' then 'T' when ({custcol_nx_task.id} = '${ event.internalid }' or
    {custcol_nx_projecttask.id} = '${ event.internalid }') then 'F' else 'T' end",

```

The sales order tab doesn't let users set rates for items. Rates and price levels are set automatically by NetSuite when it is created, so only the amount and total fields are shown.

Required Fields

The `item` and `quantity` fields are required for each row in the sales order table. A sales order can't be saved unless these fields are filled in for every row.

```

1      "item": {
2          ...
3          "required": true,
4          ...
5      },
6      "quantity": {
7          ...
8          "required": true,
9          ...
10     },

```

Limitations and Key Considerations

Here are a some things to keep in mind, including some limitations, when using the sales order tab.

- The items you can select in the sales order tab's `item` element are controlled by searches in the consumable part of the inventory section in the routes/mobile configuration. Only experienced users should change this.
- The `options` property on the `item` element points to the consumable component on the inventory section of the configuration. You shouldn't change this unless you're sure of the impact.
- Don't copy or duplicate the sales order tab in your configuration. Since it runs core product code, only the original tab will work properly. Handle multiple use cases by configuring the single sales order tab provided.
- Only one person should create or update a sales order on a task. It's best to have only one assignee creating or editing the sales order. You can let each task assignee create a sales order, but this is usually not ideal.

- Make sure all inventory for the job is transferred to the van of the technician processing the sales order.
- The sales order tab is the only way to consume inventory on project tasks.
- By default, each sales order line uses the asset set on the task. For multi-asset jobs, lines default to the parent asset, so tracking profit by child asset isn't supported unless you reconfigure the line to let technicians select the asset. But this isn't a great experience for technicians, so it's better to use the consumables or inventory tab for multi-asset jobs.
- The sales order tab isn't meant for editing lines from existing sales orders. It's only for creating sales orders or adding new lines.
- The sales order tab doesn't support partial fulfillment of lines.
- You can configure the sales order tab to show price levels, but it's not meant to support custom price levels or to show rates at the line level.
- If you show price levels on the sales order on mobile, it overrides any default NetSuite behaviors such as customer-level custom pricing.
- You can't hide item lines on the sales order from the mobile UI. If you try, the hidden lines are usually removed from the sales order. Don't try to do this using the article filters section.

Supported Item Types

The table below lists the NetSuite item types and their support levels when used with the sales order tab.

Item Type	Item Subtype	Support Level	Limitations
Description	–	Unsupported	
Discount	–	Unsupported	
Inventory Item	–	Supported	
Inventory Item - Lot Numbered	–	Supported	
Inventory Item - Serialized	–	Supported	
Item Group	–	Partially Supported	Item groups load on mobile even if the component items aren't in stock. This may cause unfulfilled sales orders. Add item groups only as the last step when creating or editing a sales order, because you won't be able to edit the sales order after adding one. If you need to make changes, you'll have to delete and recreate the sales order. This happens because the 'End of Item Group' line on the sales order leaves the required quantity field blank, making the record uneditable.
Kit/Package	–	Supported	Kits load on mobile, but you can only select them if enough components are in stock to make at least one kit. The mobile doesn't validate kit quantities, so this can lead to unfulfilled sales orders.
Markup	–	Unsupported	
Non-Inventory Item	For Purchase	Unsupported	
	For Sale	Supported	

Item Type	Item Subtype	Support Level	Limitations
	For Resale	Supported	
Other Charge	For Purchase	Unsupported	
	For Sale	Supported	
	For Resale	Supported	
Payment	–	Unsupported	
Service	For Purchase	Unsupported	
	For Sale	Supported	
	For Resale	Supported	
Subtotal	–	Unsupported	

You can add searches in the consumable section of the inventory component to include non-inventory, service, and other charge items, but not other item types.

Configurability

The following components and properties are configurable on the sales order tab:

- Standard properties such as min, max, enable, disable, level
- Filters
- Additional body fields
- Additional line fields
- Additional body field defaults
- Additional line field defaults
- Dynamic logic on fields
- Autofulfill

Task Tab

The **Task tab** lets you create a new task.

If the selected task has a case, then the new task will have the same case.

This tab has two screens: the **Add/Edit/Delete New Task For Current Case screen** and the **New Task List For Current Case screen**.

The first time you enter the **Task tab** for a selected task, you will see the **Add/Edit/Delete New Task For Current Case screen**.

After you fill out all the required fields and save, you can go to the **List New Tasks For Current Case screen** to see the new task in the list. From there, you can go to the **Add/Edit/Delete New Task For Current Case screen** to add, edit or delete the currently selected task.

Even after saving to the cloud, you can still edit the task and save updates over the existing data.

The screenshot displays a mobile application interface for task management. At the top, a black bar contains the word 'TASK' and a plus icon. Below this, a header bar shows 'Number' (510082), 'Type' (a dropdown menu), and 'Date' (20/02/2019). The main form area includes a 'Message...' text field, an 'Assigned' dropdown menu, and a list of available machines: *EMF Test Machine 7, *RF Test Machine 2, *RF Test Machine 4, and *RF Test Machine 7. At the bottom, there are fields for 'Start' (08:30) and 'End' (09:45) times.

Add/Edit/Delete New Task for Current Case screen in detail

This screen lets you add, edit and delete new tasks.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the New Task List For Current Case screen .	Displays the New Task List For Current Case screen .	Always visible. However, if there are no saved new tasks for the current case to display, then pressing the button has no effect.	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen . This button, positioned in the Control Bar , spans the entire width	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	of the screen except where other buttons are placed. When you save the task, you'll see the new task number inside this button.				
Delete Task button	Lets you delete a previously saved new task.	Shows the alert below. If you press OK , then the current new task for the current case is deleted and all values on the Add/Edit/Delete New Task For Current Case screen are reverted to the default values. If you press Cancel , then the alert is hidden, and no changes are made.	If you have recently saved the data for a new task or has opened Add/Edit/Delete New Task For Current Case screen by pressing on a Task List entry in the Task list and haven't changed the data entry fields on the Add/Edit/Delete New Task For Current Case screen .	Shows the alert "Are you sure you want to Delete? OK. Cancel".	3
Saving To Cloud indicator	Lets you know that the new task details are being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Add/Edit/Delete New Task For Current Case screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values. If no new task data has been saved previously for the selected task, then all data entry items will be set to default values. If new task data has been saved previously for the selected task, then all values revert to their previous values when the	As soon as changes are made to any of the data entry items in the Add/Edit/Delete New Task For Current Case screen .	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		new task data was last saved. If you press Cancel on alert, then the alert is hidden, and no changes are made.			
Save button	Lets you save any changes made in the Add/Edit/Delete New Task For Current Case screen .	Saves all the data entered in the Add/Edit/Delete New Task for Current case screen .	As soon as changes are made to any of the data entry items in the Add/Edit/Delete New Task For Current Case screen .	None	6
Type dropdown list	Lets you record the task type for the new task.	None	Always	None	7
Message text box	Lets you record text notes for the new task.	None	Always	None	8
Assigned dropdown list	Lets you assign a primary technician for the new task by selecting one entry from the dropdown list.	None	Always	None	9
Assigned multiselect list	Lets you assign one or more technicians to the task by selecting in the Assigned multiselect list.	None	None	None	10
Task Date selection field	Lets you enter a date for the new task.	If all of the field sections do not form a valid combination	Always	Shows the alert "Please enter a valid value. The field is incomplete or has an invalid date."	11


Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		of values, then the alert below prompts.		 Note: This field only lets you enter numbers. Depending on the configuration of your mobile device's operating system, the date format will either be DD/MM/YYYY or MM/DD/YYYY. You can only enter a valid date in each section. For the DD section: if you enter a value above 31, the value changes to 31 when you leave the field. For the MM section: if you enter a value above 12, the value changes to 12 when you leave the field. For the YYYY section: if you enter value 0000, then the value in the field section becomes 0001. All other values are accepted as valid. However, even if you enter values within the valid range for all field sections, all the sections combined should form a valid date. Otherwise, the alert "Please enter a valid value. The field is incomplete invalid date." will prompt.	

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
				 Note: Only accepts entry of a valid 24-hour time value in the format HH:MM. Only accepts entry of numbers in either the HH or MM section. For the HH section: if you enter a value above 23, the value changes to 23 when you leave the field. For the MM section: if you enter a value above 59, the value changes to 59 when you leave the field.	
Task End Time selection field	Lets you enter the end time for the new task.	None	Always	None	13

New Task List For Current Case screen in detail

This screen lets you view all new tasks that have been added.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Add New Task button	Lets you add another new task for the current case.	Shows the Add/Edit/Delete Task For Current Case screen .	Always	None	2
New Task list	Lets you see all new tasks that have been added.	None	Always	None	3
New Task List item	Displays the basic information for each new task that has been added. This also functions as a button that displays Add/Edit/Delete Task For Current Case screen when you press it to edit or delete the current information for the selected task.	Displays the Add/Edit/Delete Task For Current Case screen .	When there's one or more new tasks added for the case in the selected task.	None	4



Time Tab

The **Time tab** lets you record a list of actions (items) and time spent on each action for the selected task.

This tab has two screens: the **Time Item List screen** and the **Add/Edit/Delete Time Item screen**.

If there are existing time items for the selected task, you'll see the **Time Item List screen**; if not, then the **Add/Edit/Delete Time Item screen** opens so you can add your first time record.

Even after saving to the cloud, you can still edit and save updates over the existing data until the selected task's **Status** is set to **Complete**.




Time Item List screen in detail

This screen lets you see all time items that have been added for the selected task.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Displays the Selected Task Details screen .	Always	None	1
Add Time Item button	Lets you go to the Add/Edit/Delete Time Item screen to add a new time record.	Displays the Add/Edit/Delete Time Item screen with all data entry fields set to default values.	If the Status of the selected task has not been set to Complete .	None	2
Time Item list	Displays all time items for the selected task.	None	Always	None	3
Time Item List entry	Displays the details of an existing time item like item name, item hours and item record creation date. This also functions as a button that displays Add/Edit/Delete	Displays the Add/Edit/Delete Time Item screen with all data entry fields pre-filled with data from the selected time item.	If there is one or more time items for the selected task.	None	4

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	Time Item screen when you press it to edit or delete the selected time item. Lets you edit an existing time item.				



Add/Edit/Delete Time Item screen in detail

This screen lets you add, edit or delete time items.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Time Item List screen .	Displays the Time Item List screen .	If there are existing time items for the selected task.	None	1
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Delete Time Item button	Lets you delete the current time item.	Shows the alert below. If you press OK on the alert, then Field Service Mobile deletes the saved time item. If the selected task has existing time items and you delete this item, then the Time Tab List screen is displayed. Otherwise, the Task Detail screen is displayed instead. If you press Cancel , then the alert is hidden, and no changes are made.	As soon as a time item has been saved using the Save Time Item button .	Shows the alert "Are you sure you want to Delete? OK. Cancel".	3
Saving To Cloud indicator	Lets you know that the time item is being saved to the cloud.	None	After you press the Save button until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you undo any changes made without saving any data.	Shows the alert below. If you press OK on the alert and does not save entered values. If the selected task has existing time records then the Time Tab List screen is displayed. Otherwise, the Task Detail screen is displayed instead. If it's your first time to add a time item for this task, then the Selected Task Details screen will be displayed. Otherwise, the Time Item List screen is displayed instead. If you press Cancel on the alert, then the alert is hidden, and no changes are made.	When Item dropdown box and Hours text field fields are filled with value(s).	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Save button	Lets you save the entered values in the Item dropdown list and Hours text field .	Saves the values as a new time item and displays the Saving To Cloud indicator while this happens. As soon as the data has been saved, the Saving To Cloud indicator is hidden and the Delete Time Item button is displayed.	When both Item dropdown box and Hours text field are filled with valid values.	None	6
Item Search button	Shows the normally hidden Item Search text box to let you type in a search query.	If the you press on the Item Search button , then the Item Search text box field slides out from the right-hand side of the Item Search button letting you type in a search query.	If the Status of the selected task is not set to Complete . If the Status of the current task is set to Complete , then the Item Search button will be displayed but inactive.	None	7
Item Search text box	Lets you enter a search query to show matching items in the Item dropdown list making it easier and quicker to find your desired item.	As you type the search query text in the Item Search text box the Item dropdown list changes to display how many items match the search query. As soon as you type the query, you should press on the Item dropdown list to show the matching items.	If the Item Search button is visible active and after you press the Item Search button but the you haven't pressed anywhere on the screen except for the Item Search button or Item Search text box .	None	8
Item dropdown list	Lets you select from a list of items. The list will be either the full list of all items in the system if you haven't entered a search query using the Item Search text box , or a subset of all items in the system matching the search query you entered.	None	If the Status of the current has not been set to Complete . If the Status of the selected task has been set to Complete , then the Item dropdown list will be visible but not editable.	None	9

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Hours text field	Lets you type a whole or decimal	None	Always	None	10

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	number to represent the number of hours.			Note: This field only lets you type numerals, decimal points or the letter "e". If you enter a value containing two or more decimal points followed by numerals, the value will be deemed invalid and the Save button will be hidden. Also, if you enter a value containing one or more instances of the letter "e", the value will be deemed invalid and the Save button will be hidden.	

The screenshot shows the NetSuite Time Tab interface. The top section is a 'TIME' field with a back arrow (1), a text input area (2), and action buttons: cancel (3), delete (4), clear (5), and save (6). Below this is an 'Item' section with a dropdown menu (7) and a 'Select...' button (9). To the right of the 'Item' section is an 'Hours' field (10). A red callout (8) points to the 'Item' dropdown menu.

Transfer Order Tab

The **Transfer Order tab** lets you order parts from another warehouse and have them delivered to your local (van) warehouse location.

This tab has three screens: the **Transfer Order Details screen**, the **Add/Edit/Delete/View Transfer Order Item screen** and the **Transfer Order List screen**.



Transfer Order Details screen in detail

This screen lets you collect all the details for a new transfer order or edit the details for an existing transfer order.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Transfer Order List screen .	If there's one or more saved transfer orders for this task, then Field Service Mobile shows Transfer Order List screen . If there are no saved transfer orders for this task, then this button has no effect.	Always	None	1

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	2
Delete Current Transfer Order button	Lets you delete a transfer order that has already been saved to the cloud and has a status of Open .	Deletes the current transfer order from the cloud. If there are still transfer orders saved after you delete one, Field Service Mobile shows the Transfer Order List. If there aren't any transfer orders saved after you delete one, Field Service Mobile shows the Transfer Order Details screen with all data entry fields set to default values.	When viewing a transfer order that has been saved and the status for that transfer order is Open .	None	3
Saving To Cloud indicator	Lets you know that the transfer order is being saved to the cloud.	None	After you press the Save until the data has been saved to the cloud.	None	4
Discard Changes button	Lets you clear any changes made in the Transfer Order Details screen .	Shows the alert below. If you press OK on the alert, then Field Service Mobile reverts the contents of all data entry fields to the previous values. If you haven't saved any data to the cloud for the current transfer order, all data entry items will be set to default values. If you have previously saved data for the current transfer order, then all values revert to their previous values when the note data was last saved. If you press Cancel on alert, then the alert is hidden, and	As soon as changes are made to any of the data entry items in the screen.	Shows the alert "Are you sure you want to discard your changes? OK. Cancel".	5

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		no changes are made.			
Save button	Lets you save any changes made in the Transfer Order Details screen .	Saves all the data entered in the Transfer Order Details screen for the selected task.	When the Transfer Order Item list contains one or more Transfer Order Item List entry instances and the Location dropdown box has a value other than Select .	None	6
Status display text field	Displays the status of the current transfer order.	None	When the status of the current transfer order is set to Open .	None	7
Location dropdown list	Displays all available locations to request items from.	None	Always	None	8
Add Transfer Order Item button	Lets you go to the Add/Edit/Delete/View Transfer Order Item screen to add a new transfer order item.	Shows the Add/Edit/Delete/View Transfer Order Item screen with the data entry items set to default values.	When the status of the current transfer order is set to Open and the Save To Cloud indicator is not visible.	None	9
Transfer Order item list	Displays all transfer order items for the current transfer order.	None	Always	None	10
Transfer Order Item list entry	Displays the Item and Quantity fields of a particular transfer order item. This also functions as a button that displays Add/Edit/Delete/View Transfer Items screen when you press it.	Shows the Add/Edit/Delete/View Transfer Order Item screen with the fields showing the values for the current transfer order item.	If there is one or more files transfer order items added for the current transfer order.	None	11

The screenshot shows a mobile application interface for managing transfer orders. It features a top navigation bar with a back button (1), a title bar (2), and action buttons (3, 4, 5). Below the navigation bar, there are fields for Status (6), Location (7), and a list of items (8). The items list includes columns for Item and Quantity (9). The items listed are '32mm Washer Box of 50' with a quantity of 2 (10) and '4K HDMI Cable' with a quantity of 3 (11). A large empty box (12) is at the bottom for additional details.

Add/Edit/Delete/View Transfer Order Item screen in detail


This screen lets you add, edit, delete or view a transfer order item.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Back button	Lets you go to the Transfer Order Details screen.	Displays the Transfer Order Details screen.	Always	None	1
View Previous Transfer Order Item button	Lets you view the previous transfer order item.	Populates the Item dropdown list and Quantity text field with the values from the previous transfer order item.	When there are two or more transfer order items entered and Field Service Mobile is not showing the first transfer order item.	None	2
View Next Transfer Order Item button	Lets you view the next transfer order item.	Populates the Item dropdown list and Quantity text field with the	When there are two or more transfer order items entered	None	3

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
		values from the next transfer order item.	and Field Service Mobile is not showing the last transfer order item.		
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Displays the Selected Task Details screen .	Always	None	4
Add Transfer Order Item button	Adds a new transfer order item for the current transfer order.	Adds a new transfer order item for the selected task and populates the Item dropdown list and Quantity text field with the default values.	Always	None	5
Delete Current Transfer Order Item button	Deletes the currently displayed transfer order item for the current transfer order.	Deletes the current transfer order item and shows the Transfer Order Details screen .	Always	None	6
Item Search button	Displays the normally hidden Item Search text box to let you type in a search query.	If you press the Item Search button , then the Item Search text box slides out from the right-hand side of the Item Search button letting you type in a search query.	If the Status text field of the current transfer order has a value of Open . If the Status text field of the current transfer order has a value other than Open , then the Item Search button will be hidden.	None	7
Item Search text field	Lets you enter a search query to display only matching items in the Item dropdown list making it easier and quicker to find your desired item.	As you type the search query text in the Item Search text box the Item dropdown list changes to display how many items match your search query. As soon you type the query, you should press on the Item dropdown list to display the matching items.	If the Item Search button is visible and after you press the Item Search button but you haven't pressed anywhere on the screen except for the Item Search button or Item Search text box .	None	8
Item dropdown list	Lets you select from a list of items that may be added to a transfer order.	None	If the Status text field of the current transfer order has a value of Open .	None	9

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	The list will be either the full list of all items in the system if you haven't entered a search query using the Item Search text box or a subset of all items in the system matching the search query you entered.		If the Status text field of the current transfer order has a value other than Open , then the Item dropdown list will be replaced with an Item text display field .		
Quantity text field	Lets you add a quantity for the	None	If the Status text field of the current	None	10

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
	current transfer order item in the current transfer order for the selected task.		transfer order has a value of Open . If the Status text field of the current transfer order has a value other than Open , then the Quantity text field will be replaced with a Quantity text display field .	 Note: This field only lets you type numerals, decimal points or the letter "e". To be considered valid, you should not enter a value with more than one decimal point preceding another character or the letter "e".	



Transfer Order List screen in detail

This screen lets you view all the transfer orders that have been added.

Section	Task	Effect	Availability	Errors/Alerts Shown	Highlighted in Screenshot
Toggle Selected Task Details Screen Visibility button	Lets you access functions on the Selected Task Details screen .	Shows the Selected Task Details screen .	Always	None	1
Add New Transfer Order button	Lets you add a new transfer order.	Shows the Add/Edit/Delete/View Transfer Order Item screen with all data entry item values set to default.	Always	None	2
Transfer Order list	Lets you see all current transfer orders that have been added.	None	Always	None	3
Transfer Order List entry	Displays the basic information for each transfer order that has been added. This also functions as a button that displays Transfer Order Details screen when you press it to view more detailed information about the transfer order.	Shows the Transfer Order Details screen and fills the data fields with the data from the selected transfer order.	When there's one or more transfer orders added for the selected task.	None	4

1

TRANSFER ORDER

2

Transaction	Status	Location
	Open	Melbourne

4

4

3

Features

This guide walks you through the different Field Service Management (formerly NextService) features that you can manage through Configuration.

- [Assets](#)
- [Configuration](#)
- [Consumables](#)
- [Contact](#)
- [File Management](#)
- [Idempotency](#)
- [Multi-Language Support for FSM](#)
- [Notifications](#)
- [Program](#)
- [Recurrence](#)
- [Script](#)
- [Status Management](#)
- [Time Zone](#)
- [Tracking Field Service Time](#)
- [Unbilled Amounts](#)

Assets

What are Assets?

Assets represent anything that can be serviced, such as equipment, property, infrastructure, livestock, vegetation, people, and are the focal point of all Field Service jobs.

The Asset feature lets you manage and report on Assets, so you can see relevant information and collect real-time data from technicians in the field. It adds an Asset record type and Asset fields to Transactions, Projects, Cases, and Tasks to associate work with specific assets.

Update Child Assets

This feature synchronizes field values from parent Asset records to its child Asset records. This makes it convenient to cascade changes from an Asset record down to all its children.

This feature is configured by specifying the fields that are to be inherited. By default, child Assets records will inherit field values for Customer, Address, Address Test, and Region.

When you submit a parent Asset record with changes to an inherited field, it schedules the *NextService Scheduled : Asset* scheduled script with script deployment id `customdeploy_nx_asset`. Whenever you submit a child Asset record, it re-sources the inherited field values from its parent.

Configuration

This guide helps administrators and consultants understand, set up, and troubleshoot NetSuite Field Service Management (FSM). It covers the product's architecture, configuration file structure, search syntax, configuration preview, and best practices for safe, and manageable customizations.

Field Service Management (FSM) uses a layered architecture to balance strong core features with flexible, customer-specific setup. Understanding how these layers work and how configuration fits together is key for a smooth roll-out and ongoing management.

The Two Levels of Field Service Management

There are two main levels in the FSM product, each with its own scope:

1. Core Product Code
2. Configuration Code

The core product code controls the fundamental behavior of FSM and is locked for users. The core product is installed in accounts as a NetSuite SuiteApp. Objects in the SuiteApp have an nx tag in their IDs and names starting with "Field Service."

The Configuration Code is visible and accessible by users, and you can modify it for each customer using the Field Service Configuration record.

Within the Configuration, there are two aspects:

1. Core Product Configuration
2. Custom Configuration

Core Product Configuration

The core product configuration is comes with the product and is built into the core product code — only the FSM product team can make changes to the core product configuration. Changes to the core code go to all accounts when they upgrade to the latest SuiteApp version.

However, the core product configuration runs independently in each account and adapts to that account's NetSuite preferences and settings, so each account's core configuration is unique.

Custom Configuration

The custom configuration—often called the config file—lets each account merge its own setup with the core product configuration. This account-specific setup is saved as a JSON object in a custom record called **Field Service Configuration**, under Field Service > Administration > Configuration.

When you first deploy an account, a default base custom configuration will be deployed in the account.

The base custom configuration lets you view tasks and content in the mobile app right away. You can then tweak it to fit each customer's needs. It's designed to cover 90% of use cases, so you can get started quickly and deploy fast.

Merging Core Product and Custom Configuration

The FSM product merges the core product and custom config at runtime or when you use the product and the result config runs in the account.



Important: You should only have one active custom configuration file—mark the rest as inactive.

How is Configuration Merged?

When you add a custom configuration, it's important to understand how the merge logic works.

Objects

Objects are generally content wrapped in braces {}. Objects, such as `element`, `article`, or `map`, are merged property-by-property. Only the properties you set in your custom config will override the core config. Copy the sections you want to change from the core config into your custom config, then remove anything extra so only your updates remain.

Arrays

Arrays are content wrapped in square brackets []. Arrays such as `filter` and `item`, are not merged. If you override an array, your config replaces the whole base array. So if you only add your new value, you'll lose all the default behavior. You'll need to copy the whole base array from the core config, then add your changes.

Configuration at Runtime

At runtime, the configuration JSON merges with the core product code to control how FSM works. The core product code always runs, but the configuration JSON can override it for the sections you specify.

If there's no custom JSON, FSM runs using the core product behavior.

The Configuration Preview feature lets you see the runtime config right in your account. For more information, see [Configuration Preview](#).

To learn more about this feature, see the following topics:

- [Configuration File Structure](#)
- [Running Searches in Config](#)
- [Configuration Preview](#)
- [Troubleshooting Configuration](#)

Configuration File Structure

The Field Service Management (FSM) config file is powerful and flexible but it can also get big and complex. Knowing the main sections helps you find settings faster, make changes, and connect the config to product features.

The config file has several key sections, each with a specific role in controlling FSM behavior.

Section	Scope	Features
routes	Controls app or server behavior of the mobile and scheduler	Mobile app tabs, schedule board views

Section	Scope	Features
models	Data sourcing, validation, record events	Field mapping, auto-naming, default values
views	NetSuite UI elements such as sublists and buttons	Add Tasks sublist, field filters, custom button labels
notifications	Email templates and service reports configuration, PDFs	Case Service Report, Task Service Report, Project Task Service Report, and their email templates
other sections	Product automation, billing rules, global settings, miscellaneous features	Preventative maintenance, billing rules, service reports, recurrence, custom business logic

The routes Section

The routes section controls how FSM apps and services work, like the mobile app and the schedule board.

`routes/scheduler`

This section has all the config for the schedule board. It controls filters, color palettes, sorting, and which records show up as events or resources.

- `event` – Sets which records show up as events.
- `resource` – Sets which records can be assigned as resources.

`routes/mobile`

This section has all the config for the FSM mobile app. It controls everything you see and do in the app, including which tabs or pages appear, their order, labels, and what data mobile users get.

- `event` – Sets which records show as jobs on mobile.
- `resources` – Sets which tabs or pages you see in jobs.
- `inventory` – Shared data for every job.
- `user` – Data specific to each user.
- `tabs` – Sets up each mobile tab or page.

The models Section

Models define what data other parts of the config like views can use, and which fields that comes from or goes to. Models also set up things like auto-naming records when you save, and default values when FSM creates records, like cases for preventative maintenance. For example, if you want to update how asset data is sourced or checked, update `models/asset`.

The views Section

The views section controls NetSuite UI elements like custom sublists, buttons, and field filters. It doesn't affect the mobile app or schedule board. For example, if you want to add a custom Add Tasks sublist to a case, edit `views/case/tasks`.

The notifications Section

This section manages email templates and PDF service reports. You can also set which templates to use for reports like Case, Task, or Project Task, and set up the content and recipients for automated emails. For example, if you want to update the template for the Task Service Report email, edit the right section in `notifications`.

Other Sections

Other sections covers global product features, automation, billing rules, and setting up automatic preventative maintenance cases and tasks. For example, if you want to change how preventative maintenance cases are made.

Running Searches in Config

This section covers the syntax and patterns for defining and resolving searches within config.



Important: Config searches are limited to a maximum of 1,000 return values or records. Be sure to manage your search criteria so you don't reach this limit and cause errors. For more information, see the help topic [Search Result Limits](#).

Basic Syntax

To understand the syntax of a simple search, we'll use the sample below:

```

1 {
2   "record": "supportcase",
3   "filters": ["internalid", "anyof", "${event.supportcase || 0}"],
4   "map": {
5     "id": "internalid",
6     "label": "casenumber"
7   }
8 }
```

The record property sets the search type to run or the record type to search for. In the sample above, we're searching for Case records. You can find the ID of the record or search type using the NetSuite record browser. For more information see, [Working with the SuiteScript Records Browser](#).

The filters property sets the search criteria.

The map property sets what results will be returned. In this example, you'll get back an object with two properties: id and label.

Special Characters in map

You can use special characters in the map section to change how the search results work. Here are some of those characters:



Note: When you use special characters, remember that they work the same way they do in NetSuite. For example, using group means all other fields you want to return results need to be grouped, counted, or summed. If you use these, it is best practice to have all results grouped or summarized.

Character	Usage
=	Get value
#	Get text value (label)
[]	Get array values (multiselect)

Character	Usage
*	Merge search result duplicates of this column value
<	Sort in ascending order
>	Sort in descending order
^	Group by maximum value
?	Count
+	Sum
~	Average
{	Minimum
}	Maximum
!	Write a value even if it hasn't changed

Get value and Get text

The equals (=) character lets you get a field's value. For example, if you're mapping a select field, this returns the internalid of the selection. Most of the time, the value is returned by default, but the = character makes it more specific.

The number sign (#) character lets you get the field's text instead. With a select field, this returns the label of the selection as you see it in the NetSuite UI.

Multiselect or arrays

The square bracket ([]) characters return the result as an array. They are usually used to ensure that the selected options are returned as an array, rather than as a comma-separated list.

Pipe

The pipe (|) character lets you control where the property reads from and where it writes to, separately. It is handy when you need to read from one field but write to another, or when the same field has two different IDs for searching and writing. Another common use for the pipe character is to make sure you can read a field value but not write to it.

Here's an example search that reads from one field and writes to another:

```
1 | "quantity": "quantity|item.quantity"
```

Here's an example search that only reads the field value:

```
1 | "status": "status#|"
```

Nested Searches

You can use results from one search in the filters of another search. The nested search runs first and returns an array of internal IDs, then the outer search uses those IDs in its filter.



Important: If you nest searches the wrong way, it can cause performance issues.

Special Nested Search Properties

The `all` and `default` properties are a couple of special search options you'll use often. By default, config searches return up to 1000 results. If you set `all: true`, you can get more than 1000, but it might slow things down. If there are no results results, config returns an empty array, which might cause errors. The `default` property gives you a fallback value instead.

The example below shows a second search inside another. The second search is on the record `customrecord_nxc_cr` and returns a map of `custrecord_nxc_cr_asset`. This field stores the asset and therefore returns the internal ID of the asset found on the record. It uses a default of `0` to avoid issues if there are no results found in the nested search. Any results found are an array of assets internal IDs, and get excluded from the main search because the nested search is inside of this filter: `["internalid", "noneof",`

```

1  "record": "customrecord_nx_asset",
2      "filters": [
3          ["internalid", "anyof", "${event.caseassets}"], "and",
4          ["internalid", "noneof", {
5              "array": true,
6              "default": "0",
7              "assets": {
8                  "record": "customrecord_nxc_cr",
9                  "filters": [
10                     ["custrecord_nxc_cr_case", "anyof", "${event.supportcase}"], "and",
11                     ["custrecord_nxc_cr_task", "noneof", "${event.internalid}"]
12                 ],
13                 "map": "custrecord_nxc_cr_asset"
14             }
15         }
16     ],

```

Configuration Preview

The Configuration Preview feature lets you preview the runtime configuration in your account.

This preview shows the configuration running in your account, combining the FSM core product code with your custom config from the configuration record.



Note: The core FSM product code running on an account varies based on which NetSuite features are enabled.

Enabling the Configuration Preview Feature

The preview property in the config component lets you turn the feature on or off for a specific config instance or file. Set it to `true` to turn it on or `false` to turn it off.

To enable the Configuration Preview feature:

1. Go to Field Service > Administration > Configuration.
The Field Service Configuration page opens the active configuration file.
2. On the **JSON** field, add the following code:

```

1 | {
2 |   "config": {
3 |     "preview": true
4 |   }
5 | }

```

3. Click **Save**.

Working with the Configuration Preview Field

When preview is enabled, the configuration file shows two JSON fields in edit mode: the **Editor** and the **Preview** fields. The **Editor** field is where you manage your custom config. The read-only **Preview** field shows the merged runtime config.

If the **Editor** field is blank, the **Preview** field shows only the core product config. If you add custom config to the **Editor**, it's merged with the core config and shown in the preview.

Merging config entries results in the following:

- If a custom config property overlaps with the core config, it overrides the core config.
- If a custom config property doesn't overlap, it's added to the core config.
- A custom config property with a string value overrides the core config.
- A custom config property with a number value overrides the core config.
- A custom config property with a Boolean value overrides the core config.
- Property names are matched case-insensitively.
- Comments in the custom config using `//` aren't merged with the core config.
- Custom config properties with `null` values aren't merged with the core config.
- Any custom config is validated, and if there's invalid content, you'll see an error message (only the first error is displayed).

Troubleshooting Configuration

You can use your browser's built-in developer tools feature to test and troubleshoot configuration issues and behavior.

Using Chrome Developer Tools to Check Issues in Mobile

You can use developer tools to troubleshoot mobile issues when you have the mobile app opened in Chrome browser. Developer tools are also available in other browsers such as Firefox or Safari with similar functionality.

To check for issues using Chrome Developer Tools:

1. Right click on the mobile app page, then click **Inspect**.
2. The developer tools panel opens on the right side. On the DevTools panel, click the **Network** tab.
3. Mobile requests start with "scriptlets" so we can use the filter bar to filter results. Click the **Fetch/XHR** button then on the **Filter** field, type suitelet.

4. Refresh the mobile page to start seeing the network requests.

Inspect the inventory and event requests to see the data loaded. For a specific job, inspect the resource request and validate the data for a tab. Submit a tab and inspect the payload and response for success or errors.

Troubleshooting Common Issues and Best Practices

Here are some best practices and fixes to common issues:

- If dropdowns are empty, check the inventory request for errors or missing data.
- If no jobs load, check the event request for errors or empty results.
- If a specific mobile tab fails to load, inspect the resource request for that job and tab.
- If saving data fails, check the payload and response for error details.
- Test config changes in your sandbox account first.
- Document your overrides and customizations so you can revert changes if necessary.
- Use the Configuration Preview feature to view the full, merged config and debug issues.
- Copy the full array object from the core config before adding your changes.

Consumables

What are Consumables?

Consumables are a custom record that represent billable or fulfillable items used on a task. When a task is completed, consumables are added to the primary sales order on the case and are fulfilled.

Case Transaction Field

This field contains the primary billing transaction for a case. When consumables are billed, they are added to this transaction only if it is a sales order. If this transaction is not a sales order, this field is updated with a new sales order populated by the consumables.

Consumable Column Field

This field contains the related consumable record for each line of a transaction. This field applies to Sales Orders and Item Fulfillments.

Update Consumables

A task whose status changes to *Completed* or a consumable record created on a completed task will schedule the *NextService Scheduled : Consumable* scheduled script with script deployment id `customdeploy_nx_consumable`.

This Scheduled Script processes consumable records in bulk by:

1. Adding unbilled consumables to new or existing sales orders.
2. Updating cases with a reference to their newly created sales order.
3. Fulfilling open sales order lines related to a consumable.
4. Updating consumables with a reference to their billing sales order.

If this scheduled script is interrupted and rescheduled, it prioritizes partially processed consumables first, then fully unbilled ones.

Contact

What is Contact Management?

Contact Management is a feature set that assists you in maintaining and populating Contacts on Project, Case, and Task records. You can select a Primary Contact for new Projects, sync Contacts from Customers to Projects, and source Contact information when creating Cases.

Project Primary Contact

This feature adds a field to the new Project form to select a Primary Contact. This saves users the extra steps of reloading the Project form and manually attaching the Contact after the Project has been created.

Primary Contact

This scripted select field contains options for all of the selected Customer's Contacts. The first Primary Contact in the options will be selected by default. After the form is submitted and the Project record successfully created, the Contact is attached with the Primary Contact role.

Project Sync from Customer

This feature bulk-attaches Customer contacts to Project records, so Transactions, Cases, and Tasks under the Project have access to all relevant Contacts on the Customer. You can use a Search Filter to specify which Contacts should be attached.

Update Contacts

This Update Contacts box requests to attach any Contacts on the Customer that are not yet attached to the current Project. It is automatically checked on newly created Project records.

A Project submitted with this field checked will schedule the *NextService Scheduled : Contact* Scheduled Script with script deployment id `customdeploy_nx_contact`. After the scheduled script has finished processing and attaching all Contacts successfully, the Update Contacts box will be unchecked.

File Management

What is File Management?

File Management is a set of features to optimize and organize files in the File Cabinet. It compresses uploaded images and encodes additional information into the files including Task, Asset, User, and the file's created date/time and location.

Update File Cabinet

This feature organizes uploaded files in the `/NextService/upload/` folder. When the bundle is updated, it will schedule the *NextService Scheduled : File Scheduled Script* with script deployment id `customdeploy_nx_file`. This process will generate the `/NextService/upload/` folder if it does not exist, rename or move legacy subfolders and files, and remove empty subfolders.

Idempotency

The Idempotency feature of the Field Service Management (FSM) mobile app helps prevent duplicate records from being created during unreliable network conditions or repeated sync attempts. With the idempotency feature, the FSM mobile app makes sure resubmitted requests such as those from interrupted syncs or retries are processed a single time, so your data stays accurate. When mobile users submit records in areas with unstable connections, the same request might get sent several times, like after reconnecting or resyncing. Normally, each retry could create duplicate records for the same action. By setting up idempotency, you make sure only one record is created or updated per unique action, no matter how many times NetSuite gets the request from the mobile app.

By default, idempotency is running on all standard mobile tabs below.



Important: FSM version 2025.10.x is currently available for early access testing in sandbox accounts.

If you've set up idempotency on any standard tab in your config, you can remove it when you update to version 2025.10.x because it's no longer needed and will be replaced by the base product behavior.

Default Tab Label	Config Section
Details	details
Asset	asset
Sales Order	salesorder
Inventory	consumables
Time	times
Expenses	expenses
Files	files

Default Tab Label	Config Section
Notes	notes
Task	actions
Quote	quote
Order	order
Return	return

Any mobile tabs that aren't standard tabs need idempotency to be set up on the tab. While some custom records in your account might already have an idempotency key, it's important to ensure all custom tabs or records used by the mobile app have idempotency set up to lower the risk of duplicates.

The following custom tabs in mobile have idempotency fields, but idempotency still needs to be defined in configuration.

Custom Tab in Config	Idempotency
jobsafety	custrecord_nx_jobsafety_idem_key
newdetails	custevent_nx_idempotency_key
casesignatures	custevent_nx_idempotency_key
createchildasset	custrecord_nx_asset_idempotency_key
install	custrecord_nx_install_idem_key
repair	custrecord_nx_repair_idem_key
uninstall	custrecord_nx_uninstall_idem_key
maintenance	custrecord_nx_maintenance_idem_key

If you've created custom tabs or records in the FSM mobile app, you'll need to add an idempotency field for those records and set it as a property in the configuration.

To add an idempotency key field to a custom record:

1. Go to Customization > Lists, Records, & Fields > Record Types.
2. Click on the name of the custom record type you want to modify.
3. On the custom record type page, click the **Fields** subtab.
4. Click **New Field** to create a new custom field.
5. On the custom record field page, fill up the following fields:
 - **Label:** Enter a descriptive name, such as "[record name] Idempotency Key".
 - **ID:** If you leave this blank, NetSuite will create the ID automatically.
To keep things consistent, enter an ID with `_idem` as the suffix. The ID shouldn't contain spaces.
For example, if you have a checklist `abc`, enter an ID such as `custrecord_nx_abc_idem`.
 - **Type:** Select **Free-Form Text**.
 - **Store Value:** Ensure this box is checked to save your entered data.
6. Click **Save**.

To define idempotency for custom records in configuration:

1. Go to Field Service > Administration > Configuration.
The Field Service Configuration page opens the active configuration file.
2. On the **JSON** field, define idempotency for each custom record.
Using our sample idempotency created for the checklist abc custom record:

```

1 | "tab": {
2 |   ...
3 |   "article": {
4 |     "idempotencyField": "custrecord_nx_abc_idem"
5 |     ...
6 |   }
7 | }

```

3. Repeat step 2 on every tab that allows the creation of records.
4. Click **Save**.

 **Note:** The idempotency field doesn't need to appear on mobile, so it's best to remove it from the form or exclude it using the `exclude` property.

Multi-Language Support for FSM

You can use the Multi-Language feature with Field Service Management (FSM). FSM currently supports user locales across the scheduler, mobile, and NetSuite UI. Dates, times, and number formats in FSM follow the user's browser locale setting. If the Multi-Language feature is disabled, FSM is only available in the English language and follows U.S. localization of dates, times, and numbers.

Limitations of Using Multi-Language in FSM

 **Important:** Language translations are not yet supported.

You can perform the following to test translation functionality in FSM:

- add translation strings to the FSM translation collection (`custcollection_fsm`)
- create your own translation collection for your custom records, fields, and forms
- reference your custom translations in configuration

For a PDF guide on testing translations in FSM, contact NetSuite Customer Support.

Before working with the multi-language feature in FSM, take note of the following limitations:

- **Different settings in scheduler and mobile** – Your NetSuite language preference only affects FSM fields in NetSuite. Dates, times, time zones, and numbers on the scheduler board and mobile app use your browser's language preference.
- **Transportation layers in maps** – Transportation map layers containing labels for roads, highways, railways, shipping routes, and airline routes or flight paths are not supported.

- **Reports, notifications, and scripted strings** – Currently, FSM reports, email notifications, and scripted strings are not yet translatable. Scripted strings are text that are generated dynamically using code or logic and are often also used in notification templates.
- **Additional FSM customizations** – If you've added custom records, lists, or forms to FSM beyond what's included in the SuiteApp, they won't be automatically translated. You'll need to provide string translations for your customizations.

To enable the Multi-Language feature:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. On the **Company** subtab, in the **International** section, check the **Multi-Language** box.
3. Click **Save**.

Select your language preference for the FSM SuiteApp based on your location or area of operation. Your setting doesn't affect other NetSuite users in your account. Each user can choose their own preferred language, which will only apply to them.

To select your language preference:

1. Go to Home > Set Preferences.
2. On the **General** subtab, on the **Localization** section, select a **Language**.
3. Click **Save**.



Important: Dates, times, time zones, and numbers on the scheduler board and mobile app use your browser's language preference. For more information, see [Dates, Times, and Number Formats in the FSM Scheduler Board and Mobile App](#).

Dates, Times, and Number Formats in the FSM Scheduler Board and Mobile App

When you enable the Multi-Language feature, dates, times, time zones, and numbers on the scheduler board and mobile use your browser's language preference. To change your browser's language, open its Settings menu, find the Languages section, select your language from the list, set it as the display language, and restart your browser. If you're using a Mac, follow the instructions [here](#) to set your browser's language.

The table below shows the time and hour formats in the scheduler and mobile for the languages supported by NetSuite.

Language	Time Format	hour, min	hour
Chinese (Simplified)	24-hr	15:00	15#
Chinese (Traditional)	12-hr	##3:00	##3#
Czech	24-hr	15:00	15
Danish	24-hr	15.00	15
Dutch	24-hr	15:00	15
English (AU)	12-hr	3:00 pm	3 pm

Language	Time Format	hour, min	hour
English (CA)	12-hr	3:00 p.m.	3 p.m.
English (International)	12-hr	3:00 PM	3 PM
English (UK)	24-hr	15:00	15
English (U.S.)	12-hr	3:00 PM	3 PM
Finnish	24-hr	15.00	15
French	24-hr	15:00	15 h
French (Canada)	24-hr	15 h 00	15 h
German	24-hr	15:00	15 Uhr
Indonesian	24-hr	15.00	15
Italian	24-hr	15:00	15
Japanese	24-hr	15:00	15#
Korean	12-hr	## 3:00	## 3#
Norwegian	24-hr	15:00	15
Portuguese (Brazil)	24-hr	15:00	15
Russian	24-hr	15:00	15
Spanish	24-hr	15:00	15
Spanish (Latin America)	12-hr	3:00 p.m.	3 p.m.
Swedish	24-hr	15:00	15
Thai	24-hr	15:00	15"
Turkish	24-hr	15:00	15
Vietnamese	24-hr	15:00	15 giờ

Notifications

What are Notifications?

Notifications are automated emails sent when Support Cases, Tasks, and Project Tasks change state. This keeps all stakeholders have prompt and consistent communication about activities and transactions.

Event Pending Notifications Field

This field contains the notifications associated with the record that are queued to be sent. When you submit a record with this field, FSM runs the *NextService Scheduled : Notification Scheduled* Script with script deployment id `customdeploy_nx_notification`.

This Scheduled Script processes records with this field populated one at a time by:

1. Sending all pending notifications for the record.
2. Clearing the *Pending Notifications* field value.

This Scheduled Script handles all notifications by record type in order of Support Case, Task, then Project Task.

Program

What are Programs?

Programs are schedules for recurring work within Projects and Cases. Programs are used to consistently schedule maintenance of Assets by creating Cases and Tasks based on Program Rules.

Project Program

This feature creates recurring Cases with a Project according to Project Rules. Cases are used to schedule recurring work that span multiple days or are open ended.

Entity Update Program Field

Entity Update Program Field box requests to add or remove Cases from the current Project according to its Program. This box is checked automatically whenever you submit a Project whose Cases aren't in sync with its Program.

A Project submitted with this field checked will schedule the *NextService Scheduled : Program Scheduled* Script with script deployment id `customdeploy_nx_program`. This Scheduled Script processes Projects with this field populated one at a time by:

1. Deleting all Tasks on Cases that are not in the Program.
2. Deleting all Cases that are not in the Program.
3. Creating all Cases that are missing from the Program.
4. Unchecking the Update Program field on the Project.

Case Program

This feature creates recurring Tasks with a Case according to Case Rules. Tasks are used to schedule work that occur on a single day.

Event Update Program Field

Event Update Program Field box requests to add Tasks to the current Case according to its Program. This box is checked automatically whenever you create a Case record that has an associated Program.

A Case submitted with this field checked will schedule the *NextService Scheduled : Program Scheduled* Script with script deployment id `customdeploy_nx_program`. This Scheduled Script processes Cases with this field populated one at a time by:

1. Creating all Tasks that are missing from the Program.
2. Unchecking the *Update Program* field on the Case.

Recurrence

Recurrence is a feature that lets you auto-generate a series of recurring Tasks or Cases that repeat according to a set of defined parameters.

To enable Recurrence in your account, please contact your administrator.

Creating Recurring Records

1. Upon enabling the Recurrence feature in config, the **Recurrence** section appears under the Field Service tab in Task and Case records.

The screenshot shows the 'Field Service' record form with tabs: Main, Time Tracking, Related Records, Availability, and Communication. The 'Main' tab is active. The 'Recurrence' section is highlighted with a red box. It contains the following fields:

- TYPE**: A dropdown menu.
- INTERVAL**: A dropdown menu.
- FIELD SERVICE GEOLOCATION**: A text input field.
- END TYPE**: A dropdown menu.
- FIELD SERVICE GEOLOCATION COMPLIANT**: A checkbox that is checked.

Other visible fields include: BILLING RULE, CLOSE CASE, FIELD SERVICE IDEMPOTENCY KEY, FIELD SERVICE LOG ACTIVITY TIME, FIELD SERVICE INSTANCE INDEX, FIELD SERVICE COPY WITH PARENT, FIELD SERVICE SIGN OFF TECHNICIAN, FIELD SERVICE TECHNICIAN SIGNATURE, FIELD SERVICE CUSTOMER NAME, and FIELD SERVICE CUSTOMER SIGNATURE.

2. Under the **Recurrence** section, choose a value for Type to make the record recurring. Set recurrence parameters in fields as desired(details here) and save.

This screenshot shows the same 'Field Service' record form, but with values entered in the 'Recurrence' section (highlighted with a red box):

- TYPE**: Set to 'Daily'.
- INTERVAL**: Set to '1'.
- FIELD SERVICE GEOLOCATION**: Set to '37.7720271,-122.4125445'.
- END TYPE**: Set to 'After'.
- END COUNT**: Set to '8'.
- FIELD SERVICE GEOLOCATION COMPLIANT**: Still checked.

3. The system auto-generates more records based on the selected recurrence parameters. This can take a little time. When you refresh, you'll see the generated records under the **Recurrence Instances** subtab under the Field Service subtab.

Field Service Consumable	Transactions	Expenses	Field Service Repair	Field Service Maintenance	Field Service Install	Field Service Uninstall	Field Service Job Safety	Recurrence Instances +
INDEX	TITLE							
1	340 10th St San Francisco CA 94103 United States							START DATE: 10/16/2022, STATUS: Not Started, ASSIGNED TO: Syed Faraz
2	340 10th St San Francisco CA 94103 United States							START DATE: 10/18/2022, STATUS: Not Started, ASSIGNED TO: Syed Faraz
4	340 10th St San Francisco CA 94103 United States							START DATE: 10/22/2022, STATUS: Not Started, ASSIGNED TO: Syed Faraz
5	340 10th St San Francisco CA 94103 United States							START DATE: 10/24/2022, STATUS: Not Started, ASSIGNED TO: Syed Faraz

Editing Recurring Records

Field Service Recurrence lets you change a recurring record, with or without propagating the change to the rest of the series.

Propagating Changes

1. Edit a recurring record.
2. Change one of its fields and click **Save**.

3. A prompt is shown asking the user "Would you like to apply the changes for the entire series?".

Task 340 10th St San Francisco CA 94103 United States

Save Cancel Delete Future Instances Actions

Primary Information

CUSTOM FORM *
Field Service Task

NUMBER
142923

NAME *
340 10th St San Francisco CA 94103 United States

TASK TYPE *
Service

PRIORITY *
Medium

STATUS *
Not Started

CUSTOMER
3M

PROJECT
3M

CASE

ASSET
Frame: Maple AST-001

DETAILS

SKILL
- New -

ASSIGNED
Syed Faraz

TEAM
- New -
Adam Baum

Local Date/Time

Field Service Recurrence
Would you like to apply the changes for the entire series?
Yes No Cancel

- Click **Yes** to propagate. The record is saved.

Field Service Consumable	Transactions	Expenses	Field Service Repair	Field Service Maintenance	Field Service Install	Field Service Uninstall	Field Service Job Safety	Recurrence Instances	ASSIGNED TO
INDEX	TITLE		START DATE		STATUS				
1	340 10th St San Francisco CA 94103 United States		10/16/2022		Not Started				Syed Faraz
2	340 10th St San Francisco CA 94103 United States		10/18/2022		Not Started				Tara Wilson
4	340 10th St San Francisco CA 94103 United States		10/22/2022		Not Started				Tara Wilson
5	340 10th St San Francisco CA 94103 United States		10/24/2022		Not Started				Tara Wilson

- The system takes a little time to apply the changes. Refresh to see the updates.

Field Service Consumable	Transactions	Expenses	Field Service Repair	Field Service Maintenance	Field Service Install	Field Service Uninstall	Field Service Job Safety	Recurrence Instances	ASSIGNED TO
INDEX	TITLE		START DATE		STATUS				
1	340 10th St San Francisco CA 94103 United States		10/16/2022		Not Started				Syed Faraz
2	340 10th St San Francisco CA 94103 United States		10/18/2022		Not Started				Syed Faraz
4	340 10th St San Francisco CA 94103 United States		10/22/2022		Not Started				Syed Faraz
5	340 10th St San Francisco CA 94103 United States		10/24/2022		Not Started				Syed Faraz

Current-record only change

- Edit a recurring change.
- Change one of its fields and click **Save**.
- A prompt is shown asking the user "Would you like to apply the changes for the entire series?".
- Click **No** to keep the changes to the current record. The record is saved.

 Task

340 10th St San Francisco CA 94103 United States

Save

Cancel

Delete Future Instances

Actions

Primary Information

CUSTOM FORM *
Field Service Task

NUMBER
142923

NAME *
340 10th St San Francisco CA 94103 United St

TASK TYPE *
Service

PRIORITY *
Medium

STATUS *
Not Started

CUSTOMER
3M

PROJECT
3M

CASE

ASSET
Frame: Maple AST-001

DETAILS

SKILL
- New -

ASSIGNED
Syed Faraz
Scott Winborne
Solution Devt Group
Steven Bisset
Suite Demo Team
Susan Gibson
Syed Faraz
Tara Wilson
Terry Chan

Local Date/Time

5. Only the changed record is updated.

Field Service Consumable	Transactions	Expenses	Field Service Repair	Field Service Maintenance	Field Service Install	Field Service Uninstall	Field Service Job Safety	Recurrence Instances +
INDEX	TITLE				START DATE		STATUS	ASSIGNED TO
1	340 10th St San Francisco CA 94103 United States				10/16/2022		Not Started	Tara Wilson
2	340 10th St San Francisco CA 94103 United States				10/18/2022		Not Started	Syed Faraz
4	340 10th St San Francisco CA 94103 United States				10/22/2022		Not Started	Syed Faraz
5	340 10th St San Francisco CA 94103 United States				10/24/2022		Not Started	Syed Faraz

Editing Recurrence

Making changes to recurrence parameters like frequency, pattern of repetition in the primary record will automatically adjust the rest of the series.

1. Change the recurrence parameters in the Recurrence section under Field Service tab.

Recurrence

TYPE
Daily

INTERVAL
2

FIELD SERVICE GEOLOCATION
37.7720271,-122.4125445

END TYPE
By

END DATE
6/30/2024

☒ FIELD SERVICE GEOLOCATION COMPLIANT

2. Records are regenerated based on the changed parameters. This might take some time. Refresh to see them in the Recurrence Instances subtab.

NetSuite Field Service Management

ORACLE NetSuite

Recurrence

TYPE: END TYPE:

INTERVAL: END DATE:

FIELD SERVICE GEOLOCATION: ☒ FIELD SERVICE GEOLOCATION COMPLIANT

Field Service Consumable	Transactions	Expenses	Field Service Repair	Field Service Maintenance	Field Service Install	Field Service Uninstall	Field Service Job Safety	Recurrence Instances *	ASSIGNED TO
INDEX	TITLE						START DATE	STATUS	
1	340 10th St San Francisco CA 94103 United States						10/16/2022	Not Started	Tara Wilson
2	340 10th St San Francisco CA 94103 United States						10/18/2022	Not Started	Syed Faraz
4	340 10th St San Francisco CA 94103 United States						10/22/2022	Not Started	Syed Faraz
5	340 10th St San Francisco CA 94103 United States						10/24/2022	Not Started	Syed Faraz
6	340 10th St San Francisco CA 94103 United States						10/26/2022	Not Started	Syed Faraz
7	340 10th St San Francisco CA 94103 United States						10/28/2022	Not Started	Syed Faraz
8	340 10th St San Francisco CA 94103 United States						10/30/2022	Not Started	Syed Faraz
9	340 10th St San Francisco CA 94103 United States						11/1/2022	Not Started	Syed Faraz
10	340 10th St San Francisco CA 94103 United States						11/3/2022	Not Started	Syed Faraz
11	340 10th St San Francisco CA 94103 United States						11/5/2022	Not Started	Syed Faraz
12	340 10th St San Francisco CA 94103 United States						11/7/2022	Not Started	Syed Faraz
13	340 10th St San Francisco CA 94103 United States						11/9/2022	Not Started	Syed Faraz
14	340 10th St San Francisco CA 94103 United States						11/11/2022	Not Started	Syed Faraz
15	340 10th St San Francisco CA 94103 United States						11/13/2022	Not Started	Syed Faraz
16	340 10th St San Francisco CA 94103 United States						11/15/2022	Not Started	Syed Faraz
17	340 10th St San Francisco CA 94103 United States						11/17/2022	Not Started	Syed Faraz
18	340 10th St San Francisco CA 94103 United States						11/19/2022	Not Started	Syed Faraz
19	340 10th St San Francisco CA 94103 United States						11/21/2022	Not Started	Syed Faraz
20	340 10th St San Francisco CA 94103 United States						11/23/2022	Not Started	Syed Faraz
21	340 10th St San Francisco CA 94103 United States						11/25/2022	Not Started	Syed Faraz
22	340 10th St San Francisco CA 94103 United States						11/27/2022	Not Started	Syed Faraz
23	340 10th St San Francisco CA 94103 United States						11/29/2022	Not Started	Syed Faraz
24	340 10th St San Francisco CA 94103 United States						12/1/2022	Not Started	Syed Faraz
25	340 10th St San Francisco CA 94103 United States						12/3/2022	Not Started	Syed Faraz
26	340 10th St San Francisco CA 94103 United States						12/5/2022	Not Started	Syed Faraz
27	340 10th St San Francisco CA 94103 United States						12/7/2022	Not Started	Syed Faraz
28	340 10th St San Francisco CA 94103 United States						12/9/2022	Not Started	Syed Faraz
29	To Be Generated						12/11/2022	Not Started	Syed Faraz

Deleting Recurring Records

Recurring records can be deleted in multiple ways:

Manually deleting a record in a recurring series

Field Service tracks records you delete manually so they don't get regenerated as per the recurrence definition. Use standard NetSuite functionality to delete records.

Manually deleting a record and future records

Field Service lets you delete a recurring record and the following ones in the series.

1. Edit a recurring record.
2. Click the button **Delete Future Instances**.

Task

Primary Information

CUSTOM FORM: CUSTOMER: SKILL:

3. The user is redirected to the NetSuite Home screen. The record is marked for deletion and deleted in the background.

Automatic Deletion

Changing recurrence parameters automatically deletes any unnecessary records that do not comply with the new recurrence definition. See [Editing Recurrence](#).

Script

Script is a feature set that encapsulates features that manage SuiteScripts and their Script Deployments.

Subsidiary Deployments

Subsidiary Deployments is a load balancing feature that distributes data processing across multiple SuiteCloud Processors. When enabled, high-volume Scheduled Scripts like Programs, get a separate Scheduled Script Deployment for each Subsidiary instead of one central deployment.

Records submitted for processing are routed to the Scheduled Script Deployment associated with the record's related Subsidiary. Records without a related Subsidiary are handled by the primary deployment.

Scheduled Script Deployments apply the following naming convention:

- Primary Deployment Id: `customdeploy_nx_{featurename}`
- Subsidiary Deployment Id: `customdeploy_nx_{featurename}_{subsidiaryid}`

Subsidiary Deployments is currently only available for the Programs feature.

Status Management

What is Status Management?

Status Management is a set of features that ensure the Status field of Project, Cases, and Tasks records are accurate. A meaningful status allows you to conveniently report on jobs and track them through a workflow.

Case Status

Status Management is a set of features that ensure the Status field of Project, Cases, and Tasks records is accurate. A meaningful status allows you to conveniently report on jobs and track them through a workflow.

Auto Open Case

When this option is enabled, a *Not Started* Case with any in progress Tasks can specify to set its own status to *In Progress*.

Since NetSuite doesn't have a *Not Started* Case Stage, you need to set this option to use one or more *Not Started* statuses. The opening status of the Case is defined by a Case Formula Text search column.

Auto Close Case

When this option is enabled, a Case with all completed Tasks can specify to set a closing status and move itself from a stage of *Open*, *Reopened*, or *Escalated* to *Closed*. The Case End Date and Time fields are updated with the Completed End Date and Time fields of the last completed Task.

The closing status of the Case is defined by a Case Formula Text search column. This option is disabled by default.

Task Close Case

When this option is enabled, any completed Task can specify to set a closed status on its Case to move it from a stage of *Open*, *Reopened*, or *Escalated* to *Closed*. The Case End Date and Time fields are updated with the Completed End Date and Time fields of the closing Task.

The closing status of the Case is defined by a Task Formula Text search column. By default, this closes the Case when you check the *Close Case* box on the Task record.

Update Status

Update Status box requests an update to the Status field of the current Case. This box is checked automatically when you create a dependent Task record or when you change the Status field.

When you submit a Case with this box checked, FSM runs the *NextService Scheduled : Status* Scheduled Script with script deployment id customdeploy_nx_status. After the Scheduled Script has finished processing and updated the Status successfully, the box is unchecked.

The Field Service Center

The Field Service Management (FSM) SuiteApp includes the Field Service Center—a custom center with tabs, categories, and links—to help you easily access FSM records and features. Centers are tabbed menu pages in NetSuite that change depending on your role. Center tabs include categories of links to NetSuite pages, custom records, Suitelets, or external web pages. To learn more about the NetSuite user interface and centers, see the help topic [Centers Overview](#).

When you update the FSM SuiteApp to a new version, you may lose some categories and links. For more information, see [Restoring Field Service Center Categories and Links](#).

Field Service Tab, Categories, and Links

The Field Service Center includes the Field Service tab. This tab also displays in some other standard NetSuite centers to make FSM features available to different user roles.

The Field Service Tab is supported for the following centers:

Center	Type	Default Audience
Field Service Center	Custom	All roles
Classic Center	Standard	All roles
Sales Center	Standard	–
Support Center	Standard	Field Service Manager Field Service Technician Support Administrator

The Field Service tab comes with the following categories and links:

Category	Link	Label
Administration	Field Service Setup	Configuration
	Field Service Scheduled Scripts Results	Scheduled Scripts
	Field Service Script Logs Results	Script Logs
Scheduler	Field Service Scheduler Suitelet	Run
Mobile	Field Service Mobile Suitelet	Run
Resources	Field Service Work Calendar	Public Holiday Groups
	Field Service Non Working Day	Public Holidays
	Field Service Employees Results	Employees
Reports	Field Service Unapproved Expenses Results	Unapproved Expenses Report
	Field Service Unapproved Time Results	Unapproved Time Report
	Field Service Time to Journal Results	Time to Journal Report
	Field Service Journals Results	Journals Report
	Field Service Consumables Results	Consumables Report
	Field Service Consumables without SO Results	Consumables without SOs Report
Assets	Field Service Asset	Assets
	Field Service Asset Search Results	Assets Search
Projects	Projects	Projects
	Field Service Project Search Results	Projects
Cases	Cases	
	Field Service Case Search Results	Cases Search
Tasks	Tasks	
	Field Service Task Search Results	Tasks Search
Expense Categories	Field Service Expense Category Search Results	Expense Categories
Items	Field Service Items Search Results	Items Search

The Field Service tab in each center lists categories based on the center and your role.

The table below lists the categories you'll find under the Field Service tab in each supported center:



Note: If you don't have the required permissions, some categories or links might be missing. Check with your administrator.

Category	Field Service Center	The Classic Center	The Sales Center	The Support Center
Administration	Yes	Yes	–	–

Category	Field Service Center	The Classic Center	The Sales Center	The Support Center
Scheduler	Yes	Yes	Yes	Yes
Mobile	Yes	Yes	Yes	Yes
Resources	Yes	–	–	–
Reports	Yes	Yes	Yes	Yes
Assets	Yes	Yes	Yes	Yes
Projects	Yes	Yes	Yes	Yes
Cases	Yes	Yes	Yes	Yes
Tasks	Yes	Yes	Yes	Yes
Expense Categories	Yes	–	–	–
Items	Yes	Yes	Yes	Yes

Restoring Field Service Center Categories and Links

After updating the Field Service Management (FSM) SuiteApp, it's important to review your customizations to make sure you still have access to Scheduler and Mobile features. Depending on how your NetSuite Center is set up, you might need to restore or adjust some links and audience settings.

See the following topics.

- [Supported NetSuite Centers](#)
- [Unsupported NetSuite Centers](#)
- [Best Practices After FSM Updates](#)

Supported NetSuite Centers

If you use a supported NetSuite Center and you've customized the audience, category names, or link labels for the Field Service tab, those changes reset after a bundle update.

To add the audience again:

1. Go to Customization > Centers and Tabs > Center Tabs.
2. Under the **Name** column, find the Field Service tab for the appropriate center type, then click **Edit**.
3. In the **Audience** subtab, select the appropriate role or roles under the **Roles** field.
4. Click **Save**.

To reset a category name:

1. Go to Customization > Centers and Tabs > Center Tabs.
2. Under the **Name** column, find the Field Service tab for the appropriate center type, then click **Edit**.
3. In the **Content** subtab, under **Categories**, re-enter the name of the appropriate category in the **Name** column, then click **OK**.

4. Click **Save**.

To reset a link label:

1. Go to Customization > Centers and Tabs > Center Categories.
2. Under the **Label** column, find the appropriate category, then click **Edit**.
3. In the **Values** subtab, re-enter the **Label** for the appropriate link.
4. Click **Save**.

Unsupported NetSuite Centers

If you're using a NetSuite Center that's not supported, you might lose Mobile and Scheduler category links after an update.

To restore links to the Mobile and Scheduler:

1. Go to Customization > Centers and Tabs > Center Categories.
2. Under the **Label** column, find the category for the Mobile or Scheduler under your Field Service tab, then click **Edit**.
3. Under the **Values** subtab, update the link and label as follows:

Category	Link	Label
Scheduler	Field Service Scheduler Suitelet	Run
Mobile	Field Service Mobile Suitelet	Run

4. Click **Save**.
5. Repeat steps 2-4, make sure you restore both Mobile and Scheduler links.

Best Practices After FSM Updates

Here are some best practices to help you keep access to FSM features and avoid issues after a bundle update.

1. [Use the Classic Interface](#)
2. [Create a Custom Center Tab and Add Custom Links](#)

Use the Classic Interface

If you lose access to the Field Service tab after an update, switch to the Classic Interface to get it back.



Note: Some roles, such as the Administrator role, use the Classic Center by default and the **Use Classic Interface** box is not available. The box is available in all custom roles not using the Classic Interface by default.

To switch to the Classic Interface:

1. Go to Home > Set Preferences.

2. On the **Appearance** subtab, under **Centers & Dashboards**, check the **Use Classic Interface** box.
3. Click **Save**.

Create a Custom Center Tab and Add Custom Links

A custom center tab keeps its audience, categories, and links after a bundle update.

For example, to make sure you keep access to the Mobile or Scheduler, you can add them as custom links on a custom center tab.

To do this, perform the following steps in order:

Step	Procedure
1. Create a custom center tab for Field Service.	See the help topic Creating Center Tabs.  Tip: Be sure to use a unique, simple to recall label for your custom center tab.
2. Create custom links for the Mobile and Scheduler Suitelets.	To create custom links for the Mobile and Scheduler Suitelets: 1. Go to Customization > Scripting > Script Deployments. 2. Click View next to the following: ■ Script: Field Service Mobile Suitelet ID: customdeploy_nx_mobile ■ Script: Field Service Scheduler Suitelet ID: customdeploy_nx_scheduler 3. From the URL field, copy the link. 4. Repeat steps 2-3, making sure you copy both Mobile and Scheduler Suitelet URLs. 5. Go to Customization > Centers and Tabs > Center Links. 6. On the Custom Center Links page, add new mobile and scheduler entries under the Label and URL columns. For example, ■ Label: FSM Mobile URL: https://system.netsuite.com/<Mobile Suitelet URL copied from step 3> Sample: https://system.netsuite.com/app/site/hosting/scriptlet.nl?script=4&deploy=2 ■ Label: FSM Scheduler URL: https://system.netsuite.com/<Scheduler Suitelet URL copied from step 3> Sample: https://system.netsuite.com/app/site/hosting/scriptlet.nl?script=4&deploy=3 7. Click Save.
3. Add the Mobile and Scheduler custom links to the custom center tab for Field Service.	To add your custom center links to a custom center tab 1. Go to Customization > Centers and Tabs > Center Categories > New.

Step	Procedure
	2. In the Label field, enter a category name. 3. From the Center Type list, select a center. 4. From the Center Tab list, select the custom center tab you created. 5. On the Values subtab, from the Links list, select the mobile and scheduler links you created. 6. Click Save.

Time Zone

What is Time Zone Management?

Time Zone Management is a set of features that let you manage and report on work across multiple time zones. You can associate Projects, Activities, and Assets to a Time Zone record, which acts as a reference for all related date and time fields.

This is important because understanding *when* an event occurs requires knowing *where* it occurs. For example, a Case starting at 9:00 am AEST is 16 hours before a Case that started on the same date at 9:00 am EST. If Service Managers and Technicians in multiple time zones do not understand this, they risk arriving on site at the wrong time, missing a due date, breaching Service Levels, and overall giving poor customer experience.

NetSuite compounds this confusion by being inconsistent with how Date and Time fields are stored and displayed. Many Date, Time, and Date Time fields are stored as UTC values and converted to the time zone found in the current user's User Preferences before being displayed. This means users in different time zones see different dates for the same record!

Time Zone Management resolves this by adding Date and Time fields to Activity records that always display values based on the Activity's time zone, not the user's.

Time Zone Record

The Time Zone record, with script id `customrecord_nx_time_zone`, is prefilled with 87 read only records. These records relate directly to the NetSuite supported time zones. The Internal Id and Olson fields contain the corresponding SuiteScript time zone ids.

The Olson field, with script id `custrecord_nx_time_zone_olson`, can be used in Save Search formulas for time zone conversions.

Time Zone Fields

Time Zone Management adds a user selectable Time Zone List/Record field to Asset, Project, Case, Task, and Project Task records. Parent and child records can be associated with different time zones. For example, a Project may have Cases in multiple time zones or a Case may have Tasks in multiple time zones.

Projects and Activities inherit the time zone from the parent records in ascending order. If no time zone is defined, it's inherited from the selected Asset, then the Subsidiary. Lastly, it defaults to the time zone found in the User Preferences of the current user.

Asset

The Asset time zone is populated automatically when you enter coordinates on the form. The coordinates are used to look up the related time zone for that location and is then matched to the equivalent NetSuite supported time zone.

Project

The Project time zone is sourced automatically from the selected Asset, then Subsidiary, and lastly the User Preference.

Case

The Case time zone is sourced automatically from the selected Project, then Asset, then Subsidiary, and lastly the User Preference.

Task

The Task time zone is sourced automatically from the selected Case, then Project, then Asset, and lastly the User Preference. The obsolete Time Zone Olson text field value is kept synchronized with the Time Zone select field.

Project Task

The Project Task time zone is sourced automatically from the selected Project, then Asset, and lastly the User Preference. The obsolete Time Zone Olson text field value is kept synchronized with the Time Zone select field.

Date and Time Fields

Time Zone Management adds Start Date, Start Time, End Date, and End Time fields to the Case and Task records. While the native Start and End fields show values in the User Preference time zone, the custom fields show the equivalent values converted to the selected time zone.

When you change any native Start or End field, the custom Start and End fields are updated. When you save the record, the native and custom fields sync, prioritizing the custom field values if defined.

Case

The End Date and Time fields are only populated when you close the Case by a completed Task.

Task

NetSuite applies validation to Task records to force them to span a single date. The validation uses the native Start and End fields and the User Preference time zone.

This becomes problematic when you need to schedule a Task that is valid for another time zone but spans midnight in their own time zone. For example, a user in EST would not be able to save a Task for 9:00 am -

5:00 pm AEST. The equivalent EST values, 6:00 pm - 1:00 am EST, span two days and NetSuite would throw an error when the user attempts to save.

Time Zone Management works around this validation by temporarily disabling the Timed Event box and clearing the native Start and End time fields before submitting invalid Tasks. The *NextService Scheduled : Time Zone Scheduled Script*, with script deployment id `customdeploy_nx_timezone`, is then run to correct this data. The script resubmits these Tasks with Timed Event checked and restores the correct native Start and End time field values.

Tracking Field Service Time

The Track Service Time feature automatically creates time bills by capturing the start and end times of a job. This helps managers keep track of field activities and reduce billing errors.

The feature relies on background scripts to create and update NetSuite records after mobile users finish a task. The scripts run sequentially and associate the time bills with the Task record.

After the mobile user finishes a task, the following fields in the Task record are updated:

Task Record Field	Value
Status	In Progress
Field Service End	Timestamp of task completion from Mobile
Field Service Log Activity Time	Checked

After this, the script creates the time bill, and finally the Task record is updated to end the process:

Task Record Field	Value
Status	Completed
Date Completed	Date of task completion
Field Service Log Activity Time	Cleared



Important: The sequential nature of Time Tracking background script activities might impact customizations or certain actions. This applies to all FSM accounts, not only on those with the Time Tracking feature enabled.

To manually set a **Completed** task back to **In Progress** on the Task record, delete the timestamp value in the **Field Service End** date field before saving. If you do not delete the timestamp, the status reverts to Completed when you save the record.

On Mobile, field personnel will see the task back as **In Progress** and will need to click **Complete** again. This triggers the process from the beginning and records a new completion timestamp.

Limitations of the Track Service Time Feature

Note the following limitations when using the Track Service Time feature:

- When enabled, the feature works at the account level, not the user level. This means all mobile users can track service time.
- You can only track service time for one task at a time, and you have to finish that task before you can track time on another.

- Administrative tasks, or tasks used for office or clerical work rather than service work, can be shown on the mobile. However, they should not be started and all tabs on them must be enabled at all times. This will allow the user to interact with the tabs without impacting the tasks used to track service time.
- The feature supports only CRM Tasks. Project Tasks aren't supported, and the feature shouldn't be used if both CRM Tasks and Project Tasks are displayed on mobile. The feature might still work with Project Tasks on the mobile app, but since it only tracks one task at a time and there are administrative task limitations, it's not practical to use it for Project Tasks.
- The time record for a task only displays the start and completion times. You can't track work breaks, travel time, or other related activities.
- The feature won't work if a field service task is not associated to a service item. For more information, see [Associating Field Service Task Types to Activities](#).

To learn more about using this feature, see the following topics:

- [Setting Up the Track Service Time Feature](#)
- [Tracking Field Service Time on Mobile](#)
- [Viewing Time Activities on Field Service Tasks](#)
- [Viewing Field Service Time Bills in the Employee Record](#)

Setting Up the Track Service Time Feature

Complete the following tasks to set up the Track Service Time feature:

1. [Enabling the Track Service Time Feature](#)
2. [Setting Up the Technician's Tasks](#)
3. [Associating Field Service Task Types to Activities](#)

Enabling the Track Service Time Feature

The feature is not enabled by default. To enable the feature, contact your NetSuite Account Manager.

Setting Up the Technician's Tasks

Ensure all tasks on the mobile app are set to **Not Started** for each technician. As only one task can be active at any time on the mobile, make sure that any in progress tasks have been completed in NetSuite.

If a technician finds that more than one task is active on the mobile, they may require the service manager to update tasks in NetSuite to resolve any inconsistencies.

Associating Field Service Task Types to Activities

After the Track Service Time is enabled in your account, you need to associate Field Service task types to the activities you want time tracked.

To associate Field Service Task types to Activity types:

1. In the **Global Search** field, enter **page: task type**.
2. From the results list, select **Field Service Task Type**.
3. On the list page, click **Edit** beside the Field Service Task type you want to associate.
4. From the **Service Time Item** list, select a **Service Item**.

 **Note:** The Service Item should be an item for sale or resale with the base price set. This ensures accurate and consistent billing. For more information, see the help topic [Service Items](#).

5. Click **Save**.
6. Repeat steps 3 – 5 for all Field Service Task Types you want to associate.

Tracking Field Service Time on Mobile

You can track field service time on tasks that have been linked to activities for time tracking.

To track field service time:

1. On the Mobile task list screen, select the appropriate task.
2. Click **Start**. This opens a popup window.
3. On the **Start the Task** window, the **Start Time** field defaults to the current time. You can edit the start time by clicking on the clock icon.
4. Click **Start** to begin tracking service time and create the activity record. If you click **Cancel**, the task doesn't start and no time record is captured.
5. While the task is in progress, fill in any required information related to the task in the appropriate fields.

You can still edit the task start time by clicking the dimmed Start button which is now labeled **Started at x:xx AM or PM**. The **Update the Task** popup window opens and you can edit the time by clicking on the clock icon. Click **Update** to set the new start time.

 **Note:** You can only track time for a single task. A banner indicating the current task appears at the bottom of the Mobile dashboard. The banner remains on screen when you check other pending tasks. Click **Continue** to return to your active task. You have to complete your current task before you can track time for another.

6. When the task is done, click **Complete** to open the **Complete the Task** popup window.
7. On the popup window, the **Complete Time** field defaults to the current time. You can edit the time by clicking on the clock icon.
8. Click **Complete** to end the task and record the completion time.

Viewing Time Activities on Field Service Tasks

You can view time-tracking activities logged for completed field tasks on the Task record.

To view created activities on a task:

1. Go to Field Service > Tasks > Tasks.
2. On the **Tasks** list page, select the appropriate task.
3. Under the **Field Service** subtab, go to the **Field Service Activity** subtab.
4. The **Field Service Activity** subtab shows all related activities created against the task.

The **Start Task** and **Complete Task** entries under the **Type** column shows the user-confirmed start and completion times respectively.

5. (Optional) Click **Edit** beside an activity to open the **Field Service Activity** page showing more details.

The following table describes the relationship between the timestamps of different actions in Mobile and the corresponding values saved in the Task record. This is important to know because the mobile user can change the start or completion times of a task.

Timestamp	Where is this saved on the Task record?
User clicks Start	Field Service Start
User-confirmed start time on Start or Update the Task popup window	Start Task time under the Field Service Activity subtab
User-confirmed completion time on Complete the Task popup window	Complete Task time under Field Service Activity subtab
User clicks Complete	Field Service End

Viewing Field Service Time Bills in the Employee Record

You can view the time bills created on time-tracked tasks recorded from Mobile.

To view Field Service time bills in the employee record:

1. Go to Lists > Employees > Employees.
2. On the Employee list page, select the appropriate employee.
3. On the Employee record, click the **Time Tracking** subtab.
4. The Time Tracking subtab shows the list of time bill entries for the selected employee.

To view total weekly hours, open the Weekly Timesheets page. For more information, see the help topic [Weekly Timesheets](#).

If you use SuitePeople Workforce Management (WFM) and FSM, weekly timesheets contain added features. For more information, see the help topic [Tracking Weekly Timesheets with WFM and FSM Hours](#).

Unbilled Amounts

What are Unbilled Amounts?

Unbilled Amounts is a feature that helps ensure jobs are fully billed. It adds fields to the Case record to report on transactions that have not yet been billed. This lets you conveniently monitor the exact dollar amount that is outstanding for each Case and follow up on invoicing.

Unbilled Time

This field contains the unbilled total amount for Time records that are Billable, approved by a supervisor, and associated to the Case or one of its Tasks. The amount for each Time record is the Rate times the Duration.

Unbilled Expenses

This field contains the unbilled total from Expense Report record lines that are billable and associated to the Case.

Unbilled Sales Orders

This field contains the unbilled total of Sales Order record lines that are billable and associated to the Case. This does not include Billable Consumable records not yet added to a Sales Order.

Unbilled Total

This field contains the unbilled amounts from Time, Expenses, and Sales Orders fields.

Update Unbilled

This Update Unbilled box requests an update to the Unbilled Amount fields of the current Case. This box is checked automatically when you create, update or delete a dependent Time, Expense Report, Sales Order, or Invoice record.

When you submit a Case with this box checked, FSM schedules the *NextService Scheduled : Unbilled Amounts* Scheduled Script with script deployment id `customdeploy_nx_unbilled`. After the Scheduled Script has finished processing and updated the fields successfully, the box is unchecked.

Field Service Management Administrator Guide

To learn more about the different features for Field Service Management administrators, see the following topics:

- [Getting Started](#)
- [Resource Icons](#)
- [Color Coding](#)
- [Dynamic Forms](#)
- [Service Provider](#)
- [Sales Order Templates](#)
- [Configuration Pitfalls](#)
- [Updating the Configuration File](#)
- [Feedback and Net Promoter Score \(NPS\)](#)
- [Recurring Cases with Program](#)
- [Recurrence Fields](#)
- [Recurrence Config](#)
- [Recurrence Life Cycle](#)
- [Mobile Element Types](#)
- [Mobile Element Select Options](#)
- [Mobile Element Properties](#)
- [Compatibility and Expected Behaviors](#)

Getting Started

Make sure Field Service Management (Bundle ID: 570821) has installed successfully and the license is correct for the account. Get familiar with the Implementation Guide and how Field Service works with NetSuite before you set up or configure an account.

For more information about installing SuiteApps, see the help topic [Installing a Bundle](#).

Setup

Project, Case, and Task Types are used to look up rules for Billing, Notifications, Programs, and Mobile content. Regions are used to link Employees and Assets to a geographical area. Create the required records and find their internal IDs.

Record	ID	Example
Project Type	customrecord_nx_project_type	Warranty
Case Type	customrecord_nx_case_type	Service
Task Type	customrecord_nx_task_type	Visit
Billing Type	customlist_nx_billing_type	–
Region	customlist_nx_region	Victoria

Configuration

Configuration contains [JSON](#) that merges with the application code at runtime to overwrite or extend the default configuration. The application's features are in code modules, each with a unique ID. To configure a specific module, add an object to the Configuration using the Module ID.

For example,

```
1 {
2   "routes/mobile": {}
3 }
```

Modules are organized by their function. Views manage elements of the user interface like custom sublists or buttons. Models manage data sourcing, validation, and events for records. Routes are Web Servers for apps or services. Utility and Core modules are libraries and usually aren't configurable. Check the module documentation to see which properties you can configure.

You configure all other features directly from the utilities/config module, without using the Module ID.

For example,

```
1 {
2   "accounting": {}
3 }
```

For more information, see [Configuration](#).

Data Migration

Record	ID	CSV Template
Asset	customrecord_nx_asset	–
Work Calendar	customrecord_nx_work_calendar	–
Non Working Days	customrecord_nx_employee_non_working_day	–

Importing Work Calendars

You can't import or create native Work Calendar records with scripts, but some client-side code still lets you bulk enter the form without much trouble.

Create a CSV file for the Non Working Days matching the following template. The dates must be formatted YYYY-MM-DD and there must be only 1 comma per line.

```
1 Date,Description
2 2019-01-01,New Year's Day
3 2019-04-19,Good Friday
4 2019-04-22,Easter Monday
5 2019-12-25,Christmas Day
6 2019-12-26,Boxing Day
```

Open the console on the Work Calendar form and paste in the following code. Replace CSV with the entire contents of your CSV file, keeping the back-ticks. Then press Enter to run it.

```
1 `csv`.trim().split(/\n/g).slice(1).map(function(row) {
2   row = row.split(',')
3   nlapiSelectNewLineItem('workcalendarexception')
4   nlapiSetCurrentLineItemValue('workcalendarexception', 'exceptiondate', nlapiDateToString(new Date(row[0])))
5   nlapiSetCurrentLineItemValue('workcalendarexception', 'description', row[1])
6 })
```

```

6 | nlapiCommitLineItem('workcalendarexception')
7 | })

```

Resource Icons

Icon	Id
	add
	back
	barcode
	bookmark
	calendar
	check
	clipboard
	clock
	close
	comment
	creditcard
	data
	direction
	done
	down
	download
	draft
	email
	erase
	error
	eyeclose
	eyeopen
	flag
	image
	inbox
	info

Icon	Id
	invoice
	left
	link
	list
	logout
	map
	menu
	mobile
	navigation
	offline
	outbox
	page
	paperclip
	pen
	phone
	place
	plus
	quote
	refresh
	right
	save
	search
	settings
	shoppingcart
	start
	subtract
	success
	syncdone
	sync

Icon	Id
	syncing
	torso
	unchecked
	up
	upload
	warning
	wrench

Color Coding

Color coding lets Scheduler users visualize event data. Users can select a color group that color codes all events based on a property. The selected group colors are applied to events on the board, map, and the assigned and unassigned task panels. This information helps users make quicker, better decisions based on the color data.

For example, users might want to see if tasks are progressing based on their priority. If you display all tasks on the board color-coded by priority, you can quickly see if there are still a lot of high-priority tasks not completed. In this case, the color for High will stand out, giving users a clear signal to take action.

Groups

A color group lets you choose how to color code events. A group has a set of items that relate values of an event property, as found in the event map `routes/scheduler.event`, to color swatches. If an event does not have a matching item, the default swatch is applied.

The event map has a `swatch` property that can also specify the swatch to apply, overriding the item swatch. When the group `eventswatch` option is `true` the swatch from the event is applied, if it is `false` the swatch from the item takes priority.

A color group applies a Palette that defines the available swatches to use. Scheduler users can change the default palette to other available options, which changes the swatches on the items. Your selected preferences are saved to your local computer and won't affect anyone else's settings.

The following color groups are pre-configured and the default selected group is Task Priority:

- Task Priority
- Task Status
- Task Type
- Case Type

Items

An item relates a value of an event property to a color. To do this, each item defines a unique value in its ID and specifies a color swatch. If the item has no swatch defined, one will automatically be assigned

based on its index in the palette swatches. Assigning an item a swatch not supported in the palette will result in a default swatch being applied. An item can optionally define `cluster` which specifies how the color is applied to the map marker clusters.

Scheduler users can change the swatch for each item with another swatch within the same palette. Your changes are saved to your local computer and won't affect anyone else's changes.

Palettes

Palettes are combinations of 8 swatches supported in the scheduler, and you can't add custom palettes.

The following palettes are available and the default palette is Rainbow:

- Rainbow
- Cool
- Warm
- Contrast

Swatches

Swatches are the colors available in each of the palettes. You can't add new swatches or change their colors.

The swatches for the available palettes are listed below:

Rainbow	Cool	Warm	Contrast
redpigment	cornflowerblue	redpigment	ultramarine
sizzlingsunrise	viridiangreen	sizzlingsunrise	celadongreen
skybluecrayola	cyanprocess	laserlemon	metallicseaweed
darkorange	mediumaquamarine	darkorange	navyblue
bitterlime	inchworm	bitterlime	greenryb
shockingpink	electricpurple	shockingpink	bluevioletcolorwheel
electricviolet	electricindigo	electricviolet	trypanblue
battleshipgrey	battleshipgrey	battleshipgrey	onyx

The swatches available to events are listed below:

ashgray	unavailable
inactive	soft
	hard

Adding a Color Group

To apply this to the task priority use case, set up the group as follows:

- Setting group object name to any unique descriptive value.
- Setting label property to the text Priority.
- Setting column property to the event mapped field priority.
- Setting items property to an array of objects representing the values high, medium and low.
- Set the palette property to Rainbow, which is one of the available palette options.
- For each item, set the swatch property to a specific swatch name from the Rainbow palette.
- Set the eventswatch flag to true to use the color swatch from the event.

For example:

```

1  {
2      "colour": {
3          "group": {
4              "mypriority": {
5                  "label": "Priority",
6                  "column": "priority",
7                  "palette": "Rainbow",
8                  "items": [{ "id": "1", "label": "High", "swatch": "redpigment" }, { "id": "2", "label": "Medium", "swatch": "sizzlingsunrise" }, { "id": "3", "label": "Low", "swatch": "skybluecrayola" } ]},
9                  "eventswatch": true
10             }
11         }
12     }
13 }
```

Removing a Color Group

If you want to remove a group from the options, set its group property to null.

For example:

```

1  {
2      "colour": {
3          "group": {
4              "priority": null
5          }
6      }
7  }
```

Map Cluster Color

Map clusters give you an overview of tasks grouped on the map, helping you spot any unattended priority tasks and zoom in to see where they are.

You can set the color of a cluster by setting a cluster level for each item.

Any cluster with a task assigned 1 will use that task's color, overriding all other task colors in the cluster. If there's no 1 but a task with 2, the cluster uses that color, and so on for each next increment.

For group priority, set the item object's `cluster` property to 1 for high-priority tasks. Then, any cluster with a high-priority task will display the high swatch color. Set the other items' `cluster` property to the next increment values: 2, 3, and so on.

If the `cluster` property isn't set on an item, it's ignored for cluster color. If none of the items have this property, the cluster shows the default dark color.

For example:

```

1 {
2   "colour": {
3     "group": {
4       "mypriority": {
5         "label": "Priority",
6         "column": "priority",
7         "palette": "Rainbow",
8         "items": [{ "id": "1", "label": "High", "swatch": "redpigment", "cluster": "1" }, { "id": "2", "label": "Medium", "swatch": "sizzlingsunrise", "cluster": "2" }, { "id": "3", "label": "Low", "swatch": "skybluecrayola", "cluster": "3" } ],
9         "eventswatch": true
10      }
11    }
12  }
13 }

```

Read Only Mode

Read-only mode stops users from changing the swatches for each group item, but they can still pick color groups with the last palettes and swatches set before read-only was turned on.

To make colors read-only, set the `readonly` property to `true`.

For example:

```

1 {
2   "colour": {
3     "readonly": true
4   }
5 }

```

Disabling the Color Feature

Sometimes you might need to disable colors. To do this, set the `enable` property to `false`.

For example:

```

1 {
2   "colour": {
3     "enabled": false
4   }
5 }

```

Note: When color is disabled, the default group is Task Priority and the palette is Rainbow.

Dynamic Forms

Dynamic Forms are forms that change based on user input. They adapt to more effectively display or capture information. A form may need to:

- Show or require new inputs when a box is checked.
- Change options in a select based on a value entered into a text field.
- Calculate a new value from a set of number fields.

Form layout and behavior is defined by a set of elements. Changing an element's properties will change the form.

In the example below, an element's `label`, `type`, and `placeholder` properties have static values.

```

1 {
2   "actions": {
3     "label": "Actions Taken",
4     "type": "textarea",
5     "placeholder": "Enter details here..."
6   }
7 }

```

Defining properties as an *Expression* allows their values to change dynamically.

Using Expressions

Expressions are JavaScript formulas that resolve to a value. They tell a property what its value should be at any point in time.

Standard expression behavior

Most properties always show the latest value from their expression. These expressions run when the form opens and whenever any related element properties change.

In the example below, the `sign` element uses the simple expression `!done.value` to define when it is hidden.

```

1 {
2   "done": {
3     "label": "Is all work complete?",
4     "type": "checkbox",
5     "value": false
6   },
7   "sign": {
8     "label": "Customer Signature",
9     "type": "signature",
10    "hidden": "!done.value"
11  }
12 }

```

1. When the form opens, the `done` checkbox value defaults to `false`. The expression runs, returns `true`, and the signature is hidden.
2. When the user checks the checkbox and its value changes to `true`, the expression runs again, returns `false`, and the signature appears.

value Expression Behavior

value is a special property because users may change it. It *may not always* reflect the current result of the expression. These expressions *do not execute on form load for an existing record*.

In the example below, the `total` element uses the expression `(quantity.value || 0) * (price.value || 0)` to define a calculated value.

```

1 {
2   "quantity": {
3     "label": "Quantity",
4     "type": "number"
5   },

```



```

6  "price": {
7    "label": "Price",
8    "type": "number",
9  },
10 "total": {
11   "label": "Total",
12   "type": "number",
13   "value": "(quantity.value || 0) * (price.value || 0)"
14 }
15 }

```

1. When you open the form to create a new record, quantity and price have no value. The expression runs, returns 0, and total is set to 0.
2. When you enter a quantity of 3 and price of 5, the expression runs, returns 15, and total is set to 15.
3. Now, if you change total to 12, it looks out of sync with the expression, but it's valid. You save and leave the form.
4. Later, if you return to the form to edit the record, the expression doesn't run and quantity shows the saved value 12.
5. When you enter a new quantity of 4, the expression runs, returns 20, and total is set to 20.

type, multiple, and parent Not Supported

type, multiple, and parent are static properties to make sure server and client data match when syncing. Instead, show and hide different elements as needed.

Rules for Expressions

Expressions concisely define complex forms by putting a few ground rules in place:

1. Reference at least one element property.
You can access as many element properties as you want, but you need to use at least one. The expression only monitors the element properties you reference.
2. Must be [pure](#).
An expression with the same inputs must always output the same value. An expression shouldn't change other element properties, interact with the DOM, or perform asynchronous actions like http requests.
3. Return values in the data type of the property.
All element properties have an expected data type. For example, disabled expects a Boolean. Expressions need to return the right data type or you'll get unexpected results.
4. Use valid [variable names](#) for elements and properties.
At runtime, expressions are plain JavaScript functions. Element and property variable names are used as is, so make sure they're valid, for instance, don't use hyphens, use underscores instead.

What is in scope?

Expressions have access to all elements on the current form as plain objects. An expression in a table form only has access to the elements of that row. An expression outside a table form can't access the table's rows or columns.

Unique elements

User resource elements can be made available to all expressions by defining a URI, or unique resource identifier.

In the example below, an element with a uri of ppe is added to a user resource and contains data from a custom record search.

```

1 {
2   "ppe": {
3     "uri": "ppe",
4     "type": "datalist",
5     "options": {
6       "record": "customrecord_ppe",
7       "map": {
8         "id": "internalid",
9         "label": "name"
10      }
11    }
12  }
13 }
```

An element on a JSA uses the expression `ppe.options` to assign options to `ppeused`.

```

1 {
2   "ppeused": {
3     "label": "PPE Used",
4     "type": "select",
5     "multiple": true,
6     "options": "ppe.options"
7   }
8 }
```

this Keyword

An expression can refer to its own element using the `this` keyword instead of its name.

In the example below, the `temp` element uses the expression `this.value > 100 ? 'red' : ''` to apply a red style based on its own value.

```

1 {
2   "temp": {
3     "label": "Temperature",
4     "class": "this.value > 100 ? 'red' : ''",
5     "type": "number",
6   }
7 }
```

Global Scope

Expressions have access to everything in the [Global Scope](#) of the Browser.

In the example below, the `speed` element uses the expression `Math.round((distance.value || 0) / (time.value || 0))` to apply the `round` function from the built-in object `Math` to calculate a value.

```

1 {
2   "distance": {
3     "label": "Distance Travelled (m)",
4     "type": "number"
```

```

5   },
6   "time": {
7     "label": "Elapsed Time (s)",
8     "type": "number",
9   },
10  "speed": {
11    "label": "Average Speed (m/s)",
12    "type": "number",
13    "value": "Math.round((distance.value || 0)/(time.value || 0))",
14    "readonly": true
15  }
16 }

```

Advanced Techniques

Expressions should be clear, fast, and easy to test. Break up complex expressions into smaller, reusable, and testable parts.

Properties

Elements can have arbitrary properties with values or expressions.

In the example below, the weight element has target and tolerance properties that store static values. The pass property calculates a value other elements reference using the expression `weight.pass` instead of repeating the calculation.

```

1  {
2    "weight": {
3      "label": "Weight",
4      "type": "number",
5      "target": 100,
6      "tolerance": 0.1,
7      "pass": "Math.abs(this.target - (this.value || 0)) < this.tolerance"
8    },
9    "fail1": {
10     "label": "Fail Reading 1",
11     "type": "number",
12     "hidden": "weight.pass"
13   },
14   "fail2": {
15     "label": "Fail Reading 2",
16     "type": "number",
17     "hidden": "weight.pass"
18   },
19   "fail3": {
20     "label": "Fail Reading 3",
21     "type": "number",
22     "hidden": "weight.pass"
23   }
24 }

```

Functions

Pure functions can be used to abstract and reuse logic. Include functions by registering one or more JavaScript files from the file cabinet in the `import Mobile` configuration option.

In the example below, the distance element uses an expression to call the `haversine` function and calculate the distance between 2 points.

```

1  {
2    "latitude": {

```

```

3      "label": "Latitude",
4      "type": "number"
5    },
6    "longitude": {
7      "label": "Longitude",
8      "type": "number"
9    },
10   "distance": {
11     "label": "Distance",
12     "type": "number",
13     "readonly" true,
14     "latitude": -37.8541542,
15     "longitude": 145.1040064,
16     "value": "haversine(this.latitude, this.longitude, latitude.value, longitude.value)"
17   }
18 }

```

The functions are developed, tested, and version controlled in a JavaScript file named `haversine.js`.

```

1  function isNumber(value) {
2    return !isNaN(parseFloat(value))
3  }
4
5  function toRadian(degree) {
6    return degree * Math.PI/180
7  }
8
9  function haversine(lat1, lon1, lat2, lon2) {
10     if (isNumber(lat1) && isNumber(lon1) && isNumber(lat2) && isNumber(lon2)) {
11       return 6362.4098345775 * (Math.acos(Math.sin(toRadian(lat1)) * Math.sin(toRadian(lat2)) + Math.cos(toRadian(lat1))
12       * Math.cos(toRadian(lat2)) * Math.cos(toRadian(lon1-lon2))) || 0)
13     }
14   }
15 }

```

The completed script is uploaded to the File Cabinet and registered as an import with a unique ID.

```

1  {
2    "import": {
3      "customfunctions": "/SuiteScripts/FieldService/haversine.js"
4    }
5  }

```

Data Sets

Static JSON data can be used in expressions. Import data by registering one or more JSON files from the File Cabinet in the import Mobile configuration option. The data will be available as Global variables named by their import id.

In the example below, the elevation element uses an expression to pass topography data, imported as the `topodata` global variable, to a function.

```

1  {
2    "elevation": {
3      "label": "Elevation",
4      "type": "number",
5      "readonly" true,
6      "latitude": -37.8541542,
7      "longitude": 145.1040064,
8      "value": "getElevation(topodata, this.latitude, this.longitude)"
9    }
10 }

```

The function calculates and returns the elevation at a coordinate and is imported in a JavaScript file named `topography.js`.

```

1 function getElevation(topography, latitude, latitude) {
2   // Pure function with complex logic
3 }

```

The data is uploaded to the File Cabinet as a JSON file named `regional-topography.json` and registered as an import with the unique ID `topodata`.

```

1 {
2   "import": {
3     "topomath": "/SuiteScripts/FieldService/utils/topography.js"
4     "topodata": "/SuiteScripts/FieldService/regional-topography.json"
5   }
6 }

```

Debugging

Use the browser [Developer Tools](#) when troubleshooting expressions.

Logs

Expressions write logs to the Console when they initialize, update a property, or have errors. You can turn logs on by setting the Mobile configuration log option to true.

In the example below, the value expression has an invalid operator `x`. On form load, the expression logs its dependent properties. It fails to initialize and logs a syntax error.

```

1 {
2   "width": {
3     "label": "Width",
4     "type": "number"
5   },
6   "height": {
7     "label": "Height",
8     "type": "number",
9   },
10  "area": {
11    "label": "Area",
12    "type": "number",
13    "readonly": true,
14    "value": "(width.value || 0) x (height.value || 0)"
15  }
16 }

```

```

1 BIND INIT area value { width: ["value"], height: ["value"] }
2 BIND PARSE ERROR area value SyntaxError: Unexpected identifier

```

When using the expression below, it instead has a bad variable name `HEIGHT`. It initializes, but fails when first executed and logs a reference error.

```

1 (width.value || 0) * (HEIGHT.value || 0)

```

```

1 BIND INIT area value { width: ["value"], HEIGHT: ["value"] }
2 BIND RUNTIME ERROR area value ReferenceError: HEIGHT is not defined
3 BIND SET area value undefined

```

When using the valid expression below, it initializes, executes, and logs the resulting value.

```
1 | (width.value || 0) * (height.value || 0)
```

```
1 | BIND INIT area value { width: ["value"], height: ["value"] }
2 | BIND SET area value 0
```

Pitfalls

Expressions can be affected by the quirks of JavaScript in the browser.

- It is possible to create infinite loops by having expressions that depend on each other. Ensure dependency loops have an exit condition.
- Float math can have unexpected results as all JavaScript numbers are [IEEE 754 floating point numbers](#).
- It is possible to have conflicts with already used names in the Global Scope.
- Built in objects and functions may not behave the same across all browsers.
- Imported script files are cached by the app and won't redownload unless the import ID changes.

Service Provider

When an asset is being serviced, there can be many stakeholders. The asset usually has a customer who owns it, but sometimes a third party manages servicing for the customer.

For example, a property manager might oversee a street of apartment buildings. A tenant with a broken dishwasher reports the issue to their property manager. The property manager confirms the dishwasher issue and requests service from our property maintenance company. In this case, all service communication and billing goes to the property manager, not the tenant.

You do this by creating the project, case, task, or transaction against the customer to be billed. An asset has a valid set of customers that can be billed to which is defined by the `models/asset.map.customers` and `models/asset.customers` properties and the `models/customer.map.assets` and `models/customer.assets` properties.

Asset Owner

The default behavior is for the asset owner to be the only available customer. This makes sense if a home owner had a dishwasher that was broken and requested service directly from our property maintenance company.

How to Configure

No configuration is required for this behavior. The asset model by default is configured to refer to the Customer field on the Asset record. The customer model is preconfigured to search for assets whose customer matches the current customer model instance. For reference, this is the default configuration.

```
1 | {
2 |   "models/asset": {
3 |     "prototype": {
4 |       "map": {
5 |         "customers": "formulatext:{custrecord_nx_asset_customer.internalid}"
```

```

6      },
7      "customers": {
8        "array": true,
9        "customer": {
10         "all": true,
11         "record": "customer",
12         "filters": ["internalid", "anyof", "${this.customer || 0}"]
13       }
14     }
15   }
16 }
17 "models/customer": {
18   "prototype": {
19     "map": {
20       "assets": "formulatext:''"
21     },
22     "assets": {
23       "array": true,
24       "asset": {
25         "all": true,
26         "record": "customrecord_nx_asset",
27         "filters": ["custrecord_nx_asset_customer", "anyof", "${this.id}"]
28       }
29     }
30   }
31 }
32 }

```

Important Considerations

Only the asset owner will be ever available.

Service Providers Multi Select

Often an asset will have defined contracts with one or more property managers. The asset owner will never be billed and should not be available to select when creating jobs.

How to Configure

This can be achieved by adding a Service Providers Multi Select Customer field to the asset for the valid billers. Remap the `models/asset.map.customers` property to the new field. Then update the `models/customer.assets` default search to filter by the *Service Providers* field.

```

1 {
2   "models/asset": {
3     "prototype": {
4       "map": {
5         "customers": "custrecord_nxc_service_providers[]"
6       }
7     }
8   }
9   "models/customer": {
10    "prototype": {
11      "assets": {
12        "asset": {
13          "filters": ["custrecord_nxc_service_providers", "anyof", "${this.id}"]
14        }
15      }
16    }
17  }
18 }

```

Important Considerations

Data must be managed to ensure selectable assets and customers are accurate.

All Customers

Assets may have property managers without ongoing contracts or who become active or inactive over time. If data isn't strictly managed, it may be easier for these accounts to remove restrictions on which customers can be billed for an asset.

How to Configure

This can be configured by setting the `models/asset.map.customers` and `models/customer.map.assets` properties to `true`.

```

1 {
2   "models/asset": {
3     "prototype": {
4       "map": {
5         "customers": true
6       }
7     }
8   }
9   "models/customer": {
10    "prototype": {
11      "map": {
12        "assets": true
13      }
14    }
15  }
16 }
```

Important Considerations

- Less overhead for managing data
- Possible to accidentally bill completely unrelated customers

Service Providers Child Record

If you need control over billable customers, it's often easier to manage the customer-asset relationship with a custom record. A record that's a child of both will be visible from either the Customer or Asset.

How to Configure

This example assumes a Service Providers custom record exists with both a Customer and Asset List/Record parent field. Set the `models/asset.map.customers` and `models/customer.map.assets` properties to `""` to defer to the more complex search properties.

Update the `models/customer.assets` and `models/asset.customers` properties by registering a new serviceproviders search, querying the custom record and mapping back the Asset or Customer internal ID.


```

1 {
2   "models/asset": {
3     "prototype": {
4       "map": {
5         "customers": ""
6       },
7       "customers": {
8         "serviceproviders": {
9           "record": "customrecord_nxc_service_providers",
10          "filters": ["custrecord_nxc_service_providers_asset", "anyof", "${this.id}"],
11          "map": "custrecord_nxc_service_providers_customer"
12        }
13      }
14    }
15  }
16  "models/customer": {
17    "prototype": {
18      "map": {
19        "assets": ""
20      },
21      "assets": {
22        "serviceproviders": {
23          "record": "customrecord_nxc_service_providers",
24          "filters": ["custrecord_nxc_service_providers_customer", "anyof", "${this.id}"],
25          "map": "custrecord_nxc_service_providers_asset"
26        }
27      }
28    }
29  }
30 }

```

Important Considerations

- Data is manageable from both the customer and asset record.
- Capable of combining multiple searches.
- Logic can be based on any searchable data in NetSuite.

Sales Order Templates

A Preventative Maintenance contract will often require ongoing billing over the life of the Project. For example a Project with a monthly service may have a callout fee for each visit, with additional Inventory consumed, to be fully billed each month.

NetSuite Memorized Transactions

One solution for this would be to use NetSuite Memorized Transactions. The Service Manager would create a Sales Order under the Project with the callout fee, then memorize it to reoccur in sync with the Cases. Field Service Programs would generate a monthly Case and NetSuite would generate a monthly Sales Order.

How to Configure

The Mobile should show only the relevant Sales Order. That is defined as the Sales Order on the Project that is not Fully Billed, Closed, or the original Memorized Transaction.

```

1 {
2   "routes/mobile": {
3     "salesorder": {
4       "article": {
5         "filters": [
6           ["job.internalid", "anyof", "{event.company}"], "and",
7           ["memorized", "is", "false"], "and",
8           ["status", "noneof", ["SalesOrd:G", "SalesOrd:H"]]
9         ]
10      }
11    }
12  }
13 }

```

Important Considerations

- Service Managers must have a deep understanding of Memorized Transactions.
- Has additional setup time for new contracts.
- Sales Order records would be created before a job is started.
- No direct link between the Sales Order and Case.

Default Table Values

An alternative solution is to configure the Mobile to have a default value for the Sales Order Items table element. Defining this default value is equivalent to prefilling the lines on a Sales Order in NetSuite.

How to Configure

The Sales Order table element, *items*, represents the Items sublist on the record. The element attribute, *value*, defines the default value for the element. Set this to an array of objects with values for the elements on each line. This example adds one line with a *Callout Fee* Service Item.

```

1 {
2   "routes/mobile": {
3     "salesorder": {
4       "element": {
5         "items": {
6           "value": [{
7             "item": {
8               "id": 123,
9               "label": "Callout Fee"
10            },
11            "quantity": 1
12          ]
13        }
14      }
15    }
16  }
17 }

```

Important Considerations

- Callout fee Item and Quantity are hard coded in config.

- Sales Orders are created at the time of the job.

Dynamic Default Table Values

A more flexible version of the previous solution is to set the default table values dynamically from record data. Common use cases are to source the Callout Fee from a custom Field on the Asset or from a custom child record on the Project.

How to Configure

Use a search to query the relevant records and map the fields to the line values for Item and Quantity. This example assumes there is a custom *Callout Fee* child record under the Project with an Item and Quantity field. For each new Project, the Service Manager would create Callout Fee records.

```

1 {
2   "routes/mobile": {
3     "salesorder": {
4       "element": {
5         "items": {
6           "value": {
7             "record": "customrecord_nxc_callout",
8             "filters": ["custrecord_nxc_callout_project", "anyof", "{event.job}"],
9             "map": {
10              "item": {
11                "id": "custrecord_nxc_callout_item",
12                "label": "#custrecord_nxc_callout_item"
13              },
14              "quantity": "custrecord_nxc_callout_quantity"
15            }
16          }
17        }
18      }
19    }
20  }
21 }
```

Important Considerations

- Service Manager defines the Callout Fee
- Supports multiple charges on the same job
- Can be modified over the life of the contract
- Items used as default values must be valid for the project

Configuration Pitfalls

Formula Text Character Limits

Searches that manipulate text area fields containing large amounts of text will throw an Unexpected Error. There is an undocumented 4000 character limit when manipulating these values in a formula. Best practice is to truncate the string before manipulating it.

This search will error if any task has a message field and case details field that has a total of more than 4000 characters.

```
1 | nx.crud.select('task', true, 'formulatext:substr({message}||{case.custevent_nx_case_details},1,1000)')
```

This search will work because the fields were truncated before concatenating them.

```
1 | nx.crud.select('task', true, 'formulatext:substr({message},1,1000)||substr({case.custevent_nx_case_details},1,1000)')
```

Regular Expression Character Limits

Regular Expression patterns used in search formulas have a 512 character limit. See the Oracle® Database SQL Reference docs pages for [REGEXP_LIKE](#). Exceeding this limit will result in a `FORMULA_ERROR`.

Updating the Configuration File

The following outlines the steps needed to update the Configuration File.




Important: You should test configuration changes in your NetSuite Sandbox environment first before making the change in Production.

Always complete an end-to-end test of your field service processes after making a change.

To update the configuration file:

1. Go to Field Service > Administration > Configuration.



2. The Field Service Configuration page opens the current active configuration file. In the **Name** field, change the file name to something unique and easy to identify, for example, "2024-01-31 EL." Check the **Inactive** box to ensure the new configuration file is inactive for now. Do not modify the **Subsidiary** field.

✓ **Tip:** Take note of the active configuration file's original name as you will need to find and inactivate it later.

You may also need to go back to previous configurations so it is best practice to familiarize yourself with each file name.

Field Service Configuration
2024-01-31 EL

Save As Cancel Actions

NAME * 2024-01-31 EL SUBSIDIARY * 1 ☐ INACTIVE

JSON *

```
{
  "console": true,
  "accounting": {
    "debit_account": 118,
    "credit_account": 8030
  },
  "models/asset": {
    "//uniqueFormula": "formulatext:regexp_replace({custrecord_nx_asset_item.id} || ' ' || nvl({custrecord_nxc_asset_blind_id}, {custrecord_nx_asset_address_text}), '[\\r\\n|\\t|chr(10)|chr(39)]+' , '' )",
    "//uniqueTemplate": "$ { (item || ' ') + ' ' + (blindid ? blindid : addresstext || ' ') }.replace(/['\\r\\n|\\t|g, ' ' ])",
    "prototype": {
      "map": {
        "blindid": "custrecord_nxc_asset_blind_id",
        "width": "custrecord_nxc_asset_blind_width"
      }
    }
  },
  "models/transaction": {
    "prototype": {
      "entityMap": {
        "item": {
          "item": "item.item!",
          "price": "item.price!",
          "rate": "item.rate!",
          "amount": "item.amount!",
          "istaxable": "item.istaxable!",
          "description": "item.description!"
        }
      }
    }
  },
  "models/task": {
    "prototype": {
      "defaults": {
        "//": "9am to 1pm",
        "start": 32400000,
        "end": 46800000
      }
    }
  },
  "//views/case/projects": {
    "hidden": true
  },
  "views/itemfulfillment/assets": {
    "element": {
      "serial": {
        "required": false
      },
      "blindid": {
        "label": "Blind ID",

```

3. Clear the **JSON** text field by selecting everything and pressing backspace.
4. Copy the configuration change provided by NetSuite Support and paste everything in the **JSON** text field.

Field Service Configuration

2024-01-31 EL

Save As Cancel Actions

NAME * 2024-01-31 EL SUBSIDIARY * 1 ☐ INACTIVE

JSON *


```
{
  "console": true,
  "accounting": {
    "debit_account": 118,
    "credit_account": 8030
  },
  "models/asset": {
    "uniqueFormula": "formulatext:regexp_replace({custrecord_nx_asset_item.id} || ' ' || nvl({custrecord_nxc_asset_blind_id}, {custrecord_nx_asset_address_text}), '[|chr(13)||chr(10)||chr(39)||']+', ' ')",
    "uniqueTemplate": "${ (item || ' ') + (blindid ? blindid : addresstext || ' ')}.replace(/[\\r\\n]+/g, ' ')",
    "prototype": {
      "map": {
        "blindid": "custrecord_nxc_asset_blind_id",
        "width": "custrecord_nxc_asset_blind_width"
      }
    }
  },
  "models/transaction": {
    "prototype": {
      "entityMap": {
        "item": {
          "item": "item.item!",
          "price": "item.price!",
          "rate": "item.rate!",
          "amount": "item.amount!",
          "istaxable": "item.istaxable!",
          "description": "item.description!"
        }
      }
    }
  },
  "models/task": {
    "prototype": {
      "defaults": {
        "time": "9am to 1pm",
        "start": 32400000,
        "end": 46800000
      }
    }
  },
  "views/case/projects": {
    "hidden": true
  },
  "views/itemfulfillment/assets": {
    "element": {
      "serial": {
        "required": false
      },
      "blindid": {
        "label": "Blind ID",

```

Click **Save As**.

Note: The **Save As** option may not always be set as default. If this is the case, click the arrow next to the button and select **Save As**.

- Click on **List** on the upper right corner to open the configuration list. On the **Field Service Configuration List** page, ensure the **Show Inactives** box is checked.



Field Service Configuration List


VIEW: Default | Customize View | New Field Service Configuration | Submit

FILTERS: STYLE: Normal

☒ SHOW INACTIVES QUICK SORT: TOTAL: 27

INACTIVE	EDIT VIEW	NAME *	SUBSIDIARY
☒	Edit View	20190212 bradleyh	1
☒	Edit View	20200131 marke	1
☒	Edit View	20201125 EL	1
☒	Edit View	2021-11-22 kn	1
☒	Edit View	2021-12-07 el-roth	1
☒	Edit View	2022-02-03 el	1
☒	Edit View	2022-03-04 LM	1
☒	Edit View	2023-03-17 EL	1
☒	Edit View	2024-01-31 aj	1
☒	Edit View	2024-01-31 Config D	1
☒	Edit View	2024-01-31 Config A	1
☒	Edit View	2024-01-31 Config B	1
☒	Edit View	2024-01-31 Config C	1
☐	Edit View	2024-01-31 EL	1
☒	Edit View	2024-01-31 jr	1
☒	Edit View	2024-02-1 JR	1
☒	Edit View	2024-jan-31 1:00pm	1

6. Find the file you created in steps 2-4 and clear its **Inactive** box.



Field Service Configuration List


VIEW: Default | Customize View | New Field Service Configuration | Submit

FILTERS: STYLE: Normal

☒ SHOW INACTIVES QUICK SORT: TOTAL: 27

INACTIVE	EDIT VIEW	NAME *	SUBSIDIARY
☒	Edit View	20190212 bradleyh	1
☒	Edit View	20200131 marke	1
☒	Edit View	20201125 EL	1
☒	Edit View	2021-11-22 kn	1
☒	Edit View	2021-12-07 el-roth	1
☒	Edit View	2022-02-03 el	1
☒	Edit View	2022-03-04 LM	1
☒	Edit View	2023-03-17 EL	1
☒	Edit View	2024-01-31 aj	1
☒	Edit View	2024-01-31 Config D	1
☒	Edit View	2024-01-31 Config A	1
☒	Edit View	2024-01-31 Config B	1
☒	Edit View	2024-01-31 Config C	1
☐	Edit View	2024-01-31 EL	1
☒	Edit View	2024-01-31 jr	1
☒	Edit View	2024-02-1 JR	1
☒	Edit View	2024-jan-31 1:00pm	1

7. Find the previous configuration file in the list and ensure that its **Inactive** box is checked.



Field Service Configuration List

VIEW: Default | Customize View | New Field Service Configuration | Submit

FILTERS: STYLE: Normal

☒ SHOW INACTIVES QUICK SORT: TOTAL: 27

INACTIVE	EDIT VIEW	NAME *	SUBSIDIARY
☒	Edit View	20190212 bradleyh	1
☒	Edit View	20200131 marke	1
☒	Edit View	20201125 EL	1
☒	Edit View	2021-11-22 kn	1
☒	Edit View	2021-12-07 el-roth	1
☒	Edit View	2022-02-03 el	1
☒	Edit View	2022-03-04 LM	1
☒	Edit View	2023-03-17 EL	1
☒	Edit View	2024-01-31 aj	1
☒	Edit View	2024-01-31 Config D	1
☒	Edit View	2024-01-31 Config A	1
☒	Edit View	2024-01-31 Config B	1
☒	Edit View	2024-01-31 Config C	1
☐	Edit View	2024-01-31 EL	1
☒	Edit View	2024-01-31 jr	1
☒	Edit View	2024-02-1 JR	1
☒	Edit View	2024-jan-31 1:00pm	1

8. Click **Submit** and proceed to complete your end-to-end testing.

INACTIVE	EDIT VIEW	NAME	SUBSIDIARY
☒	Edit View	20190212 bradleyh	1
☒	Edit View	20200131 marke	1
☒	Edit View	20201125 EL	1
☒	Edit View	2021-11-22 kn	1
☒	Edit View	2021-12-07 el-roth	1
☒	Edit View	2022-02-03 el	1
☒	Edit View	2022-03-04 LM	1
☒	Edit View	2023-03-17 EL	1
☒	Edit View	2024-01-31 aj	1
☒	Edit View	2024-01-31 Config D	1
☒	Edit View	2024-01-31 Config A	1
☒	Edit View	2024-01-31 Config B	1
☒	Edit View	2024-01-31 Config C	1
☐	Edit View	2024-01-31 EL	1
☒	Edit View	2024-01-31 jr	1
☒	Edit View	2024-02-1 JR	1
☒	Edit View	2024-jan-31 1:00pm	1

Feedback and Net Promoter Score (NPS)

What is Feedback?

The Feedback feature is a way for Scheduler users to submit support cases directly to the NetSuite support and product teams. Users can pick one of the 4 feedback types to send concerns, help requests, questions or suggestions and include a message. This provides more opportunity for users to engage and be heard, and they can do it without leaving the application.

The support case created automatically includes other information such as product version, account id and the user who becomes the contact for the support team. Cases created through Feedback follow the customer's agreed support policy. The customer's administrator can view those cases on the Customer Portal. Feedback sent from a Sandbox account also creates a case on the NetSuite account.

By default, the feature is enabled and shows all the supported types. For reference, see the default configuration on `routes/scheduler.feedback`.

Feedback Types

There are 4 supported types. Currently, adding more types is not supported. The default selected type is feedback.

Type	Description
Feedback	This can be any thoughts on the software or about experiences the users are having while using the software.
Help	This is for asking for help on a particular problem or something that the user needs assistance on.
Suggestions	This is for any suggestions on how the software can be better or any other features that can be implemented on the software.
Questions	This is for asking questions about any part of the software.

Disabling the Feature

Some customers may have a specific process on submitting support cases. As such, they may choose to disable the Feedback.

To disable this feature, set the *enabled* property to *false*. The feedback button will be removed from the main menu.

```

1 {
2   "feedback": {
3     "enabled": false
4   }
5 }
```

Changing the Default Feedback Type

The default feedback type can be changed by setting the *default* property with the id of the feedback type. In example below, we are setting *default* to *suggestion*.

```

1 {
2   "feedback": {
3     "default": "suggestion"
4   }
5 }
```

Hiding a Feedback Type

Any type can be hidden from the feedback screen by setting it to *null* in config. In the example below, *help* is being hidden.

```

1 {
2   "feedback": {
3     "type": {
4       "help": null
5     }
6   }
7 }
```

What is Net Promoter Score (NPS)?

Net Promoter Score is a score to measure customer experience. Users score from 1 to 5 based on how likely they will recommend the product and can also include an explanation if they want. It pops up periodically, and also whenever Scheduler users submit feedback.

When a score is submitted, an NPS record is created in the NetSuite account, which includes information such as product version, account id, customer and the user who submitted it. This feature is enabled for Production accounts only. For reference, the default configuration can be found on [routes/scheduler.netpromoterscore](#).

NPS Request Frequency

Field Service Management requests an NPS in two ways:

- As a popup, every 90 days, or
- After the user has submitted any feedback through the Scheduler.

An NPS form pops up on the Scheduler 90 days after the NPS start date. From then, the popup reoccurs every 90 days after last submit. An NPS form also shows up after the Feedback form 30 days after the start date and reoccurs every 30 days after last submit. In both instances, users can ignore the prompt, and it will show up again after 30 days.

The start date and recurrence periods are defined on the customer license and can be changed by request. If the start date is not specified, the date when the Scheduler is launched with this feature is considered the start date.

Disabling the Feature

The feature can be disabled by setting the *enabled* property to false.

```

1 | {
2 |   "netpromoterscore": {
3 |     "enabled": false
4 |   }
5 | }
```

Recurring Cases with Program

This documentation is for administrators with access to Field Service Management Configuration that have an in depth knowledge of how to configure Programs.

Setting Up Recurring Cases with a Task That Sits Underneath (Using Programs)

1. Setup a Case Type and a Task Type in NetSuite.
2. Configure the case type and task type in the program as below. "project" is set to [true, false] so it covers both with and without project type. 5 is an example of an internalid of the case type, and 7 is an example of an internalid of the task type.

```

1 | {
2 |   "program": {
3 |     "caserules": [{
4 |       "project": [true, false],
5 |       "case": 5,
6 |       "task": {
7 |         "type": 7
8 |       }
9 |     }]
10 |   }
11 | }
```

3. Create a Case selecting the case type above. Setup the recurrence.

Example

1. Set up a Case Type in NetSuite.

Field Service Case Type List List Search Audit Trail

VIEW: Default Customize View New Field Service Case Type

FILTERS

SHOW INACTIVES QUICK SORT TOTAL: 15

EDIT View	NAME +
EDIT View	Cleaning
EDIT View	Disposal
EDIT View	Evaluation
EDIT View	General Service
EDIT View	Highway
EDIT View	Install
EDIT View	Major Service
EDIT View	Minor Service
EDIT View	Parking Lot
EDIT View	Pool Clean
EDIT View	Punch List
EDIT View	Repair
EDIT View	Restoration
EDIT View	Safety Inspection
EDIT View	Sales Support

- Set up a Task Type in NetSuite.

Field Service Task Type List List Search Audit Trail

VIEW: Default Customize View New Field Service Task Type

FILTERS

SHOW INACTIVES QUICK SORT TOTAL: 10

EDIT View	NAME +
EDIT View	Admin
EDIT View	Bronze Service
EDIT View	Empty Trash
EDIT View	Gold Service
EDIT View	Leave
EDIT View	Pool Clean
EDIT View	Silver Service
EDIT View	Site Inspection
EDIT View	Smoke Alarm Inspection
EDIT View	Visit

- Configure the case type and task type in the program.

```

1  {
2    "program": {
3      "caserules": [{
4        "project": [true, false],
5        "///": "Safety Inspection",
6        "case": 5,
7        "task": {
8          "///": "Smoke Alarm Inspection",
9          "type": 7
10       }
11     }]
12   }
13 }

```

- Create a Case selecting the case type.

Case List Search Customize More

Save Cancel

Primary Information

CUSTOM FORM *
NextService Case Form

NUMBER
To Be Generated

NAME *

DATE * 02/04/2024 TIME * 2:14 pm

NEXTSERVICE TIME ZONE
(GMT+10:00) Canber... Melbourne, Sydney

DATE TZ 02/04/2024 TIME TZ 2:14 pm

END DATE LOCAL NEXTSERVICE END TIME

NextService

PO NUMBER

TRANSACTION

CUSTOMER *
<Type then tab>

ASSET *
<Type then tab>

PROJECT *

TYPE *
Safety Inspection
Major Service
Minor Maintenance
Minor Service
Recurring Case with 1x Task
Repair
Safety Inspection
Uninstall

TRANSACTION UNBILLED
0.00

CONTACT

EMAIL(S) *

PHONE

PRIORITY
Medium

STATUS *
Not Started

ASSIGNED *

EXPENSES UNBILLED
0.00

AMOUNT UNBILLED
0.00

- Set up the Recurrence. Save.

Recurrence

TYPE
Monthly

INTERVAL
1

MONTH PATTERN
Last

DAY OF WEEK
Tuesday
Wednesday
Thursday
Friday
Saturday

END TYPE
None

6. Refresh the page periodically until the Pending banner is gone.
7. Check the **Recurrence Instances** sublist to see the generated instances.

Recurrence

TYPE
Weekly

INTERVAL
1

DAY OF WEEK
Sunday
Monday
Tuesday
Wednesday
Thursday

END TYPE
After

END COUNT
3

FIELD SERVICE GEOLOCATION COMPLIANT ☒

FIELD SERVICE GEOLOCATION
37.7720271,-122.4125445

INDEX	TITLE	START DATE	STATUS	ASSIGNED TO
1	340 10th St San Francisco CA 94103 United States	3/22/2022	Not Started	Jesse Russell
2	340 10th St San Francisco CA 94103 United States	3/30/2022	Not Started	Jesse Russell
3	340 10th St San Francisco CA 94103 United States	4/5/2022	Not Started	Jesse Russell

8. Open each case and see the task created with it.

Field Service Communication Custom Sales Associate System Information Related Cases

Tasks Activities Messages Files User Notes

VIEW
Task Default STATUS
- All -

New Task Log Task View History Customize View

EDIT	TASK TITLE	PRIORITY	STATUS	DUE DATE	ASSIGNED TO	COMPANY	MARK	FIELD SERVICE TEAM	FIELD SERVICE TASK CONFIRMED BOOKING
Edit	Smoke Alarm Inspection 396962 Extruder NX0106	Medium	Not Started	25/08/2022	668 Advanced Machning Techniques	Bilable 668 Extruder NX0106	Completed		No

9. Each task must have the type configured in the program.

Task

Smoke Alarm Inspection 398962 Extruder NX0106

Edit Cancel Actions

Primary Information

NUMBER 398962	CUSTOMER Advanced Machining Techniques Inc. Advanced Machining Techniques	PRIORITY Medium
NAME Smoke Alarm Inspection 398962 Extruder NX0106	ASSET Extruder NX0106	STATUS Not Started
	PROJECT 668 Advanced Machining Techniques : Billable 668 Extruder NX0106	ASSIGNED
	CASE 2341 Safety Inspection 2341 Extruder NX0106	TEAM
	TYPE Smoke Alarm Inspection	☐ NOTIFY ASSIGNEE BY EMAIL
	DETAILS	

Date and Time

NEXTSERVICE TIME ZONE (GMT+10:00) Canberra, Melbourne, Sydney	START DATE Thursday August 25, 2022	COMMENCED
LOCAL START DATE 25/08/2022	NEXTSERVICE START TIME 9:00 am	☒ RESERVE TIME
LOCAL END DATE 25/08/2022	NEXTSERVICE END TIME 10:00 am	ARRIVED
☐ CONFIRMED BOOKING	START TIME 9:00 am	DEPARTED
	END TIME 10:00 am	COMPLETED
	DUE DATE Thursday August 25, 2022	DATE COMPLETED

Recurrence Fields

Recurrence Record

Field	Id	Type	Options	Description	Visible on Instances
Type	custrecord_nx_recurrence_type	List/Record	Daily, Weekly, Monthly, Yearly	Defines whether a recurrence in Daily, Weekly, Monthly, or Yearly. If set to nothing, the recurrence is not created	Always
Interval	custrecord_nx_recurrence_interval	Integer Number	—	Defines the interval between instances	Always
Month	custrecord_nx_recurrence_month	List/Record	January, February, March, April, May, June, July, August, September, October, November, December	Defines which month the recurrence will occur in	When the 'Type' field is set to 'Yearly'
Month Pattern	custrecord_nx_recurrence_month_pattern	List/Record	Day, First, Second, Third, Fourth, Last	If set to Day, the recurring instances' start dates will be set to the particular day of the month eg: 6th, 13th, 25th...The other options	When the 'Type' field is set to 'Monthly' or 'Yearly'

Field	Id	Type	Options	Description	Visible on Instances
				define the day of the week the recurrence instances start dates will be set to. eg: First Monday, Second Thursday, Fourth Tuesday....	
Day of Month	custrecord_nx_recurrence_day_of_month	Integer Number	—	Defines the day of the month the recurrence instances start dates will be set to. Eg: 6th, 13th, 25th... Validated to a valid day of the month dependent on which month, if any, is selected. If no month is selected it must be a number between 1 and 31	When the 'Month Pattern' is set to Day
Day of Week	custrecord_nx_recurrence_day_of_week	Multiple Select	Sunday, Monday, Tuesday, Wednesday, Thursday, Friday, Saturday	Defines the day of the week that the recurrence instances start dates get set to. eg: Wednesday, Thursday, Friday...	When 'Type' is set to 'Weekly' or when 'Month Pattern' is set to 'First', 'Second', 'Third', 'Fourth' or 'Last'
Start Date	custrecord_nx_recurrence_start_date	Date	—	Defines the date that the recurrence will start creating instances from. Set to the primary instance's start date.	No
End Type	custrecord_nx_recurrence_end_type	List/Record	None, After, By	Defines when the recurrence will stop creating instances. If set to 'None' will indefinitely create instances. If set to 'After' will stop creating instances when the number of instances created equals the value of 'End Count.' If set to 'By' will stop creating instances when the date is equal to the date set in 'End Date.'	Always
End Date	custrecord_nx_recurrence_end_date	Date	—	Used in conjunction with 'End Type' being set to 'By'. Defines the date the recurrence will stop creating instances.	When 'End Type' is set to 'By'
End Count	custrecord_nx_recurrence_end_count	Integer Number	—	Used in conjunction with 'End Type' being set to 'After'. Defines the maximum number of instances that will be created by a recurrence.	When 'End Type' is set to 'After'
Last Create Date	custrecord_nx_recurrence_lst_create_date	Date/Time	—	Defines the last time instances were created for this record. Is used in	No

Field	Id	Type	Options	Description	Visible on Instances
				scheduled scripts to indicate when to create the next batch of recurrences.	
Create/Update Instances	custrecord_nx_recurrence_update	Check Box	—	When ticked, triggers the scheduled script to check if instances need updating or creating.	No
Deleted Instances	custrecord_nx_recurrence_deleted	Text Area	—	Tracks the indexes of instances that have been deleted in a series. These instances will not be recreated.	No
Created From	custrecord_nx_recurrence_created_from	List/Record	—	Tracks the link between recurrences when a recurrence is copied.	No
Primary Type	custrecord_nx_recurrence_primarytype	Free-Form Text	—	Defines the record type of instances. Set to the primary instance's type.	No
For Deletion	custrecord_nx_recurrence_for_deletion	Check Box	—	If ticked, the schedule script will delete this recurrence.	No
Idempotency Key	custrecord_nx_recurrence_idempotency_key	Free-Form Text	—	Used to determine whether a recurrence update/create job has been completed.	No

Instance Fields

Field	Id	Type	Description
Field Service Recurrence	Task/Case: custevent_nx_recurrence	List/Record	Holds the link to the recurrence record.
Field Service Instance Index	Task/Case: custevent_nx_recurrence_index	Integer Number	Defines the sequence number of the current instance.
Field Service Exempt Sync	Task/Case: custevent_nx_recurrence_exempt	Text Area	Tracks any fields that are edited on the current instance that the user did not want to copy to future instances. Prevents these fields from being overwritten when the recurrence record updates the instances.
Field Service Recurrence Updates	Task/Case: custevent_nx_recurrence_updates	Text Area	Holds the JSON data of updates that are to be applied across the series.
Field Service Propagate Changes	Task/Case: custevent_nx_recurrence_propagate	Check Box	If ticked, triggers the scheduled script to copy the update data to future instance in the series.
Field Service Propagate Complete	Task/Case: custevent_nx_recurrence_propcomplete	Check Box	Used by the scheduled script to determine if a propagation has been completed and the updates field can be cleared.

Field	Id	Type	Description
Field Service Delete Future Instances	Task/Case: custevent_nx_recurrence_delete	Check Box	Tick via the 'Delete Future Instances' button and triggers the scheduled script to delete all future instances including the current one and end the recurrence.
Field Service Recurrence Data	Task/Case: custevent_nx_recurrence_data	Long Text	Hold the JSON data for recurrence updates.
Field Service Copy with Parent	Task/Case: custevent_nx_recurrence_copy	Check Box	Not Yet Implemented

Recurrence Config

Config Name	Type	Description	Default Value
enabled	Boolean	Recurrence Feature Is Enabled.	false
taskFields	Array	Fields on Task record to be copied to instances. All fields must have a suffix of one of the following data types: 1. [array] 2. [boolean] 3. [integer] 4. [boolean] 5. [float] 6. [date] 7. [time] 8. [datetime] 9. [json] 10. [string]	[]
caseFields	Array	Fields on Case record to be copied to instances. All fields must have a suffix of one of the following data types: 1. [array] 2. [boolean] 3. [integer] 4. [boolean] 5. [float] 6. [date] 7. [time] 8. [datetime] 9. [json] 10. [string]	[]
taskChangedFieldsMap	Object	Map used in comparing task records for changed fields.	—

Config Name	Type	Description	Default Value
caseChangedFieldsMap	Object	Map used in comparing case records for changed fields.	—
creationRange	Object	Object to specify default period to generate future instances. Object contains 2 properties: - Interval - The number of units - Unit - One of the following [days, weeks, months, years]	{"interval": "90", "unit": "days"}

Recurrence Life Cycle

The following topics contain more information about the Recurrence feature's life cycle:

- [Life Cycle of Recurrence](#)
- [Final Order Of Actions](#)

Life Cycle of Recurrence

The following sections outline the steps that occur from the perspective of a single record or change. These steps are written assuming that the single record/change is in isolation and no other records/changes are being processed in the same account.

In reality there will be many other records & changes existing in a live account at the same time which means that other unrelated actions will be taken in-between the steps outlined below. However, from the perspective of a single record/change these steps will always be taken in the order listed below.

Definitions

Recurrence — The feature that allows the user to auto-generate a series of tasks or cases that repeat more than once based on a defined set of parameters.

Field Service Recurrence Record — The record that holds a set of parameters that define the recurring behavior of the following copies in a series.

Instance or Instance Record — An individual Case or Task record that is a part of a recurrence series of recurring Tasks or Cases.

Recurrence Series — A complete set of instance records related to a specific Field Service Recurrence record.

Instance Index — A numerical value indicating where in the recurrence series a particular instance falls.

Primary Record — A Case or Task record that has an Instance Index of 1 which means that it is the original and first instance in that particular recurrence series.

Non-Primary Record — Any Case or Task record that does not have an Instance Index of 1.

Recurrence Related Fields — Any fields linked to the definition of a recurring series (e.g. start date, end type, end date, recurrence type, day of week, interval etc.)

Propagated Fields — Any fields that have been approved as fields to be propagated down to future instance records. Some fields are included in the allowlist as default fields, others are added to the allowlist through custom config.

Creation of a New Recurrence Series

When creating a completely new recurring series of cases or tasks, the following actions are taken:

1. As you save your new instance record with some of the recurrence related fields populated, the information set in the recurrence related fields will be saved into the "Field Service Recurrence Data" field and the recurrence scheduled script will be triggered.
2. The new instance record is then found and processed by the fact that information is present in it's "Field Service Recurrence Data" field.

If the "Field Service Instance Index" field is empty AND the "Field Service Propagate Changes" checkbox is unchecked AND no matching recurrence record can be found (matching on the idempotency key stored in the "Field Service Recurrence Data" field) THEN a new Field Service Recurrence record is created using the **RECURRENCE_ADD_RECURRENCE** action.

As a second step the new instance record is then updated to have it's "Field Service Recurrence" field populated with the new Field Service Recurrence record (again matching on the idempotency key stored in the "Field Service Recurrence Data" field) using the **RECURRENCE_UPDATE_INSTANCE** action. At this point it's "Field Service Instance Index" field is also set to be 1 and the "Create/Update Instances" checkbox is checked on the related Field Service Recurrence record.

As a final step the "Field Service Recurrence Data" field of the instance record is cleared out using the **RECURRENCE_UPDATE_INSTANCE** action.

3. Finally the new Field Service Recurrence record is found and processed by the recurrence scheduled script as it's "Create/Update Instances" checkbox had been checked.

Firstly the primary record is checked for changes, if there are any changes the Field Service Recurrence record is then updated to match (using the **RECURRENCE_UPDATE_RECURRENCE** action).

Secondly, all required instance records are created using the **RECURRENCE_CREATE_INSTANCE** action.

Editing a Recurring Instance

Changing Recurrence Related Fields

The following actions are taken when an instance record is edited and one or more of the recurrence related fields have been modified. These actions differ slightly depending on whether the instance being modified is a primary record.

Changes to Recurrence Related Fields - Primary Record

1. As you save your changes to your instance record, the information set in the recurrence related fields will be saved into the "Field Service Recurrence Data" field. The "Create/Update Instances" checkbox on the related Field Service Recurrence record will be checked and the recurrence scheduled script will be triggered.



Note: The "Field Service Propagate Changes" checkbox will NOT be checked on the instance record.

2. The instance record is then found and processed by the fact that information is present in it's "Field Service Recurrence Data" field.

Because its instance index is equal to 1, the values from the "Field Service Recurrence Data" field are pushed into the related Field Service Recurrence record using the **RECURRENCE_UPDATE_RECURRENCE** action.

As a final step the "Field Service Recurrence Data" field of the instance record is cleared out using the **RECURRENCE_UPDATE_INSTANCE** action.

3. Finally the updated Field Service Recurrence record is found and processed by the recurrence scheduled script as it's "Create/Update Instances" checkbox had been checked.

Firstly the primary record is checked for changes, if there are any more changes the Field Service Recurrence record is then updated to match (using the **RECURRENCE_UPDATE_RECURRENCE** action).

Secondly the following actions are taken:

- All missing instance records are created using the **RECURRENCE_CREATE_INSTANCE** action.
- All instances who's recurrence related fields don't match the recurrence series are updated to again follow the schedule using the **RECURRENCE_UPDATE_INSTANCE** action.
- Any instances that exist that fall outside of the range of the recurrence series are deleted using the **RECURRENCE_DELETE_INSTANCE** action.

Changes to Recurrence Related Fields - Non-Primary Record

1. As you save your changes to your instance record, the information set in the recurrence related fields will be saved into the "Field Service Recurrence Data" field. The recurrence scheduled script will be triggered.



Note: The "Field Service Propagate Changes" checkbox will NOT be checked on the instance record.

2. The instance record is then found and processed by the fact that information is present in it's "Field Service Recurrence Data" field.

Because its instance index is NOT equal to 1 a new Field Service Recurrence record is created using the **RECURRENCE_ADD_RECURRENCE** action.

As a second step the old recurrence is ended using the **RECURRENCE_END_RECURRENCE** action and then the instance record is updated using the **RECURRENCE_UPDATE_INSTANCE** action and the following changes are made:

- The "Field Service Recurrence" field populated with the new Field Service Recurrence record.
- The "Field Service Propagate Changes" checkbox is checked.
- The "Field Service Recurrence Data" field is cleared out.

This process also results in the "Create/Update Instances" checkbox on the new Field Service Recurrence record being checked.

3. The recurrence scheduled script locates the instance record once more and because it's "Field Service Propagate Changes" checkbox has been checked it is processed to become the new primary record.

All future instances are moved under the new Field Service Recurrence record using the **RECURRENCE_UPDATE_INSTANCE** action to adjust their index and set their "Field Service Recurrence" field.

The instance index of the new primary record is then set to be equal to 1 (also using the **RECURRENCE_UPDATE_INSTANCE** action).

4. Finally the new Field Service Recurrence record is found and processed by the recurrence scheduled script as it's "Create/Update Instances" checkbox had been checked.

Firstly the primary record is checked for changes, if there are any more changes the Field Service Recurrence record is then updated to match (using the **RECURRENCE_UPDATE_RECURRENCE** action).

Secondly the following actions are taken:

- All missing instance records are created using the **RECURRENCE_CREATE_INSTANCE** action.
- All instances who's recurrence related fields don't match the recurrence series are updated to again follow the schedule using the **RECURRENCE_UPDATE_INSTANCE** action.
- Any instances that exist that fall outside of the range of the recurrence series are deleted using the **RECURRENCE_DELETE_INSTANCE** action.

Changing Propagated Fields

The following actions are taken when an instance record is edited and one or more of the propagated fields have been modified. These actions differ slightly depending on whether the instance being modified is a primary record.

Changes to Propagated Fields - Primary Record

1. Upon saving the instance record, the user is presented with the option to propagate field values. If they select "No" then the fields are stored in the "Field Service Exempt Sync" field on the instance record and no other steps are taken.

If the user instead selects "Yes" then the changed fieldids are stored in the "Field Service Recurrence Updates" field and because the instance index is equal to 1, the "Field Service Propagate Changes" checkbox is left un-checked.

The "Create/Update Instances" checkbox is then checked on the related Field Service Recurrence record.
2. Next the new Field Service Recurrence record is found and processed by the recurrence scheduled script as it's "Create/Update Instances" checkbox had been checked.

Firstly the primary record is checked for changes, if there are any changes (including changes found in the "Field Service Recurrence Updates" field) the Field Service Recurrence record is then updated to match using the **RECURRENCE_UPDATE_RECURRENCE** action.

Secondly, all instance records are update using the **RECURRENCE_UPDATE_INSTANCE** action.

Changes to Propagated Fields - Non-Primary Record

1. Upon saving the instance record, the user is presented with the option to propagate field values. If they select "No" then the fields are stored in the "Field Service Exempt Sync" field on the instance record and no other steps are taken.

If the user instead selects "Yes" then the changed fieldids are stored in the "Field Service Recurrence Updates" field.

Because the instance index is NOT equal to 1 the following actions are taken:
 - The "Field Service Propagate Changes" checkbox is checked on the instance.
 - A new Field Service Recurrence record is created as a copy of the existing recurrence record.
 - The old Field Service Recurrence record is ended.
 - The new Field Service Recurrence record is set in the "Field Service Recurrence" field on the instance record.

The “Create/Update Instances” checkbox is then checked on the new Field Service Recurrence record.

2. The recurrence scheduled script locates the instance record and because it’s “Field Service Propagate Changes” checkbox has been checked it is processed to become the new primary record.

All future instances are moved under the new Field Service Recurrence record using the **RECURRENCE_UPDATE_INSTANCE** action to adjust their index and set their “Field Service Recurrence” field.

The instance index of the new primary record is then set to be equal to 1 (also using the **RECURRENCE_UPDATE_INSTANCE** action).

3. Finally the new Field Service Recurrence record is found and processed by the recurrence scheduled script as it’s “Create/Update Instances” checkbox had been checked.

Firstly the primary record is checked for changes, if there are any changes (including changes found in the “Field Service Recurrence Updates” field) the Field Service Recurrence record is then updated to match using the **RECURRENCE_UPDATE_RECURRENCE** action.

Secondly, all instance records are update using the **RECURRENCE_UPDATE_INSTANCE** action.

Deletion of Recurring Instance

When an instance record is deleted the following actions are taken.

1. If the instance is not the primary record, it’s instance index is added to the “Deleted Instances” field on the related Field Service Recurrence record. If the instance is the primary record, the next instance in the series is found and made to be the new primary record by:
 - Checking it’s “Field Service Propagate Changes” checkbox.
 - Adjusting the values on the related Field Service Recurrence record to match the start date of the new primary record.



Note: If an appropriate second instance cannot be found, then the related Field Service Recurrence record is marked for deletion.

2. The recurrence scheduled script locates instance record and because it’s “Field Service Propagate Changes” checkbox has been checked it is processed to become the new primary record.

All future instances are moved under the new Field Service Recurrence record using the **RECURRENCE_UPDATE_INSTANCE** action to adjust their index and set their “Field Service Recurrence” field.

The instance index of the new primary record is then set to be equal to 1 (also using the **RECURRENCE_UPDATE_INSTANCE** action).

3. Finally the new Field Service Recurrence record is found and processed by the recurrence scheduled script as it’s “Create/Update Instances” checkbox had been checked.

Firstly the primary record is checked for changes, if there are any changes (including changes found in the “Field Service Recurrence Updates” field) the Field Service Recurrence record is then updated to match using the **RECURRENCE_UPDATE_RECURRENCE** action.

Secondly, all instance records are update using the **RECURRENCE_UPDATE_INSTANCE** action.

Delete Future Instance Button

The following actions are taken when the “Delete Future Instances” button is pressed on an instance record.

1. The related recurrence record is updated to have its end type and end date fields set such that no future instances should exist. Its "Create/Update Instances" checkbox is then checked.
2. Next the new Field Service Recurrence record is found and processed by the recurrence scheduled script as its "Create/Update Instances" checkbox had been checked.

Firstly the primary record is checked for changes, if there are any more changes the Field Service Recurrence record is then updated to match (using the **RECURRENCE_UPDATE_RECURRENCE** action).

Secondly any instances that exist that fall outside of the range of the recurrence series are deleted using the **RECURRENCE_DELETE_INSTANCE** action.

Final Order Of Actions

Here you will find a high level summary of the order in which recurring instances & records are processed within an account. This is written from the perspective of the entire account, looking at all records in the account at any given step.

Pending recurrence actions in an account are processed in the following order:

1. All instance records with data in the "Field Service Recurrence Data" field are processed.
 - E.g. Step 2 of Creation of New Recurrence
 - E.g. Step 2 of Changes to Recurrence Related Fields
2. Then all instance records that should become a new primary records are processed.
 - E.g. Step 3 of Changes to Recurrence Related Fields - Non-Primary Record
 - E.g. Step 2 of Changes to Propagated Fields - Non-Primary Record
3. Finally all recurrence records that need to be updated are processed.
 - E.g. Any recurrence records that have not been updated today.
 - E.g. Step 3 of Creation of New Recurrence
 - E.g. Step 3 of Changes to Recurrence Related Fields - Primary Record
 - E.g. Step 4 of Changes to Recurrence Related Fields - Non-Primary Record
 - E.g. Step 2 of Changes to Propagated Fields - Primary Record
 - E.g. Step 3 of Changes to Propagated Fields - Non-Primary Record
 - E.g. Step 2 of Delete Future Instance

The recurrence scheduled script automatically runs every hour to locate any records that are ready to be processed. At midnight (as the new day ticks over) all active recurrence records will be processed for updates (as per step 3 above). Once these records have been processed for the day, they will not be considered again by step 3 unless they are pushed into the queue for other reasons.

 **Note:** Recurring tasks are processed before recurring cases. No recurring cases will be processed until all task based recurrence actions are complete.

Mobile Element Types

Valid Mobile Element Types

When configuring custom mobile tabs (or modifying core mobile tabs), part of the configuration process involves defining elements to represent fields that the user will interact with. Elements on the Field Service mobile app can be set to be one of a specific list of types; here we list those types.

All NetSuite field types are represented as element types on the Field Service mobile app and most element types listed below correspond with a clear NetSuite field type.

Mobile Element Type	NetSuite Field Type	Usage	Defaults
checkbox	Checkbox	<pre>1 "newcheckboxfield": { 2 "type": "checkbox", 3 "label": "A Checkbox Field" 4 }</pre>	—
text	Free-Form Text	<pre>1 "newtextfield": { 2 "type": "text", 3 "label": "A Text Field" 4 }</pre>	—
textarea	Text Area	<pre>1 "newtextfield": { 2 "type": "text", 3 "label": "A Text Field" 4 }</pre>	"maxLength" : 4000 "rows" : 6
help	Help	<pre>1 "newhelpfield": { 2 "type": "help", 3 "label": "A Help Field" 4 }</pre>	"maxLength" : 4000 "rows" : 6 "readonly" : true
longtext	Long Text	<pre>1 "newlongtextfield": { 2 "type": "longtext", 3 "label": "A Long Text Field" 4 }</pre>	"maxLength" : 1000000 "rows" : 12
signature	Rich Text	<pre>1 "newsignaturefield": { 2 "type": "signature", 3 "label": "A Signature Field" 4 }</pre>	"height" : 148 "width" : 448
html	Inline HTML	<pre>1 "newhtmlfield": { 2 "type": "html", 3 "label": "A HTML Field" 4 }</pre>	—
richtext	Rich Text	<pre>1 "newrichtextfield": { 2 "type": "richtext", 3 "label": "A Rich Text Field" 4 }</pre>	"maxLength" : 1000000 "rows" : 12
inlinehtml	Inline HTML	<pre>1 "newinlinehtmlfield": { 2 "type": "inlinehtml", 3 "label": "An Inline HTML Field" 4 }</pre>	"readonly" : true
select	List/Record	<pre>1 "newselectfield": { 2 "type": "select",</pre>	—

Mobile Element Type	NetSuite Field Type	Usage	Defaults
		<pre> 3 "label": "A Select 4 Field" }</pre>	
multiselect	Multiple Select	<pre> 1 "newmultiselectfield": { 2 "type": "multiselect", 3 "label": "A Multi- 4 Select Field" }</pre>	"multiple" : true
image	Image	<pre> 1 "newimagefield": { 2 "type": "image", 3 "label": "An Image 4 Field" }</pre>	"accept": ".bmp,.gif,.jpg,.jpeg,.png,.tiff,.tif"
file	Document	<pre> 1 "newfilefield": { 2 "type": "file", 3 "label": "A File 4 Field" }</pre>	—
document	Document	<pre> 1 "newdocumentfield": { 2 "type": "document", 3 "label": "A Document 4 Field" }</pre>	—
date	Date	<pre> 1 "newdatefield": { 2 "type": "date", 3 "label": "A Date 4 Field" }</pre>	—
datetime	Date Time	<pre> 1 "newdatetimefield": { 2 "type": "datetime", 3 "label": "A Date Time 4 Field" }</pre>	"step" : 60
datetimetz	Date Time	<pre> 1 "newdatetimetzfield": { 2 "type": "datetimetz", 3 "label": "A Date Time 4 TZ Field" }</pre>	"step" : 60
time	Time	<pre> 1 "newtimefield": { 2 "type": "time", 3 "label": "A Time 4 Field" }</pre>	—
timeofday	Time	<pre> 1 "newtimeofdayfield": { 2 "type": "timeofday", 3 "label": "A Time Of 4 Day Field" }</pre>	—
number	Decimal	<pre> 1 "newnumberfield": { 2 "type": "number", }</pre>	—

Mobile Element Type	NetSuite Field Type	Usage	Defaults
		<pre> 3 "label": "A Number 4 Field" 4 } </pre>	
float	Decimal	<pre> 1 "newfloatfield": { 2 "type": "float", 3 "label": "A Float 4 Field" 4 } </pre>	"step" : "any"
integer	Integer Number	<pre> 1 "newintegerfield": { 2 "type": "integer", 3 "label": "An Integer 4 Field" 4 } </pre>	"precision" : 0 "step" : 1
percent	Percent	<pre> 1 "newpercentfield": { 2 "type": "percent", 3 "label": "A Percent 4 Field" 4 } </pre>	"unit" : "percent" "step" : "any"
currency	Currency	<pre> 1 "newcurrencyfield": { 2 "type": "currency", 3 "label": "A Currency 4 Field" 4 } </pre>	"unit" : "usd" "step" : 0.01
tel	Phone Number	<pre> 1 "newtelfield": { 2 "type": "tel", 3 "label": "A Telephone 4 Field" 4 } </pre>	—
phone	Phone Number	<pre> 1 "newphonefield": { 2 "type": "phone", 3 "label": "A Phone 4 Field" 4 } </pre>	—
password	Password	<pre> 1 "newpasswordfield": { 2 "type": "password", 3 "label": "A Password 4 Field" 4 } </pre>	—
email	Email	<pre> 1 "newemailfield": { 2 "type": "email", 3 "label": "An Email 4 Field" 4 } </pre>	—
url	Hyperlink	<pre> 1 "newurlfield": { 2 "type": "url", 3 "label": "A URL Field" 4 } </pre>	—
hidden	any simple NetSuite field type	<pre> 1 "newhiddenfield": { 2 "type": "hidden", </pre>	—

Mobile Element Type	NetSuite Field Type	Usage	Defaults
 Note: Hidden elements do not appear on the mobile but they can successfully read and write to NetSuite.		<pre> 3 "label": "A Hidden 4 Field" } </pre>	
table  Note: Table elements are used as parents of other elements. While they don't directly match a NetSuite field type they often instead align with a NetSuite sublist.	no matching NetSuite field type	<pre> 1 "newtable": { 2 "type": "table", 3 "label": "A Table" 4 } </pre>	—
datalist  Note: Datalist elements do not appear on the mobile but they can be used to store information used by other elements.	no matching NetSuite field type	<pre> 1 "newdatalistfield": { 2 "type": "datalist", 3 "label": "A Datalist" 4 } </pre>	—

Mapping Patterns

When considering to map these elements through to their corresponding fields in NetSuite (as defined in the "article" section of the config for a mobile tab) the following patterns should be followed.

Most element types if not listed below will follow this basic structure:

```

1  "article": {
2    "map": {
3      "elementid1": "fieldid1"
4    }
5  }

```

What follows are the exceptions to the simple structure above.

Select Fields

```

1  "article": {
2    "map": {
3      "elementid1": {
4        "id": "=fieldid1",
5        "label": "#fieldid1|"
6      }
7    }
8  }

```

Multi-Select Fields

```

1  "article": {
2    "map": {
3      "elementid1": {
4        "id": "=fieldid1[]",
5        "label": "#fieldid1[]"
6      }
7    }
8  }

```

```
8 | }
```

HTML and Inline HTML Fields

```
1 | "article": {
2 |   "map": {
3 |     "elementid1": "fieldid1|"
4 |   }
5 | }
```

Image, File, and Document Fields

```
1 | "article": {
2 |   "map": {
3 |     "elementid1": {
4 |       "id": "=fieldid1",
5 |       "url": "formulatext:'${ url }file/'|{|{fieldid1.id}}|'&key=${ user.key }'"
6 |     }
7 |   }
8 | }
```

Datalist Elements

```
1 | "article": {
2 |   "map": {
3 |     "elementid1": "fieldid1|"
4 |   }
5 | }
```

Table Elements

```
1 | "article": {
2 |   "map": {
3 |     "elementid1": [{
4 |       "subelementid1": "colfieldid1|sublistid.colfieldid1",
5 |       "subelementid2": "colfieldid2|sublistid.colfieldid2"
6 |     }]
7 |   }
8 | }
```



Note: Above that the child elements of a table element must have their mapping nested within the mapping for the table element.

Custom Forms and NetSuite Field Types

If a mobile tab loads its elements using a custom form, the type of those elements is evaluated based on the NetSuite field type of the corresponding field. There are some exceptions to this rule.

Image & Document fields in NetSuite both default to being "document" type elements on the Field Service Management mobile. This can be overridden by making sure the field/element id ends with a specific code:

- Ending the field id in `_doc` or `_document` will cause the resultant element to be displayed as a "file" type element unless otherwise overridden.
- Ending the field id in `_img` or `_image` will cause the resultant element to be displayed as an "image" type element unless otherwise overridden.

Signature fields are unique in that they have no matching NetSuite field type. Rich Text type fields in NetSuite whose field id ends in `_signature` will be automatically displayed on the mobile as a "signature" type element unless otherwise overridden.

Aliases and Related Element Types

Some of the element types above do not exist as real element types, some are simply shortcuts that can be used to quickly pre-set some default properties.

For example the "currency" element type under the hood is actually just a "number" element with the "unit": "usd" and "step": 0.01 properties pre-set.

Currency Shorthand Element:

```
1 | "newcurrencyelement": {
2 |   "type": "currency",
3 |   "label": "A Currency Field"
4 | }
```

Same as Number Element Below:

```
1 | "newcurrencyelement": {
2 |   "type": "number",
3 |   "label": "A Currency Field",
4 |   "unit": "usd",
5 |   "step": 0.01
6 | }
```

Here you will find a list of all element types that are aliases of a base product element type.

Base Element Type	Shorthand Element Types
textarea	help, longtext
html	inlinehtml, richtext
number	float, integer, percent, currency
select	multiselect
tel	phone
file	document
datetime	datetimetz
time	timeofday

Mobile Element Select Options

Select Element Options

Basic Properties

The options available for selection within a select (or multi-select) type field on the Field Service Management mobile app can be configured using the "options" property. This property should be provided an array of valid options, each of which should have an "id" and a "label" property.

For example a basic list of options may look like this:

```
1 | "options": [{
2 |   "id": "1",
```

```

3  "label": "Option 1"
4  },{
5    "id": "2",
6    "label": "Option 2"
7  },{
8    "id": "3",
9    "label": "Option 3"
10 }}

```

The 'selected' Property

Each option can also be set with an optional "select" property which can be used to evaluate which option is selected by default. The option with the lowest value set in its "select" property will be selected as the default value. In the example below the "Apple" option will be selected by default.

```

1  "options": [{
2    "id": "333",
3    "label": "Bannana",
4    "selected": "3"
5  },{
6    "id": "555",
7    "label": "Apple",
8    "selected": "1"
9  },{
10   "id": "777",
11   "label": "Orange",
12   "selected": "2"
13 },{
14   "id": "999",
15   "label": "Mango"
16 }}

```

Notice that not all options must have a "selected" property. Of those that have a value set, the one with the lowest value is then set as the default option.

This may not seem very useful when hard-coding a list of available options but it does become handy when the options list is generated as the result of a search. Below the "custrecord_nx_case_type" search is first run and then the results of that search are set as the options available to the select field.

```

1  "options": {
2    "record": "customrecord_nx_case_type",
3    "filters": ["isinactive","is","F"],
4    "map": {
5      "id": "internalid",
6      "label": "name",
7      "selected": "formulatext: CASE WHEN {internalid} IN (1) THEN '1' WHEN {internalid} IN (3) THEN '2' END"
8    }
9  }

```

The basic formula above means that the case type with internalid 1 will be selected as the default value if it is found to be a result of the search. If it is not found, then the case type with internalid 3 will be selected instead. If neither case type is found then no default option will be selected.

Additional Properties

Additional properties can be arbitrarily added to the options in a select field. These additional properties will also be available to the search function of the current element; search terms will be compared against the "id", "label" and any other additional property value added to the options.

```

1  "options": [{
2    "id": "1",
3    "label": "Option 1",
4    "altname": "opt1"

```

```

5 },{
6   "id": "2",
7   "label": "Option 2",
8   "altname": "opt2"
9 },{
10  "id": "3",
11  "label": "Option 3",
12  "altname": "opt3"
13 }}

```

The options above will allow the user to also search for those options using the alternate names “opt1”, “opt2” and “opt3” even though these alternate names aren't displayed as the label of any option.

Note: When a value is selected within an element on the mobile, only the "id" and "label" properties will be copied across to the "value" property of the element. Dynamic expressions can be used to lookup any additional properties of the selected value by matching the id against the options list.

For example, see the element below where the "selectedunitcode" property pulls out the "unitcode" of the currently selected option.

```

1  "selectelement1": {
2    "type": "select",
3    "label": "Select Element 1",
4    "options": [{
5      "id": "1",
6      "label": "Option 1",
7      "unitcode": "555"
8    },{
9      "id": "2",
10     "label": "Option 2",
11     "unitcode": "777"
12   },{
13     "id": "3",
14     "label": "Option 3",
15     "unitcode": "999"
16   }],
17   "selectedunitcode": "selectelement1.value && selectelement1.options.find(o => o.id == selectelement1.value.id).unitcode"
18 }

```

Mobile Element Properties

Valid Mobile Element Properties

Mobile elements can be configured with the following properties in order to modify their behavior within the mobile app.

Not all properties are valid on all element types, please review the valid types for each property before attempting to apply it within config.

Property	Description	Valid Element Types	Valid Values
hidden	Causes the element to be hidden in the user interface.	any	- true - false
required	Enforces that the element has a value before the current form can be submitted. Note that this cannot currently be set using dynamic expressions.	any	- true - false

Property	Description	Valid Element Types	Valid Values
readonly	Causes the element to appear as a read-only field that the user cannot interact with.	any	- true - false
usesessionkey	Automatically adds the current session key as a URL parameter to the link being accessed.	url	- true - false
disabled	Causes the element to appear as a disabled field that the user cannot interact with. This results in similar behavior to the read-only property but is visually a little different.	any	- true - false
value	Sets a value set in the element by default. This property is only evaluated if the current record does not yet exist or if set to change as part of a dynamic expression.	any	Varies by element type.
label	Sets the label of an element.	any	string (any)
type	Sets the type of the element	any	string (valid element types listed here)
column	Controls the position of this element when viewed in a table. An empty or null value means that this element will not be visible in it's table view.	any	number (any)
parent	Sets the parent element (usually a table type element).	any	string (id of another element on the same form)
placeholder	Displays a placeholder value in the field up until the user enters their own value. Useful for providing additional guidance to the user regarding how the field should be completed.	- select (multiselect) - html (inlinehtml, richtext) - textarea (help, longtext) - email - password - tel - text - url	string (any)
pattern	This property can be set with a Regular Expression that will then be used to validate any input. Input that does not match the Regular Expression will be rejected with a message.	- date - datetime (datetimez) - time (timeofday) - email - password - tel - text - url	string (valid regular expression)

Property	Description	Valid Element Types	Valid Values
min	Sets the minimum value allowed in this field. Any values entered that are less than this setting will be met with an error message. Fields that don't meet their "min" requirement will stop the current form from being submitted.	- date - datetime (datetimez) - time (timeofday) - number (float, integer, percent, currency)	number (any)
max	Sets the maximum value allowed in this field. Any values entered that are greater than this setting will be met with an error message. Fields that don't meet their "max" requirement will stop the current form from being submitted.	- date - datetime (datetimez) - time (timeofday) - number (float, integer, percent, currency)	number (any)
step	Controls the minimum increment this numeric field can increase/decrease by. The current form cannot be submitted unless the value in this field is a multiple of the step.	- date - datetime (datetimez) - time (timeofday) - number (float, integer, percent, currency)	number (any)
precision	Controls the number of decimal places displayed in a numeric field.	number (float, integer, percent, currency)	number (integer)
unit	Controls the units (prefix/suffix) displayed in a numeric field. Custom units can be defined on top of the following default units: "usd" "percent" "byte" "celcius" "fahrenheit"	number (float, integer, percent, currency)	string (valid unit types)
stepper	Controls whether plus and minus buttons are added to the input to allow the user to increment and decrement the value	number (float, integer, percent, currency)	- true - false
cols	Sets the number of columns of text (characters) initially visible within this element.	- html (inlinehtml, richtext) - textarea (help, longtext)	number (integer)
rows	Sets the number of rows of text initially visible within this element.	- html (inlinehtml, richtext) - textarea (help, longtext)	number (integer)
maxlength	Sets the maximum length (in characters) of the string accepted as a value for this element.	- html (inlinehtml, richtext) - textarea (help, longtext)	number (integer)

Property	Description	Valid Element Types	Valid Values
		text	
barcode	Enables a barcode scanner for use selecting from the available options from within the select/multi-select field.	- select (multiselect) - text	- true - false
remote	Controls whether the current element has it's options stored locally or obtained remotely. If obtained remotely the options are only loaded on-demand and do require a working internet connection. Can be used in conjunction with the "search" property to enable the element to search for up-to-date records dynamically in NetSuite.	select (multiselect)	- true - false
options	Controls which options are available in the select element.	select (multiselect)	array of options
multiple	Controls whether more than one option can be selected in the current field.	select (multiselect)	- true - false
search	Enables a free-text search box for use filtering down the available options within the select/multi-select field.	select (multiselect)	- true - false
width	Sets the width (in units of px) of the element within the user interface.	signature	number (integer)
height	Sets the height (in units of px) of the element within the user interface.	signature	number (integer)
camera	This property controls whether the image field forces the user to take a new photo or even to use a specific camera (front/back).	image	- false (file upload or camera allowed) - true (camera only, file upload not allowed) "user" (the selfie camera only) "environment" (the front facing camera only)
accept	Controls which file types are accepted as values in this element. Acceptable file types are provided as a list of unique filetype specifiers as outlined here.	- file (document) - image	string (representing a list of unique filetype specifiers)
maxsize	Sets the maximum file size in KB. If the provided file exceeds this size an error message is displayed and the current form cannot be submitted.	- file (document) - image	number (integer)
downsample	Sets the maximum height/width (whichever is larger) in pixels of the image/file being uploaded. Images who's largest dimension (height or width) is larger than this value will	- file (document) - image	number (integer)

Property	Description	Valid Element Types	Valid Values
	be compressed to have their largest dimension match this value.		

Compatibility and Expected Behaviors

If you encounter a behavior that you feel is unexpected, compare it against this list to confirm your suspicion before escalating it to the appropriate support channel.

Supported Browsers and Devices

The Field Service Management mobile application and the Field Service Scheduler board are supported on the following web browsers:

Browser	Latest Version Tested
Google Chrome	140.0.7339.123
Microsoft Edge	139.0.3405.125
Apple Safari	18.6.2

The Mozilla Firefox and Opera browsers are not supported. You should use one of the supported browsers to ensure the most stable experience.

The Field Service Management mobile application is a progressive web application designed for use on touch-enabled mobile devices such as phones and tablets running one of the supported browsers.

The following mobile devices have been tested to work with the mobile application.

Device	Latest OS Version Tested
Umidigi Bison	Android 11
Samsung S21 Ultra	Android 15
iPhone 11, iPhone 13 Pro	iOS 18.6.2
iPad Pro	iPadOS 17.7.2

The Field Service Scheduler board is designed for use only in browsers on non-touch enabled devices with a screen resolution of at least 1024 x 768 pixels. It will not function as expected on touch-enabled devices such as tablets or phones.

- [Compatibility with NetSuite Features](#)
- [Mobile App](#)
- [Schedule Board](#)
- [NetSuite User Interface](#)
- [Others](#)

Compatibility with NetSuite Features

This section describes the various compatibility and support levels of Field Service Management (FSM) in relation to its functionality with NetSuite features.

For more information about NetSuite features, see the help topic [Enabling Features](#).

Compatibility

A NetSuite Feature is considered compatible with Field Service Management (FSM) if it can be enabled without causing errors in NetSuite or Field Service Management.

Compatibility	Description
Required	The NetSuite feature is required for Field Service Management to function.
Optional	The NetSuite feature is not required for Field Service Management to function. This means FSM will work properly, with or without this featured enabled.
Incompatible	The NetSuite feature is not compatible with Field Service Management. If enabled, this feature will cause errors in FSM or, installing FSM on an account with this feature enabled will cause the feature to not work as expected.
Not tested	The NetSuite feature has not been tested alongside Field Service Management. The feature may or may not work properly with FSM.

Support Levels

Field Service Management (FSM) support levels describe how NetSuite feature behavior is applied to FSM features.

Support Level	Description
Full	The NetSuite feature behavior is applied to all FSM features.
Partial	The NetSuite feature has some behaviors applied to FSM features.
None	The NetSuite feature has not been integrated into FSM features.
Not applicable	The NetSuite feature has no interaction with FSM features.

The following tables list the compatibility and support levels of Field Service Management (FSM) with NetSuite features and project management preferences.

Company Features

For more information about company features, see the help topic [General Company Features](#).

Feature	Compatibility	Support Level
Subsidiaries	Optional	Full
Departments	Optional	Full
Locations	Optional	Full
Classes	Optional	Full
Projects	Required	Full
Project Management	Optional	Full
Planned work	Optional	Full
Job Costing and Project Budgeting	Optional	Partial
Advanced Project Profitability	Not tested	None

Feature	Compatibility	Support Level
Activity Codes	Optional	None
Advanced Project Budgets	Not tested	None
Related SuiteApp: Project Task Manager	Not tested	None
Multiple Units of Measure	Optional	None
Use Deletion Reason	Optional	None
Multi-Subsidiary Customer	Optional	Full
Advanced Numbering	Optional	None
Resource Allocation	Optional	Partial
Related SuiteApp: Resource Allocation Chart/Grid	Not tested	None
Related SuiteApp: Resource Skill Sets	Not tested	None
Relate SuiteApp: Resource Allocations Custom Approval Workflow	Not tested	None
Multi-Language	Optional	None
Multiple Currencies	Optional	Full
Currency Exchange Rate Integration	Not tested	Not applicable
Worldwide Support for Phone Number Formatting	Not tested	Not applicable
Inline Editing	Optional	Full
File Cabinet	Required	Full
Enhanced File Security	Optional	None
Duplicate Detection & Merge	Optional	Not applicable
Related SuiteApp: Box Document Management	Not tested	None
IP Address Rules	Not tested	Not applicable
Mobile Push Notification	Not tested	None

Accounting Features

For more information about accounting features, see the help topic [Accounting Features](#).

Feature	Compatibility	Support Level
Accounting	Required	Full
A/R (Accounts Receivable)	Required	Full
A/P (Accounts Payable)	Required	Full
Accounting Periods	Required	Full
GL Audit Numbering	Not tested	None
Bill Capture	Not tested	None

Feature	Compatibility	Support Level
Expense Allocation	Not tested	None
Dynamic Allocation	Not tested	Not applicable
Advanced Revenue Management (Essentials)	Not tested	Not applicable
Advanced Revenue Management (Revenue Allocation)	Not tested	Not applicable
Advanced Revenue Management in Configuration Mode	Not tested	Not applicable
Rule-Based Recognition Treatment	Not tested	Not applicable
Multiple Budgets	Not tested	Not applicable
Intercompany Time and Expense	Optional	Partial
Automated Intercompany Management	Not tested	Not applicable
Automated Intercompany Drop Ship	Not tested	Not applicable
Intercompany Framework	Not tested	Not applicable
Consolidated Payments	Not tested	Not applicable
In-Transit Payments	Not tested	Not applicable
Vendor Prepayments	Not tested	Not applicable
Multiple Calendars	Not tested	Not applicable
Foreign Currency Variance Mapping	Not tested	Not applicable
Installments	Not tested	Not applicable
Period End Journal Entries	Not tested	Not applicable
Balancing Segments	Not tested	Not applicable
Revenue Recognition	Not tested	Not applicable
Revenue Commitments	Not tested	Not applicable
VSOE	Not tested	Not applicable
Sales Order Revenue Forecasting	Not tested	Not applicable
Amortization	Not tested	Not applicable
Adjustment-Only Books	Not tested	Not applicable
Full Multi-book Accounting	Not tested	Not applicable
Chart of Accounts Mapping	Not tested	Not applicable
Foreign Currency Management	Not tested	Not applicable
Revenue and Expense Management	Not tested	Not applicable
Extended Accounting Period Close Process	Not tested	Not applicable

Tax Features

For more information about tax features, see the help topic [Tax Features](#).

Feature	Compatibility	Support Level
Advanced Taxes	Optional	Not applicable
EU One Stop Shop	Not tested	Not applicable
SuiteTax	Optional	Partial
Related SuiteApp: International Tax Reports	Not tested	None
Related SuiteApp: Tax Audit Files	Not tested	None
Related SuiteApp: Withholding Tax	Not tested	None
Related SuiteApp: Supplementary Tax Calculation	Not tested	None

Transaction Features

For more information about transaction features, see the help topic [Transaction Features](#).

Feature	Compatibility	Support Level
Estimates	Required	Full
Sales Orders	Required	Full
Return Authorizations	Optional	None
Purchase Orders	Optional	None
Vendor Return Authorizations	Optional	None
Request for Quote	Not tested	Not applicable
Requisitions	Not tested	None
Purchase Contracts	Not tested	None
Blanket Purchase Orders	Not tested	None
Related SuiteApp: NetSuite Approvals Workflow	Not tested	None
Related SuiteApp: Advanced Procurement Approvals	Not tested	None
Related SuiteApp: Warranty and Repairs Management	Not tested	None
Multiple Prices	Optional	Partial
Quantity Pricing	Optional	Partial
Gross Profit	Optional	Not applicable
Alternate Sales Amount	Not tested	None
Promotion Codes	Not tested	None
SuitePromotions	Not tested	None
Auto-Apply Promotions	Not tested	None

Feature	Compatibility	Support Level
Required Deposit Workflow	Not tested	None
Required SuiteApp: Advanced Promotions	Not tested	None
Automatic Location Assignment	Not tested	None
Advanced Shipping	Optional	Full
Pick, Pack and Ship	Not tested	Not applicable
Fulfillment Request	Optional	None
Store Pickup	Not tested	None
Shipping Label Integration	Not tested	Not applicable
Advanced Receiving	Optional	None
Multiple Shipping Routes	Not tested	Not applicable
Inbound Shipping Management	Optional	Not applicable
Bill Costs to Customers	Optional	Full
Advanced Billing	Optional	None
Charge-Based Billing	Optional	None
Billing Operations	Optional	None
Invoice Groups	Not tested	None
Credit Card Payments	Not tested	None
Credit Card Soft Descriptors	Not tested	None
PayPal Integration	Not tested	None
Payment Instruments	Optional	None
Vendor Payment Instruments	Not tested	Not applicable
Payment Link	Optional	None

Items and Inventory Features

For more information about items and inventory features, see the help topic [Items and Inventory Features](#).

Feature	Compatibility	Support Level
Drop Shipments & Special Orders	Optional	Partial
Matrix Items	Not tested	Not applicable
Multiple Vendors	Optional	None
Gift Certificates	Not tested	Not applicable
Sell Downloadable Files	Not tested	Not applicable

Feature	Compatibility	Support Level
Bar Coding and Item Labels	Optional	Partial/Full
Advanced Item Location Configuration	Not tested	Not applicable
Merchandise Hierarchy	Not tested	Not applicable
Personalized Catalog Views	Not tested	Not applicable
Inventory	Optional	Full
Multi-Location Inventory	Optional	Full
Advanced Bill of Materials	Not tested	None
Assembly Items	Optional	Partial
Work Orders	Optional	None
Serialized Inventory	Optional	Full
Lot Tracking	Optional	Full
Bin Management	Optional	Full
Advanced Bin/Numbered Inventory Management	Optional	Full
Inventory Status	Incompatible	None
Warehouse Management	Not tested	None
Advanced Inventory Management	Not tested	Not applicable
Landed Cost	Not tested	Not applicable
Supply Allocation	Not tested	None
Sales Channel Allocation	Not tested	Not applicable
Demand Planning	Not tested	Not applicable
Distributed Resource Planning	Not tested	Not applicable
Material Requirements Planning	Not tested	Not applicable
Available to Promise	Not tested	Not applicable
Standard Costing	Optional	Not applicable
Group Average Costing	Optional	Not applicable
Manufacturing Work in Progress	Not tested	Not applicable
Outsourced Manufacturing	Not tested	Not applicable
Inventory Count	Not tested	Not applicable
Manufacturing Routing and Work Center	Optional	Partial
Supply Chain Control Tower	Not tested	Not applicable
Intercompany Cross-Subsidiary Fulfillment	Not tested	Full
Centralized Purchasing and Billing	Not tested	None

Feature	Compatibility	Support Level
Related SuiteApp: Supply Chain Management	Not tested	Not applicable
Related SuiteApp: Grid Order Management	Not tested	Not applicable

Employee Features

For more information about employee features, see the help topic [Employee and Payroll Features](#).

Feature	Compatibility	Support Level
Payroll	Not tested	Not applicable
Paycheck Journal	Not tested	Not applicable
Expense Reports	Optional	Full
Approval Routing	Optional	None
Per-Employee Billing Rates	Optional	Full
Billing Rate Cards	Optional	None
Purchase Requests	Not tested	None
Time Tracking	Required	Full
Weekly Timesheets	Optional	None
New Weekly Timesheets Interface	Optional	None
Time Tracking for CRM	Incompatible	None
Employee Commissions	Not tested	Not applicable
Commission on Custom Fields	Not tested	Not applicable
Global Permissions	Not tested	Full
Advanced Employee Permissions	Incompatible	None

CRM Features

For more information about CRM features, see the help topic [CRM and SFA Features](#).

Feature	Compatibility	Support Level
Customer Relationship Management	Required	Full
Sales Force Automation	Required	Full
Customer Support and Service	Required	Full
Marketing Automation	Not tested	Not applicable
Related SuiteApp: Campaign Assistant	Not tested	Not applicable
Opportunities	Optional	None

Feature	Compatibility	Support Level
Lead Conversion	Optional	Not applicable
Advanced Forecasting	Optional	Not applicable
Team Selling	Not tested	Full
Historical Metrics	Not tested	None
Email Case Capture	Optional	None
Automated Case Escalation	Optional	None
Issue Management	Optional	None
Knowledge Base	Optional	None
Help Desk	Not tested	Not applicable
Online Forms	Required	Not applicable
Mail Merge	Optional	Not applicable
CRM Template Categories	Not tested	None
Capture Email Replies	Optional	None
Subscription Categories	Not tested	Not applicable
Upsell Manager	Optional	Not applicable
Sales Campaigns	Not tested	Not applicable
Partner Relationship Management	Optional	None
Partner Commissions/Royalties	Not tested	Not applicable
Multi-Partner Management	Not tested	None

Analytics Features

For more information about analytics features, see the help topic [Analytics Features](#).

Feature	Compatibility	Support Level
KPI Scorecards	Optional	Partial
SuiteAnalytics Connect	Not tested	Full
NetSuite Analytics Warehouse	Not tested	Partial
Tableau® Workbook Export	Not tested	Not applicable
SuiteAnalytics Workbook	Optional	Not applicable
Cached Data in Datasets	Not tested	Not applicable
Supply Chain Predicted Risks	Not tested	Not applicable
HTML Formulas in Search	Not tested	Partial

Web Presence Features

For more information about web presence features, see the help topic [Commerce Features](#).

Feature	Compatibility	Support Level
Website	Optional	Not applicable
Site Builder (Website)	Not tested	Not applicable
Site Builder (Webstore)	Not tested	Not applicable
Advanced Site Customization	Not tested	Not applicable
Advanced Web Reports	Not tested	Not applicable
Advanced Web Search	Not tested	Not applicable
Descriptive URLs	Not tested	Not applicable
URL Component Aliases	Not tested	Not applicable
Customizable Checkout Subdomains	Not tested	Not applicable
Asynchronous afterSubmit Sales Order Processing	Not tested	Not applicable
Asynchronous afterSubmit Customer Processing	Not tested	Not applicable
Web Site Duplicate Email Management	Not tested	Not applicable
Host HTML Files	Not tested	Not applicable
External Catalog Site (WSDK)	Not tested	Not applicable
Document Publishing	Optional	Not applicable
Intranet	Optional	Not applicable
Customer Access	Incompatible	None
Online Ordering	Not tested	Not applicable
Vendor Access	Optional	None
Partner Access	Incompatible	None
Advanced Partner Access	Incompatible	None

SuiteCloud Features

For more information about SuiteCloud features, see the help topic [SuiteCloud Features](#).

Feature	Compatibility	Support Level
Item Options	Optional	None
Custom Records	Required	Full
Advanced PDF/HTML Templates	Required	Full
Remove Personal Information	Not tested	None
Client SuiteScript	Required	Full

Feature	Compatibility	Support Level
Server SuiteScript	Required	Full
SuiteScript Server Pages	Not tested	Not applicable
SuiteFlow	Optional	None
Custom GL Lines	Optional	None
Custom Transactions	Optional	None
Custom Segments	Optional	None
Create Bundles with SuiteBundler	Optional	Not applicable
SOAP Web Services	Optional	Not applicable
REST Web Services	Optional	Not applicable
SuiteSignOn	Optional	None
Open ID Connect (OIDC) Single Sign-On	Not tested	None
SAML Single Sign-on	Not tested	None
Token-based Authentication	Optional	Not applicable
Disable HMAC-SHA1 for Token-based Authentication	Not tested	Not applicable
OAuth 2.0	Optional	Not applicable
NetSuite as OIDC Provider	Not tested	Not applicable
Telephony Integration	Not tested	Not applicable
SuiteCloud Development Framework	Optional	Not applicable
Copy to Account	Optional	Not applicable
SuiteApp Control Center	Optional	Not applicable

Project Consolidation Preference

For more information about the project consolidation preference, see the help topic [Using the Project Consolidation Preference](#).

Preference	Compatibility	Support Level
Consolidate Projects on Sales Transactions	Optional	Full

Mobile App

The following behaviors can be observed within the Field Service mobile app.

Dynamic Forms

Currently the "required" property of elements on the mobile app can only be set to be a static value and is not supported as part of the dynamic forms functionality. Setting the "required" property dynamically such that it depends on other elements on the same form will not behave as expected.

Custom Forms

While custom **entry** forms (entry forms for standard and custom records) can be used to automatically load elements/fields for use on a custom tab on the mobile app, custom **transaction** forms (entry forms for transaction records) are not officially supported.

Article Searches

Search options such as the "all": true property will not be passed through to the search system if they are applied directly within the "article" section. But if you nest searches inside the article section any search options will be passed through and will take effect.

For example, the following would not have any effect:

```

1 {
2   "routes/mobile": {
3     "asset": {
4       "article": {
5         "all": true,
6         "record": "customrecord_nx_asset",
7         "filters": ["isinactive","is","F"],
8         "map": {
9           "id": "internalid"
10        }
11      }
12    }
13  }
14 }
```

Nesting the search within the article will mean the "all": true property will have an effect:

```

1 {
2   "routes/mobile": {
3     "asset": {
4       "article": {
5 +     "assets": {
6         "all": true,
7         "record": "customrecord_nx_asset",
8         "filters": ["isinactive","is","F"],
9         "map": {
10          "id": "internalid"
11        }
12 +     }
13   }
14 }
15 }
16 }
```



Important: The nesting in the sample above will fail with an error ("Cannot read property 'record' from undefined") if you are loading your elements through a custom form instead of manually defining them. If you receive this error, contact NetSuite Support to discuss solutions.

Item Groups

Item groups are not officially supported for editing on the mobile app. Item groups can be added to the sales order, but, after it is added, the group and its components cannot be modified.

Serial Number Validation on Sales Order

It is expected that the serial number is not required on sales order lines on the mobile app. This allows the user to partially fulfill a serialized line or add the line and choose not to fulfill.

Barcodes and QR Codes

The barcode scanner can be enabled on "select" and "text" type fields only. The scanner will accept barcodes and QR codes. When a code is scanned, its value is set within the field (for text fields this results in the exact value being populated within the field, for select fields an option is selected based on the option's "barcode" property matching the code that was scanned).

The following code formats are supported by default:

- UPC-A
- UPC-E
- EAN-8
- EAN-13
- Code 39
- Code 93
- Code 128
- Codabar
- ITF
- RSS-14
- QR Code
- Data Matrix
- Aztec
- PDF 417

File and Image Uploads

The following image formats are supported by the mobile app: JPG, PNG, JPEG, GIF, and BMP.

Files uploaded into a file type field will be recognized in the file cabinet. For more information, see the help topic [File Types Recognized in the File Cabinet](#).

Images printed using NetSuite's advanced PDF tools (such as on our service reports) will only honor image orientation data if they are of the type PNG. This is a known NetSuite limitation. Some images on service reports may appear side-ways depending on their file type.

Expense Receipt Uploads and Enhanced File Security

Field Service Management does not currently support the Enhanced File Security feature in relation to uploading receipts from the mobile app. If this feature is enabled, file uploads using the expenses tab on mobile will fail.

Mobile Emulator and Offline Mode

The mobile emulator which is available by accessing the mobile app through NetSuite, for instance, by right clicking an employee on the Scheduler and clicking the mobile symbol, does not fully emulate the offline mode behavior of the full mobile app.

If you want to test or troubleshoot offline mode behavior, you must be using the full external mobile app accessed through the login link emailed when the "Email Mobile Login" button is pressed on the employee record.

Single Sign-On (SSO)

We do not currently support Single Sign-On (SSO) for the mobile application.

Custom Date Formats

Custom date formats are not currently supported on the mobile application. All dates are displayed in the format dictated by the locale set on the user's device.

Mobile Tabs that Cannot be Copied

The following out-of-the-box mobile tabs cannot be directly copied in config. Additional logic or automation is hooked up to the following tabs which will not automatically carry across if the tab was manually duplicated in config:

- History
- Sales Order
- Quote
- Files
- Return
- Receive

Refresh and Automatic Overnight Refresh Behavior

When the mobile app is first opened for the day, it checks if the most recent refresh occurred yesterday (before 12 a.m. in the user's time zone), the app will then automatically complete a refresh of the task list.

In cases where the back office processes a record update in NetSuite (for example, when the customer site address is changed), the field technician would need to perform a manual refresh to see the new update.

Office personnel should alert technicians who are impacted by such updates to give them the opportunity to enact a manual refresh.

Schedule Board

The following behaviors can be observed within the Field Service schedule board.

Scheduling Recurring Tasks

When dragging recurring tasks on the schedule board to adjust their date, time, or assignee, only that single task will be modified. All future tasks will remain as-is and these changes will not be propagated down to future recurring instances. The recurrence pattern will remain unchanged and future tasks created as part of the recurrence will follow the original settings.

Custom Date Formats

Custom date formats are not currently supported on the schedule board. All dates are displayed in the format DD/MM/YYYY.

NetSuite User Interface

The following behaviors can be observed within the NetSuite UI and are related to Field Service Management features and functionality.

Project Addresses

With Advanced Projects (a Project Management feature) disabled, NetSuite does not automatically copy address sub-records down from the customer to new projects. The Field Service scripts will handle this process in this scenario. Custom fields on the address sub-record will not be copied by the Field Service scripts, only the basic NetSuite address fields.

Field Service Asset – Address Text and Address Select

Each time the Field Service Asset record is saved, the value stored in the Address Text field will be replaced with the address selected in the Address Select field. Changes to the Address Text field will not be retained unless the Address Select field is first cleared.

Field Service Asset – Sourcing of Longitude and Latitude

If a value already exists in the Latitude field of the Field Service asset record, changes to the Address Text field will not source new values into the Longitude and Latitude fields. If you want new values to be sourced into these fields you must first clear out any existing values.

Field Service Asset – Uniqueness Tests

Any fields used as part of an asset uniqueness test (set up within the "uniqueTemplate"), must also be accessible as elements within "views/itemfulfillment/assets", if you are creating assets automatically from item fulfillment.

Each element setup under "views/itemfulfillment/assets" that is used within the "uniqueTemplate" must also have a value set in its "sourcefrom" property, even if this value is empty (for example, "sourcefrom": "|").

Longitude and Latitude Data and the Geolocation Scheduled Script

The Field Service Geo scheduled script deployment is not responsible for initially populating the Field Service Longitude and Field Service Latitude fields. Instead, when text is entered into the Field Service Address field, its value is immediately used to find the correct longitude and latitude to populate the longitude and latitude fields.

Default Forms on Recurring Cases and Tasks

When recurring cases or task instances are created by the system, they will be set to use the preferred custom form for the corresponding record. Currently there is no way to configure a different custom form to be used when recurring case or task instances are created.

Copying Recurring Tasks

Using NetSuite's Copy feature to create new task records when those tasks are related to a recurrence schedule is not recommended and will likely result in unexpected behavior.

Service Reports and Images

For NetSuite's PDF generator to access images from the file cabinet it must be provided secure access by a temporary API key. The key provided by Field Service Management expires after 60 seconds. If the PDF has not finished being generated before this key expires, images will no longer be available and will not appear on the resulting PDF.

Closing Cases Using the NetSuite Interface

When a case is closed using the Field Service scripts, certain steps are taken automatically by the Field Service scripts (Field Service End Date is populated and various automations are triggered such as recalculation of Unbilled Amounts). If a user manually changes the case status through the NetSuite UI, they will also need to manually perform the steps that would otherwise have been automated by the Field Service scripts.

PM Programs – Max Record Limit

When using the Program feature set to automatically create Case records underneath a Project record there is an undocumented 1000 case limit.

If the number of Program cases under a single project exceeds 1000 records you will experience unexpected behaviors involving automatic creation of many duplicate case records.

If a single PM Program is likely to approach this 1000 record limit, it should be closed down and a new PM Program should be created to continue the series.

Others

Field Service Roles

The out-of-the-box Field Service roles do not have the "Field Service Scheduler" or "Field Service Mobile" checkboxes checked due to a NetSuite limitation.

Locked Bundle Objects

Certain objects (custom records, lists & fields) within the Field Service Management bundle have been locked to prevent customization in customer accounts. These bundle objects cannot be unlocked under any circumstances.

The code behind the Field Service product relies on specific settings on these bundle objects; unexpected changes to these bundle objects may result in data loss upon future upgrades or the product failing to work within the customized account.

As such, these objects have been locked to avoid any negative outcomes and to allow for more stable releases.

Inventory Status and Consumables Tab and Records

If the NetSuite Inventory Status feature is enabled in the customer's account, the Field Service Consumables record cannot be used. The Field Service Consumable record (and matching "Inventory" tab on the mobile) does not support the Inventory Status feature.

Item Fulfillment – Asset Creation

Asset creation through item fulfillment will only be triggered where the Item Fulfillment record has been edited (or created) and saved through the NetSuite user interface.

Sales orders fulfilled from the Field Service mobile application are not expected to trigger automatic asset creation unless someone edited and saved the resulting item fulfillment through the NetSuite UI.

Item Fulfillment – Pick/Pack/Ship

The Pick, Pack & Ship feature on item fulfillment records in NetSuite is not fully supported.

Fulfillments created from the Field Service mobile will always be created with the “Shipped” status.

Automatic asset creation from item fulfillment will always be triggered by creation of the item fulfillment regardless of the status (picked, packed or shipped).

On the mobile app, editing of Sales Order lines pre-created and pre-fulfilled (picked or packed) through the NetSuite UI can result in error messages related to fulfillment.

Config and Multi-Select Field Values

When running a search in config or in the console and returning the values from a multi-select field a common mapping pattern can be seen below:

```

1  {
2    "record": "task",
3    "filters": ["internalid", "anyof", "12345"],
4    "map": {
5      "id": "internalid",
6      "team": {
7        "id": "=custevent_nx_task_team[]",
8        "label": "#custevent_nx_task_team[]"
9      }
10   }
11 }
```

Here it is expected that the "team" property of each result will be an array of id/label pairs for the employees selected in the "custevent_nx_task_team" multi-select field (see below).

```

1  [{
2    "id": "12345",
3    "team": [{
4      "id": "555",
5      "label": "Bob"
6    }, {
7      "id": "777",
8      "label": "Bill"
9    }, {
10     "id": "999",
11     "label": "Jane"
12   }]
13 }]
```

It is expected that the "id" s and the "label" s will align with each-other BUT due to a NetSuite limitation these will sometimes be mismatched.

NetSuite returns the list of "id" s and the "label" s separately and each list may be in a different and unexpected order. These two lists are then combined into the final result as shown above but you cannot trust that the id matches the given label.

The good news is that there are very few use-cases where this miss-match results in problems. Usually the Field Service mobile app will disregard the provided label and will use only the "id". In most places where the label needs to be displayed it is re-obtained from the proper & accurate list of "options" based on the "id" provided (rather than directly using the "label" returned above).

This problem usually becomes apparent where custom config has been applied to the account such that both the "id" and the "label" are used directly. This sort of config should be avoided where-ever possible as the results cannot be relied upon to be consistent. Instead custom config should take only the "id" and then separately lookup the correct "label" from a reliable options list.