



ORACLE
NetSuite

NetSuite Point of Sale (NSPOS) Release Notes 2025.1.X



NSPOS 2025.1.X

November 12, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

NSPOS 2025.1.0 Release Notes	1
Product Features and Enhancements NSPOS 2025.1.0	4
QR Code and Pin Authentication for Self-checkout Kiosk Assistants	5
SuiteTax is Available for All Customers	7
Windcave Payment Gateway	8
Customer Taxable Synchronization	10
Inactivated Items Searches	11
Cancel and Void Data Summary	12
Promotions Configuration Sub-menu	14
Updated Integration Endpoints	14
Depreciation of Worldpay (Vantiv) [Mercury Payment Systems]	14
Automatic Upsync Error Mitigation Reports Available in NSPOS Menu	15
Auto-close Timer	16
Windows Kiosk Mode	16
Fixes NSPOS 2025.1.0	17
Perform the Upgrade to NSPOS 2025.1.X	18
NSPOS 2025.1.X Minor Release and Hot Push Updates	19
Appendix: NSPOS Release Types and Verification	19

NSPOS 2025.1.0 Release Notes

 **Applies to:** NetSuite Point of Sale (NSPOS)

This topic lists the updates provided in NetSuite Point of Sale (NSPOS) version 2025.1.0. Updates are not available to NetSuite POS customers until they have upgraded to the release. NetSuite will modify these release notes when needed to provide our customers with additional information.

- [Backward Compatibility](#)
- [Prerequisite Applications](#)
- [Required User Actions](#)
- [Configuring the Security GUID For New Accounts](#)
- [User Acceptance Testing \(UAT\)](#)
- [Product Features and Enhancements NSPOS 2025.1.0](#)
- [Perform the Upgrade to NSPOS 2025.1.X](#)
- [NSPOS 2025.1.X Minor Release and Hot Push Updates](#)
- [Appendix: NSPOS Release Types and Verification](#)

Backward Compatibility

Backward compatibility in this release is available for environments running 2024.1.X only. If you want to use backward compatibility, your server and all registers must be on NSPOS 2024.1.X prior to moving to 2025.1.X.

 **Warning:** NSPOS releases that are not backward compatible with 2025.1.X, such as NSPOS 2020.1 or older are automatically replaced during staging. The Microsoft SQL Express database used in those releases will be removed without verification and staging will not search for unsent transactions.

If staging 2025.1.X fails on a register that is using a release that is not backward compatible with 2025.1.X, then:

1. Manually uninstall the earlier NSPOS release
2. Go to C:\Users\Public\NetSuite
3. If **register.yaml** and **register.conf** are still visible, delete those files
4. Begin staging NSPOS 2025.1.X again

Prerequisite Applications

You must have installed the prerequisite third-party applications on a register before running the staging package. If you are upgrading from an earlier release, these are likely already installed. However, you should verify each setup before proceeding with an upgrade.

See the help topic [Prerequisites for NSPOS](#).

Required User Actions


To use the functionality included in this release, your business must perform the following steps:

1. Enable SuiteTalk REST Web Services.
2. [Perform the Upgrade to NSPOS 2025.1.X.](#)
3. If you are starting new with NSPOS, set up the **Security GUID** with random characters. This procedure enhances the token used for secure communications. See [Configuring the Security GUID For New Accounts](#).
If you are an existing NSPOS user, you set up your **Security GUID** when you staged your registers to NSPOS 2020.1.X. No action is needed.
4. Configure options for new features you want to use.
5. Perform any [User Acceptance Testing \(UAT\)](#) you want to ensure that NSPOS 2025.1 will work as desired in your business setup.


Your assistance will be required to provision your registers to NSPOS 2025.1.X. A NetSuite Point of Sale (NSPOS) representative will contact you in advance to agree on the timing and the assistance details.

To enable SuiteTalk REST Web Services

1. Contact your account manager or NetSuite Customer Support to confirm that you can enable SuiteTalk REST Web Services.
2. Log in to NetSuite ERP as an administrator.
3. Go to Setup > Company > Enable Features.



4. From the SuiteCloud tab, go to the SuiteTalk (Web Services) section.
5. Check the **REST Web Services** box.



6. Click **Save**.

Configuring the Security GUID For New Accounts

If you have not configured a security GUID prior to installing NSPOS 2025.1, you must do so before running the staging client. This one-time task applies to new customers installing a new bundle. If you are currently running NSPOS 2020.1, you have already configured the security GUID and can skip this procedure.

The security GUID creates an encrypted security token used to authenticate NSPOS communication over secure connections. The random characters entered in this task supplement the token characters automatically assigned by NetSuite. Perform the setup in this order:

1. Install the NSPOS 2025.1.X bundle
2. Configure the security GUID
3. Stage your registers

Also see



Important: This one-time setup must have been performed before staging any register to NSPOS 2025.1.X.

To configure your Security GUID:

1. Log in to NetSuite as an administrator.
2. Go to Setup > Integration > Setup Security GUID.
3. Enter 32 random characters. You can enter letters, numbers, or a mix of both.



Tip: You must enter 32 characters. No need to count the keystrokes; the cursor will stop when you reach the 32-character limit.

4. Click **Save**.

Restricting Access to the Security GUID Setup

Having a 32-character GUID in place is required before staging registers for the first time. After it is set, the GUID does not need further updates. To prevent unauthorized personnel from changing the GUID and possibly causing an error, you can block access to all roles except administrator.

The restriction is set up automatically when you install NSPOS 2024.1.10 or later.

To restrict Security GUID access by role:

1. Log into NetSuite ERP as an administrator.
2. Go to Customization > Scripting > Script Deployments.
3. Locate the script **RA-SU-SecurityGuidSetup** and click **Edit**.

 **Tip:** Click the **Script** column heading to sort the list alphabetically.

4. On the **Audience** subtab, set these values:
 - If checked, clear the **Roles – Select All** box.
 - In the **Roles** list, ensure that **Administrator** is the only role selected.
 - If checked, clear the **Employees – Select All** box.
5. Click **Save**.

User Acceptance Testing (UAT)

When your NSPOS upgrade is complete, you should test at least one register in every location. You can find a verification checklist in the NetSuite Help Center > User Guides > NetSuite Point of Sale (NSPOS) section. See  [NSPOS Register Verification Checklist](#).

Product Features and Enhancements NSPOS 2025.1.0

 **Applies to:** NetSuite Point of Sale (NSPOS)

NetSuite Point of Sale (NSPOS) NSPOS 2025.1.0 includes new features and enhancements to existing features.

- [QR Code and Pin Authentication for Self-checkout Kiosk Assistants](#)
- [SuiteTax is Available for All Customers](#)
- [Windcave Payment Gateway](#)
- [Customer Taxable Synchronization](#)
- [Inactivated Items Searches](#)
- [Cancel and Void Data Summary](#)
- [Promotions Configuration Sub-menu](#)
- [Updated Integration Endpoints](#)
- [Depreciation of Worldpay \(Vantiv\) \[Mercury Payment Systems\]](#)
- [Automatic Upsync Error Mitigation Reports Available in NSPOS Menu](#)
- [Auto-close Timer](#)
- [Windows Kiosk Mode](#)

For complete steps on set up and use a feature, see the [NSPOS Administrator Guide](#). The administrator guide is also available from the NetSuite Help Center > User Guides as a PDF.

QR Code and Pin Authentication for Self-checkout Kiosk Assistants

Applies to: NetSuite Point of Sale (NSPOS)

The self-checkout kiosk feature lets your shoppers make purchases without the need for a cashier to handle each step in the process. With NSPOS 2025.1.0, authenticating at self-checkout kiosks is faster than ever. Assistants can now log in using a secure QR code scan followed by a quick PIN entry. There is no need for a username or password input. PIN entry is more efficient and tailored to the kiosk's design for a seamless experience.

How to configure QR code scan for self-checkout kiosk assistants

1. Log in to NetSuite POS as Administrator
2. Go to the Edit Employee form for the employees you want to enable QR code authentication for and select the **Kiosk Assistant** tab

The screenshot shows the 'Edit Operator' form in NetSuite. The 'Kiosk Assistant' tab is selected, displaying options to generate or invalidate QR codes and PINs. The form includes fields for Operator ID, Customer, Operator Role, and Location. The 'QR Code' and 'PIN' fields are currently empty.


3. Enter the alphanumeric representation of the QR code in the **QR Code** field

You can find the generated QR code in NetSuite ERP on the Employee record. Or you can use any QR code generator and generate a QR code for the QR code value you configured for the employee.

Note: Administrators cannot enter PIN value for employees. Employees must enter PIN value in their own self-checkout kiosk.

How to configure PIN for self-checkout kiosk assistants at kiosk

1. Log in to self-checkout kiosk as an **Assistant** using your username and password
2. Go to **System Tools** and click **Set/Change your PIN**



- Configure a PIN and enter your existing password. Your PIN can be between four and six numbers.

Enter your new PIN and your existing password

7	8	9
4	5	6
1	2	3
0		

How to authenticate the self-checkout kiosk using QR code and PIN


- If you are authenticating the self-checkout kiosk as an assistant, the system will prompt you to "Scan your personal code or enter you admin credentials." Scan your QR code.
-

Assistance Login

Scan your personal code or enter your admin credentials

Authenticate

3. Enter your PIN



Assistance Login

Enter your pin

Pin

Authenticate

4. Click **Authenticate** to authenticate the self-checkout kiosk

SuiteTax is Available for All Customers

Applies to: NetSuite Point of Sale (NSPOS)

The NetSuite SuiteTax feature provides standardized methods for calculating and applying taxes to most types of retail transactions. NSPOS 2025.1.0 includes the option to enable SuiteTax integration for all customers.

Using SuiteTax with NSPOS can streamline the efforts used to maintain tax compliance in the communities you serve. You can use SuiteTax to set tax rates for NSPOS workstations globally, by subsidiary, and for areas with unique requirements, by individual locations.

For detailed information about SuiteTax adoption and proper configuration, see the help topic [SuiteTax Integration](#).

This release lifts previous limitations for using SuiteTax in NetSuite account together with NSPOS:

- All accounts may now switch to SuiteTax Engine, with proper configuration
- Kiosk application supports SuiteTax calculations

Important Considerations

- **Items and tax schedules** – Each item should be assigned a tax schedule. If an item is not assigned a tax schedule, NSPOS SuiteTax uses the default schedule.
- **Not for tax-inclusive items** – SuiteTax does not support taxes included (built-into) an item's selling price.
- **Tax setup is customer's responsibility** – NSPOS cannot provide verification of your tax setup. Your NSPOS SuiteTax configuration and validation should be performed by individuals with a thorough understanding of your tax nexus requirements.

- **Restage all workstations in use to the newest version of NSPOS and Kiosk** – Workstations in backward compatibility mode might not calculate taxes correctly. To avoid this issue, we recommend that you restage all of your workstations to the 2025.1.X version before turning SuiteTax on in your account.



Warning: Enabling the NetSuite SuiteTax feature PERMANENTLY changes the way your NetSuite Point of Sale (NSPOS) account handles taxes.

After you enable SuiteTax in NetSuite ERP, it cannot be undone. You will be unable to go back to your prior tax-management application. This stipulation applies to all NetSuite accounts changing to SuiteTax. It is not specific to NSPOS.



Important: Test In Sandbox First!

You should perform testing in your sandbox BEFORE enabling NSPOS SuiteTax in your production account. Customer Support or your account manager should assist you in determining whether to enable SuiteTax.

Complete prior to SuiteTax migration

To avoid any calculation problems during the SuiteTax migration, you should do the following procedures:

1. Upgrade all of your workstations to the latest version of NSPOS and Kiosk
2. Stop processing transactions at NSPOS
3. Enable NetSuite ERP SuiteTax
4. Enable SuiteTalk REST Web Services
5. Install the SuiteApp > SuiteTax for NetSuite Point of Sale
6. Enable NSPOS SuiteTax
7. Configure NSPOS SuiteTax
8. Let NSPOS SuiteTax data downsync to your registers
9. Continue processing transactions at NSPOS


Windcave Payment Gateway

Applies to: NetSuite Point of Sale (NSPOS)


NSPOS 2025.1.0 introduces a new payment gateway, Windcave, that is now available in all regions where POS is supported. This addition gives our customers greater flexibility by offering more options for processing credit card transactions. You can choose the gateway that works best for your business.

For more information about using Windcave, visit their website. Windcave will provide installation instructions for the client terminal setup on your registers.

Windcave will work for both NSPOS and Kiosk applications. It adds another layer of user interaction. You can control the actions on the payment terminal and directly in NSPOS or in Kiosk. You can see the signature confirmation page on NSPOS in offline mode in the image below.



You will be prompted to swipe your card on Kiosk. You also have the option of canceling the action.



The RA-Workstation record needs to be configured in NetSuite ERP to use Windcave. To learn how to configure RA-Workstation, see the help topic [Add an RA-Workstation Record in NetSuite](#).

PAYMENT PROVIDER
 Windcave

To configure Windcave in NetSuite ERP

1. Log in to NetSuite as an administrator.
2. Go to Customization > Lists, Records, & Fields > Record Types.
3. Locate the **RA-Workstation** row and click **List**.
4. Click **Edit** for the first workstation you want to update.
5. For Payment Provider, select **Windcave Payment Provider**. No further setup is required on this record.
6. Click **Save**.
7. Repeat for the next workstation you want to update.

Note: When using Windcave in a region with required French receipts, you need to contact customer support for receipt adjustments.

Note: When recovering from unexpected events occurred during signature phase of payment, you can experience terminal to be stuck with signature message. The payment is however processed correctly and you can proceed with another payment (known Windcave issue).

Customer Taxable Synchronization

Applies to: NetSuite Point of Sale (NSPOS)

Information about a customer's liability to taxation is now synchronized between NetSuite and NSPOS. Prior 2025.1.0 NSPOS release, this information was not synchronized into NSPOS.


The only way to make a customer tax exempt for all transactions, was to assign customer to tax exempted organization (See more at [Making a Customer Tax Exempt For All Transactions](#)).

This option is still available in current release.

This feature only works with Legacy Tax. In SuiteTax, you cannot set a customer as non-taxable. You must assign the customer to a tax-exempted organization.


Using Legacy Tax in NetSuite allows the customer to be set as taxable or non-taxable by checking the **Taxable** box on the **Financial** sub-tab in the **Tax Information** section.

Note: The PST Exempt field serves as the source of the taxability information if there is no Taxable box in NetSuite.



The screenshot shows a section titled "Tax Information" with a dropdown arrow. Below it, there is a label "TAX REG. NUMBER" and a checkbox labeled "TAXABLE".

The taxable information and tax registration number are synced to NSPOS. Taxes are then calculated when the customer is within a NSPOS transaction.




The screenshot shows a dark blue interface element with a checked checkbox labeled "Taxable" and a text input field labeled "Tax Registration Number".

New customers are taxable by default. All existing customers in the NSPOS system prior to 2025.1.0 are considered taxable unless a customer is part of a tax-exempted organization. In this case, the organization's tax certificate ID is set as the customer's tax registration number automatically.

Tax registration number does not need to be entered for non-taxable customers.

The prompt for tax exemption reason code can be used when a non-taxable customer is used within a NSPOS transaction.

This is configurable with new setting **Prompt Tax Exempt for Reason Code** in the **Customer** section in NSPOS.



A default tax exempt reason code can be applied, instead of a prompt, by entering the correct reason code from the **Tax Exempt** reason group. For more information about reason code management, see the help topic [Reason Codes](#). The reason code can be entered into the **Default Tax Exempt Reason Code** field.



Note: Tax-exempted organizations need to be assigned to a customer for accurate tax exemption functionality in backward compatibility mode. New taxable information for a customer is not propagated to old workstations.

Inactivated Items Searches

Applies to: NetSuite Point of Sale (NSPOS)

Experience the new standard in NSPOS search today. The feature brings clarity and consistency by unifying how NSPOS handles searches for inactivated items. No matter where you're searching. This enhancement ensures a more intuitive experience, making it easier for users to find exactly what they need, faster and more reliably.

All item searches at NSPOS search items by their name/ID, their UPC code, or their RA-Barcode. There are several places where different types of searches are used, including in the journal, in validated returns searches and in non-validated returns searches.

This release unifies the behavior of the searches across all places in NSPOS

When searching for an inactivated item, all searches in NSPOS will not show a result for the item (although there can be an active RA-Barcode assigned to it). You may need to wait for a few minutes after the item inactivation before the change is reflect on all registers.

There may be different results when searching for an active item, depending on the item's RA-Barcode and UPC status. The following results are possible:

Search type	Item is active & RA-Barcode is expired	Item is active and UPC is expired
Find by item name/ID	Item is displayed	Item is displayed
Find by UPC code	Item is displayed	No result
Find by RA-Barcode	No result	Item is displayed

If you need to see an inactivated item, the **Find inactivated items** search function lets you find inactivated items or items with inactivated or expired attributes. The results will show any items matching the criteria.



Important: As a part of this feature release, the following flags have been removed:

- Find Item: Disallow Expired Items
- Find Item: Hide Expired Items

Cancel and Void Data Summary

Applies to: NetSuite Point of Sale (NSPOS)

This feature offers customers a daily summary of voided items and canceled transactions within NetSuite ERP, enabling better oversight and clarity.

This new report is accessible through the NSPOS menu in NetSuite ERP at NSPOS > Reports > **Cancel & Void Overview**. The report summarizes all voided lines or whole transactions from NSPOS terminals.

NSPOS Voids Overview

Cancel

Filter

Clear Filter

▼

Filters

FROM

TO

OPERATOR ID

9999

OPERATOR NAME

ITEM NAME

ITEM ID

INVOICE ID

CREDIT MEMO ID

NSPOS Voids data

Next

DATE TIME	REASON CODE	OPERATOR NAME	OPERATOR ID	ITEM NAME ▼	ITEM ID	ITEM PRICE	REFERENCE TO INVOICE (ID)	REFERENCE TO CREDIT MEMO (ID)
2025-04-08 15:50:51	AS	Operator Administrator	9999	Violin	30671	58.50	N/A	N/A
2025-04-08 15:47:18	AS	Operator Administrator	9999	Violin	30671	58.50	N/A	N/A
2025-04-08 15:43:03	AS	Operator Administrator	9999	Violin	30671	58.50	N/A	N/A
2025-04-07 14:05:57	CD	Operator Administrator	9999	Violin	30671	58.50	N/A	N/A
2025-04-08 16:39:06	AS	Operator Administrator	9999	Tuba	30679	48.10	N/A	N/A

Each line in the report represents a voided item in NSPOS. You can see following information for each item:

- **Date and Time** when item was voided.
- **Reason code** applied for use cases when the whole transaction was voided. This column will say N/A for voided line items where no reason code was required.
- The **Operator ID** of the operator who processed the void or cancellation. The ID will link to the related employee record if it exists in NetSuite ERP.
- The operator name of the NSPOS operator who processed the void or cancellation.
- The **Item Name**.
- The **Item ID** of the item, linked to the related item record if it exists in NetSuite ERP.
- The **Item Price** before it was canceled in NSPOS, including modifiers such as discounts and promotions but excluding taxes.
- **Reference to Invoice (ID)**, which is only populated for voided items where a related NSPOS transaction was finished in NSPOS and synced to ERP. If the entire transaction was canceled, this column will say N/A.
- **Reference to Credit Memo (ID)**, which is only populated for voided items where a related NSPOS transaction was finished in NSPOS and synced to ERP. If the entire transaction was canceled, this column will say N/A.

You can apply and remove filters using the **Apply Filters** and **Clear Filters** buttons. You can filter the report by the following attributes:

- Date and Time
- Operator ID
- Item Name
- Item ID
- Reference to Invoice (ID)
- Reference to Credit Memo (ID)

To redirect to the NSPOS main page, click **Cancel**.

Integration Details

Any voided or canceled items in NSPOS are synced and displayed in ERP. Synchronization occurs ever 2 minutes.

Retention Policy

Data in the **Cancel & Void Overview** report will by default be preserved for 90 days. You can change the retention policy within an interval of 90 to 180 days on your NetSuite ERP account.

To configure your retention period

1. Go to NetSuite ERP
2. Go to Customization > Lists, Records, & Fields > Record Types
3. On the NSPOS Enable Features row

To configure your retention period go to NetSuite ERP

1. In NetSuite ERP, go to Customization > Lists, Records, & Fields > Record Types.
2. Find the NSPOS Enable Features row, click **List**
3. Click **Edit**
4. Go to the **Cancel & Void Overview** subtab
5. Configure value for the retention period you want
6. Click **Save**

NSPOS Enable Features

Save

Cancel

Actions

BUNDLE VERSION

DESCRIPTION

2025.1.0

CUSTOM FORM *

Custom NSPOS Features Form

Items and Inventory

POS Configuration

Digital Receipt

Transactions

Cancel & Void Overview

CANCEL & VOID DATA RETENTION TIME

90

Save

Cancel

Actions

Promotions Configuration Sub-menu


Applies to: NetSuite Point of Sale (NSPOS)

Configuration of NSPOS promotions is now accessible through the Promotions sub-menu in the NSPOS menu. It is available as a tab in NetSuite ERP.

The sub-menu allows the configuration of:

- **Promotions** – Configure promotion parameters.
- **Promotion Items** – Add, remove, or update the items used within promotions.
- **Coupons** – Configure coupons for promotions.
- **Promotion Customers** – Add, remove, or update customers eligible for promotion
- **Stacking Rules** – Group promotions and set rules and limits for their parallel usage. For more information, see the help topic [Use Stacking Rules for Promotion Interactions](#).

For more information about promotions, see the help topic [Promotions](#).



Updated Integration Endpoints

Applies to: NetSuite Point of Sale (NSPOS)

With the 2025.1.0 NSPOS release, we are moving to 2025.1.0 endpoints for NSPOS integration with NetSuite ERP.

This is an internal change and no customer action is needed.

For more information about SOAP endpoints, see the help topic [Support for Existing WSDL Versions](#).

Depreciation of Worldpay (Vantiv) [Mercury Payment Systems]

Applies to: NetSuite Point of Sale (NSPOS)

Starting with NSPOS 2025.1.0, we will stop support for the Worldpay (Vantiv) [Mercury Payment Systems (MPS)] payment gateway.

Recommended Actions

Review the **Payment Provider** choice on each register's RA-Workstation record. NetSuite shows the Worldpay (Vantiv/MPS) payment integration as **Mercury Payment Systems**.

If the register is set to use Mercury Payment Systems, you must reconfigure the register to use a different gateway before NSPOS 2025.1 is deployed to your NetSuite account.

To view a register's payment gateway setup

1. Log in to NetSuite as an administrator.
2. Go to Customization > Lists, Records, & Fields > Record Types.
3. Find the **RA-Workstation** row and click **List**.
4. Click **View** for the first register to review.
5. Review the register's **Payment Provider** choice. This list is near the top of the record form.
 - If the register is set for **Mercury Payment Systems (OBSOLETE)**, reconfigure the register to use a different provider. See the help topic [Payment Gateways](#) for more information. Otherwise, no changes to the register's payment gateway are needed.
6. Continue with the next register's RA-Workstation record.



Important: If you keep the **obsolete** Mercury Payment Systems configuration on your RA-Workstation record and upgrade to the 2025.1.0 NSPOS release, this payment provider will be removed automatically and you will have to configure a new payment provider before the next restage.

If you have any concerns or need more information, please contact NetSuite Customer Support or Worldpay.

Automatic Upsync Error Mitigation Reports Available in NSPOS Menu

Applies to: NetSuite Point of Sale (NSPOS)

To simplify visibility of mitigated records in NetSuite ERP during upsync, we have exposed related saved searches in the NSPOS menu:

NSPOS	SuiteApps	Support
NSPOS Overview		Edit Custom Tab Personalization
Reports	>	Employees Roles Assignment >
Payments	>	Attention Needed - Transactions (Open Item) >
Promotions	>	Attention Needed - Transactions (Bad Sales Rep) >
		Attention Needed - Customers (Do Not Download) >
		Attention Needed - Customers (Bad Information) >
		Cancel & Void Overview


To see more details about NSPOS automatic error mitigation, see the help topic [Automatic Upsync Error Mitigation](#).

For details about searches, see the help topic [Correcting Mitigated Records Through a Saved Search](#).

Auto-close Timer

i Applies to: NetSuite Point of Sale (NSPOS)

To further streamline the NSPOS Kiosk experience, we have introduced a new auto-close timer that improves the checkout flow. After a successful purchase, the confirmation message will automatically close after 10 seconds. This eliminates the need to manually tap **Close**, though the button will still be visible. This allows for a faster transition to the next shopper.




Windows Kiosk Mode

i Applies to: NetSuite Point of Sale (NSPOS)

To simplify the NSPOS Kiosk installation, we have introduced a new **Configure Windows to run in Kiosk Mode** option during the staging process. When enabled, this feature will automatically set up the NSPOS Kiosk to run in Windows Kiosk Mode if the device's Windows version supports it.

This option is disabled by default, giving users full control over their setup preferences.

If you restage the Kiosk, your previously chosen option is automatically enabled.



Fixes NSPOS 2025.1.0

Applies to: NetSuite Point of Sale (NSPOS)

In addition to behind-the-scenes fixes, NetSuite Point of Sale (NSPOS) 2025.1.0 includes the following updates.

- **Void Processing Rejected After NSPOS Kiosk Agent Restart** – Payment void transactions might have been rejected on NSPOS Kiosk if an agent restarted the system. This issue has been resolved in this release.
- **Formatting of Currency Not Working Properly in Some Cases** – For all NSPOS and NSPOS Kiosk receipts, the currency for receipt formatting is taken from the location currency setting. If this is not set, or is set incorrectly, we load the currency from the subsidiary currency setting. If both the location and subsidiary currency is not set, the application loads the currency from the operations system setting.
- **SuiteTax Handling Items with Old or No Tax Schedules** – The fall back to default Tax Schedule was not working properly when pre-SuiteTax schedule or no tax schedule was not configured for an item. This has been fixed in this release.
- **Continuation to Adopt the Latest Technologies** – We've migrated internal components to .NET8, to keep pace with industry standards.
- **Limitations of Item images on Kiosk - limitations** – Images from the File Cabinet folder **User Documents** assigned to items are not going to be downloaded to NSPOS or Kiosk. To use web store images in Kiosk, you need to have Site Builder features enabled.
- **Windows Kiosk Mode Behavior** – Closing the Kiosk user interface in configured Windows Kiosk Mode will turn off the machine.
- **Automatic Database Backup When the Database Becomes Corrupted** – Staging now automatically detects database corruption and creates a backup.
- **SuiteTax Not Updating Data Properly** – In some cases, the tax data for the SuiteTax engine was not updating properly. The data should now update as expected (issue 805091).
- **Register Uploading Data to NetSuite ERP Correctly** – In some cases, due to large amounts of data, registers might have had problems with sending data to NetSuite ERP. This issue has been resolved and data should upload as expected (issue 722410 and issue 722465).
- **Sales Orders Created in NetSuite ERP Without Specified Location Failed to Sync to NSPOS** – If a user created a Sales Order in NetSuite ERP, NSPOS had a problem syncing its data to the NSPOS system. NSPOS now syncs data successfully into the system (issue 764941).

- **Inconsistent Item Record Data in ERP Causing All Items downsync** – If data on the item record is inconsistent, then NSPOS cannot process it. The item is skipped, the problem is logged, and downsync continues with the next item (issue 797602).
- **Barcode Printing Not Working Properly on Some Types of Star Printers** – Changes were made to receipts for both NSPOS and the NSPOS Kiosk to fix this problem (issue 740870).
- **Time Discrepancy in Monitoring Data Between NetSuite ERP RA-Workstation Monitoring and NSPOS "normal state"** – Data shown in NSPOS normal state shows the time according to the operating system time zone configuration. Data shown at RA-Workstation monitoring will show in UTC format with timezone information.
- **Customer Monitor Used with NSPOS Not Showing Items Beyond Screen Size Properly** – If you had two monitors configured for NSPOS, the customer monitor was not properly showing items if the list of items exceeded screen size. This issue has now been resolved (issue 795146).
- **Long Class Name Assigned to Item Made Customer Unable to Use Item in NSPOS** – If your class name was too long while working with Classification/Class in NetSuite ERP, that item might not have been usable at NSPOS for sales. This issue has been resolved (issue 791743).

Perform the Upgrade to NSPOS 2025.1.X


Applies to: NetSuite Point of Sale (NSPOS)

To use the functionality provided in the 2025.1.X release, you must log into NetSuite and update your NetSuite Point of Sale (NSPOS) environment using bundle **294243**.

Working with bundles requires an Administrator Role. If you need assistance performing this update and verifying settings, please contact NetSuite Customer Support.

Update bundle 294243 to NSPOS 2025.1.X:

1. Log in to NetSuite as an administrator.
2. Go to Customization > SuiteBundler > Search & Install Bundles > List.
3. Locate Bundle ID **294243** in the list.
If not found, tap **New** and search for 294243 using the **Keywords** field.
4. A blue icon under the version number indicates that a new version is available. Using your mouse, point to the blue icon to display more information.
If you do not see the blue icon, your installed bundle is already up to date and no further action is required.
5. Using your mouse, point to the green icon and click **Update**. Allow time for the page to load



6. Review the updates to be installed.
7. NetSuite alerts you in red font if conflicts exist between your previous installation and the current installation.

If any of these conflicts appear, select **Replace existing object**. If you are unsure, contact NetSuite Customer Support.

RA-UE-RA_PriceLevel	RA-UE-RA_PriceLevel	customscript_ra_ue_ra_pricelevel		Replace Existing Object ▼	Update Deployments ▼
RA-RE-Currency	RA-RE-Currency	customscript_ra_re_currency		Replace Existing Object ▼	Update Deployments ▼

	Replace Existing Object ▼	Update Deployments ▼
	Replace Existing Object ▼	Update Deployments ▼

8. Click **Update Bundle**.
9. Click **OK** at the prompt.

The **Status** column will display a green check mark when the installation is complete.

NSPOS 2025.1.X Minor Release and Hot Push Updates

Applies to: NetSuite Point of Sale (NSPOS)

These sections provide information about what's included each NetSuite Point of Sale (NSPOS) 2025.1.X minor release version.

Updates will appear here when a minor release is deployed.

■ --

Appendix: NSPOS Release Types and Verification

Applies to: NetSuite Point of Sale (NSPOS)

This topic describes the NetSuite Point of Sale (NSPOS) release structure and how to determine if an update has been applied to your NSPOS bundle, your replication server, and individual registers (workstations).

NSPOS Release Types

NSPOS releases updates in the following types. The type is determined by the content being deployed and the urgency in which customers should receive the updates.

- Major Release
- Minor Release
- Hot Push Release

The content of each minor or hot push is cumulative. Only the latest minor release or hot push is needed to bring an NSPOS environment current on a major release.

Release Details	Major	Minor	Hot Push
Frequency	One to two times per year	As needed to supplement a major release	As needed to supplement a major or minor release

Release Details	Major	Minor	Hot Push
Numbering YYYY.N.XH	YYYY.N Release year and sequence within that year. NSPOS 2024.1.0 (or 2024.1.X) would be the first release of 2024.	YYYY.N.X0 Sequential minor release number divisible by 10. For example, first minor release to 2024.1 is 2024.1.10, the second minor release is 2024.1.20.	YYYY.N.X H Sequential hot push number based on the last minor release deployed. For example, hot push 2024.1.11 is the first hot push deployed after the 2024.1.10 minor release.
Content	- Major features and feature enhancements - Infrastructure changes - Fixes	- Small features and feature enhancements - Small infrastructure changes - Fixes - All previous minor release and hot push content	- Infrastructure fixes for product stability - All previous minor release and hot push content Hot pushes usually have no impact on customizations
Deployment	- Required - Scheduled with customer as needed - Applied directly to replication server or provided as a SuiteApps bundle requiring customer interaction		- Required - Automatic if for latest major or minor release - Might need customer interaction - If customizations are affected, deployment is similar to a minor release - If needed, NSPOS team will schedule maintenance time with customer
Documentation updated	- Administrator Guide - Release Notes - Other NetSuite documentation as needed		

NSPOS Components Affected by Release

A major release can include updates to a bundle, the replication server, and the NSPOS application. Other release types, such as a minor release or hot push, often update only a portion of your NSPOS environment. However, the areas updated by major releases can vary.

To help you identify the areas targeted by a release, you will find a table similar to this example in each release section. The following example is for a hot push deployed to correct a server issue:

Release Type	NSPOS Component	Updated?
Hot Push	Bundle	No
	Replication Server	Yes
	NSPOS Application	No

This example is for a major release:

Release Type	NSPOS Component	Updated?
Major	Bundle	Yes
	Replication Server	Yes
	NSPOS Application	Yes

Verifying That a Release Has Been Applied

You can verify whether a release has been applied by viewing certain areas in NetSuite ERP or on an NSPOS register. This verification is especially important for managing backward compatibility for major releases, where the server has been updated but some registers have not been staged to the new release.

- [Bundle Update Verification](#)
- [Replication Server Update Verification](#)
- [NSPOS Application Update Verification](#)

Bundle Update Verification

You can verify if a bundle has been updated to the latest release by viewing the **Installed Bundles** list in NetSuite ERP.

To verify that a Bundle update was applied:

1. Go to Customization > SuiteBundler > Search & Install Bundles > List.
2. Find **NetSuite Point of Sale**. The bundle **Version** will show the release number from your last update.

Installed Bundles					
New Refresh					
CSV PDF					
Action	Name	Bundle ID	Version	Managed	Abstract
	NetSuite Point of Sale	117486	2025.1.0	No	Components used by the NetSuite Point of Sale application to transmit data to and from the back-end NetSuite system.



Important: You don't need to restage registers for a minor release or hot push that updates the **bundle** only.


Replication Server Update Verification

You can verify if the NSPOS server has been updated to the latest release by viewing any active RA-Workstation record in NetSuite ERP.

To verify that a Server update was applied:

1. Log in to NetSuite as an administrator.
2. Go to Customization > Lists, Records & Fields > Record Types.
3. Locate the **RA-Workstation** row and click **List**.
4. Select a workstation record and click **View**.

After a release has been applied, the **Replication Server Version** will be that release number.



RA-Workstation
AK-POS

Edit Back Actions

Name	AK-POS	Country	US	Replication server version	2025.1.0
Date Created	10/24/2018 5:11 am	Lane Number	1	Staged from version	2025.1.0
Last Modified	By				

The **Staged From Version** is the NSPOS release installed on the server when the register was last staged. That number will not change until the register is restaged to the current server version. However, restaging is not necessary for a hot push server update.




Important: You do not need to restage registers for a minor release or hot push that updates the **server** only.

NSPOS Application Update Verification

You can verify if an NSPOS application release has been updated on a register by opening the application or by reviewing the register's RA-Workstation record in NetSuite ERP.

To verify from a register that an NSPOS Application update was applied:

1. Open the NSPOS application from the register.
2. Look in the upper right-hand corner for the NSPOS version.



To verify from NetSuite ERP that an NSPOS Application update was applied:

1. Log in to NetSuite as an administrator.
2. Go to Customization > Lists, Records & Fields > Record Types.
3. Locate the **RA-Workstation** row and click **List**.
4. Select the workstation record you want to verify and click **View**.
5. Scroll to the **Workstation Monitoring** subtab.
6. Find the **Point of Sale** monitoring line. This line shows the NSPOS version installed on the register.

If you do not see monitoring data under the Workstation Monitoring tab, click **Customize View** and then **Preview**.



Tip: Use these tips to locate the NSPOS version from the monitoring tab:

- If you do not see monitoring data under the **Workstation Monitoring** tab, click **Customize View** and then **Preview**.
- You can sort the monitoring list by **Name** to find the **Point of Sale** monitor value.



Note: There might be a delay from the time an NSPOS application release is installed until the change is visible in the **Workstation Monitoring** subtab.

Monitoring in NetSuite ERP is updated hourly. See the help topic [Workstation Monitoring in NetSuite ERP](#) for more information about NSPOS monitoring.