



ORACLE
NetSuite

Search Guide



2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Search	1
Search Overview	2
Searchable Record Types	3
Permissions for Searches	9
Global Search	11
Global Search Overview	11
How to Use Global Search	12
Tips for Effective Global Searches	13
Global Search by Email Address	15
Global Search by IP Address	16
Global Search by Document Number	16
Global Search Prefixes	16
Including Custom Fields in Global Search	18
Inline Editing of Global Search Results	19
User Preferences for Global Search	21
Notes about Global Search Auto Suggest	22
Quick Searches	23
Quick Find	23
Quick Search Portlet	24
Customizing Quick Search Results	26
Finding Invoices, Bills, Orders, and Other Transactions	28
Simple and Advanced Searches	29
Defining a Simple Search	30
Tips for Defining Simple Search Filters	31
Defining an Advanced Search	32
Advanced Search Criteria Filters	32
Search Results Display Options	40
Related Records Fields Available for Advanced Searches	50
Searching by File Attachments	73
Summary Types for Search Results	74
Exporting Search Results	82
Known Excel Limitations when Exporting Search Results	83
Emailing Search Results	84
Popup Searches	86
Personalizing a Search Form	87
Adding Personalized Search Forms to NetSuite Pages	89
Saved Searches	90
Defining a Saved Search	91
Selecting Available Filters for Saved Searches	95
Defining Audiences for Saved Searches	97
Making Saved Searches Public	98
Highlighting Search Results	98
Marking a Search Inactive	101
Editing or Deleting a Saved Search	101
Using a Saved Search as a View	102
Defining a Saved Search as Preferred Results	105
Defining a Saved Search as a Preferred Search Form	105
Using a Saved Search as a Reminder	107
Using Saved Searches for Customer Center Lists	107
Change of Sign for Expense Account Amounts in Transaction Saved Searches	107
Saved Search Email	108
Enabling Saved Search Scheduled Email	109
Canceling Scheduled Saved Search Emails When No Results	112

Enabling Saved Search Email Alerts	112
Types of Saved Searches Available for Alerts	115
Setting User Preferences to Receive Saved Search Alerts	115
Defining the Sender for Saved Search Email	116
Defining Recipients for Saved Search Email	117
Customizing Saved Search Email Content	119
Sending Summarized vs. Single-Record Results	121
Accessing a Saved Search	121
Using the Saved Searches List	123
Administrator Access to Other Users' Saved Searches	124
Audit Trail for Saved Searches, Reports and Schedules	125
Audit Trail Subtab	126
Audit Trail Search	127
Auditing Changes to Saved Searches	128
Auditing Saved Search Execution	129
Translations for Saved Searches	130
Adding Translations for Saved Search Titles	130
Adding Translations for Saved Search Column Headings	131
Adding Translations for Saved Search Highlighting	131
Adding Translations for Saved Search Filters	132
Displaying Saved Search Results on Your Dashboard	133
Creating Shortcuts to Saved Search Results	133
Displaying Saved Search Results in Dashboard Portlets	134
Displaying Multiple Saved Searches on Your Home Page	135
Persisting Search Results	136
Saved Search Examples	138
Creating Saved Searches for Bin Numbers	138
Creating Saved Searches for System Notes	139
Creating Saved Searches for User Notes	140
Creating Saved Searches for Messages on Records	140
Creating a Campaign Response Search	141
Creating an Average Items Per Order Search	141
Creating a Web Orders Search	142
Creating a Daily Inventory Additions Search	143
Creating a Search for Customers with No Recent Activity	143
Creating a Search for Contacts with Customer Center Access	144
Creating a Search Email Alert for Leads Created through Online Forms	144
Creating a Search Email Alert for De-escalated Cases	145
Creating a Search for Shopping Cart Information	145
Formulas in Searches	147
Using a Custom Formula Field in a Search	148
Using a Formula in Search Criteria	149
Using a Formula in Search Results	150
Using Formula Tags in Search Results	151
Evaluating Code in Saved Searches Using Formula(HTML) Fields	152
Search Formula Examples and Tips	153
Including Line Numbers in Transaction Searches	154
Referencing Field IDs	154
Avoiding Divide By Zero Errors	154
Using Joined Search Field Values	155
Retrieving the Day of the Week for a Date on a Custom Record	155
Displaying the Percentage Variance between Custom Record Values	155
Calculating Days Remaining Until Task Complete	155
Displaying Multiplier from Cost to Base Price for Items	155
Comparing Summed Amounts Across Two Fiscal Years for Transactions	155

Finding the Most Recent Record Updater	156
Calculating Days a Sale Is In Effect	157
Referencing System Notes Records	157
Calculating Time Taken to Approve Orders	157
SQL Expressions	157
Mass Updates	165
Defining a Mass Update	166
Entering Formulas for a Mass Update	170
Scheduling a Mass Update	171
Translations for Mass Updates	171
Adding Translations for the Mass Update Action Title	172
Adding Translations for Mass Update Column Headings	172
Example Mass Update	173
Available Mass Updates	174
Mass Updates of Global Subscription Status	181
Performing Mass Deletes	182

Search

- [Search Overview](#)
- [Quick Searches](#)
- [Simple and Advanced Searches](#)
- [Saved Searches](#)

Search Overview

NetSuite gives you a variety of search tools to pull real-time data from your account. You can search for a single record by keywords, find sets of records that match your filters, customize how results look, export them, email them to others, and save searches to use again.

Use **Global Search** to type keywords in the Search field at the top of any NetSuite page and search your entire account for matching records. Add the first few letters of a record type and a colon before your keyword to narrow the results. For more information, see [Global Search](#).

Here are some quick ways to find specific records:

- **Quick Find Links.** Click the Quick Find icon in the header of many records to quickly find another record of the same type. See [Quick Find](#).
- **Quick Search Portlet.** Add a portlet to your dashboard and enter keywords to find records with matching names or IDs. See [Quick Search Portlet](#).

Use these methods to get a set of records of a certain type, with values that match your filters.

- **Simple Search.** To run a simple search, go to Reports > New Search and choose the type of records you want. On the search page, you can filter results by one or more field values. See [Defining a Simple Search](#).
- **Advanced Search.** Switch to advanced search by checking the **Use Advanced Search** box on a search page. Here, you can filter records with formulas, use SQL expressions, filter by join fields in related records, sort results, and group them into summary calculations. See [Defining an Advanced Search](#).
- You can save simple and advanced search results as a .csv, .xls, or .pdf file, and include them in emails. See:
 - [Exporting Search Results](#)
 - [Emailing Search Results](#)

Use **Saved Search** to save a search definition that you and other users can run repeatedly for dynamically updated results. See [Defining a Saved Search](#). Saved searches have all the features of advanced search and more, including:

- **Automatic, customized emails of saved search results.** You can set saved search results to be emailed to users on a schedule or when results change. See [Saved Search Email](#).
- **Display of saved search results in dashboard portlets.** You can set saved searches as custom KPIs so that summary values are shown in Key Performance Indicators, KPI Scorecards, KPI Meters, and trend graph portlets. You also can display saved search results columns in custom search portlets. See the help topic [Custom KPIs](#).
- **Display of saved search performance details in the Search Performance Analysis dashboard.** If you have the Application Performance Management SuiteApp, you can use this dashboard to view saved search performance. See the help topic [Analyzing Search Performance](#).

The system maintains a rolling log of saved search activity for 60 days.

Searchable Record Types

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more information about SuiteAnalytics Workbook and how to turn your saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Except for global search, NetSuite searches are limited by record type, so each page has fields for one type of record.

Simple, advanced, and saved searches are available for the standard record types listed below. You also may have access to additional searches for custom record types created in your system.

Advanced searches let you include results and filters from join fields in related record types. For information, see [Related Records Fields Available for Advanced Searches](#).

Note: You may not have access to all the searches in the list below. The record types you can search depend on your role and its permissions. See [Permissions for Searches](#).

For more information about the following record types, see the help topic [NetSuite Record Types](#).

Standard Record Type Searches

- Account
- Accounting Book (Multi-Book Accounts only)
- Accounting Period
- Activity
- Address (The Address List in Search permission is required to search for all addresses)
- Amortization Schedules
- Analytics Audit Trail
- Automatic Location Assignment Configuration
- Bill of Distribution
- Bill of Materials
- Bill of Materials Revision
- Billing Class
- Billing Rate Card
- Billing Schedule
- Billing Operation
- Billing Operation Schedule
- Bins
- Bonus
- Bonus Type
- Budget
- Budget Exchange Rates

- Business Events Processing
- Campaign (includes marketing and sales campaigns)
- Campaign Template
- Case
- Charge
- Charge Rule
- Class
- Commissionable Item
- Company
- Competitor
- Consolidated Exchange Rates (OneWorld accounts only)
- Contact
- Cost Category
- Coupon Code
- Custom GL Lines Plug-in Audit Log
- Custom Segment
- Customer
- Deleted Record
- Department
- Distribution Network
- Document
- Driver's License
- Email Template
- Employee
- Employee Change
- Employee Change Reason
- Employee Change Request
- Employee Change Request Type
- Employee Payroll Item
- Employee Status
- Employee Expense Source Type
- Employee Type
- Entity
- Event
- Expense Report Policy
- Fair Value Formula
- Fair Value Price
- Fax Template
- Financial Institution
- First Site Visit

- Fiscal Calendar
- Folder
- Fulfilment Exception Reasons
- Generic Resource
- Gift Certificates
- Global Account Mapping (Multi-Book Accounts only)
- Global Inventory Relationship
- Group
(The use of "Group Member Fields..." is not supported for searches that include dynamic groups.)
- Imported Employee Expense
- Inbound Shipment
- Information Item
- Installment
- Interaction
- Inventory and Bin Numbers
- Inventory Balance
- Inventory Cost Template
- Inventory Detail
- Inventory Numbers
- Inventory Status
- Invoice Group
- Issue
- Item
- Item Account Mapping (Multi-Book Accounts only)
- Item Collection
- Item Demand Plan
- Item Location Configuration
- Item Process Family
- Item Process Group
- Item Supply Plan
- Job
- Job Requisition
- Kudos
- Location
- Location Costing Group
- Login Audit Trail
- Login Restrictions
- Manufacturing Cost Template
- Manufacturing Operation Task
- Manufacturing Planned Time

- Manufacturing Routing
- Memorized Transaction
- Merchandise Hierarchy Level
- Merchandise Hierarchy Node
- Merchandise Hierarchy Version
- Message
- Multi-Book Accounting Transaction (Multi-Book Accounts only)
- News Item
- Nexus
- Online Case Form
- Online Lead Form
- Opportunity
- Order Allocation Strategy
- Organizational Value
- Outbound Requests
- Partner
- Passport
- Paycheck
- Payment Event
- Payment Instrument
- Payment Option
- Payment Processing Profile
- Payment Result Preview
- Payroll Batch
- Payroll Item
- Phone Call
- Pick Strategy
- Pick Task
- Planned Order
- Planning Item Group
- Planning Process Category
- Planning Engine Cycle
- Planning Engine Message
- Planning Engine Pegging
- Planning Engine Result
- Planning Repository Allocation
- Planning Repository Bill of Materials
- Planning Repository Item Location Properties
- Planning Repository Source
- Planning Rule Group

- Planning Workbench View
- Planned Standard Cost
- Price Detail Update
- Pricing (You can set up an item search to generate a price list. See Using Search for Price Lists.)
- Project
- Project Expense Type
- Project Intercompany charge Request
- Project Resource
- Project Task
- Project Task and CRM Task
- Project Task Manager Criteria
- Project Task Manager Search
- Project Template
- Promotion
- Quota
- Received Vendor Bill
- Region
- Report
- Resource Allocation
- Resource Group
- Revenue Element
- Revenue Recognition Event
- Revenue Recognition Plan
- Revenue Recognition Schedules
- Revenue Recognition Templates
- Role (available only to users with Manage Roles permissions, at Setup > Users/Roles > User Management > Manage Roles > Search)
- Sales Campaign
- Sales Channel
- Saved Search
- Sent Email List (Administrators can access from Setup > Company > Communication > Sent Email List.)
- Scheduled Script Instance
- Script
- Script Deployment
- Server Script Log
- Shipment Package
- Shipping Item
- Shipping Partner Package
- Shipping Partner Registration
- Shipping Partner Shipment
- Shopping Cart

- SOAP Web Services Operations
- SOAP Web Services Record Processing
- Solution
- Standard Cost Version
- Subsidiary (OneWorld accounts only)
- Supply Change Order
- Supply Chain Predicted Risks
- Supply Chain Predicted Risks Training Work Queue Status
- Supply Chain Snapshot
- Supply Chain Snapshot Details
- Supply Plan Definition
- System Email Template
- System Measure
- System Note
- Task (CRM Tasks)
- Tax Agency
(Tax agency is a category of vendor. To do a tax agency search, filter a vendor search to records with a Category of Tax agency.)
- Tax Group
- Tax Item (also known as Sales Tax Item, Tax Code)
- Tax Type
- Termination Reason
- Time (if Time Tracking feature enabled)
- Time-Off Change
- Time-Off Plan
- Time-Off Request
- Time-Off Type
- Timesheet
- Token-based Authentication Application
- Topic
- Trace Preferences
- Transaction (Transaction is considered one record type, although it can encompass a wide assortment of records.)
- Transaction Numbering Audit Log
- Two-Factor Tokens
- Undelivered Emails (Administrators can access from Lists > Mailing > Undelivered Emails.)
- Units Type
- Unlocked Time Period
- User Note
- Vendor
- Vendor-Subsidiary Relationship

- Work Breakdown Structure
- Work Calendar
- Workflow
- Workflow Instance
- Workplace

Permissions for Searches

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more information about SuiteAnalytics Workbook and how to turn your saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Your NetSuite account administrator assigns roles to users. For each role, they set up permissions for viewing, editing, and searching specific record types.

You have one or more roles you can use to log in to NetSuite. The permissions and search access for your role decide which searches you can run. For saved searches, your role's permissions also decide the record types you can use for saved searches.

NetSuite has four types of permissions: Lists, Reports, Setup, and Transactions. Five Lists type permissions control what you can do with searches and saved searches, like running, exporting, emailing, and sharing them:

- **Perform Search** – This permission has two levels, View and Full. With View, you can run searches and saved searches for the record types you have access to. With Full, you can also create and save searches.
- **Publish Search** – This permission has four levels, View, Create, Edit, and Full. With Create level or higher, you can share saved searches, set up alert emails, and schedule emails of saved search results. The Audience, Roles, Email, and Execution Log subtabs are available on the saved search definition page.
- **Persist Search** – This permission has one level only, Create. With it, you have a Persist (CSV) link for saved searches listed at Reports > Saved Searches > All Saved Searches. This permission lets you extend the timeout for saved searches to up to 3 hours and save results as a CSV file.
- **Export Lists** – This permission has one level only, Create. With it, you get Export and Email buttons on your search and saved search results pages, so you can export and email searches and saved searches for the record types you can access. You need to have at least the View level for the Perform Search permission to activate this permission.
- **Tableau® Workbooks Export** – This permission has one level only, Create. With it, you get the Export to Tableau Workbook button on search and saved search results pages, so you can export search results as analysis-ready Tableau® workbooks for the record types you can access. You need to have the Export Lists permission and at least the View level of the Perform Search permission to activate this permission.

The Create HTML Formulas in Search permission is a Setup permission that lets users use HTML code in saved searches with the Formula(HTML) fields. You need to enable the **HTML Formulas in Search** feature first to set up this permission. For more information, see [Evaluating Code in Saved Searches Using Formula\(HTML\) Fields](#).

Additionally:

- The following Transactions permission controls whether you can save a transaction search:
Find Transaction – This permission has four levels, View, Create, Edit, and Full. With Create level or higher, you get the Create Saved Search button for transaction searches. With View, you can run transaction searches but not save them.
- The following employee permissions control whether you can create a search or use global search:
 - Perform Search
 - Employee Record
- The following address permission determines your ability to search all addresses:
Address List in Search – Without this, you can only see your own address records

If you don't see the Email and Export buttons on your search and saved search results page, you may need a higher level of the Perform Search permission. This also applies if you have trouble running, exporting, or emailing searches, or creating, running, exporting, emailing, or viewing the log for saved searches. Contact your administrator to see if your assigned role, permissions, and search access require changes. For information about role permissions, see the help topic [NetSuite Permissions Overview](#).

There's another level of access for saved searches created by other users. You can access a saved search created by another user if the search is public, or if you're listed as an audience member by name, role, department, subsidiary, or group.



Important: When you create or customize roles that need to search for employees, ensure that they have the Perform Search, Employees, and Employee Search permissions.



Note: Custom fields have additional field-level security for searches. You can set Search/Reporting access level on the custom field record. Access can be defined generally, or by role, department, or (in NetSuite OneWorld) subsidiary. The access levels are Edit (view and change the field), Run (view the field only), and None (no access). For more information, see the help topic [Restricting Access to Custom Fields](#).

Global Search


The NetSuite global search feature enables you to find records anywhere in your account data.

For information about Global Search, see:

- [Global Search Overview](#)
- [Tips for Effective Global Searches](#)
 - [Global Search by Email Address](#)
 - [Global Search by IP Address](#)
 - [Global Search by Document Number](#)
- [Global Search Prefixes](#)
- [Including Custom Fields in Global Search](#)
- [Inline Editing of Global Search Results](#)
- [User Preferences for Global Search](#)
- [Using Global Search to Find Help Topics](#)
- [Notes about Global Search Auto Suggest](#)

Global Search Overview

Global search allows you to search any page, record, or field anywhere in your account data by entering keywords into a search field. You can find the search field at the top of any NetSuite page. For more information, see [How to Use Global Search](#).



You can adjust the global search preferences under the **Analytics** subtab at Home > Set Preferences. For more information, see the help topic [Analytics Personal Preferences](#).

Current Page Results


The Current Page Results feature is an enhancement to the global search. When you enter keywords in the global search field, results include all navigation menu levels and every field, tab, subtab, and column header on the page you're viewing. You can use the Current Page Results feature on form, setup, and list pages. The enhanced results appear under the Current Page Results heading.

You can initiate the current page search by pressing Alt+Shift+G. When you enter keywords, only the current page search results will be displayed. If you want to see results from both the global search and the current page search, press Esc.

You can collapse both the Global Search Results and the Current Page Results parts by clicking their headings.

When you hover over a search result, you see the **Open** link on the right side. When you click **Open**, you are redirected to a new page with the result.

Click **Show [N] more results** to expand the list, or **Show less results** to collapse it.



The Current Page results feature is enabled by default. To disable the search, go to Home > Set Preferences. On the **Analytics** subtab, under Search, clear the **Page Search** box.

How to Use Global Search

To use global search, enter keywords that map to all or part of a record name or ID in the search field at the top of any page. You can quickly move the cursor to the search field by pressing Alt+G.

Global search keywords can include letters, numbers, dashes, underscores, and % wildcards. Any other characters count as spaces. You can use OR to separate keywords in global search. You can add a prefix to keywords to narrow the search by record type. A search prefix uses some or all letters of a record type, plus a colon or caret. For example, use **it:** to search for items.

For best results, use keywords between 3 and 32 characters. Anything longer is cut off, and if a keyword is too short or not unique, you may not get the results you expect when searching over a large amount of data.

By default, global search shows a list of suggested matches as you type. You can select one or press Enter to see all matching results.

- When you select a suggested match:
 - To view a record, click its name.
 - To edit a record, click **Edit** on the right.

- To open a record in a new tab or new window, right-click the record name or **Edit**, and choose **Open in New Tab** or **Open in New Window**.
 - To open the customer dashboard for a suggested customer record, click **Dash** on the right.
 - You can also use the Tab key to move through the suggested matches.
 - For more information, see [Notes about Global Search Auto Suggest](#).
- When you press Enter, keywords are compared to record name and ID field values.
 - If multiple records match, you see a list page with a Type column showing the record type for each row.
 - If only one record matches, the record opens in view mode by default.
 - To see a single result on a list page instead, go to Home > Set Preferences, click the **Analytics** subtab, and check the **Show List When Only One Result** box.
 - For item records, keywords also match Vendor Name/ID and UPC Code values.
 - If you've made custom fields available for global search, keywords match those fields too. See [Including Custom Fields in Global Search](#).
- If you don't want a list of suggested matches to show up, you can disable this feature. Go to Home > Set Preferences, click the **Analytics** subtab, and under Search, clear the **Global Search Auto Suggest** box.

By default, global search sorts results by record type, then by name or ID. To sort only by name or ID, you can enable the Global Search Sort by Name/ID option at Home > Set Preferences on the **Analytics** subtab.



Important: Global search is designed to find the best matches quickly, not every possible match. To keep speed and ease of use, it limits results when there's a large number of matches. Because of this, some records may not appear in auto suggest or search results, and if you use generic keywords it may not return any results at all. To get the most relevant results, use specific keywords. For more information, see [Simple and Advanced Searches](#).

You can print, email, or export global search results to a CSV or Microsoft® Excel file. See [Emailing Search Results](#) and [Exporting Search Results](#).

You can edit records directly on the global search results page. See [Inline Editing of Global Search Results](#).

Tips for Effective Global Searches

To increase the effectiveness of global search, try these tips:

- **Use search prefixes.** Add a prefix to your search to focus on one record type, speed the search, and skip irrelevant results. A search prefix uses some or all letters of a record type, plus a colon or a caret.
 - Enter **cu:max** or **cu^max** to search for customers with records containing the letters max.
-  **Note:** Enable the **Global Search Customer Prefix Includes Leads and Prospect** option to include also leads and prospects, together with customers, when you use the **cu:** prefix. You can do this at Home > Set Preferences on the **Analytics** subtab.
- Note that the colon (:) and caret (^) are special characters that separate the type from your keywords in global search.
 - If you enter characters that end with a colon or caret, you receive an error requesting keywords. Avoid this problem by leaving off the colon or caret.

- If you enter a hierarchical entity name such as **1000P:100SUB** (where 1000P is a customer and 100SUB is a subcustomer), the text before the colon is treated as a type, so you don't get any results. To fix this, add a space before the colon. For example, enter **1000P :100SUB**. You can still add a type if you need, for example, enter **cu:1000P :100SUB**.

For more information, see [Global Search Prefixes](#).

- **Use keywords with at least 3 characters.** More specific keywords are better, especially if you're searching through a large amount of data. Short or common keywords may not give you the results you want.
- **Search for multiple text strings at the same time.** Use OR between keywords to search for more than one text string.
 - Enter **max OR macs OR machs** to search for records containing any of these three strings in one search.
 - Ensure that OR is uppercase so that it works as a separator.

You can also use a space or a hyphen instead of OR. If a string has spaces, each word is treated as a keyword, and results return exact matches for each one of them.

- **Include inactive records.** Add a **+** to your keywords to include inactive records. For example, **cu:max +** finds both active and inactive customers with "max" in their records.

To always include inactive records, go to Home > Set Preferences, click the **Analytics** subtab, and check the **Include Inactives in Global and Quick Search** box.
- **Go directly to a customer dashboard.** Use the dash: prefix with a customer name to open that customer's dashboard. For example, enter **dash:Acme Supply**, then press Enter or click Go to open that dashboard.
- **Use % as a wildcard in numeric keywords.** By default, global search only returns exact matches for numbers unless you add %. Do this to avoid getting large result sets for numeric keywords.
 - If you enter **inv:115**, you only get invoice #115.
 - If you enter **inv:115%**, you get all invoices with numbers starting with 115.
 - If you enter **inv:%115**, you get any invoice with 115 anywhere in the invoice.
- Use the SQL % wildcard to select columns that begin with certain characters. For example, to see customers in Minneapolis and Minnetonka, use the SQL % wildcard to get all cities starting with "Minn":

```
1 | SELECT * FROM Customers WHERE City LIKE 'Minn%';
```

- Use the SQL % wildcard to select columns that contain certain characters. For example, to see Customers in Dulles and Los Angeles, use the SQL % wildcard to get all cities containing "es":

```
1 | SELECT * FROM Customers WHERE City LIKE '%es%';
```

- Use the SQL _ wildcard to find all customers with a city starting with any character, followed by "erlin":

```
1 | SELECT * FROM Customers WHERE City LIKE '_erlin';
```

- **Keep keyword length to 32 characters or less.** Longer keywords may not return results.
- **Search for exact text matches only.** Enclose the search string in quotation marks, or add a backslash, to search for records containing only exact matches. For example, **cu:"max"** or **cu:max** only find customers named Max, not Maxam, Lomax, or Maximum Tires.

You don't need quotation marks or backslashes for numbers, these searches return only exact matches.

- **Search for exact record type matches only.** Use the full record type name as a prefix and enclose it in quotation marks.

This is helpful if you have custom record types with similar names, for example Customer Survey. Using the "customer" prefix returns only customer records, not customer survey records. Without the quotation marks, you get both.

- **Return a single result in edit mode.** By default, a single global search result opens in view mode. You can override this by capitalizing the first letter of a search prefix. (This prefix has no effect when the Show List When Only One Result preference is enabled.)
 - Enter **Cu:"Maximum Tires"** to open this customer's record in edit mode.
 - Enter **In:115** to open invoice #115 in edit mode.



Note: You can open a suggested record in edit mode by clicking **Edit** on the right when your hover over it in the list.

- **Return search results in a new browser window.** To open search results in a new browser window, add an extra colon between the prefix and the search string. This works for both list pages and single records, in view or edit mode.
 - Enter **in::115%** to open a new window with all invoices starting with 115.
 - Enter **In::115** to open invoice #115 in a new window in edit mode.
- **Index custom fields to be included in global search.** You can search for custom fields as well as name/ID fields. See [Including Custom Fields in Global Search](#).
- **Edit fields directly on the global search results page.** You can quickly edit records without having to change the page. See [Inline Editing of Global Search Results](#).
- **Email a list of global search results.** To email search results, click the Email button at the bottom of the results list page. A popup window opens, and you can select recipients, add comments, and choose a format.

For more information, see the following topics:

- [Global Search by Email Address](#)
- [Global Search by IP Address](#)
- [Global Search by Document Number](#)

Global Search by Email Address

To search for an email address, enter the full address in the format **<user name>@<domain>**.

When you use this format, global search treats it as a single keyword and returns only an exact match.

This special handling of email address overrides the usual rule where the . and @ characters are treated as spaces.

For example:

- If you enter a full email address, such as **john.brown@abc.com**, you get that exact match only.
- If you enter only **brown@abc.com**, global search still treats it as a full email address and returns that exact match only.
- If you enter only **john.brown**, global search looks for "john" and "brown" as separate keywords, and returns any records containing these two keywords.

The starts-with matching doesn't work for email addresses, you need the full email address for global search to recognize it as an email address.

Global Search by IP Address

Global search treats each period character as a space, so searching for an IP address splits it into four keywords. This means you may get results with the same numbers in different orders, because keyword order is not relevant. For example, searching for 111.222.333.444 could return both 111.222.333.444 and 111.222.444.333.

By default, global search uses starts-with matching for keywords. You can enclose any keyword in quotation marks to turn this off, as described in [Tips for Effective Global Searches](#). Global search does not support the enclosing of multiple separate keywords in quotations to express order.

Global Search by Document Number

Global Search can find both document numbers (for example, invoice numbers) and system-generated transaction numbers. You can set role preferences to include or exclude transaction numbers in your searches.

To include transaction numbers for a role, administrators can go to Setup > Users/Roles > Manage Roles and click **Customize** next to a role. Then, go to the **Preferences** subtab and select **Global Search Includes Transaction Numbers** from the dropdown list. If the box is cleared, Global Search results will only include results by document number.

To include transaction numbers at the user level, go to Home > Set Preferences > Analytics > Search and select **Global Search Includes Transaction Numbers**. You do not need any permission to enable it.

 **Note:** If you can't find a record, you may be searching by transaction number when your settings allow searches by document number only. Try enabling the **Global Search Includes Transaction Numbers** preference and search again.

For an explanation of this feature, see the following video.

 [Global Search with Document and Transaction Numbers](#)

For more information, see the help topic [Setting General Account Preferences](#).

Global Search Prefixes

You can use record type prefixes in global search to narrow results to one record type. A search prefix uses some or all letters of a record type name, plus a colon or caret. For example:

- **cu:** or **cu^** for customer searches.
- **em:** or **em^** for employee searches.
- **bu:** or **bu^** for budget searches.

 **Important:** The prefixes that work for you may be different from the prefixes listed on this page. Your account administrator may have renamed some records, or you may have set a different language at Home > Set Preferences.

The system uses starts-with matching for prefixes, so you get results for record types that start with or contain those letters.

For example, to search for an inventory item, you can use any of the following prefixes:

- **i:**
- **it:**
- **inv:**
- **inve:**

Some of these prefixes may return extra results if they match more than one record type. For example, **inv:** can return results for both inventory items and invoices.

For more details, see [Examples of Global Search Prefixes](#).

For example, to search for results with a record type of plain text file, you could use any of the following prefixes:

- **p:**
- **pl:**
- **t:**
- **te:**
- **fi:**
- **fil:**

However, some of these prefixes may return results for more than one record type, because they may not be unique. For example, **p:** could return record types of plain text file, phone call, promotion code, partner, page, and others.

 **Note:** The colon and caret are special characters that separate the record type from your keywords. If you end with a colon or caret, you get an error asking for the keywords.

You can use a full record type name as a prefix and enclose it in quotation marks to search for records that type only. This is helpful if you have custom record types with similar names, for example Customer Survey. Using the "customer" prefix in quotation marks returns only customer records, not customer survey records. Without the quotation marks, you get both record types.

By default, the **cu:** prefix returns records only for customers, not for leads or prospects. Enable the **Global Search Customer Prefix Includes Leads and Prospect** option to include also leads and prospects, together with customers, when you use the **cu:** prefix. You can do this at Home > Set Preferences on the **Analytics** subtab.

 **Note:** Use the **dash:** prefix with a customer name to go directly to their dashboard.

Examples of Global Search Prefixes

 **Important:** The following examples use English (U.S.) and default record names. Your prefixes may be different.

You don't need to select a prefix from this list, use the first few letters of the record type name as a prefix. Keep the prefix unique so it doesn't match other types.

Prefix	Record Type
cam	Campaign
cash	Cash Sale

Prefix	Record Type
con	Contact
cust	Customer
emp	Employee
est	Estimate
ev	Event
exp	Expense Report
fi	File
invo	Invoice
iss	Issue
it	Item
opp	Opportunity
par	Partner
ph	Phone Call
sales	Sales Order

Using Global Search to Find Help Topics

The NetSuite Help Center has its own search, but you can also use global search to search for a help topic directly from any NetSuite page.

To search the Help Center, use the **help:** prefix in the Search field in the upper right corner. For example, enter **help:dashboards** to find help topics about dashboards.

Including Custom Fields in Global Search

Global searches usually return only record name and ID fields, but some custom values can be included too.

Settings for custom records and custom fields are configured separately, so you can disable global search for a custom record but allow it for a custom field.

Custom field types that can be indexed for global search are:

- CRM
- Entity
- Item
- Transaction Body

To include a custom field type in global search, a user with permission to edit or create custom fields must check the **Available for Global Search** box on the custom field configuration record. By default, this box isn't checked for new custom fields.

Global search indexing is available for the following data types, when the **Store Value** box is checked:

- Currency
- Decimal Number
- Email Address
- Free-Form Text
- Help
- Hyperlink
- Inline HTML
- Integer Number
- Percent
- Phone Number
- Text Area

If your search results include more than one record type, they show a Custom Fields column listing the custom field name and value for each match.

If your results include a single record type, they don't show the columns for custom fields by default. Therefore, you may not see matching custom field values on the results page.

For more information about custom fields, see the help topic [Creating a Custom Field](#).

 **Warning:** You can't index a custom field for global search if None is selected for any Level for Search/Reporting option on the **Access** subtab of the custom field record.

Inline Editing of Global Search Results

You can edit records directly on the global search results page if all results are the same record type, that type supports inline editing, and the Inline Editing feature is enabled for your account. If you see an **Edit** button at the top of the list, inline editing is available.

To enable inline editing, click the **Edit** slider. The slider turns green when inline editing is enabled and grey when it's disabled.

Custom Employee Search: Results

Return To Criteria

Edit this Search

Filters

Edit

5, — Dignadice,

<

>

Total: 301

Edit | View

Name ↑

Email

Phone

Office Phone

Fax

Supervisor

Job Title

Alt. Email

Edit | View

5, Sabina test

sabina.letang@oracle.com

Edit | View

23212

Edit | View

ABC Medical Supplies
ABC Medical Supplies :
Allan Stours

astours@mtmedsupply.net

1234567899

(406) 555-7896

Wolfe, J Wolfe, J

Director of Sales


When inline editing is on, click a field with a pencil icon in the column header and make your changes. The edits are saved when you move the cursor away.

The screenshot shows the 'Custom Employee Search: Results' page. At the top, there are buttons for 'Return To Criteria' and 'Edit this Search'. Below these is a 'Filters' section. A toolbar contains icons for download, print, email, and an 'Edit' toggle switch which is currently turned on. The table header includes columns: 'New', 'Edit | View', 'Name', 'Email', 'Phone', 'Office Phone', 'Fax', 'Supervisor', and 'Job Title'. The first row shows '5, Sabina test' with a pencil icon in the 'Fax' column. Subsequent rows show employee records for 'ABC Medical Supplies ABC Medical Supplies : Allan Stours' with various contact details and a supervisor 'Wolfe, J Wolfe, J'.

After you enable inline editing, you can add new records directly on the results page. Click the **Add** button above the list to open a quick add popup, where you can create a new record for the current record type.

The screenshot shows the 'Global Search: Customer Results' page. The 'Add' button is highlighted with a red box. A 'Quick Add' popup is open, displaying a form with fields for 'Customer ID', 'Company1 Name', 'Web Address', 'Email', 'Phone', and 'Primary Subsidiary' (a dropdown menu). A 'Save' button is at the bottom of the popup. The background table shows customer records for 'Altima Technology' and other contacts.

To add a related record, click the icon in the **New** column for that record.



To delete a record, click the icon in the **New** column and select **Delete Record** from the menu.

For more information, see the help topic [Using Inline Editing](#).

User Preferences for Global Search

You can set the following user preferences for global search at Home > Set Preferences on the **Analytics** subtab:

- **Include Inactives in Global & Quick Search** – Enable this option to include inactive records in global search and quick search portlet results. This option is disabled by default, so you see only active records for these searches.
- **Global Search Auto Suggest** – When this option is enabled, NetSuite suggests matches as you type in the search field. You can select from the list of suggested records to go directly to the record you need. This option is enabled by default. For more information, see [Notes about Global Search Auto Suggest](#).

- **Global Search Sort by Name/ID** – Enable this option to sort results by name. This option is disabled by default, so results are sorted by record type first, then by name.
- **Global Search Customer Prefix Includes Leads and Prospects** – Enable this option to include also leads and prospects, together with customers, when you use the **cu:** prefix. This option is disabled by default, so **cu:** returns only customers.

Notes about Global Search Auto Suggest

When **Global Search Auto Suggest** is on, which it is by default, NetSuite suggests matches as you type in the search field. You can select from the list of suggested records to go directly to the record you want. Here are some tips for using the auto suggest feature:

- If your keywords match too many records, you don't see suggested matches and you're asked to narrow your search. If you don't want to refine your keywords, click **Go** to see all results.
- You can scroll through suggested matches with the mouse or the up and down arrows, and select one using the mouse, Enter, or Tab.
- You can select from the list, or click **Go** to see all matches.
- Each suggested match shows the record type before the name.
- To view a suggested match, click the record name.
- To edit a suggested match, click **Edit** on the right.
- To open a record in a new tab or window, right-click its name or **Edit**, and choose **Open in New Tab** or **Open in New Window**.
- To open the customer dashboard for a suggested customer record match, click the View Dashboard icon on the right.
- The suggestion box shows up to 8 results. If there are more, click **Show More Items** to see the rest.
- If there's only one suggested match, NetSuite selects that record by default.



Note: If you've enabled the **Show List When Only One Result** preference on the **Analytics** subtab of Home > Set Preferences, NetSuite doesn't select a single match automatically.

- If you don't want suggested matches to appear as you type, disable auto suggest by clearing the **Global Search Auto Suggest** box on the **Analytics** subtab of Home > Set Preferences.

Quick Searches

You may want to quickly find a specific record to review or update its details. NetSuite has quick search tools where you enter keywords to find matching records. Here are some quick ways to find records:

- Many NetSuite pages, including transaction records and some lists of records, have a Quick Find icon at the top. Click it to search for other records of the same type. See [Quick Find](#).
- You can add a Quick Search portlet to your home page dashboard or other pages to enter keywords and search for records of a specific type. See [Quick Search Portlet](#).


Quick Find

NetSuite lets you quickly find other records of the same type from many pages. Quick Find is available when you see a magnifying glass icon  in the page header.

Transactions Quick Find

Click the Quick Find icon on a transaction page to find a specific transaction, or set of transactions of the same type, by date, number, or associated entity name.

When you click the icon, a Quick Find popup opens. Enter a name, date, transaction number, or a combination, and click Submit.




The image shows a 'Quick Find' popup window with a dark blue header bar containing the title 'Quick Find' and a close button (X). The main area is light gray and contains three input fields: 'Name' with a dropdown menu showing '<Type then tab>', 'Date' with a text input field, and 'Number' with a text input field. At the bottom, there are two buttons: 'Submit' (dark blue) and 'Cancel' (light gray).

- If only one transaction matches, as in cases where you enter a number, that transaction record opens.
- If more than one transaction matches, as in cases where you enter a name or a date, you see a list of matching transactions. Click their corresponding links to open its transaction record.

Records Quick Find

Click the Quick Find icon on a record page to quickly search records of the same type.

When you click the icon, a popup box opens. Type your keywords and press Enter or click **Go**.



- If only one record matches your keywords, the record opens.
- If more than one record matches, you see a Search Results page with a list of matching records. Each record has links you can click to view or edit it, and you can also email or export the results.

For example, when you're viewing a customer record, click the Quick Find icon in the header, enter your keywords, and press Enter to find all matching customer records.

Quick Search Portlet

You can add a Quick Search portlet to most pages. In it, enter keywords to search for data in the selected field.

 A screenshot of the 'Quick Search' portlet. It has a title 'Quick Search' at the top. Below the title is a 'Search' label and a text input field. Underneath is a 'Search For' label and a dropdown menu currently showing 'Name/ID'. At the bottom is a blue 'Search' button.

After you add the portlet, click its setup link to choose the type of data to search. You also can set preferences to include inactive data or change how keyword matching works.

For information about using Quick Search, see:

- [To add a Quick Search portlet:](#)
- [To set up a Quick Search portlet:](#)
- [To set Quick Search preferences:](#)
- [Finding Records with the Quick Search Portlet](#)
- [Customizing Quick Search Results](#)

To add a Quick Search portlet:

1. Go to your dashboard and click **Personalize**.
2. In the **Standard Content** tab of the **Personalize Dashboard** palette, click the **Quick Search** icon or drag it onto the dashboard.

To set up a Quick Search portlet:

1. Hover over the three-dot menu icon  and click **Set Up**. The Quick Search Setup popup window opens.

2. In the **Search Type** list, select the type of search you want.
 - **General** searches for records such as customers, campaigns, and vendors.
 - **Transaction** searches for transactions such as cash sales, sales orders, and purchase orders.
3. In the **Default General Search Type** list, select a record type to search. If you don't choose one, it searches all records.
4. In the **Default Transaction Search Type** list, select a type of transaction to search. If you don't choose one, it searches all transactions.
5. Click **Save**.

To set Quick Search preferences:

1. Go to Home > Set Preferences, and click the **Analytics** subtab.
2. To include inactive records in searches, check the **Include Inactives in Global and Quick Search** box. By default, it searches active records only.
3. If you want Quick Search to find both records with names or IDs that start with your keywords and records that contain them, check the **Quick Search Uses Keywords** box.
 If you don't enable this, the Quick Search portlet shows **Starts With** and **Contains** buttons. Searches can find records that **either** start with **or** contain your keywords, depending on the button you choose. Enabling this preference removes the buttons.
4. Click **Save**.

Finding Records with the Quick Search Portlet

1. In the Quick Search portlet, enter keywords to match to the name or ID of the record you want to find.
 If available, select the **Starts With** or **Contains** button to set how keywords are matched. For more information, see [To set Quick Search preferences](#).
2. In the **Search For** list, select the field name or ID you want to use for keyword matching.
3. Click the **Search** button.
 A results page opens. Depending on your permissions, you can do the following:
 - Click **Edit** or **View** to open a record.
 - Click **Return to Criteria** to open a search form with your entered keywords.
 - Click **Save this Search** to create a saved search.
 - Click one of the export icons  to export the list of results.

- Click the print or email icons   to print or email the search results.


Customizing Quick Search Results

You can customize your quick search results using these methods:

- [Using the Search Customization Page](#)
- [Setting a Saved Search to be Used as Preferred Search Results](#)

Using the Search Customization Page

To open the simple search customization page, click the **Customize** button at the top of the quick search results page. You see this button if all results are the same record type and you have at least the Edit level of the Perform Search permission.



On this page, you can:

- Change the search title. The default title is Preferred <record type> Search Results.
- Change which columns show in the results by adding or removing fields on the **Results** subtab. You can also change the sort order of records and column labels.
- Add fields as filters in the results page footer on the **Available Filters** subtab.

Note: If you clear the **Show in Footer** box for a field, that filter doesn't show on results pages.

- Click **More Options** to open the full saved search definition page, where you can edit other options.

Note: Any changes you make to other options on this page are saved when you return to the simple customization page, even if you don't see these options anymore.

- Click **Save** to use these customized search settings for all of your quick search results for the record type.
- Click **Cancel** to go back to the quick search results page without saving changes.

Setting a Saved Search to be Used as Preferred Search Results

You can apply settings from a saved search you own to customize your quick search results. To do so, click **More Options** and then check the **My Preferred Search Results** box on the **Results** subtab of the saved search definition page.

Customize Customer Search Results

Save Cancel Pivot Report

Search Title *
Preferred Customer Search Results

ID
[Empty Field]

☐ Public
☐ Available as List View

☐ Available as Dashboard View
☐ Available as Sublist View
☐ Available for Reminders
☐ Show In Menu

Criteria **Results** Highlighting Available Filters Audience Roles Email Audit Trail Execution Log Search Title Translation

Use this tab to indicate columns to be included in the search results as well as sort order.

Sort By: Name [v] ☐ Descending
Then By: [Empty] [v] ☐ Descending
Then By: [Empty] [v] ☐ Descending

Output Type: Normal [v]
☐ Show Totals
☐ Run Unrestricted [Empty] Max Results
☐ Disallow Drill Down

☒ My Preferred Search Results

Administrators and users with the Publish Search permission can set a saved search's settings to customize quick search results for other users on the **Roles** subtab of the saved search definition page.

Customize Customer Search Results

Save Cancel Pivot Report

Search Title *
Preferred Customer Search Results

ID
[Empty Field]

☒ Public
☐ Available as List View

☐ Available as Dashboard View
☐ Available as Sublist View
☐ Available for Reminders
☐ Show In Menu

Criteria Results **Highlighting** Available Filters Audience **Roles** Email Audit Trail Execution Log Search Title Translation

Use this tab to make this search the preferred list view, search form, dashboard view, or sublist view, either globally (with the top checkboxes) or by role (with the list).

☐ Preferred Search Form
☒ Preferred Search Results
☐ Preferred List View

☐ Preferred Dashboard View
☐ Preferred Sublist View

List	Form	Results	Dashboard	Sublist	Role	Center Type
☐	☐	☒	☐	☐	2FA SMS Accountant	Accounting Center
☐	☐	☒	☐	☐	A/R Clerk	Accounting Center
☐	☐	☐	☐	☐	Accountant	Accounting Center
☐	☐	☐	☐	☐	Accountant (Reviewer)	Accounting Center

- To set a saved search's settings to customize quick search results for users with a certain role, check the **Results** box for that role.
- To set a saved search's settings to customize quick search results for all roles, ensure the **Public** box is checked, and check the **Preferred Search Results** box.

 **Note:** The **My Preferred Search Results** option for a user overrides any preferred search results set on the **Roles** subtab by other users.

Finding Invoices, Bills, Orders, and Other Transactions

NetSuite treats invoices, bills, orders, cash sales, and many other records as transactions. To find any of these records, use the Transaction search type.

To search for invoices, bills, orders, and other transactions:

1. Go to Reports > New Search.
2. Select **Transaction** as the search type.
3. In the **Type** list, select the type of transaction you're looking for. You can choose **Invoice**, **Bill**, **Cash Sale**, **Purchase Order**, or any other available type.
To select more than one type, hold down the Ctrl key and select the types you want.
4. Set any other search options if you need to.
5. Click **Submit**.

If you're creating a saved search, you can add a Type filter on the **Criteria** subtab and set it to Invoice, Bill, Purchase Order, or any other type you need. To learn more about saved searches, see [Saved Searches](#).

See also [Finding Transactions](#).

Simple and Advanced Searches

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can turn your existing saved searches into workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

You can use NetSuite search pages to set up advanced filters and change the format of your results. Each search page is designed for a specific record type. You can access the search pages from a large number of menu links, for example, the general search links on the Reports tab or subject area-specific links on other tabs.

Each search page gives you two options:

- **Simple search**, where you can enter one or more field values to filter your results. See [Defining a Simple Search](#).
- **Advanced search**, where you can add more filters, use formulas with SQL expressions, filter by related records, set sort order, and group results with summary calculations that you can use as filters. See [Defining an Advanced Search](#).

When you click a search link, the page that opens—simple or advanced—is the one you used last for that record type. If a simple search opens and you want to switch to advanced, check the **Use Advanced Search** box. If an advanced search opens and you want to switch to simple, clear the **Use Advanced Search** box.

Click the **Create Saved Search** button on any simple or advanced search page to open a saved search page, where you can save your search to use again. Saved searches include everything advanced searches do and more. For example, you can send automatic emails with results and get summaries of results as KPIs in dashboard portlets. For more information, see [Saved Searches](#).

Your account administrator gives you search permissions and access by record type so you can run searches. Your search permissions determine if you can email, export, and persist search results. For more information, see [Permissions for Searches](#).

If your saved search takes a long time to run, consider setting up a scheduled email or persisting search results. For more details, see [Enabling Saved Search Scheduled Email](#) and [Persisting Search Results](#).

If you can't edit a field inline in your search results, this could mean the field is on a subtab that's hidden on the form. In this case, you need to show the subtab on the form or move the field to a visible subtab. For more information, see the help topic [Configuring Subtabs for Custom Entry and Transaction Forms](#).

For a list of record types that can be searched, see [Searchable Record Types](#).

Note: You can open a popup search page from select menus in records. This opens a simple or advanced search in a new window, but it doesn't have all the buttons available on other search pages. For more information, see [Popup Searches](#).

Defining a Simple Search

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can turn your existing saved searches into workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

A simple search page shows the fields for the record type you selected, with dropdown lists or boxes where you can select or enter values to filter your results. Some fields also have dropdown lists where you can choose how to compare values.

- To run a simple search, go to Reports > New Search and choose the type of records you want to find.
- If the **Use Advanced Search** (1) box is checked, clear it to switch to a simple search.
- If you need help setting up filters for a simple search, click a search page field's label to view its online help, or see [Tips for Defining Simple Search Filters](#).

After you've set up one or more filters for a simple search, you can:

- Click **Submit** (2) to run the search and display a list of results.
- Click **Export** (3) to run the search and save results as a .csv, .xls, or .pdf file that you can save or open on your computer. For more information, see [Exporting Search Results](#).

- Click **Personalize Search** (4) to open a page where you can set fields and filters for a personalized search form.
- Click **Create Saved Search** (5) to open a page where you can save and edit a search with the filters you set up.

Note: Some date filters let you include specific times of day. These times are adjusted automatically for each users' time zones. For information about defining search date filters and some other filters, see [Defining Search Date Filters](#).

Tips for Defining Simple Search Filters

NetSuite provides many dropdown lists and popup windows to help you set up filters. For additional information, see the following tips.

- Search date filters provide many options. For more information, see [Defining Search Date Filters](#).
- To avoid seeing multiple lines for each transaction in transaction searches, add a filter of **Main Line is True** or click **Yes** for the **Main Line** field. For more information, see [Main Line in Transaction Search Criteria](#).
- Select **any of** to include all the values you select and **none of** to exclude them.
- For fields with multi-select boxes, hold Ctrl to select more than one value.
- For some text fields, select **starts with** or **contains** if you know only part of the name or title.
- For searches that support keywords, use **OR** (in uppercase) to search for more than one text string at the same time.
- When you enter text, use **%** to match any group of characters and **_** for a single character. For example, searching for **aa%r fra%i** finds Aaron Frankenstein and Frangelica Aardvark.
- If you enter only numbers, you only get advanced matches unless you add the **%** wildcard.
- In some fields, select **-Unassigned-** to find transactions not linked to an employee **-Mine-** for transactions linked to you, or **-My Team-** for yours and your team's.
- When you select the **ANY** operator for a field, this filter isn't used in the search.
- If you add a value when **ANY** is selected, the operator changes to 'has keywords' for text fields or 'equal to' for number fields by default.

Defining Search Date Filters

NetSuite provides three types of date filters: a named time period, like **last fiscal year**, a custom date range with specific start date and end date, and a relative date range based on a quantity of days, weeks, months, quarters, or years **ago** or **from now**.

Some date fields let you add specific times of day in custom date ranges or named time periods like today, tomorrow, and yesterday. You can't use relative date range filters for these fields.

- In the first **Date** dropdown list, select the search logic. You can apply any of the options to a named time period, but select **within** or **not within** for custom or relative date ranges.
- In the second dropdown list, select a named time period, or select **custom** to define start and end dates in the **From** and **To** fields, or select **relative** to set a relative date range.
- To set a custom date range, click the calendar icons to enter a starting date in the **From** field and an ending date in the **To** field.

- To add specific times of day in custom range or named date filters like today, tomorrow, and yesterday, select the times in the **From** and **To** dropdown lists, or type them in the fields next to the dropdown lists.

Note: The times that you enter for date filters adjust automatically for each user's time zone.

- To set a relative date range, enter the start and end numbers and select the units (days, weeks, months, quarters, or years; ago or from now) from the dropdown lists in the **From** and **To** fields. Be sure to set the earlier date (for example, **90 days ago**) in the **From** field, and the later date (for example, **0 days ago**) in the **To** field.

Defining an Advanced Search

An advanced search page has a **Criteria** subtab for setting filters and a **Results** subtab for choosing search results display options.

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can turn your existing saved searches into workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

To run an advanced search:

1. Go to Reports > New Search and choose the type of records you want to find.
2. Check the **Use Advanced Search** box to switch to advanced search.
3. Define the **Criteria** filters. See [Advanced Search Criteria Filters](#).
4. Define the **Results** display options. See [Search Results Display Options](#).
5. After you've set up your criteria and results options, you can:
 - Click **Submit** to run the search and see the results.
After you've run the search, you can export the results as .csv, .xls, or .pdf files to save or open on your computer. For more information, see [Exporting Search Results](#).
 - Click **Reset** to clear the criteria and result options you've set.
 - Click **Personalize Search** to open a page where you can set results columns and filters for a personalized search form.
 - Click **Create Saved Search** to open a page where you can save and edit a search with the filters you've set up.
To learn more about saved searches, see [Saved Searches](#).

Advanced Search Criteria Filters

You can set up advanced filters for both advanced and saved searches. Select filter fields and set their values on the **Standard** and **Summary** sublists located on the **Criteria** subtab.

A standard search filter finds results based on each record's value for a field. You can set up expressions for standard filters by checking the **Use Expressions** box.

If you add a field you don't have permission for, you'll see this message: "Your formula contains a reference to a field for which you do not have a permission."

A summary search filter finds results based on calculated summary values for a group of records. You can only use this if you've set a summary type for a field on the **Results** subtab.

- [Defining Standard Search Filters](#)
- [Using Expressions in Search Criteria](#)
- [Summary Search Filters](#)



Important: If you set up more than one date filter, the one with the most recent date is used to calculate exchange rates, no matter what order you list them in.

Defining Standard Search Filters

On the **Standard** sublist of the **Criteria** subtab in an advanced or saved search, you can set up filters using fields from the record type, join fields from related records, and formulas. For some searches, you can also filter by values from attached files.



Note: To use a saved search as a custom KPI for multiple date ranges, don't add a date field as a filter on the **Criteria** subtab. For more information, see [Notes on Using Saved Searches as Custom KPIs](#).

To define a field value from the selected record type as a filter:

1. Select the field from the **Filter** dropdown list. The fields are listed in alphabetical order.
2. Click the **Set Description** button
☐ next to the filter field to open a popup window where you can enter a value and search logic (if available).
3. Click **Add** to choose the next filter.

To define a join field value from a related record type as a filter:

1. Select the related record type in the **Filter** dropdown list.

Note: Related record types that have join fields you can use as filters are listed at the end and have '...' after their name, for example, **Account Fields...**

2. In the first popup window that appears, select the join field from the related record type you chose.
3. In the next popup window, enter a value and search logic (if available) for the filter field, then click **Set**.
4. Click **Add** to choose the next filter.

For a list of related record types with join fields available for each search, see [Related Records Fields Available for Advanced Searches](#).

To define a formula as a filter:

1. Select a Formula option from the Filter dropdown list.
2. Click the **Set Description** button  to open a popup window where you can enter the formula.
3. Click **Add** to choose the next filter.

For more information, see [Formulas in Searches](#).

Note: To use parenthetical expressions to define search filters, check the **Use Expressions** box. For more information, see [Using Expressions in Search Criteria](#).

To define a field from an attached file (such as the file's name) as a filter:

1. Select **File Fields...** in the **Filter** list.
2. In the popup window, select a field from the **File Filter** list.
3. Click the **Set Description** button , enter or select a value for the filter field, and click **Set**.
4. Click **Add** to choose the next filter.

For more information, see [Searching by File Attachments](#).

Defining Preferred Vendor Filter for Item Search in OneWorld Account with Multiple Vendors Feature Enabled

If you use the **Preferred Vendor** field as a filter in an item search in a OneWorld account with the Multiple Vendors feature enabled, you may notice that items with more than one preferred vendor only appear under the first preferred vendor listed. This happens because with the Multiple Vendors feature, each subsidiary can have its own preferred vendor in a OneWorld account.

To avoid this issue, use both the **Vendor** field and the **Vendor is Preferred** field as filters in your item search instead of only **Preferred Vendor**. Set the **Vendor** filter to include any vendors you want, and set **Vendor is Preferred** to **Yes**. This setup returns all items where at least one subsidiary has one of your chosen vendors set as the preferred vendor.

Defining On Hand and Location On Hand Filters for Item Searches

There's a difference between the **On Hand** and **Location On Hand** fields that you can use in searches. **On Hand** shows the total quantity across all locations, while **Location On Hand** shows the quantity at each specific location.

This difference also applies to these pairs of fields:

- Available and Location Available
- Average Cost and Location Average Cost

- Back Ordered and Location Back Ordered
- Committed and Location Committed
- On Order and Location On Order
- Preferred Stock Level and Location Preferred Stock Level
- Reorder Point and Location Reorder Point
- Total Value and Location Total Value

For more information, see [Saved Searches](#).

Limitations on Search Filters

Keep these limitations in mind when setting up advanced and saved search filters:

Limitations on Credit Card Number Search Filters

To keep customer credit card information secure, you can use only **is empty** or **is not empty** as operators for the **Credit Card Number** field in search filters. This applies to searches in the NetSuite UI and to searches run through SOAP web services, SuiteScript, and SuiteFlow.

The **Credit Card Number** search criteria field is a box type field. On the **Criteria** subtab, you can filter by **Yes** or **No** to show if a record has a credit card number, but you can't search for specific credit card numbers.



Note: To follow these rules, saved searches that used operators such as contains, is, or is not with the **Credit Card Number** field have been deleted from all NetSuite accounts.

Limitations on Transaction Search Filters

Opportunity fields in a transaction search show data only for opportunities linked to other transactions that match your search criteria. To see all opportunity data, use an Opportunity search instead.

If you add the **Created From** field to your transaction search results, line-level fields don't show values. That's because the join to the source transaction's **Created From** field is at the main body level, not the line level.

Sometimes, you can use **Applied To Transaction** fields to get values for line-level fields. For example, if an invoice's source transaction is a sales order, the join is at the line level, so you get line-level values. However, if the source is an estimate, the join is at the main body level, so you don't get line-level values. For more information, see [Saved Searches](#).

Limitations on Long Text and Rich Text Search Filters

If you use **contains** filters on Long Text and Rich Text text fields, the matching string is limited to approximately 500 characters. This limit can change depending on the character encoding.

Using Encrypted Fields in Searches

Searches and saved searches let you use custom fields with encrypted values. You can use encrypted fields in search results columns and in search filters, but only with a few operators (**is**, **is not**, **is empty**, **is not empty**). However, you can't use encrypted fields in search formulas, highlighting, summary results, or summary criteria.

SuiteScript doesn't support saved searches with encrypted values. Credit card numbers show up in search results only if you have the View Unencrypted Credit Card Numbers permission.

For more information about credit card number security, see the help topic [Payment Card Number Security and Compliance](#).

Using Expressions in Search Criteria

You can use parentheses in search criteria for advanced and saved searches. When you create expressions, you can set up criteria connected by AND or OR.

For example, you can search for customers who live near your store location in CA by entering **(city is San Francisco AND phone starts with 415) OR (city is Los Angeles AND phone starts with 310) OR (city is San Diego AND phone starts with 619)**.

NetSuite addresses parentheses from inside to outside. For example, in the following expression **(clause1 AND ((clause2 OR clause4) AND (clause5 OR clause6))) OR clause7**, clauses are processed in this order:

1. '(clause2 OR clause4)' and '(clause5 OR clause6)'
2. '((clause2 OR clause4) AND (clause5 OR clause6))'
3. '(clause1 AND ((clause2 OR clause4) AND (clause5 OR clause6)))'
4. '(clause1 AND ((clause2 OR clause4) AND (clause5 OR clause6))) OR clause7'

We can show it on a transaction saved search with these criteria:

```
1 (Type is 'Journal' AND
2 (Account is 'Sales Orders' OR
3 Account is 'Purchase Orders' )) OR
4 Account is 'Estimates'
```

This search shows all transactions with the **Estimates** account (regardless of transaction Type) and all journal transactions with the **Sales Orders** or **Purchase Orders** accounts.

The screenshot shows the 'Criteria' tab of a NetSuite search interface. A message box says 'Use this tab to specify criteria that narrow down your search.' The 'Use Expressions' checkbox is checked. Below it, there's a table with columns: Not, Parens, Filter, Description, Formula, Parens, and And/Or. The 'Filter' column has a dropdown menu. Below the table are buttons for Add, Cancel, Insert, and Remove. At the bottom are buttons for Save, Cancel, Preview, and Actions.

To define search criteria using expressions:

1. On the **Criteria** subtab of an advanced or saved search, check the **Use Expressions** box.
2. To indicate criteria for records or transactions you don't want in your results, check the box in the **Not** column.
3. In the **Parens** column, select an opening parenthesis to begin an expression.
4. In the **Filter** column, select a field from the record or transaction you want to use.
For more information about defining filters, see [Defining Standard Search Filters](#).
5. In the popup window, set your filter criteria and click **Set**.
6. In the **Parens** column you can close the parentheses or leave it blank to add to your expression.

7. In the **And/Or** column:
 - Select **And** to add criteria that records or transactions must also meet to be in your results list. Records or transactions must match all criteria connected by **And**.
 - Select **Or** to add criteria that return records or transactions that match either the first line of criteria or the next one you add. They can match any criteria connected by **Or**.
8. In the **Parens** column, close your parentheses to end an expression.
9. Click **Add** when you've finished a line of criteria.
10. After setting your criteria:
 - If you're doing an advanced search, choose how you want your results to look, then click **Submit**.
 - If you're saving or customizing a search, set up your results and filters, then click **Save**.



Important: If the **Use Expressions** option is enabled for a search, inline editing is disabled in list, dashboard, and sublist views based on that search. If you want inline editing to be available, ensure that the **Use Expressions** box isn't checked for the search that filters view results.

Main Line in Transaction Search Criteria

Main line means the **Primary Information** field group in a transaction, as opposed to the line item data entered on its tabs.

In the example below, ① indicates the transaction's main line data, and ② indicates the transaction's line item data.

Invoice INVC10001 Garrett Garrett, Esq. Garrett's company

Buttons: Authorize Return, Credit, Renew, Manage Revenue Recognition, Actions

☐ Order Approved

Primary Information ①

Invoice # INVC10001
Customer Garrett Garrett, Esq. Garrett's company
Date 1/19/2002
Due Date 2/18/2002
PO #
Sales Channel
Memo
Start Date
End Date
Posting Period Jan 2002
For Invoice Grouping

Summary

Subtotal	100.00
Discount Item	
Tax Total	
Shipping Cost	
Handling Cost	
Gift Certificate	
Total	100.00
Amount Due	0.00

Sales Information

Sales Rep
Opportunity
Sales Effective Date 1/19/2002
Exclude Commissions
Lead Source
Partner

Classification

Industry
Parent Company
Department
Sales
Class
Legal
Source QuickBooks
Last Modified Date 1/20/2000
Location
Washington - Cities
JLZ State
Created Date 1/20/2000
DUNS Number
Exclude from Electronic Bank Payments Processing

Items ②

Project	Item	Back Ordered	Quantity	Units	Inventory Detail	Description	Price Level	Rate	Amount	License Code	Gross Amt	Options	Gift Certificate	Tax Amount	Rev. Rec. Schedule	Rev. Rec. Start Date	Rev. Rec. End Date	VSOE	Processed by Rev Commit	Cost Estimate Type	Est. Extended Cost
	MT Legal Directory		1			Directory of all Attorney's and Judges within the state of Montana.		75.00	75.00		75.00									Custom	
	Writing tablets		5					5.00	25.00		25.00									Custom	

Buttons: Authorize Return, Credit, Renew, Manage Revenue Recognition, Actions

By default, the main line and line item data for each transaction appear on separate rows in the search results. To show main line rows only or line item rows only, use the **Main Line** filter on the **Criteria** subtab.

Note: If the **Results** subtab has the * (main line) filter, the main line rows are marked with *.

Transaction Search: Results

Return To Criteria

Save This Search

Filters

Edit

(none)(1)

Edit	View	Order Type	*	Date	As-Of Date	Period	Tax Period	Type	Document Number	Name	Account	Memo	Amount	Order Approved	TL Custom Customer Field
	View		*	1/19/2002		Jan 2002		Invoice	INVC10001	Garrett Garrett, Esq. Garrett's company	11000 Accounts Receivable		100.00		
	View			1/19/2002		Jan 2002		Invoice	INVC10001		40500 Sales	Directory of all Attorney's and Judges within the State of Montana.	75.00		
	View			1/19/2002		Jan 2002		Invoice	INVC10001		40500 Sales		25.00		
	View			1/19/2002		Jan 2002		Invoice	INVC10001		50000 Cost of Goods Sold	Cost of Sales	5.00		
	View			1/19/2002		Jan 2002		Invoice	INVC10001		12000 Inventory Asset	Cost of Sales	-5.00		
	View		*	2/1/2002		Feb 2002		Invoice	INVC10002	Garrett Garrett, Esq. Garrett's company	11000 Accounts Receivable		1,665.71		
	View			2/1/2002		Feb 2002		Invoice	INVC10002	Garrett Garrett, Esq. Garrett's company	40500 Sales		250.00		

 Warning: The **Main Line** filter doesn't work for transaction searches where the type is set to **Journal Entry**.

The **Account (Main)** field shows the account in results when Main Line is true. For example, **Account (Main)** for an invoice is an accounts receivable account, but the Account for lines on the invoice are specific to the item, billable expense, or billable time.

When Main Line is set to true

When you add the **Main Line** filter on the **Criteria** subtab and set it to **true (Yes)**, search results show one row per transaction and skip line item details.

Transaction Search: Results

Return To Criteria

Save This Search

List

Filters

Edit

☐

(none)(1)

Edit View	Order Type ↑	*	Date	As-Of Date	Period	Tax Period	Type	Document Number	Name	Account	Memo	Amount	Order Approved	TL Custom Customer Field
View		*	1/19/2002		Jan 2002		Invoice	INVC10001	Garrett Garrett, Esq. Garrett's company	11000 Accounts Receivable		100.00		
View		*	2/1/2002		Feb 2002		Invoice	INVC10002	Garrett Garrett, Esq. Garrett's company	11000 Accounts Receivable		1,665.71		
View		*	2/1/2002		Feb 2002		Invoice	INVC10003	Craig Koozer, DOS	11200 Delinquent Accounts	second account receivable	940.63		
View		*	2/1/2002		Feb 2002		Cash Sale	CASH10001	Customer with opening balance	10500 Undeposited Funds		20.00		
Edit View		*	2/1/2002		Feb 2002		Purchase Order	AMS1113-PO	Acme Medical Supply	99100 Purchase Orders		300.00		

When Main Line is set to false

When you add the **Main Line** filter on the **Criteria** subtab and set it to **false (No)**, search results show one row per line item, but these rows may still include some main line data.

Transaction Search: Results

Return To Criteria

Save This Search

Filters

Edit

(none)(1)

Edit View	Order Type	+	Date	As-Of Date	Period	Tax Period	Type	Document Number	Name	Account	Memo	Amount	Order Approved	TL Custom Customer Field
View			1/19/2002		Jan 2002		Invoice	INVC10001		40500 Sales	Directory of all Attorney's and Judges within the state of Montana.	75.00		
View			1/19/2002		Jan 2002		Invoice	INVC10001		40500 Sales		25.00		
View			1/19/2002		Jan 2002		Invoice	INVC10001		50000 Cost of Goods Sold	Cost of Sales	5.00		
View			1/19/2002		Jan 2002		Invoice	INVC10001		12000 Inventory Asset	Cost of Sales	-5.00		
View			2/1/2002		Feb 2002		Invoice	INVC10002	Garrett Garrett, Esq. Garrett's company	40500 Sales		250.00		
View			2/1/2002		Feb 2002		Invoice	INVC10002	Garrett Garrett, Esq. Garrett's company	50000 Cost of Goods Sold	Cost of Sales	50.00		

Summary Search Filters

If you've set summary types for any search results columns, you can add additional filters to the summary results page. For more information about summary types for results fields, see [Defining Summary Types to Roll Up Search Results](#).

Note: For more details about summary types, see [Summary Type Descriptions](#) and [Summary Type Example Screenshots](#).

The summary search results page shows only fields with a summary type. The other results fields are in the detailed view when you click an item on the summary page.

You can apply additional filters only to the fields shown on the summary search results page.

To apply additional filtering to summary search results:

1. On the **Criteria** subtab of the search definition page, click the **Summary** subtab.
To learn more about the search definition page, see [Defining an Advanced Search](#) and [Defining a Saved Search](#).
2. In the **Summary Type** and **Field** columns, choose the options that match the field and summary type you set on the **Results** tab.

 **Warning:** If you use a multi-select related record type or a multi-select field from a related record type to define your summary search filter, your results may show duplicate data. Related record types with join fields that you can use as filters are listed at the end and have ‘...’ after their name, for example, **Account Fields...** There’s currently no workaround for this.

- Click **Set Description**.  next to the field you selected.
- In the popup window, enter a value and search logic (if available) for the field used as a filter, and click **Set**.
- The filter value appears in the **Description** column.

Warning: KPIs can't use summary search filters because KPI calculations don't include groupings. If a saved search used as a custom KPI has summary search filters, the KPI result may be different from the saved search result.

Search Results Display Options

You can set search results display options for advanced searches and saved searches on the **Results** subtab.

On the **Results** subtab, you can:

- Choose which fields to show on the search results page. For details, see [Selecting Fields to Display in Search Results](#).
- Add custom labels for results fields to show instead of field names, and add translations if needed. For details, see [Entering Custom Labels for Search Results Columns](#).
- Set summary types for results fields to calculate values for groups of records. For details, see [Defining Summary Types to Roll Up Search Results](#).
- Set up "when ordered by" fields to maximize another field's value. For details, see [Using When Ordered By Field for Search Results](#).
- Show totals in your search results. For details, see [Showing Totals in Search Results](#).

- Add functions to results fields. For details, see [Applying Functions to Search Results Columns](#).
- Set the sort order for fields and overall formatting. For details, see [Defining Order and Overall Formatting for Search Results](#).

For transaction searches in NetSuite OneWorld accounts with the Multiple Currency feature, you can also select the consolidated exchange rate type. For details, see the help topic [Consolidated Exchange Rate Types for Transaction Searches](#).

Selecting Fields to Display in Search Results

On an advanced or saved search page, you can select which record fields, join fields, and formulas to show in results. For some searches, you also can set values from attached files to display as results columns.

Note: If you add a Multiple Select field to saved search results, there's a 4000 character limit for that field's values.

To add a field from the selected record type to the results:

1. Select the field from the dropdown list and click **Add**. (Fields are in alphabetical order.)
To add multiple fields at the same time, click **Add Multiple** to open a popup window. Select the fields you want (holding down the Ctrl key), then click **Add**. Fields appear in the results in the order you selected them.

Note: In a transaction search, if you add a field with multiple values for a record, that record shows up multiple times in the result. The same happens with link types, even if you don't add the link type field to the results.

Note: For custom transaction body fields, if the Log System Notes on Update Only preference isn't set and you have View access level to a field, the field's default value shows in system notes when you create a transaction search. For more information, see the help topic [Searching System Notes](#).

To define a join field value from a related record type to be shown in results:

1. Select the related record type in the **Field** dropdown list.
2. In the popup window, select the **Join** field from a **Field** dropdown list.
3. Click **Add**.

For a list of related record types with join fields for each record type search, see [Related Records Fields Available for Advanced Searches](#).

To define a formula used to calculate values shown in results:

1. Select a **Formula** option from the Field dropdown list.
2. In the **Formula** column, click **Set Formula** to open a popup window where you can enter a formula expression.

3. Click **Add**.

For more information, see [Formulas in Searches](#).

To select a field from an attached file to be displayed with results:

1. Select **File Fields...** in the **Field** dropdown list.
2. In the popup window, choose a field from the **File Field** dropdown list.
3. Click **Add**.

For more information, see [Searching by File Attachments](#).

Entering Custom Labels for Search Results Columns

By default, a search results column header is the field name or formula type. On the **Results** subtab, you can add more descriptive labels for columns.

To enter a custom label for a field:

1. Click the **Custom Label** column next to a field and enter a name to be shown for it on the results page.
2. Click **OK**.

To add translations for a custom field:

1. Click the **Custom Label Translation** column next to the custom label and add translations in any languages you need.
2. Click **Done**.

Defining Summary Types to Roll Up Search Results

The **Results** subtab for an advanced or saved search has a summary type column where you set how to group data. When you add summary types, your search returns a summary page where you can drill down to each group of results.

- First, set a Group summary type for the field you want to use for grouping. The summary page lists the values for this field. Click a value to drill down into each group.

For example, in a customer search, set a Group summary type for the sales rep field. The summary page shows a list of all sales reps, and you can click one to see their customers.

- After you set a Group, you can add another summary type to see quantities on the summary page:
 - **Count** – Counts results for the field, usually on name or ID fields to see how many records are in each group.
 - **Sum** – Adds up the fields' values.
 - **Minimum** – Shows the lowest amount or the earliest date.
 - **Maximum** – Shows the highest amount or the latest date.

- **Average** – Calculates the average of the fields' values.

For example, in a customer search grouped by sales rep, set a **Count** for the customer name field to show how many customers each sales rep has. Or set a **Sum** on the balance field to show a total balance for each sales rep's customers.

Any field not listed with the same name in search criteria field listing (**Criteria** subtab > **Standard** subtab) won't be available for drilldown when grouped in the **Results** subtab > **Columns** subtab.

Drilldown pages you reach from the summary pages don't include their own subtotals. To add them, check the **Show Totals** box on the **Results** subtab. See [Showing Totals in Search Results](#).

In special cases, you can use a Minimum or Maximum summary type to get a value in one field based on the lowest or highest value in another. In this case, choose this other field as the **When Ordered By Field**. See [Using When Ordered By Field for Search Results](#).

For more information, see [Summary Type Descriptions](#) and [Summary Type Example Screenshots](#).

 **Note:** To use a saved search as a custom KPI for multiple date ranges, you must have only one field with a summary type. For additional requirements on this type of custom KPI, see [Notes on Using Saved Searches as Custom KPIs](#).

Using When Ordered By Field for Search Results

The **When Ordered By** field option gets results for a field when another field is at its lowest or highest value. For example, you can use it to return the:

- amount for the most recent sales order by each customer
- contact for the most recent case filed by a customer
- sales rep for the top transaction by month
- item with the largest transaction per month

The **When Ordered By** field is available when you select Minimum or Maximum for a Summary Type on the **Results** subtab.

Usually, the **When Ordered By** field is a date or a number. Maximum finds the record with the most recent date or largest quantity, and Minimum finds the record with the earliest date or smallest quantity. (All of the examples above use Maximum).

 **Important:** If your **When Ordered By** field has NULL values, these records appear last in results (or first if you use Maximum). To avoid this, don't use Maximum with the **When Ordered By** field set to NULL.

To return the value of a search results field when another value is minimal or maximal:

1. On the **Results** subtab, select the field you want a value for in the **Field** column.
2. In the **Summary Type** column, select Minimum or Maximum, depending on if you want the value from the record where the **When Ordered By** field is lowest or highest.
3. Select the field that you want to minimize or maximize in the record returned.

For example, to get the amount for each customer's most recent transaction, create a Customer search, set **Formula (Date)** as the results field, **Summary Type** to **Maximum**, and **When Ordered By** to **Date Created**.

CriteriaResultsHighlightingAvailable FiltersAudienceRolesEmailAudit TrailExecution LogSearch Title Translation

Use this tab to indicate columns to be included in the search results as well as sort order.

SORT BY

Name

DESCENDING

THEN BY

DESCENDING

THEN BY

DESCENDING

OUTPUT TYPE

Normal

SHOW TOTALS

RUN UNRESTRICTED

MAX RESULTS

DISALLOW DRILL DOWN

MY PREFERRED SEARCH RESULTS

ColumnsDrill Down Fields

Remove all

Add Multiple

FIELD	SUMMARY TYPE	FUNCTION	FORMULA	WHEN ORDERED BY FIELD	CUSTOM LABEL	CUSTOM LABEL TRANSLATION
Formula (Date)	Maximum			Date Created		

OK

Cancel

Insert

Remove

Move Up

Move Down

Move To Top

Move To Bottom

Note: The **When Ordered By** field doesn't support **Long Text** or **Rich Text** fields, so you can't see them in the dropdown list.

When Ordered By in NetSuite works like Oracle's analytic 'keep dense_rank'. For example, if you have these transactions:

Name	Amount	Date
John	123	01/23/2024
Mike	10	05/12/2024
Peter	777	05/12/2024
Peter	777	06/12/2024
John	15	12/12/2024
Mike	-13	05/12/2024
John	456	12/11/2023

If you want to see when the last transaction with the highest amount was created, go to the **Results** tab and add these fields:

Field	Summary Type	When Ordered By
Date	Maximum	Amount

The result is 06/12/2024.

If you want to get the highest amount for each customer's most recent transaction, go to the **Results** tab and add these fields:

Field	Summary Type	When Ordered By
-------	--------------	-----------------

Name	Group	—
Amount	Maximum	Date

The results are shown in the table below:

Name	Amount
John	15
Mike	10
Peter	777

If you want the lowest amount for each customer's earliest transaction, go to the **Results** tab and add these fields:

Field	Summary Type	When Ordered By
Name	Group	—
Amount	Minimum	Date

The results are shown in the table below:

Name	Amount
John	456
Mike	-13
Peter	777

Showing Totals in Search Results

The **Results** subtab for advanced or saved searches has a **Show Totals** box. Check it to add a total line to the results page. This line shows a total for any column with quantities.

Criteria
Results
Highlighting
Available Filters
Audience
Roles
Email
Audit Trail
Execution Log
Search Title Translation

Use this tab to indicate columns to be included in the search results as well as sort order.

Sort By
Name ☐ Descending
Then By
☐ Descending
Then By
☐ Descending

Output Type
Normal
☒ Show Totals
Max Results
☐ Run Unrestricted ☐ Disallow Drill Down
☐ My Preferred Search Results

For example, **Show Totals** was checked for this search:

Custom Customer Search 2: Results				
Return To Criteria				
Edit ☐				
EDIT VIEW	BALANCE	ID ▲	EMAIL	
Edit View	3,878.70	ABC Medical Supplies	astours@mtmedsuppl.net	
Edit View	6,010.61	Abe Simpson	tadkins@netsuite.com	
Edit View	2,505.10	Adelina Shonkwiler	sshonkwiler@SaltLakePed.med	
Edit View	7,710.00	Alberta Lenard		
Edit View	5,000.00	Anonymous Customer		
Edit View	8,387.35	Barney Brooking	bbrooking@mountainsidemed.com	
Edit View	4,842.48	Cesar Petras	cpetras@lasereyecenter.med	
Edit View	3,720.00	Chip Matthews	jwieske@wieske-thomas-ortho.med	
Edit View	615,700.00	Clayton Przybyla		
Edit View	19,381.83	Craig Koozer, DDS	ckoozer@ouch.com	
Edit View	4,502.15	Furman, Sally		
Edit View	7,290.00	Great Falls Emergency Clinic	j.ahmad@gfemergency.med	
Edit View	7,369.99	Hamilton Emergency Clinic	o.ordonez@hamilton.emergency.med	
Edit View	555,348.42	Jebidiah Palm	jpalm@wsoncology.med	
Edit View	11,023.15	Katt Cosmetic Dentistry	rKatt@aol.net	
Edit View	5,474.44	SW Demo Customer GBP		
	1,268,144.22	Total		

If a search also includes a summary type that groups results, the total line also shows on drill-down pages. The summary page always shows the total line, even if **Show Totals** isn't checked.

Custom Customer Search 2: Results				
Return To Criteria				
FILTERS				
State/Province United States - Utah				
Edit ☐				
EDIT VIEW	BALANCE	ID ▲	EMAIL	
Edit View	2,505.10	Adelina Shonkwiler	sshonkwiler@SaltLakePed.med	
Edit View	7,710.00	Alberta Lenard		
	10,215.10	Total		

For information about grouping and summing search results, see [Defining Summary Types to Roll Up Search Results](#).

Applying Functions to Search Results Columns

For each search results column, you can apply a function to change its data into the format you need.

To apply a function to a field's values on the results page:

1. In the **Function** dropdown list for a field, select the function you want to use:

Function	Description	Field Type
% of Total	Calculates the percentage contributed by each record to the sum of all records in the search results.	Numeric
Absolute Value	Returns the absolute value of a number.	Numeric
Age in Days	Calculates the days passed since a date.	Date
Age in Months	Calculates the months passed since a date.	Date
Age in Weeks	Calculates the weeks passed since a date.	Date
Age in Years	Calculates the years passed since a date.	Date
Calendar Week	Returns the first day of the week for a date.	Date
Day	Returns a full date.	Date
Month	Returns the month of a date.	Date
Negate	Returns the value with the opposite sign.	Numeric
Number as Time	Converts the number value to hours and minutes. For example, 15.489 is converted to 15:29.	Numeric
Quarter	Returns the quarter of the year for a date.	Date
Rank	Returns the rank of each row when search results are ordered by column.	Numeric
Round	Rounds the value to the nearest integer.	Numeric
Round to Hundredths	Rounds the value to two decimal places.	Numeric
Round to Tenths	Rounds the value to one decimal place.	Numeric
Week of Year	Returns the week of the year for a date.	Date
Year	Returns the year for a date.	Date

2. Click **Done**.

Defining Order and Overall Formatting for Search Results

On the **Results** subtab, you can set the column order, row sorting, and overall formatting for search results.

To set the order in which fields appear as results page columns:

1. Select a field in the grid, and use **Move Up**, **Move Down**, **Move To Top**, or **Move To Bottom** to reorder it.
2. Click **Done**.

To define primary, secondary, third sort fields for a search's returned records:

1. Select a field in the **Sort By** and **Then By** dropdown lists.

2. Check the **Descending** boxes to sort in reverse order, if needed.

Note: By default, search results are sorted alphabetically according to your NetSuite language settings, but you can switch to U.S. English order. To learn more about the Search Sorting option, see the help topic [General Personal Preferences](#).

Important: Make sure you sort by a field that has the most unique values, or use multiple fields. Sorting by a field with duplicate values can cause the order to change each time the search is run.

To define the format for a search results page:

- Select one of the following options from the **Output Type** dropdown list:
 - **Normal** – shows a list page layout.
 - **Report** – shows results formatted like a report.
 - **Grid** – shows a worksheet format with grid lines.
 - **Graph** – shows search results as bar graph.

Note: The graph option isn't the preferred view option for reports and saved searches anymore. To see your data in a graph, use SuiteAnalytics Workbook chart instead. For more information, see the help topic [Workbook Charts](#).

Overriding User Role Restrictions for Search Results

You can't make saved searches available to users who don't have the required permissions. However, you can lift restrictions on saved search results.

The steps below describe how to make search results available to users even if they're restricted from seeing the underlying records.

Note: You can't give users access to record types they don't have enough permissions for. See the help topic [Permissions and Restrictions](#) for more information about the difference between permissions and restrictions.

To make search results available to users restricted from seeing the underlying records (saved searches only)

1. In the **Results** subtab, check the **Run Unrestricted** box.

This option lets administrators make search results available to users who would normally be restricted from seeing the underlying records. However, users without the correct permissions can't still see the results. See the help topic [Permissions and Restrictions](#) for more information.

For example, an unrestricted saved search on leads could help sales reps identify possible duplicates before adding new leads.

If you enable this option, the **Edit** and **View** columns are blank for users whose roles don't have the required permissions.

2. After you enable **Run Unrestricted**, you can let search viewers drill down into detailed records from summary search results.

Check the **Disallow Drill Down** box to prevent viewers from drilling down into transaction-level data.

For example, an unrestricted search with summary-level results showing sales reps' revenue totals could disallow drill down to keep commission details private.



Important: Run **Unrestricted** and **Disallow Drill Down** override user roles restrictions, but don't override permissions. See the help topic [Permissions and Restrictions](#) for more information about the difference between them.

Displaying the Number of Rows in List Segments

You can select how many rows in list segments are shown in search results. Change the number to fit your preferences.

To change the number of rows in list segments:

1. Go to the Set Preferences page under the **General** tab.
2. Set the number of rows you want to display in the list segment as shown below.

The screenshot shows the 'Set Preferences' page in NetSuite, specifically the 'General' tab. The page is divided into several sections: 'User Profile', 'Defaults', 'Messages', 'Localization', and 'Optimizing NetSuite'. The 'Number of Rows in List Segments' field, located under 'Optimizing NetSuite', is highlighted with a red box and contains the value '50'. Other visible settings include 'Nickname' (nickvarner), 'From Email Address' (nvarner@netsuite.com), 'Signature' (Nicholas Varner), 'Language' (English (U.S.)), 'PDF Language', 'Time Zone' ((GMT+01:00) Belgr...Ljubljana, Prague), 'First Day of Week' (Monday), 'Use Multicurrency Expense Reports' (checked), 'Address Mapping Type' (Google), 'Submit Warnings' (checked), 'Limit CC Field to Contacts & Employees' (unchecked), 'Default Issue Email Notification' (Never), 'Notify Me Upon Issue Assignment' (checked), 'Delay Loading of Sublists' (checked), 'Maximum Entries in Dropdowns' (200), 'Type-Ahead on List Fields' (checked), and 'Require Exact Match on Item Type-Ahead' (unchecked).

3. Click **Save**.

Defining a Maximum Number of Search Results

To set the maximum number of results a search can show, enter a number for the maximum records to display in the **Max Results** field.

If you set a **Max Results** limit and your search exceeds it, a "more..." note displays after the last row.

Defining the Drill Down Fields

The **Drill Down Fields** sublist is available on the **Results** subtab if you have the Presentation Categories permission, a Lists type permission. You don't have to be an administrator.

To define fields displayed when users drill down on search records (saved searches only):

1. Click the **Drill Down Fields** sublist.
2. Select a field from the dropdown list, enter a custom label if needed, and click **Add**.
3. Repeat step 2 as needed.
4. Use **Move Up**, **Move Down**, **Move To Top**, or **Move To Bottom** as needed.

Related Records Fields Available for Advanced Searches

Some record types let you set filters and show result columns based on join field values in related records when you use advanced and saved searches. This feature makes your searches more powerful. For example, you can use this capability to search for customers according to the dates of their order transactions, or to search for deposit transactions based on their related account numbers. The table below shows which related record types have join fields you can use for advanced search filtering, organized by record type. You can also find this information in the **Filter** dropdown list on the **Criteria** subtab of any advanced search page. In most cases, you can also see these join fields as results columns, listed in field dropdown lists on the **Results** subtab.

Note: You may not have access to all of the record type searches or related record types listed in the table. The record types you see depend on your role, permissions, and search access. See [Permissions for Searches](#).

Advanced Search Record Type	Related Record Types with Join Fields
Account	System Notes User Workflow
Accounting Book	System Notes Workflow
Accounting Period	System Notes User User Notes Workflow
Activity	Case Company Contact File Opportunity Originating Lead System Notes Transaction User User Notes Workflow Workflow History
Amortization Schedules	Applied To Transaction Item Journal Transaction User Vendor

Advanced Search Record Type	Related Record Types with Join Fields
Analytical Impact	Analytical Impact Event Customer Item Related Records Source Currency System Notes Workflow
Analytics Audit Trail	Author Report Role Saved Search Search Schedule User
Automatic Location Assignment Configuration	Rule System Notes
Billing Account	Bill To Ship To Subscription
Billing Class	Billing Class Rate Units Type User Workflow
Billing Rate Card	Billing Class Customer Default Billing Rate Card Customer Time-Based Charge Rule
Billing Schedule	Workflow
Bill of Materials	Assembly Item Revision Transaction
Bill of Materials Revision	Bill of Materials Component Transaction
Bins	User Workflow
Bonus	Workflow
Bonus Type	Workflow
Budget	User
Business Events Processing	Business Events Detail
Budget Exchange Rates	From Subsidiary Period To Subsidiary User Workflow
Campaign	Campaign Recipient

Advanced Search Record Type	Related Record Types with Join Fields
	- File - Messages - Originating Lead - Promotion - System Notes - Transaction - User - User Notes - Workflow - Workflow History
Case	- Activity - Company - Contact - Customer - Employee - File - Issue - Item - Messages - System Notes - Time - Transaction - User - User Notes - Workflow - Workflow History
Charge	- Billing Schedule - Customer - Employee - Invoice - Item - Project - Sales Order - System Notes - Time - Transaction - User
Charge Rule	- Units Type - User
Class	- System Notes - User - Workflow
Company	- Activity - Address - Billing Address - Campaign Response Count - Campaign Response - Contact - File - Messages - Messages From - Messages To - Rates - Shipping Address - Subscription Message History

Advanced Search Record Type	Related Record Types with Join Fields
	- System Notes - Tax Registration - Transaction - User - User Notes - Workflow - Workflow History
Competitor	- Opportunity - User - Workflow
Consolidated Exchange Rates	- From Subsidiary - Period - To Subsidiary - User - Workflow
Contact	- Address - Billing Address - Call - Campaign Response Count - Campaign Response - Campaign Source - Case - Company (Primary) - Company - Customer (Primary) - Customer - Event - File - Item Purchased (Upsell) - Messages - Messages From - Messages To - Opportunity - Parent - Parent Customer - Parent Partner - Parent Project - Parent Vendor - Partner (Primary) - Partner - Project (Primary) - Project - Rates - Shipping Address - Subscription Message History - System Notes - Task - Tax Registration - Transaction - Upsell Item - User - User Notes - Vendor (Primary) - Vendor - Workflow - Workflow History

Advanced Search Record Type	Related Record Types with Join Fields
Cost Category	Account Transaction
Coupon Code	User
Custom GL Lines Plug-in Audit Log	Plug-in Revision
Customer	ACT History Activity Address Billing Address Billing Rate Card Billing Schedule Call Campaign Response Count Campaign Response Case Contact (Primary) Contact Customer Currency Balance Event File First Site Visit Hosted Page Item Purchased (Upsell) Lead Source Login Audit Trail Messages Messages From Messages To Online Case Form Online Lead Form Opportunity Originating Lead Parent Customer Partner Payment Instrument Pricing Project Rates Resource Allocation Sales Rep Shipping Address Shopping Cart Sub Customer Subscription Message History Subsidiary System Notes Task Tax Registration Time Top Level Parent Transaction Upsell Item User User Notes Web Site Category Web Site Information Item Web Site Item Workflow

Advanced Search Record Type	Related Record Types with Join Fields
	Workflow History
Deleted Record	User
Department	System Notes User Workflow
Document	Shopper System Notes User
Email Template	Workflow
Employee	Address Billing Address Bonus Campaign Response Count Campaign Response Charge Department Driver's License File Imported Employee Expense Jobs Location Login Audit Trail Manage Project Manage Project Template Messages Messages From Messages To Other Government-Issued ID Passport Rates Resource Group Resource Allocation Role Shipping Address Subscription Message History Subsidiary System Notes Tax Registration Time Time-Off Plan Transaction Unlocked Time Period User User Notes Weekly Time Tracking Workflow Workflow History
Employee Expense Source Type	Workflow
Employee Case	File Interaction Messages Owner System Notes User

Advanced Search Record Type	Related Record Types with Join Fields
	User Notes Workflow Workflow History
Employee Change Request	Employee Change Request Change Type Employee Change Request Employee Employee Change Request Next Approver Employee Change Request Requester
Employee Payroll Item	Employee Payroll Item
Employee Status	Workflow
Employee Type	Workflow
Entity	Address Billing Address Campaign Response Count Campaign Response File Messages Messages From Messages To Rates Shipping Address Subscription Message History Subsidiary System Notes Tax Registration Transaction User User Notes Workflow Workflow History
Event	Attendee (Contact) Attendee (Customer) Attendee Case File Opportunity Originating Lead System Notes Time Transaction User User Notes Workflow Workflow History
Expense Report Policy	Customer Department Expense Category Location Subsidiary
First Site Visit	Shopper User

Advanced Search Record Type	Related Record Types with Join Fields
Folder	File User
Fulfillment Exception Reasons	System Notes
Generic Resource	Workflow
Gift Certificates	User
Global Account Mapping	Accounting Book Class Department Destination Account Location Source Account Subsidiary System Notes
Global Inventory Relationship	Inventory Location Inventory Subsidiary Ongoing Subsidiary Originating Subsidiary
Group	Group Member User
Imported Employee Expense	Card Currency Currency Employee Expense Category Expense Detail Source Type Workflow
Inbound Shipment	Inbound Shipment Item Item Item Receipt Purchase Order Vendor
Information Item	Shopper User
Installment	Transaction
Interaction	File Messages Owner System Notes User User Notes Workflow Workflow History
Inventory and Bin Numbers	Bin Number Inventory Number Location User
Inventory Balance	Bin Number

Advanced Search Record Type	Related Record Types with Join Fields
	- Inventory Number - Inventory Status - Item - Location
Inventory Cost Template	Item
Inventory Detail	- Bin Number - Item - Inventory Number - Line - Location - Transaction - User
Inventory Numbers	- Item - User
Invoice Group	- Transaction - Workflow
Issue	- Case - Employee - File - Product Team - System Notes - User - User Notes - Version Broken - Version Fixed - Version Target - Workflow - Workflow History
Item	- Accounting Book Rev. Rec. Template - Assembly Item Bill of Materials - Billing Rate - Bin Number - Bin On Hand - Correlated Item - Effective Revision - File - Hierarchy Node - Hierarchy Version - Inventory Detail - Inventory Location - Inventory Number - Inventory Number/Bin On Hand - Item Collection - Member Item - Obsolete Revision - Parent - Preferred Location - Preferred Vendor - Price Update Logs - Pricing - Project Template - Shopper - System Notes - Transaction

Advanced Search Record Type	Related Record Types with Join Fields
	User User Notes Vendor Workflow Workflow History
Item Account Mapping	Accounting Book Class Department Destination Account Location Source Account Subsidiary System Notes
Item Collection	Item Workflow
Item Demand Plan	Item Last Alternate Source Item Location User
Item Process Family	System Notes Workflow
Item Process Group	System Notes Workflow
Item Supply Plan	Item Location Planning Action Message User
Job	Employee System Notes
Job Requisition	Approved By Hiring Manager Recruiter
Location	Address Location Costing Group Return Address System Notes User
Location Costing Group	Location
Login Audit Trail	Customer Employee Partner Role User Vendor
Login Restrictions	User
Manufacturing Cost Template	Item User

Advanced Search Record Type	Related Record Types with Join Fields
Manufacturing Operation Task	Predecessor User Work Order
Manufacturing Planned Time	Manufacturing Work Center Operation Task
Manufacturing Routing	Item Location Manufacturing Cost Template Manufacturing Work Center User
Memorized Transaction	Transaction User
Merchandise Hierarchy Node	Hierarchy Level Hierarchy Parent Node Hierarchy Version
Merchandise Hierarchy Version	Hierarchy Level
Message	Attachments Author Campaign Case Contact Customer Employee Entity Opportunity Originating Lead Partner Recipient Transaction User Vendor
Multi-Book Accounting Transaction	Account Amortization Schedule Rev Rec Schedule Rev Rec Template Transaction
News Item	Restricted to Locations
Nexus	User
Online Case Form	Shopper User
Online Lead Form	Shopper User
Opportunity	Activity Actual Call Competitor (Winner) Competitor Contact (Primary)

Advanced Search Record Type	Related Record Types with Join Fields
	- Contact - Customer - Decision Maker - Estimate - Event - File - Item - Lead Source - Messages - Order - Originating Lead - Partner - Sales Rep - System Notes - Task - User - User Notes - Workflow - Workflow History
Order Allocation Strategy	System Notes
Partner	- Address - Billing Address - Campaign Response Count - Campaign Response - Contact (Primary) - Contact - Customer - File - Login Audit Trail - Messages - Messages From - Messages To - Opportunity - Rates - Shipping Address - Subscription Message History - System Notes - Tax Registration - Transaction - User - User Notes - Workflow - Workflow History
Paycheck	- Employee - Payroll Batch - Payroll Item
Payment Event	Transaction
Payment Instrument	- Customer - Transaction
Payment Option	Transaction
Payroll Batch	- Account - User - Workflow

Advanced Search Record Type	Related Record Types with Join Fields
Payroll Item	Workflow
Phone Call	Case Company (Customer) Company Contact Employee File Opportunity Originating Lead Participant System Notes Transaction User User Notes Workflow Workflow History
Pick Strategy	System Notes Workflow
Pick Task	Bin Number Inventory Detail Item Item Location Configuration Location System Notes Transaction User Workflow
Planned Order	Item Workflow
Planned Standard Cost	Component Item Item Location Standard Cost Version User
Planning Engine Cycle	Child Item Child Item Location Configuration Child Location Child Planning Item Location Firm Planned Transfer Order Parent Item Parent Item Location Configuration Parent Location Parent Planning Item Location Planning Repository Bill of Materials Planning Rule Group Scheduled Receipt Supply Plan Definition
Planning Engine Message	Inbound Shipments Item Item Location Configuration Planned Order Planning Repository Item Location Location

Advanced Search Record Type	Related Record Types with Join Fields
	Supply Change Order Planning Supply Change Order Transaction
Planning Engine Pegging	Planned Order Planned Order Supply Result Planning Process Demand Result Planning Process Supply Result
Planning Engine Result	Item Inbound Shipment Item Demand Plan Location Planned Order Planning Repository Item Location Transaction
Planning Item Category	Workflow
Planning Item Group	Planning Item Group Line Workflow
Planning Repository Allocation	Demand Transaction Item Item Location Configuration Location Supply Inbound Shipment Supply Transaction
Planning Repository Bill of Materials	Assembly Item Assembly Location Assembly Item Location Configuration Component Item Component Item Location Configuration Component Location
Planning Repository Item Location Properties	Item Item Location Configuration Location Planning Item Category
Planning Repository Source	Item Item Location Configuration Location Source Inbound Shipment Source Item Demand Plan Source Transaction
Planning Rule Group	Planning Rule Group Line Workflow
Planning Workbench View	Planning View Filter Planning View Subsidiary Workflow
Price Book	Price Plan Subscription Plan
Price Detail Update	Planning View Subsidiary File

Advanced Search Record Type	Related Record Types with Join Fields
	- Messages - Owner - System Notes - User - User Notes - Workflow - Workflow History
Price Plan	- Charge - Subscription - Subscription Line
Price Update	- File - Messages - Owner - Price Detail Update - Price Update Error Messages - Price Update Logs - System Notes - User - User Notes - Workflow - Workflow History
Pricing	- Customer - Item - User
Project	- Address - Baseline Budget - Billing Address - Billing Milestone - Billing Schedule - Campaign Response Count - Campaign Response - Contact (Primary) - Customer - EAC Budget - File - Messages - Messages From - Messages To - Project Manager - Project Resource - Project Task - Rates - Resource Allocation - Shipping Address - Subscription Message History - System Notes - Task - Tax Registration - Time - Transaction - User - User Notes - Work Breakdown Structure - Workflow - Workflow History

Advanced Search Record Type	Related Record Types with Join Fields
Project Expense Type	User
Project Intercompany Charge Request	Project Project Task Workflow
Project Resource	Employee Generic Resource Time User Vendor Work Calendar
Project Task	Predecessor Project Project Task Assignment Project Task Budget Project Template Resource Allocation Successor System Notes Time Transaction User User Notes Workflow Workflow History
Project Task and CRM Task	Employee Project Project Task Task User
Project Task Manager Criteria	File Messages Owner System Notes User User Notes Workflow Workflow History
Project Task Manager Search	File Messages Owner Project Task Manager Criteria System Notes User User Notes Workflow Workflow History
Project Template	Address Billing Address Campaign Response Count Campaign Response File Generic Resource Item

Advanced Search Record Type	Related Record Types with Join Fields
	- Messages - Messages From - Messages To - Project Manager - Project Task - Rates - Resource Allocation - Shipping Address - Subscription Message History - System Notes - Tax Registration - Transaction - User - User Notes - Workflow - Workflow History
Promotion	- User - Workflow
Quota	User
Report	User
Resource Allocation	- Customer - Project - Project Task - Project Template - Requested By - Resource - Employee - Resource - Generic - Resource - Vendor - Resource - System Notes - User - Workflow
Resource Group	- Group Member - Workflow
Revenue Recognition Schedules	- Applied To Transaction - Customer - Item - Journal - Transaction - User
Revenue Recognition Templates	- Project - User
Role	- Login Audit Trail - User
Sales Campaign	- Campaign Recipient - File - Messages - Originating Lead - Promotion - System Notes - Transaction - User

Advanced Search Record Type	Related Record Types with Join Fields
	User Notes Workflow Workflow History
Sales Channel	Transaction Workflow
Saved Search	Bundle Owner Search Schedule User
Scheduled Script Instance	Script Deployment Script
Script	Execution Log System Notes User
Script Deployment	Execution Log Script System Notes User
Server Script Log	Script Deployment Script User
Shipment Package	Item Fulfillment
Shopping Cart	Item Shopper User
(SOAP) Web Services Operations	SOAP Web Services Record Processing
(SOAP) Web Services Record Processing	SOAP Web Services Operations
Solution	Case Related Solution System Notes Topic User User Notes Workflow
Standard Cost Version	Location User
Subscription	Billing Account Charge Customer Default Renewal Term Initial Term Subscription Plan System Notes Transaction (Subscription Change Order) (Subscription) Line
Subscription Change Order	Customer

Advanced Search Record Type	Related Record Types with Join Fields
	- Default Renewal Term - Initial Term - Renewal Term - Subscription - Subscription Plan - Subscription Notes
Subscription Line	- Charge - Included Quantity Multiplier Line - Item - Price Plan - Subscription - System Notes - Transaction
Subsidiary (OneWorld only)	- Address - Default Advance to Apply Account - Fiscal Calendar - Return Address - Shipping Address - System Notes - Tax Fiscal Calendar - User
Supply Chain Snapshot	Item
Supply Chain Snapshot Details	- Entity - Item - Location - Owner - Subsidiary - Transaction
Supply Change Order	- Item - Location - Source Location - Supply Plan Definition - Transaction - Workflow
Supply Plan Definition	- Supply Plan Definition Scope - Workflow
System Note	- Role - User
Task	- Assignee - Case - Company (Customer) - Company - Contact - Employee - File - Opportunity - Originating Lead - Project - System Notes - Time - Transaction - User

Advanced Search Record Type	Related Record Types with Join Fields
	User Notes Workflow Workflow History
Tax Code	Tax Type User Workflow
Tax Group	User
Tax Type	User Workflow
Termination Reason	System Notes
Time	Activity Billing Class Case Charge Class Customer Department Employee Event Generic Resource Item Journal Location Phone Call Project Project Task Project Task Assignment Resource Allocation Task Time Off Request Detail Time Off Type User Vendor Weekly Timesheet Workflow
Time-Off Change	Employee Time Bill
Time-Off Request	Approver Time-Off Request Details Time-Off Request Employee
Time-Off Type	Payroll Item
Timesheet	Employee Time Workflow
Topic	Solution User
Trace Preference	File Messages Owner System Notes

Advanced Search Record Type	Related Record Types with Join Fields
	Trace-Grid User User Notes Workflow Workflow History
Transaction	Account Accounting Period Activity Advance to Apply Account Allocated Demand Allocated Supply Amortization Schedule Applied To Transaction Applying Transaction Assembly Batch Transaction Information Bill of Materials Bill of Materials Revision Billing Address Billing Transaction Bin Number Business Event Processing COGS Purchase COGS Sale Call Case Class Contact (Primary) Created From Currency Customer (Main Line) Customer/Project Department Deposit/Refund Transaction Employee Event Expense Category Expense Detail File File (Line) From Location Fulfilling/Receiving Transaction Installment Installment On Sales Order Inventory Detail Item Item Location Configuration Item Number Item Pricing Lead Source Line System Notes Location Manufacturing Operation Task Manufacturing Planned Time Memorized Messages Multi-Book Accounting Transaction Next Approver Opportunity

Advanced Search Record Type	Related Record Types with Join Fields
	Order Allocation Strategy Order Schedule Outsourcing Vendor Paid Transaction Partner Paying Transaction Payment Event Payment Instrument Payment Option Payroll Batch Payroll Item Posted Time Project Project (Main Line) Project Task Project Task Budget Purchase Order Realized Gain Posting Transaction Requestor Rev Rec Schedule Rev Rec Template Revenue Committing Transaction Revision Route Shipment Record Sales Order of Deposit Sales Rep Shipment Package Shipping Address Shipping Partner Package Subsidiary System Notes Task Tax Code Tax Detail Tax Item To Location User User Notes Vendor Vendor (Line) Workflow Workflow History
Transaction Numbering Audit Log	Author Deleted By Location Subsidiary Transaction Header Transaction Line User
Two-Factor Tokens	User
Units Type	Billing Class Time Based Charge Rule User Workflow
Usage	Charge Customer

Advanced Search Record Type	Related Record Types with Join Fields
	- Item - Subscription - Subscription Line - Subscription Plan
User Note	- Activity - Author - Call - Campaign - Case - Contact - Customer - Employee - Entity - Event - Issue - Item - Opportunity - Originating Lead - Partner - Solution - Task - Transaction - User - Vendor - Workflow
Vendor	- Address - Billing Address - Campaign Response Count - Campaign Response - Contact (Primary) - Contact - Expense Account - File - Login Audit Trail - Manufacturing Location - Messages - Messages From - Messages To - Payable Account - Rates - Shipping Address - Subscription Message History - Subsidiary - System Notes - Tax Registration - Time Approver - Transaction - Transaction (Vendor reverse) - Unlocked Time Period - User - User Notes - Vendor Currency Balance - Workflow - Workflow History
Vendor-Subsidiary Relationship	- Subsidiary - Vendor

Advanced Search Record Type	Related Record Types with Join Fields
Work Breakdown Structure	Created By Item Last Modified Lines Project Project Task Vendor Workflow
Work Calendar	User
Workflow	System Notes User
Workflow Instance	Activity Availability Calendar Call Campaign Case Contact Customer Employee Entity Issue Item Opportunity Partner Payment File Administration Project Task Task Trace Preferences Transaction User Vendor Workflow History
Workplace	Address User Workflow

Searching by File Attachments

Advanced and saved searches can use criteria and results based on files attached to records. You can use file field values as filters in your search criteria, and add fields stored for the attached file, including file names, as columns in your search results.

To define a field from an attached file (such as the file's name) as a search filter:

1. On the Search page's **Criteria** subtab, select File Fields... in the **Filter** dropdown list.
2. In the popup window that appears, select a field from the **File Filter** dropdown list.
3. Click the **Set Options** button and in the popup window, enter or select a value for the filter field, and click Set.

To select a field from an attached file to be displayed as a results column:

1. On the Search page's **Results** subtab select File Fields... in the **Field** dropdown list.
2. In the popup window that appears, select a field from the **File Field** dropdown list.

Searching by file attachments is available for these types of searches:

- Activity
- Campaign
- Case
- Contact
- Custom Record
- Customer
- Employee
- Entity
- Event
- Issue
- Project
- Opportunity
- Partner
- Phone Call
- Task
- Transaction
- Vendor

Summary Types for Search Results

The **Results** subtab has several summary tools you can use to organize and show your search results. The **Group** summary type is the most widely used, as it rolls up results. For any other summary type to work, you need to set a Group to roll up the summary results page. You can use **Results** summary types in advanced and saved searches. In saved searches, you can also filter and to highlight based on summary values.



Note: Previously, search results were grouped by time stamp, so it wasn't possible to display a single day's results in one group, unless all occurred at the exact same time. To group search results by date, define a Group summary type for a date field on a search page Results subtab.

For details about summary types, see the following:

- [Summary Type Descriptions](#)
- [Summary Type Example Screenshots](#)

Summary Type Descriptions

The table below shows each summary tool you can use for search results, with examples from a sales order transaction search.


Summary Type	Purpose	Example for Sales Order Transaction Search
Group	Rolls up search results by the field to which you apply this type.	You can group transactions by customer name.
 Note: Some fields contain values that can't be grouped together. The Group summary type isn't available for these fields.		
Count	Counts the number of results found that apply to this column.	You can count the number of items purchased by each customer.
Sum	Sums search results for the column.	You can sum the dollar amount of sales orders for each customer.
Minimum	Displays the minimum amount, or the earliest date value.	You can show the minimum amount sold in a transaction for each customer.
Maximum	Displays the maximum amount, or the most recent date value.	You can show the maximum amount sold in a transaction for each customer.
Average	Calculates the average amount found for the column.	You can show the average amount sold in a transaction for each customer.

Summary Type Example Screenshots

The sections below guide you through setting up criteria and results, including summary types, for a sales order transaction search. Screenshots show the definitions and results pages for each summary type.

To create a search and define search criteria:

1. Go to Reports > Saved Searches > All Saved Searches > New and select **Transaction**.
2. Select **Type** from the **Filter** field and Sales Order in the popup window. Then click **Set**.
3. Select Main Line from the **Filter** field and No in the popup window. Then click **Set**.



Standard	Summary
Filter *	Description *
Type	is Sales Order
Main Line	is false
Add Cancel Insert Remove	

To define a Group summary type:

1. Click the **Results** subtab and add the following fields: **Amount, Name, Date**.
2. Select Group from the Summary Type dropdown list for Name, to group transactions by Customer.

Columns •		Drill Down Fields •	
Remove all		Add Multiple	
Field *		Summary Type	
Amount			
Name		Group	
Date	▼		

3. Click the **Preview** button. The first level of results lists customers.

 Custom Transaction Search 3: Results	
Return To Criteria	
    	
NAME ▲	
- None -	
10 Silingrova, Jana	
2 Acme Inc.	
3 ABC Co.	
4 Widgets Inc.	
5 Widgets Inc.	
6 Computers Inc.	
7 Great Falls Emergency Clinic : Project 1	
8 Queen Industries	
A Company 4OL	
AAA Top Level - USD	
AAA Top Level - USD : AAA Sub - GBP	
Aaron Rosewall-Godley	
ABC Medical Supplies	
ABC Medical Supplies : ABC Office Expansion	
ABC Medical Supplies : FBM Project	
ABC Medical Supplies : Office Expansion Project Template	
Abdullah Bhupathiraju	

4. Click a customer name to drill down into a list of transactions for that customer.

Custom Transaction Search 3: ABC Medical Supplies Results

[Return To Summary](#)





 Edit ☐

EDIT VIEW	AMOUNT	NAME	DATE ▲	TAX PERIOD	TYPE
Edit View	80.36	ABC Medical Supplies : Office Expansion Project Template	10/22/2007		Sales Order
Edit View	4.02	Idaho State Tax Commission	10/22/2007		Sales Order
Edit View	50.00	ABC Medical Supplies	5/1/2008		Sales Order

To define a Sum summary type:

1. Click **Return to Summary**, then click **Return to Criteria**.
2. Click the **Results** subtab and select Sum from the Summary Type dropdown list for Amount.

Columns • **Drill Down Fields •**

[Remove All](#)
[Add Multiple](#)

FIELD *	SUMMARY TYPE
Amount	Sum
Name	Group
Date	

3. Click **Preview**. The results page shows the total amount of transactions for each customer.

 **Custom Transaction Search 3: Results**

[Return To Criteria](#)

SUM OF AMOUNT	NAME ▲
-24.00	- None -
249.37	10 Silingrova, Jana
5,695.50	2 Acme Inc.
166.50	3 ABC Co.
33.00	4 Widgets Inc.
545.00	5 Widgets Inc.
666.00	6 Computers Inc.
14,000.00	7 Great Falls Emergency Clinic : Project 1
1,558.36	8 Queen Industries
330.00	A Company 4OL
240.00	AAA Top Level - USD
360.00	AAA Top Level - USD : AAA Sub - GBP

To define a Count summary type:

1. Click **Return to Criteria**.
2. Click the **Results** subtab, add the Item field, and select Count from the Summary Type for Item. Also, remove the Sum from Amount, by selecting a blank from the Summary Type dropdown list.

Columns •		Drill Down Fields •	
Remove all		Add Multiple	
Field *		Summary Type	
Item		Count	
Amount			
Name		Group	
Date			

3. Click **Preview**. The results page shows how many items were sold for each customer.

Custom Transaction Search 3: Results

[Return To Criteria](#)






COUNT OF ITEM	NAME ▲
5	- None -
1	10 Silingrova, Jana
7	2 Acme Inc.
1	3 ABC Co.
1	4 Widgets Inc.
1	5 Widgets Inc.
1	6 Computers Inc.
1	7 Great Falls Emergency Clinic : Project 1
4	8 Queen Industries
4	A Company 4OL
2	AAA Top Level - USD
1	AAA Top Level - USD : AAA Sub - GBP
11	Aaron Rosewall-Godley
11	ABC Medical Supplies

4. Click a customer to drill down to a list of transactions and items.

Custom Transaction Search 3: ABC Medical Supplies Results

[Return To Summary](#)





 Edit ☐ ☒

EDIT VIEW	ITEM	AMOUNT	NAME	DATE ▲
Edit View	A2 Cable	80.36	ABC Medical Supplies : Office Expansion Project Template	10/22/2007
Edit View	Idaho	4.02	Idaho State Tax Commission	10/22/2007
Edit View	Test Kit/Package Item w/bins	50.00	ABC Medical Supplies	5/1/2008
Edit View	Idaho	2.50	Idaho State Tax Commission	5/1/2008
Edit View	Furniture Delivery and Installation	7,000.00	ABC Medical Supplies : ABC Office Expansion	10/3/2008

To define a Minimum summary type:

1. Click **Return to Summary**, then click **Return to Criteria**.

- Click the **Results** subtab, remove the **Item** field, and select **Minimum** from the Summary Type dropdown list for **Amount**.

Columns • Drill Down Fields •	
Remove All Add Multiple	
FIELD *	SUMMARY TYPE
Amount	Minimum
Name	Group
Date	

- Click **Preview**. The results page shows the minimum transaction amount for each customer.

Custom Transaction Search 3: Results	
Return To Criteria	
MINIMUM OF AMOUNT	NAME A
-7.00	- None -
249.37	10 Silingrova, Jana
-7.00	2 Acme Inc.
166.50	3 ABC Co.
33.00	4 Widgets Inc.
545.00	5 Widgets Inc.
666.00	6 Computers Inc.
7,000.00	7 Great Falls Emergency Clinic : Project 1
0.00	8 Queen Industries
0.00	A Company 4OL
60.00	AAA Top Level - USD
180.00	AAA Top Level - USD : AAA Sub - GBP
-9.00	Aaron Rosewall-Godley
0.00	ABC Medical Supplies

To define a Maximum summary type:

- Click **Return to Criteria**.
- Click the **Results** subtab, and select **Maximum** from the Summary Type dropdown list for **Amount**.

Columns • Drill Down Fields •	
Remove All Add Multiple	
FIELD *	SUMMARY TYPE
Amount	Maximum
Name	Group
Date	

- Click **Preview**. The results page shows the maximum transaction amount for each customer.

Custom Transaction Search 3: Results	
Return To Criteria	
    	
MAXIMUM OF AMOUNT	NAME ▲
0.00	- None -
249.37	10 Silingrova, Jana
2,265.00	2 Acme Inc.
166.50	3 ABC Co.
33.00	4 Widgets Inc.
545.00	5 Widgets Inc.
666.00	6 Computers Inc.
7,000.00	7 Great Falls Emergency Clinic : Project 1
1,240.00	8 Queen Industries
130.00	A Company 4OL
180.00	AAA Top Level - USD
180.00	AAA Top Level - USD : AAA Sub - GBP
3,692.00	Aaron Rosewall-Godley
5,500.00	ABC Medical Supplies

To define an Average summary type:

- Click **Return to Criteria**.
- Click the **Results** subtab, and select **Average** from the Summary Type dropdown list for **Amount**.

Columns • Drill Down Fields •	
Remove All Add Multiple	
FIELD *	SUMMARY TYPE
Amount	Average
Name	Group
Date	

- Click **Preview**. The results page shows the average transaction amount for each customer.

Custom Transaction Search 3: Results	
Return To Criteria	
   	
AVERAGE OF AMOUNT	NAME ▲
-0.30	- None -
249.37	10 Silingrova, Jana
813.64	2 Acme Inc.
166.50	3 ABC Co.
33.00	4 Widgets Inc.
545.00	5 Widgets Inc.
666.00	6 Computers Inc.
7,000.00	7 Great Falls Emergency Clinic : Project 1
389.59	8 Queen Industries
82.50	A Company 4OL
120.00	AAA Top Level - USD
180.00	AAA Top Level - USD : AAA Sub - GBP
354.92	Aaron Rosewall-Godley
1,422.25	ABC Medical Supplies
7,000.00	ABC Medical Supplies : ABC Office Expansion
100.00	ABC Medical Supplies : FBM Project

Exporting Search Results

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

You can export most NetSuite search results as files that you can open in external applications. (Popup searches and their results pages don't have the Export option.)

- On most search pages, click **Export** to save your search results to a .csv file instead of displaying them in a NetSuite page. The **Export** button also lets you export data only.
- From most search and saved search results pages:
 - Click **Export - CSV** to export results to a CSV file.
 - Click **Export - PDF** to export results to a PDF file.
 - Click **Export - Microsoft® Excel** to export results to an XLS file.



Note: If your account administrator enabled the Export to Tableau® Workbooks feature for your account and assigned you the Tableau Workbooks Export permission, your search results page will also contain the Export to Tableau Workbook icon . For more information, see the help topics [Enabling Features](#) and [Permissions for Searches](#).

For CSV or XLS files, you can save the file or open it right away in Microsoft® Excel. For PDF files, they open immediately.

You can keep the relational aspects of your data by adding the Internal ID as a results column in the search to be exported.

Exported search results can help to connect NetSuite tasks with tasks in different applications. For example, if you use cash sales without Advanced Shipping and ship your items to customers through UPS, you can use the search export function to transfer shipping information from NetSuite to UPS WorldShip®. You can:

- Create a transaction search to find all cash sales with UPS shipping items within a certain date range.
- On the **Results** subtab, select the information you want exported and in what order.
- Click **Submit**, and on the results page, click **Export**.
- You can then open the .csv file in UPS WorldShip®.

If you don't see an Export button on your search results, your account administrator may not have given you the Export Lists and Perform Search permissions. You need these permissions for exporting search results. See [Permissions for Searches](#).

If your search takes a long time to run and you want to export results to a CSV file, try persisting search results. For more information, see [Persisting Search Results](#).

Exports of each saved search are recorded in its execution log. This log is available to users with at least Create level of the Publish Search permission. See [Audit Trail for Saved Searches, Reports and Schedules](#).

Warning: Users can export all address search result fields on the customer record to Excel or CSV, including the following fields: addressee, address (returns the entire address string), address1, address2, city, state, zip code, and country.

Each export format has advantages and limitations. Get to know these limitations before selecting a format, since the wrong choice can affect data accuracy and report readability. For details on all export formats and their limitation see the help topic [Comparing Export Formats](#).

Known Excel Limitations when Exporting Search Results

Be aware of the following limitations when exporting search results to Excel:

- **Values with more than 16 digits** – When you open a CSV file directly in Excel, it treats long numbers as numeric values and displays them in scientific notation. If the number has more than 16 digits, Excel loses precision and cuts off digits past the 16th. Even if you use apostrophes or double quotes, Excel still treats the value as a number unless you apply additional formatting. This default treatment is called the "General" format.

To prevent this, always open CSV files using Excel's Text Import Wizard. In the last step, set the column format to "Text" or use another Office suite like LibreOffice, which always shows the import wizard for CSV files.

- **Item Detailed Description length** – When you export item Detailed Description fields, the exported Excel file limits each field to 1,300 characters.
- **Discrepancies between report links results and exported results** – If you open a report with period selectors from the Report Links portlet and change the period before running or exporting it, the exported results might not include the new periods you selected. To avoid this issue, adjust the period and export without running the report, or use an advanced search to run and export the report. For more information, see [Defining an Advanced Search](#).

Emailing Search Results

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Most search results pages have an **Email** button that you can use to send results in the body of an email to any employee, vendor, customer, or partner in your account. Popup search pages don't have this button.

If you don't see an **Email** button on your results page, your account administrator may not have given you the Full level for the Perform Search permission. You need this level for emailing search results. See [Permissions for Searches](#).

When you email search results, you need to select one primary recipient. You also can:

- Send a copy of the search results email to multiple additional recipients, as either Cc or Bcc.
- Send search results as an attached Microsoft® Excel file.
- Add a comment in the email to explain the results.

Note: Saved searches give you more email options, including sending email alerts for changes or scheduling saved searches to run and email results on specific dates or intervals. For information, see [Saved Search Email](#).

To email search results:

1. On a search results page, click the **Email** button to open a popup window.
2. Select the main recipient in the **Recipient** box at the top of the window.
 1. Click the dropdown arrow to view a list of possible recipients.

The screenshot shows the 'Emailing Search Results' dialog box. At the top, there are 'Email' and 'Cancel' buttons. Below them is a 'RECIPIENT *' label with a dropdown menu. The dropdown menu is open, showing a list of names: Amit, Anthony, Antonio, Arjun, AU Cust, and AU Vendor. Below the dropdown menu is a table with three columns: 'RECIPIENT *', 'CC', and 'BCC'. The 'RECIPIENT *' column has a dropdown arrow, and the 'CC' column has a 'Yes' button. Below the table are buttons for 'Add', 'Cancel', 'Insert', and 'Remove'. At the bottom of the dialog, there are 'Email' and 'Cancel' buttons.

2. Click on a recipient.
3. By default, search results are sent in the email message. You can also choose the following options: **Send as CSV**, **Send as Microsoft® Excel**, or **Send as PDF**. CSV is the preferred format because it's the most compact.
4. Add a comment to the body of the email, if needed.
5. Use the **Recipient** list at the bottom to add other recipients to get a copy of the email. By default, the **Cc** box is checked, but you can check the **Bcc** box instead.
6. Repeat step 5 for each additional recipient.
7. Click the **Email** button to send the results.


Important: Because of existing limitations, excessively large search results are cut off before they're sent. Emails with cutoff results include a note saying the results were truncated. This happens if the email is bigger than 5MB or has more than 10,000 rows. To send the most data, use CSV, which is the most compact format. Other formats causes email size to be larger.

Popup Searches

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

To make searching easier, some records have select list fields that show popup menus with search links. For example, the following figure shows, on an Opportunity record, a popup menu with a link to search items.



When you click a search link in a popup menu, it opens a new popup window. A popup search shows as either simple or advanced based on which one you used most recently for that record type. For information about completing this search, see either [Defining a Simple Search](#) or [Defining an Advanced Search](#).

Popup searches are different from other search pages in these ways:

- They don't have the **Use Advanced Search** box, so you can't switch between simple and advanced.
- They don't have the **Export**, **Reset**, **Customize**, or **Create Saved Search** buttons.
- Their results pages display in the popup window.
- Their results pages don't include **Export**, **Email**, or **Create Saved Search** buttons.

Personalizing a Search Form

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

By default, the simple search form for each record type shows a set of fields you can use as filters. To simplify your searches, you can personalize this form to include only the filters you need.

For example, if you usually search customers by name, sales rep, or partner, you can set up your search form to show only these three fields.

Note: You can also apply filters from a saved search to your simple search form. See [Defining a Saved Search as a Preferred Search Form](#).

To personalize a search form:

1. Go to a search definition page.

Use a menu option like the following to get there:

- Reports > New Search
- Transactions > Management > Search Transactions
- Lists > (Category) > (Record Type) > Search

2. Ensure that the **Use Advanced Search** box isn't checked, and click **Personalize Search**.

If this box is checked, clicking **Personalize Search** takes you to a saved search page, with many options that don't apply to personalizing a search form.

Personalize Customer Search Form List Search More

Preferred Customer Search Form

[Save](#) [Cancel](#) [Pivot Report](#)

Search Title *
Preferred Customer Search Form

ID

☐ Public

☐ Available as List View

☐ Available as Dashboard View

☐ Available as Sublist View

☐ Available for Reminders

☐ Show In Menu

Criteria Results Highlighting Available Filters Audience Roles Email Audit Trail Execution Log Search Title

Limit the set of filters available on the form when you reuse this search, or to set filters for the results (such as when used as a list view). Remove all filters to use advanced search.

☒ My Preferred Search Form ☐ Hide Filter Dropdowns Default Text Field Filter starts with ▼

[Remove All](#) [Add Multiple](#)

FILTER *	SHOW IN FILTER REGION	SHOW AS MULTI-SELECT	LABEL
Name/ID			
Email			
Phone			
City			
State/Province			
State/Province (Deprecated)			
Zip			
Country			
Addressee			
Attention			

On this page, you can:

- Change the search title. Default is: Preferred <record type> Search Form.
- Remove or reorder fields to make your search form simpler.
- Check the **Show in Footer** box for a field, to display it as an available filter in search results page filters.
- Check the **Show as Multi-Select** box to display available filter values in the results page footer as a multi-select dropdown list, instead of a single-select list. (Available only when the **Show in Footer** box is checked)

Note: Available filter values that display on the search form itself are always displayed in a multi-select dropdown list. The Show as Multi-Select option applies only to the available filter in the search results page footer; it doesn't apply to the available filter on the search form.

- Enter a custom label for a field to display instead of the field name.
- Click **Save** to use these personalized settings for your search form.
- Click **More Options** to open the full saved search definition page and edit other settings. If you changes options there, they're saved when you go back to the simple personalization page, even if you can't see them there.
- Click **Cancel** to go back to the simple search form without saving changes.

After you've created a personalized search form, you can add it to your dashboard. See [Adding Personalized Search Forms to NetSuite Pages](#).

Adding Personalized Search Forms to NetSuite Pages

You can add search form portlets to NetSuite pages to quickly find the records you need.

You need to create a personalized search form before you can display it in a portlet. For information, see [Personalizing a Search Form](#). After you've made your personalized form, you can add it to any NetSuite dashboard with a search form portlet.

To add a personalized search form to a NetSuite page:

1. Click **Personalize Dashboard** on the NetSuite page to which you want to add your form.
2. In the Add Content panel, under the Standard Content folder, click or drag the **Search Form** item.
3. In the Search Form portlet, click **Set Up**.
4. In the **Search Form:Search** field, enter the name of the preferred search form. Click **List** to see all available search forms.
5. Click **Save**.

You now can use your personalized form to search directly from this page.



Note: You need to complete different steps to add a search form to a website. See the help topic [Search Forms](#).

Saved Searches

A saved search is a reusable search definition that can include advanced search filters and results display options. If you have the Publish Search permission, you can share the results with other users. Saved search results help with reporting, tracking, business analysis, and strategic decision-making.

You may choose to save a search when you are defining it or after you run it. You may also know in advance that you want to create a saved search. When you decide to save a search and you've opened a saved search page, you can set up the saved search. For step-by-step instructions, see [Defining a Saved Search](#).

When setting up a saved search, you can choose to email results automatically to selected people if you have the Publish Search permission. Emails with search results can be sent on a schedule, when results are updated, or both, without you having to rerun the search. See [Saved Search Email](#).

After you've defined a saved search, you and any audience members can access it by its title from the saved search menus. For information, see [Accessing a Saved Search](#).

Each saved search has a log that shows who ran or exported it in the past 60 days, and the dates and times each time it's been run. See [Auditing Saved Search Execution](#). There's also an audit trail for tracking changes. See [Audit Trail for Saved Searches, Reports and Schedules](#).

Your administrator gives you search permissions and access by record type so you can create and run saved searches. Your level of permissions determines if you can email, export, and persist saved search results, share them with others, and view the logs. For more information, see [Permissions for Searches](#).

If your saved search takes a long time to run, try scheduling an email or persisting search results. For more details, see [Enabling Saved Search Scheduled Email](#) and [Persisting Search Results](#). If you have the Application Performance Management SuiteApp, you can also use the Search Performance Analysis dashboard to check performance details. For more information, see the help topic [Analyzing Search Performance](#).

You can link or display saved search results in dashboard portlets:

- Add links to results pages in the Shortcuts portlet. See [Creating Shortcuts to Saved Search Results](#).
- Show detailed results in a Custom Search portlet. See [Displaying Saved Search Results in Dashboard Portlets](#).
- Use other portlets to display multiple saved searches on your home page. See [Displaying Multiple Saved Searches on Your Home Page](#).
- Show summary values from saved searches as custom KPIs, which can be displayed in these portlets:
 - Key Performance Indicators Portlet. See the help topic [Adding a Custom KPI to the Key Performance Indicators Portlet](#)
 - KPI Scorecard Portlet. See the help topic [Using a Custom KPI in a KPI Scorecard](#).
 - KPI Meters. See the help topic [KPI Meters](#).
 - Trend Graphs. See the help topic [Trend Graphs](#).
 - For more information about custom KPIs, see the help topic [Custom KPIs](#).
- Add counts of and links to results in the Reminders portlet. See the help topic [Creating Custom Reminders](#).

You also can use saved searches in the following ways:

- Use results as the dashboard view, list view, sublist view, or all three, for the chosen record type. See [Using a Saved Search as a View](#).
- Use a search's filters and display settings on forms for the selected record type. See [Defining a Saved Search as a Preferred Search Form](#).

Note: Users with the Administrator role can use these options to create a baseline of saved search templates for other users. These templates offer a quicker way to run saved searches. For example, you may have a “Sales – My Customers – Template” that your sales team uses as a starting point, and they can adjust the filters as needed.

- You can publish the results of public saved searches to your website. Users with the Publish Search Permission can make saved searches public.

Defining a Saved Search

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

To create a saved search, go to a saved search definition page for your chosen record type. You can access a saved search definition page in any of the following ways:

- Go to Reports > Saved Searches > All Saved Searches > New and select the record type for the saved search.
- On a simple or advanced search definition page, click **Create Saved Search**.
- On a search results page, click **Save This Search**.
- For an existing saved search, go to Reports > Saved Searches > All Saved Searches, and click Edit next to the saved search you want to redefine. The maximum number of saved searches available in the NetSuite navigation menu is 100.

To define a saved search:

1. On a saved search definition page, enter a title for the saved search.
Make the title short and meaningful, as it may appear in menu links, as a dashboard portlet header, or as a custom KPI name.
2. If you're editing an existing saved search, you can use the **Owner** dropdown menu to change who owns it. By default, the creator is the owner.
 - The **Owner** dropdown menu is available to administrators and, if the search is public or has an audience defined, to the owner.

Warning: If you change the owner of a scheduled saved search to another user who has never previously scheduled a saved search, the search email is no longer sent at the scheduled time. To reinstate the scheduled email for this search, the new owner must log in with the appropriate role and resave the search.

3. If you want the search to be available to all users, check the **Public** box. If not, you can define a more limited audience on the **Audience** subtab.
 - The **Public** box and the **Audience** subtab are available only to administrators and to other users with at least Create level of the Publish Search permission, a Lists type permission.
 - Making a saved search public lets all users run and view it, but only administrators and the search owner can edit it. To let audience members edit, check the **Allow Audience to Edit** box on the **Audience** subtab.

- To save or delete a public saved search, you need to have the Publish Search permission. This applies also to saved searches you own. For more information, see [Editing or Deleting a Saved Search](#).
- Customers, vendors, and most partners can't access saved searches, even public ones. If they do get access, they can run it only if they have permission to that record type, and they can see only their own records.



Important: If your saved search has sensitive data, don't make it public. Use the fields on the **Audience** subtab to limit the audience.

4. Check any of the following boxes, if you want search results to be available as views for list pages of the searched record type.

- **Available as List View**
- **Available as Dashboard View**
- **Available as Sublist View**

To limit these views to certain users, leave these boxes blank and check the corresponding boxes on the **Roles** subtab. For more information, see [Using a Saved Search as a View](#).

5. If you want to be able to link to search results from the Reminders portlet, check the **Available for Reminders** box. For more information, see the help topic [Creating Custom Reminders](#).
6. If you want this search to be available in menus, check the **Show in Menu** box.
7. On the **Criteria** subtab, define criteria to filter saved search records. These criteria can include dynamically calculated field values, including join fields; formulas containing SQL functions, as well as AND/OR expressions. For information, see:

- [Advanced Search Criteria Filters](#)
- [Formulas in Searches](#)
- [Search Formula Examples and Tips](#)
- [Using Expressions in Search Criteria](#)
- [Related Records Fields Available for Advanced Searches](#)



Note: To use a saved search as a custom KPI that displays results for multiple date ranges, don't define a date field as a filter on the **Criteria** subtab. For additional requirements for this type of custom KPI, see [Notes on Using Saved Searches as Custom KPIs](#).

8. On the **Results** subtab, define the display options for saved search results.

- In the subtab header you can set up the following options:
 - **Sort By** – sets the sort order of results records or rows.



Note: A saved search must include at least one sort order. If you don't specify a column in the **Sort By** field, the first column specified on the Columns subtab is used for sorting. For saved searches with large data sets, set **Sort By** to the same columns that you added on the **Results** subtab.

- **Output Type** – sets the overall format for the results page. The available options are **Normal**, **Report**, **Grid**, and **Graph**.
- **Show Totals** – displays a total line on the results page.
- **Run Unrestricted** – makes search results available to users who would normally be restricted from seeing the underlying records.

 **Note:** Users without the correct permissions will still be unable to view the search results. For more information, see the help topic [Permissions and Restrictions](#).

 **Important:** The **Run Unrestricted** option isn't applied to time and expense searches by users that have roles with the **Restrict Time and Expenses** option enabled. Employees using a role with the Restrict Time and Expenses option enabled can't enter expense reports or time transactions on behalf of other employees and their reports and searches don't show any time or expense transactions entered by other employees. The Restrict Time and Expenses option for a role overrides the Run Unrestricted option for a search.

- **Disallow Drill Down** – prevents users of unrestricted search results from drilling down to more detailed data.
- **Max Results** – limits the number of records displayed in results.
- **My Preferred Search Results** – applies search settings to quick search results pages. For more information, see [Defining a Saved Search as Preferred Results](#).
- On the **Columns** sublist you can set up the following options:
 - Order of the columns.
 - Fields or formula calculations to be displayed as columns on the search results page, including:
 - Custom labels for one or more fields.
 - Summary types to group one or more fields' values (including group, sum, count, min, max, and average).
 - Functions to be applied to one or more fields' values.
- On the **Drill Down Fields** sublist you can set up the following options:

 **Note:** This sublist is available only if you have the Presentation Categories permission, a Lists type permission. You don't have to be an administrator.

- Fields, including join fields, to be displayed when a viewer of search results drills down on a record.
- The order in which drill down fields are displayed.
- Custom labels for displayed drill down fields

For more information, see [Search Results Display Options](#).

9. On the **Highlighting** subtab, you can set up visuals to draw attention to selected individual or aggregated results. Highlighting options include images, colored text, background colors, and bold text. For information, see:
 - [Highlighting Search Results](#)
 - [Adding a Legend to Highlighted Search Results](#)
10. On the **Available Filters** subtab, define fields or formulas to show as filters on the results pages. For information, see [Selecting Available Filters for Saved Searches](#).

Note: To use a saved search as a custom KPI that displays results for multiple date ranges, define a date field as an available filter. You don't need to check the **Show in Filter Region** box. For additional requirements for this type of custom KPI, see [Notes on Using Saved Searches as Custom KPIs](#).

11. On the **Audience** subtab, define the users who can run the saved search and view its results, and whether they can edit its definitions. For information, see [Defining Audiences for Saved Searches](#).

Note: The **Audience** subtab is available only if you have at least the Create level of the Publish Search permission.

12. On the **Roles** subtab, define the users who will see search results as their view of the selected record type, in lists, sublists, dashboard list portlets, forms, and quick search results. For information, see [Using a Saved Search as a View](#) and [Defining a Saved Search as a Preferred Search Form](#).

Note: The **Roles** subtab is available only if you have at least the Create level of the Publish Search permission.

13. On the **Email** subtab, you can send search results email, as alerts triggered by record changes, according to a schedule, or both.
 - Check the **Send Alerts When Records are Created/Updated** box to send email alert messages when saved search results are added or updated, and then define recipients for alerts. For information, see [Enabling Saved Search Email Alerts](#).
 - You can make alerts available to users other than defined recipients by checking the **Public and Allow Users to Subscribe** boxes. Then users can go to Home > Set Preferences and elect to receive alerts. For information, see [Setting User Preferences to Receive Saved Search Alerts](#).
 - Check the **Send Emails According to Schedule** box to set up the search to be run on a certain date or interval, with results emailed to yourself, other users, or both. For information, see [Enabling Saved Search Scheduled Email](#). Scheduling is a good option for saved searches that take a long time to run.

For more information, see [Saved Search Email](#).

Note: The **Email** subtab is available only if you have at least the Create level of the Publish Search permission.

14. After you've finished setting up your search, you can:
 - Click **Preview** to see search results without saving the search definitions.
 - Click **Save** to save your search and let you and other audience members run it.
 - Click **Save & Run** to save the search and see the results.
 - Click **Save & Email** to save the search and email results to your chosen recipients. You set this up in the **Email** subtab, on the **Specific Recipients** sublist.

Note: This option is available only if you have the Publish Search permission assigned to your role.

For information about viewing saved search results, see [Displaying Saved Search Results on Your Dashboard](#).

Notes on Using Saved Searches as Custom KPIs

For a saved search to be used as a custom KPI with results for multiple date ranges in the KPI portlet, scorecard, a trend graph, or meter, your search must:

- Not include any date fields defined as filters on the **Criteria** subtab.
- Have only field with a summary type (such as group, sum, or count) defined on the **Results** subtab.
- Have a date field defined as an available filter on the **Available Filters** subtab.

For more information, see the help topic [Custom KPIs](#).

Selecting Available Filters for Saved Searches

The filters you set on the **Criteria** subtab exclude certain records from results. On the **Available Filters** subtab, you can define additional, optional filters that viewers can use to narrow results or that system functions like KPI scorecards use for summaries and comparisons.

These filters can appear as dropdown menus or multi-select boxes in the filter area, and viewers can select values to dynamically apply them. You can set a custom label for each filter's dropdown list or multi-select box.

 **Note:** To use a saved search as a custom KPI that displays results for multiple date ranges, you must define a date field as an available filter. You don't need to check the **Show in Filter Region** box. For additional requirements for this type of custom KPI, see [Notes on Using Saved Searches as Custom KPIs](#).

To define available filters for a saved search:

1. To define a field as a filter for search results, select the field from the **Filter** dropdown list.
Fields from the selected record type and join fields from related record types are listed in the **Filter** dropdown list.
2. For each filter that has non-numeric values, you can check the **Show in Filter Region** box to show choices of field values in the filter region of search results, so that search viewers can dynamically filter results.

By default, field values are displayed in a dropdown menu where viewers can select one value at a time.

Some filters in the filter area may have limits. For more information, see [Limitations for Filters Displayed in the Filter Region](#).
3. If you check the **Show in Filter Region** box, you can also check **Show as Multi-Select** to show values in a multi-select dropdown list, letting you choose more than one to filter results.
 - By default, search results page filters use a single-select dropdown list.
 - **Show as Multi-Select** doesn't apply to filters on search forms, they always show as a multi-select dropdown list there.
4. You can also add a custom label for each filter.

If you add the **Type** field as an available filter in a transaction search and check the **Show in Filter Region** box, you see a **Type** dropdown list on the results page where viewers can choose one type of transaction at a time to filter the results.

Saved Transaction Search List Search More

Transaction Search

Save Reset Cancel Preview Pivot Report Actions

Search Title *
Old Customer Transactions Search

ID

☐ Public

☐ Available as List View

☐ Available as Dashboard View

☐ Available as Sublist View

☐ Available for Reminders

☐ Show In Menu

Criteria Results Highlighting **Available Filters** Audience Roles Email Audit Trail Execution Log Search Title Translation

Limit the set of filters available on the form when you reuse this search, or to set filters for the results (such as when used as a list view). Remove all filters to use advanced search.

☐ My Preferred Search Form

☐ Hide Filter Dropdowns

Default Text Field Filter
starts with

Remove All Add Multiple

FILTER *	SHOW IN FILTER REGION	SHOW AS MULTI-SELECT	LABEL	TRANSLATION
Type	Yes			

Save Reset Cancel Preview Pivot Report Actions

If you check the **Show as Multi-Select** box, the filter area shows a multi-select box so you can choose more than one **Type** value to filter results.

Saved Transaction Search List Search More

Transaction Search

Save Reset Cancel Preview Pivot Report Actions

Search Title *
Transaction Search

ID

☐ Public

☐ Available as List View

☐ Available as Dashboard View

☐ Available as Sublist View

☐ Available for Reminders

☐ Show In Menu

Criteria Results Highlighting **Available Filters** Audience Roles Email Audit Trail Execution Log Search Title Translation

Limit the set of filters available on the form when you reuse this search, or to set filters for the results (such as when used as a list view). Remove all filters to use advanced search.

☐ My Preferred Search Form

☐ Hide Filter Dropdowns

Default Text Field Filter
starts with

Remove All Add Multiple

FILTER *	SHOW IN FILTER REGION	SHOW AS MULTI-SELECT	LABEL	TRANSLATION
Type	Yes	Yes		

Save Reset Cancel Preview Pivot Report Actions

Limitations for Filters Displayed in the Filter Region

Be aware of the following limitations for filters displayed in the filter region:

- If you add a date filter that has already been set on the **Criteria** subtab and use the **Show in Filter Region** option, the filter will keep the date settings specified on the **Criteria** subtab. For example, if **Date Created** is set to **before 12/31/2024** on the **Criteria** subtab, the date filter in the filter area will display results that were created **before** any other date that you choose in the filter area.

- If you add a **Period** filter that has already been set to a specific period on the **Criteria** subtab, the **Period** field in the filter region won't contain that specific period, and it won't be available in the filter's dropdown list either. For example, if the **Period** field is set to **May 2023** on the **Criteria** subtab, the **Period** filter in the search results will appear blank, and **May 2023** won't be listed as an available option for this filter.
- The dropdown list for fields can show up to 10,000 items (1,000 for **Entity** fields). If there are more, the filter shows up empty.
- Don't add too many filters in the **Available Filters** subtab or select too many filter values. This can hit infrastructure limits and cause an error. Instead, add filtering logic directly in the saved search definition (**Criteria** subtab) to reduce dynamic filters, or split large or complex searches into smaller, more specific saved searches.

Defining Audiences for Saved Searches

If you're an administrator or have at least the Create level of the Publish Search permission, you can use the **Audience** subtab to choose who can run the search and see the results. You can also make the search public for all users by checking the **Public** box. For information, see [Making Saved Searches Public](#).

Only selected audience members and account administrators see the saved search on search lists. Setting an audience also limits its appearance in other lists, sublists, portlets, and forms. Set these preferences on the **Roles** subtab. By default only administrators and the owner can edit the search. Audience members can't edit it unless you check the **Allow Audience to Edit** box.

Customers, vendors, and most partners can't access saved searches, even public ones. If they do get access, they can run it only if they have permission to that record type, and they can see only their own records.



Important: If your saved search has sensitive data, don't make it public. Use the fields on the **Audience** subtab to limit the audience.

To define an audience for a saved search:

1. When defining or editing a saved search, click the **Audience** subtab.
2. If you want to allow the audience to edit the search, check the **Allow Audience to Edit** box.
 - If you enable this, the audience can change and save the search with the same name.
 - If not, they can make changes but need to save the search with a different name using "save as".
3. In the fields provided, choose an audience for your search results. You can select options from any or all of the following audience types.

For each of the audience type, you can select multiple options by holding down the Ctrl key.

- **Roles** – You can select internal and external roles as follows:



Note: If the **Public** box is checked, the **Internal Roles** and **External Roles** fields are greyed out, the search is available to all roles and the selection cannot be edited. To select specific internal and external roles, clear the **Public** box first. For more information, see [Defining a Saved Search](#).

- **Internal Roles** – In this field, do one of the following:
 - Check the **Select All** box to make the search available to all internal roles.
 - Clear the **Select All** box and select the internal roles you want.
- **External Roles** – To make the search available to specific external roles, select them from the list.

 **Note:** If your account has many roles, they may not be in a dropdown list. Increase the number set for Maximum Entries in Dropdowns at Home > Set Preferences, on the **General** subtab.

- **Departments** – Select one or more departments.
- **Subsidiaries (If Available)** – Select one or more subsidiaries.
- **Groups** – Select one or more groups.
- **Employees** – Select one or more employees.
To make the search available to all employees, check the **Select All** box.
- **Partners** – Select one or more partners.
To share with all partners, check the **Select All** box.

 **Important:** If you choose both role and department options, users must belong to both to access the search. If you choose any other combination, users need to match only one type of option.

Making Saved Searches Public

To make a saved search public, check the **Public** box at the top of the saved search page. Only administrators and other users with the Publish Search permission can do this. If you can't check the box, contact your account administrator for changes to your permission level.

Public saved searches can be published in your website and be run by everyone with access to your account. They help users save time and ensure that everyone uses the same criteria.

By default, only administrators and the owner of a search can edit its definitions. Users can run and view public saved searches, but can't edit and save it again with the same name, unless the **Allow Audience to Edit** box is checked. Users can, however, edit the search and click **Save As** to save the search with a different name.

 **Note:** Users can subscribe to email alerts of search results only if the saved search is public. For more information, see [Enabling Saved Search Email Alerts](#).

Highlighting Search Results

Saved searches let you highlighting rows to draw attention to selected results. You can highlight individual rows that meet certain conditions, or highlight grouped results like counts, sums, or averages.

Available highlighting options include:

- Images
- Text colors
- Background colors
- Bold text
- Description for a highlighting legend in the results page.

For information about highlighting search results, see:

- [To apply highlighting to search results:](#)
- [Conditions for Highlighting](#)
- [Summary Highlighting](#)

■ Adding a Legend to Highlighted Search Results

To apply highlighting to search results:

1. On the saved search page, click the **Highlighting** subtab.
2. On the **Highlight If** or **Highlight If (Summary)** subtab, click the Set Options icon next to the **Condition** field to open a popup window.
 - To use expressions in the condition filters, check the **Use Expressions** box. For information, see [Using Expressions in Search Criteria](#).
 - For summary results, choose from the **Summary Type** dropdown list. This selection must match the summary type you set on the **Results** subtab.
3. In the popup, select a field or a formula to use as the filter for highlighting.
 - To filter using a field from the selected record type:
 - Select the field from the **Filter** dropdown list.
 - Click **Set Options** to open a popup where you can enter a value and search logic (if available) for the filter.
 - To use a formula as a filter:
 - Select a **Formula** option from the Filter dropdown list.
 - Click **Set Options** to open a popup where you can enter the formula.
 - For more information about search formulas, see [Formulas in Searches](#).
 - To use a join field from a related record type as a filter:
 - Select the related record type in the **Filter** dropdown list.
 - In the popup, select the join field from the **Filter** dropdown list.
 - In the next popup, enter a value and search logic (if available) for the filter.
 - For a list of related record types with join fields available for each record type search, see [Related Records Fields Available for Advanced Searches](#).
4. Repeat step 3 for each filter you need. When you have added all filters, click the **Set** button in the popup.
5. To use an image for highlighting results, select one from the **Image** dropdown list, or click the icon next to it to choose from the Icon Picker popup.
6. To change the text color of results that meet the condition, click the Select Color icon in the **Text Color** column.
7. To change the background color of results that meet the condition, click the Select Color icon in the **Background Color** column.
8. To bold text for results that meet the condition, check the **Bold** box.
9. To add a legend to the footer, enter a description for this highlight condition. For more information about legends, see [Adding a Legend to Highlighted Search Results](#).
10. Click **Add**.
11. Repeat steps 2–10 for each highlighting condition you need.
12. Click **Save**.

Conditions for Highlighting

You select the result rows to highlight by setting conditions on the Highlighting subtab of a saved search. You can add multiple conditions for each saved search, each with its own highlighting options. A condition has one or more filters. If a result matches any of them, it is highlighted using the options you set.

For example, you could highlight all customers in San Francisco with a balance greater than \$5000 in green, and customers in San Diego with a balance over \$5000 in blue.

A row can match more than one highlight condition. If that happens, what you see depends on the order. The first condition has the highest priority, and if it doesn't use all highlight options (Image, Text color, Background color, Bold) the next matching condition fills in the rest. If there are multiple conditions, the search results will be highlighted using the order of the conditions. For example, if a search result is a row with the following values.

Name	Email
Adam	No@example.com

For this example, the user sets up conditions in this order:

1. Name starts with 'X', Background Color is 'Black', Bold is 'None', Text Color is 'White', and Image is 'None'.
2. Name starts with 'A', Background Color is 'Green', Bold is 'None', Text Color is 'None', and Image is 'None'.
3. Email starts with 'N', Background Color is 'Red', Bold is 'Y', Text Color is 'None', and Image is 'None'.

The first condition doesn't match, but the second one does, so the background is green. The third condition also matches (Email starts with N), so the row would be red. However, the criteria in the second condition takes priority. The 'Bold is Y' part of the third condition is a match, so it adds bold text.

Highlighting Using Greater Than or Magnitude Greater

'Greater Than' highlights one period only, while 'Magnitude Greater Than' highlights both periods compared. For example, if you compare sales for this period to last period and you use the 'Magnitude Greater Than' as follows:

Highlight if = Magnitude Greater Than | Threshold = 'amount' | Period = All | Background Color = 'color'.

The result for both periods are highlighted. But if you use 'Greater Than', in this example it will highlight the results for 'This Period'.

Summary Highlighting

If you've defined a summary type for a field, you can highlight grouped results for it in the **Highlight if...** (Summary) sublist in the **Highlighting** subtab. Available summary types include count, sum, minimum, maximum, and average.

For example, you can highlight customers with total sales over \$100,000 in red if you use a summary type of Sum for the **Net Amount** field for a saved sales transactions search.

Adding a Legend to Highlighted Search Results

You can add a legend to highlighted results to make them easier to read.

To add a legend to highlighted search results:

1. On the saved search page, click the **Highlighting** subtab.
2. For each condition, add a description in the **Description** field.
For example, if you highlight customers with the 504 area code in yellow, use '504 area code' as your description.
3. When you've entered the description, click **Done**.

4. Click **Save**.

Marking a Search Inactive

You can mark any saved search you own as inactive. The creator is the owner by default.

To mark a search inactive:

1. Go to the list of your saved searches.
2. Be sure that the **Show Inactives** option is selected.
3. Check the **Inactive** box next to the search you want to make inactive.

The screenshot shows the 'Saved Searches' interface. At the top, there are 'New' and 'Submit' buttons. Below them is a 'FILTERS' section with dropdown menus for 'USE' (General), 'TYPE' (- All -), 'ACCESS LEVEL' (Private), 'SCHEDULED' (- All -), and 'FROM BUNDLE'. A checkbox labeled 'Show Inactives' is checked. Below the filters is a table with the following columns: INACTIVE, EDIT | RESULTS, NAME, FROM BUNDLE, ID, SEARCH FORM, TYPE, RECORD TYPE, OWNER, ACCESS, and SCHEDULED. The table contains one row for a search named 'Issues to work on now' with ID 'customsearch154059'. The 'INACTIVE' checkbox is checked, and the 'OWNER' is 'Varner, Nicholas'.

INACTIVE	EDIT RESULTS	NAME	FROM BUNDLE	ID	SEARCH FORM	TYPE	RECORD TYPE	OWNER	ACCESS	SCHEDULED
☒	Edit Results	Issues to work on now		customsearch154059	Search Form	Issue		Varner, Nicholas	Private	

4. Click **Submit**.

Editing or Deleting a Saved Search

If you have the Publish Search permission, you can edit or delete any saved searches that you own. The creator is the owner by default.

You also can edit saved searches you have access to that are owned by other users. If the **Allow Audience to Edit** box is checked, you can save changes with the same name. If not, use **Save As** to save it with a new name.

Important: Only administrators or users with the Publish Search permission can delete or save public searches. So, even if you own a saved search, you can only **Save As** with a new name unless you have the right permission. For more information, see [Administrator Access to Other Users' Saved Searches](#).

To edit a saved search:

1. Open a saved search.
 - Select it from a list of saved searches. Lists of saved searches are available at Reports > Saved Searches > All Saved Searches, and at Lists > Search > Saved Searches.
 - Use global search. Type **s:** and the search name in the **Search** field, for example:
s:Custom Lead Search
2. To delete it, hover over **Actions** at the bottom of the page, then click **Delete**. This option is available only if you are its owner or an account administrator.
3. Make any changes you need to the saved search.
 - For information about what you can define for a saved search, see the steps in [Defining a Saved Search](#).

- To undo changes, click **Reset**.
- 4. After editing, you can:
 - Click **Preview** to see search results without saving the definitions.
 - Click **New Template** to create a custom PDF/HTML template for printing the results. For more information, see the help topic [Advanced Templates for Printing Saved Search Results](#)
 - Click **Save As** to save the search with a new name.
 - Click **Save** to save it under the same name. (if available)
 - Click **Save & Run** to save it and see the results. (if available)
 - Click **Save & Email** to save it and email the results to the recipients you set up on the **Recipients from Results** or **Specific Recipients** sublists in the **Email** subtab. (if available)
 - For more details on save options, see [Accessing a Saved Search](#).
 - To create a custom template to use when printing results, click **New Template**. The New Template button is available if advanced PDF/HTML templates are enabled for your organization. For more information, see the help topic [Advanced Templates for Printing Saved Search Results](#).
 - If server SuiteScript is enabled, click **Change ID** to change the search ID. NetSuite generates a default ID for each saved search, its format is **customsearch#**. If you are including calls to saved searches in scripts, you may want to change this ID.

Using a Saved Search as a View

You can make a saved search available as a view for its audience, set it as the default view for that record type's lists, or both. The audience is set in the **Public** box and the **Audience** subtab.

A list view is a definition of the records and fields to be displayed on a list page for a record type. A sublist view is a definition of the records and fields to be displayed on a subtab list for a record type. A dashboard view is a definition of the records and fields to be displayed in the List portlet for a record type. These view definitions are based on saved searches, so you can reuse your search settings for all of them.

Saved Customer Search

Search Title: Custom Customer Search 4

ID:

☐ Public

☒ Available as List View

☒ Available as Dashboard View

☒ Available as Sublist View

☐ Available for Reminders

☐ Show In Menu

Criteria Results Highlighting Available Filters Audience **Roles** Email Audit Trail Execution Log Search Title Translation

Use this tab to make this search the preferred list view, search form, dashboard view, or sublist view, either globally (with the top checkboxes) or by role (with the list).

☐ Preferred Search Form ☐ Preferred Dashboard View

☐ Preferred Search Results ☐ Preferred Sublist View

☐ Preferred List View

List	Form	Results	Dashboard	Sublist	Role ↑	Center Type
☐	☐	☐	☐	☐	A/R Clerk	Accounting Center
☐	☐	☐	☐	☐	AFK_Service_Role	Classic Center
☐	☐	☐	☐	☐	Accountant	Accounting Center



Important: If the **Use Expressions** option is enabled for a search, inline editing is disabled in list, dashboard, and sublist views based on the search. If you want inline editing to be available for a view, ensure that the **Use Expressions** box on the **Criteria** subtab is not checked for the search that filters view results. See [Using Expressions in Search Criteria](#).

Making a Saved Search Available for Views

Each saved search page has a set of **Available as View** check boxes in the header. Check one or more of these boxes to let the audience apply it to list views, sublist views, and dashboard list portlets of the selected record type.

- If the **Available as List View** box is checked, users can select the saved search's title in the **View** dropdown list at the bottom of list pages of the selected record type, to display records and fields according to saved search definitions.
- If the **Available as Sublist View** box is checked, users can select the saved search's title in the **View** dropdown list at the bottom of lists of the selected record type on subtabs.
- If the **Available as Dashboard View** box is checked, users can select the saved search's title in the **View** dropdown list at the bottom of dashboard list portlets of the selected record type.

If a list, sublist, or dashboard List portlet doesn't have a **View** dropdown list, no saved searches are available for that record type. Don't use record type names in search titles.

In addition to the **View** dropdown list, users can click **Customize View** to create their own custom search to use as a custom view. See the help topic [Working with List Views, Sublist Views, and Dashboard Views](#).



Note: Account administrators can prohibit users with a specific role from using saved searches as views, even if the **Available** boxes have been checked, by restricting that role to use of one list view, sublist view, or dashboard view only. This setting is on the **Searches** subtab of the Role record. See the help topic [Customizing or Creating NetSuite Roles](#).

Defining a Saved Search as a Preferred View

The **Roles** subtab has a set of **Preferred View** check boxes. Check these boxes to apply the definitions to default views for lists, sublists, and dashboard list portlets of the selected record type.

Saved Customer Search

Search Title: Custom Customer Search 4

ID:

☐ Public

☒ Available as List View

☒ Available as Dashboard View

☒ Available as Sublist View

☐ Available for Reminders

☐ Show In Menu

Criteria Results Highlighting Available Filters Audience **Roles** Email Audit Trail Execution Log Search Title Translation

Use this tab to make this search the preferred list view, search form, dashboard view, or sublist view, either globally (with the top checkboxes) or by role (with the list).

☐ Preferred Search Form

☐ Preferred Search Results

☒ Preferred List View

☐ Preferred Dashboard View

☐ Preferred Sublist View

List	Form	Results	Dashboard	Sublist	Role ↑	Center Type
☐	☐	☐	☐	☐	A/R Clerk	Accounting Center
☐	☐	☐	☐	☐	AFK_Service_Role	Classic Center
☐	☐	☐	☐	☐	Accountant	Accounting Center

Use the global preferred view check boxes at the top of the subtab to set preferred views for all users, based on public searches. The **View** dropdown list remembers the last selection, so personal choices override any preferred views. For example, if an administrator adds a default view, it will not override an existing individual preference of view that is displayed by default.

Use the check boxes in the **List**, **Sublist**, and **Dashboard** columns to set preferred views per role.

Setting a Saved Search as a Default View

You can set a saved search as a default list, sublist, or dashboard view for all users or only a subset of users.

- To set a saved search as the default list view for all users, check the **Preferred List View** box. This option is available when the **Public** and **Available as List View** boxes are checked.

Note: The **Preferred List View** serves as a default value set by an administrator for all users in a company. Any user with permissions can make their own search the default view, overriding the company setting for themselves.

- To set a saved search as the default list view for certain users, check the **List** box for each role you want. This option is available when the **Available as List View** box is checked.
- To set a saved search as the default sublist view for all users, check the **Preferred Sublist View** box. This option is available when the **Public** and **Available as Sublist View** boxes are checked.
- To set a saved search as the default sublist view for certain users, check the **Sublist** box for each role you want. This option is available when the **Available as Sublist View** box is checked.
- To set a saved search as the default dashboard view for all users, check the **Preferred Dashboard** box. This option is available when the **Public** and **Available as Dashboard View** boxes are checked.
- To set this saved search as the default dashboard view for certain users, check the **Dashboard** box for each role you want. This option is available when the **Available as Dashboard View** box is checked.

Note: Account administrators can customize roles to set up a saved search as the default list, sublist, or dashboard views for a record type, or apply restrictions. See the help topic [Customizing or Creating NetSuite Roles](#).

Defining a Saved Search as Preferred Results

Check the **My Preferred Search Results** box on the **Results** subtab to customize your quick search results. All your settings, including criteria, are used for quick search results.

If you're an administrator or have the Publish Search permission, check the boxes on the **Roles** subtab to customize quick search results for other users.

- To set custom results for a role, check the **Results** box for that role.
- To set custom results for all roles, check both the **Public** and **Preferred Search Results** boxes.

Note: **My Preferred Search Results** overrides any preferred search results option set on the **Roles** subtab by other users.

For more information, see [Quick Search Portlet](#).

Defining a Saved Search as a Preferred Search Form

By default, the simple search form for each record type shows a system-defined fields that can be used as filters. Use your saved search's filters to limit this form to those fields only. If you're an administrator or have the Publish Search permission, you can set a preferred search form for other users too.

For details, see:

- [Setting My Preferred Search Form](#)
- [Setting a Preferred Search Form for Other Users](#)

Note: You can also make a personalized search form instead of using a saved search. See [Personalizing a Search Form](#).

Account administrators can also set up default search forms by role. See the help topic [Customizing or Creating NetSuite Roles](#).

Setting My Preferred Search Form

To set a saved search as your preferred simple search form, go to the **Available Filters** subtab, add filter fields, and check **My Preferred Search Form**.

For example, you can set up the following search to be your preferred form for customers:

Your simple search form looks like this:

Setting a Preferred Search Form for Other Users

The **Roles** subtab of a saved search page has a set of **Preferred Form** check boxes you can use to apply the available filters to the simple search form, for some or all of the search audience.

- To use a saved search as the preferred form for all users, check **Preferred Search Form**.
Before you check this box, be sure to make it public first, and add at least one filter to the **Available Filters** subtab.
- To use a saved search as the preferred form for a subset of the audience, check the **Form** boxes for specific roles.

 **Note:** Your setting for **My Preferred Search Form** overrides **Preferred Search Form** settings here.

Forms are the pages employees use to enter information into NetSuite. Setting preferred forms lets you keep data entry consistent and capture the information that is most important to your business.

Using a Saved Search as a Reminder

If you use saved search results to track your tasks, you can add a count and a link to the details in your Reminders portlet as a custom reminder. This makes your important task information more accessible. After you check the **Available for Reminders** box on the saved search, you can add it to your Reminders portlet. Other users in the audience can also see this reminder.

Be aware of the following when you use a saved search as a reminder:

- The Reminders portlet shows the search title like this: <number_of_results> <saved_search_name>
Use a search title that makes sense as a reminder.
- Custom reminders work best if your saved search doesn't group results by summary types, because reminders show the count of results and only appear if the count isn't zero.
If your search groups results by a summary type other than a count, the reminder doesn't display.
You can set a count for a field that has a summary type defined, to make the reminder display, but grouping may affect the result and not include the total count.
Check the **Results** subtab to see if the saved search includes summary types. If so, consider removing them or making a new search without summary types.

For detailed steps and an example, see the help topic [Creating Custom Reminders](#).

Using Saved Searches for Customer Center Lists

If you try to use a saved search to change what's shown on Customer Center lists, such as **See All Transactions** or **See Orders**, NetSuite resets the list to its original setup. You can't override the definition for lists that are specifically designed for Customer Centers.

Instead, use permissions to control which Customer Center lists are visible. For example, to make **See Orders** show only invoices, change the role used by customers as follows:

- Remove the Transactions : Sales Order permission.
- Set the Transactions : Find Transaction permission to View level.
- Set the Transactions : Invoice permission to View level.

Change of Sign for Expense Account Amounts in Transaction Saved Searches

Before 2014.1 release, saved searches treated expense accounts as credit accounts, so transaction saved searches displayed positive amounts for credit posting transactions and negative amounts for debit posting transactions (this behavior impacted saved searches only; not reports or accounting processes).

Now, saved searches treat expense accounts as debit accounts, so transaction saved searches show positive amounts for debit posting transactions and negative amounts for credit posting transactions. This ensures that expense accounts are handled consistently throughout NetSuite.

Review your transaction saved searches with Expense accounts to check how these amounts are displayed.

- If there's a transaction saved search where you need to maintain the behavior that existed in the past, edit the search to flip the sign of the impacted amount fields such as **Amount**, **Amount (Alt.Sales)**, or **Amount (Gross)**.
- Flip the sign of an impacted amount field by replacing that field, for example **Amount (Gross)**, with a formula field like the following: `DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {grossamount}`.

See the following table for formula examples to flip the sign of amount fields.

Result Field	Formula Field	Suggested Formula
Amount	{amount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {amount}</code>
Amount (Alt. Sales)	{altsalesamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {altsalesamount}</code>
Amount (Alt. Sales Net)	{altsalesnetamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {altsalesnetamount}</code>
Amount (Foreign Currency)	{fxamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {fxamount}</code>
Amount (Gross)	{grossamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {grossamount}</code>
Amount (Net)	{netamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {netamount}</code>
Amount (Net of Tax)	{netamountnotax}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {netamountnotax}</code>
Amount (Transaction Total)	{totalamount}	<code>DECODE({accounttype}, 'Expense', -1, 'Other Expense', -1, 'Cost of Goods Sold', -1, 1) * {totalamount}</code>

Saved Search Email

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

If you're an administrator or have the Create level of the Publish Search permission, you can enable system-generated email messages on the **Email** subtab of a saved search page. This function offers many options, such as:

- Share search results with other users.
- Schedule long-running searches for low usage times.
- Alert targeted users about changes to their important records.

- Perform drip marketing.

You can send saved search emails on a schedule, for record changes, or both. You can add multiple recipients for both types of email. Recipients can be indicated by user or group name, or use search results field values for it. With public searches, other users can get alerts too. Customize the email text and attach the results as .csv or .xls files.

 **Note:** CSV is the preferred format because it's the most compact.

Saved search emails use the owner's email address by default. You can set another default address as a preference, or customize the content for a saved search to define a different sender.

 **Important:** Because of email limitations, large search results are cut off before they are sent. Emails containing truncated results include a note about it. This happens if the email is over 5MB or has more than 10,000 rows. To include the maximum possible data, use CSV. Other formats cause email size to be larger.

Saved search emails are limited to 10,000 rows.

For more details, see the following:

- [Enabling Saved Search Scheduled Email](#)
- [Enabling Saved Search Email Alerts](#)
- [Defining Recipients for Saved Search Email](#)
- [Customizing Saved Search Email Content](#)

 **Note:** Alerts and scheduled saved search emails are set up on the **Email** subtab. Recipients for both types are shared, so if you enable both of them, recipients get both emails. For more information, see [Defining Recipients for Saved Search Email](#).

Enabling Saved Search Scheduled Email

Set up a schedule to email saved search results to yourself and other users on certain dates or at regular intervals. This option works well for:

- Searches that take a long time to run. For exceptionally long searches, consider persisting search results. For more details, see [Persisting Search Results](#).
- Regular status updates. Send full results to some users, and filtered results to others.

Add recipients by user name or group name, or use a field like **Sales Rep** to set recipients based on search results. For more information, see [Defining Recipients for Saved Search Email](#).

If a Saved Search is inactive, the schedules don't run. Both the search and the schedule still remain, but no email is sent.

To avoid sending emails for searches with no results, disable the **Send if No Results** option on the **Email** subtab. For information, see [Canceling Scheduled Saved Search Emails When No Results](#).

By default, targeted scheduled emails send a summary of each user's results in one email message on each scheduled date. You can change it to send a separate email for each result, so that each user receives multiple messages on each date. This is useful for activities like drip marketing. For more information, see [Sending Summarized vs. Single-Record Results](#).

Customize the email text and choose to embed results or to attach a .csv or .xls file. For more information, see [Customizing Saved Search Email Content](#).

Set the sender for saved search emails. See [Defining the Sender for Saved Search Email](#).

Scheduled saved search emails in your production account don't run in the Release Preview account. To email results from the Release Preview account, set up the schedule there.

 **Warning:** Only one scheduled saved search can run at a time per user, up to 200 simultaneously per NetSuite account. If you schedule too many saved searches for the same time, only one runs and the rest are set on hold. This may block the scheduling process. If this happens, update the schedules to cancel all waiting processes. You can avoid this issue by scheduling searches at different times.

To enable scheduled email for a saved search:

1. On the saved search page's **Email** subtab, enable the **Send Emails According to Schedule** option.
2. To set up the schedule for sending emails, click the **Schedule** subtab.

1. Select the interval at which you would like to send emails, or click **Single Event** to send it only one time.
2. Each interval gives further options. For example, **Weekly Event** lets you choose which day to send the results.
3. Choose a start date as the first day the results are emailed.

For monthly or weekly events, be sure the **Start Date** matches the interval choice. For example, for a start date of 9-8-2025, which is a Monday:

- For a monthly event, the day of the start date should match the selection in the option buttons. In this example, you should enter 8 for **Day**, if this option is selected, or select the second Monday.
- For a weekly event, the day of the start date should match the selected day of the week. In this example, you should check the **Monday** box.

4. Set a start time. This is the time of day that the search is run and its results are emailed.
5. Set an end date in the **End By** field, or check the **No End Date** box to continue running the search and emailing its results indefinitely.

3. To specify recipients by user name, group name, or both, click the **Specific Recipients** sublist.

Each scheduled time, an email message goes out to all the recipients listed in the **To** field (except those marked as Bcc) with full results. If a group that has an email address is chosen, that address is used in the **To** or **Bcc** fields of the message. Otherwise, the individual addresses of the members are used.

1. In the **Recipient** field, select a user or group. Click the ▼ button and select **List** to open a dialog. You can limit options to a specific type: contacts, customers, employees, groups, partners, or vendors. All types are listed by default.
2. To hide the recipient from others, use the **Bcc** option.
3. Click **Add**.
4. Repeat these steps for other users and groups as needed.
4. To target recipients using results fields values, go to the **Recipients from Results** sublist.

On each scheduled date, recipients that match a field get separate email messages. These messages include only the results with values that match the recipient. By default, each recipient receives a message with a summary of the results.

1. Select a field from **Recipient Field** and click **Add**, repeating as necessary.
Available options include entity and email type fields. For example, for a Customer saved search, you can select Sales Rep.
2. To send separate messages for each result to each recipient instead of a summary, disable the **Summarize Scheduled Emails** option.
This option can be used for drip marketing.
5. To customize the message text, click the **Customize Message** subtab.
Some options apply to all emails, others only work for single-record results (when the **Summarize Scheduled Emails** option has been disabled).
 1. In **From**, enter the sender's name and email address. For required format details, see [Required Format for Saved Search Email Sender](#).
 2. In **Subject**, enter the custom text. For single-record results, you can add field values by entering field IDs enclosed in curly braces {fieldID}.
 3. In **Introduction**, add custom text to appear before the results.
 4. For single-record results only, add custom message body text in the **Single-Record Results** field.
 - Add field values by entering field IDs enclosed in curly braces {fieldID}. Select a field in the **Insert Field** dropdown list to insert its field ID.
 - Use <%=formula%> to add formulas, these can use {fieldID} references.
 - You can define email body text as an entire HTML page by enclosing it with HTML tags. Use this to send email content exactly as specified, with no additional styles, View Record link, or introduction.
 5. Select one of the following options to send the results:
 - **Send within Message** – Embeds the results in the message.
 - **Send as CSV** – Sends the results attached as a .csv file.
 - **Send as Microsoft ® Excel** – Sends the results attached as an .xls file.
 - **Send as Tableau ® Workbook** – Sends the results attached as a Tableau Workbook file.

 **Note:** This option doesn't apply to single-record results.

- 6. If you don't want to include a separate link for each row, disable **Include View Record Link**. When this option is disabled, one single link appears at the bottom. When it's enabled, a link appears for each row/record.
- 6. Click **Preview**, **Save**, **Save & Run**, or **Save & Email**.

Scheduled Search Email Limitations

Be aware of the following limitations with scheduled search emails:

- The Show Internal IDs preference doesn't work for scheduled saved search emails. Add Internal ID as a results column to include them.
- If a saved search includes criteria that have non-specific values, such as **-Mine-** or **-My Team-**, scheduled emails may not be sent. Avoid using these values in your criteria filters.
- These situations may cause saved search emails to not be sent:
 - The search owner has been changed to a user who hasn't scheduled a saved search before. In this case, the new owner must log in with the appropriate role and resave the search.

- The search owner can't log in anymore (for example, they left the company). In this case, a user with the administrator role must assign a new owner, who must then log in and resave the search.

Canceling Scheduled Saved Search Emails When No Results

By default, scheduled saved searches emails are sent even when the search has no results. To stop this, disable the **Send if No Results** option on the **Email** subtab.

Enabling Saved Search Email Alerts

Set up email alerts for a saved search so recipients and subscribers get email messages when search results are added or updated.

- By default, alerts are triggered for new records that match criteria defined in the saved search. Enable the **Send on Update** option so that the alerts are triggered also when an existing record is updated to match criteria defined in the saved search. You can modify update alerts to add information about recent changes or send them only when certain fields or values change.
- If a saved search is inactive, email alerts aren't triggered. The alerts still exist in the system, but no emails are sent.
- You can't use alerts for all types of saved searches. For a full list, see [Types of Saved Searches Available for Alerts](#).
- You can't use alerts for searches with summarized results. For more information, see [Summary Types for Search Results](#).
- Specify alert recipients by user or group name, or set up a search field to select recipients based on results, such as the Sales Rep field for a Customer search. For more information, see [Defining Recipients for Saved Search Email](#).
- To let more users receive email alerts, enable the **Public** and the **Allow Users to Subscribe** options. Users can then set their own alert preferences. For more information, see [Setting User Preferences to Receive Saved Search Alerts](#).
- You can customize much of the text for alert email messages. For information, see [Customizing Saved Search Email Content](#).
- You can specify the sender for saved search emails. See [Defining the Sender for Saved Search Email](#).

- Each record add or update sends a separate alert to each recipient. If a recipient group has an email address, the alert is sent there. Otherwise, alerts are sent to the individual addresses of the members.
- Each alert usually shows one result, filtered by the record that triggered it. For searches with multiple results per record, you can include more. For information, see [Enabling Multi-Row Results for Email Alerts](#).
- If a saved search that has an alert is in a bundle, the alert is not sent in target accounts where the bundle is installed. Enable the Enable Email Alerts for WS and CSV Imports preference for the alert to be sent. You can do that at Setup > Company > Email > Email Preferences.
- Saved Search Email doesn't work with email capture features or plug-ins. Use an email address that isn't associated with a capture feature. For more information, see the help topic [Email Capture Plug-in Overview](#).



Important: By default, email alerts aren't sent for CSV imports updates or SOAP web services integrations updates. To enable them, an account administrator or a user with the Set Up Company permission can set the **Enable Email Alerts for WS and CSV Imports** preference at Setup > Company > Email > Email Preferences. See the help topic [Setting Printing and Fax Preferences](#).

To enable email alerts for a saved search:

1. On a saved search page's **Email** subtab, enable the **Send Email Alerts When Records are Created/Updated** option.
If this option is not available, it means alerts aren't available for this type of search. For more information, see [Types of Saved Searches Available for Alerts](#).
2. To allow other users to receive this search's alerts, enable the **Public** and **Allow Users to Subscribe** options.
The **Public** option is available near the top of the page, only for administrators and other users with the Publish Search permission. The **Allow Users to Subscribe** option is on the **Specific Recipients** subtab. Users can subscribe to a search's alerts by setting a preference. For information, see [Setting User Preferences to Receive Saved Search Alerts](#).
3. To specify recipients by user name, group name, or both, click the **Specific Recipients** subtab.
 1. Select a user or group in the **Recipient** field. Click the  button and select **List**. Notice that you can limit the list of possible recipients to a specific type: contacts, customers, employees, groups, partners, or vendors. By default all types are listed.
 2. If you want this recipient to receive alerts for updates as well as adds, enable the **Send on Update** option.
 3. If you have enabled the **Send on Update** option, and you want these alerts to include information about changes, enable the **Show Recent Changes** option.
 4. Click **Add**.
 5. Repeat these steps for other users and groups as necessary.
4. To target recipients based on values of search results fields, click the **Recipients from Results** subtab.
 1. If you want all recipients derived from results to receive alerts for updates as well as adds, enable the **Send on Update** option.
 2. If you have enabled the **Send on Update** option, and you want these alerts to include information about changes, enable the **Show Recent Changes** option.
 3. Select a field from the **Recipient Field** dropdown list and click **Add**, repeating as necessary. Available options include entity and email type fields. For example, for a Customer saved search, you can select Sales Rep.

5. To filter update alerts to occur only for a subset of updates, click the **Updated Fields** subtab:
 1. If you want alerts to be sent only when a particular field is updated, select the field from the dropdown list.
 2. If you want alerts to be sent only when a particular old value (value before update) occurs for the selected updated field, enter that value.
 3. If you want updates to be sent only for a particular new value (value after update) occurs for the selected updated field, enter that value.
 4. Click **Add**.
 5. Repeat these steps for other fields as necessary.
6. To customize email message text, click the **Customize Message** subtab.
 1. In the **From** field, enter optional custom text. You can include values from search results fields by entering field IDs enclosed in curly braces {fieldID}.
 2. In the **Subject** field, enter optional custom text. You can include values from search results fields by entering field IDs enclosed in curly braces {fieldID}.
 3. In the **Introduction** field, enter optional custom text to appear before search results.
 4. Enter custom message body text in the **Single-Record Results** field.
 - You can include values from search results fields in this text by entering field IDs enclosed in curly braces {fieldID}. Select a field in the **Insert Field** dropdown list to insert its field ID.
 - Use the syntax `<%=formula%>` to add formulas to the text. Formulas can include {fieldID} references.
 - You can define email body text as an entire HTML page (by enclosing it with HTML tags), to send email content exactly as specified, with no additional styles, View Record link, or introduction.
7. Click **Preview**, **Save**, **Save & Run**, or **Save & Email**.

Adding the Same Field Multiple Times to a Saved Search

You can add the same field multiple times to a saved search. Search evaluates a change and adds an OR relation between all updated fields. For example, if you define:

Field	Old Value	New Value
Test	a	b
Test	c	—
Test	—	d

The email will send if the Test field is changing from 'a' to 'b' or the Test field is changing from 'c' to anything else or the Test field is changing from anything to 'd'. Additionally, you can define the following:

Field	Old Value	New Value
Test	—	—

In this example, an email alert will send if the Test field is changing from anything to anything else, but the email will send only if the Test field was modified. For example, if you modified Amount and not the Test field then the email alert will not be sent.

Email Alerts Limitations

Be aware of the following limitations when enabling saved search email alerts:

- The Show Internal IDs preference does not apply to results in saved search email alerts. You must add Internal ID as a results column to return Internal ID values for a search.
- If a saved search includes criteria filters that have non-specific values, such as **-Mine-** or **-My Team-**, email alerts may not be sent. Try to avoid using these values in your criteria filters.

Types of Saved Searches Available for Alerts

Email alerts are not available for all types of saved searches, for record types with more frequently changing, time-sensitive data. The following types of saved searches support email alerts:

- Campaign
- Case
- Contact
- Customer
- Employee
- Event
- Issue
- Item
- Project (if you enable Project Management)
- Opportunity
- Partner
- Phone Call
- Solution
- Task
- Transaction
- Vendor

 **Note:** Alerts are sent when a new record of the selected type is created or an existing record of the selected type is edited directly. Alerts are not sent when records are changed as a side effect of other record types being created or edited.

Setting User Preferences to Receive Saved Search Alerts

Users can set individual preferences to receive alerts about saved searches for which an administrator has defined them as eligible recipients.

Note the following:

- Alerts are available only for saved searches for which the following are true BEFORE a user subscribes:
 - Saved search is public.
 - Send Email Alerts When Records are Created/Updated option is enabled.

- Allow Users to Subscribe option is enabled.
- Users who subscribe to saved search alerts are added to the Specific Recipients list for the saved search, on the **Email** subtab.
- Users subscribed to saved search alerts also may receive scheduled emails of saved search results, if the Send Email According to schedule option is enabled AFTER they have subscribed.
- For more information about saved search alerts and scheduled emails, see [Saved Search Email](#).

To set preferences to receive saved search alerts:

1. Go to Home > Set Preferences.
2. On the Set Preferences page, click the **Alerts** subtab.
3. Select the time(s) when you want to receive email alerts.
4. Enable the Include links in HTML alerts option to have the key indicators and reminders included in your alerts appear as links.
When you click a link, a browser window opens where you can log in to NetSuite and view the report for that key indicator or reminder.
5. If you want to send on-demand alerts, enable the Send an On-Demand Alert from this Role option.
On-demand alerts enable you to send email to alerts@alerts.netsuite.com or to reply to an alert email and receive an email from NetSuite with the contents of your dashboard to your login email address.
6. If you want to base email alerts on a date other than the one set in your dashboard's Quick Date Selector portlet, disable the **Respect Quick Date Portlet settings** box. By default, this preference is enabled.
7. If you want alerts to be sent to an alternate email address, select from the E-Mail dropdown list.
8. To select one or more saved searches for which you want to receive alerts:
 1. In the Record Type dropdown list, select the type of record returned by the saved search. (Not all record types are available. For a list, see [Types of Saved Searches Available for Alerts](#).)
 2. In the Search dropdown list, select the saved search. (Only public saved searches marked as **Allow Users to Subscribe** appear in the dropdown list.)
 3. If you to receive alerts for updates as well as adds, enable the Send on Update option.
 4. If you have enabled the Send on Update option, and you want these alerts to include information about changes, enable the Show Recent Changes option.
 5. Click **Add**.
 6. Repeat these steps to add each saved search for which you would like to receive an email alert.
9. Click **Save**.

Defining the Sender for Saved Search Email

The sender of emails for a saved search is determined as follows:

1. If a custom email address has been provided in the **From** field on the saved search record's **Email** subtab's **Customize Message** subtab, emails are sent from this address.

For required format details, see [Required Format for Saved Search Email Sender](#). For other details, see [Customizing Saved Search Email Content](#).

2. If the **From** field is blank, email messages are sent from the email address defined in the search owner's employee record.
3. If the **From** field is blank, and no email address is defined in the search owner's employee record, email messages are sent from the email address defined in the **Return Email Address** field at Setup > Company > Company Information.

For details about default return email address settings, see the help topic [Configuring Company Information](#).

Required Format for Saved Search Email Sender

The required format of the email sender for the **From** field on the saved search record's **Email** subtab's **Customize Message** subtab is the following:

```
1 | "name" <email address>
```

Note the following:

- The name must be enclosed in double quotes.
- The email address must be enclosed in carets.
- There must be a space between the quoted name and the email address.

Defining Recipients for Saved Search Email

On the Email subtab of the saved search page, you can enable saved search email alerts triggered by record adds or updates, as well as scheduled email of saved search results sent according to defined intervals.

You can define multiple recipients for both types of saved search email, alerts and scheduled. Recipient lists are shared for both types of saved search email, and you can enable both at the same time. If you have enabled both alerts and scheduled email, defined recipients receive both types of email.

- You can define a list of recipients by selecting user or group names on the Specific Recipients subtab.
 - For alerts, each specific recipient receives alerts for every record.
 - For scheduled email, a single email message is sent to all specific recipients, with full search results embedded or attached.
- You can derive recipients targeted to search results field values, so that users with matching values receive email. For example, for a Customer saved search, you could select the Sales Rep field.
 - For alerts, each targeted recipient receives alerts only for matching records.
 - For scheduled email, by default each targeted recipient receives an email with a summary of all matching record results. If the Summarize Scheduled Emails option is disabled, then each targeted recipient receives a separate email for each matching record result.
- An alternate method for targeting recipients based on search results field values is to define a filter for search criteria, such as Sales Rep is Mine or Sales Rep is My Team, as well as selecting recipients on the Specific Recipients subtab. Email is sent only to users who match search criteria AND are listed as Specific Recipients. This option may allow more control than selecting fields on the Recipients from Results field.

To define specific saved search email recipients:

1. Click the **Specific Recipients** subtab of a saved search **Email** subtab.


For alerts, a separate alert email message is sent to each recipient for every record add and, if applicable, update. For groups: if a group defined as an alert recipient has an email address, the alert is sent to that address; otherwise alert emails are sent to individual addresses of group members.

For scheduled email, on each scheduled date, a single email message is sent, with all specified recipients (except those marked Bcc) listed in the To field, and full search results included.

Note: At least one recipient must not be flagged as Bcc so the emails would be received by the recipients.

If a group defined as a scheduled search email recipient has an email address, that address is used in the To or Bcc fields of the message containing the results; otherwise individual email addresses for group members are used.

2. Select a user or group in the **Recipient** field. Click the  button and select List to open the Choose Recipient dialog.



Notice that you can limit the list of possible recipients to a specific type: contacts, customers, employees, groups, partners, or vendors. By default all types are listed.

3. (Alerts only) If you want this recipient to receive alerts for updates as well as adds, enable the Send on Update option.
4. (Alerts only) If you have enabled the Send on Update option, and you want these alerts to include information about changes, enable the Show Recent Changes option.
5. (Scheduled email only) If you do not want other users to see this recipient listed, enable the Bcc option.
6. Click **Add**.
7. Repeat these steps for other users and groups as necessary.

To derive saved search email recipients from search results:

1. Click the **Recipients from Results** subtab of a saved search **Email** subtab.
2. (Alerts only) If you want all recipients derived from results to receive alerts for updates as well as adds, enable the Send on Update option.
3. (Alerts only) If you have enabled the Send on Update option, and you want these alerts to include information about changes, enable the Show Recent Changes option.

4. Select a field from the Recipient Field dropdown list and click Add, repeating as necessary.
Available options include entity and email type fields. For example, for a Customer saved search, you can select Sales Rep.
5. (Scheduled email only) On each scheduled date, separate email messages are sent to all recipients who match search results values for the selected field(s). Each message includes only search results with values matching the recipient. By default, each recipient receives one message with a summary of all matching results.

To send a separate email message for each matching result, rather than a summary of all matching results, to each recipient derived from results, disable the Summarize Scheduled Emails option.

This option can be used for drip marketing.

To derive saved search email recipients from search filters:

1. Click the **Standard** subtab of a saved search **Criteria** subtab.
2. Select the field you want to use to target recipients, and in the popup that appears, select a field value.

For example, for a Customer saved search, you can select the **Sales Rep** field and a value of Mine or My Team.
3. Click the **Email** subtab and the **Specific Recipients** subtab.
4. Select users from the Recipient dropdown list, clicking **Add** after each selection.

Email is sent only to users who match search criteria AND are listed as Specific Recipients.

Customizing Saved Search Email Content

You can customize much of the text for scheduled and alert email messages. Some customizations are available only for emails containing results from one record, referred to as single-record results, meaning all alerts, and scheduled emails to recipients derived from the Recipients from Results subtab when the Summarize Scheduled Emails option is disabled. An option to choose whether to include search results as embedded content, as an attached .csv file, or as an attached .xls file applies to scheduled email with full or summarized results.

To customize text, click the Customize Message subtab of a saved search Email subtab:

- In the **From** field, enter an optional sending email address.
 - Your entry in this field must use the following format: **"name" <email address>**. For details, see [Required Format for Saved Search Email Sender](#).
 - For single-record results only, you can include values from search results fields by entering field IDs enclosed in curly braces **{fieldID}**.
 - If the **From** field is blank, email messages are sent from the email address defined in the search owner's employee record. For details, see the help topic [Adding an Employee](#).
 - If the **From** field is blank, and no email address is set in the search owner's employee record, email messages are sent from the email address defined in the **Return Email Address field** at Setup > Company > Company Information. For details, see the help topic [Configuring Company Information](#).
- In the **Subject** field, enter optional custom text. For single-record results only, you can include values from search results fields by entering field IDs enclosed in curly braces **{fieldID}**.
- In the **Introduction** field, enter optional custom text to appear before search results.
- For single-record results only, enter custom message body text in the **Single-Record Results** field.

- You can include values from search results fields in this text by entering field IDs enclosed in curly braces **{fieldID}**. Select a field in the **Insert Field** dropdown list to insert its field ID.
- Use the syntax **<%=formula%>** to add formulas to the text. Formulas can include **{fieldID}** references.
- You can define email body text as an entire HTML page (by enclosing it with HTML tags), to send email content exactly as specified, with no additional styles, View Record link, or introduction.
- You cannot enter more than 4000 characters as custom message body text.



Note: You can include multiple matching rows in a saved search alert email by using a {results} parameter in the text for the **Single-Record Results** field. See [Enabling Multi-Row Results for Email Alerts](#).

- Select an option button to indicate whether search results should be: embedded in the email message, attached as a CSV file, attached as an XLS file, or attached as a PDF file.
(This option is unavailable to single-record results.)
- If you do not want to include a separate record link for each results row, disable the **Include View Record Link** option. When this option is disabled, one link appears at the bottom.

Enabling Multi-Row Results for Email Alerts

Normally, each saved search alert email includes only one row, because the search is filtered by the triggering record. However, certain searches, such as those with results fields from one-to-many joins, or transaction searches, can return multiple rows for each triggering record.

In this case, you can include multiple matching rows in each alert email by using a {results} parameter in the text for the Single-Record Results field.

The following procedure provides steps for how you could set up a search alert in these instances:

To enable multi-row results for email alerts:

1. Go to Reports > Saved Searches > All Saved Searches > New.
2. On the New Saved Search page, select Transaction.
3. On the Saved Transaction Search, go to the Standard subtab of the Criteria subtab.
 - a. Select Type from the Filter dropdown list and in the popup, select Sales Order and click Set.
 - b. Select Main Line from the Filter dropdown list and in the popup, choose No and click Set.
(This choice means that the search will return transaction line items but not the transaction header.)
4. Click the Results subtab.
 - a. Select Item from the Field dropdown list and click **Add**.
 - b. Select Quantity from the Field dropdown list and click **Add**.
 - c. Select Amount from the Field dropdown list and click **Add**.
 - d. Select each additional field that is listed and click **Remove**.
5. Click the Email subtab.
 - a. Enable the Send Email Alerts When Records are Created/Updated option.
 - b. Click the Specific Recipients subtab and select user or group names, clicking Add after each one.

- c. Click the Customize Message subtab. In the Single-Record Results field, enter the following text:

Here are the items of the order: <CR><CR> {results}

Note that each <CR> indicates a carriage return.

6. Click **Preview**, **Save**, **Save & Run**, or **Save & Email**.

Each alert email includes all rows for each transaction.

 **Warning:** The {results} parameter cannot be used in a scheduled saved search email that is not summarized, because the results are all single rows sent out individually. For this type of email, instead of adding the {results} parameter, use the Insert Field dropdown list to insert a field ID enclosed in curly braces for each column for which you want results returned. See [Sending Summarized vs. Single-Record Results](#) and [Customizing Saved Search Email Content](#).

Sending Summarized vs. Single-Record Results

The following options are available for scheduled email results:

- When the **Summarize Scheduled Emails** option is enabled, the recipients listed on the **Specific Recipients** subtab of the saved search **Email** subtab will receive a single email that contains a summary of all results. However, each of the recipients listed on the **Recipients from Results** subtab will receive only a summary of results related to this particular recipient.
- When the **Summarize Scheduled Emails** option is disabled, the recipients listed on both the **Specific Recipients** and **Recipients from Results** subtabs of the saved search **Email** subtab will receive a separate email for each of the records in the search results. In this case, each email message is a "single-record result". Recipients may receive multiple messages on each scheduled date. This option can be used for drip marketing.

 **Important:** If the **Results** subtab of your saved search contains even one summarized field, all recipients are sent a summary of the results. This happens even if the **Summarize Scheduled Emails** option is disabled. Recipients on the **Specific Recipients** subtab are sent a single email containing the summary of the results. Recipients on the **Recipients from Results** subtab are sent an email containing a summary of the results specific to their records. Additionally, sending email using the **Save & Email** button always sends summarized results, regardless of the **Summarize Scheduled Emails** setting.

These settings do not apply to alert email, because these messages are always single-record results. Note that you can customize an alert message for a search that returns multiple rows per record, such as a transaction search, to include multiple rows. For information, see [Enabling Multi-Row Results for Email Alerts](#).

Accessing a Saved Search

 **Note:** You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

To find a saved search:

- Verify if the saved search has its own menu option at Reports > Saved Searches, and click on it, if available.
- If you know part of the search title, use Global Search to find it. Enter **se:<search_title_text>** as keywords in the Search field in the upper right corner.
- If you do not know the search title, you can display a list of all saved searches at:
 - Transactions > Management > Saved Searches
 - Lists > Search > Saved Searches
 - Reports > Saved Searches > All Saved Searches

You can click links to edit a saved search or view its results. If the list is lengthy, you can use available options to filter the list, review characteristics of searches, and find the search you need. See [Using the Saved Searches List](#).

You can run a saved search and view its results if:

- The saved search is public, or
- You have been defined as part of the saved search audience, either by name or based on your assigned role, department, subsidiary, or group.

 **Note:** When you run a saved search with the Advanced Employee Permissions feature enabled some fields are hidden depending on what your role has access to. Additionally, if you do not have access to a field used in a saved search criteria filter, the search results will not consider the criteria filter. Please contact your administrator to change what you are permitted to view. For more information about this feature, see the help topic [Advanced Employee Permissions](#).

You can edit a saved search if:

- The saved search has been marked as Allow Audience to Edit,
- You are the owner, or
- You are an account administrator.

You also need general search permissions, and permissions for specific record types, to access saved searches. For information about general permissions required to access saved searches, see [Permissions for Searches](#).

 **Note:** Account administrators have greater access than other users to saved searches. For information, see [Administrator Access to Other Users' Saved Searches](#).

After you have accessed a saved search page by clicking a menu link or **Edit** on a saved searches list page, you can:

- Make changes to search definitions on any of the header check boxes or subtabs.
- Click the **Preview** button to run the saved search and view its results.
- Click the **New Template** button to create an advanced PDF/HTML template for printing the saved search results. For more information, see the help topic [Advanced Templates for Printing Saved Search Results](#)
- Click the **Reset** button to clear any changes you have made.
- Click the **New** button to open a page where you can create a new saved search for the same record type.
- Click the **Change ID** button to open a page where you can enter a new script ID for the saved search.

If you are the saved search's owner, or the Allow Audience to Edit box has been checked, you can:

- Click the **Save** button to resave the search with the same name.
- Click the **Save & Run** button to resave the search with the same name and immediately run it to view results.
- Click the **Save As** button to save the search with a different name.
- Click the **Delete** button to remove the saved search from the system.
- Additionally, if you have also the Publish Search permission, you can click the **Save & Email** button to resave the search with the same name and email the results to the recipients designated on the **Email, Recipients from Results** or **Email, Specific Recipients** subtabs.

The results that are emailed to each recipient depend on the filters set up for the search, and the subtab on which the recipients are selected:

- If the recipients are selected on the Recipients from Results subtab, a single email with a summary of the results for each users' records is sent.
- If the recipients are selected on the Specific Recipients subtab, a single email with a summary of the results is sent to each recipient unless there is a **-Mine-** filter set up on the Criteria subtab for any Entity fields. If this type of filter exists, each recipient is sent a summary of the results for their records only. In this scenario however, the results for all potential recipients are processed before the filter is considered, which can cause the data to exceed the size limit of 5MB or 10,000 rows. In such cases, the email that is sent might only contain some of the results and a truncation message, indicating that the results are incomplete.

If you are not the saved search's owner, and the Allow Audience to Edit box has not been checked, you can click the **Save As** button to save the search with a different name.

Using the Saved Searches List

You can view a list of saved searches to which you have access using a navigation like the following: Reports > Saved Searches > All Saved Searches or Lists > Search > Saved Searches.

Reviewing and Filtering the Saved Searches List

The following options enable you to review and filter the list by search characteristics. Filtering can be particularly helpful if you have access to a large number of searches. Note that these options are sticky, meaning your selections persist the next time you view the list.

- **Show Inactives** – Check this box to list inactive searches and to be able to change the active/inactive status for searches. When this box is checked, an Inactive column displays as the first column in the list.
 - **Show All Private Searches** – (Available to Account Administrators only) Select an option to determine whether private searches should be displayed in the list.
 - **Yes** – Select this option to include all private searches, even those where you are not included in the audience.
 - **All** (default) or **No** – Select either of these options if you do not want private searches to be listed.
- Account administrators have greater access than other users to saved searches. For information, see [Administrator Access to Other Users' Saved Searches](#).
- **Available As** – Select an option to filter listed searches by their use.
 - **All** – (default) Lists all saved searches.

- **Dashboard Views** – Lists saved searches available as dashboard views.
 - **Email Alerts** – Lists saved searches for which the Send Email Alerts When Records are Created/Updated option has been enabled. See [Enabling Saved Search Email Alerts](#).
 - **General** – Lists saved searches that are not available as views.
 - **List Views** – Lists saved searches available as list views. See [Using a Saved Search as a View](#).
 - **Reminders** – Lists saved searches available as reminders. See [Using a Saved Search as a Reminder](#).
 - **Sublist Views** – Lists saved searches available as sublist views.
- **Type** – Select an option to filter listed searches by their record type. The default is to list all record types.
- **Access Level** – Select an option to filter listed searches by the access they provide.
 - **All** – (default) Lists private, shared, and public saved searches.
 - **Private** – Lists only private saved searches.
 - **Public** – Lists only public saved searches.
 - **Shared** – Lists shared and public saved searches

For information about setting up access for searches, see [Defining Audiences for Saved Searches](#) and [Making Saved Searches Public](#).
- **Scheduled** – Select an option to filter listed searches by whether they have been scheduled.
 - **All** – (default) Lists scheduled and unscheduled searches.
 - **Yes** – Lists saved searches for which the Send Emails According to Schedule option has been enabled. See [Enabling Saved Search Scheduled Email](#).
 - **No** – Lists saved searches for which the Send Emails According to Schedule option has not been enabled.

Taking Action from the Saved Searches List

You can take the following actions from the saved searches list:

- Click **Edit** to review and edit a saved search's definitions.
- Click **View** to run a saved search and view its results.
- Click **Export (CSV)** to export saved search results to a CSV file.
- Click **Persist (CSV)** to persist search results for searches that take longer time to run. The results are saved in a CSV file. For details, see [Persisting Search Results](#).

The saved searches list also includes columns indicating the user who last ran or exported each saved search, and the date and time it's been done. If you are an administrator or have at least Create level of the Publish Search permission, you can view more details about recent executions on each saved search record. See [Audit Trail for Saved Searches, Reports and Schedules](#).

Administrator Access to Other Users' Saved Searches

Account administrators have greater access than other users to saved searches. In addition to their own private searches, administrators can view, edit, make inactive and delete ALL saved searches, including:

- Shared searches, with or without the Allow Audience to Edit option enabled, whether they include the administrator in the audience

- Public searches, with or without the Allow Audience to Edit option enabled
- Private searches owned by users other than the administrator

This capability is available from the Saved Searches list page, at Lists > Search > Saved Searches, and Reports > Saved Searches > All Saved Searches. This page includes a Show All Private Searches option that the administrator can set to Yes to include all private and shared saved searches in the list.

EDIT VIEW	INTERNAL ID	TITLE	FROM BUNDLE	ID
Edit View	18	New Corporate Leads	8259	customsearch18
Edit View	60	2008 Documentation Survey - Help Use Frequency	2792	customsearch14_1
Edit View	79	Active Training	1220	customsearch_training

Each listed saved search includes **Edit**. When this link is clicked, all editing functions are available for the saved search, including the ability to change its owner. This ability is useful in cases where the owner has left a company but the search is still in use.

The Show All Private Searches option is set to All by default, which means that private searches are not included. After it is set to Yes, it is sticky, meaning it remains enabled until you explicitly set it to All or No. Note that even when an administrator enables this option, setting it to Yes, Global Search does not return private searches and shared searches that do not include the administrator in the audience.

OneWorld accounts include the following limitation on this capability: If an administrator of a subsidiary enables scheduled email for a saved search, the administrators of other subsidiaries cannot see this search on their saved search list.

Note: In each saved search record, you can view a log that lists the users who have run or exported the saved search in the past 60 days, and the dates and times it's been done. See [Audit Trail for Saved Searches, Reports and Schedules](#).

Audit Trail for Saved Searches, Reports and Schedules

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Saved searches, saved reports, and report schedules use the Analytics Audit Trail for auditing changes. The analytics audit trail offers the following features:

- Audit Trail Subtab – directly from the relevant Saved Search, Saved Report, or Report Schedule edit page, you can view the history of changes made to a search, report, or report schedule that you own. For more information, see [Audit Trail Subtab](#).
- Audit Trail Search – You can create custom saved searches to display audit trail data covering the Saved Searches, Saved Reports and Report Schedules that you own. For more information, see [Audit Trail Search](#).

Saved search processing is audited by the execution log. To view data on when the search was last run and by whom, see [Auditing Saved Search Execution](#).

Note: Execution log is available for saved searches only.

Audit Trail Subtab

Note: By default, you are able to view audit trail records only for saved searches, reports, and report schedules that you own. To view audit trail records for saved searches, reports, and report schedules owned by other users, you need to have the Administrator role or the Unrestricted Analytics Audit Trail permission.

The Audit Trail Subtab lists all audited changes and actions for the respective Saved Search, Saved Report, or Report Schedule.

Criteria	Results	Highlighting	Available Filters	Audience	Roles	Email	Audit Trail	Execution Log	Search Title Translation
View									
Default									
Customize View									
DATE	SET BY	COMPONENT ACTION	COMPONENT TYPE	COMPONENT NAME					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Account Type					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Balance					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Description					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Name					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Drill Down Field	Account Type					
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Drill Down Field	Balance					

The default columns displayed are as follows:

- Date: the date and time the change was made.
- Set By: the user who made the change.
- Component Action: the action taken (update, delete, or create).
- Component Type: the type of page component that was edited.
- Component Name: the name of the edited page component.

Customizing the default Audit Trail View

Click Customize View to customize the default view for your specific needs. Additional columns available include; New value, Old Value, Record Type, Record Title, Record Owner and Record Action.

Understanding Audit Trail Data

The Audit Trail offers a rich selection of data that can be used to gather a detailed understanding about the changes made. In the example below two changes were made to a saved search.

1. The Public box was unmarked. This change registered 2 changes in the Audit Trail.
 - The Search Options component type was updated from value=T to value=F.
 - The component type Audience was updated from value=T to value=F.

In effect the value for the Audience Search Option was changed from true to false.
2. The Public box was marked again. This change also registered 2 changes in the Audit Trail - the reverse of the previous changes.

Saved Account Search More

Custom Account Search

Save Reset Cancel Preview Pivot Report Change ID Actions

Search Title *
Custom Account Search

ID
customsearch259

Owner
17 Varner, Nicholas

☒ Public
☐ Available for Reminders
☐ Show In Menu

Criteria Results Highlighting Available Filters Audience Roles Email **Audit Trail** Execution Log Search Title Translation

View
Default

Customize View

DATE	SET BY	COMPONENT ACTION	COMPONENT TYPE	COMPONENT NAME
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Account Type
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Balance
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Description
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Column	Name
8/4/2014 1:36 am	17 Varner, Nicholas	Create	Drill Down Field	Account Type

Tips

- A single user action can create a series of cascading events in the audit trail. When reading audit trail data it is useful to group actions by date and time. Actions with the same time are most probably a single action.
- Customize the audit view to increase your understanding of what events took place.
- Focus on the key data that you need. Are you searching for the new and old values, or are you more concerned with who made the change?

Audit Trail Search

Note: By default, you are able to view audit trail records only for saved searches, reports, and report schedules that you own. To view audit trail records for saved searches, reports, and report schedules owned by other users, you need to have the Administrator role or the Unrestricted Analytics Audit Trail permission.

Analytics Audit Trail searches display audit trail data covering changes to all saved searches, custom reports, report schedules, and financial report layouts. For example, you can use this type of search to determine whether a saved search has been deleted.

To run an Analytics Audit Trail search:

1. Go to Reports > New Search.

2. Click **Analytics Audit Trail**.
3. Use the **Record Type** list to specify the record types to be included in the search. You can specify any combination of the following record types:

- **Financial Layout** – Select this option to find the changes made to financial report layouts.



Note: Formatting changes, such as font size or row color changes, are not logged in the audit trail.

- **Report** – Select this option to find the changes made to saved custom reports.
- **Report Schedule** – Select this option to find the changes made to report schedules.
- **Search** – Select this option to find the changes made to saved searches.

If you are looking for specific changes, use the **Record Action** field.

If you are looking for changes related to a specific search or report, you can specify its name in the **Record** field.

4. To define your search further, you can also use the following fields:
 - **Date** – If you are looking for changes during a specific time period, enter the time period.
 - **From/To** – If you entered a time period to filter the search, enter the start and end dates for the period.
 - **Component Name** – If you are looking for changes to a specific search or report component, enter the name of the component.
 - **Component Type** – If you are looking for changes to search or report components of a specific type, enter this type.
 - **Component Action** – If you are looking for a specific action that resulted in changes, enter this action.
 - Use the **Old Value** and **New Value** fields to look for specific values before or after the change.
5. When ready, click **Submit** to find the changes, or click **Create Saved Search** if you want to create a saved search based on your criteria.

Auditing Changes to Saved Searches



Note: By default, you are able to view audit trail records only for saved searches, reports, and report schedules that you own. To view audit trail records for saved searches, reports, and report schedules owned by other users, you need to have the Administrator role or the Unrestricted Analytics Audit Trail permission.

Changes to saved searches are audited using the Analytics Audit Trail and can be viewed using the Audit Trail Subtab or by running a customized Audit Trail saved search. See [Audit Trail Subtab](#) and [Audit Trail Search](#).

To view the Audit Trail of an individual Saved Search:

1. Go to Reports > Saved Searches > All Saved Searches.
2. Click **Edit** next to the required saved search in the list.
3. Click the **Audit Trail** subtab to view a history of all changes.

Execution of saved searches is audited by the execution log. To view data on when the search was last run and by whom, see [Auditing Saved Search Execution](#).

Auditing Saved Search Execution

The information about execution of saved searches is available through the saved search Execution Log and the Saved Searches list. For information about changes made to saved searches see [Auditing Changes to Saved Searches](#).

Saved Search Execution Log

The saved search Execution Log subtab provides a rolling usage history for the past 60 days. This history lists each user who has run or exported the saved search, and the date and time when this has occurred. A box indicates whether the search was exported.

Criteria	Results	Highlighting	Available Filters	Audience	Roles	Email	Audit Trail	Execution Log	Search Title Translation	
RUN ON			RUN BY			WAS EXPORT				
8/4/2014 1:38 am			17 Varner, Nicholas							
8/4/2014 1:37 am			17 Varner, Nicholas							

[Save](#) [Reset](#) [Cancel](#) [Preview](#) [Pivot Report](#) [Change ID](#) [Actions](#)

You must be an administrator or have at least Create level of the Publish Search permission to view the saved search Execution Log subtab.

Note: Execution log is available for saved searches only, not for reports.

To view the saved search Execution Log:

1. Go to Reports > Saved Searches > All Saved Searches.
2. Click **Edit** next to the required saved search.
3. Click the **Execution Log** subtab.

Note: Each saved search log includes executions that are scheduled, that are customized quick searches based on the saved search, that are from scripts, and that are in dashboard portlets, including saved search, KPI, and trend graph portlets.

Saved Search List

Not all users have access to the saved search Execution log. You must be an administrator or have at least Create level of the Publish Search permission to view it. Alternatively, you can view the Saved Searches list page, which includes the following columns:

- Last Run By: displays the user who last run the saved search
- Last Run On: displays the date and time it's been run.

SCHEDULED	LAST RUN BY	LAST RUN ON
	17 Varner, Nicholas	07/30/2014 8:16 am

To view the Saved Searches list page:

1. Go to Lists > Search > Saved Searches.

You do not need this permission to see the columns on the Saved Searches list page.

Translations for Saved Searches

When defining a saved search you can add translations for search titles and labels so that users of your saved search can view the results in other system-supported languages.

Note: Translation support for saved searches is only available in accounts where the Multi-Language feature has been enabled. For further information about multiple languages see the help topic [Configuring Multiple Languages](#). The translation languages need to be selected at Setup > Company > Preferences > General Preferences, on the Languages subtab. Add all the languages that you would like to make available on your saved search results.

You can add translations for search elements as follows:

- [Adding Translations for Saved Search Titles](#) – The translated title will be displayed in the search results and also in the list of saved searches.
- [Adding Translations for Saved Search Column Headings](#) – The translated column headings and summary column headings will be displayed in the search results.
- [Adding Translations for Saved Search Highlighting](#) – The translated descriptions for highlighted saved search results and summary rows will be displayed in the search results.
- [Adding Translations for Saved Search Filters](#) – The translated labels for available filters are displayed in the filter area of the saved search results.
- Translations can also be added for mass update titles and column headings. For more information, see [Translations for Mass Updates](#).

These translations will be displayed when the NetSuite user interface is set to the appropriate system-supported language.

Each search element translation has a maximum length of 80 characters.

Adding Translations for Saved Search Titles

To add translations for saved search titles:

1. From the Saved Search definition page, click the **Search Title Translation** subtab.
2. For each language listed, enter the translated text into the **Label** column.
3. Click **Save**.

Note: If the Multi-Language feature is enabled, the Saved Search definition page will display an additional subtab **Search Title Translation**.

LANGUAGE ▼	LABEL
Spanish	Los productos que menos de \$500
Hebrew	פריטים תחת 500
German	Artikel unter 500 Dollar
Czech	Položky pod 500

Save As Preview Pivot Report Actions ▼

Adding Translations for Saved Search Column Headings

To add translations for saved search column headings:

1. From the Saved Search definition page, click the **Results** subtab.
2. Click the Field that you want to edit.
3. Click the **Custom Label Translation** column.
4. Enter the translated text for each language.
5. Click **Done**.
6. Click on the **Summary Label Translation** column.
7. Enter the translated text for each language.
8. Click **Done**.
9. Repeat steps 2-8 for every Field that requires translating.
10. Click **Save**.

Note: If the Multi-Language feature is enabled, the **Results** subtab of the Saved Search definition page will display two additional columns - Custom Label Translation and Summary Label Translation.

Columns Drill Down Fields •

Select fields you would like displayed when a customer viewing search results on your Web or intranet site drills down to the record.

[Remove All](#) [Add Multiple](#)

FIELD *	CUSTOM LABEL	CUSTOM LABEL TRANSLATION
*		
Date		
Period		
Tax Period		
Type		
Number		
Czech		
German		
Hebrew		
Spanish		Nombre del producto
Amount		
Import Permit No. (Custom)		
MX Operation Type (Custom)		
+ Add Row		


[Done](#) [Bottom](#)

Adding Translations for Saved Search Highlighting

To add translations for saved search highlighting:

1. From the Saved Search definition page, click the **Highlighting** subtab.
2. Click a highlighting condition.

3. Click the Translation column.
4. Enter the translated text for each language.
5. Click **Done**.
6. Repeat steps 2-5 for every highlighting condition that requires translating.
7. Click **Save**.




Translations for Saved Search highlighting of summary rows can be added in the same way.

1. From the Saved Search definition page, click on the Highlighting subtab.
2. Click on the Highlighting if..(Summary) subtab.
3. Repeat steps 2-5 (above) for every summary row that requires translating.
4. Click **Save**.

Adding Translations for Saved Search Filters

To add translations for saved search filters:

1. From the Saved Search definition page, click the **Available Filters** subtab.
2. Click on a filter.
3. Click the **Translation** column.
4. Enter the translated text for each language.
5. Click **Done**.
6. Repeat steps 2-5 for every filter that requires translating.
7. Click **Save**.



Displaying Saved Search Results on Your Dashboard

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

If you are an administrator or a saved search's owner, or a saved search is public or you have been defined as an audience member, you can run the search yourself to view its results. For information, see [Accessing a Saved Search](#).

For saved searches to which you have access, you also can display saved search results in dashboard portlets, or define saved searches as custom key performance indicators (KPIs) to view summaries, comparisons, and graphs of their results on your dashboard.

For information, see:

- [Creating Shortcuts to Saved Search Results](#)
- [Displaying Saved Search Results in Dashboard Portlets](#)
- [Displaying Multiple Saved Searches on Your Home Page](#)
- [Custom KPIs](#)
- [Adding a Custom KPI to the Key Performance Indicators Portlet](#)
- [Using a Custom KPI in a KPI Scorecard](#)
- [KPI Meters](#)
- [Trend Graphs](#)
- [Creating Custom Reminders](#)

Notes:

- When placed in the right or left narrow columns of a dashboard, custom search portlets display only the first 4 results columns of the saved search. When placed in the center column, they display the first 9 results columns.
- You can display up to six custom search portlets on the Home page.
- If you want to display these types of results for multiple date ranges, your saved search must fulfill certain requirements. For information, see [Notes on Using Saved Searches as Custom KPIs](#).

Creating Shortcuts to Saved Search Results

If you do not want to display a saved search's results right on a page, but you still want access to them, you can create a shortcut. Shortcut links appear as menu options under the star menu available on every NetSuite page, and in the Shortcuts portlet, if any. You can add shortcut links for multiple saved search results pages.

If a Shortcuts portlet does not yet exist on a page, you may be able to add it. For instructions, see the help topic [Adding a Portlet to a Dashboard](#).

To create a shortcut on your home page to saved search results:

1. Run the saved search to get to the results page. (For information, see [Accessing a Saved Search](#) or [Defining a Saved Search](#).)
2. On the Search Results page, go to the star menu and click the Add to Shortcuts option.
3. In the Add Shortcut popup:
 1. You can modify the name for the shortcut link. By default, it is "<saved_search_name> Results".
 2. You can check the box to indicate that the search results page should open in a new window when the shortcut link is clicked. By default, the results page opens in the same window.
 3. Click **Save**.

There are other ways to add shortcuts links. For information, see the help topic [Shortcuts Portlet](#).

Note: Another way to link to search results from your dashboard is to make the search available for reminders and add it to the Reminders portlet. Each reminder link includes a count of search results; the link does not display if the search has 0 results. For more information, see [Creating Custom Reminders](#).

Displaying Saved Search Results in Dashboard Portlets

To make dynamically updated saved search results immediately available, you can add Custom Search portlets to dashboards on one or more NetSuite tabbed pages. Each Custom Search portlet displays results for a saved search that you select. Results are updated every time the page loads. The portlet also has a Refresh link that you can click to update search results. In addition, you can change the search portlet title by assigning a custom title to this portlet.

Note: When placed in the right or left narrow columns of a dashboard, custom search portlets display only the first 2 results columns of the saved search. When placed in the center column, they display the first seven results columns. Custom search portlets also include New, Edit, and View columns with clickable links for each result record. If your saved search results include fields using custom labels that contain HTML markup or JavaScript code, those fields may not be displayed correctly in the dashboard view.

You are limited to six Custom Search portlets on the home page dashboard, but if you want to display results of additional searches on your dashboard, you have some other options to make this happen. For information, see [Displaying Multiple Saved Searches on Your Home Page](#).

To add a Custom Search portlet to a page:

1. On the page where you want to display saved search results, click **Personalize Dashboard**.
2. In the **Personalize Dashboard** panel, under the **Standard Content** folder, click or drag the **Custom Search** item.
3. In the **Custom Search** portlet, click **Set Up**.
4. In the **Custom Search** setup window:
 1. Select a saved search from the **Search** dropdown list.
 2. In the **Custom Portlet Title** field, you can specify your custom title for this custom search portlet.
 3. In the **Results Size** field, enter the number of results you want displayed at one time in the portlet. If the total number of results exceeds this number, a **From-To** dropdown list appears that you can use to go to the results pages.

4. In the **Drill Down** field, select whether to open an individual result in the portlet or in a new page. If you set this option as **To New Page**, you will be redirected to a page that displays the results for the drilldown.
 5. (If the Inline Editing feature is enabled) Check or clear the **Allow Inline Editing** box to indicate whether records returned as search results can be edited directly in the portlet.
 - When the Inline Editing feature is enabled in an account, inline editing is available by default in all custom search portlets. You can clear this box to selectively disable inline editing per portlet.
 - To limit other users' inline editing of custom search portlets, you can disable the **Allow Inline Editing** option for these portlets in personalized dashboards that you publish to users. See the help topic [Publishing Dashboards](#).
 - For details about inline editing capabilities, see the help topic [Using Inline Editing](#).
 6. Click **Save**.
5. You can move the portlet around on the dashboard. For information, see the help topic [Arranging Dashboard Portlets](#).

When search results are available in the portlet, you can choose to view or edit records. If you have Inline Editing enabled, you can edit information shown in the portlet without opening the record and the record is updated automatically. You also may be able to use Quick Add to create a new record or add new information to a record, all from within the portlet, or to click **Edit** in the portlet to modify the saved search definitions.

If you do not need access to full search results on your dashboard, you can use the following alternatives for quick access to saved searches:

- Include summary results for saved searches on your dashboard by defining them as custom KPIs. You can display them in Key Performance Indicators, KPI Scorecard, KPI Meter, or Trend Graph portlets. See the help topic [Custom KPIs](#).
- Add links to saved search results pages in your dashboard Shortcuts portlet. See [Creating Shortcuts to Saved Search Results](#).

Displaying Multiple Saved Searches on Your Home Page

Currently, you can add up to six custom search portlets to a home page dashboard.

 **Note:** When placed in the right or left columns of a dashboard, custom search portlets display only the first 2 results columns of the saved search. When placed in the center column, they display the first 7 results columns. Custom search portlets also include New, Edit, and View columns with clickable links for each result record.

If you would like to display results for more than six saved searches on this page, you can do one of the following:

- Display an additional saved search in a list portlet.
- Set up a custom tab for your standard home page where you can add more search portlets.
- Create a new custom tab and designate it to be your landing page instead of the standard home page.

See the following topics:

- [Setting Up a Custom Tab for a Standard Page](#)
- [Creating a New Custom Tab](#) (This option gives you the most flexibility, if you have permissions to do it.)

Setting Up a Custom Tab for a Standard Page

To display results from more than six saved searches on your home page, you can set up a custom tab for a standard page, add multiple Custom Search portlets to the tab, and make the tab your landing page.

To set up a custom tab for a standard page:

1. Click **Set Up Custom Tab** in the upper right corner of a standard page.
2. On the Custom Center Tab page, click the Portlets subtab of the Content tab, and add multiple Custom Search portlets.
For more information about setting up custom tabs, see the help topic [Creating Center Tabs](#).
3. After you have saved the custom tab, you can define it to be the landing page when you log in, instead of the home page, by going to Home > Set Preferences, and on the Appearance subtab, in the Centers & Dashboards section, selecting the tab name from the Landing Page dropdown list.

Creating a New Custom Tab

To display results from more than six saved searches on your home page, you can create a new custom tab, add multiple Custom Search portlets, and make it your landing page.

To create a new custom tab:

1. Go to Customization > Centers and Tabs > Custom Center Tabs > New.
2. On the Custom Center Tab page, click the Portlets subtab of the Content tab, and add multiple Custom Search portlets. (You can define any other tab characteristics as well.)
For more information about setting up custom tabs, see the help topic [Creating Center Tabs](#).
3. After you have saved the custom tab, you can define it to be the landing page when you log in, instead of the home page, by going to Home > Set Preferences, and on the Appearance subtab, in the Centers & Dashboards section, selecting the tab name from the Landing Page dropdown list.

- [Displaying Saved Search Results on Your Dashboard](#)
- [Displaying Saved Search Results in Dashboard Portlets](#)
- [Displaying Multiple Saved Searches on Your Home Page](#)
- [Setting Up a Custom Tab for a Standard Page](#)

Persisting Search Results

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Persisting search results enables you to run saved searches asynchronously, for up to 3 hours, saving search results in a CSV file. This capability is useful for searches across high volumes of data that could possibly return a timeout.

The results for each search are saved in a CSV file that is available for 7 days. Results are deleted after this time period. When a search has a Pending status for 24 hours, its status changes to Failed. When a search has a Failed status, you can try to persist the search again. The available statuses are:

- **Pending** – The search is running.
- **Completed** – The search is finished. The download link is available.
- **Timeout** – It's been more than three hours since the search was run and the process isn't finished. The download link isn't available.
- **Failed** – An error occurred while running the search. The download link isn't available.

To persist search results:

1. Go to Reports > Saved Searches > All Saved Searches to view the Saved Searches list page.
2. Click **Persist (CSV)** for the search.

When you click **Persist (CSV)**, the Search Results page opens and displays the status of the search running in the background.

Activities

Transactions

Lists

Reports

Documents

Setup

Customization

Support

Saved Searches

New

FILTERS

Show All Private Searches

Use

General

Type

- All -

Access Level

- All -

Scheduled

- All -

Show Inactives

Total: 1

EDIT RESULTS	NAME ▲	ID	SEARCH FORM	TYPE	RECORD TYPE	OWNER	ACCESS	EXPORT RESULTS	PERSIST RESULTS	SCHEDULED	LAST RUN BY	LAST RUN ON
Edit Results	Account Search	customsearch4	Search Form	Account		Mark Wheel	Private	Export (CSV)	Persist (CSV)		Mark Wheel	06/18/2014 5:25 am

When the search is finalized, a download link for a CSV file of the results is available on the Search Results page. You can also access this page by clicking the new Reports > Scheduled Searches > Search Results link.



Activities

Transactions

Lists

Reports

Documents

Setup

Customization

Support

Search Results

SEARCH	SEARCH TYPE	OWNER	FORMAT	RESULTS	CREATED BY	CREATED ON ▲	STATUS	COMPLETED
Account Search	Account	Mark Wheel	CSV		Mark Wheel	2014-06-18 05:23:59	Pending	
Account Search	Account	Mark Wheel	CSV		Mark Wheel	2014-06-18 05:26:12	Pending	

Total: 2

Persisting Search Results for Non-Administrator Users

Administrators may enable other users with non-administrative roles to persist searches.

To allow a role to persist searches:

1. Go to Setup > Users/Roles > Manage Roles and click the custom role for users whom you want to enable to persist search results.
2. Click Edit to modify the role settings.
3. On the Permissions subtab, click Lists.
4. Choose Persist Search from the bottom of the dropdown list and click Add.

5. Click Save.

If you want to enable selected users to persist searches, you can add the Persist Search permission to their global permissions. To learn how to assign a global permission, see the help topic [Using the Global Permissions Feature](#).

Saved Search Examples

Note: You can use SuiteAnalytics Workbook to query your NetSuite data with the analytics data source, which gives you advanced query options. For more on SuiteAnalytics Workbook and how to recreate your saved searches as workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

Review the following for examples of saved searches:

- [Creating Saved Searches for Bin Numbers](#)
- [Creating Saved Searches for System Notes](#)
- [Creating Saved Searches for User Notes](#)
- [Creating Saved Searches for Messages on Records](#)
- [Creating a Campaign Response Search](#)
- [Creating an Average Items Per Order Search](#)
- [Creating a Web Orders Search](#)
- [Creating a Daily Inventory Additions Search](#)
- [Creating a Search for Customers with No Recent Activity](#)
- [Creating a Search for Contacts with Customer Center Access](#)
- [Creating a Search Email Alert for Leads Created through Online Forms](#)
- [Creating a Search Email Alert for De-escalated Cases](#)
- [Creating a Search for Shopping Cart Information](#)

For examples of other searches that use formulas, see [Search Formula Examples and Tips](#).

Creating Saved Searches for Bin Numbers

You can return bin number data for transaction and item searches. The following fields are available as criteria and results:

- For transaction searches: Transaction Bin Number, Transaction Bin Quantity
- For item searches: Bin Number, Bin on Hand Count, Bin on Hand Available, Preferred Bin (whether the bin is the preferred bin for the location)
- Other Bin Number record fields are available as join fields for both transaction and item searches.

Creating a Transaction Bin Numbers Search

The following search returns all transactions that use bins, and indicate the quantities moved between bins.

To create a transaction saved search with bin number data:

1. Start a transaction saved search.
2. On the **Criteria** subtab, select **Transaction Bin Number** in the Filter field.
3. In the popup window, select "is not empty" in the dropdown list and click **Set**.
4. On the **Results** subtab, select the following fields in the **Field** column, clicking Add after each one: **Date**, **Type**, **Transaction Number**, **Amount**, **Transaction Bin Number**, and **Transaction Bin Quantity**. (You can remove other selected fields as necessary.)
5. Click **Preview** or **Save & Run** to view your search results.

Creating an Item Bin Numbers Search

The following search returns all items that use bins and includes all bin information, including bin numbers, quantity on hand, quantity available, whether bin is preferred, and if multi-location inventory is in use, location.

To create an item saved search with bin number data:

1. Start a transaction saved search.
2. On the **Criteria** subtab, select Bin Number in the **Filter** field.
3. In the popup window, select "is not empty" in the dropdown list and click Set.
4. On the **Results** subtab, select the following fields in the **Field** column, clicking Add after each one: **Name**, **Type**, **Base Price**, **Bin Number**, **Bin On Hand Count**, **Bin On Hand Available**, and **Preferred Bin**. (You can remove other selected fields as necessary.)
5. In the **Field** column, scroll down through all fields and click **Bin Number** fields. In the popup, click Add Multiple, select Location and Memo, and click Add.
6. Click **Preview** or **Save & Run** to view your search results.

Creating Saved Searches for System Notes

Note: Note: The information in this topic applies to System Notes only. For information about searching System Notes v2, see the help topic [Searching and Filtering System Notes v2](#).

You can create saved searches for system notes using the System Notes Fields... filter. When you select this filter, you can choose which type of system note you want to search and enter your criteria to track changes on records. For more information about system notes, see the help topic [System Notes Overview](#).

To create a saved search for system notes:

1. Go to Lists > Search > Saved Searches > New, and select a record type for the search.
2. On the **Criteria** subtab, select **System Notes Fields...** in the **Filter** field.
3. In the popup window, select the **System Note** field you want to filter your search by.
4. Select the criteria based on the type of note you selected.
5. Click **Add**.
6. Click **Preview** or **Save & Run** to view your search results.

Note: System notes descriptions are limited to 300 characters. Any additional characters are truncated.

Note: The Log System Notes on Update Only preference prevents NetSuite from logging system notes when records are created. When this preference is set, system notes are logged only when records are updated. See the help topic [Setting General Account Preferences](#). Before you set this preference in an account that existed before that release, you should first review any saved searches containing system notes fields, as these searches may use data from record creation system notes. If your account includes searches that rely on record creation system notes, you can either revise the searches before setting the Log System Notes on Update Only preference, or you can leave this preference not set.

For example, a case search may use record creation system notes fields to retrieve dates when cases were first escalated. To make this search work with the Log System Notes on Update Only preference set, this search would need to be edited to use expressions and to return values for cases' Date Created field if the escalation date was not available through record update system notes fields.

For custom transaction body fields, if the Log System Notes on Update Only preference is not set, and you have the View access level to a field, the default value of your custom transaction body field is displayed in system notes fields when you create a transaction search. For more information, see the help topic [Searching System Notes](#).

For more information about saving searches, see [Defining a Saved Search](#).

Creating Saved Searches for User Notes

You can define search criteria that let you filter your search results by user notes entered on entity, transaction or custom records.

To create a saved search for user notes:

1. Go to Lists > Search > Saved Searches > New, and select a record type for the search.
2. On the **Criteria** subtab, select **User Notes Fields...** in the **Filter** field.
3. In the popup window, select the user note field you want to filter your results by.
4. Select the criteria based on the field you selected.
The criteria appears in the **Description** field.
5. Click **Add**.
6. Click **Preview** or **Save & Run** to view your search results.

For information about permissions, see [Permissions for Searches](#).

For information about user notes, see the help topic [Entering Communication Information to a Transaction](#).

Creating Saved Searches for Messages on Records

You can define search criteria that let you filter your search messages entered on entity records.

To create a saved search for messages:

1. Go to Reports > Saved Searches > All Saved Searches > New and select the type of record you want to search.
2. Enter a descriptive search title.
3. On the **Criteria** subtab, select **Message Fields...**, **Messages From Fields...**, or **Messages To Fields...** in the **Filter** field.
4. In the popup window, select the user note field you want to filter your results by.
5. Select the criteria based on the field you selected.
The criteria appears in the **Description** field.
6. Click **Add**.
7. Click **Preview** or **Save & Run** to view your search results.

Creating a Campaign Response Search

You can create a saved search to review responses to email marketing campaigns. This search lets you obtain a list of recipients who did not open emails or did not receive them because they were bounced. Then you can resend campaign emails to these recipients.

To create a saved search of campaign non-responders:

1. Click Saved Searches > New to open a Saved Customer Search page.
2. Enter a descriptive Search Title.
3. On the **Criteria** subtab, define a filter for a specific campaign:
 1. In the Filter dropdown list, scroll down and select **Campaign Response Fields**.
 2. In the first popup, select Title.
 3. In the second popup, enter the name of the marketing campaign, and click **Set**.
4. Next, define a filter for responses:
 1. In the Filter dropdown list, scroll down and select **Campaign Response Fields**.
 2. In the first popup, select Response.
 3. In the second popup, press Ctrl and select one or more responses, and click **Set**.
5. On the **Results** subtab, select the fields you want to appear in the results list. It would be helpful to include **Campaign Response:Response**, and perhaps to sort by this field.
6. If you want to be able to dynamically filter results list records by campaign response, you can select the **Campaign Response:Response** field on the **Available Filters** subtab and check the **Show in Filter Region** box.
You then will be able to select a single response, such as Bounced, from a dropdown list in the results list filter area and view only customers with bounced responses for the selected campaign.
7. Enter any other search definitions that you want to include.
8. Save the search.

Creating an Average Items Per Order Search

You can create a saved search to obtain the average number of unique items per sales order. A maximum type summary result field with a formula calculates this amount.

Watch the following video for a tutorial on how to create a saved search that calculates the average number of items per order.

 [Creating a Saved Search that Calculates Average Items per Order](#)

To create a saved search of average items per order:

1. Click Saved Searches > New to open a Saved Transaction Search page.
2. Enter a descriptive Search Title.
3. On the **Criteria** subtab in the Filter dropdown list:
 1. Select Type, choose Sales Order in the popup, and click **Set**.
 2. Select Main Line, choose No in the popup, and click **Set**.
 3. Select Shipping Line, choose No in the popup, and click **Set**.
4. On the **Results** subtab's **Columns** subtab:
 1. Select Formula (Numeric).
 2. Select a Summary Type of Maximum.
 3. Select a Function of Round to Hundredths.
 4. Enter a Formula as follows:


```
max(1)*count(distinct {item} || ',' || {internalid})/count(distinct {internalid})
```
 5. (Optional) Enter a custom label for the formula.
5. To enable use of the saved search as a custom KPI, click the **Available Filters** subtab and select a Date field from the Filter dropdown list.

This filter lets you compare search results for different date ranges, display them as KPIs, and even illustrate them in trend graphs.

If you want to include a dropdown list date selector on results pages, check the **Show in Filter Region** box.
6. Enter any other search definitions that you want to include.
7. Save the search.

Creating a Web Orders Search

You can create a saved search that distinguishes orders placed through your website from other orders by using a filter field of Lead Source or Source on a transaction search.

If you have multiple sites, you can add a filter of website name to determine which orders were placed at each of your sites.

To create a search that returns Web orders:

1. Click Saved Searches > New to open a Saved Transaction Search page.
2. Enter a descriptive Search Title.
3. On the **Criteria** subtab in the Filter dropdown list:
 1. Select Type. In the popup, hold down the CTRL key to select the types of transactions you want to include in the report and click **Set**.
 2. Select Lead Source or Source. In the popup, select Web and click **Set**.
 3. Select Web Site. In the popup, select the name of a site and click **Set**.

4. On the **Results** subtab, select the columns you want to display.
5. Complete other subtabs as needed.
6. Save the search.

Creating a Daily Inventory Additions Search

You can create a saved search that provides the names and quantities of items added to inventory each day.

To create a daily inventory additions search:

1. Go to Reports > Saved Searches > All Saved Searches > New and click **Transaction**.
2. Enter a descriptive search title.
3. On the **Criteria** subtab, add the following filters to the **Filter** column:
 1. **Date** – Set the date to be **today**.
 2. **Account** – Select your inventory account.
 3. **Posting** – Select a **Yes** value for this filter.
 4. **Formula (Numeric)** – In the **Formula** field, type **{quantity}**, set **Formula (Numeric)** to **greater than** and **Value** to **0**.
4. On the **Results** subtab's **Columns** subtab, add the following fields:
 1. **Item** – Select a **Summary Type** of **Group** for this field.
 2. **Quantity** – Select a **Summary Type** of **Sum** for this field.
 3. Add and remove other fields as needed.
5. Complete other subtabs as needed.
6. Save the search.

Creating a Search for Customers with No Recent Activity

To get a list of customers who have not made any purchases for a specified period of time, create a saved search for customers with no recent activity. You can use this search to identify customers you may want to contact.

Watch the following video for a tutorial on how to create a saved search for customers with no recent activity.

 [Creating a Saved Search for Customers with No Recent Activity](#)

To create a search for customers with no recent activity:

1. Go to Reports > Saved Searches > All Saved Searches > New and click **Customer**.
2. Enter a title for the saved search.
3. On the **Criteria** subtab, click **Summary**.
 1. In the **Summary Type** field, select **Maximum**.
 2. In the **Field** column, select **Activity Fields...**
 3. In the popup, select **Date**.
 4. Select **not after**, and then **(Relative)**. On the next line, enter **1** and select **months ago**.

5. Click **Set**. This filter limits results to customers with no activity in the past month. You can enter a different relative time period to search for customers with no activity for a different period of time.
4. On the **Results** subtab, click **Columns**.
 1. Select **Name** from the list. In the **Summary Type** field, select **Group**.
 2. Click **OK**.
 3. Add a new column and select **Activity fields....**
 4. In the popup, select **Date**.
 5. In the **Summary Type** column, select **Maximum**.
 6. Click **Add**.
5. Save the search.

Creating a Search for Contacts with Customer Center Access

To get a list of all contacts with access to their respective Customer Centers, use a filter of Login Access is true on a saved contact search.

Creating a Search Email Alert for Leads Created through Online Forms

You can create a saved search with an email alert that sends customized email to Sales Reps when new leads are created through online forms.

To send alerts for leads from online forms:

1. Create a lead source (campaign) for the online form. For details about how to do this, see the help topic [Lead Sources](#).
2. Create an online form.
 1. Set Send Email Notification to False.
 2. Set Lead Source to the name of the online form.
 3. Set up other values for the online form as needed. For details, see the help topic [Creating an Online Customer Form](#).
3. Create a new customer saved search.
 1. Click Saved Searches > New to open a Saved Customer Search page.
 2. Enter a descriptive Search Title.
 3. On the **Criteria** subtab, in the Filter dropdown list, select Lead Source, and in the popup, select the online form name and click Set.
4. Set up an email alert for the search on the **Email** subtab.
 1. Check the **Send Email Alerts When Records are Created/Updated** box.
 2. On the Recipients from **Results** subtab, select Sales Rep from the Recipient Field dropdown list.
 3. On the **Customize Message** subtab, customize the message text as needed, for example by adding CRM SDK tags. For details, see [Customizing Saved Search Email Content](#).

5. Save the search.

For more information about creating saved search email alerts, see [Enabling Saved Search Email Alerts](#).

Creating a Search Email Alert for De-escalated Cases

You can create a saved search with an email alert that sends email to assigned support reps when cases are de-escalated

To send alerts for de-escalated cases:

1. Click Saved Searches > New to open a Saved Case Search page.
2. Enter a descriptive Search Title, such as De-escalated Case Alert.
3. On the **Criteria** subtab, in the Filter dropdown list:
 1. Select **System Notes** fields, select Date, select “on” and “today”, and click Set.
 2. Select **System Notes** fields again, select Old Value, select “contains” and “escalated”, and click Set.
4. Set up an email alert for the search on the **Email** subtab.
 1. Check the **Send Email Alerts When Records are Created/Updated** box.
 2. On the **Recipients from Results** subtab, check Send on Update, and select Assigned To from the Recipient Field dropdown list.
 3. On the **Updated Fields** subtab, select Status from the Field dropdown list, and type “Escalated” for the old value.
5. Save the search.

For more information about creating saved search email alerts, see [Enabling Saved Search Email Alerts](#).

Creating a Search for Shopping Cart Information

The following examples show how you can use the SuiteScript 1.0 `nlapISearchRecord` method to get shopping cart information.

- Use the following code snippet to search carts from a certain website (ID:1) which contain a particular item (item ID:352):

```

1  require(['N/search'], function(search) {
2      // Create a search for shopping cart records
3      var cartSearch = search.create({
4          type: search.Type.SHOPPING_CART
5      });
6
7      // Create search filters
8      var websiteIdFilter = search.createFilter({
9          name: 'websiteid',
10         operator: search.Operator.ANYOF,
11         values: [1]
12     });
13
14     var itemIdFilter = search.createFilter({
15         name: 'itemid',
16         operator: search.Operator.ANYOF,
17         values: [352]
18     });
19
20     // Create search columns

```



```

21     var itemIdColumn = search.createColumn({
22         name: 'itemid'
23     });
24
25     var itemQtyColumn = search.createColumn({
26         name: 'itemqty'
27     });
28
29     var websiteIdColumn = search.createColumn({
30         name: 'websiteid'
31     });
32
33     var customerIdColumn = search.createColumn({
34         name: 'customerid'
35     });
36
37     // Add the filters and columns to the search
38     cartSearch.filters = [websiteIdFilter, itemIdFilter];
39     cartSearch.columns = [itemIdColumn, itemQtyColumn, websiteIdColumn, customerIdColumn];
40
41     // Run the search
42     var results = cartSearch.run();
43 });

```

- Use the following code snippet to access the shopping cart using the customer record. This snippet is written to get carts from all websites visited by a certain customer (ID:324):

```

1  require(['N/search'], function(search) {
2      // Create a search for customer records
3      var customerSearch = search.create({
4          type: search.Type.CUSTOMER
5      });
6
7      // Create a search filter
8      var internalIdFilter = search.createFilter({
9          name: 'internalid',
10         operator: search.Operator.ANYOF,
11         values: [324]
12     });
13
14     // Create search columns
15     var websiteIdColumn = search.createColumn({
16         name: 'websiteid',
17         join: 'shoppingcart'
18     });
19
20     var itemIdColumn = search.createColumn({
21         name: 'itemid',
22         join: 'shoppingcart'
23     });
24
25     var itemQtyColumn = search.createColumn({
26         name: 'itemqty',
27         join: 'shoppingcart'
28     });
29
30     // Add the filter and columns to the search
31     customerSearch.filters = [internalIdFilter];
32     customerSearch.columns = [websiteIdColumn, itemIdColumn, itemQtyColumn];
33
34     // Run the search and get the value of the websiteid field in each result
35     customerSearch.run().each(function(result) {
36         var websiteIdField = result.getValue({
37             name: 'websiteid'
38         });
39
40         // Work with the websiteid value
41
42         return true;
43     });
44 });

```

Formulas in Searches

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

For advanced searches and saved searches, you can define formulas to be used in the following ways:

- As part of a custom field that is defined to use a formula to set its value. These custom fields are available to be used as search criteria or in results columns like any other custom field. See [Using a Custom Formula Field in a Search](#).

For detailed information about how to define formulas in custom fields, see the help topic [Creating Formula Fields](#).

- As part of search criteria. The results returned are based on the calculated value of the formula field. See [Using a Formula in Search Criteria](#).
- As a results column field. The displayed values are based on the calculated value of the formula field. See [Using a Formula in Search Results](#).

Important: To improve the security of saved searches, results for Formula (Text) fields are displayed as plain text only. To prevent issues with your searches, you should replace your Formula (Text) fields with the Formula (HTML) field. For more information about the Formula (HTML) field, see [Evaluating Code in Saved Searches Using Formula\(HTML\) Fields](#).

Formula values are dynamically calculated at the time a search is performed. Formula definitions can include NetSuite field IDs for which field values are substituted, SQL functions, and mathematical operators.

Important: Field values referenced in formula definitions may be translated based on a user's language preference. For example, if a formula is created for a saved search using an English field value and the search is run by a user with a different language setting, the results of the search may vary. Consequently, you should be using internal field IDs when constructing formula definitions. This will ensure the intended results are displayed, regardless of a user's language settings.

Note: You cannot combine aggregate and non-aggregate SQL functions in the same formula definition. For more information about SQL functions, see [SQL Expressions](#).

The following table shows the variables and corresponding synonyms available for your use in NetSuite.

Variable	Synonym	Description
{today}	{now}	Returns current date according to user's time zone, date, and time formatting.
{me}	{user}, {user.id}	Returns current user ID.
{userrole}	{userrole.id}	Returns current role ID.

{user.department}	{userdepartment.id}	Returns current user's department ID.
{user.location}	{userlocation.id}	Returns current user's location ID.
{user.subsidiary}	{usersubsidiary.id}	Returns current user's subsidiary ID.
{user.class}	{userclass.id}	Returns current user's class ID.
{usercurrency}	{usercurrency.id}	Returns current user's currency.

For example, on a Case Search form, you can:

- Define the formula **{today}-{startdate}** to return a case's number of days open as a new column in search results.
- Define the formula **({today}-{startdate}) > 3** as a search filter to return only cases open for greater than 3 days.

For other examples and hints for using formulas in search, see [Search Formula Examples and Tips](#).

HTML escaping is performed as needed on search results returned by formulas.

Note: Knowledge of SQL will help you to fully leverage the flexibility and power of SQL functions to define complex formulas, but the Formula popup windows can help you to correctly define formula expressions. These popup windows include a Function dropdown list that lets you select SQL functions to be included in expressions, and Filter or Field dropdown lists that let you select field names and have their IDs included in expressions.

For more details, refer to [SQL Expressions](#). For tables of NetSuite field IDs, you can also refer to [SuiteScript Supported Records](#).

Warning: You cannot use encrypted fields such as credit card numbers and social security numbers in formulas. Use of these fields causes invalid expression errors, because SQL cannot decrypt their encrypted values.

Using a Custom Formula Field in a Search

To use a previously defined custom formula field in a search:

1. On an advanced or saved search page, on the **Criteria** or **Results** subtab, select the previously defined custom field and set criteria as for any other custom field. Click **OK**.

To learn how to define a custom formula field, see the help topic [Creating Formula Fields](#).

FIELD *	SUMMARY TYPE	FUNCTION	FORMULA	WHEN ORDERED BY FIELD
Name				
Display Name				
Type				
Base Price				
Available Non-Committed Quantity (Custom)				

2. Click **Submit** to view your search results.

Note: If your searches are returning static values for a custom formula field instead of recalculating when new data is entered into the system, the field may have been defined to store the value for the calculation at the time of record creation. This is controlled by the **Store Value** box on the custom field definition. Check with your system administrator if the value should be dynamically calculated at the time of every search.

Note: If the formula field does not have the **Store Value** box checked, the field is not available in search results, including lists based on saved searches. If you have a use case for running a saved search on a formula field where the value is not stored, an alternative solution is available. For more information, see [Running a Saved Search on a Formula Field Where the Value is Not Stored](#) (SuiteAnswers ID: 1017388).

Important: To improve the security of saved searches, results for Formula (Text) fields are displayed as plain text only. To prevent issues with your searches, you should replace your Formula (Text) fields with the Formula (HTML) field. For more information about the Formula (HTML) field, see [Evaluating Code in Saved Searches Using Formula\(HTML\) Fields](#).

Using a Formula in Search Criteria

To use a formula in search criteria:

1. On the **Criteria** subtab of an advanced or saved search page, in the **Filter** column, select the required Formula type.

The following options are available (they are listed in alphabetical order, intermingled with field names in the **Filter** column dropdown list):

- Formula (Date)
- Formula (Numeric)
- Formula (Text)

The best choice for a formula type depends upon the calculation the formula will perform, because validation varies according to the formula type. For example, to do character manipulation using regular expressions, you should select Formula (Text). To do numeric calculations, Formula (Numeric) is likely a better choice.

To include both positive and negative values in search results when using Quantity, set Formula (Numeric) in the Filter field and {Quantity} in the Formula field. If you use Quantity in the Filter field, you will receive only positive values in search results. All negative results are automatically filtered out.

Important: To avoid cross-scripting (XSS) vulnerabilities, results for Formula (Text) fields that contain <script> tags do not display script output. Do not use <script> tags in Formula (Text) fields.

2. In the Formula popup window, define your formula, and click **Done**.

Note: For details about supported SQL functions, refer to [SQL Expressions](#). For tables of NetSuite field IDs, you can also refer to [SuiteScript Supported Records](#).

- Options vary depending on the type of formula selected. For example, date formulas can be filtered based on whether the date occurs before or after a specified date, whereas numeric

formulas can be filtered based on whether the resultant value is greater than or equal to the specified criteria.

- Select from the Function dropdown list to include a SQL function in the formula expression.
- Select a field name from the Filter dropdown list to include its ID in the formula expression.
- There is a 1000 character limit per formula expression. You may be able to preview a search with a formula containing more characters, but when you run the search invalid expression errors occur.
- Remember that search records are dynamically filtered based on the **calculated** value of the formula at the time the search is performed.

3. Click **Submit** to view your search results.

For example, select Formula (Numeric) and enter the formula **{today} - {startdate}**, then set the criteria as greater than or equal to **3**, as shown in the following figure.

The screenshot shows a configuration window for a search formula. At the top are 'Set' and 'Cancel' buttons. Below are two dropdown menus: 'FUNCTION' and 'FIELD'. A text area labeled 'FORMULA *' contains the expression '{today} - {startdate}'. Below this is another dropdown menu labeled 'FORMULA (NUMERIC)' with the selected option 'greater than or equal to'. At the bottom is an input field labeled 'VALUE' containing the number '3'.

Using a Formula in Search Results

To use a formula as a search result:

1. On the **Results** subtab of an advanced or saved search page, in the **Field** column, select the required Formula type.

The following options are available (they are listed in alphabetical order, intermingled with field names in the **Field** column dropdown list):

Formula Type	Example
Formula(Currency)	TO_NUMBER({amount})
Formula(Date)	TO_DATE('11/16/2020', 'MM/DD/YYYY')
Formula(Date/Time)	{now}
Formula(Numeric)	{field_id}
Formula(Percent)	% of total 30/100

Formula Type	Example
Formula(Text)	{quantity} 'x ' {item} - CASE WHEN {duedate} < CURRENT_DATE THEN 'Overdue' ELSE 'On Time' END
Formula(HTML)	'' {entity} '' - NVL2({approvalstatus}, ' Approved', ' Not Approved')

As when you define formulas for search criteria, the type of formula you choose should correspond to the type of calculation and validation required.



Important: To improve the security of saved searches, results for Formula(Text) fields are displayed as plain text only. To prevent issues with your searches, you should replace your Formula(Text) fields with the Formula (HTML) field. For more information about displaying HTML code in your search results, see [Evaluating Code in Saved Searches Using Formula\(HTML\) Fields](#).

- In the **Formula** field, define your formula and click **Done**, or click the **Set Formula** button to open a popup window that can help you correctly enter the formula expression.



Note: For details about supported SQL functions, refer to [SQL Expressions](#). For tables of NetSuite field IDs, you can also refer to [SuiteScript Supported Records](#).

- Select from the Function dropdown list to include a SQL function in the formula expression.
- Select a field name from the Field dropdown list to include its ID in the formula expression.
- There is a 1000 character limit per formula expression. You may be able to preview a search with a formula containing more characters, but when you run the search invalid expression errors occur.

- Click **Submit** to view your search results.

For example, to add a search results column that displays the total number of days a case has been open, enter the formula {today}-{startdate}.

Using Formula Tags in Search Results

Tags behave like virtual fields. Tags do not impact search, but tailor the results based on your preferences and environment. Tags are different than formulas in that results are retrieved based on the context of the user running the search. The following are some of the supported tags.

Tag	Description
TODAY or NOW	Current time in the appropriate time zone of the logged user.
ME or USER or USER.ID	An internal key (ID) of the logged user.
USERROLE or USERROLE.ID	An internal key (ID) of the role of the logged user.
USER.DEPARTMENT or USERDEPARTMENT.ID	An internal key (ID) of the department of the logged user.
USER.LOCATION or USERLOCATION.ID	An internal key (ID) of the physical location of the logged user.
USER.SUBSIDIARY or USERSUBSIDIARY.ID	An internal key (ID) of the subsidiary of the logged user.

USER.CLASS or USERCLASS.ID	An internal key (ID) of the class of the logged user.
USER.CURRENCY or USERCURRENCY	A base currency for the subsidiary of the logged user.


To add a formula in search results:

1. Go to the Results subtab of a Saved Search page.
2. Add a Formula (Text) field with your preferred formula . The available formula tags are detailed in the table in [Using Formula Tags in Search Results](#).

Important: To improve the security of saved searches, results for Formula (Text) fields are displayed as plain text only. To prevent issues with your searches, you should replace your Formula (Text) fields with the Formula (HTML) field. For more information about the Formula (HTML) field, see [Evaluating Code in Saved Searches Using Formula\(HTML\) Fields](#).

3. Click the **Set Formula** icon  in the Formula column for the Formula (Text) results field.

In the following screenshot, the currency code formula is inserted.



The screenshot shows a dialog box titled "Saved Account Search". At the top are "Set" and "Cancel" buttons. Below are three dropdown menus: "FUNCTION", "FIELD", and "FORMULA". The "FORMULA" dropdown is open, displaying the text "{user.currency}" in a text area.

4. Click the **Set** button to add the currency code to the saved search. The formula is added to the saved search.

Evaluating Code in Saved Searches Using Formula(HTML) Fields

To evaluate HTML code within a saved search, you need to use a Formula(HTML) field. To ensure that Formula(HTML) fields are displayed correctly in saved searches, go to Setup > Company > Enable Features. On the **Analytics** subtab, check the **Enable HTML Formulas in Search** box.

The HTML Formulas in Search feature enables users with the Administrator role to assign the Create HTML Formulas in Search permission. You need this permission to create saved searches with HTML formulas. To do so, the formula containing HTML must be used within a Formula(HTML) field.

The Create HTML Formulas in Search permission was initially assigned to all roles with Create level access for the SuiteScript permission and Full level access for the Perform Search permission. You can manually enable it for other users on the Role page, on the **Setup** subtab of the **Permissions** subtab.

If a user without the Create HTML Formulas in Search permission tries to edit a saved search that uses a Formula(HTML) field, all Formula(HTML) columns are removed. Additionally, the user will only be able to save a copy of the search using the Save As function.

Formula(Text) fields that contain HTML code only display results as plain text. To view a list of saved searches in your account that currently contain HTML code in Formula (Text) fields, go to Lists > Search > Saved Searches with HTML in Formula(Text).



Important: If you have customized your NetSuite center to remove or rename the Lists tab from the navigation menu, you may not see the Saved Searches with HTML in Formula(Text) list.

To access the list in your account:

1. Go to Customization > Center and Tabs > Center Categories.
2. Edit the **Search and Center Tab Lists** category.
3. In the **Link** section, select **Saved Searches with HTML in Formula** from the list and click **Add**.
4. Click **Save**.

Search Formula Examples and Tips

Review the following topics for hints about how other users have defined search formulas:

- [Including Line Numbers in Transaction Searches](#)
- [Referencing Field IDs](#)
- [Avoiding Divide By Zero Errors](#)
- [Using Joined Search Field Values](#)
- [Retrieving the Day of the Week for a Date on a Custom Record](#)
- [Displaying the Percentage Variance between Custom Record Values](#)
- [Calculating Days Remaining Until Task Complete](#)
- [Displaying Multiplier from Cost to Base Price for Items](#)
- [Comparing Summed Amounts Across Two Fiscal Years for Transactions](#)
- [Finding the Most Recent Record Updater](#)
- [Calculating Days a Sale Is In Effect](#)
- [Referencing System Notes Records](#)
- [Calculating Time Taken to Approve Orders](#)

For other search examples, see [Saved Search Examples](#).

For details about supported SQL functions, see [SQL Expressions](#). For tables of NetSuite field IDs you can refer to [SuiteScript Supported Records](#).



Important: If you have examples or tips that you think other users may find helpful, please submit them to the NetSuite User Group's [100 Ways to Use Formula Fields](#) thread.



Important: Field values in formula definitions can change based on a user's language preference. For example, if you create a formula for a saved search using an English field value and someone runs the search with a different language setting, the search results may be different. To make sure everyone sees the correct results, always use internal field IDs when building formula definitions. This way, the results stay consistent no matter the user's language settings.

Including Line Numbers in Transaction Searches

To make transaction line items easier to read, you can add line numbers to your transaction search results. On the **Results** subtab of the search definition page, add the **Line Sequence Number** field. This field shows the internal sequence number for each transaction line.

Line numbers may not always appear in order, even if your results include every line of a transaction. To show line numbers as a continuous sequence in your results, add a **Formula(Numeric)** field to your search results and use the following formula:

```
1 | RANK() OVER (PARTITION by {internalid} ORDER BY {linesequencenumber})
```

You can create a custom formula field for line numbers and apply it to transaction forms to show line numbers on viewed and printed transactions. For instructions, see the help topic [Creating a Formula Field to Display Transaction Line Numbers](#).

You can also include the line number in your search results to keep search results consistent with viewed and printed transaction items.

To include the line number in your search results:

1. Set a criteria of Main Line = No (false).
2. Filter out transaction line items related to taxes.
3. Add the **Item** field as a results field.
4. Add the **Amount (Gross)** field as a results field. Don't use the **Amount** field.
5. Add a **Formula(Numeric)** field as a results field with the following formula expression:

```
1 | RANK() OVER (PARTITION by {internalid} ORDER BY {linesequencenumber})
```

Referencing Field IDs

You can reference the ID values for List/Record type fields in search formulas. To include a field's ID in a formula, use the format {field_name.ID}.

Avoiding Divide By Zero Errors

If you use division in a formula, use Y/nullif(X,0) instead of Y/X to avoid the divide by zero errors.

Using Joined Search Field Values

You can use values from related records in your search criteria and results by adding joined search fields in your formula definitions. Specify joined search fields with dot notation: {record.field}, where you enter the related record first, and then the field. For example, to include the credit limit from a vendor record associated with a contact, use {vendor.creditlimit}.

Note: You can select a field to include in a formula expression using the **Field** dropdown list in the **Formula** popup window. Joined fields appear at the end of the dropdown list. When you select a field from these lists, the system automatically enters the correct ID in the formula.

Retrieving the Day of the Week for a Date on a Custom Record

To retrieve the day of the week for a date on a custom record, select **Formula(Text)** and enter the following formula:

```
1 | TO_CHAR ({custrecordname_date}, 'DAY - DD Mon')
```

Displaying the Percentage Variance between Custom Record Values

On the **Results** subtab, select **Formula (Percent)**, a summary type of **Group**, and a Function of **Round to Hundredths**. You can also add a custom label, such as **Average**. Enter the following formula:

```
1 | ROUND ( ({custrecord_value1} / {custrecord_value2} - 1.00 ) * 100, 2)
```

Calculating Days Remaining Until Task Complete

Calculate the number of days remaining for a task to be completed based on the value entered in the **Due Date** field. Select **Formula (Numeric)** and enter the following formula:

```
1 | ROUND({enddate}-{today})
```

Displaying Multiplier from Cost to Base Price for Items

When you review a list of the same model items, you can ensure your markup is similar for all of them. Select **Formula (Numeric)** and enter the following formula:

```
1 | ROUND ({price}/nvl({cost},1),2)
```

Comparing Summed Amounts Across Two Fiscal Years for Transactions

In transactions, you can compare summed amounts across two fiscal years.

To compare the summed amounts:

1. On the **Criteria** subtab, check the **Use Expressions** box and enter the following on two separate lines:

Date is within this fiscal year to date OR Date is within last fiscal year to date.

2. On the **Results** subtab, enter the following formulas:

- If the fiscal year starts in July:

- For current year to date, Formula (Numeric), SUMMARY TYPE = Sum:

```
1 | DECODE(TO_CHAR(ADD_MONTHS({trandate},6),'YYYY'),
2 | TO_CHAR(ADD_MONTHS({today},6),'YYYY'),{amount},0)
```

- For previous year to date, Formula (Numeric), SUMMARY TYPE = Sum:

```
1 | DECODE(TO_CHAR(ADD_MONTHS({trandate},6),'YYYY'),
2 | TO_CHAR(ADD_MONTHS({today},-6),'YYYY'),{amount},0)
```

- If the fiscal year is the calendar year:

- For current year to date, Formula (Numeric), SUMMARY TYPE = Sum:

```
1 | DECODE(TO_CHAR({trandate},'YYYY'),TO_CHAR({today},'YYYY'),{amount},0)
```

- For previous year to date, Formula (Numeric), SUMMARY TYPE = Sum:

```
1 | DECODE(TO_CHAR({trandate},'YYYY'),
2 | TO_CHAR(ADD_MONTHS({today},-12),'YYYY'),{amount},0)
```



Note: Consider the following:

- ADD_MONTHS compensates calendar year for current fiscal year (6) and previous fiscal year (- 6) if fiscal year begins in July, and compensates for previous year (-12) if fiscal year is the same as calendar year.
- TO_CHAR extracts the (fiscal) years.
- DECODE(value1, value2, {amount}, 0) compares the transaction date's fiscal year value (value1) to the current or previous fiscal year (value2). If equal, use amount; otherwise zero it out.

Finding the Most Recent Record Updater

Use the `dense_rank` function in a formula to order records by values in a field and assign each record a consecutive numerical ranking from 1 to *n*, where *n* is the number of records returned.

Use the `keep (dense_rank)` function to return only the first or last ranking record as ordered by values in a specified field.

For example, to return the name of the user who most recently updated a document, do a document search and create a **Formula(Text)** field with a Summary Type of **Minimum** and a formula like the following:

`min({systemnotes.name}) keep (dense_rank last order by {systemnotes.date})`

Calculating Days a Sale Is In Effect

You can use a formula to calculate the days a sale is in effect up to the date it is canceled, like a contract age. If there is no cancellation date, substitute today's date. Select **Formula(Numeric)** and enter the following formula:

```
1 | ABS({custom_field_startdate}-nvl({custom_field_cxldate},{today}))
```

You can use a similar formula to calculate the days remaining on a contract based on the end date field.

Referencing System Notes Records

Reference System Notes fields in numeric and text formulas by using the following format:

`{systemnotes.field_name}`

Select a field to be included in a formula expression from the **Field** dropdown list in the **Formula** popup window. Join fields appear at the end of the dropdown list. When you select the field from the list, the system automatically enters the correct ID in the formula.

Calculating Time Taken to Approve Orders

You can use formulas in searches to calculate the time taken to approve orders.

To use a formula for calculating the time taken to approve orders:

1. Create a Transaction search, with filters of Type is Sales Order, Main Line is true, System Notes : Field is Document Status, and System Notes : New Value is Pending Fulfillment.
2. Add a **Formula(Numeric)** results column with the formula `{systemnotes.date}-{datecreated}`. You can add a Custom Label that indicates this calculation is the time taken to approve each order.

SQL Expressions

The SQL expressions that you enter in field formulas call the Oracle database to evaluate the function, and those functions are maintained by Oracle. For more information about these functions, see the [Oracle Database SQL Reference](#).



Important: The following material is provided for convenience only. It is assumed that you are familiar with the implementation of SQL expressions. For a complete reference to SQL expressions, [go to the Oracle website](#) (requires Oracle account activation). Not all of the expressions described at the URL are supported in NetSuite.

If you are familiar with Microsoft SQL Server functions but are new to Oracle databases, see [Character Functions](#) to compare SQL functions support in Microsoft SQL Server and Oracle databases. If you are used to Microsoft Excel functions, please note that not all Excel functions are supported by Oracle, and those that are supported often use a different syntax.

The following tables outline the SQL functions that can be used in NetSuite search formulas and custom formula fields:

- [Numeric Functions](#)
- [Character Functions Returning Character Values](#)
- [Character Functions Returning Number Values](#)
- [Datetime Functions](#)
- [NULL-Related Functions](#)
- [Decode](#)
- [Sysdate](#)
- [Case](#)
- [Analytic and Aggregate Functions](#)



Important: To avoid cross-scripting (XSS) vulnerabilities, search column results with formulas that contain `<script>` tags do not display script output. Do not use `<script>` tags in your search formulas.



Note: You cannot combine aggregate and non-aggregate SQL functions in the same formula definition. For example, if you create a formula using an aggregate function, then all the functions in the definition must either be aggregate functions or listed in a `GROUP BY` clause.

Conventions in SQL Syntax Examples

The syntax examples use [Oracle's typographic conventions for SQL code examples](#). The following table shows the conventions used in SQL syntax examples.

Convention	Meaning	Example
[]	Anything enclosed in brackets is optional.	<code>LTRIM(char [, set])</code>
{ }	Braces are used for grouping items.	<code>TO_CHAR({ datetime interval } [, fmt [, 'nlsparam']])</code>
	A vertical bar represents a choice of two options.	<code>ATAN2(n1 { , } n2)</code>
...	An ellipsis mean repetition in syntax descriptions or an omission in code examples or text.	<code>DECODE(expr, search, result [, search, result]...[, default])</code>
UPPERCASE	Indicates an element supplied by the system. These terms are shown in uppercase to distinguish them from terms you define. Unless terms appear in brackets, enter them in the order and with the spelling shown. Because these terms are not case sensitive, you can use them in either UPPERCASE or lowercase.	<code>TRIM([{ { LEADING TRAILING BOTH } [trim_character] trim_character } FROM] trim_source)</code>
lowercase	Indicates user-defined programmatic elements, such as field names. Note that some programmatic elements use a mixture of UPPERCASE and lowercase. Enter these elements as shown.	<code>NULLIF(expr1, expr2)</code>

The examples are provided for illustrative purposes only. They may or may not work for you, depending on your NetSuite account settings and data.

Numeric Functions

Function	Syntax	Description	Example
ABS	ABS(n)	returns the absolute value of n	ABS({amount})
ACOS	ACOS(n)	returns the arc cosine of n	ACOS(0.35)
ASIN	ASIN(n)	returns the arc sine of n	ASIN(1)
ATAN	ATAN(n)	returns the arc tangent of n	ATAN(0.2)
ATAN2	ATAN2(n1 { , } n2)	returns the arc tangent of n1 and n2	ATAN2(0.2, 0.3)
BITAND	BITAND(expr1, expr2)	computes an AND operation on the bits of expr1 and expr2	BITAND(5, 3)
CEIL	CEIL(n)	returns smallest integer greater than or equal to n	CEIL({today}-{createddate})
COS	COS(n)	returns the cosine of n	COS(0.35)
COSH	COSH(n)	returns the hyperbolic cosine of n	COSH(-3.15)
EXP	EXP(n)	returns e raised to the nth power, where e = 2.71828183	EXP({rate})
FLOOR	FLOOR(n)	returns largest integer equal to or less than n	FLOOR({today}-{createddate})
LN	LN(n)	returns the natural logarithm of n	LN(20)
LOG	LOG(n2, n1)	returns the logarithm, base n2, of n1	LOG(10, 20)
MOD	MOD(n2, n1)	returns the remainder of n2 divided by n1	MOD({today}-{lastmessagedate}, 7)
NANVL	NANVL(n2, n1)	returns an alternative value n1 if the input value n2 is not a number	NANVL({itemisbn13}, '')
POWER	POWER(n2, n1)	returns n2 raised to the n1 power	POWER({custcoldaystoship}, -.196)
REMAINDER	REMAINDER(n2, n1)	returns the remainder of n2 divided by n1	REMAINDER({transaction.totalamount}, {transaction.amountpaid})
ROUND (number)	ROUND(n [, integer])	returns n rounded to integer places to the right of the decimal point	ROUND(({today}-{startdate}), 0)
SIGN	SIGN(n)	returns the sign of n	SIGN({quantity})
SIN	SIN(n)	returns the sine of n	SIN(5.2)
SINH	SINH(n)	returns the hyperbolic sine of n	SINH(3)
SQRT	SQRT(n)	returns the square root of n	SQRT(POWER({taxamount}, 2))
TAN	TAN(n)	returns the tangent of n	TAN(-5.2)

Function	Syntax	Description	Example
TANH	TANH(n)	returns the hyperbolic tangent of n	TANH(3)
TRUNC (number)	TRUNC(n1 [, n2])	returns n1 truncated to n2 decimal places	TRUNC({amount}, 1)

Character Functions Returning Character Values

Function	Syntax	Description	Example
CHR	CHR(n [USING NCHAR_CS])	returns the character having the binary equivalent to n as a VARCHAR2 value	CHR(13)
CONCAT	CONCAT(char1, char2)	concatenates char1 and char2 into one string	CONCAT({number},CONCAT('_', {line}))
INITCAP	INITCAP(char)	returns char, with the first letter of each word in uppercase, all other letters in lowercase	INITCAP({customer. companyname})
LOWER	LOWER(char)	returns char, with all letters lowercase	LOWER({customer. companyname})
LPAD	LPAD(expr1, n [, expr2])	returns expr1, left-padded to length n characters with the sequence of characters in expr2	LPAD({line},3,'0')
LTRIM	LTRIM(char [, set])	removes from the left end of char all of the characters contained in set	LTRIM({companyname},'-')
REGEXP_REPLACE	REGEXP_REPLACE(source_char, pattern [, replace_string [, position [, occurrence [, match_parameter]]]])	lets you replace a sequence of characters (source_char) that matches a regular expression pattern with another set of characters (replace_string)	REGEXP_REPLACE({name}, '^.*', '')
REGEXP_SUBSTR	REGEXP_SUBSTR(source_char, pattern [, position [, occurrence [, match_parameter]]]])	lets you extract a sequence of characters that matches a regular expression pattern from the source string (source_char)	REGEXP_SUBSTR({item}, '[^:]+\$')
REPLACE	REPLACE(char, search_string [, replacement_string])	returns char with every occurrence of search_string replaced with replacement_string	REPLACE({serialnumber}, '&', ',')
RPAD	RPAD(expr1 , n [, expr2])	returns expr1, right-padded to length n characters with expr2, replicated as many times as necessary	RPAD({firstname},20)
RTRIM	RTRIM(char [, set])	removes from the right end of char all of the characters that appear in set	RTRIM({paidtransaction. externalid},'-Invoice')

Function	Syntax	Description	Example
SOUNDEX	SOUNDEX(char)	returns a character string containing the phonetic representation of char	SOUNDEX({companyname})
SUBSTR	SUBSTR(char, position [, substring_length])	returns a portion of char, beginning at character position, substring_length characters long	SUBSTR({transaction.salesrep},1,3)
TRANSLATE	TRANSLATE(expr, from_string, to_string)	returns expr with all occurrences of each character in from_string replaced by its corresponding character in to_string	TRANSLATE({expensecategory}, ' ', '+')
TRIM	TRIM([{ { LEADING TRAILING BOTH } [trim_character] trim_character } FROM] trim_source)	lets you trim leading or trailing characters (or both) from a character string	TRIM (BOTH ' ' FROM {custrecord_assetcost})
UPPER	UPPER(char)	returns char, with all letters uppercase	UPPER({unit})

Character Functions Returning Number Values

Function	Syntax	Short Description	Example
ASCII	ASCII(char)	returns the decimal representation in the database character set of the first character of char	ASCII({taxitem})
INSTR	INSTR(string , substring [, position [, occurrence]])	searches string for substring	INSTR({messages.message}, 'cspdr3')
LENGTH	LENGTH(char)	returns the length of char	LENGTH({name})
REGEXP_INSTR	REGEXP_INSTR (source_char, pattern [, position [, occurrence [, return_option [, match_parameter]]]])	lets you search a string for a regular expression pattern	REGEXP_INSTR ({item.unitstype}, '\d')
TO_NUMBER()	TO_NUMBER(expr [, fmt [, 'nlsparam']])	converts a formatted TEXT or NTEXT expression to a number	TO_NUMBER({quantity})

Datetime Functions

Function	Syntax	Short Description	Example
ADD_MONTHS	ADD_MONTHS(date, integer)	returns the date plus integer months	ADD_MONTHS({today},-1)
LAST_DAY	LAST_DAY(date)	returns the date of the last day of the month that contains date	LAST_DAY({today})
MONTHS_BETWEEN	MONTHS_BETWEEN(date1, date2)	returns the number of months between date1 and date2	MONTHS_BETWEEN(SYSDATE, {createddate}) See also Sysdate .
NEXT_DAY	NEXT_DAY(date, char)	returns the date of the first weekday named by char that is later than the date	NEXT_DAY({today}, 'SATURDAY')
ROUND (DATE)	ROUND(date [, fmt])	returns date rounded to the unit specified by the format model fmt	ROUND(TO_DATE('12/31/2014', 'mm/dd/yyyy')-{datecreated})
TO_CHAR()	TO_CHAR({ datetime interval } [, fmt [, 'nlsparam']])	converts a datetime or interval value to a value of VARCHAR2 datatype in the format specified by the date format fmt	TO_CHAR({date}, 'hh24')
TO_DATE()	TO_DATE(char [, fmt [, 'nlsparam']])	converts a formatted TEXT or NTEXT expression to a DATETIME value	TO_DATE('31.12.2011', 'DD.MM.YYYY')
TRUNC (DATE)	TRUNC(date [, fmt])	returns date with the time portion of the day truncated to the unit specified by the format model fmt	TRUNC({today}, 'YYYY')

NULL-Related Functions

Function	Syntax	Short Description	Example
COALESCE	COALESCE(expr [, expr]...)	returns the first non-null expr in the expression list.	COALESCE({quantitycommitted}, 0)
NULLIF	NULLIF(expr1, expr2)	compares expr1 and expr2. If they are equal, then the function returns null. If they are not equal, then the function returns expr1.	NULLIF({price}, 0)
NVL	NVL(expr1, expr2)	lets you replace null with the second parameter.	NVL({quantity}, '0')
NVL2	NVL2(expr1, expr2, expr3)	If expr1 is not null, then NVL2 returns expr2. If expr1 is null, then NVL2 returns expr3.	NVL2({location}, 1, 2)

Decode

Function	Syntax	Short Descriptions	Example
DECODE	DECODE(expr, search, result)	Compares expr to each search value one by one. If expr is equal to a search, the	DECODE({systemnotes.name}, {assigned}, 'T', 'F')

Function	Syntax	Short Descriptions	Example
	[, search, result]... [, default])	corresponding result is returned. If no match is found, default is returned.	

Sysdate

Function	Syntax	Short Description	Example
SYSDATE	SYSDATE	returns the current date and time set	TO_DATE(SYSDATE, 'DD.MM.YYYY') or TO_CHAR(SYSDATE, 'mm/dd/yyyy') See also TO_DATE and TO_CHAR in the Datetime Functions .

Case

Function	Syntax	Short Description	Example
CASE	CASE { expr WHEN comparison_expr THEN return_expr [WHEN comparison_expr THEN return_expr]... WHEN condition THEN return_expr [WHEN condition THEN return_expr]... } [ELSE else_expr] END	returns value based on different conditions	CASE {state} WHEN 'NY' THEN 'New York' WHEN 'CA' THEN 'California' ELSE {state} END or CASE WHEN {quantityavailable} > 19 THEN 'In Stock' WHEN {quantityavailable} > 1 THEN 'Limited Availability' WHEN {quantityavailable} = 1 THEN 'The Last Piece' WHEN {quantityavailable} IS NULL THEN 'Discontinued' ELSE 'Out of Stock' END

Analytic and Aggregate Functions

Function	Syntax	Short Description	Example
DENSE_RANK	DENSE_RANK(expr [, expr]...) WITHIN GROUP (ORDER BY expr [DESC ASC] [NULLS { FIRST LAST }] [,expr [DESC ASC] [NULLS { FIRST LAST }]]...)	Computes the rank of a value with respect to other values and returns the rank as a NUMBER. Always results in consecutive rankings.	DENSE_RANK ({amount}) WITHIN GROUP (ORDER BY {AMOUNT}) or DENSE_RANK() OVER (PARTITION BY {name} ORDER BY {trandate} DESC)

Function	Syntax	Short Description	Example
	or DENSE_RANK() OVER (PARTITION by expr [,expr...] ORDER BY expr [DESC ASC] [NULLS { FIRST LAST }] [,expr [DESC ASC] [NULLS { FIRST LAST }]]...)		
KEEP()	KEEP(DENSE_RANK { FIRST LAST } ORDER BY expr [NULLS { FIRST LAST }])	Qualifies an aggregate function indicating that only the FIRST or LAST values of the function are returned.	KEEP(DENSE_RANK LAST ORDER BY {internalid})
RANK	RANK(expr [, expr]...) WITHIN GROUP (ORDER BY expr [DESC ASC] [NULLS { FIRST LAST }] [, expr [DESC ASC] [NULLS { FIRST LAST }]]...) or RANK() OVER (PARTITION by expr [,expr...] ORDER BY expr [DESC ASC] [NULLS { FIRST LAST }] [,expr [DESC ASC] [NULLS { FIRST LAST }]]...)	Computes the rank of a value in a group of values. Can result in non-consecutive rankings if values are the same.	RANK() OVER (PARTITION by {trnid} ORDER BY {line} DESC) or RANK ({amount}) WITHIN GROUP (ORDER BY {amount})

Mass Updates

Note: You can use SuiteAnalytics Workbook to query your NetSuite data using the analytics data source, which offers advanced query capabilities. For more information about SuiteAnalytics Workbook and how you can recreate your existing saved searches to workbooks, see the following topics:

- [Getting Started with SuiteAnalytics Workbook](#)
- [Analytics Data Source Changes](#)

You can use the Mass Updates functionality to find multiple records, with outdated information and update all field values simultaneously of these records. If you have the Mass Updates permission, you can go to Lists > Mass Update > Mass Updates, where you can select from the mass update list to run a Mass Update page. This page is similar to a Saved Search, where you can define the:

- Filters used to select records to be updated
- Results columns to be displayed for an update
- Audience for an update
- Schedule to use for running the update (account administrators only)
- Field values to be updated for each record

To be available for mass update, a field must meet the following criteria:

- It must support inline editing. For more information, see the help topic [Using Inline Editing](#).
- It must be displayed on your preferred form for the record type being updated.
- If it is a standard field, it must be outside of subtab lists and must not have dependencies on other fields.
- If it is a custom field, it must be stored and must not have a sourcing relationship.

When you define a mass update, you can perform it immediately or save it for future use. If you have the Schedule Mass Updates permission, you also can schedule a mass update to run on a recurring basis.

- When you run a mass update, processing 50 records or less begins instantly. If you are processing more than 50 records, there may be a delay of up to one minute before the job begins. When a mass update is in process, you cannot stop it or cancel it.
- After you have saved a mass update, it is available at Lists > Mass Update > Saved Mass Updates.
- For information about setting up a mass update, see [Defining a Mass Update](#).
- For information about setting up a schedule for a mass update, see [Scheduling a Mass Update](#).
- Be aware that only one mass update can be run at a time in your account.

Additional mass update options may be available at Lists > Mass Update, depending on the features enabled in your account.

- For information about Lists > Mass Update > Update Prices, see the help topic [Updating Item Prices](#).
- For information about Lists > Mass Update > Swap Prices Between Price Levels, see the help topic [Swapping Prices Between Price Levels](#).

- For information about Lists > Mass Update > Mass Duplicate Record Merge, see the help topic [Duplicate Record Detection](#).
- For information about Lists > Mass Update > Bulk Update Translation, see the help topic [Working With Multi-Language Names and Descriptions](#).

If the mass update you want is not available, try using the Import Assistant to update data through import of a CSV file. For information, see the help topic [Importing CSV Files with the Import Assistant](#).

It is possible to send an email in bulk for multiple transactions at one time with the possibility to attach any message to the email and with support for scriptable templates. For the procedure for setting a mass update for sending a bulk email for transactions, see the help topic [Sending Transaction Email in Bulk](#)

Mass Updates and SuiteScripts

■ Mass Update Scripts

You can programmatically perform custom mass updates to update fields that are not available through general mass updates, using a SuiteScript action script. See the help topic [SuiteScript 2.x Mass Update Script Type](#). If the SuiteFlow feature is enabled, you also can use the mass updates functionality to find multiple record instances associated with a single workflow, and either initiate or process all records simultaneously. See the help topic [Workflow Mass Updates](#).

■ Mass Updates and User Event Scripts

Be aware that a record change that results from a mass update can trigger a related user event script as the same change not made through a mass update would. However, in the case of the mass update, the full record is not passed to the user event script; instead, only the field(s) changed by the mass update are passed. For details about user event scripts, see the help topic [SuiteScript 2.x User Event Script Type](#).

Defining a Mass Update

You can define a mass update if you have the Mass Updates permission.

To define a mass update:

1. Go to Lists > Mass Update > Mass Updates.
2. On the Mass Updates list, expand a category and click a link.

Mass Updates	
ACTION ⊕ EXPAND ALL ⊖ COLLAPSE ALL	
General Updates	
Sales Force Automation	
Contact Management	
Activities	
Files	
Group Records	
Customer Support and Service	
Change Case Status	
Change Support Rep Assignment	
Reassign Cases by Case Territory Rules	
Change Case Priority	
Escalate Cases	
Change Customer Role	
Inactivate Cases	
Delete Cases	
Transactions	
Opportunities	
Marketing	
Reports	
Items	
Rev Rec Schedules	
Amortization Schedules	
Special Transaction Updates	
Individuals	
Roles & Permissions	

3. In the **Title of Action** field, enter a name for this update.

If you are saving this mass update, create a name that describes the update so you can find it in the future.

4. To enter the new information:

- If you are performing a General mass update on a record type:

Click the **Mass Update Fields** subtab and review the fields that are available for update.

Check the box in the **Apply** column next to each field you need to update, and enter or select the new data in the **Value** column. Or, you can enter a formula to dynamically calculate values to be entered. See [Entering Formulas for a Mass Update](#).

Fields exposed for mass updates are the same as those available for inline editing and include the following: standard fields that are outside of subtab lists and do not have dependencies on other fields, and custom fields that are stored and do not have sourcing relationships.

Mass Update

Custom Customer Mass Update

List

Search

More

Save

Cancel

Reset

Preview

Pivot Report

Title of Action *

Custom Customer Mass Update

Public

Type

Customer

Criteria

Results

Audience

Schedule

Audit Trail

Action Title Translation

Mass Update Fields

Apply	Field	Value	Formula
☐	Company Name		
☐	Individual		
☐	Inactive		
☐	Phone		
☐	Alt. Phone		
☐	Fax		
☐	Category		
☐	Status	LEAD-Unqualified	
☐	Start Date		
☐	End Date		
☐	Mr./Ms...		
☐	Terms		
☐	Ship Complete		
☐	Global Subscription Status	Soft Opt-In	
☐	Taxable		
☐	Tax Item	<Type then tab>	
☐	Resale Number		
☐	Credit Limit		
☐	Price Level		

 **Important:** For transactions updates, fields that are not displayed on your preferred form for a transaction are not made available for mass updates. For example, if your preferred invoice form does not include the To Be Printed field, this field is not listed on the **Mass Update Fields** subtab for a mass update to invoices.

- If you are performing a specific type of update, such as Contact Management:

To the right of the **Title of Action** field, select or enter the new data.

On the **Criteria** subtab, select filters that you want to use to set criteria. When you select a filter, a window pops up where you can select criteria.

Mass Update
Custom Customer Mass Update

Save Cancel Reset Preview Pivot Report

Title of Action *
Custom Customer Mass Update

Type
Customer

Public

Criteria Results Audience Schedule Audit Trail Action Title Translation Mass Update Fields

Use this tab to specify criteria that narrow down your search.

Use Expressions

FILTER *	DESCRIPTION *	FORMULA

Add Cancel Insert Remove

Save Cancel Reset Preview Pivot Report

5. Define a filter or filters on the **Criteria** subtab.
 - Select a field or formula in the dropdown list and enter values in the popup window that appears.
 - For information, see [Advanced Search Criteria Filters](#).
6. Define display options for mass update results on the **Results** subtab.
 - Select the order in which you want the results to sort.
 - Choose to view the list as a report.
 - Pick which columns you want to appear in the list.
 - For information, see [Search Results Display Options](#).
7. You can select internal and external roles as follows:

Note: If the **Public** box is checked, the **Internal Roles** and **External Roles** fields are greyed out, the update is available to all roles and the selection cannot be edited. To select specific internal and external roles, you must clear the **Public** box first.

 - **Internal Roles** – In the Internal Roles field, do one of the following:
 - Check the **Select All** box next to Internal Roles to make the update available to all internal roles.
 - Clear the **Select All** box and then select from the desired internal roles from the list.
 - **External Roles** – To make the update available to specific external roles, select them from the list.
8. If you are an administrator and you want to run the mass update on a recurring basis, set up this recurrence on the **Schedule** subtab. See [Scheduling a Mass Update](#).
9. Click Preview to see which records the mass update will change, and review the Mass Update Preview page.
 - To modify the mass update, click Return to Criteria, and repeat steps 4-8 as necessary.
 - If your list has less than 1000 entries, an **Apply** column is shown. (If you want to show the **Apply** column, select search criteria that return results with less than 1000 entries.) If any record listed should not be updated, clear the box in the **Apply** column.

10. Choose one of the following options:

- Click **Perform Update** to make the mass update.



Warning: After you click **Perform Update**, you cannot stop or cancel the mass update.

- Click **Save** to save this mass update for future use.
 - When you save the update, it is not run. To make the mass update changes, go to Lists > Mass Update > Saved Mass Updates, and click Preview next to the name of the update. On the Mass Update Preview page, click Perform Update to make the changes.
 - When you save a mass update, you can always return to the list to make changes to the same records by going to Lists > Mass Update > Saved Mass Updates.



Note: You can update more than one field on records, by using the links under the General Updates heading on the Mass Updates list. Use the links under the Sales Force Automation, Contact Management, Activities, Files, Group Records, Customer Support and Service and Marketing headings to quickly create more specific updates that only affect one field.

Entering Formulas for a Mass Update

For mass updates that are General updates, you can update multiple fields per record. You select the fields to be updated on the Mass Update Fields subtab of the mass update page, by checking the Apply box. For each selected field, you can enter a static value to use for updating the field in all records, in the Value field. Or, if you want to update a field based on dynamic values, you can enter a SQL expression in the Formula field. You can enter SQL directly in the Formula field, or click the Set Formula button to display a popup formula builder.

Formula values are dynamically calculated at the time a mass update is performed. Formulas can include NetSuite field IDs for which field values are substituted, SQL functions, and mathematical operators. NetSuite field IDs should be formatted as follows: {field_name}. Most common SQL functions and operators are available.

The following are example mass update formulas:

- To increase customer credit limits by 25%, do a Customer general update, check the Apply box for Credit Limit, and enter this formula: {creditlimit} * 1.25.

☐ Ship Complete	☐	
☐ Taxable	☐	
☐ Global Subscription Status	Soft Opt-In	
☐ Tax Code	<Type then tab>	
☐ Resale Number		
☒ Credit Limit		{creditlimit}*1.25
☐ Account		

- To set inventory items' preferred stock level to twice the reorder point, do an Inventory Item general update, check the Apply box for Preferred Stock Level, and enter this formula: {reorderpoint} * 2.

☒ Preferred Stock Level		{reorderpoint} * 2
---	--	--------------------

Note: Knowledge of SQL will help you to fully leverage the flexibility and power of SQL functions to define complex formulas. For more details, refer to [SQL Expressions](#). Also, you can refer to [SuiteScript Supported Records](#) for tables of NetSuite field IDs.

Scheduling a Mass Update

If you have the Schedule Mass Updates permission, you can set up a mass update to run on a recurring basis, according to a schedule that you specify. A scheduled mass update runs during off-peak hours.

Be aware that only one mass update can run at a time in your account. When a scheduled mass update is running, you should not start another mass update.

Note: If you have Create, Edit, or Full level of the Schedule Mass Updates permission, a Schedule subtab displays on each mass update page, where you can define a new scheduled mass update. If you have Edit or Full level, you can edit an existing scheduled mass update and save it with the same name. If you have Create level, and you edit an existing scheduled mass update, you cannot save it with the same name; you need to save as a different name.

To set up a schedule for a mass update:

1. On a mass update page, click the **Schedule** subtab.
2. Enable the **Run Update According to Schedule** option.
3. Select the interval at which you would like to run the mass update, or click Single Event to run the mass update one time only.
4. As you select each interval, additional options are displayed for you to select. For example, if you select Weekly Event, you then can select individual days of the week on which to run the update.
5. Select a series start date. This is the first day on which the mass update is run.
6. Select an end date in the **End By** field or check the **No End Date** box to continue running the mass update indefinitely.
7. Define other characteristics of the mass update and save it. (See [Defining a Mass Update](#).)

You must save a mass update for its schedule to take effect. After you have saved a scheduled mass update, it is listed at Lists > Mass Update > Saved Mass Updates, with its recurrence displayed in the **Schedule** column.

After you save a scheduled mass update, you can review information about the times it was run, in history columns on the mass update page's **Schedule** subtab. These columns include the date, user, and count of records updated for each time the mass update was run.

Translations for Mass Updates

When defining a mass update you can add translations for action titles and labels so that users of your mass update can view the results in other system supported languages.

Note: Translation support for mass updates is only available in accounts where the Multi-Language feature has been enabled. For further information about multiple languages see the help topic [Configuring Multiple Languages](#). The translation languages need to be selected at Setup > Company > Preferences > General Preferences, on the Languages subtab. Add all the languages that you would like to make available on your mass update results.

You can add translations for mass update elements as follows:

- [Adding Translations for the Mass Update Action Title](#) – The translated title will be displayed in the mass update results and also in the list of mass updates.
- [Adding Translations for Mass Update Column Headings](#) – The translated column headings and summary column headings will be displayed in the mass update results.
- Translations can also be added for saved searches. See [Translations for Saved Searches](#).

These translations will be displayed when the NetSuite user interface is set to the appropriate system-supported language.

Adding Translations for the Mass Update Action Title

The translated title will be displayed in the mass update results and also in the list of mass updates.

To add translations for the Mass Update action title:

1. From the Mass Update definition page, click on the **Action Title Translation** subtab.
2. For each language listed, enter the translated text into the **Label** column.
3. Click **Save**.

 **Note:** If the Multi-Language feature is enabled, the Mass Update definition page will display an additional subtab **Action Title Translation**.

Mass Update
Custom Customer Mass Update

Save Cancel Reset Preview Pivot Report

Title of Action *
Custom Customer Mass Update

Type
Customer

Criteria	Results	Audience	Schedule	Audit Trail	Action Title Translation	Mass Update Fields
LANGUAGE ▲	LABEL					
Czech	Název výrobku					
German	Der Name des Produkts					
Hebrew	שם המוצר					
Spanish	nombre del producto					

Save Cancel Reset Preview Pivot Report

Adding Translations for Mass Update Column Headings

The translated column headings and summary column headings will be displayed in the mass update results.

To add translations for mass update column headings:

1. From the Mass Update definition page, click on the **Results** subtab.

2. Click the field that you want to edit.
3. Click the **Custom Label Translation** column.
4. Enter the translated text for each language.
5. Click **Done**.
6. Click the **Summary Label Translation** column.
7. Enter the translated text for each language.
8. Click **Done**.
9. Repeat steps 2-8 for every field that requires translating.
10. Click **Save**.

Note: If the Multi-Language feature is enabled, the **Results** subtab of the Mass Update definition page will display two additional columns - Custom Label Translation and Summary Label Translation.

Use this tab to indicate columns to be included in the search results as well as sort order.

Sort By: ID ☐ Descending

Then By: ☐ Descending

Then By: ☐ Descending

Output Type: Normal ☐ Show Totals

Max Results: ☐ Run Unrestricted ☐ Disallow Drill Down

Remove All Add Multiple

FIELD	CUSTOM LABEL	CUSTOM LABEL TRANSLATION
ID		
Office Phone		
Fax		
Primary Contact		

Language Selection Popup:

- Czech
- German
- Hebrew
- Spanish: nombre del producto

Done

To Bottom

Example Mass Update

A sales manager dealing with many potential customers can make use of mass updates. As potential customer leads are lost and communication stops, the sales manager can use mass updates to give all outdated lead records the status Customer-Lost Customer:

- From the Contact Management section of the Mass Updates list, the manager selects the Change Customer Status mass update. On the Mass Update page, the manager:
 - In the Change Status to dropdown list, selects Customer-Lost Customer.
 - On the Criteria subtab, defines the Date Created as a filter, and in the popup window that appears, selects within last month to date and clicks Set.
 - On the Results subtab, defines the columns to be displayed as update results.

- On the Audience subtab, defines the users who have access to the mass update.
- Click the **Save** button.
- The mass update is now available as a saved mass update.

The manager can go to Lists > Mass Update > Saved Mass Updates each month and use the saved mass update to close lead records that have become outdated since the last update.

Available Mass Updates

The following mass updates may be available in your system. Fields exposed for mass updates are the same as those available for searching and include the following: standard fields that are outside of subtab lists and do not have dependencies on other fields, and custom fields that are stored and do not have sourcing relationships.

Note: If a mass update is not available for your needs, try using the Import Assistant to update data through a CSV file import. For information, see the help topic [Importing CSV Files with the Import Assistant](#). Also, you can programmatically perform custom mass updates to update fields that are not available through general mass updates, using a SuiteScript action script. See the help topic [SuiteScript 2.x Mass Update Script Type](#). If the SuiteFlow feature is enabled, you also can use the mass updates functionality to find multiple record instances associated with a single workflow, and either initiate or process all records simultaneously. See the help topic [Workflow Mass Updates](#).

You may not have access to all of the updates in the following list. The updates available to you depend upon the features enabled in your account, and on your assigned roles and permissions. Also, you may have access to additional mass updates for custom record types defined in your account. Custom record updates are exposed under General Updates. To see the updates available to you, go to Lists > Mass Update > Mass Updates and expand each mass update category.

Some mass updates have subcategories. Click on the triangle to expand and view the subcategories.

Mass Updates
ACTION
General Updates
Sales Force Automation
Contact Management
Activities
Files
Group Records
Customer Support and Service
Transactions
Reassign Transactions
Add Sales Team Member
Remove Sales Team Member
Replace Sales Team Member
Add Partner
Remove Partner
Replace Partner
Bulk Email
Opportunities

General Updates

Note: Not all fields in the supported record types are available for mass update. When you select a record type for a general mass update, the Mass Update Fields subtab lists the updatable fields. For transactions updates, fields that are not displayed on your preferred form for a transaction are not made available for mass updates.

- Case
- Company
- Contact
- Customer
- Employee
- Issue
- Items
 - Assembly Item
 - Inventory Item
 - Kit/Package
 - Non-inventory Item
 - For Purchase
 - For Resale
 - For Sale
 - Other Charge
 - For Purchase
 - For Resale
 - For Sale
 - Service
 - For Purchase
 - For Resale
 - For Sale
- Project
- Opportunity
- Partner
- Campaign
- Phone Call
- Report
- Task
- Time
- Transactions
 - Assembly Build
 - Assembly Unbuild
 - Bill
 - Bill Credit
 - Bill Payment

- Blanket Purchase Order
- Credit Card Refund
- Cash Refund
- Cash Sale
- Check
- Credit Card (Payment)
- Credit Memo
- Customer Deposit
- Customer Refund
- Deposit
- Estimate
- Expense Report
- Fulfillment Request
- Inventory Adjustment
- Inventory Cost Revaluation
- Inventory Worksheet
- Invoice
- Item Fulfillment
- Item Receipt
- Journal (custom fields only)



Warning: If you update any type of journal entry that has been applied as a payment to an invoice or vendor bill, the relationship between the journal entry and payment is removed and the payment is no longer applied.

- Payment
- Period End Journal
- Purchase Contract
- Purchase Order
- Request For Quote
- Requisition
- Return Authorization
- Revenue Commitment
- Revenue Commitment Reversal
- Store Pickup Fulfillment
- Sales Order
- Vendor Prepayment
- Vendor Prepayment Application
- Vendor Request For Quote
- Vendor Return Authorization
- Work Order

- Work Order Close
- Work Order Completion
- Word Order Issue
- Vendor
- Custom Records

Sales Force Automation

- Convert Projects to Subcustomers
- Change Sales Rep Assignment
- Change Territory Assignment
- Reassign Customers by Sales Territory Rules
- Add Sales Team Member (when Team Selling enabled)
- Remove Sales Team Member (when Team Selling enabled)
- Replace Sales Team Member (when Team Selling enabled)
- Add Partner (when Multi-Partner Management enabled)
- Remove Partner (when Multi-Partner Management enabled)
- Replace Partner (when Multi-Partner Management enabled)

Contact Management

- Change Customer Status
- Inactivate Companies
- Inactivate Contacts
- Inactivate Customers
- Inactivate Vendors
- Inactivate Partners
- Change Owner
- Add Contact Category

Activities

- Mark Events Complete
- Delete Events
- Mark Tasks Complete
- Delete Tasks
- Mark Phone Calls Complete
- Delete Phone Calls

Files

- Inactivate Files

- Move Files to Folder
- Delete Files
- Make Files Available Online
- Make Files Available for Company-Wide Usage

Group Records

- Group Customers
- Group Vendors
- Group Employees
- Group Partners
- Group Contacts

Customer Support and Service

- Change Case Status
- Change Support Rep Assignment
- Reassign Cases by Case Territory Rules
- Change Case Priority
- Escalate Cases
- Change Customer Role
- Inactivate Cases
- Delete Cases

Transactions

- Reassign Transactions (available here when Team Selling is enabled)
- Add Sales Team Member (when Team Selling enabled)
- Remove Sales Team Member (when Team Selling enabled)
- Replace Sales Team Member (when Team Selling enabled)
- Add Partner (when Multi-Partner Management enabled)
- Remove Partner (when Multi-Partner Management enabled)
- Replace Partner (when Multi-Partner Management enabled)
- Bulk Email

Opportunities

- Reassign Opportunities
- Add Sales Team Member (when Team Selling enabled)
- Remove Sales Team Member (when Team Selling enabled)
- Replace Sales Team Member (when Team Selling enabled)

- Add Partner (when Multi-Partner Management enabled)
- Remove Partner (when Multi-Partner Management enabled)
- Replace Partner (when Multi-Partner Management enabled)

Marketing

- Send Subscription Message to Entities
- Send Subscription Message to Customers
- Send Subscription Message to Contacts
- Send Subscription Message to Vendors
- Send Subscription Message to Partners

Reports

Delete reports (For more information, see the help topic [Mass Updating Reports](#).)

Items

- Change Item Units of Measure on Assembly/Bill of Materials
- Update Item Prices (For more information, see Updating Item Purchase Prices.)
- Update Purchase Price from Most Recent Purchase (For more information, see Updating Item Purchase Prices.)
- Apply Merchandise Attributes

 **Note:** When Prices are enabled, another mass update that lets you change price level pricing is available at Lists > Mass Update > Swap Prices Between Price Levels. For information, see [Swapping Prices Between Price Levels](#).

Rev Rec Schedules

- Update Is Recognized Flag
- Create/Recreate Schedules on Sales Orders & Return Authorizations

For more information, see the help topic [Mass Updating Revenue Recognition Schedules](#).

Amortization Schedules

- Update Is Recognized Flag

(For information, see the help topic [Mass Updating Amortization Schedules](#).)

Special Transaction Updates

- Update Orders Kit Members with Current Kit Members

For more information, see Kit/Package Items.

Individuals

- Reformat Customers Using Last Name First
- Reformat Customers Using First Name First
- Reformat Vendors Using Last Name First
- Reformat Vendors Using First Name First
- Reformat Partners Using Last Name First
- Reformat Partners Using First Name First
- Reformat Employees Using Last Name First
- Reformat Employees Using First Name First
- Reformat Contacts Using Last Name First
- Reformat Contacts Using First Name First

Roles & Permissions

- Add/Edit Permission on Roles

For information, see the help topic [Mass Updating a Permission on Custom Roles](#).

Web Site Redirects

- Delete Web Site Redirects

For information, see Delete Web Site Redirects Mass Update .

Templates

- Inactivate Campaign Templates
- Inactivate Email Templates
- Inactivate Fax Templates
- Inactivate System Email templates

Duplicate Resolution

- Contacts
- Customers
- Partners
- Vendors

Customer Web Site Assignment

- Update Customer Web Site Assignment

Item Collection

- Add Items to Item Collection

For information, see the help topic [Creating Item Collections](#).

Custom Updates

- If you have created any SuiteScript action scripts that programmatically update fields not available through general mass updates, they are listed here, according to record type. For information about creating these scripts, see the help topic [SuiteScript 2.x Mass Update Script Type](#).

If you have created any SuiteScript action scripts that programmatically update fields not available through general mass updates, they are listed here, according to record type. For information about creating these scripts, see the help topic [SuiteScript 2.x Mass Update Script Type](#).

Workflows

- If you have created any workflows, mass updates to initiate or process all workflow records simultaneously are listed here. Each workflow is listed in alphabetical order, with Initiate <workflow name> and Process <workflow name> links. For more information, see the help topic [Workflow Mass Updates](#).

Mass Updates of Global Subscription Status

You can use the Global Subscription Status field to help manage marketing email campaigns. This field, which has replaced the formerly used Unsubscribe field, is available for mass updates on Company, Contact, Customer (including Leads and Prospects), Partner, and Vendor records. Be aware that mass updates can only set the value of this field to Soft Opt-In or Soft Opt-Out. Only users themselves can change their status to Confirmed Opt-In or Confirmed Opt-Out. The following mass updates are permitted:

If Current Status Is:	Mass Update Can Set Status to:
Confirmed Opt-In	Soft Opt-In or Soft Opt-Out
Soft Opt-In	Soft Opt-Out
Soft Opt-Out	Soft Opt-In
Confirmed Opt-Out	(NO MASS UPDATE AVAILABLE)

For more information about global subscription statuses, see the help topic [Subscription Management](#).

To perform a mass update of global subscription status:

1. Go to Lists > Mass Update > Mass Updates.
2. Expand General Updates, then click Company, Customer, Partner, or Vendor.
3. Set criteria for the users you want to update.
4. On the **Mass Update Fields** subtab, check the **Global Subscription Status** box.
5. Select the status you want to set: Soft Opt-In or Soft Opt-Out

All records that match the criteria you have set and that are permitted to be changed through mass updates will be set to the selected status.

6. Click Save.

Performing Mass Deletes

The Mass Update functionality enables you to delete multiple records. To perform mass deletes, you must have the Mass Updates permission and the appropriate permission level to delete the records. For example, to use the Delete Files mass update, you must have at least the Edit level of the Documents and Files permission. Files deleted using the Delete Files mass update cannot be recovered.

Available Deletions

The following table describes the mass deletes that are available on the Mass Updates page and the permission required to delete the records.

Delete Name	Permission Required	Notes
Delete Cases	Cases - Full	—
Delete Events	Events - Full	—
Delete Files	Documents and Files - Edit	—
Delete Phone Calls	Tasks - Edit	—
Delete Reports	Owner or Administrator	—
Delete Tasks	Tasks - Edit	—
Delete Web Site Redirects	Set Up Web Site - Full	—
Remove Partner	Estimate - Edit	Removes a partner from a customer or sales transaction, if the partner contribution percentage is set to 0%.
Remove Sales Team Member	Estimate - Edit	Removes a sales team member from a customer, if the sales member commission assignment percentage is set to 0%.

To perform a mass delete:

1. Go to Lists > Mass Update > Mass Updates.
2. Expand an item in the **Action** list to see which records can be deleted in bulk. For example, if you expand **Activities**, you can mass delete events, tasks, or phone calls.
3. Choose the record type to delete and click the link. For example, to delete event records, click **Delete Events**. The Mass Update page opens.
4. In the **Filter** list on the **Criteria** subtab, specify the criteria that define the records you want to mass delete. For example, you can delete all events for a specific Attendee.
5. When you have finished, click **Preview**.
6. Review the records that match your criteria.
If you want to keep any of these records, clear the **Apply** box next to them.
7. To mass delete the records, click **Perform Update**.

