



ORACLE
NetSuite

Static Route Management



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Static Route Management 1
 - Installing Static Route Management 1
 - Creating and Customizing Roles to Use Static Route Management 2
 - Creating a Truck Record 5
 - Setting Up a Route 6
 - Using Route Delivery in Transactions 8
 - Managing Routes 10

Static Route Management

It is a common practice in the food and beverage industry that delivery trucks operate on predefined routes. Each route contains multiple orders for multiple customers. The Static Route Management SuiteApp helps in distribution management of trucks and routes.

You can perform the following actions using the Static Route Management SuiteApp:

- Create truck records
- Define routes with stops and truck information
- Add route, stop, and delivery time window information to a sales order
- Filter and view routes and orders assigned to the routes
- Change the stop sequence for orders in a route
- Move orders between routes as well as ship dates

The following video introduces you to the Static Route Management SuiteApp:

 [Static Route Management SuiteApp](#)

The following video contains different scenarios that explain the working of Static Route Management SuiteApp:

 [Static Route Management Scenarios](#)

Installing Static Route Management

Only users with Administrator roles or with **SuiteApp Marketplace** permission can install the SuiteApp. Following are the bundle details:

- Bundle Name: Static Route Management
- Bundle ID: 290640

For more information about installing a bundle, see the help topic [Installing a Bundle](#).

Static Route Management is a managed SuiteApp that is automatically updated whenever enhancements or new features are added.

Prerequisites

The Static Route Management SuiteApp is developed and tested for use primarily with NetSuite OneWorld.

You need to enable certain features to use the Static Route Management SuiteApp.

To enable the features:

1. Go to Setup > Company > Enable Features.
2. Check the boxes next to all the features listed in the following table:

Subtab	Feature Name
Company	Locations
SuiteCloud	- Custom Records - Client SuiteScript - Server SuiteScript

3. Click **Save**.

Note: The Static Route Management SuiteApp is independent of the Multiple Shipping Routes feature. For more information, read the help topic [Multiple Shipping Routes](#).

Supported Browsers for Static Route Management

The Static Route Management SuiteApp supports the following browsers and operating systems:

Browser	Platform
Google Chrome 71 or newer	- Windows 10 - Windows 8.x - Windows 7
Microsoft Edge (Anniversary Update and later)	Windows 10 (Anniversary Update)
Mozilla Firefox 60 or newer	- Windows 10 - Windows 8.x - Windows 7 - Windows Vista

Creating and Customizing Roles to Use Static Route Management

If you are an administrator, you can create new roles or customize roles for using Static Route Management. For more information, see the help topics [Assigning Roles to an Employee](#) and [Customizing or Creating NetSuite Roles](#).

Refer to the following sections for the operations, permissions, and minimum access levels required for different record types for using the Static Route Management SuiteApp.

Location Record

Operation	Permission	Minimum Access Level
Edit	Lists > Locations	Edit

Route and Truck Record

Operation	Permission	Minimum Access Level	Navigation Access	Comments
View	Lists > Custom Record Entries	View	Route Management > Routes	
			Route Management > Trucks	
Create	Lists > Custom Record Entries	Create	Route Management > Routes > New	
			Route Management > Routes > Search	
			Route Management > Trucks > New	
			Route Management > Trucks > Search	
	Lists > Customers	View		Required only for Route
Edit	Lists > Custom Record Entries	Edit	Route Management > Routes > New	
			Route Management > Routes > Search	
			Route Management > Trucks > New	
			Route Management > Trucks > Search	
	Lists > Customers	View		Required only for Route
Delete	Lists > Custom Record Entries	Full	Route Management > Routes > New	
			Route Management > Routes > Search	
			Route Management > Trucks > New	
			Route Management > Trucks > Search	
	Lists > Customers	View		Required only for Route

Route Delivery Subtab in Customer Record

Operation	Permission	Minimum Access Level
View	Lists > Customers	View
	Lists > Custom Record Entries	View

Operation	Permission	Minimum Access Level
Edit	Lists > Custom Record Entries	Edit
	Lists > Customers	Edit
	Lists > Locations	View

Route Settings in Sales Order

Permission	Minimum Access Level
Transaction > Sales Order	Edit
Lists > Locations	View
Setup > Accounting Preference	Full
Lists > Custom Record Entries	View

Manage Route Shipments Page

Permission	Minimum Access Level
Transactions > Find Transaction	View
Transactions > Sales Order	View
Lists > Currency	View
Lists > Custom Record Entries	Full
Lists > Customers	View
Lists > Documents and Files	View
Lists > Items	View
Lists > Locations	View
Lists > Subsidiaries	View
Setup > Accounting Preferences	Full
Setup > Custom Entity Fields	Full
Setup > SuiteScript	View
Setup > SuiteScript Scheduling	Full
Setup > Enable Features	Full
Setup > Set Up Company	View
Custom Record > Route	Full
Custom Record > Truck	Full

Permission	Minimum Access Level
Custom Record > Stop	Full
Custom Record > Address- Location Mapping	Full
Custom Record > Route Shipment Record	Full
Custom Record > Shipment Record Bulk Update	Full

Adding Center Category and Center Types

For the custom role, add the Route Management center category and links for Routes and Trucks. Use the following information when creating the center category:

- **Center category label** – Label the center category as Route Management.
- **Center Type** – Select the desired center type.
- **Center Tab** – Select the desired center tab.
- Add the following links:
 - **Route** – Label the link as Routes.
 - **Truck** – Label the link as Trucks.
 - **Shipment Report** – Label the link as Manage Route Shipments.

For more information, see the help topics [Creating Center Categories](#) and [Creating Center Links](#).

Creating a Truck Record

Create truck records to assign the trucks to different routes.

To create a truck record:

1. Go to Lists > Route Management > Trucks > New.
2. In the **Truck Name** field, enter a name for the truck.

 **Note:** The truck name must be unique across all the subsidiaries.

3. From the **Subsidiary** list, select the subsidiary to which you want to assign this truck.
4. (Optional) To enter additional details of the truck, update any of the following fields:
 - **Truck License Plate #** – Enter the truck's license plate number.
 - **Truck Driver Name** – Enter the name of the truck driver.
 - **Maximum Payload Weight** – Enter the maximum weight that the truck can carry.
 - **Ambient Payload Capacity** – Enter the ambient payload capacity of the truck.
 - **Refrigerated Payload Capacity** – Enter the refrigerated payload capacity of the truck.
 - **Frozen Payload Capacity** – Enter the frozen payload capacity of the truck.
5. Click **Save**.

You can also import truck information using the Import CSV Records feature. For more information, read the help topic [Importing CSV Files with the Import Assistant](#).

 **Note:** You can delete a truck record only if it is not used in any routes.

Setting Up a Route

After you define the truck records, you define routes on which the trucks would run. A route contains the following information:

- Route name
- Subsidiary that you want to associate with the route
- Location from where the truck starts
- Order cutoff time for the route
- Default truck assigned to the route
- Days on which the route operates
- Stops with stop numbers
- Customer details such as customer name, delivery address, and delivery time range

Order Cutoff Time

Order cutoff time is the cutoff time for accepting the sales orders for the day to deliver to the specific route. You can set this time when setting up the route. If you do not set this time in the Route record, NetSuite checks for the time set in the **Order Cutoff Time** field in the Location page. If neither of the fields have the cutoff time set, then the cutoff time is considered as 11:59 p.m. for that route.

To set up a route:

1. Go to Lists > Route Management > Routes > New.
2. In the **Route Name** field, enter a name for the truck.

 **Note:** The route name must be unique across all the subsidiaries.

3. In the **Subsidiary** field, select the subsidiary that you want to associate with this route.
4. From the **Ship from Location** list, select the location that you want to associate with this route.
The **Location Time Zone** field displays the time zone of the selected location.
5. (Optional) To set the cutoff time for the route, enter the time in the **Order Cutoff Time** field.
6. In the **Delivery Days** field, change the days of the week on which the route operates. To select more than one day, press Ctrl and select the days that you want to select.

 **Note:** By default, Monday to Friday are selected.

7. To add stops for the route, update the following fields in the sublist:
 - **Route Stop #** - Enter the route stop number.

- **Customer** - Select a customer for the stop.
- **Delivery Address** - Select the delivery address of the customer.
- **Delivery Time - From** and **Delivery Time - To** - Enter the expected delivery time range for the stop.

 **Note:** In Route view mode, you can view only 25 stops per route. However, there is no change in functionality even if there are more than 25 stops per route. The information for stops is available in edit mode for users.

8. Click **Add**.
9. Click **Save**.

You can also import routes using the Import CSV Records feature. For more information, read the help topic [Importing CSV Files with the Import Assistant](#).

Handling Changes to Route Records

If you make changes to a route record, sales orders that satisfy the following criteria can be affected:

- Sales orders having status any of the following statuses:
 - Pending Approval
 - Pending Fulfillment
 - Partially Fulfilled
 - Pending Billing / Partially Fulfilled
- Sales orders in route shipment records that use the modified routes

The following table explains the impact of changes to route records:

Action	Effect
Changing the route stop numbers	The shipment stop numbers in the route shipment records are automatically updated.
Changing the delivery address	Route information is removed from sales orders that use the route. The corresponding route shipment record is also deleted.
Deleting a stop	
Removing delivery days	

Deleting Routes

You cannot delete a route if it contains stops or if it is used in any sales order transactions. To remove a route:

- Delete all the stops in the route
- Remove route information from sales orders

However, you can inactivate a route even if it has stops or is used in sales orders.

Route Delivery Information on Customer Record

On the **Route Delivery** subtab of a customer record, you can add and view the following details:

- **Address-Location Mapping** – Set the default location for each customer shipping address. On the sales order, for a given shipping address, the SuiteApp by default selects the location mapped in this list.

You can view the address-location mapping for all customers from the Address-Location Mapping list page.
- **Customer Route Details** – Lists the routes that ship to the customer's selected delivery address label. The **Delivery Address Label** field lists the labels of delivery addresses saved for this customer. The sublist in this subtab lists the routes for the selected delivery address.

You can also import address and location mapping for each customer using the Import CSV Records feature. For more information, read the help topic [Importing CSV Files with the Import Assistant](#).

Using Route Delivery in Transactions

For using Route Delivery in sales order transactions, you must select a value in the following fields:

- **Customer** field in the Primary Information section
- **Location** field in the Classification section
- **Ship to Select** field in the **Shipping** subtab

If you select values in these fields, then the ship date and route are automatically determined as explained in the following section.

 **Note:** Route is not automatically determined for sales order created from opportunities or estimate transactions.

The Static Route Management SuiteApp only supports sales orders and not memorized transactions.

Determining Sales Order Shipment Date and Route

The Static Route Management SuiteApp uses the following criteria to determine the ship date and route:

- The ship date is set to next available date for the combination of location and shipping address. If you have multiple routes on the same ship date, then the route with the earliest cutoff time is selected.
- If cutoff time for next ship date is already past as per the location's time zone, the SuiteApp checks for next available ship date and route.
- When determining ship date, the SuiteApp does not consider the delivery time range. The SuiteApp also ignores the following settings in the Set Up Shipping page for determining the ship date:
 - Number of Days of Shipment
 - Cutoff Time for Shipments
 - Ship on Saturday
 - Ship on Sunday

Note: The status of **Ship on Saturday** and **Ship on Sunday** fields is considered in the following cases:

- When creating sales orders using CSV import
- For Intercompany sales orders
- For routes marked as **No Route**

Irrespective of the selection in the **Ship on Saturday** and **Ship on Sunday** fields, the transaction date is always set as the ship date.

- The ship date is redetermined if you change the **Location** or **Ship to Select** in the sales order.
- The SuiteApp considers only active routes for route delivery.
- The SuiteApp considers the time zone of the location for using the cutoff time. If you do not specify the time zone for the location, then the SuiteApp considers the time zone specified in the Set Preferences page.
- If route cannot be determined for the selected route and shipping address combination, the SuiteApp creates and selects a new route record named **No Route**. The route name is suffixed with a number to keep the route records unique. For such route record:
 - Cutoff time is set as 11:59 PM.
 - **No Route** box is checked
 - Delivery days are set from Monday to Friday. However, if you check **Ship on Saturday** and **Ship on Sunday** boxes in the Set Up Shipping page, then all days are set as delivery days.

When a route is determined automatically and is not marked as a **No Route**:

- The location and ship date on sales order line items are always the same as the header location and ship date, respectively.
- If the **Supply Required By Date** column is available in the **Items** subtab, the date is same as ship date. Otherwise, the expected ship date must be the same as ship date.
- The **Enable Item Line Shipping** box cannot be checked and remains grayed out.

Note: If location is empty or if shipping address is empty or has a Custom Address selected, you can save the sales order without route determination.

Intercompany Sales Orders

When you create an intercompany sales order and if the location is defined, then the route and ship date is automatically determined. For more details about intercompany sales orders, see the help topic [Intercompany Sales and Billing Transactions Overview](#).

Sales Orders Created Using CSV Import

When you create or update sales orders using CSV import, the SuiteApp determines the route based on the following criteria:

- If the CSV file does not include the ship to address, the SuiteApp considers default address of the customer as ship to address. If the default address is not provided, the route and ship dates are not determined automatically.
- If you want the location to be automatically based on the customer address, keep the location value blank in the CSV file and check the **Override Missing Fields** box. Then, the SuiteApp considers the location provided in the Address - Location mapping for the selected address of the customer. If mapping does not exist, the SuiteApp considers the location set in the **Default Location For Sales Orders** preference in the **Order Management** subtab of Accounting preferences.
- If the CSV file does not include the ship date, the SuiteApp uses the transaction date as the ship date to determine the route.
- When you update a sales order using CSV import, the route is redetermined when you update either the location, ship date, or shipping address.
- If the route determined is not marked as **No Route**, the SuiteApp ignores the line level location.
- If a line item is in outbound processing, you cannot update the header level location, shipping address, and route for that sales order. However, if you update the ship date, the route is redetermined.



Note: When creating or updating sales orders using CSV import, make sure you check the **Run Server SuiteScript and Trigger Workflows** box. For more information, see the help topic [Sales Order Import](#).

Sales Order Created Using REST and SOAP Web Services

When you create or update sales orders using REST or SOAP Web Services integration, the SuiteApp determines the route based on the following criteria:

- Route is redetermined when you update either the location or ship date.
- If the route determined is not of the type **No Route**, the SuiteApp ignores the line level location.
- If you have a line item in outbound processing, you cannot update the header level location, shipping address, and route for that sales order. However, if you update the ship date, the route is redetermined.

For more information, read the help topics [SOAP Web Services Setup](#) and [Overview of SuiteTalk REST Web Services](#).

Changing the Transaction Date

After determining the ship date and route, you may want to change the transaction date in the sales order. If you change the transaction date:

- The ship date changes to match the transaction date automatically.
- On saving the sales order, the route validates for the changed ship date.
- If the changed ship date does not have a suitable route, manually change the ship date or route.

Managing Routes

When you add a route to a sales order, the SuiteApp creates a route shipment record for the route. The record contains information such as route, ship date, sales order, truck, shipment stop number, manually update status, last modified by, and route stop number.

You can manage the route shipment records from the Manage Route Shipments page, accessible from Lists > Route Management > Manage Route Shipments.

You can use filters to find the route shipment records you want. Filtered routes show up in the left table in the Route Shipments section, and the sales orders for the selected route appear in the right table. Sales orders having any of the following statuses list on the Manage Route Shipments page:

- Pending Approval
- Pending Fulfillment
- Pending Billing / Partially Fulfilled
- Partially Fulfilled

Manage Route Shipments

Apply Filter

Filters

Location: California

Route: Tran Route, US Route 1, US Route 2 Clv

Weight Unit: lb

Customer: New, Walmart, test abc

Ship Date From: 11/1/2024

Ship Date To: 11/22/2024

☒ Display No Route

Route Shipments

You can drag the sales orders within the same route or across routes in the tables below. * Indicates the value may not be accurate because item weight is not defined in item record for one or more line items of the sales order.

SHIP DATE	ROUTE	TRUCK	MAXIMUM PRELOAD WEIGHT	ORDER CUTOFF TIME	WEIGHT	AMOUNT
11/22/2024	Route A	Truck 1	1000 lb	11:00 AM	35* lb	USD 1000.00
11/22/2024	Route B	Truck 1	1000 lb	2:00 PM	105 lb	USD 200.00

SALES ORDERS FOR Route A, 11/22/2024

SHIPMENT STOP #	CUSTOMER	ADDRESS	ORDER #	WEIGHT	AMOUNT
1	Smithfield Foods Inc.	Ware House Manager 21 709 Rainbow Canyon Rd Tempeville Farms Anchorage AK 99501 United States	SO35	105* lb	USD 400.00
2	Smithfield Foods Inc.	Ware House Manager 21 13163 Highway 60 Golden Lake - Main Golden Lake CA 92524 United States	SO37	105* lb	USD 400.00
3	Smithfield Foods Inc.	Ware House Manager 21 301 St. Alms Rd Campbell River BC Campbell River FL V9W 1V8 United States	SO36	105* lb	USD 400.00

The **Amount** column in the Routes and Sales Orders tables displays the amount in base currency of the customer's subsidiary. If Multiple Currencies feature is enabled, the amount appears without a currency.

Note: If you do multiple operations in the Manage Shipment Records page, the page may reach its governance limit. In such case, refresh the page.

Filtering Route Shipment Records

Filter the route shipment records using one or more of the following filters:

- **Location** – Lists the active locations that are in the subsidiaries to which your role has access. The default location derives from the **Default Sales Location** preference in the Accounting preferences. If the preference is not set, the first location in alphabetical order is selected by default.
- **Route** – Lists the routes available for the selected location. To select multiple routes, press and hold Ctrl and select the routes from the list.
- **Customer** – Lists the active customers. To select multiple customers, press and hold Ctrl and select the customers from the list.
- **Ship date range** – You can select the ship date range using the **Ship Date From** and **Ship Date To** fields. The default date in both the fields is the current date in the location's time zone. The ship date range must meet the following criteria:
 - Date in **Ship Date From** field must be less than or equal to the date in **Ship Date To** field.
 - Date in both the fields must be greater than or equal to the current date.
 - The maximum date range you can select is 14 days (including the start and end dates).

- Both dates must be within 90 days from today.
- **Display No Route** – When checked, the route records marked as **No Route** display in the Route Shipments section. For such routes, on the Manage Shipment Record page:
 - If the sales order line items have a different shipping address, then such line items list separately in the Sales Orders pane.
 - The number displayed in the **Shipment Stop Number** column does not have any significance.
 - The **Address** column lists line level shipping addresses.
 - When you move a sales order to a route that's not marked as **No Route**, the SuiteApp ignores line-level shipping addresses.

The **Weight Units** field lets you choose the unit of weight for route shipment records. If you see an asterisk next to the weight, it means one or more items in the sales order don't have a defined weight, so the displayed weight might not be accurate. The item weight is checked only at the time of sales order creation. Any changes to item weight after the sales order creation are not considered for calculation on this page.

To filter route shipment records:

1. Go to Lists > Route Management > Manage Route Shipments.
2. In the Filters section, select one or more filters.
3. Click **Apply Filters**.

Shipment Stop Numbers

The **Shipment Stop #** column in the Sales Orders table of Manage Route Shipments page displays the delivery sequence of the shipments for the selected route. By default, this follows the same order as the route stop numbers.

For example, imagine a route has five stops numbered 1 to 5, but only three need deliveries on a particular day. In that case, the system numbers those deliveries from 1 to 3 based on their relative positions in the original route.

All sales orders that have the same delivery address have the same shipment stop number.

The sequence automatically updates as you add or remove sales orders with route using automatic route determination.

Moving Sales Orders Manually

You can also change the stop sequence by moving the stops manually. When you move a stop manually, following actions take place:

- The Manually Updated flag enables for the sales order.
- Any further updates, additions, or removal of sales orders on the route do not consider the manually updated sales order for automatic sequencing. For example, for route stops numbers 1 through 7, say you have deliveries only for stops 1, 3, 6, and 7.

Route stop number	Sales orders for current route
1	Yes

Route stop number	Sales orders for current route
2	No
3	Yes
4	No
5	No
6	Yes
7	Yes

The shipment stop numbers are by default sequenced as follows:

Shipment stop numbers (Route stop numbers)
1 (1)
2 (3)
3 (6)
4 (7)

If you manually move the shipment stop number 3 above 2, then the combination looks as shown below:

Shipment stop numbers (Route stop numbers)	Manually Updated
1 (1)	No
2 (6)	Yes
3 (3)	No
4 (7)	No

If you add a sales order for route stop number 2, that stop number is listed after the manually updated flag, as shown below.

Shipment stop numbers (Route stop numbers)	Manually Updated
1 (1)	No
2 (6)	Yes
3 (2)	No
4 (3)	No
5 (7)	No

To move a sales order to a different stop manually:

1. Go to Lists > Route Management > Manage Route Shipments.
2. Filter the route shipment records. For information about filtering route shipment records, see [Filtering Route Shipment Records](#).
3. In the Routes table, select a route.
4. In the Sales Orders table, drag a sales order to another position in the same table.
The following actions take place when you move the sales order:
 - The shipment stop numbers are automatically updated.
 - The sales order is marked as manually updated.

- If there are more than one sales orders for the same shipment stop number, then all those sales orders are moved.
- The **Delivery Time** in the Sale Order page is cleared, assuming the delivery time will change since the shipment stop sequence is manually updated.

 **Note:** The manually updated flag is cleared when you move the sales order to a different route.

Moving a Sales Order to a Different Route

In the Manage Route Shipments page, you can move sales orders from one route to another.

To move a sales order to another route:

1. Go to Lists > Route Management > Manage Route Shipments.
2. Filter the route shipment records. For information about filtering route shipment records, see [Filtering Route Shipment Records](#).
3. In the Routes table, select a route.
4. From the Sales Orders table drag a sales order on another route in the Routes table.

 **Note:** The sales order is not moved if the new route has the same shipping address or if the route's cutoff time is passed.

The following actions take place when you move the sales order:

- The shipment stop number is automatically updated in both the routes.
- If the shipment stop number of the target route has the Manually Updated flag enabled, then the flag is also enabled on the moved sales order.

You can also change the route from the Sales Order page. If the route shipment record for that stop has the Manually Updated flag enabled, then the flag is also enabled for the sales order.