



ORACLE
NetSuite

SuiteCloud Extension for Visual Studio Code

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

SuiteCloud Extension for Visual Studio Code Overview	1
User Interface of SuiteCloud Extension for Visual Studio Code	2
Installing and Setting Up SuiteCloud Extension for Visual Studio Code	4
Downloading Visual Studio Code	4
Installation Prerequisites for SuiteCloud Extension for Visual Studio Code	4
Supported Versions of SuiteCloud Extension for Visual Studio Code	5
Installing SuiteCloud Extension for Visual Studio Code	6
Interacting with SuiteCloud Extension for Visual Studio Code	7
Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code	8
Adding an Account in SuiteCloud Extension for Visual Studio Code	9
Setting an Account as Default in SuiteCloud Extension for Visual Studio Code	10
Managing NetSuite Accounts in SuiteCloud Extension for Visual Studio Code	10
SuiteCloud Extension for Visual Studio Code Usage	12
Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code	13
Working with SDF Custom Objects in SuiteCloud Extension for Visual Studio Code	13
Listing SDF Custom Objects in SuiteCloud Extension for Visual Studio Code	14
Updating SDF Custom Objects in SuiteCloud Extension for Visual Studio Code	14
Importing SDF Custom Objects from a NetSuite Account with SuiteCloud Extension for Visual Studio Code	15
Creating a SuiteScript File in SuiteCloud Extension for Visual Studio Code	15
Listing Files in SuiteCloud Extension for Visual Studio Code	16
Updating a File from Your Account with SuiteCloud Extension for Visual Studio Code	16
Uploading Files to Your Account with SuiteCloud Extension for Visual Studio Code	17
Importing Files from a NetSuite Account with SuiteCloud Extension for Visual Studio Code	17
Comparing a Local File with its Account Version with SuiteCloud Extension for Visual Studio Code	18
Adding Dependencies to the Manifest in SuiteCloud Extension for Visual Studio Code	18
Validating a SuiteCloud Project Against Your NetSuite Account with SuiteCloud Extension for Visual Studio Code	19
Deploying a SuiteCloud Project to Your NetSuite Account with SuiteCloud Extension for Visual Studio Code	19

SuiteCloud Extension for Visual Studio Code Overview



Important: Starting February 2025, SuiteCloud Extension for Visual Studio Code version 1.6.0, which supports Token-Based Authentication (TBA) and OAuth 1.0, will no longer be available for new installations. If you're still using older versions of the tool, upgrade to the latest version as soon as possible. The latest version of SuiteCloud Extension for Visual Studio Code is version 3.0.0, and this version uses the OAuth 2.0 protocol for authorization.

SuiteCloud Extension for Visual Studio Code (VS Code) provides a user interface for NetSuite platform development using SuiteCloud Development Framework (SDF). SDF is a development framework and deployment mechanism.

To get started with SuiteCloud Extension for VS Code, see [Installing and Setting Up SuiteCloud Extension for Visual Studio Code](#).


Here's what you can do in SuiteCloud Extension for VS Code for SuiteCloud projects:

- To create a SuiteCloud project, see [Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code](#).
- To set up a NetSuite Account, see [Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#).
- To manage the authentication IDs linked to your accounts, see [Managing NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#).
- To list the SDF custom objects used in your account, see [Listing SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#).
- To update the SDF custom objects in your project, see [Updating SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#).
- To import SDF custom objects from a NetSuite account, see [Importing SDF Custom Objects from a NetSuite Account with SuiteCloud Extension for Visual Studio Code](#).
- To create a SuiteScript file, see [Creating a SuiteScript File in SuiteCloud Extension for Visual Studio Code](#).
- To list the files in your account, see [Listing Files in SuiteCloud Extension for Visual Studio Code](#).
- To update a file from your account, see [Updating a File from Your Account with SuiteCloud Extension for Visual Studio Code](#).
- To upload files to your account, see [Uploading Files to Your Account with SuiteCloud Extension for Visual Studio Code](#).
- To import files from a NetSuite account, see [Importing Files from a NetSuite Account with SuiteCloud Extension for Visual Studio Code](#).
- To compare a local file with its account version, see [Comparing a Local File with its Account Version with SuiteCloud Extension for Visual Studio Code](#).
- To add dependencies to the SuiteCloud project manifest, see [Adding Dependencies to the Manifest in SuiteCloud Extension for Visual Studio Code](#).
- To validate your SuiteCloud project against your NetSuite account, see [Validating a SuiteCloud Project Against Your NetSuite Account with SuiteCloud Extension for Visual Studio Code](#).
- To deploy SuiteCloud projects to your account, see [Deploying a SuiteCloud Project to Your NetSuite Account with SuiteCloud Extension for Visual Studio Code](#).

- To view SDF logs in the output console, see [User Interface of SuiteCloud Extension for Visual Studio Code](#).
- To use SuiteCloud Developer Assistant, an AI-powered coding assistant designed for SuiteCloud developers, see the help topic [Setting Up SuiteCloud Developer Assistant Using Cline in SuiteCloud Extension for VS Code](#).

User Interface of SuiteCloud Extension for Visual Studio Code

SuiteCloud Extension for Visual Studio Code (VS Code) is a custom extension you can install in VS Code. When you've installed it, NetSuite actions are available through the Command Palette. For more information, see [The Command Palette in SuiteCloud Extension for Visual Studio Code](#). You can also do some actions using the context menu by right-clicking the file or folder you want.



Element	Description
1 Project structure	In the left-hand menu, you can see the structure of your SuiteCloud project. To create a SuiteCloud project, see Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code .
2 Editor area	In the editor area, you can edit your SuiteCloud project's files and SDF custom objects.
3 Status bar	The status bar shows your active project name and its authentication ID. You can also use it to switch between auth IDs, create a new one, or set an auth ID as the default. If the project does not have an auth ID, the status bar gives you a shortcut to the Set Up Account command. The status bar also shows the progress of all NetSuite actions.
4 SDF logs	SDF logs display details related to any NetSuite action you perform on your SuiteCloud project. For example, when you run the list objects action, SDF logs show you a full list of SDF custom objects found in your account.

Element	Description
5 SuiteCloud notifications	SuiteCloud notifications let you know about any successes or errors when you run a NetSuite action.

Installing and Setting Up SuiteCloud Extension for Visual Studio Code

Install SuiteCloud Extension for Visual Studio Code (VS Code) right from inside the VS Code application.

The following topics walk you through installing and setting things up:

- [Downloading Visual Studio Code](#)
- [Installation Prerequisites for SuiteCloud Extension for Visual Studio Code](#)
- [Supported Versions of SuiteCloud Extension for Visual Studio Code](#)
- [Installing SuiteCloud Extension for Visual Studio Code](#)
- [The Command Palette in SuiteCloud Extension for Visual Studio Code](#)
- [How to Work with a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code](#)
- [How to Work with Multiple SuiteCloud Projects in SuiteCloud Extension for Visual Studio Code](#)
- [Making a File Active in the Editor in SuiteCloud Extension for Visual Studio Code](#)
- [Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#)
- [Managing NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#)
- [Setting Up SuiteCloud Developer Assistant Using Cline in SuiteCloud Extension for VS Code](#)

Downloading Visual Studio Code

To download Visual Studio Code:

1. Download VS Code for your operating system from <https://code.visualstudio.com>. For supported versions that work with SuiteCloud Extension for VS Code, see [Installation Prerequisites for SuiteCloud Extension for Visual Studio Code](#).
2. Run the file you downloaded and follow the prompts to complete installation.

Next, install SuiteCloud Extension for VS Code. For more information, see [Installing SuiteCloud Extension for Visual Studio Code](#).

Installation Prerequisites for SuiteCloud Extension for Visual Studio Code

Before you install and use SuiteCloud Extension for VS Code, verify the following prerequisites:

- **Operating system** – SuiteCloud Extension for VS Code officially supports the following operating systems:
 - Windows
 - Linux
 - Mac OS

Specifically, the extension was tested with the following operating system and browser combinations:

- Windows 11 – Firefox and Chrome

- Linux Fedora – Firefox, Chrome
- macOS Sequoia – Firefox, Safari, and Chrome
- **Java SE Development Kit** – SuiteCloud Extension for VS Code requires [Oracle JDK version 17](#) or [Oracle JDK version 21](#).
- **64-bit requirements** – To run SuiteCloud Extension for VS Code properly, make sure both your operating system and Oracle JDK versions are 64-bit versions.
- **Two-factor authentication setup** – If you want to use an administrator role and any other role that requires 2FA for SDF development, you need to install the SuiteCloud Development Integration bundle to the account. You only have to do this once per account.
For information about setting up your role, see the help topic [Assigning the Developer Role \(Administrator Only\)](#).
- **Account** – Your SuiteCloud Extension for VS Code version should match your account version. You might run into compatibility issues if you use an older version of the extension with the latest version of NetSuite.
- **SuiteCloud Development Framework (SDF) enabled** – Ensure SDF is enabled in your NetSuite account. Go to Setup > Company > Enable Features, click the SuiteCloud subtab, and check the SuiteCloud Development Framework box.
- **NetSuite account features** – An account administrator must enable the features in your account that SDF depends on.
For more information, see the help topic [Enabling SuiteCloud Development Framework in the Target NetSuite Account \(Administrator Only\)](#).
- **OAuth 2.0 enabled** – Ensure OAuth 2.0 is enabled in your NetSuite account. To enable it, go to Setup > Company > Enable Features, click the **SuiteCloud** subtab, and check the **OAuth 2.0** box on the **Manage Authentication** section. For more information, see the help topic [Enable the OAuth 2.0 Feature](#).
- **Visual Studio Code** – Be sure to use version 1.106 or higher.

Supported Versions of SuiteCloud Extension for Visual Studio Code



Important: Starting February 2025, SuiteCloud Extension for Visual Studio Code version 1.6.0, which supports Token-Based Authentication (TBA) and OAuth 1.0, will no longer be available for new installations. If you're still using an older version of the tool, you should upgrade to the latest version as soon as possible. The latest version of SuiteCloud Extension for Visual Studio Code is version 3.0.0, and this version uses the OAuth 2.0 protocol for authorization. For more information, see [Removal of OAuth 1.0 Token-Based Authentication Support in SuiteCloud SDK](#) (SuiteAnswer ID 1019514).

To ensure that you get the latest features and bug fixes, you should use the latest version of the SuiteCloud Extension for VS Code from the Marketplace.

The following table shows the extension versions currently available in the Marketplace.

Extension Versions Available in the Marketplace
3.1.1
3.1.0

Installing SuiteCloud Extension for Visual Studio Code



Important: Before you install SuiteCloud Extension for VS Code, see [Installation Prerequisites for SuiteCloud Extension for Visual Studio Code](#).



Important: By installing SuiteCloud Extension for VS Code, you're accepting the installation of the SuiteCloud SDK dependency under the **Oracle Free Use Terms and Conditions** license below.

■ Definitions

"Oracle" refers to Oracle America, Inc. "You" and "Your" refers to (a) a company or organization (each an "Entity") accessing the Programs, if use of the Programs will be on behalf of such Entity; or (b) an individual accessing the Programs, if use of the Programs will not be on behalf of an Entity. "Program(s)" refers to Oracle software provided by Oracle pursuant to the following terms and any updates, error corrections, and/or Program Documentation provided by Oracle. "Program Documentation" refers to Program user manuals and Program installation manuals, if any. If available, Program Documentation may be delivered with the Programs and/or may be accessed from www.oracle.com/documentation. "Separate Terms" refers to separate license terms that are specified in the Program Documentation, readmes or notice files and that apply to Separately Licensed Technology. "Separately Licensed Technology" refers to Oracle or third party technology that is licensed under Separate Terms and not under the terms of this license.

■ Separately Licensed Technology

Oracle may provide certain notices to You in Program Documentation, readmes or notice files in connection with Oracle or third party technology provided as or with the Programs. If specified in the Program Documentation, readmes or notice files, such technology will be licensed to You under Separate Terms. Your rights to use Separately Licensed Technology under Separate Terms are not restricted in any way by the terms herein. For clarity, notwithstanding the existence of a notice, third party technology that is not Separately Licensed Technology shall be deemed part of the Programs licensed to You under the terms of this license.

■ Source Code for Open Source Software

For software that You receive from Oracle in binary form that is licensed under an open source license that gives You the right to receive the source code for that binary, You can obtain a copy of the applicable source code from <https://oss.oracle.com/sources/> or <http://www.oracle.com/goto/opensourcecode>. If the source code for such software was not provided to You with the binary, You can also receive a copy of the source code on physical media by submitting a written request pursuant to the instructions in the "Written Offer for Source Code" section of the latter website.

The following license terms apply to those Programs that are not provided to You under Separate Terms.

■ License Rights and Restrictions

Oracle grants to You, as a recipient of this Program, a nonexclusive, nontransferable, limited license to, subject to the conditions stated herein, (a) internally use the unmodified Programs for the purposes of developing, testing, prototyping and demonstrating your applications, and running the Programs for your own internal business operations; and (b) redistribute unmodified Programs and Programs Documentation, under the terms of this License, provided that You do not charge Your end users any additional fees for the use of the Programs. You may make copies of the Programs to the extent reasonably necessary for exercising the license rights granted herein and for backup purposes. You are granted the right to use the Programs to provide third party training in the use of the Programs and associated Separately Licensed Technology only if there is express authorization of such use by Oracle on the Program's download page or in the Program Documentation.

Your license is contingent on Your compliance with the following conditions:

- You include a copy of this license with any distribution by You of the Programs;
- You do not remove markings or notices of either Oracle's or a licensor's proprietary rights from the Programs or Program Documentation;
- You comply with all U.S. and applicable export control and economic sanctions laws and regulations that govern Your use of the Programs (including technical data);
- You do not cause or permit reverse engineering, disassembly or decompilation of the Programs (except as allowed by law) by You nor allow an associated party to do so.

For clarity, any source code that may be included in the distribution with the Programs is provided solely for reference purposes and may not be modified, unless such source code is under Separate Terms permitting modification.

■ **Ownership**

Oracle or its licensors retain all ownership and intellectual property rights to the Programs.

■ **Information Collection**

The Programs' installation and/or auto-update processes, if any, may transmit a limited amount of data to Oracle or its service provider about those processes to help Oracle understand and optimize them. Oracle does not associate the data with personally identifiable information. Refer to Oracle's Privacy Policy at www.oracle.com/privacy.

■ **Disclaimer of Warranties; Limitation of Liability**

THE PROGRAMS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. ORACLE FURTHER DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL ORACLE BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

To install SuiteCloud Extension for Visual Studio Code:

1. Open VS Code and click the **Extensions** tab (🔌).
2. In the search field, type **SuiteCloud Extension for Visual Studio Code**. To find it easily, check that the publisher is Oracle Corporation.
3. Under the extension's description, click **Install**.
4. After SuiteCloud Extension for VS Code is installed, restart VS Code to ensure the installation process is successful.

Note: To set up a proxy server, create the SUITECLOUD_PROXY environment variable. The variable value must include an http or https protocol, a hostname, and a port number, for example: `http://proxyurl:proxyport`. After you create the variable, restart VS Code.

Interacting with SuiteCloud Extension for Visual Studio Code

This section explains how to interact with the SuiteCloud Extension for Visual Studio Code (VS Code).

The Command Palette in SuiteCloud Extension for Visual Studio Code

Use the Command Palette to work with SuiteCloud Extension for VS Code. The Command Palette offers a simple way to invoke the SuiteCloud features by providing autocompletion and suggestions for available commands. To open it:

- Press Ctrl+Shift+P if you're on Windows or Linux.
- Press Cmd+Shift+P if you're on macOS.

How to Work with a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code

To start working with a SuiteCloud project, you can do any of the following actions:

- Create a SuiteCloud project: Open the Command Palette, type suitecloud and, pick **SuiteCloud: Create Project**.
- Open a SuiteCloud project: Go to **File>Open Folder...** and select your SuiteCloud project's root folder.

For more information, see [Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code](#).

How to Work with Multiple SuiteCloud Projects in SuiteCloud Extension for Visual Studio Code

To add a SuiteCloud project to an open VS Code window, go to **File>Add Folder To Workspace...** and select your SuiteCloud project's root folder. This lets you to work with multiple SuiteCloud projects at once.

To see the active SuiteCloud project name, check to the SuiteCloud project status bar. To see the default authentication ID (if it's set), check to the auth ID status bar.

Making a File Active in the Editor in SuiteCloud Extension for Visual Studio Code

When running the commands from the Command Palette, make sure that the working SuiteCloud project is detected by selecting a file from your current workspace to make it active in the editor.

 **Note:** You don't need to do this when running the Create Project command.

Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code

You can set up the NetSuite accounts you want to customize. If you've added domains besides the default NetSuite ones, you need to configure account-specific details for those extra domains.

The following tasks are available for account setup:

- [Adding an Account in SuiteCloud Extension for Visual Studio Code](#)
- [Setting an Account as Default in SuiteCloud Extension for Visual Studio Code](#)

Adding an Account in SuiteCloud Extension for Visual Studio Code

SuiteCloud Extension for VS Code sends your account information to NetSuite during the authentication process. For more information, see the help topic [OAuth 2.0 Authentication for SuiteCloud SDK](#).

Before you add an account, ensure you have a SuiteCloud project open in VS Code. For more information, see [Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code](#).

To add an account:

1. In VS Code, open the Command Palette and enter `suitecloud`.
2. From the dropdown list, select **SuiteCloud: Set Up Account**.
3. From the dropdown list, select **New authentication ID**.
4. From the dropdown list, select one of the following options:
 - **Browser-based authentication** – This option opens a new window or tab from your default browser so you can authenticate your account-role combination.
 - **Machine-to-machine authentication** – This option opens a window so you can authenticate your account-role combination. For this option, you're asked to enter the following parameters:
 - **Account ID** – References the NetSuite account ID.
 - **Certificate ID** – References the certificate ID you get from NetSuite after uploading the public key file.
 - **Private key file** – References the local path to the private key file that matches the certificate in NetSuite. For example: `d:/path/private-key.pem`.



Important: To get the **certificate ID**, you need to generate an **RSA certificate**. The RSA certificate has two parts: the **public key** and the **private key**.

Upload the public key in the OAuth 2.0 Client Credentials Setup by choosing **SuiteCloud Development Integration** in the **Application** field and selecting the entity and role to map. This will generate a new row with the certificate ID value.

The private key path value is the location where the private key is saved.

For more information about how to generate the **RSA certificate**, see the help topic [Certificate Conditions](#).

For more information about how to upload the public key, follow the steps in [OAuth 2.0 Client Credentials Setup](#).

5. In the text field, enter an authentication ID.

Note: An authentication ID is a custom alias you give to a specific account-role combination, like testaccountadmin.

6. Perform the next steps based on the authentication option you selected in Step 4.
 - If you picked **Browser-based authentication**, press Enter to use the production domain or type your custom domain, then follow the instructions in the browser prompt.
 - If you picked **Machine-to-machine authentication**, do the following in the corresponding fields:
 - Press Enter to use the production domain or type your custom domain.
 - Enter the account ID.
 - Enter the certificate ID.
 - Press Enter to continue with the selection of the private key file.

If everything is correct, your account is set up and ready to use in SuiteCloud Extension for VS Code.

Note: You can also add an account by clicking Set Up Account in the status bar when you have a specific file from a project open in the editor.

Setting an Account as Default in SuiteCloud Extension for Visual Studio Code

Besides setting up your accounts in SuiteCloud Extension for VS Code, you can also set a specific account as the default for a project. The default account is used for all NetSuite actions, like deploy, list SDF custom objects, and upload files.

To set up an account as default:

1. In VS Code, open the Command Palette and type suitecloud.
 2. From the dropdown, pick **SuiteCloud: Set Up Account**.
 3. From the dropdown, pick the authentication ID of the account you want to set as default.
- The authentication ID you picked is now set as default for the project.

Note: You can also set up an account as default by clicking Set Up Account in the status bar when you have a file from a project open in the editor.

Managing NetSuite Accounts in SuiteCloud Extension for Visual Studio Code

You can manage the authentication IDs linked to your accounts by renaming or removing them, and you can also view the details of any specific auth ID.

To rename an auth ID:

1. In VS Code, open the Command Palette and type suitecloud.

2. From the dropdown list, pick **SuiteCloud: Manage Accounts**.
3. Pick the account you want to manage.
4. Choose the **Rename** option.
5. Enter the new auth ID when prompted.
6. Click **See Details** to check the log output.

To remove an auth ID:

1. In VS Code, open the Command Palette and enter suitecloud.
2. From the dropdown list, select **SuiteCloud: Manage Accounts**.
3. Select the account you want to manage.
4. Choose the **Remove** option.
5. Click **Continue** when prompted to confirm that the auth ID will be removed from your computer but is still valid in your account.
6. Select **See Details** to check the log output.

To see the details of an auth ID:

1. In VS Code, open the Command Palette and enter suitecloud.
2. From the dropdown list, select **SuiteCloud: Manage Accounts**.
3. Choose the **Show Details** option.
4. Click **See Details** to check the auth ID details.


SuiteCloud Extension for Visual Studio Code Usage

Before you start working with SuiteCloud Extension for Visual Studio Code (VS Code), familiarize yourself with the following topics:

- [SuiteCloud Development Framework](#)
- [SuiteCloud Extension for Visual Studio Code Overview](#)
- [Installing and Setting Up SuiteCloud Extension for Visual Studio Code](#)

Here are the main things you can do when working with SuiteCloud Extension for VS Code:

- [Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code](#)
- [Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#)
- [Managing NetSuite Accounts in SuiteCloud Extension for Visual Studio Code](#)
- [Listing SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#)
- [Updating SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#)
- [Importing SDF Custom Objects from a NetSuite Account with SuiteCloud Extension for Visual Studio Code](#)
- [Creating a SuiteScript File in SuiteCloud Extension for Visual Studio Code](#)
- [Listing Files in SuiteCloud Extension for Visual Studio Code](#)
- [Updating a File from Your Account with SuiteCloud Extension for Visual Studio Code](#)
- [Uploading Files to Your Account with SuiteCloud Extension for Visual Studio Code](#)
- [Importing Files from a NetSuite Account with SuiteCloud Extension for Visual Studio Code](#)
- [Comparing a Local File with its Account Version with SuiteCloud Extension for Visual Studio Code](#)
- [Adding Dependencies to the Manifest in SuiteCloud Extension for Visual Studio Code](#)
- [Validating a SuiteCloud Project Against Your NetSuite Account with SuiteCloud Extension for Visual Studio Code](#)
- [Deploying a SuiteCloud Project to Your NetSuite Account with SuiteCloud Extension for Visual Studio Code](#)



To see how to use the basic functionalities of SuiteCloud Extension for VS Code, check out the following video:

 [SuiteCloud Extension for Visual Studio Code](#)

Creating a SuiteCloud Project in SuiteCloud Extension for Visual Studio Code

You can create a SuiteCloud project to develop SuiteCloud Development Framework (SDF) Account Customization Projects and SuiteApps, for internal use within your organization or for commercial distribution. SuiteCloud projects are file-based and use XML definitions of SDF custom objects.

To learn more about the SuiteCloud project types, see:

- [Account Customization Projects](#)
- [SuiteApp Projects](#)

To create a SuiteCloud project:

1. In VS Code, open the Command Palette and type suitecloud.
From the dropdown list, pick **SuiteCloud: Create Project**.
2. Pick the parent folder for your new SuiteCloud project, and then click **Select Folder**.

 **Note:** You can select the same parent folder for different SuiteCloud projects, since each one is created in its own subfolder. Also, don't create a SuiteCloud project inside another SuiteCloud project's subfolder.

3. In the Command Palette, pick the type of project you want to create. For example, SuiteApp Project.
4. Enter a name for your new SuiteCloud project and press Enter. For example currency.
5. Enter a version for your project and press Enter. You'll need a project version, publisher ID, and project ID when creating projects of SuiteApp type.

Project versions use semantic versioning. For example, if your SuiteApp is version 1.02, minor revision #01242017, you'd enter the project version as:

1 | 1.02.01242016

6. Choose whether you want to include unit testing with the Jest testing framework by picking Yes or No.

The SuiteCloud project is created for you, and you can see the status in the **Output** tab. When the SuiteCloud project is created, you can choose to open the project in **This Window** or a **New Window**. If there's already a SuiteCloud project open, picking **This Window** closes it and opens your new one.

Working with SDF Custom Objects in SuiteCloud Extension for Visual Studio Code

You can customize SDF custom objects by downloading their XML definitions from your account. The XML files are converted into SDF custom objects when you deploy them to your NetSuite account.

To see how to download XML definitions of objects, see the help topic [Downloading the XML Definition of an Object from a NetSuite Account](#).

The following actions are available for working with SDF custom objects:

- [Listing SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#)
- [Updating SDF Custom Objects in SuiteCloud Extension for Visual Studio Code](#)
- [Importing SDF Custom Objects from a NetSuite Account with SuiteCloud Extension for Visual Studio Code](#)

Listing SDF Custom Objects in SuiteCloud Extension for Visual Studio Code

You can list the SDF custom objects in your account.

To list the SDF custom objects:

1. In VS Code, open the SuiteCloud project where you want to list SDF custom objects.
2. Open the Command Palette and type `suitecloud`.
From the dropdown, pick **SuiteCloud: List Objects**.
3. From the dropdown, pick the SDF custom objects you want to list and press Enter. You can select one, several, or all of them.

 **Note:** Scroll down the list to see all the available SDF custom objects.

In the **Output** tab of VS Code, you can see the SDF custom objects in your account.

Updating SDF Custom Objects in SuiteCloud Extension for Visual Studio Code

You can overwrite the selected SDF custom objects in the project with matching objects from your account. This only works for SDF custom objects that have the same script ID and object type as the ones in your account. For custom records, you can include custom instances too.

To update SDF custom objects:

1. In VS Code, open an SDF custom object from the Objects folder in your SuiteCloud project and make it active in the editor.
2. Open the Command Palette and type `suitecloud`.
From the dropdown, pick **SuiteCloud: Update Object from Account**.

 **Tip:** You can also run the command by right-clicking the SDF custom object file in the workspace and clicking **Update Object from Account**.

If the SDF custom object is a custom record, choose whether to include the custom instances from your account.

3. The project SDF custom object that will be overwritten with its account version appears.

From the dropdown, pick **Continue** to proceed.

The SDF custom object open in the editor gets overwritten with its version from the account, including its instances if it's a custom record.

Importing SDF Custom Objects from a NetSuite Account with SuiteCloud Extension for Visual Studio Code

You can import SDF Custom Objects from a NetSuite account to your project right from VS Code.

To import SDF custom objects from the account:

1. In VS Code, open the Command Palette and type `suitecloud`.
2. From the dropdown, select **SuiteCloud: Import Objects**.
3. For SuiteApps, select whether you want to import SDF custom objects ifrom a specific SuiteApp. If you do, press Enter to use the current `project's application ID or type your own.
4. From the dropdown, pick the SDF custom objects you want to import. For example, `addressForm`. You can select one, several, or all of them.



Note: Scroll down the list to see all the available SDF custom objects.

5. Filter the SDF custom objects list by entering the full or partial script ID, or just press Enter if you don't want to filter.
6. Choose whether you want to import the SuiteScript files referenced in the SDF custom objects.
7. To confirm that the SDF custom objects in your SuiteCloud project are overwritten with the matching ones from your account, click **Continue** when prompted.

A message with the result pops up.

Creating a SuiteScript File in SuiteCloud Extension for Visual Studio Code

You can use NetSuite SuiteScript scripting language to extend NetSuite and customize, search, and process your NetSuite data. From a SuiteCloud project, you can create a SuiteScript file based on a script type template, including any modules you pick. For more information about SuiteScript, see the help topic [SuiteScript Overview](#).

To create a SuiteScript file:

1. In VS Code, open the SuiteCloud project where you want to create the SuiteScript file.
2. Open the Command Palette and type `suitecloud`.
From the dropdown, pick **SuiteCloud: Create SuiteScript File**.
3. From the dropdown, pick the type of SuiteScript file type you want to create and press Enter. For example, picking `Map/Reduce Script` creates a file based on the Map/Reduce script template.
For information about the list of available SuiteScript script types, see the help topic [SuiteScript 2.x Script Types](#).

4. From the dropdown, pick the SuiteScript modules you want to add to the file, and click **OK**. For example, N/currency. You can pick one, several, all of them, or none.

Scroll down the list to see all the available SuiteScript modules.

For the list of available SuiteScript modules, see the help topic [SuiteScript 2.x Modules](#).

5. Pick the folder where you want to create the SuiteScript file and press Enter. For example, a FileCabinet folder in a SuiteApp project might be /SuiteApps/com.example.currency. Only valid folders in your SuiteCloud project show up.

For information about where SuiteScript files can be stored in SuiteCloud projects, see the help topic [SuiteCloud Project Structure and File Components](#).

6. Enter a name for the SuiteScript file you're creating. For example, currency.js. If you don't add the file extension .js, it'll be added for you.

The SuiteScript file is created in the folder you picked and opened for editing in VS Code. The file contents are based on the template for the SuiteScript type you chose, with your selected modules added to the code.

Listing Files in SuiteCloud Extension for Visual Studio Code

You can list the files in your account's File Cabinet.

To list files:

1. In VS Code, open the Command Palette and type suitecloud.
2. From the dropdown, pick **SuiteCloud: List Files**.
3. In the dropdown, pick the path where you want to list the files (for example /SuiteScripts/) and press Enter.
4. In the **Output** tab of VS Code, you can see the list of files in your account.

Updating a File from Your Account with SuiteCloud Extension for Visual Studio Code

You can overwrite a file in your project with the matching file from your account.

To update a file from your account:

1. In VS Code, open the Command Palette and type suitecloud.
2. From the dropdown, pick **SuiteCloud: Update File from Account**.
3. Choose whether to exclude all file properties within the .attributes folder.
4. Choose whether to overwrite the selected file in your project



Note: If you click **Cancel** when prompted, the update process is canceled.

The selected file is updated.

Uploading Files to Your Account with SuiteCloud Extension for Visual Studio Code

You can upload files to your account's File Cabinet without having to deploy the whole project. The files need to be in a File Cabinet folder supported by SDF. Depending on your SuiteCloud project type, these folders are supported.

- SuiteScripts
- SuiteApps/<Application ID>

 **Note:** For more information about the Application ID, see the help topic [SuiteApp Application ID](#).

- Templates
- Web Site Hosting Files

To upload a file from your SuiteCloud project to your account:

1. In VS Code, open the file you want to upload to the File Cabinet.
2. Open the Command Palette and type suitecloud.
From the dropdown, pick **SuiteCloud: Upload File**.
3. From the dropdown, choose whether to overwrite your File Cabinet file with the project version.

 **Note:** If you click **Cancel** when prompted, the upload process is canceled.

The file open in the editor is overwritten in the File Cabinet.

If the folder containing the file didn't exist in the account, SDF creates it during the upload process.

Importing Files from a NetSuite Account with SuiteCloud Extension for Visual Studio Code

You can import files from a NetSuite account to your project right from VS Code. Note that you can't import files from a SuiteApp.

To import files from the account:

1. In VS Code, open the Command Palette and type suitecloud.
2. From the dropdown, pick **SuiteCloud: Import Files**.
3. In the dropdown, pick the path where you want to import files from. For example, /SuiteScripts/.
4. In the dropdown, pick the files you want to import to your project. For example, /SuiteScripts/File.js. You can pick one, several, or all of them.
5. Choose whether to exclude all file properties in the .attributes folder.
6. To confirm that the selected files in your SuiteCloud project get overwritten, click **Yes** when prompted.

A message with the result pops up.

Comparing a Local File with its Account Version with SuiteCloud Extension for Visual Studio Code

You can compare a file on your computer with its account version. The differences show up in split editors. The files you compare need to be in the File Cabinet directory.

To compare a local file with its account version:

1. In VS Code, open the local file you want to compare with its account version.
2. Open the Command Palette and type `suitecloud`.
3. From the dropdown, pick **SuiteCloud: Compare with Account File**.



Tip: You can also use the context menu by right-clicking the file name in the left-hand menu.

The editor shows both versions and highlights the differences between them.

Adding Dependencies to the Manifest in SuiteCloud Extension for Visual Studio Code

You can set dependencies on existing objects, files, and scripts from your NetSuite accounts in an account customization project (ACP). You can also set dependencies on objects in a SuiteApp that are outside your SuiteCloud project, if they're supported by SDF.

For more information about dependencies, see the following topics:

- [Customizations Supported by SuiteCloud Development Framework](#)
- [Account Component Dependencies in SuiteCloud Projects](#)
- [SDF Custom Object Dependencies in SuiteApps](#)
- [Specifying an SDF Custom Object Reference](#)

When you use SDF with NetSuite features like SuiteScript or custom records, you need to define the dependencies in your SuiteCloud project. For more information, see the help topic [Feature Dependencies for SDF Custom Objects in SuiteCloud Projects](#).

To add dependencies to the manifest:

1. In VS Code, open the Command Palette and type `suitecloud`.
2. From the dropdown, pick **SuiteCloud: Add Dependency References to the Manifest**.

If your project is missing any dependency references, they'll be added to the `manifest.xml` file.



Tip: You can also use these keyboard shortcuts to add dependencies:

- Linux: Press `Ctrl+Shift+Alt+A`
- Mac OS: Press `Ctrl+Alt+Cmd+A`
- Windows: Press `Ctrl+Shift+Alt+A`

Validating a SuiteCloud Project Against Your NetSuite Account with SuiteCloud Extension for Visual Studio Code

You can validate your project before deploying it to the target account, so you can make any changes to your project before deployment.

 **Note:** Only the SDF custom objects, files, and folders listed in the `deploy.xml` file are validated.

To validate a SuiteCloud project against your NetSuite account:

1. In VS Code, open the Command Palette and type `suitecloud`.
2. From the dropdown, pick **SuiteCloud: Validate Project**.
3. If your project is a SuiteApp and you want to apply settings from the `hiding.xml`, `locking.xml`, and `overwriting.xml` files, click **Yes** when prompted.
4. If your project is an ACP, choose what you want to do if it has account-specific values: **Cancel the validation process** or **Display a warning and continue the validation process**.

 **Note:** The validate action is optional. Your project is still validated during deployment.

Deploying a SuiteCloud Project to Your NetSuite Account with SuiteCloud Extension for Visual Studio Code

You can deploy your project folder. Before deployment, the folder is zipped and only the files and folders listed in the `deploy.xml` file are included. The file is created automatically when you create a SuiteCloud project. By default, it's set up to deploy all supported files in the File Cabinet folder and all SDF custom objects in the Objects folder.

For information about getting your SuiteCloud project ready for deployment, see the help topic [SuiteCloud Project Deployment Preparation](#).

To deploy a SuiteCloud project to your NetSuite account:

1. In VS Code, open the Command Palette and type `suitecloud`.
2. From the dropdown, pick **SuiteCloud: Deploy Project**.
3. If your project is a SuiteApp and you want to apply settings from the `hiding.xml`, `locking.xml`, and `overwriting.xml` files, click **Yes** when prompted.
4. If your project is an ACP, choose what you want to do if the project has account-specific values, **Cancel the deployment process** or **Display a warning and continue the deployment process**.

The project is deployed to your account.

 **Note:** The project is also validated during deployment.