



ORACLE
NetSuite

SuiteCloud Platform Introduction

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.


This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

SuiteCloud Platform Customization	1
Customization Tools	3
Custom Coding	3
Point-and-Click Customization	4
Business Intelligence	6
Access Control	7
Distribution	7
Integrations	8
RESTlets vs. Other NetSuite Integration Options	10
SuiteCloud Reference Tools	12
SuiteScript Records Browser	13
SuiteAnalytics Connect Browser	14
SuiteTalk SOAP Schema Browser	14
The REST API Browser	14
The SDF XML Reference	15
The Records Catalog	15
Advanced Template Reference	15
Execution Contexts	15
Execution Context Types	18
Execution Contexts in System Notes	20
Application Performance Management for the SuiteCloud Platform	20
SuiteCloud Platform Glossary	22

SuiteCloud Platform Customization

The following graphic shows the SuiteCloud platform tools that can be used to create customizations.



In addition, the following references are available:

- A browser tool is available that shows metadata for records, fields, sublists, search joins, and other data you can access with SuiteScript, the SuiteAnalytics Connect Service, and SOAP web services.
- The REST API Browser lists records you can access through REST web services. For more information, see the help topic [The REST API Browser](#).
- The SuiteCloud Development Framework (SDF) XML reference also provides information about record-related metadata. For more information, see [SuiteCloud Reference Tools](#).
- The Advanced Template Reference provides details about the fields and sublists available in each standard advanced PDF/HTML template. For more information, see, [Advanced Template Reference](#).
- Execution contexts provide information about how or when a SuiteScript script or SuiteFlow workflow is triggered to run. For more information, see [Execution Contexts](#).
- The Application Performance Management (APM) SuiteApp provides dashboards to monitor and troubleshoot NetSuite performance. For more information, see [Application Performance Management for the SuiteCloud Platform](#).

The following table shows the topics related to the SuiteCloud platform tools:

Introductory Topics	Overview Topics	Setup Topics	Quick Start/Tutorial Topics
Customization Tools	SuiteCloud CLI for Java Guide SuiteCloud CLI for Node.js Guide	Installing SuiteCloud CLI for Node.js Installing SuiteCloud CLI for Java	SuiteCloud CLI for Node.js Reference SuiteCloud CLI for Java Reference Setting Up NetSuite Accounts in SuiteCloud Extension for Visual Studio Code

Introductory Topics	Overview Topics	Setup Topics	Quick Start/Tutorial Topics
	SuiteCloud Extension for Visual Studio Code Overview SuiteCloud IDE Plug-in for WebStorm Overview	Installing and Setting Up SuiteCloud Extension for Visual Studio Code Installing and Setting Up SuiteCloud IDE Plug-in for WebStorm	Creating an Account Customization Project in SuiteCloud IDE Plug-in for WebStorm
Custom Coding	What You Can Do with the SuiteScript API SuiteScript 2.x Script Basics SuiteCloud Development Framework	Setting Up Your SuiteScript Environment SuiteCloud Development Framework Setup	SuiteScript 2.x Hello World SuiteScript 2.x User Event Script Tutorial SuiteCloud Development Framework Tutorial
Point-and-Click Customization	Customization Overview SuiteFlow Overview Copy to Account	Custom Forms Working with Workflows Setting Up Copy to Account	Creating Custom Record Types Creating Your First Workflow Using Copy to Account
Business Intelligence	SuiteAnalytics Workbook Overview NetSuite Analytics Warehouse Overview Search Overview Reporting Overview Dashboards Overview	Analytics Home Page Setting Up NetSuite Analytics Warehouse Simple and Advanced Searches Working with Report Results Setting Up Dashboard Portlet Content	SuiteAnalytics Workbook Tutorial Saved Search Examples Report Customization Dashboard Personalization
Access Control	NetSuite Access Overview NetSuite Roles Overview NetSuite Users Overview	Customizing or Creating NetSuite Roles	NetSuite Account Access
Distribution	SuiteApp Control Center Overview SuiteApp Marketplace in NetSuite	SDF SuiteApp Creation and Listing Access Viewing SuiteApps in the SuiteApp Marketplace	Creating a SuiteApp Definition SuiteApp Installation
Integrations	SuiteTalk SOAP Web Services Platform Overview CSV Imports Overview Overview of SuiteTalk REST Web Services	SOAP Web Services Setup Guidelines for CSV Import Files Prerequisites and Setup for REST Web Services	SOAP Web Services Quick Start Importing CSV Files with the Import Assistant

SAFE Guide

The SuiteApp Architectural Fundamentals & Examples Guide (**SAFE**) is for independent software vendors (ISVs) who want to use the NetSuite platform and tools to build custom SuiteApp solutions

for customer accounts. This guide provides best practices for NetSuite customizations. This guide is available to members of the SuiteCloud Developer Network (SDN). Some of this guide's content is also in SuiteAnswers article 46388, [SuiteApp Architectural Fundamentals & Examples \(SAFE\)](#).

Customization Tools

To build your SuiteCloud projects, you can use SuiteCloud Software Development Kit (SuiteCloud SDK). SuiteCloud SDK include the following tools:

- SuiteCloud IDE plug-ins (Integrated Development Environment) and Extensions — provide features like code completion for SuiteScript files used in SuiteCloud projects. You can upload files to NetSuite, download files from the File Cabinet, validate internal IDs, and manage custom object deployment to multiple NetSuite accounts. Currently, there's a SuiteCloud IDE plug-in for WebStorm and a SuiteCloud Extension for Visual Studio Code.
- SuiteCloud Command Line Interface (CLI) — for advanced users who want to use their own IDE.

For more information, see the help topic [SuiteCloud SDK Overview](#).

Custom Coding

You can customize the NetSuite UI and business logic with scripting.

SuiteScript

You can use SuiteScript to extend NetSuite and customize, search for, and process your NetSuite data. SuiteScript gives you full-featured application-level scripting that support sophisticated procedural logic on both the client and server sides. There's also a SuiteScript Debugger for server scripts.

There are two versions of SuiteScript that you can use:

- [SuiteScript 2.0](#)
- [SuiteScript 2.1](#)

SuiteScript 2.0

SuiteScript 2.0 provides a modern API that's familiar to JavaScript developers. The modularity of SuiteScript 2.0 supports encapsulation, keeps your code organized, and avoids global variable and method naming conflicts. Automatic dependency management lets you focus on logic instead of dependencies and load order. SuiteScript 2.0 supports most standard JavaScript features and gives you programmatic access to NetSuite. You can use custom modules to load your preferred third-party JavaScript libraries.

SuiteScript 2.0 supports SFTP file transfer, data caching, search pagination, flat file streaming, and enhanced encryption, decryption, and hashing. It also provides asynchronous client-side processing with promises, map/reduce scripts that provide a structured framework for server-side scripts processing a large number of records, and support for all HTTP content types.

To get started with SuiteScript, see the help topic [SuiteScript 2.x API Introduction](#). For details about supported script types, see the help topic [SuiteScript 2.x Script Types](#). For SuiteScript 2.0 API reference documentation, see the help topic [SuiteScript 2.x Modules](#).

 [SuiteScript Help Overview](#)

Note: You can't access all NetSuite fields and records with SuiteScript. The SuiteScript Records Browser and Records Catalog show which records, fields, sublists, search joins, search filters, search columns, and record transformations are supported. For more information, see the help topics [Working with the SuiteScript Records Browser](#) and [Records Catalog Overview](#).

SuiteScript 2.1

SuiteScript 2.1 is the latest version of SuiteScript, based on the ECMAScript 2019 (ES2019) edition of the ECMAScript specification. It includes new language capabilities and supports all server script types, such as user event scripts, scheduled scripts, and Suitelets. SuiteScript 2.1 and future versions of SuiteScript will also support features planned for future editions of the ECMAScript specification using ES.Next. There's a dedicated debugger to help you debug SuiteScript 2.1 scripts.

This latest version of SuiteScript is separate from previous SuiteScript versions like SuiteScript 2.0. You can run SuiteScript 2.1 scripts alongside SuiteScript 1.0 and SuiteScript 2.0 scripts in your account, and your existing scripts are not affected. Use the `@NApiVersion` JSDoc tag and a value of 2.1 to specify that your script uses SuiteScript 2.1.

For more information about SuiteScript 2.1, see the help topic [SuiteScript 2.1](#). For more information about debugging SuiteScript 2.1 scripts, see the help topic [Debugging SuiteScript 2.1 Scripts](#).

SuiteCloud Development Framework

SuiteCloud Development Framework (SDF) lets you customize your NetSuite account from an integrated development environment (IDE) on computer. For more information about getting started with SDF, see the help topic [Getting Started with SuiteCloud Development Framework](#).

SDF lets you create customizations and deploy SuiteCloud projects to your NetSuite accounts. These projects are file-based and use XML to represent NetSuite objects, such as custom record types, custom record instances, workflows, and other customizations. The SDF XML reference guide describes how to structure these XML files, and the fields that are available. For more information, see the help topics [Customizations Supported by SuiteCloud Development Framework](#) and the [SuiteCloud Development Framework XML Reference](#).

SDF also lets you include templates and SuiteScript files. You can build, validate, and deploy SuiteCloud projects locally using SDF. SDF improves code portability and provides a streamlined deployment process across various NetSuite account types.

While SDF lets developers use code to customize and deploy objects to an account, it also supports distribution and object copying.

- To distribute a SuiteApp to accounts, see [Distribution](#).
- To copy a single custom record (including its dependencies) from one account to another account, see [Copy to Account](#).

Point-and-Click Customization

Customize the NetSuite UI and business logic through point-and-click options in the UI.

Customization

Customization lets you adapt NetSuite to meet your company's business process with a point-and-click interface. For information about Customization, see the help topic [Customization Overview](#).

You can create the following:

- Custom fields and forms to enter information in NetSuite. See the help topics [Custom Fields](#) and [Custom Forms](#).
- Custom record types to create records specific to the needs of your business. See the help topic [Custom Records](#).
- Custom transaction types for your business needs. See the help topic [Custom Transactions](#).
- Custom segments, which are custom classification fields similar to class and department. See the help topic [Custom Segments](#).
- Advanced PDF/HTML templates to customize printed and emailed transactions. See the help topic [Advanced PDF/HTML Templates](#).
- Scriptable templates to create personalized email marketing campaigns and system email. See the help topic [Scriptable Templates](#).
- Dashboards and custom centers to provide each user the pages and links they need to do their jobs. See the help topics [Dashboards Overview](#) and [Custom Centers](#).

SuiteFlow

Workflows automate custom business processes for NetSuite records, for example, transaction approval, lead nurturing, and record management.

You define workflows for a record type and its stages, or states, as it moves through the business process. In each state, actions specified in the workflow definition are performed before the workflow finishes or transitions to another state. A workflow can move between states, or transition, depending on your business needs. Actions and transitions can have conditions that must be met before they run.

Triggers are events that occur when records are viewed, created, or updated, and they decide when the workflow should do certain tasks. Server and client triggers specify when a workflow should start, when actions should run, or when a record should move to another state. You can also run workflows on a schedule.

For more information, see the following topics:

- [SuiteFlow Overview](#)
- [Workflow Elements](#)
- [Workflow Samples](#)

Copy to Account

Copy to Account is an administrator tool that can copy a custom record (custom object) between your accounts. In NetSuite, you can select a target account, choose dependencies, select record instances, then preview and deploy the custom record. The tool copies one custom object (with dependencies and instances) at a time to any account where you have administrator access.

Copy to Account runs on SuiteCloud Development Framework (SDF) and is available to production, development, and sandbox account types. You can use Copy to Account if the object is supported by SDF and isn't locked, hidden, or part of another SuiteApp. For a list of supported object types, see the help topic [Customizations Supported by SuiteCloud Development Framework](#).

For more information, see the help topic [Copy to Account](#).

Copy to Account lets administrators distribute a customization between accounts they own. If you want to use code to customize objects and deploy them to an account, or bundle and distribute custom objects to multiple accounts, you can use the following development tools:

- [SuiteCloud Development Framework](#)
- [Distribution](#)

Business Intelligence

When you need to find information about your business, you have several tools available to you in NetSuite.

Workbook

Use SuiteAnalytics Workbook to create customized workbooks that combine datasets, tables, pivot tables, and charts using a single tool. With the SuiteAnalytics Workbook user interface, users with little knowledge of record schemas and query language can create complex workbooks and datasets with drag-and-drop editing. Workbook provides several options for formatting, filtering, and visualizing your data. For more information, see the help topic [SuiteAnalytics Workbook Overview](#).

NetSuite Analytics Warehouse

With NetSuite Analytics Warehouse, you can go beyond what SuiteAnalytics Workbook offers and analyze your NetSuite data in new ways. Analytics Warehouse lets you analyze historical data from multiple sources to see how you can improve your business. You can blend your NetSuite data with data from other sources and analyze it with a wide range of visualizations. For more information, see the help topic [NetSuite Analytics Warehouse Overview](#).

Dashboards

You can create unique dashboards to help your NetSuite users work efficiently. Dashboard content is shown in different portlets, or dynamic data display windows. Some portlets provide direct access to raw data, while others display critical business metrics, such as key performance indicators (KPIs), performance scorecards, trend graphs, chart-based workbooks, and report snapshots. You can also display data from website RSS feeds. For more information, see the help topic [Dashboards Overview](#).

Searches

To find information in NetSuite, you can use a simple search to find instances of specific record types and filter the results by one or more field values.

If you or other users need to run the same search often, create a saved search. Saved searches support advanced search features such as formulas containing SQL expressions and joins to other records. You can search in the UI, or create searches with SuiteScript or SOAP web services.

For more information about performing searches, see the following topics:

- [Search Overview](#)
- [Defining a Saved Search](#)
- [N/search Module](#) for SuiteScript 2.0

- [search](#) for SOAP web services

Reports

NetSuite includes a variety of reporting capabilities to retrieve, present, and analyze real-time business results. You can run standard reports as is, or modify them by setting per-user preferences, selecting per-report viewing options, or defining custom reports in the Report Builder. For more information, see the help topics [Reporting Overview](#) and [Working with Report Results](#).

Connect

If you want to use a third-party reporting tool, the SuiteAnalytics Connect Service provides a read-only method to get NetSuite data. Oracle NetSuite offers drivers so you can archive, analyze, and report on NetSuite data using a third-party tool or any custom-built application. The SuiteAnalytics Connect Browser lists all standard SuiteAnalytics Connect tables and columns, providing information about primary keys, foreign keys, and the related tables for the Netsuite.com data source. For more information, see the help topics [SuiteAnalytics Connect](#) and [Working with the Connect Browser](#).

Access Control

A role is a defined access configuration you can assign to users. A role includes sets of permissions for viewing and editing data. Roles and their permissions determine the pages users can see in NetSuite and the tasks that they can complete. Each role is linked to a center, which is a user interface designed for a specific business area.

Custom roles let you tailor the level of access for your users. You can change a custom role without updating each user's role assignments, which simplifies maintenance. Use the standard roles provided as templates to create custom roles for your account.

For more information, see the help topic [Customizing or Creating NetSuite Roles](#).

Distribution

Share your customizations with other accounts.

SuiteApp Control Center

SuiteApp Control Center is a single place to define and manage your SuiteApp distribution process. You can upload SuiteApp projects to SuiteApp Control Center and distribute them as SuiteApp versions to the SuiteApp Marketplace. Your users can install SuiteApps from the SuiteApp Marketplace and perform manual upgrades for unmanaged SuiteApps, or receive upgrades for managed SuiteApps.

For more information about getting started with SuiteApp Control Center, see the following topics:

- [Accessing SuiteApp Control Center](#)
- [Requirements for SuiteApp Marketplace Availability](#)
- [Getting Started with SuiteApp Control Center](#)

SuiteApp Marketplace

The SuiteApp Marketplace is where you can find and install SuiteApps created with the SuiteCloud Development Framework (also referred to as SDF SuiteApps), or SuiteBundler SuiteApp bundles. SuiteApps can include customizations and configuration settings that are useful for your organization.

The SuiteApp Marketplace is currently available to Administrators and users with the SuiteApp Marketplace permission. To access the SuiteApp Marketplace, go to SuiteApps.

You can see all public and shared SuiteApps in the SuiteApp Marketplace. Each SuiteApp is represented by a SuiteApp tile with its name, publisher, and first release date. You can also sort the tiles by name, publisher, or latest release date.

To learn about the information that is available for each SuiteApp, see the help topic [Viewing SuiteApps in the SuiteApp Marketplace](#).

You can perform the following actions in the SuiteApp Marketplace:

- Install SuiteApps that are shared to your account and support your NetSuite account version. For more information, see the help topic [Installing from the SuiteApp Marketplace](#).
- Upgrade SuiteApps in your account when a new version is available. For more information, see the help topic [Upgrading from the SuiteApp Marketplace](#).
- View the status of a SuiteApp after you start an install, upgrade, or uninstall. Only some SuiteApp states can be viewed on the SuiteApp Marketplace. For more information about the states that can appear on the SuiteApp details page of the SuiteApp Marketplace, see the help topic [Viewing SuiteApp Installation or Uninstallation Status](#).

Integrations

To connect NetSuite with other systems, you can use:

- [CSV Import](#)
- [SuiteTalk SOAP Web Services](#)
- [SuiteTalk REST Web Services](#)
- [RESTlets](#)

For a comparison of integration options, see [RESTlets vs. Other NetSuite Integration Options](#).

CSV Import

Comma-Separated Value (CSV) import is the most common way to move small or medium-sized data sets from other applications into NetSuite. The CSV import process saves time and prevents errors by submitting data in a CSV file. You can add or update many records at one time, so you don't have to enter them manually.

You can use the Import Assistant for most CSV data imports. The assistant steps you through the process and verifies each step. When you're done, you can run the import right away or save it to run later.

If you save an import, you can reuse its mapping for future jobs and share it with others. You can also import CSV data programmatically using that mapping. For SuiteScript 2.1, use [N/task Module](#).

For large or ongoing data migration projects, and for migrating data for record types that CSV import doesn't support, use SOAP web services.

For more information, see the following topics.

- [SuiteTalk SOAP Web Services Platform Guide.](#)
- [CSV Imports Overview](#)
- [Importing CSV Files with the Import Assistant](#)

SuiteTalk SOAP Web Services

SOAP web services lets you access to your NetSuite data and business processes through a SOAP-based API. SOAP web services is appropriate when you regularly need to bring large amounts of data into NetSuite or send large amounts of data out of NetSuite.

As with any SOAP-based API, you can develop your integration using the language of your choice. Oracle NetSuite provides sample applications in C# and Java.

There are also tools available to help you develop PHP applications that interface to SOAP web services. The NetSuite PHP toolkit for SOAP web services is a core library with all classes, objects, and methods from the WSDL of a SOAP web services endpoint.

The SOAP Schema Browser shows all records, sublists, and other objects available in SOAP web services.

For more information, see the following topics.

- [SuiteTalk SOAP Web Services Platform Overview](#)
- [SOAP Web Services Quick Start](#)
- [PHP Toolkit Overview](#)
- [SOAP Schema Browser](#)

SuiteTalk REST Web Services

The NetSuite REST web services provide an integration channel that extends the capabilities of SuiteTalk. REST web services provide a REST-based interface for interacting with NetSuite.

The main benefits of REST web services include the following:

- Access to records metadata, including user and company-specific metadata. For more information about working with records metadata, see the help topic [Working with Resource Metadata](#).
- Effective handling of custom records and custom fields.
- Understandable API navigation.
- Unlike RESTlets, you do not need to write, deploy, and run custom scripts.

For more information, see the following topics.

- [Overview of SuiteTalk REST Web Services](#)
- [Prerequisites and Setup for REST Web Services](#)
- [Using Postman with REST Web Services](#)

RESTlets

The RESTlet script type lets you create custom logic and make it available to external applications over HTTP. The RESTful integration supports stateless communication between client and server.


A RESTlet deployed in your account can't be accessed without authentication, letting you control which external clients can use it. External clients can authenticate with token-based authentication in the HTTP header. Any application that can communicate over HTTP can access a RESTlet. RESTlet requests can also be sent with JSON, which integrates well with browsers and JavaScript.

RESTlets offer ease of adoption for developers familiar with SuiteScript. A RESTlet provides you with a broad range of behavior – you can use anything that can be achieved with server-side SuiteScript. RESTlets are also more secure than Suitelets, which can be made available to users without login. For more information, see the following topics.

- [SuiteScript 2.x RESTlet Script Type](#)
- [SuiteScript 2.x RESTlet Script and Request Examples](#)
- [RESTlet Authentication](#)

RESTlets vs. Other NetSuite Integration Options

RESTlets provide one option for integration with NetSuite. Other options include SOAP-based web services, REST web services, and Suitelets.



Note: For a comparison of RESTlets with REST web services, see the help topic [REST Web Services and Other Integration Options](#).

Important: The concurrency limits that apply to SOAP and REST web services and RESTlets are unified. For information about concurrency governance, see the help topic [Web Services and RESTlet Concurrency Governance](#).

RESTlets Compared to SuiteTalk Web Services

The following table compares the characteristics of RESTlets with those of SOAP and REST web services:

Attribute	RESTlets	SOAP web services	REST web services
Supported Functionality	For a list of supported functionality, see the help topic SuiteScript 2.x RESTlet Script Type .	For a list of supported functionality, see the help topic SOAP Web Services Operations .	For a list of supported functionality, see the help topic Overview of SuiteTalk REST Web Services .
Supported Authentication Method	User credentials, token-based authentication, OAuth 2.0	User credentials, token-based authentication	Token-based authentication, OAuth 2.0

Attribute	RESTlets	SOAP web services	REST web services
	 Important: You can't use user credentials to authenticate new RESTlets. If you try, you'll get an HTTP error. For more information, see the help topic Using User Credentials for RESTlet Authentication .	 Important: Don't use user credentials for SOAP web services authentication. If you're currently using this method, use token-based authentication instead. As of the 2020.2 SOAP web services endpoint, you can't use request-level credentials for authentication. This doesn't affect web services integrations using 2020.1 or earlier endpoints.	
Supported Content Types	JSON, text/xml	text/xml	Standard content types: JSON, OpenAPI 3.0
Environment	More suitable for low bandwidth use cases, programmable endpoint that needs deployment.	Usually a client-side SOAP framework or library is used. No coding and script deployment needed on the server side.	No coding and script deployment needed on the server side, suitable for low bandwidth use cases.
Performance	You can create a RESTlet to handle all actions for a business flow in one call. RESTlets can be tailored for a specific need and are highly efficient.	SOAP web services may require more calls to accomplish a business flow.	The performance of SuiteTalk REST and SuiteTalk SOAP operations is similar. The performance can differ slightly depending on the specific use case. For example, REST may need fewer calls to accomplish a business flow than SOAP. REST web services also support technology that is not supported in SOAP, for example, SuiteQL.

 **Note:** Use SOAP web services for system-to-system integrations.

SuiteCloud Reference Tools

Oracle NetSuite provides several browsers and tools to help you find information in NetSuite, including:

- Browser tool
- Analytics data source
- REST API Browser
- Records Catalog
- SuiteCloud Development Framework (SDF) XML reference
- Advanced printing XML reference
- Execution contexts
- Application Performance Management (APM) SuiteApp

Browser Tools

With every release, metadata for records, fields, sublists, search joins, and other data is collected in a browser. This metadata is available through SuiteScript, and SOAP web services. The browser is a one tool with separate tabs, and each tab gives you access to a different schema:

- Schema Browser tab has the information you need to query data sources for the N/search module in SOAP web services.
- Records Browser tab has the information you need to query data sources for the N/search module in SuiteScript.



Note: The Connect Browser is no longer being updated and shows only tables and columns that were made available up to 2021.2.

You can access the browser from the Help Center records pages, and you can use the following direct link: [SOAP Schema Browser](#).



Tip: Bookmark this link for quick access to the Records, Connect, and SOAP Schema Browsers.

The browser tool is separate from the Help Center, and you don't need to be logged in to NetSuite to use it.

A new version of the browser tool is released twice a year with each NetSuite version. The new version is published about a month after the new SOAP web services endpoint is available. The availability of the SOAP web services endpoint is announced in the SOAP web services release notes and in the Integration Newsletter, which is sent to SOAP web services users.

For details about the various SuiteCloud record reference tools available, see the following topics.

- [SuiteScript Records Browser](#)
- [SuiteTalk SOAP Schema Browser](#)

The analytics data source lets you analyze your NetSuite data with SuiteQL queries. SuiteQL lets you run complex queries using SuiteAnalytics Connect, SuiteScript, and SuiteTalk REST web services. For more information about the analytics data source, NetSuite2.com, see the help topic [Analytics Data Source Overview](#).

The REST API browser is a separate browser tool that provides a visual overview of the REST web services Record API. The REST API browser provides the support level of records, available operations, field names, field types, possible HTTP responses, and a summary of all records, sublists, schema definitions and other objects. For more information, see [The REST API Browser](#).

Other Reference Tools

The following references tools are available to assist you when you use SuiteCloud Platform tools.

Reference Tool	Description	More Information
Records Catalog	Custom records, forms, and fields in the your account, showing only data based on the features you have enabled. Find information for creating constructed queries and SuiteQL queries using the N/query Samples module. You can also use Records Catalog data in the Workbook API.	Access the Records Catalog in NetSuite from Setup > Records Catalog. Records Catalog Overview
SuiteCloud Development Framework (SDF) XML reference	Record-related metadata. SDF lets you create XML representations of NetSuite objects, such as custom record types, custom record instances, workflows, and other customizations both for internal use and for commercial distribution.	The SDF XML Reference
Advanced Template Reference	Specific fields and sublists available for each standard advanced PDF/HTML template.	Advanced Template Reference
Execution contexts	How or when a SuiteScript script or SuiteFlow workflow is triggered to run. You can set up a script or workflow to run only in certain contexts, which can improve performance where the script or workflow is not required.	Execution Contexts
Application Performance Management (APM) SuiteApp	Dashboard you can use for to monitor and troubleshoot performance for the SuiteCloud platform and NetSuite overall. APM has dashboards for page time summaries, SuiteScript analysis, SuiteCloud processor monitoring, web services analysis, and search performance.	Application Performance Management for the SuiteCloud Platform

SuiteScript Records Browser

The SuiteScript Records Browser shows you which records are generally available for you to use in SuiteScript. It includes a reference page for every supported record.

You should use SuiteScript Records Browser with the SuiteScript reference guide. In the Records Browser, you'll find all the fields, sublists, and search filter fields for each record. The Records Browser also gives you field-level help for many fields and shows the IDs you need to reference NetSuite records, fields, sublists, search filters, permissions, features, and so on, in SuiteScript.

You can use the Records Browser online or you can download it.

Only the Records Browser for the most recent NetSuite release is supported. Older versions may still be available, but they're not supported.

In the Records Browser, you can check if a record is also supported in SOAP web services or SuiteAnalytics Connect by clicking the SOAP Schema Browser or Connect Browser tab.

[Go to the SuiteScript Records Browser.](#)

For more information, see the help topic [Working with the SuiteScript Records Browser](#).

SuiteAnalytics Connect Browser



Important: As of 2026.1, the NetSuite.com data source will be removed, and you'll need to use the NetSuite2.com data source to access the Connect Service. For more information, see the help topic [NetSuite2.com Data Source](#).

The Connect Browser is no longer being updated and shows only tables and columns that were made available up to 2021.2.

[Go to the SuiteAnalytics Connect Browser](#)

You can use the Connect browser online or download it. Only the Connect Browser for 2021.2 is supported. Older versions may still be accessible, but the data may not be accurate.

In the Connect Browser you can check if a record is also supported in SOAP web services or SuiteScript by clicking the SOAP Schema Browser or Records Browser tab.

For more information, see the help topic [Working with the Connect Browser](#).

SuiteTalk SOAP Schema Browser

The SOAP Schema Browser gives you a summary of all records, sublists, and other objects you can use in SOAP web services. Each object is shown as a series of tables, both for ease of browsing and to provide more details than the WSDL. The SOAP Schema Browser is integrated with the SuiteScript Records Browser and the SuiteAnalytics Connect Browser, so you can compare records type support across SuiteScript, SOAP web services, and SuiteAnalytics Connect.

[Go to the SOAP Schema Browser.](#)

The SOAP Schema Browser isn't maintained after it's released. Older versions of the browser are still available, but they are not updated.

Along with record details, you can also find details of sublists, search objects, enumerations, and data types such as RecordRef and BaseRef.

For more information, see the help topic [SOAP Schema Browser](#).

The REST API Browser

The REST API browser gives you a visual overview of the REST web services Record API . The data in the REST API browser is based on OpenAPI 3.0 metadata.

The REST API browser provides the available operations, field names, field types, the structure of possible HTTP responses, and a summary of all records, sublists, schema definitions and other objects.

[Go to the REST API Browser.](#)

For more information, see the help topic [The REST API Browser](#).

The SDF XML Reference

SuiteCloud Development Framework (SDF) is a development framework that lets you customize your NetSuite account from an integrated development environment (IDE) on your computer. For detailed information, see the help topic [SuiteCloud Development Framework](#).

Go to the [SuiteCloud Development Framework XML Reference](#).

You can define each SDF-supported NetSuite object in an XML file. The SDF XML reference guide describes how to structure these XML files and what fields are available. It includes information about the feature requirements and fields, including their structure, properties, possible values, default values, attributes, and other details.

For more information, see the help topic [Customizations Supported by SuiteCloud Development Framework](#).

The Records Catalog

The Records Catalog provides information about the record types, fields, and relationships for a specific NetSuite channel. The Records Catalog includes the custom records, forms, and fields in your account.

For each record type, you can see the SuiteScript and Rest Query API channels. The SuiteScript and Rest Query API includes data for creating constructed queries and SuiteQL queries with the SuiteScript N/query module, and for working with the Workbook API. You'll also find fields and joins available for SuiteScript and Rest Query API. For more information about the SuiteScript and Rest Query API, see the help topic [SuiteScript 2.x Analytic APIs](#).

Anyone with the Records Catalog permission can use the Records Catalog. To assign the Records Catalog permission, on the Manage Roles page, add the Records Catalog on the Setup subtab. For more information, see the help topic [Customizing and Creating Roles](#).

To open the Records Catalog go to Setup > Records Catalog or <https://system.netsuite.com/app/recordscatalog/rcbrowser.nl>.

For more information, see the help topic [Records Catalog Overview](#).

Advanced Template Reference

Use Advanced PDF/HTM Templates to customize printed and emailed transactions. You associate advanced templates with custom transaction forms to use these templates to format print and email versions of transactions.

Go to the [Advanced Templates Reference](#).

Each standard PDF/HTML template has specific fields and sublists available. The Advanced Template Reference provides information about which printable fields and sublists are available for each template, including the name, type, and ID.

For more information, see the help topic [Advanced PDF/HTML Templates](#).

Execution Contexts

Execution contexts provide information about how or when a SuiteScript script or SuiteFlow workflow runs. For example, a script can be triggered because of an action in NetSuite, or because of an action in another context, such as a web services integration. You can use execution context filtering to make sure your scripts or workflows are triggered only when necessary. You can set them up to run only in certain contexts, which helps performance where the script or workflow is not required. You can also

programmatically check the execution context for a running script and use different logic depending on the context.

There are many execution contexts in NetSuite. The Scheduled context means a script or workflow was triggered because of a scheduled script. The Debugger context means the script was triggered using deployed or on-demand debugging in the SuiteScript Debugger. The following contexts provide more control over script and workflow processing:

- Bank Connectivity
- Bank Statement Parser
- Financial Institution Connectivity
- Platform Extension
- REST Web Services
- SOAP Web Services
- Revenue Management



Important: The Web Services context from earlier releases is no longer available. It's now called SOAP Web Services.

For a full list of execution contexts, see [Execution Context Types](#).

The execution context value for a script or workflow can change each time it runs, depending on how it was triggered. For example, if you have a context script deployed on customer records that uses the [beforeLoad\(context\)](#) entry point, editing a customer record in the NetSuite UI, triggers the [beforeLoad\(context\)](#) entry point and the context script runs. For this execution of the script, the execution context value is User Interface, because a UI event (editing a customer record) triggered the execution of the context script.

In the same way, when you edit a customer record using SOAP web services, the [beforeLoad\(context\)](#) entry point is triggered and the context script runs. For this execution of the script, the execution context value is SOAP web services since a SOAP web services event triggered the execution of the context script.

However, the [beforeLoad\(context\)](#) entry point can be triggered in other ways. This entry point is triggered right before a record loads, but the loading action doesn't need to happen in the NetSuite UI. If you create a scheduled script that runs daily and loads a record, the [beforeLoad\(context\)](#) entry point is triggered each time and the context script runs. For these executions of the context script, the execution context value is Scheduled, since an event from a scheduled script triggered the execution of the context script.

Execution context filtering works the same for scripts and workflows. The same values and defaults apply to both. By default, all contexts are selected except for Web Application and Web Store since scripts often don't need to be triggered in these contexts. If you want your script or workflow to be triggered in these contexts, make sure that you explicitly select them when you create your script deployment record or workflow.


When a record changes, you can use system notes to see the execution context that was used. For more information, see [Execution Contexts in System Notes](#).

For more information about execution contexts in SuiteScript and SuiteFlow, see the following:

- [Execution Contexts in SuiteScript](#)
- [Execution Contexts in SuiteFlow](#)

Execution Contexts in SuiteScript

For SuiteScript scripts, you set up execution context filtering on the Context Filtering tab when you create or edit a script deployment record:



You can get execution context values in scripts using the [runtime.executionContext](#) property and the [runtime.ContextType](#) enum. The REST Web Services context is used with SuiteTalk Web Services. For more information, see the help topic [Using the REST Web Services SuiteScript Execution Context](#).


Note: Execution contexts are available only for client scripts and user event scripts.

You can use execution contexts in SuiteScript in two ways:

- **Set up execution context filtering on the Context Filtering tab** — Select the contexts where you want your script to run. Your script won't process if it's triggered in a context that is not selected. For more information, see the help topic [Using the Context Filtering Subtab](#).
- **Determine the current execution context programmatically** — You can check the context in which your script is running, compare the context to the available values in the [runtime.ContextType](#) enum, and take appropriate action. For more information, see the help topic [runtime.executionContext](#).

Execution Contexts in SuiteFlow

For SuiteFlow workflows, you set execution context filtering in the Event Definition section when you create or edit a workflow:



For more information, see the help topic [Execution Contexts and Workflows](#).

Execution Context Types

Use the following descriptions to determine which contexts are important for your script or workflow.

For SuiteScript scripts, each execution context type has an associated value in the [runtime.ContextType](#) enum. You can use these values to programmatically determine the context in which a script is executing and customize your logic as needed. For more information, see the help topic [runtime.executionContext](#).

The following table describes the available execution context types, usage notes, and links to other help topics for more information.

Context	Description	Additional Information
Action	Represents a workflow action	Working with Actions SuiteScript 2.x Workflow Action Script Type
Bank Connectivity	Represents the Bank Connectivity plug-in	Bank Connectivity Plug-in
Bank Statement Parser	Represents the Parser plug-in or Bank Statement Parsers SuiteApp	Bank Statement Parser Plug-in Bank Statement Parsers SuiteApp
Bundle Installation	Represents a bundle installation script	Using Bundle Installation Scripts SuiteScript 2.x Bundle Installation Script Type
Client	Represents a client script	SuiteScript 2.x Client Script Type
CSV Import	Represents a CSV import task To use this context, you must enable the Run Server SuiteScript and Trigger Workflows preference at Setup > Import/Export > CSV Import Preferences.	CSV Imports
Custom GL Lines	Represents the Custom GL Lines plug-in	Custom GL Lines Plug-in
Custom Mass Update	Represents a mass update script	SuiteScript 2.x Mass Update Script Type
Debugger	Represents the SuiteScript Debugger	SuiteScript Debugger
Email Capture	Represents the Email Capture plug-in	Email Capture Plug-in
Financial Institution Connectivity	Represents the Financial Institution Connectivity plug-in	Financial Institution Connectivity Plug-in
Map/Reduce	Represents a map/reduce script	SuiteScript 2.x Map/Reduce Script Type
Other	Represents a context that is not one of the other available contexts in this table	—
Payment PostBack	Represents a payment postback task	—

Context	Description	Additional Information
Payment Processing	Represents a payment processing task	Payment Processing Overview
Platform Extension	Represents a platform extension customization in Commerce	Overview
Portlet	Represents a portlet script	SuiteScript 2.x Portlet Script Type
Promotions	Represents a promotion in Commerce	Promotions
Rate Adjustor	Represents a currency rate adjustor	—
REST Web Services	Represents a REST Web Services request	SuiteTalk REST Web Services API Guide Using the REST Web Services SuiteScript Execution Context
RESTlet	Represents a RESTlet script	SuiteScript 2.x RESTlet Script Type
Revenue Management	Represents an Advanced Revenue Management task	Advanced Revenue Management (Essentials) and (Revenue Allocation)
Scheduled Script	Represents a scheduled script	SuiteScript 2.x Scheduled Script Type
SDF Installation	Represents an SDF installation script	SuiteScript 2.x SDF Installation Script Type
Shipping Partners	Represents a shipping partners task	—
SOAP Web Services	Represents a SOAP Web Services request To use this context, make sure that the Disable Server SuiteScript and Workflow Triggers preference is not enabled at Setup > Integration > SOAP Web Services Preferences.	SuiteTalk SOAP Web Services Platform Guide
Suitelet	Represents a Suitelet	SuiteScript 2.x Suitelet Script Type
Tax Engine	Represents a SuiteTax Engine task	SuiteTax Engine
User Event Script	Represents a user event script This context type represents cases where records are generated on the server, not through the NetSuite UI. For example, the User Event Script context represents is when a bill payment record is submitted from a non-record page. In contrast, the User Interface context is when a single bill payment is submitted from the UI. User event scripts can't be executed by other user event scripts. Script deployments or workflows with the User Event Script context type can't run other user event scripts.	SuiteScript 2.x User Event Script Type
User Interface	Represents an event in the NetSuite UI	—
Web Application	Represents a web application task in Commerce	Store Front Install Your Commerce Website Applications

Context	Description	Additional Information
Web Store	Represents a web store task in Commerce	Store Front Install Your Commerce Website Applications
Workflow	Represents a SuiteFlow workflow	SuiteFlow (Workflow)

Execution Contexts in System Notes

Note: This topic applies to System Notes only. For information about System Notes v2, see the help topic [System Notes v2 Overview](#).

Every record in NetSuite has a System Notes subtab that tracks any changes made to the record. A system note logs information such as the date of the change, the type of change, and the old and new values. For more information, see the help topic [System Notes Overview](#).

A system note also captures the execution context in which a change was made. Examining this context can help if you need to troubleshoot unexpected changes. The following screenshot shows the System Notes subtab on a customer record, with the Context column listing the execution context for each change.

System Notes •

Active Workflows

Workflow History

View

Field *

Default

<Type then tab>

Customize View

Date ↓	Set by	Context	Type	Field	Old Value	New Value
4/23/2025 7:33 am	99 Zwaniga, Jennifer	UI	Set	Primary Subsidiary		Canada Sub
4/23/2025 7:33 am	99 Zwaniga, Jennifer	UI	Set	Global Subscription Status		Soft Opt-In
4/23/2025 7:33 am	99 Zwaniga, Jennifer	UI	Set	Currency		Canadian Dollar

Application Performance Management for the SuiteCloud Platform

The Application Performance Management (APM) SuiteApp lets you view and manage the performance of your NetSuite customizations and business critical operations with a performance dashboard.

Using APM, you can analyze the performance of the following SuiteCloud platform areas:

SuiteCloud Platform Area	APM Tool	Description
Scripts	SuiteScript Analysis	Lets you see the history and performance of scripts. For more information, see the help topic Analyzing Scripts .
	Page Time Summary	Measures how user event scripts, client scripts, and workflows perform, so you can identify customizations that take too long to run. For more information, see the help topic Monitoring Performance with the Page Time Summary .

SuiteCloud Platform Area	APM Tool	Description
SuiteCloud Processors (map/reduce and scheduled scripts)	SuiteCloud Processor Monitor	Lets you view and analyze how your map/reduce and scheduled script jobs perform in SuiteCloud Processors. For more information, see the help topic Monitoring SuiteCloud Processors Performance .
Web Services	SOAP Web Services Analysis	Lets you monitor how top SOAP web services operations and record processing perform. For more information, see the help topic Analyzing Web Services Performance .
	REST Web Services Analysis	Lets you monitor how REST web services operations perform. For more information, see the help topic Analyzing Web Services Performance .
Web Services and RESTlet Concurrency	Concurrency Monitor	Lets you monitor peak levels, errors, and concurrency data for web services and RESTlet integrations in your account. For more information, see the help topic Monitoring Web Services and RESTlet Concurrency .
Searches	Search Performance Analysis	Lets you monitor how multiple saved searches perform and identify potential issues. For more information, see the help topic Analyzing Search Performance .

For more information, see the help topic [Application Performance Management \(APM\)](#).

SuiteCloud Platform Glossary

Account-Specific Domains: Domain for NetSuite that contains the account ID as part of the domain name.

Application Performance Management (APM): A SuiteApp that lets you monitor and manage the performance of your NetSuite customizations and business-critical operations with a performance dashboard. APM also provides data visualizations, page time summaries, and script, web services, and search performance analysis tools to help you review the speed of the NetSuite UI.

Copy to Account: A tool that lets you copy one custom object between your accounts. You can select a target account, choose dependencies, include record instances if you want, then preview and deploy the custom object. You can copy any object that is supported by SDF provided that it is not locked, hidden, or part of another SuiteApp.

CSV: Comma separated value. A file format you can use to import and export data in to and out of NetSuite.

Dynamic defaults: When you're working with custom free-form text, text area, rich text, or hypertext fields, you can include NetSuite tags in the default definition. These tags fill in with field values when the page loads or saves.

Dynamic hyperlink: A hyperlink field with a dynamic default. This is useful when the exact URL is unknown until record information is collected or information about the current logged-in session is needed as part of a URL parameter.

Execution context: Provides information about how or when a SuiteScript script or SuiteFlow workflow is triggered to process.

Governance: Refers to mechanisms in place to monitor and control the use of automated functions, such as web services calls or SuiteScript script executions, to optimize NetSuite application and database servers.

Integration record: A record that represents any application that sends SOAP web services requests to your NetSuite account. You can also use integration records for any application that calls RESTlets. Use integration records to manage applications, view activity logs, and more. The integration record enhances your ability to manage and monitor SOAP web services requests sent to your NetSuite account. This capability is useful if you have more than one application that sends requests.

KPI: Key Performance Indicators are measurable numbers that show how well your organization is doing. They help you define and measure progress toward your goals.

Permission: Grants access to a specific record type, task, or page. You specify permissions on custom roles.

Managed SuiteApp: An SDF SuiteApp that gets updated automatically with fixes and enhancements so you don't need to update the SuiteApp manually or migrate for future releases.

Plug-in: Functionality defined by an interface that you can customize. Oracle develops core plug-ins and usually releases them with major releases. After you install a plug-in, a third party can override the default logic with logic that suits their needs. When an interface is defined, third-party providers can develop custom plug-in implementations and bundle them in a SuiteApp. After the SuiteApp is installed, a solution implementer can define alternate implementations, editing the custom plug-in's logic for specific business needs.

Record Customization: A feature that gives you a consolidated view of all business record types in NetSuite. You can view and maintain record types in your account. and create new fields and sublists for a record.

Records Catalog: A cross-channel tool that shows all records you can use in NetSuite. In the Records Catalog, you can find all records, their fields, sublists, IDs, APIs, joins, and search filter fields.

REST Web Services: A REST-based integration channel that extends the capabilities of SuiteTalk. Using REST web services, you can:

- Perform business processing on NetSuite records
- Move between records dynamically
- Get and process API definitions and record metadata
- Run NetSuite queries on records.

RESTlet: A script type that lets you create custom logic and share it with external applications over HTTP. RESTful integration supports stateless communication between client and server.

Restriction: When you create a custom role, restrictions limit access to certain records based on their content. Restrictions may also limit what values this role can assign to fields on these records. After you set permissions on a role, the restrictions specify which record instances the role can access.

Role: A set of permissions that gives employees, customers, partners, or vendors access to certain parts of your data. Standard roles are usually named after company positions, with permissions and access levels based on common job duties. For example, the A/P Clerk role lets users enter bills and vendor credits, pay bills and sales tax, and view the A/P and inventory reports. You can't change standard roles, but you can use them as templates to create your own custom roles for your users.

SDF SDK: The former name of SuiteCloud CLI for Java.

Segment: A custom classification field, similar to class, department, or location. You can define possible values for each segment and add them to specific record types.

SOAP Web Services: Lets you access your NetSuite data and business processes through an XML-based application programming interface (API). SOAP web services have the following characteristics:

- Document style, or Doc style, encoding
- Doc style encoding consists of message-oriented exchanges where an XML schema specified in the SOAP message defines the structure of messages between two applications.
- HTTPS Transport: currently, HTTPS is the only transport supported, as defined in the WSDL.

Sourcing: Fields can be set to pull information from another record in your account. When you set a field to source information from another record, the field value depends on fields associated with a record selected in another field on that form. Some standard fields automatically source information, and you can set up custom fields to source information as needed.

SuiteAnalytics: Feature area that includes SuiteAnalytics Workbook, NetSuite Analytics Warehouse, Dashboards, Searches, Reports, and SuiteAnalytics Connect.

- SuiteAnalytics Workbook – Analytical tool in NetSuite that lets you create custom workbooks by combining queries, pivot tables, and charts.
- NetSuite Analytics Warehouse – Analytical tool that lets you go beyond SuiteAnalytics Workbook. Blend your NetSuite data with data from other sources and analyze it with lots of visualizations.
- Dashboards – A dashboard shows real-time, accurate data that's relevant to the page and the user's role. Users can view data on their dashboards, make decisions, and edit records.
- Search – A tool used for getting real-time data from your account. You can search for a record by keywords, find records that match filters, customize how results are shown, export results, email them to other users, and save search definitions for later.
- Reports – Tools you can use to get, present, and analyze real-time business results. You can run prebuilt reports or modify them by setting user preferences, selecting viewing options, or defining custom reports in NetSuite's Report Builder and Financial Report Builder.
- SuiteAnalytics Connect – Lets you access NetSuite data with ODBC, JDBC, or ADO.NET. With a NetSuite driver, you can use external applications to view NetSuite data and generate reports.

SuiteApp Control Center: A singular place to define and manage your SuiteApp distribution. The SuiteApp Control Center lets you define and manage your SuiteApp distribution process.

SuiteApp Marketplace: A place where all NetSuite users can view SuiteApps available to install.

SuiteBuilder: A set of features with a point-and-click interface for creating custom objects like fields, forms, record types, transaction types, segments, form layouts, centers, and advanced templates. These features help you adapt NetSuite to meet your company's business processes.

SuiteBundler: Lets NetSuite users package groups of objects to share with other accounts. These packages are called SuiteApps or bundles. SuiteApps authors may be internal developers creating customizations for their companies or independent software vendors sharing solutions with customers.

SuiteCloud CLI: A command line interface in SuiteCloud SDK for developing SuiteCloud projects. You can also create batch and shell scripts to automate SuiteCloud project validation and deployment processes. It's intended for experienced SDF users and those who know the SuiteCloud IDE plug-ins and extensions.

SuiteCloud Development Framework (SDF): A development framework you can use to create SuiteApps and customizations for your NetSuite account from an integrated development environment (IDE) on your computer, and deploy them to your NetSuite accounts.

SuiteCloud Extension: A user interface in SuiteCloud SDK for NetSuite platform development using SDF.

SuiteCloud IDE Plug-in: A plug-in in SuiteCloud SDK for developing SuiteCloud projects in your integrated development environment (IDE).

SuiteCloud Platform: A set of tools you can use to adapt NetSuite for your organization and to create customization packages to share with others.

SuiteCloud SDK: The package of tools for developing SuiteCloud projects. SuiteCloud SDK includes the SuiteCloud CLIs, the IDE plug-in and extension.

SuiteFlow: A tool to automate business processes with visual workflow management. You can use SuiteFlow to create workflows that track the states of specific records through a business process and perform specific actions when records reach different states. You can model workflow states, transitions between states, and actions in a workflow diagrammer.

SuiteScript: The JavaScript-based scripting platform for NetSuite. SuiteScript provides custom code capabilities that let you automate processes, build custom components, or connect with third-party systems.

SuiteTalk: See **REST Web Services** and **SOAP Web Services**.

Translation Collections: A customization object that stores translation strings with their translations. A translation string has a key and a value. The key is the identifier, and the value is the source string. Keys contain one string that can be translated into multiple languages.

Unmanaged SuiteApp: An SDF SuiteApp that you have to update manually in NetSuite.

Web Services: See **REST Web Services** and **SOAP Web Services**.