



ORACLE
NetSuite

Support Management



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Support Management	1
Setting Up Case Management	2
Setting Up Support Checklist	2
Creating Case Types	2
Creating Case Origins	3
Creating Case Statuses	4
Creating Case Priorities	5
Creating Case Issues	5
Offering Support for Items	6
Setting Up Support Groups	7
Setting Customer Service Preferences	7
Marking Employees as Support Reps	11
Creating Case Profiles	12
Assignment Rules & Territories	13
Creating Case Rules	13
Creating Case Territories	14
Assigning Priorities to Territories	15
Reassigning Cases to Territories	16
Setting Case Escalation Rules and Assignments	16
Using Email Case Capture	18
Prerequisites for Setting Up Email Case Capture	19
Troubleshooting Email Case Capture	20
Email Case Capture Fields	21
Using Variable Envelope Return Paths	21
Online Case Forms	21
Creating an Online Case Form	22
Linking to Online Forms	25
Uploading Files Through an Online Case Form	26
Custom HTML Form Templates	27
Help Desk	30
Customizing Case Forms	31
Customizing Support Notification Email	31
Creating an Email Template	32
Uploading Your Email Template	32
Setting Up Customer Support in NetSuite OneWorld	33
Setting Company-Level Support Preferences	33
Setting Subsidiary-Level Support Preferences	34
Setting Up Case Forms for NetSuite OneWorld	34
Setting Up Online Case Forms for NetSuite OneWorld	35
Customizing Support Rep Roles for NetSuite OneWorld	36
Creating Case Rules and Territories Based on Subsidiary	36
Setting Up Your Mail Server for Email Case Capture in NetSuite OneWorld	36
Support Glossary	37
Working With Cases	41
Filtering the Cases List	41
Case Flowchart	42
Create Cases	43
Entering a Case	43
Editing a Case	46
Linking a Support Case to a Transaction	47
Assigning Cases	48
Grabbing Cases	48
Escalating Cases	49

Locking Closed Cases	50
Tracking Time on Cases	51
Responding to Customer Cases	51
Forwarding and Replying to Existing Case Messages	53
Selecting the From Address for Email Sent From Support Cases	54
Viewing HTML Attachments of Email Case Messages	54
Customer Responses to Cases	55
Apply Spam Lock to Incoming Email Messages	55
Close Cases	56
Merging Cases	56
Deleting Cases	57
Issue Management	58
Issue Management Overview	58
Issue Management Setup Checklist	59
Getting Started With Issue Management	60
Setting Issue Management Preferences	61
Setting Up Issue Statuses	62
Creating an Issue External Status	63
Setting Up Issue Severities	64
Setting Up Issue Priorities	64
Setting Up Issue Types	65
Setting Up Issue Sources	65
Setting Up Issue Reproducibility	66
Setting Up Issue Tags	66
Working with Products and Modules	67
Setting Up Product Versions	67
Associating Products and Items	68
Creating Issue Role Types	69
Managing Issue Status Transitions	71
Creating Employee Groups for Issues	72
Customizing Issue Notification Email	73
Logging Issues	74
Linking Issues with Cases	76
Working with Related Issues	76
Filtering Issue Notifications Using Outlook Rules	77
Knowledge Base	79
Knowledge Base Setup Checklist	79
Setting Up a Knowledge Base	79
Creating Knowledge Base Topics	80
Creating Knowledge Base Solutions	81
Publishing a Knowledge Base	83
Adding a Knowledge Base as a Center Tab	84
Customizing Knowledge Base Layout	85
Arranging Solutions in a Published Knowledge Base	86
Attaching Knowledge Base Solutions to Cases	87
Monitoring Support Performance	89
Case Alerts on Support Cases	89
Prerequisites for Case Alerts	89
Setting up a Case Alert on Support Cases	89
The Standard Case Alert Email Template	90
Performance Metrics for Support Cases	91
Creating a Support Metric Saved Search	92
Support Reports	93
Closed Case Analysis Summary Report	93
Closed Case Analysis Detail Report	94

Open Case Analysis Summary Report	95
Open Case Analysis Detail Report	95
Closed Case Escalation Summary Report	96
Closed Case Escalation Detail Report	97
Open Case Escalation Summary Report	97
Open Case Escalation Detail Report	98
Case Activity by Support Rep Summary Report	99
Case Activity by Support Rep Detail Report	100
Open Issues Summary Report	101
Open Issues Detail Report	101
Closed Issues Summary Report	102
Closed Issues Detail Report	102

Support Management

- [Setting Up Case Management](#)
- [Support Glossary](#)
- [Working With Cases](#)
- [Issue Management](#)
- [Knowledge Base](#)
- [Monitoring Support Performance](#)

Setting Up Case Management

To set up and handle support cases, you should first create case types and case origin types to organize your cases. Then you can decide which items and issues you want to offer support for.

Next, set up case rules and territories to automatically assign cases to support reps. Then you can complete the rest of the [Setting Up Support Checklist](#).

When you finish this chapter, support reps will be able to sort and respond to cases efficiently.

This chapter is designed for employees with the Support Administrator or Support Manager roles. Use it to set up the tools for managing the case workflow of your support team. The case workflow includes the process of a case from the time it is entered until the time the case resolved and closed.

Setting Up Support Checklist

Use the checklist below to quickly set up your support team's case workflow.

#	Task
1	Creating Case Types
2	Creating Case Origins
3	Creating Case Statuses
4	Creating Case Priorities
5	Creating Case Issues
6	Offering Support for Items
7	Setting Up Support Groups
8	Creating Case Rules
9	Creating Case Territories
10	Assigning Priorities to Territories
11	Setting Case Escalation Rules and Assignments
12	Using Email Case Capture
13	Online Case Forms
14	Customizing Case Forms
15	Customizing Support Notification Email
16	Setting Customer Service Preferences
17	Setting Up Customer Support in NetSuite OneWorld

Creating Case Types

A case type is the kind of support issue your customer is reporting. Knowing what kind of issue a case is about helps support employees get key information about a case quickly.

For example, Wolfe Electronics creates a case type called Suggestion. When support reps receive requests for new items, they select Suggestion in the Case Type field.

The Case Type field appears on case records, and can also appear in the online case form on your web store or website. For more information about online case forms, see [Online Case Forms](#).

NetSuite offers three default case types:

- Concern
- Problem
- Question

To create a case type:

1. Go to Setup > Support > Case Types > New.
2. In the **Case Type** field, enter a name for this case type.
Customers and support reps select a case type when entering case records.
3. In the **Insert Before** field, you can choose to place this type before an existing type in the list.
4. In the **Description** field, enter a brief description of this case type or what cases should use it.
This description is displayed in the **Support Case Types** list.
5. Click **Save**.

To edit existing or default case types, go to Setup > Support > Case Types. Click Edit next to the name of the case type you want to change. Make your changes, and click Save.

On the Support Case Types list, you can inactivate any case types you don't want to use. Check the Show Inactives box at the top, and the page will refresh with an Inactive column. Check the boxes next to the case types you want to inactivate, and click Submit.

You can base case rules on case types. For example, one of your support reps handles all problems, and another answers all questions. You can set up your case rules, and then territories, by case type.

Creating Case Origins

A case origin type is how a support case is reported. Knowing how a case was reported helps your support team track communication with your customers.

For example, Wolfe Electronics links to their online case form from their website. They create a new case origin called Online for cases reported through the form.

The Case Origin Type field appears on case records, and can also appear in the online case form on your web store or website. For more information about online case forms, see [Online Case Forms](#).

Your account includes the following default case origin types:

- Phone
- Web
- Email
- Other

To create a case origin:

1. Go to Setup > Support > Case Origin Types > New.

2. In the **Case Origin** field, enter a name for this case origin type.
This name appears in a list on case records in the **Origin** field.
3. In the **Insert Before** field, you can choose to place this type before an existing origin type in the list.
4. In the **Description** field, enter a brief description of this case origin type or what cases should use it.
5. Click **Save**.

To change your case origins, go to Setup > Support > Case Origin Types. Click Edit next to the name of the case origin you want to change. Make your changes, and click Save.

To inactivate case origins, check the Inactive box on case origin records. These origin types no longer appear on new cases. To see inactive case origins, check the Show Inactives box at the top of the Case Origin Types list.

You can base case rules on case origin types. For example, one of your support reps handles emails and another answers phone calls. You can set up your case rules, and then territories, by case origin.

Creating Case Statuses

You can create custom statuses for your customer support cases. Statuses show how close a case is to being closed or how it was closed.

The Case Status field appears on case records. If you use online case forms, you can choose to show or hide this field on the form.

For example, Wolfe Electronics wants to keep cases open until customers confirm that their issue is completely resolved. They change the In Progress status to Awaiting Customer Reply for cases that need more information, and then create new statuses: Repairs Needed, Awaiting Confirmation, and Confirmed.

NetSuite provides the following default case statuses that can be edited:

- Not Started
- In Progress
- Escalated
- Re-Opened
- Closed

To create a case status:

1. Go to Setup > Support > Case Statuses > New.
2. In the **Case Status** field, enter a name for the new status.
This name appears in the **Status** field on case records.
3. In the **Insert Before** field, select where you want this status listed in the **Status** field on case records.
For example, you may want to arrange statuses by how cases are resolved or alphabetically.
4. In the **Stage** field, choose if this status describes cases that are Open, Escalated, or Closed.
Statuses must be associated with a stage.
For example, you can create an Awaiting Customer Response status for the Open State. This would mean that support has asked the customer for more information to resolve the case.
5. Check the **On Hold** box if you don't want time counted against cases with this status.

For example, if you're waiting for a reply from a customer or a solution from another department, use an on hold status to pause the case's time log. This lets you track your support team's efficiency more accurately.

6. Check the **Show Awaiting Support Reply** box if you want this case status to show in searches and case tracking reports.
7. If you use the **Issue Management** feature, check the **Auto Close With Issues** box. This option automatically closes a case of this status when all attached issues are closed.
You must also have the **Automatically Close Linked Cases** box checked at Setup > Issues > Issue Preferences.
8. In the **Description** field, enter a brief definition of cases that should be assigned this status.
9. Click **Save**.

Creating Case Priorities

You can create new case priorities to fit your support team's workflow. This lets you customize how you rank cases so it's clear which ones need to be answered first.

For example, instead of using low, medium, and high, Wolfe Electronics renames these priorities to 1, 2, and 3, then adds more priorities up to 10. Cases rated 1 are the highest priority, and 10 is the lowest.

NetSuite provides the following default case priorities:

- High
- Medium
- Low

To create a case priority:

1. Go to Setup > Support > Case Priorities > New.
2. In the **Case Priority** field, enter a name for the new priority.
This name appears in the **Priority** field on case records.
3. In the **Insert Before** field, select where you want this priority listed in the **Priority** field on case records.
For example, you may want to arrange statuses by descending priority or alphabetically.
4. In the **Description** field, enter a brief definition of cases that should be assigned this priority.
5. Click **Save**.

Creating Case Issues

A case issue is any issue you list as one you offer support for. Knowing what issue a case is about helps your support team get key information about a case quickly.

For example, Wolfe Electronics creates a support issue called Installation. When customers or support reps enter cases about installing parts or setting up systems, they select Installation in the Issue field on case records.

Issues you offer support for are different from items you offer support for. Items are the goods and services you sell, and you can choose which ones you want to offer support for. For example, an electronics company might offer support for stereos as an item and sound quality as an issue. To offer support for an item, go to Lists > Accounting > Items. Click Edit next to the name of the item. On the item record, click the Preferences subtab. Check the Offer Support box, and click Save.

If you use the Issue Management feature, case issues are also different from issue records you use to track problem with items or products. Case issues cover common case topics, while issue records track problems that need to be addressed by an engineering team.

On a case record, enter case issues in the Issue field.

To create a case issue:

1. Go to Setup > Support > Case Issues > New.
2. In the **Case Issue** field, enter a name for this support issue.
For example, if you want to support people having trouble on your website, enter website.
3. You can customize the order in which this case issue appears on case records and online forms by choosing an item in the **Insert Before** field, above which this case issue will be inserted.
4. In the **Description** field, enter a brief description of what types of cases fall under this issue.
5. Click **Save**.

To change your support issues, go to Setup > Support > Case Issues. Click Edit next to the name of the case issue you want to change.

To inactivate support issues, check the Inactive box on issue records. These issues no longer appear on new cases. To see inactive issues, check the Show Inactives box at the top of the Support Issue list.

You can base case rules on support issues. For example, one of your support reps handles all questions about deliveries, and another answers all questions about take out. You can set up your case rules, and then territories, by case issue.

Offering Support for Items

You can offer support for items in addition to support issues. This helps you filter your case load more accurately, and lets you assign cases about specific item to the support rep who specializes in it.

For example, Wolfe Electronics decides to offer support for the Creativo 2400. Tom, a support rep, is an expert on it, so any cases about the Creativo 2400 are quickly assigned to him.

You can offer support for the following types of items:

- Inventory
- Assembly/Bill of Materials
- Kit/Package
- Noninventory items for sale or resale
- Other charge items for sale or resale
- Service items for sale or resale

You choose to offer support for an item on the item record.

To offer support for an item:

1. Go to Lists > Accounting > Items.
2. Click **Edit** next to the item you want to offer support for.
3. On the item record, click the **Preferences** subtab.
4. Check the **Offer Support** box.
5. Click **Save**.

Support reps or customers can choose this item in the Item field on case records or online case forms. You can then quickly assign it to the person or group who has the most expertise on the item.

Setting Up Support Groups

Support groups let you invite a group of people to events, manage group events on group calendars, assign cases to groups, and more.

You create a group of employees as a support group. You can assign cases and case territories to that group to filter cases for a quicker response to the customer.

When you create a group, a calendar is also created for that group. When you invite the group to events, everyone with access to your account can view the group's events on the group calendar. If a group member accepts an event invitation, that event also shows on their personal NetSuite calendar.

For example, Wolfe Electronics has a group of support reps who specialize in printers. Wolfe sets up a support group for the group, so all printer cases are assigned to them. The cases list can then be filtered to only those cases, and any support rep in the group can grab a case.

To create a support group:

1. Go to Lists > Relationships > Groups > New.
2. On the Create Group page, select **Static**.
3. Select **Employee** as the kind of member you want to include in the group.
4. Click **Continue**.
5. In the **Name** field, enter a name for this group.
You'll select this name in the **Assigned To** filter on the cases list and in the **Assigned To** field on case records.
6. If this group already has a group email address in your email application, enter it in the **Email** field.
7. Check the **Support Group** box.
8. On the **Members** subtab, add members to this group in the following ways:
 - To add individual members, enter part of a member's name in the **Name** column, and press Tab. Select a member, and click **Add**. Repeat these steps for each member.
 - Click **Add Multiple**, and hold CTRL to select more than one member from the list.
 - Click **Add With Search** to enter search criteria for the members you want to add.

You can use more than one of these methods to add members to the same group. For example, you can select a few members individually and then add all the members that meet search criteria.
9. Set the preferences for viewing the group calendar on the **Calendar Preferences** subtab.
10. Click **Save**.

You can now assign cases and case territories to this group, so you and your support team can filter the cases list however you want for the most efficient customer service workflow.

Note: Anyone can filter the cases list to see cases assigned to a support group. You can create support groups solely for filtering the cases list by subject. Create a group with miscellaneous members and a title that describes the type of case that should be assigned to the group. Support administrators can then assign territories to the group to automatically filter cases into this group.

Setting Customer Service Preferences

The Support Preferences page is where you set your default preferences for your customer support team's workflow.

To set support preferences, go to Setup > Support > Preferences > Support Preferences.

General Support Preferences

You can set the following preferences on the General subtab on the Support Preferences page.

Preference	Description
Case Email Setup	
Default Case Form to Send to Customer	Check this box to have the email Reply box on case records checked by default.
Default Case Form to Internal Only	Check this box if you want replies to cases marked Internal Only by default.
Default Case Profile	Select the default profile for incoming support cases. See Creating Case Profiles
Preferences	
Escalate to Support Reps Only	Check this box to only allow cases to be escalated to support reps. If you clear this box, cases can be escalated to partners, vendors and non-support rep personnel.
Prevent Support Reps from Receiving Customer Replies by Email	Check this box if you don't want support reps to receive an email copy of a customer's reply to a case. If you clear this box, the customer's reply is sent to the support rep by email and stored in the case record. Any subsequent replies are also added to the case record. This preference only shows if you have the Capture Email Replies feature enabled.
Messages Reopen Closed Cases	Check this box to let closed cases to change status to Re-Opened when a message is added to the case. Clear this box to have the case remain closed when a customer replies and prompt to create a new case. If you check this box and also choose to lock closed cases, the locked cases preference isn't overridden. Cases will not be reopened with new messages.
Only Link Approved Solutions to Cases	Check this box to only allow solutions that have been approved to be attached to case records. All solutions set to display online are also available to attach to cases.
External Case Response Page	If you check this box, anyone with a link can access the External Case Response Page that contains information about a case. If you clear the box, users need to log in to NetSuite to access the page. This preference is available only when the Customer Support and Service feature is enabled.
External Link Validity Period (in Weeks)	Set the duration (in weeks) for external links to the External Case Response Page. Values can be between two and eight weeks. Administrators can manually expire any active link by clicking Disable Link on the case record in edit mode. If external users click an expired link, they're automatically prompted and guided through the UI to generate a new link.
Defaults	
Status for New Cases	Select the status a new case is set to when it's first created.

Preference	Description
	You can create new statuses at Setup > Support > Case Statuses > New.
Status for Grabbed Cases	Select the status a case is set to when a support rep grabs it.
Status for Reopened Cases	Select the status a closed case is set to after it's reopened.
Status for Escalated Cases	Select the status a case is set to when it's escalated to another employee.
Status for Closed Cases	Select the status a case is set to when it's closed.
Priority for New Cases	Select the case priority newly created cases are set to. You can create new case priorities at Setup > Support > Case Priorities > New.
Case Lockout	
Lock Closed Cases After Lockout Period	Check this box to lock closed cases from being edited after the specified number of days in the Period (Days) field. Only account administrators can edit locked cases.
Period (Days)	Specify how many days you want closed cases to remain editable for after they're closed. Enter 0 to lock editing immediately after a case closure.

Support Email Notification

You can set the following support email preferences on the Notification subtab of the Support Preferences page.

If you use NetSuite OneWorld, you can create separate notification templates for each subsidiary. For more information, see [Setting Subsidiary-Level Support Preferences](#).

Column & Preference	Description
Creation	
Notify Filer On Support Rep Cases	Check this box to automatically send email notification to customers when support reps manually create cases in your account. Checking this box also enables notification to employees when they submit help desk cases.  Note: All case creation emails use the template you select in the Customer Notification Template field.
Notify Filer On External Cases	Check this box to automatically send email notification to customers when cases are submitted using the external case form in the Customer Center.  Note: This doesn't send notification to customers submitting cases using online case forms. To send notification to these customers, select an email template in the Send Auto-Reply Email field on the Set Up Workflow subtab of the online form record.
Notify Main Support Email On External Cases	Check this box to send notification email to the support profile entered on the General subtab. Email is sent when new cases are created with an external case form in the Customer Center.
Inbound Email Case Capture	

Column & Preference	Description
Notify Customers	Check this box to automatically send email notification to customers when cases are submitted by email using the Email Case Capture feature. Email notification uses the template you select in the Customer Notification Template field.
Notify to List	Check this box to send notification that a case was created to each email address listed in the To line of the original email. This preference works like Reply To All for the 'To' line only.
Notify CC List	Check this box to include addresses in the CC line of the original email when replying to incoming cases with notification.
Assignment	
Notify Assignees	Check this box to automatically send email notification to support reps when cases are assigned to them.
Send Notification Replies to Customer	Check this box to send the customer a copy of the support rep's reply when they're assigned to a case. The reply appears on the case record.
Update	
Notify Assignees	Check this box to send a notification email to support reps when any changes are made to a case assigned to them. This includes when customers reply to the case creation notification.
Send Notification Replies to Customer	Check this box to send the customer a copy of the support rep's reply when the case is updated. The reply appears on the case record.
Escalation	
Notify Escalatees Upon Update	Check this box to send a notification to the person the case is escalated to whenever the case is updated.
Send Notification Replies to Customer	Check this box to send the customer a copy of the support rep's reply when the case is escalated. The reply appears on the case record.
Closure	
Notify Customer Upon Automatic Closure	Check this box to notify a customer when their case is automatically closed because all other cases linked to the case have been closed. This preference requires Automatically Close Linked Cases to be enabled. Go to Setup > Issues > Preferences > Issue Preferences.
 Note: The notification is not sent if a linked case is closed manually.	

 **Important:** Assignment notifications aren't sent when a user logs in and assigns a case to themselves. Additionally, update notifications aren't sent when a user updates a case they're assigned to. You can work around this limitation by creating a SuiteScript that sends a notification to the logged in user after a case is saved.

External Case Capture Preferences

The following email case capture preferences are available on the External subtab of the Support Preferences page.

Preference	Description
External Case Form Redirect URL	Enter the web page you want customers to land on after they submit a case. This applies to cases sent from the Customer Center or the My Account Tab of your NetSuite website.
Default Customer Center Case Form	Select the online case form you want to link to in your Customer Center. Your customers access this form when they click Contact Support in the Customer Center.
Create New Lead on No Match	Check this box to create a lead record if the case information from the external case form doesn't match any existing records.
Site Color Theme	Select the color theme you want to display in the Customer Center. You can create custom color themes at Commerce > Site Builder > Appearance > Color Themes > New.

Inbound Support Email Preferences

The following fields are found on the Inbound Email subtab of the Support Preferences page.

If you use NetSuite OneWorld, you can use a separate inbound email address and anonymous customer placeholder for each subsidiary. For more information, see [Setting Subsidiary-Level Support Preferences](#).

Preference	Description
NetSuite Address	Use this email address to forward email from your support email address to NetSuite. When email arrives at this address, it is converted into a case record in NetSuite. You need to configure your email server to activate this feature. For more information, see Using Email Case Capture  Warning: Only use this email address for capturing emails as case records. All messages sent to this address are converted to cases in your NetSuite account.

Ordering Support Lists

On the Ordering subtab of the Support Preferences page, you can change the order of case-related fields on case records. To change the order, click the icon next to the field label. When the cursor changes to a four-way arrow, drag the field column to where you want it to appear.

Your support settings and defaults are complete. To manage how cases are routed, go to Setup > Support > Case Management > Case Rules and Setup > Support > Case Management > Case Territories. To manage case territories, go to Setup > Support > Case Management > Case Territories > List.

Marking Employees as Support Reps

To include employees in Assigned To fields on case records, you must check the Support Rep box on the employee record for each rep.

 **Note:** Only people with roles that include Edit or Full Employees permission can edit employee records to designate support reps.

To mark an employee as a support rep:

1. Go to Lists > Employees > Employees.
2. Click **Edit** next to the employee you want to mark as a support rep.
3. On the employee record, click the **Human Resources** subtab.
4. Under Job Information, check the **Support Rep** box.
5. Click **Save**.

Employees marked as support reps appear in the Support Rep or Assigned To fields on:

- Case records
- Support territories
- Escalation assignments

Additionally, employees marked as support reps are included on customer support reports and report snapshots.

Creating Case Profiles

You can create case profiles to apply different configurations to support cases, which gives you more control over the branding of your support communication. By setting the templates for each profile, you can:

- Provide unique support communication for multiple websites with different branding, From names, and email addresses.
- Have different identities for replying to support cases that are independent of subsidiaries.
- Have different case capture email addresses that are independent of subsidiaries.

Case profiles include the following settings:

- Support From name and email address
- Anonymous customers for inbound email and online forms
- Customer and employee case notification templates

If you use NetSuite OneWorld, you can create default case profiles for each subsidiary. These profiles are set by default on cases created for that subsidiary.

To create a case profile:

1. Go to Setup > Support > Case Profiles > New.
2. On the **General** subtab, enter a name for this profile. This name shows in the **Profile** field on case records.
3. In the **From Name** field, enter the name you want to show in the **From** field on email notifications.
4. In the **From Email Address** field, enter the address you want to show in the **From** field on email notifications. This will be the address for communication sent from the **Reply** field in the case record.
5. If you use NetSuite OneWorld, select a subsidiary in the **Subsidiary Filter** field. The selection restricts this profile to cases for that subsidiary.
6. Select the **Anonymous Customer – Online Form** record for cases submitted by people without a customer record.
7. Select the **Anonymous Customer – Inbound Email** record for cases submitted through Email Case Capture by people without a customer record.
8. Click the **Notifications** subtab.

9. Select the **Customer Notification Templates** to use to notify customers when cases are created, updated, closed, or escalated.
In the **External Link Regeneration** field, select the email template to use to provide your customers with a valid link to the External Case Response Page. This web page is only accessible through time-limited links and shows information about a case.
10. Select the **Employee Notification Templates** to use to notify employees when cases are assigned or updated. Employees are also notified when updates are cc'd to another employee, and when a case is escalated.
11. Click **Save**.

Now, you can select this profile on a case record or assign it through online case forms.

Assignment Rules & Territories

You can set up rules and territories to automatically assign cases to support reps or support groups. You must first have defined your case types, case origins, support issues, and support items.

When you create a case rule, you set criteria for a certain field on the case record. You then group rules into territories and assign a support rep to the territory. Any new cases that meet the criteria of each rule in a territory are assigned to that support rep.

Creating Case Rules

A case assignment rule is a set of parameters for how support cases are distributed to support reps. The rules are based on fields in the case record. After you create case rules, they're grouped together as case territories. These territories are assigned to your support reps, so that new support cases are distributed automatically.

For example, Wolfe Electronics creates a rule called Installation Issues for cases where Installation is selected in the Support Issue field. They can then group this rule with other rules to create a territory.

If you use NetSuite OneWorld, you must create case rules based on the subsidiary field. This field ensures that support reps are assigned cases only in subsidiaries they have access to. For more information, see [Customizing Support Rep Roles for NetSuite OneWorld](#).

To create a case rule:

1. Go to Setup > Support > Case Management > Case Rules > New.
2. On the Select a Rule Field page, click the name of the field you want to base this rule on.
The type of field you select determines what kind of criteria or sub-criteria you can set.
Under Customer Fields, you can select a field from customer records to base the rule on. For example, you can create a rule for all cases submitted by customers from Maine.
3. On the Case Field Rule page, enter a name for this rule.
4. Enter a description for this rule.
5. The field you're basing this rule on appears below the **Description** field.
6. Set the criteria you want for this rule. The criteria you can set are based on the field type:
 - **Numerical fields** – criteria and subcriteria based on numerical ranges
 - **Text fields** – criteria and subcriteria based on case-sensitive, alphanumeric content
 - **List fields** – criteria based on including or excluding choices in pre-existing list

You can select more than one choice in the list by holding CTRL while selecting additional options with your mouse.

7. When you're done setting your criteria, click **Save**.

After you've created the case assignment rules, group those rules into territories and assign the territories to support reps. To do this, go to Setup > Case Management > Case Territories > New. For more information, see [Creating Case Territories](#).

Creating Case Territories

A case territory is a group of case assignment rules that determine how cases are distributed to your support reps and support groups.

Before you set up a case territory, you should create the case rules that make up the territory.

For example, the support manager for Wolfe Electronics has two rules: one rule for the support issue Installation, and another rule for the support items Creativo 2000, Creativo 2400, Impressivo 1000 and Impressivo 1500. The manager creates a territory that includes both rules, and assigns the territory to Tom Taylor. Now, when a customer submits a case about installing any of these models of computers, the case is automatically assigned to Taylor.

If you use NetSuite OneWorld, you must create case rules based on the subsidiary field. This field ensures that support reps are assigned cases only in subsidiaries they have access to. For more information, see [Customizing Support Rep Roles for NetSuite OneWorld](#).

To set up a case territory:

1. Go to Setup > Support > Case Management > Case Territories > New.
2. On the Case Territory page, enter a name for this territory.
3. Enter a description for this territory.
4. Select **Match All Rules** if you want cases to match all the rules you select to be assigned this territory.
Select **Match Any Rule** if you want a case to be assigned this territory if it matches any of the rules you select.
5. On the **Configure Rule Definitions** subtab, select a rule you want to apply to this territory.
6. Click **Add**.
7. For each rule you want to apply, repeat step 5.
8. Click the **Support Assignment** subtab.
9. Select a support rep or support group to assign this territory to.
To make an employee appear in this list, go to the employee's record. On the **Human Resources** subtab, check the **Support Rep** box.
To make a group appear in this list, go to the group's record and check the **Support Group** box.
10. Click **Add/Edit**.
11. For each support person or group you want assign this territory to, repeat steps 10 and 11.
Cases are distributed evenly to all the support reps and groups listed.
12. Click **Save**.

After you set up the case territories, the territories are assigned priorities. Priorities determine which territory a case should be classified in if it matches more than one territory.

Note: If you don't create and assign territories, the default round-robin territory automatically distributes cases evenly among support reps. If you don't want cases to be assigned automatically, go to Setup > Support > Case Territories, and click Default Round-Robin. Click Edit, and check the Inactive box. Now, all cases will be marked as Unassigned until you assign them.


If you don't inactivate the Default Round-Robin territory, cases not assigned by territories are distributed using the round-robin territory.

Tip: You can change the priorities on the Manage Case Territories page. Click the handlebars next to the territory you want to move up or down and drag it to the new position. To view the rules for a territory or make changes to a territory, click its name in the Territory column.

Assigning Priorities to Territories

After you set up case territories, assign priorities to them. Priorities determine which territory a case is classified in if the rules match more than one territory.

For example, Wolfe Electronics has two territories: one for cases involving installation of computers, and one for cases submitted online. Some cases are both submitted online and involve installing computers, however.



To assign priorities to case territories:

1. Go to Setup > Support > Case Territories.
2. Click the line a territory is in to select the line.
3. Use the **Move** buttons to rearrange the order case territories are applied to new cases. The territory listed first is applied first.
You can also grab the left side of a line with your mouse and drag and drop territories to move them.
4. Click **Save**.

The Default Round-Robin territory always has the lowest priority, regardless of where it is placed in the territory list.

Now, when case records are created, they're assigned to case territories based on the priority you set.

Reassigning Cases to Territories

You can reassign existing cases to your case territories, which is useful when you're restructuring your case territories.

To reassign cases to new case territories:

1. Go to Setup > Support > Territory Reassignment.
2. On the **Criteria** subtab, select criteria that will return a list of the cases you want to reassign.
The reassignment is determined using your current set of assignment rules and territories.
3. On the **Results** subtab, you can customize what information displays in the list of found cases.
4. To use the **Audience** subtab, click the **Public** box above the subtabs. Select who should be able to use this update again with your criteria. You must save the update for it to be available to this audience.
If you check the **Public** box but don't select audience members, the update is available to all users in your account by default.
5. Click **Preview**.
6. In the **Apply** column, clear the box next to any cases you don't want to reassign.
7. Click **Perform Update** to reassign the cases, or click **Save** to reassign the cases and save the update for later use.

Now, these cases are reassigned according to your case territories in priority order.

To access a saved reassignment update, go to Lists > Mass Update > Saved Mass Updates.

Setting Case Escalation Rules and Assignments

Set up escalation rules and assignments to ensure that high priority cases are routed to the correct person at the right time.

With escalation rules, you set criteria to search cases, then create escalation assignments to group these rules. When a case matches the criteria you set, it's automatically assigned to the person or group you selected for the escalation assignment.

For example, Wolfe Electronics sells a warranty plan that guarantees cases will be resolved within 24 hours. They set up an escalation rule that uses their custom warranty field on customer records, and another rule for cases open for 12 hours or more.

 **Note:** NetSuite processes case escalations every five minutes, so escalation rules based on shorter time periods may not be processed when expected.

Case Escalation Rules

To set up case escalation rules, an administrator must enable the Automated Case Escalation feature. Go to Setup > Company > Setup Tasks > Enable Features. On the CRM subtab, check the Automated Case Escalation box, and click Save.

To create a case escalation rule:

1. Go to Setup > Support > Escalation Rules > New.
2. Choose the field on the case record or the customer's record you want to base your rule on.

With escalation rules, you can base escalation on the following amounts of time:

- Since the case was created
- Since it was last modified by the customer
- Since it was last modified by someone in your account

3. Create a name for your escalation rule. You will choose this name when you group rules into assignments.
4. If needed, you can enter a brief description of this rule.
5. In the **Criteria** field, select terms for your search.

You may also need to make selections in the field(s) below based on the case record field you're using for this rule.

You can select more than one choice in the list by holding CTRL while selecting additional options with your mouse.

6. Depending on the case record field you're basing the rule on, you may be able to set subcriteria for this rule:
 1. Select **Match All Conditions** if you want a case to meet all the subcriteria you set to be escalated based on this rule.
Select **Match Any Condition** if you want a case to meet any one of the subcriteria you set to be escalated based on this rule.
 2. In the **Sub-Criteria** column, select terms for your criteria.
 3. In the next column, enter or select criteria, and click **Add**.
7. Click **Save**.

For example, Wolfe Electronics has a group of customers who have purchased a warranty plan. If they submit a case, it will be resolved within 24 hours. Wolfe can set up an escalation rule that includes every customer in this group, and another for cases open for 12 hours or more. Then they create a case escalation assignment that includes both rules and assign it to a support team devoted to resolving high priority cases.

Note: To exclude cases from escalation based on rules, you must create rules to include only open cases and cases created after today.

Case Escalation Assignments

Case escalation assignments use rules to determine how cases are escalated and who they're escalated to.

Before you set up an escalation assignment, you should create escalation rules. For more information, see [Case Escalation Rules](#).

For example, Wolfe Electronics creates a case escalation assignment with a rule for customers who have purchased a warranty, and a rule for cases open for 12 hours or more. They then assign it to a support team devoted to resolving high priority cases.

To set up a case escalation assignment:

1. Go to Setup > Support > Manage Escalation Assignments > New.
2. On the Escalation Assignment page, enter a name for this assignment.
3. Enter a description for this assignment.
4. Select **Match All Rules** if you want cases to match the criteria in all rules you select to be escalated by this assignment.
Select **Match Any Rule** if you want cases to match any of the criteria in the rules you select to be escalated by this assignment.
5. On the **Configure Rule Definitions** subtab, select a rule, and click **Add**.
6. Continue adding rules if needed, and click **Add** after each rule.

Note: To exclude cases from escalation based on rules, you must create rules to include only open cases and cases created after today.

7. On the **Escalation Assignment** subtab, select the person or group cases that fall into the rules for this assignment should be escalated to.
8. Click **Add**.
9. Continue adding individuals or groups if needed, and click **Add** after each.
Cases are distributed evenly to all the individuals and groups listed.
10. Click **Save**.

After you set up escalation assignments, you can set their priority. Priorities determine which assignment a case should be classified in if it matches rules for more than one assignment.

You can change the priorities on the Manage Escalation Assignments page by clicking the handlebars next to an assignment and dragging it up or down. The first assignment in the list is the first assignment a case is sifted through. To view the rules for an assignment or make changes to an assignment, click its name in the Territory column.

Using Email Case Capture

The Email Case Capture feature automatically converts customer support messages your company receives into organized cases in NetSuite. An administrator can enable this feature at Setup > Company

> Enable Features > CRM > Support. Depending on your business needs, you can use case capture to create a simple catch-all support address, or set up a more sophisticated customer support model by using Case Profiles.

Case profiles let you create additional support addresses and route support issues to a specific product area, team, or, in OneWorld, to subsidiaries. Go to Setup > Support > Case Profiles. Case profiles also help keep your branding consistent. If your organization supports multiple entities, you can let each one keep its own identity. For more information about case profiles, see [Creating Case Profiles](#).

For example, Wolfe Electronics has been receiving email from customers at support@wolfeelectronics.com, and responding to them directly using Outlook. As the business has grown this has become cumbersome and time consuming. They set up case capture and three case profiles—Phones, PC, and Home. Now support email is automatically routed to the correct product team and appears in the relevant cases list in NetSuite.

When cases are submitted, each case is automatically:

- saved in your case queue
- saved on the customer's record
- assigned to a support rep using rules and territories

Locating NetSuite Addresses

Case capture works by forwarding your company's support email to a NetSuite-generated address. Remember this when you set up forwarding on your mail server.

To locate the general case capture NetSuite address:

1. Go to Setup > Support > Preferences > Support Preferences.
2. Click the **Inbound Email** subtab.
3. Copy the **NetSuite Address**.

To locate the NetSuite address attached to a case profile:

1. Go to Setup > Support > Case Profiles.
2. Click **View** on the required profile.
3. Copy the **NetSuite Inbound Email Address**.

Note: When you set up a new case profile, the **NetSuite Inbound Email Address** is generated when you click **Save**. From the profile list, click **View** to see it.

Prerequisites for Setting Up Email Case Capture

Your company's email server administrator must set up the following items on your Microsoft Exchange server:

1. A Contact to add your **NetSuite Address** to

2. A User for the support address you'll use, for example support@ABC.com
3. Activate forwarding on the User account you created, using the credentials from the newly-created Contact

For detailed instructions on how to set up these prerequisites, consult the following Microsoft support pages:

- [Create a Mail Contact](#)
- [Create a Mail User](#)
- [Configure Email Forwarding for a Mailbox](#)

In NetSuite

- An administrator must enable auto-generated numbers for Support Cases. Leave the **Allow Override** box unchecked. See Setup > Company > Auto-Generated Numbers.
- Optional: Enable the related **Capture Email Replies** feature. When enabled, all messages sent from NetSuite have a customized reply-to address. When a customer hits reply, the message is routed to the original case record and displays under the Messages section of the Communications subtab. Go to Setup > Company > Enable Features > CRM > Capture Email Replies.

Now, messages sent to your support email address are automatically forwarded to the NetSuite address and logged as cases in your account.

If you use NetSuite OneWorld, you can use different case capture email addresses and case profiles for each subsidiary. For more information, see [Setting Up Your Mail Server for Email Case Capture in NetSuite OneWorld](#).

If a support message arrives from a customer with a company record, a copy of the case record is saved to that record. If there's no matching company record, the case will be saved to the Anonymous Customer record. Anonymous customers are specified in case profiles under the General subtab.

When an email becomes a case, you can choose to automatically notify the support rep when they're assigned to that case. Go to Setup > Support > Preferences > Support Preferences. On the Notification subtab, in the Assignment column, check the Notify Assignees box.

 **Note:** Email messages over 10 MB in size can't be accepted as cases.

Troubleshooting Email Case Capture

If cases aren't being created as expected, send a test email message from your email client to the NetSuite address. This address is located at Setup > Support > Preferences > Support Preferences > Inbound Email.

If a test case is created from this email message, the problem is probably with your email forwarding setup.

If a test case isn't created from the email message sent directly to the inbound email address, contact NetSuite Customer Support.

If test cases are being created from spam emails, your IT department or mail server administrator must apply filters to the Exchange server to exclude messages that have more than three addresses in the **To** field.



Important: You can't send email generated from within NetSuite to the inbound case capture address due to system security precautions. This includes email created from within the Communication subtab of a record or from scripts, including workflows.



Note: The Email Case Capture feature doesn't support email sent from Skype.

Email Case Capture Fields

The following fields are populated when a case is created from an email:

Field on Case Record	Information from Email
Subject	The subject field of the email message.
Date Created	The date the email message was received by NetSuite.
Company	If an existing company record matches the one used by the sender of the support message, this company populates the field. If no matches are found, the default Anonymous Customer record is used instead. This also applies if a contact is associated with two companies.
Contact	If the email address of the message matches the email address of a contact tied to the company, that contact appears in this field.
Email	The email address the message was originally sent from.
Message	The text from the email message.
Status	The default is Not Started.
Origin	This is set to Email automatically.
Priority	The default is Medium.
Assigned To	This is set based on the rules and territories you set at Setup > Support > Case Territories.

Using Variable Envelope Return Paths

With the Capture Email Replies feature, email sent from lists, records, and transactions are automatically saved to the contact record and the associated entity's record before being sent to your login email address. This is accomplished by variable envelope return paths, or VERPs.

VERPs route email messages to NetSuite servers so that they can be recorded in NetSuite and then forwarded to the recipient. VERPs don't change or hide sender and recipient addresses. Using VERPs is considered a best practice and complies with the mass email policies of large ISPs and email providers. No setup is required for VERPs.

Online Case Forms

Online case forms help customers contact you with inquiries, help your support team resolve problems, and offer customers the best service possible.

You can create online forms using either the NetSuite default template, or a custom HTML template you upload. You can then link to the form from your website or the Customer Center.

Wolfe 
ELECTRONICS

Service Desk Enquiry

* Title

* Email

* First Name

* Last Name

* Company Name

Support Item

File No file chosen

* Incoming Message

Creating an Online Case Form

When customers click the link to your online case form, they enter information about the question or issue they have. They can also upload images or documents to help support reps resolve their case. When a customer clicks Submit, a case record is automatically created in your account with their provided information.

To create an online case form:

1. Go to Setup > Support > Online Case Forms > New.
2. Click **Default Form Template** to use NetSuite default format for an online form.
You can also click **Custom HTML Template** if you've uploaded a template for this form to the File Cabinet. For more information about custom HTML forms, see [Custom HTML Form Templates](#).
3. Enter a title for this form.
This title appears at the top of the form.
4. If you're creating a form using the default template:
 - Enter a message in the **Message** field for your customers to see at the top of the form.
This message can include up to 500 HTML characters.
 - In the **Detail Message** field, enter a message you'd like to appear at the bottom of the form.
This message can include up to 4000 HTML characters.
5. If you're using a custom HTML form template:
 - Select the template you're using for this form.
 - To have NetSuite add field labels to your form, check the **Include Field Labels** box.
This adds labels based on the tags in your custom template like Name, Company or Subject.
6. Check the **Enable Online** box to be able to link to this form from a website.
7. On the **Select Fields** subtab, in the **Field** column, select a field you want to include on the form.



Note: To allow customers to upload files through the form, add the **File** field.

- a. In the **Label** column, you can edit the field name as it appears on the form.
- b. In the **Section** column, select the subtab you want this field to appear on. See Customization > Forms > Subtabs.

- c. In the **Help** column, enter any text you'd like to appear below the field to assist your customers fill out the form.
- d. In the **Width** column, enter the width for the field.
- e. To make a field required, check the box in the **Mandatory** column.
- f. Check the **Search** box if you don't have duplicate detection enabled on the **Set Up Workflow** subtab. (Step 8.)

NetSuite will index that field against existing records and suggest matches.

If the information matches another record, the new information is added to the existing record. You can determine what NetSuite does when it finds duplicate information in an existing record using the **Handle Duplicate Records** field.

This option is required for **Contact First** and **Last Name** fields. You can also search for duplicate company names, email addresses, phone numbers, and information in custom fields.

- g. In the **Hide** column, check the box next to any field you want to hide on the form.
Hidden fields are useful if you pass information into the form through the URL in the link. For more information, see [Linking to Online Forms](#).
- h. Check the box in the **Select** column if you want your customer to choose from a dropdown or popup list in this field.
- i. Click **Add**.
- j. Repeat these steps for each field on the form.
- k. Use the **Move Up**, **Move Down**, **Move to Top** and **Move to Bottom** buttons to change the order of fields on your form.

8. Click the **Set Up Workflow** subtab.

- a. Check the **Create Customers as Companies** box if you want new contacts created as a company rather than as an individual when there's no match to an existing record.
- b. In the **Default Case Profile** field, select the profile that you want to assign to cases submitted through this online case form. You can also set the profile on case forms. Add the profile as a parameter to the form URL, or allow those submitting the form to set the profile manually.

Profiles determine:

- The **From Name** and **From Email Address** shown on notifications sent for this case.
- The notification templates used when the case is created, updated, or closed.

You can create new case profiles at Setup > Support > Case Profiles > New.

- c. In the **Set Case Origin** field, select the origin you want to use for cases created through this form.
You can create new case origins at Setup > Support > Case Origins > New..
- d. Fill in the **Redirect to URL** field with the URL you want customers redirected to after completing the form. This is required.
Your web store home page URL appears here by default.
- e. In the **Handle Duplicate Records** field, select what to do if a duplicate record is found.
- f. Check the **Use Duplicate Detection Criteria** box if you want to use the standard criteria set in the company setup page.
- g. Select a template from **Send Auto-Reply Email** if you want to send an auto-generated reply to the sender when the form is submitted. This requires the **Marketing Automation** feature to be enabled. See Setup > Company > Enable Features > CRM.

To create email templates, choose **New** from the dropdown menu, or see Documents > Templates > Email Templates > New.

- h. Add a subject for the auto-generated message in the **Subject** field.
 - i. From the **Notification Template** field, select the template to use when notifying people listed in the **Email Address of Recipients** field. To create a new template, choose **New** from the dropdown menu.
 - j. In the **Email Address of Recipients** field, enter the email addresses of those to be notified when a customer submits the form. Enter the full email address separated by commas or semicolons.
9. Click the **Set Up Appearance** subtab.

Note: Many of the options listed below don't appear on custom HTML template forms. If you're creating an online form with a custom HTML form template, include style and appearance settings in the HTML code of the template.

- a. In the **Number of Columns Shown** field, choose how many columns you want the form to be displayed in.
 - b. "In the **Color Theme** field, select a color theme for the form.
 - c. "In the **Font** field, select a font for the form.
 - d. Check the **Unlayered Sections** box if you want your form to appear without tabbed sections.
 - e. In the **Button Alignment** field, choose where to place the buttons on the form.
 - f. In the **Form Logo** field, select a logo to show at the top of the form. Logos should be uploaded to the images folder in the File Cabinet. See Documents > Files > File Cabinet.
10. If you intend to use SuiteScript features, click the **Custom Code** subtab to:
- Choose a JavaScript file with your scripts in the **Script File** field. Client scripts or scripts referenced in client scripts, such as library files, can't have the **Hide in SuiteBundle** preference enabled on the script file record.
 - In the **Page Init Function** field, select a script from your file that's called when the form first loads.
If you're using an online HTML form template for this form, include this script in your HTML template file.
 - In the **Save Record Function** field, select a script from your file that's called when the form is saved.
 - In the **Validate Field Function** field, select a script to call from your file when a field on the form is changed.
 - In the **Field Changed Function** field, select a script to call from your file when a change to a form field is accepted.
11. Save the form.

After you save the form, click Preview Form to see how it looks.

Now customers can submit support cases on your website, and case records are automatically created in NetSuite.

After you complete an online case form, an employee with the Store Manager, Intranet Manager, or Administrator role can publish the form using an information item.

To link to the form, click the External subtab on the form record. You can use the provided URL to link to this form on your website. When you link to the form, the form pops up in a new window.

Cases created using the Online Case Form get the Not Started status by default.

If you use NetSuite OneWorld, see [Setting Up Online Case Forms for NetSuite OneWorld](#) for information about setting up online case forms to track subsidiaries.

Linking to Online Forms

You can link to an online form from your website, an email, or a template. Find the form URL on the External subtab of the form record. Use the Publishable Form URL when linking from an external website. Use the Internal Form URL when linking to a form from a NetSuite website or intranet site. Also use this URL when linking from the Partner or Vendor Centers.

You can customize the URL of your linked form so that certain information can automatically be sent to NetSuite after the form is submitted. These are called parameters, and the information sent to the relevant field in NetSuite can't be modified by customers.

For example, Wolfe Electronics wants to include a link to the case form from one of their microsites. After setting up the new case origin type, they include the parameter `&origin=Cameras` to track the case origin from their camera business. (Case origin types are located at Setup > Support > Case Origin Types.) Now, when someone submits the form, "Cameras" is automatically entered in the Case Origin field on the form. This field can be set to hidden if required.

To add this parameter to the publishable form URL, add the `&origin=Cameras` parameter to the end of the URL. NetSuite adds several parameters to the URL by default, don't overwrite these when adding additional parameters.

Below is a list of supported parameters and example text for each one.

Field	Tag and Example
Company Name	<code>&companyname=Global Distributing</code>
Email	<code>&email=john@example.com</code>
Message	<code>&incomingmessage=This is the message.</code>
Subject/Title	<code>&title=Problem With Service</code>
Subsidiary	<code>&subsidiary=UK</code>
Case Origin	<code>&origin=Online</code>
Case Type	<code>&category=Service Problem</code>
Phone Number	<code>&phone=555-555-5555</code>
Contact First Name	<code>&firstname=John</code>
Contact Last Name	<code>&lastname=Doe</code>
Contact Middle Name	<code>&middlename=Lee</code>
Start Date	<code>&startdate=11/11/2005</code>
Start Time	<code>&starttime=12:00 pm</code>
Support Issue	<code>&issue=Issue</code>

Field	Tag and Example
Support Item	&item=Item

Uploading Files Through an Online Case Form

You can set up your online case forms to allow customers to upload files, like screenshots, to help your support reps resolve cases. Uploaded files can be up to 10 MB in size. For a list of supported file types, see the help topic [File Types Recognized in the File Cabinet](#).

When a file is uploaded through an online case form, it's attached to the case record in the following places:

- The Attachments column on the Communication subtab of the case record.
- The Files subtab on the Communication subtab of the case record.
- The Attachments subtab of the message record.

You can view the message record by clicking View next to the message on the Messages subtab.

Communication										
Messages • Activities Files User Notes										
View Case Default										
Email Attach Letter PDF Fax Refresh View History Customize View										
#	View	Date	Author	Message	Email Sent	Files	Attachments	Internal Only	Remove	
1	View	27.3.2024 10:48 am	Support rep	Customer called to check on the package from order they placed on 3/10/2024	No	Yes	package.png	No	Remove	
2	View	15.3.2024 12:21 pm		Explained that we shipped the package on 3/12/2024. Should allow 7 to 10 days for delivery.	No	No		No	Remove	

Files uploaded through online case forms are saved in the File Cabinet, in the Attachments Received folder, which contains subfolders named after customers who filed the cases. If the file is too large or of an unsupported type, the case is saved but the file isn't uploaded. To upload multiple files, use the .zip format.



Important: Files attached directly to cases can be accessed by external roles, even if they're not visible on the case record.

To share files with case assignees only, attach the files to case messages. For more information, see [Entering a Case](#).

To allow files to be uploaded through an online case form:

1. Open the online case form record.
2. On the **Select Fields** subtab, in the **Field** column, select **File**.
You can also optionally do the following:
 - Enter a new label for the field.
 - Choose which section of your form the field appears on.
 - Change the field width.
3. Click **Add**.
4. Click **Save**.

The **Choose File** field will be added to the case form as shown below:

Custom HTML Form Templates

By default, online case forms match the style of your NetSuite website. But with online HTML form templates, you can customize your online forms to match your website's look and feel.

Online form templates are HTML documents you create outside of NetSuite and upload to your NetSuite File Cabinet to use with online forms.

Note: You can use HTML form templates only if you have the Marketing Automation feature enabled. Administrators can enable this feature at Setup > Company > Enable Features > CRM.

Creating Online HTML Form Templates

When you create an online form template, you determine how the fields are arranged, which fields to include, and the style of the page.

You must include the following elements in the HTML code:

- **<NLFORM>** and **</form>** tags
- **<HTML>** and **</HTML>** tags
- **<HEAD>** and **</HEAD>** tags
- tags for each field you want to include
- a button your customers use to submit the form

Important: Don't use multiple instances of the same NL tag in a custom template, for example (<nfile>). This will result in an error when the user submits the form.

In the body of your template, use field tags to place the fields that appear on your form.

The following table includes all the standard field tags used in online HTML customer forms. These include all the default fields on the case record:

Field	Tag
Company Name	<NLCOMPANYNAME>
Name	<NLENTITYID>

Field	Tag
Email	<NLEMAIL>
Message	<NLINCOMINGMESSAGE>
Subject/Title	<NLTITLE>
Subsidiary	<NLSUBSIDIARY>
File Upload	<NLFILE>
Case Origin	<NLORIGIN>
Case Type	<NLCATEGORY>
Contact First Name	<NLFIRSTNAME>
Contact Last Name	<NLLASTNAME>
Contact Middle Name	<NLMIDDLENAME>
Phone Number	<NLPHONE>
Incident Date	<NLSTARTDATE>
Incident Time	<NLSTARTTIME>
Support Issue	<NLISSUE>
Support Item	<NLITEM>

To determine the tags to use for custom fields, go to Customization > Lists, Records, & Fields > Entity Fields (Administrator). Hover over the field you want to include in your template. At the bottom of the page, the web address for this page appears in your browser. At the end of the address is the field tag. For example, the tag may look like this:

```
1 | <NLCUSTOMITY2>
```

When you create your online form, you can let NetSuite insert field names into your form, or you can add your own field names in the template.

Your form also needs a button for customers to submit it to your NetSuite account. The HTML code for this button is:

```
1 | <input type="submit" value="Button Text">
```

You can substitute the button text by changing the value in your code. For example, to make the text say **Submit Form**, the code would be:

```
<input type="submit" value="Submit Form">
```

Below is a basic representation of an acceptable HTML form template with field labels in the HTML code:

```
1 | <HTML>
2 | <HEAD>
3 | </HEAD>
4 | <NLFORM>
5 | <p>Please enter the name of your company: <NLCOMPANYNAME></p>
6 | <p>Enter a contact email address: <NLEMAIL></p>
7 | <p>Enter a title for the message: <NLTITLE></p>
8 | <p>Enter your message here: <NLINCOMINGMESSAGE></p>
9 | <p><input type="submit" value="Submit Form"></p>
10 | <p>Attach a file here: <NLFILE> </p>
```

```

11 | </form>
12 | </HTML>

```

You can include labels for each field in the HTML code in your template, or let NetSuite insert default labels. The example above uses labels in the HTML code to show customers what information to enter.

Including Images in Online Forms

You can include images in your online HTML forms if you've uploaded them to the File Cabinet.

To include images in your form:

1. Go to Documents > Files > Images and access the **Images** folder.
2. Click **Edit** next to the image you want to include in the form.
3. Make sure the **Available Without Login** box is checked.
4. Copy the URL information from the **URL** field.
5. When you add the image URL to your template, enter **https://system.netsuite.com** followed by the information from the **URL** field.

The image URL should match the following format:

```

1 | <p><IMG SRC="https://system.netsuite.com/core/media/
2 | media.nl?id=20&c=ACCT83022&h=9087c4a3c3d4b23aba42"></p>

```

After you've prepared your template file, upload it to the File Cabinet.

Uploading Custom HTML Form Templates

Custom HTML form templates are saved by default in the Marketing Templates folder in the File Cabinet. To use a different folder for your templates, an administrator can go to Setup > Company > Email Preferences. Click the Templates subtab and select another folder in the Template Folder field.

To upload an HTML template:

1. Go to Documents > Templates > Template Files.
2. Click **Templates** and then **Marketing Templates**.
3. Click **Add File**.
4. In the popup window, locate your HTML template on your computer.
5. Select the file.
Make sure it's an HTML file before adding it to the File Cabinet.
6. Click **Open**.

After you've uploaded your HTML template to the File Cabinet, you can create a template record.

Creating a Custom HTML Template Case Form

Use the following steps to create a custom HTML template case form.

To create a custom HTML template case form:

1. Go to Setup > Support > Online Case Forms > New.
2. Select **Custom HTML Template**.
3. Add a name of your Template to the **Title** field.

4. Select your custom HTML template from the **Template** field.

Note: If this is your first time using your custom HTML file, you must convert it into an online form template before it appears in the template list. To create the online template, select **New** from the list, name the template, and locate your HTML file from the Marketing Templates folder in File Cabinet. For more information about online form templates, see the help topic [Online Form Templates](#).

5. Make sure the fields you select match the ones in your custom HTML template.
6. Click **Save**.

When you create your custom form and template record, check Include Field Labels if your template includes the field names for your form. When you check this box, NetSuite adds the field name that matches each tag.

When your online case form is complete, your support team can start handling cases submitted through it.


Help Desk

The Help Desk feature lets you manage internal cases that are both submitted and answered by employees.

To enable the Help Desk feature, go to Setup > Company > Setup Tasks > Enable Features. Click the CRM subtab, and then under the Support section, check the Help Desk box.

When you enable this feature, the following is added to your account:

- A **Help Desk** box is added to case records.
This box marks the case as internal. When it's checked, help desk employees can search for or assign rules and territories based on cases. For information, see [Creating Case Rules](#).
Cases marked as Help Desk aren't included in case reports.
- Help desk cases are added to the Employee Center.
Employees with no access to case records should log in to the Employee Center. They must click **NEW** next to **See Support Cases** under the **Help Desk** heading. They can also edit previous help desk cases and view updates on cases.
- A Standard Help Desk Form is available for customization at Customization > Forms > Entry Forms.
- This is the form employees use to enter help desk cases in the Employee Center.



Customizing Case Forms

You can customize both the case forms support reps use to enter cases and the forms customers use to submit cases through the Customer Center. Customizing lets you add fields to capture extra information, or remove or hide fields that your company doesn't need.

To customize the case form support reps use to enter cases:

1. Go to Customization > Forms > Entry Forms.
2. Click **Customize** next to **Standard Case Form**.
3. Create a name for this new custom case form.
4. To hide a subtab, field, or list, clear the box in the **Show** column on the **Subtabs** subtab.
5. To add a custom field, click the **Custom** subtab under the **Fields** subtab.
6. Click **Save**.

To customize the case form customers use in the Customer Center:

1. Go to Customization > Forms > Entry Forms.
2. Click **Customize** next to **Standard External Case Form**.
3. Create a name for this new custom case form.
4. To hide a subtab, field, or list, clear the box in the **Show** column on the **Subtabs** subtab.
5. To add a custom field, click the **Custom** subtab under the **Fields** subtab.
6. Click **Save**.

Customizing Support Notification Email

When you create or update case records, you can set up automatic email notifications that are sent to customers and support reps. Standard templates are used by default for these notifications, but you can edit them by going to Setup > Company > Email > System Email Templates. You can also create custom templates for each type of notification in the following scenarios:

- to customers when a new case is created
- to customers when their case has been updated or replied to
- to customers when their case has been closed because all related issues are closed
- to support reps when they have been assigned to a case
- to support reps when a case assigned to them has been updated
- to employees when a case has been escalated to them

For example, Wolfe Electronics support manager changes the font and text size of the standard notification sent to customers when a new case is created, adds the company logo, and updates the wording.



Important: Assignment notifications aren't sent when the logged in user is the new assignee, and update notifications aren't sent when the logged in user is the assignee. You can work around this limitation by creating a SuiteScript that sends a notification to the logged in user after the case is submitted.

There are three steps to set up custom notifications:

1. Create your template.
2. Upload your template.
3. Select the custom template at Setup > Support > Preferences > Support Preferences.

If you use NetSuite OneWorld, set up notifications for each subsidiary.

For more information, see [Setting Subsidiary-Level Support Preferences](#).



Note: Automatic email notifications don't affect the initial response time. For more information, see [Performance Metrics for Support Cases](#).

Creating an Email Template

You can create email templates outside of NetSuite in a word processing application, or enter them directly in the Template field of email template records. If you create an email template outside of NetSuite, save it as a plain text (.txt) file.

To create an email template:

1. Go to Setup > Company > Email > System Email Templates.
2. Click **New** and create an email template in the text editor.
3. You can also customize the default email templates by going to Setup > Company > Email > System Email Templates and clicking **Customize** or **Edit** on the template you want to edit.

You can personalize email templates as scriptable templates that include information from NetSuite records. For more information, see the help topic [Scriptable Templates](#).

To upload a template you created outside of NetSuite, see [Uploading Your Email Template](#).

Uploading Your Email Template

You can write a message in the Template field on the email template record if your template file wasn't created outside of NetSuite.

To upload your email template and create a template record:

1. Go to Setup > Company > Email > System Email Templates.
2. Click **New**.
3. Enter a name and description for this template.
4. On the **Templates** subtab:
 - Enter a subject for this template.
 - If you created your template outside of NetSuite, select **File** and click the plus icon next to the **Template File** field. In the File window, select the file you want to upload, and click **Save**.
 - To write your template text here, select **Text Editor** and enter your message in the **Template** field. You can use the Insert Field tool to automatically insert fields that pull information from fields on the case record.
5. On the **Restrict Access** subtab, you can designate this template as private so only you can use it, or you can select a group to have exclusive access to the template.

6. Click **Save**.

Your notification template is now ready to be assigned to a notification type. You can set these preferences on the Notification subtab when you set up support preferences at Setup > Support > Preferences > Support Preferences.

Setting Up Customer Support in NetSuite OneWorld

If you use NetSuite OneWorld, you can configure NetSuite to manage the needs of your global support organization. With these tools, you can tailor the support experience for each subsidiary.

This includes:

- entering a main support From email addresses for each subsidiary
- maintaining notification message templates for each subsidiary
- using different inbound email addresses for each subsidiary with the Email Case Capture feature
- configuring and branding online case forms
- tracking cases by subsidiary
- restricting support rep visibility to cases based on subsidiary
- setting up case territory/rules so cases are routed to reps based on subsidiary

The Subsidiary field on the case record lets you track cases by subsidiary. This lets you restrict support reps access to those cases in their subsidiaries, and also to brand your forms for each subsidiary. After you save a case, the customer's subsidiary is shown in a read-only field on the case.

To configure customer support for your organization, complete the following steps:

1. Set your support preferences at Setup > Support > Preferences > Support Preferences. These company settings are set as the default for subsidiary-level preferences. See [Setting Company-Level Support Preferences](#).
2. Set the support preferences for each subsidiary on subsidiary records. See [Setting Subsidiary-Level Support Preferences](#).
3. Configure case forms for each subsidiary. See [Setting Up Case Forms for NetSuite OneWorld](#) and [Setting Up Online Case Forms for NetSuite OneWorld](#).
4. Customize support rep roles to restrict their access to only the subsidiaries they're responsible for. See [Customizing Support Rep Roles for NetSuite OneWorld](#).
5. Create case rules and territories that route cases to reps based on subsidiary. For more information, see [Creating Case Rules and Territories Based on Subsidiary](#).
6. If you use the Email Case Capture feature, set up your Exchange server with the inbound email address for each subsidiary. See [Setting Up Your Mail Server for Email Case Capture in NetSuite OneWorld](#).

Setting Company-Level Support Preferences

The support preferences at Setup > Support > Preferences > Support Preferences act as the default settings for subsidiary-level preferences.

If you want to restrict support rep access to cases by subsidiary, you can also set the Restrict Cases Based on Subsidiary preference.

To set company support preferences:

1. Go to Setup > Support > Preferences > Support Preferences.
2. On the **General** subtab, check the **Restrict Cases Based on Subsidiary** box to restrict support reps access to support cases based on their subsidiary.
3. Click the **Notification** subtab.
4. Set the templates you use for support notification.
For information about support preferences, see [Setting Customer Service Preferences](#).
5. Click **Save**.

After you set the company support preferences, you can set preferences for each subsidiary.

Setting Subsidiary-Level Support Preferences

Customer support preferences for subsidiaries are set on subsidiary records.

You can choose an anonymous customer record to use as a placeholder when cases are entered by individuals who don't have matching customer records. By default, an anonymous customer record is created for each subsidiary.

Subsidiary-level preferences override the preferences you set at Setup > Support > Preferences > Support Preferences. If you don't set a preference for a subsidiary, it uses the company-level preference. If the subsidiary preferences match the company preferences, changing the company preference will update the subsidiary preference automatically.

To set subsidiary support preferences:

1. As an Administrator, go to Setup > Company > Classifications > Subsidiaries.
2. Click **Edit** next to the subsidiary you want to set support preferences for.
3. Under the **Preferences** subtab, click the **Support** subtab.
4. From the **Default Case Profile** list, select the required case profile.

For information about setting up case profiles see, [Creating Case Profiles](#).



Note: Make sure that the case profile you're selecting contains the From name and the From email address. This email address will appear in the From field on email communications sent to customers. Without this name and email address, the Parent company name email address will appear in the email sent to customers instead.

5. Click **Save**.

Setting Up Case Forms for NetSuite OneWorld

By default, the Subsidiary field appears on the Standard Case Form and the Standard Help Desk Form. You must add the Subsidiary field to the Standard External Case Form and any custom case forms where you want it to appear.

To add the Subsidiary field to a form:

1. Go to Setup > Customization > Forms > Entry Forms.
2. Click **Customize** next to the form you want to add the field to.
3. Make sure the **Form is Preferred** box is checked.
4. On the custom form page, click the **Fields** subtab.
5. On the **Main** subtab, check the box in the **Show** column next to Subsidiary.
6. Click **Save**.

When a case saves through the Customer Center or the My Account page of your website, the customer's subsidiary appears on the case.

Setting Up Online Case Forms for NetSuite OneWorld

By default, the Subsidiary field is included on online case forms as a hidden search field. You can set the value of the subsidiary field on the form by adding the **subsidiary** parameter in the URL. You can also choose a default subsidiary on the Set Up Workflow subtab of the online case form.

If the field remains hidden on the form, customers won't see the subsidiary when they submit the form.

The Default Subsidiary preference sets which subsidiary to associate with a case when no subsidiary is explicitly set on the form. It determines:

- **Which customers are considered when NetSuite searches for an existing record for the person submitting the form.**

NetSuite only considers the customers associated with the subsidiary set on the form when determining if there's an existing record.

For example, you set the Handle Duplicate Records preference to create a new customer record when there's no match. NetSuite creates the record and associates it with the subsidiary set on the form. If no subsidiary is set on the form and no default subsidiary is set, the new record is associated with your root parent subsidiary.

Another example, there's no matching record and the Handle Duplicate Records preference isn't set to create a new record. NetSuite associates the new case with an anonymous customer record. If a subsidiary is set, the case is associated with that subsidiary's anonymous customer placeholder.

- **The subsidiary set on the case record that is created.**

If a subsidiary isn't set through the form or through a URL parameter, the default subsidiary is applied. If there's no matching customer, the anonymous customer placeholder for that subsidiary is used. In case profiles, the value in the subsidiary filter overrides the default subsidiary set on the online case form.

To set up an online case form:

1. Go to Setup > Support > Case Management > Online Case Forms > New.
2. On the **Select Fields** subtab, select either the **Company Name** field or the **First Name** and the **Last Name** fields, and mark them mandatory.
3. Click the **Set Up Workflow** subtab.
4. In the **Default Subsidiary** field, select the subsidiary you want to associate with cases submitted through this form.
5. Set any other options you want. For example, add a logo on the form that's specific to a subsidiary.
6. Click **Save**.

For more information about online case forms, see [Online Case Forms](#).

Customizing Support Rep Roles for NetSuite OneWorld

You can specify that support reps only see cases in their subsidiaries. Go to Setup > Support > Preferences > Support Preferences. Under the Preferences section, check the Restrict Cases Based on Subsidiary box.

Then, customize the support rep role and select which subsidiaries the rep is responsible for. If you don't select subsidiaries on the role, any support rep assigned that role is restricted to the subsidiary on their employee record.

For more information about customizing roles, see the help topic [Customizing or Creating NetSuite Roles](#).

Creating Case Rules and Territories Based on Subsidiary

After you customize your support rep roles, set up sales rules and territories so cases are routed to support reps in the proper subsidiary.

You can create rules for each subsidiary. You can base your rule on the Subsidiary field, create territories for each subsidiary, and assign the support reps responsible for those subsidiaries.



Important: If you don't create case rules and territories based on subsidiary, support reps could be assigned cases they don't have access to. These cases wouldn't appear in lists, saved searches, reports, or KPIs.

For more information, see [Assignment Rules & Territories](#).

Setting Up Your Mail Server for Email Case Capture in NetSuite OneWorld

If you use the Email Case Capture feature, you can set up an inbound email address for each subsidiary using case profiles. See [Creating Case Profiles](#).

When you have a case profile for each subsidiary, use **NetSuite Inbound Email Address** from the General subtab of each subsidiary's case profile. This is the forwarding address you'll redirect your company's subsidiary support email address to.

For example, on your company mail server you'd forward support.emea@example.com to the NetSuite Inbound Email Address of the subsidiary. If the company's account ID was 123456, the email address would look something like cases.375xxx.248xx@123456.email.netsuite.com. This enables cases to be automatically captured to your NetSuite account.

If you want to restrict the visibility of the case profile to the selected subsidiary only, select the subsidiary from the Subsidiary Filter field in the case profile record. For more information about server-side setup requirements when using Email Case Capture, see [Prerequisites for Setting Up Email Case Capture](#).

Support Glossary

Case: A record created to document a problem, question, or other feedback from a customer. Case records can be assigned to support reps, who can use the case record to respond to the customer by email. Reps can also use case records to document a support phone call. Cases are customer-facing records, whereas issues are internal company records.

Category: A division of customer and vendor records into groups you specify in NetSuite. Categories help you organize records to manage your business more easily. Set up customer, vendor, or budget categories with Accounting Lists. You can use Web Site Categories in a Site Builder web store to organize products you sell online. To set up categories for Site Builder, go to Commerce > Site Builder > Content Management > Categories.

Center: The set of tabs each role has access to. For example, Administrators work in the Classic Center, which has the Lists, Transactions, and Reports tabs. Accountants work in the Accounting Center, which has the Customers, Vendors, Payroll and HR, and Financial tabs.

Class: A way to separate and track records such as financials, transactions, and employees. For example, a janitorial service wants to track household and commercial accounts separately. They set up a class for each of these account types. Then, they can track the financial performance of each class over any period of time.

Crosslinks: Crosslinks enable navigation between pages centered around the same record type rather than access these pages through menus. Typically crosslinks appear at the top of record pages. Common examples of crosslinks are Search and List.

Customer: The person or entity that buys goods from you or your business.

Custom form: A form you can modify to fit your business needs.

Customer Center: A user-restricted role that has permission to:

- See current orders, estimates and transaction histories.
- Enter an order.
- Make payments on open invoices.

Customize menu: This is a user interface element in NetSuite. The Customize menu is located in the upper-right corner of all records that can be customized.

Department: A division or section of your business. Use departments to separate and track records such as financials, transactions and employees. For example, you can set up a department for each team, then track income and expenses for each one over any period of time.

Disclaimer: A statement or explanation of your company's policies and terms. You can use a disclaimer to familiarize your customers with important information about your company. In NetSuite, you can print a disclaimer on custom forms.

Drill down: Click a link in a list, report, or register to view, or edit at a more detailed level. For example, you can drill down on a check by clicking the date of the check. Then, you can see when it was written or when it cleared the bank.

Dynamic group: A group of relationship records created from a saved search. Because the set of criteria for the group is saved, new records that fit the criteria of the group are automatically added to the group.

Employee Center: A user-restricted role that has permission to:

- See approved and unapproved expense reports, purchase requests and time reports.
- Enter expense reports, purchase requests and time.

- Edit unapproved expense reports and purchase requests.

Entity: Entity records include those records that define people or organizations such as company, contact, vendor, and employee.

Field group: A collection of fields grouped together into a logical group. You can use a field group to organize fields on a form.

Field-Level Help: A popup window with details about a field on a NetSuite page. To read field-level help, click the label next to the field.

Handler: The action or process the business events framework does when a business event occurs on a record. For example, when a sales order's approved, the Automatic Location Assignment handler is called and begins assigning locations automatically.

Internal ID: Records and forms in NetSuite each have a unique internal ID. The internal ID is useful when writing SuiteScript and when referring to custom records and custom fields. Internal IDs are also useful for understanding the default URL parameters in your web store. You can set a preference to always see internal IDs for records on lists. To set the preference, go to Home > Set Preferences. On the General subtab under Defaults, check the Show Internal IDs box.

Issue: A record used to document a product problem, or defect that needs to be resolved. This is an internal-facing record, as opposed to a case, which is a customer-facing record.

KPI: Key Performance Indicators are measurable values that show how well your organization is doing. They help you set and track progress toward organizational goals. You can add up to three graphical meters to your dashboard that describe key performance indicator (KPI) information. For example, you can set up a KPI meter for your Sales indicator. Your meter will show your date comparisons graphically and flag your threshold values.

Lead source: A name or code that designates how a lead, prospect, or customer was referred to your company. If you use the Marketing Automation feature, your list of lead sources consists of the names of campaigns. If you don't use Marketing Automation, you can create your own lead sources. Go to Setup > Sales > Setup Tasks > CRM Lists > New. You can select a lead source on a customer, lead, or prospect record.

Login access: Access to individuals and companies who need to enter and view information in a NetSuite account. Each user can have a different access level, and you can assign different roles to each record.

Message field: A field where you can select a personal message to appear on invoices and other forms you send customers and vendors. A field that appears on the Checkout, Welcome and Catalog pages of your NetSuite website. Use the store message fields to share general information with customers who visit your website.

Note: There are two types of notes in NetSuite: system notes and user notes. System notes are generated automatically when you make changes to a record. User notes are added manually to keep track of information about a record.

Partner: A partner is an outside company you work with that's not a customer or vendor.

Partner Center: Partners can log in to NetSuite to update their profiles, view reports, and set up promo codes.

Password: The secret code that you, your employees, or others use to log in to NetSuite. Password requirements depend on the password policy in place, the role assigned to the user, and access to secure information. For more information, see the help topic [NetSuite Password Requirements](#). For security reasons, passwords aren't included in email notifications. Contact users directly to assign passwords.

Plug-In: A plug-in is a functionality, defined by an interface, that you can customize. After it's installed, a third party can change its default logic to fit their needs. For more information, see the help topic [Custom Plug-in Overview](#).

Portlet: A dynamic data display window in a NetSuite subtab or dashboard. Some portlets provide direct access to raw data. Others display data that has been synthesized into critical business metrics, such as key performance indicators (KPIs), performance scorecards, trend graphs, and report snapshots. Some other portlets show data from website RSS feeds.

Preferences: Options in NetSuite that let you set the application up for your business needs. Preferences are unique to each feature area and depend on your role. You can set preferences that only affect your own NetSuite experience, such as time zone, language, drop-down menus, and color theme. Depending on your role, you may also have permission to set company-wide preferences that affect areas such as accounting, invoicing, and inventory management.

QuickView: This is a user interface element that shows a summary view of a record. For some record types, QuickView also contains buttons that allow users to make changes directly to the record.

Rank: The position of an item in a list of similar items. In a region, each location gets a rank, which determines the order they're assigned to sales order lines when the optimal fulfillment strategy is set to Highest Ranked Location.

Record status: The status of all transaction records appears to the right of the record title.

Reminders: The reminder list automatically appears on your NetSuite Home page every time you log in. It shows business tasks you need to handle. You can customize the list to show items for your daily routine, or you can turn it off completely. In NetSuite, Reminders can also be event reminders that pop up at the time you set on event records.

Role: A set of permissions that lets employees, customers, partners, or vendors access certain parts of your data. You can assign standard roles to employees. User-restricted roles provide access to a limited set of tasks and a different Help Center, and you can assign them to employees, customers, partners, or vendors.

Shortcut: A link to your most frequently used pages in NetSuite. On your home page, you can customize shortcuts to link to the tasks you do most often. Set them up by clicking the star icon on the tab left of the home tab.

Solution: An answer to a common customer question or problem. Solutions are organized under topics and published as a knowledge base. You can also attach them to case records for quick responses to customer messages.

SuitePeople: A comprehensive and integrated Human Capital Management (HCM) solution. SuitePeople lets HR professionals manage employees in NetSuite, so you can eliminate repetitive manual work and keep all employee data in one place. It also gives employees and managers self-service tools to complete most daily tasks. SuitePeople uses NetSuite to provide workflows that you can customize for your business.

SuiteScript: The scripting platform for NetSuite solutions. It lets you add custom code that runs in the client/browser framework. It also includes server-side scripting capabilities in the server framework that let you schedule scripts or trigger them with events.

Support manager: A standard role that has permission to:

- Set up case assignment and escalation
- Create online case forms
- View and edit issue and case records
- View support and sales reports

Support person: A standard role that has permission to:

- View and edit issue and case records
- View case and issue reports

Topic: A heading or category to use for organizing solutions in a knowledge base.

User: A customer, contact, partner, vendor, or employee who is assigned access to the data in your NetSuite account. The level of access depends on the role you assign to the user.

User-restricted role: Gives customers, employees, and vendors external access to your account so they can view or enter their transaction information. With these roles, users can complete only a limited set of tasks. For example, the Employee Center role lets employees enter and view time reports, expense reports, and purchase requests.

Vendor Center: A user-restricted role that has permission to:

- View purchase orders
- View accounts payable registers
- View non posting registers

Working With Cases

When a customer reports an issue, question, or suggestion to your business, you create a case in your account. That is added to the cases list and starts the case workflow.

The case is then routed to the appropriate support rep from the cases list. The support rep can reply by email with an answer, ask the customer for more information, or escalate the case to someone else if they can't answer it.

When the customer receives a support rep's email, they can provide more information or follow up with more questions using the following methods:

- reply directly to the message
- click a link in the message

Through either method, the information is added to the original case record. You can also email the information directly to the support rep, who can then escalate the case, reply to the customer, or close the case.

This chapter walks you through the process of a case from the time it is created to the time it is closed. It also describes how to use the cases list. Normally, this may be a complex process with the amount of documentation and communication involved. However, with NetSuite, the complicated aspects are automated, and support reps can focus on helping customers.

This chapter is written for support reps with the Support Person role. However, Administrators, Support Administrators and Support Managers can also complete the tasks described in this chapter.

Filtering the Cases List

When a support rep enters a case for a customer, the new case is added to the cases list. This is true if the customer calls in or submits a case with an online case form. By default, the cases list displays all open cases, but you can filter it to only show the ones you want to work with.

To filter your cases list:

1. Go to Cases > Customer Service > Cases.
2. In the **View** field:
 - Select **All** to view all general information for each case record in the order the fields appear on the record.
 - Select **Status** to show the status of each case next to the subject.
 - Select **Contact** to view the company name and contact information next to each case subject.
 - Select **Case Detail** to view the incident date and time, case type, case origin, and case issue for each case.
3. In the **Stage** field:
 - Select **Open** to view all cases that have not been closed.
 - Select **Not Started** to view all cases that have not been responded to or grabbed.
 - Select **Re-Opened** for all cases that have been closed and then re-opened by another message.
 - Select **In Progress** for cases that have been grabbed and started on.
 - Select **Escalated** for all cases that have been escalated to someone else.

- Select **Closed** to view all cases that are no longer issues.
- 4. In the **Assigned To** field, select a support rep or group to view the cases assigned to the rep or group.
For more information about support groups, see [Setting Up Support Groups](#).
- 5. In the **Awaiting Support Reply** field:
 - Select **Yes** to view all cases that have a customer message that needs an answer.
 - Select **No** to view all cases that a support rep has already replied to.


When you return to the cases list after navigating away, the filters default to their last setting.

You can customize the format of the cases list by clicking **Customize View** on the top of the list. When you customize a view of a list, you set search criteria for the records you want to see in that list. On the **Results** subtab, select how you want the records to be displayed in your list.

When you click **Save**, you can view your cases list as a saved search. To use your custom view, select the name of the search in the **Search Title** field on the top of the list.

Case Flowchart

Cases typically follow a smooth, assembly-line workflow until they're closed. NetSuite automates the communication and organization of cases, so you only need to step in to respond to the customer's issue, and then send the case back into the process.



When a case is created from an online case form, email, or external case record, it can be assigned in the following ways:

- The case is automatically assigned by a case territory.
- A Support Manager assigns the case.
- A support rep grabs the case from the cases list.

After the case is assigned:

- The support rep can escalate the case to someone else for more information about the issue.
- The support rep can respond to the customer by typing in a message and emailing the response, and close the case.

If the customer responds, the case is re-opened and assigned to the original support rep. The case can be escalated, or the support rep can respond, and then close the case again.

Customers can continue responding with further questions and work with the same support rep. Each time the customer responds, the case is re-opened, and the support rep has all previous communication on the case record.

If a support rep creates a case when a customer calls in, they document the question or concern. If they can solve the issue, they can immediately close the case.

Create Cases

Cases track the issues your customers report and the responses your support reps give. Cases are created when your customers report problems, ask questions, or otherwise need to communicate with you. You can submit support cases and receive responses in English, Chinese (Simplified), French, German, Japanese, Latin American Spanish, and Portuguese (Brazil).

Cases are created in four ways:

- A support rep creates a case record in NetSuite when a customer calls in.
- A customer submits an online case form. See [Online Case Forms](#).
- A customer sends an email to your support address.
- A customer clicks the Contact Support link in the Customer Center or your website and fills out an external case record.

For example, Lina from Lina's Dance Studio calls Wolfe Electronics' customer service department with a question about installing her new Creativo computer. The support rep who answers immediately creates a case record to take notes on the customer's question and retrieves her contact information.

Entering a Case



Tip: You can get writing help for text fields, Message and Reply, from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

A support rep should use the following steps to create a case record when contacted by a customer.

To enter a case:

1. Go to Cases > Customer Service > Cases > New.
2. Under **Primary Information**:
 1. Select the form you want to use for this case in the **Custom Form** field.
You create custom case forms at Customization > Forms > Entry Forms.
 2. Enter the subject of this case.
 3. Select the company this case pertains to.
This list shows companies and individuals you have customer or partner records for.
 4. Select the profile you want to assign to this case. This profile determines the from name and from email address shown on email notifications sent for this case, and the notification templates used.
For more information, see [Creating Case Profiles](#).
 5. Select the person or group this case is assigned to.
To automatically notify the assignee by email when a case is assigned to them, go to Setup > Support > Preferences > Support Preferences. On the **Notification** subtab, check the **Notify Assignees** box.
 6. Select the contact who's reporting this issue.
 7. Enter the email address(es) of the customer or contact.
You can enter multiple email addresses separated by commas or semicolons.
When you check the **Email Reply** box under your message, the message is sent to all addresses in this field.



Note: If you use the External Case Response Page, the currently active link to this page expires when you edit the Email(s) field on an existing case record.

8. In the **Phone** field, enter the customer's or contact's phone number.
9. Select the status of the case.
The status helps you track the case workflow process and report progress. You can also place a case on hold. For more information, see [Creating Case Statuses](#).
10. Select the priority of the case.
Priorities help determine how important it is to answer a case quickly. For more information, see [Creating Case Priorities](#).
11. In the **Quick Note** field, add a short note about the case.
Only your internal support staff with access to the case can see this note. You can also add this field to the cases list to allow you to make notes when viewing the list.



Note: If the Phone number or the Email address field on the contact record is blank, NetSuite fills it in with the one from the case record.

3. Under **Incident Information**:
 1. In the **Incident Date** field, enter or pick the date the issue occurred or was reported.
 2. In the **Incident Time** field, enter or pick the time the issue occurred or was reported.
 3. If you offer support for items, select which item this case is about.
To offer support for an item, go to the item's record, and check the **Offer Support** box.

4. If you use serial numbers, you can select the serial number for the item in the **Serial/Lot Number** field.
5. If you use the Issue Management feature, select a product this case pertains to.
6. If this case pertains to a product, select the appropriate module for that product.
7. Select what type of issue this is.
Administrators and Support Administrators can create new case types at Setup > Support > Setup Tasks > Case Types > New.
8. If you offer support for issues, select which issue this case is for.
Administrators and Support Administrators can create support issues at Setup > Support > Setup Tasks > Case Issues > New.
9. In the **Origin** field, select how this case was reported.
10. If you use the Help Desk feature, check the **Help Desk** box if this is an internal case entered by an employee.

 **Note:** You can create case rules and assignments to automatically assign help desk cases to your IT staff. For more information, see [Assignment Rules & Territories](#).

4. Click the **Communication** subtab.

- a. In the **Message** field, enter the message the customer sent you. This message is saved on the case record.

If a customer logs in to submit a case using an online case form, the case **Author** is the customer. If a customer submits a case using an online case form without logging in, the **Author** is listed as **-Online Form User-**.

If you create the case record and enter a **Message**, you're shown as the **Author**.

 **Note:** For saved cases, you can copy (CC) and blind copy (BCC) others on messages and send attachments using the **Email** button on the **Messages** subtab.

To attach files to the case message, do one of the following:

- Click **Email** to write a new message to the customer to which you want to attach the file. An Email Message popup window opens. On the **Attachments** subtab, choose and **Add** the desired file. Click **Merge & Send**.
 - Click **Attach** to add files you already received from the customer. An Attach Message popup window opens. Enter information for the message. On the **Attachments** subtab, choose and **Add** the desired file. Click **Save**.
- b. To add a solution to the reply, do one of the following:
 - Enter part of the solution title in the **Insert Solution** field, and press Tab.
 - Click **List** to choose a solution from the list.
 - Click **Search** to search for a solution to attach.

Solutions are attached at the end of the reply. If you email a reply to the customer, the solution text is included at the end of your reply.

- c. To create a new solution from your reply, click **New Solution**.

A solution popup opens. Enter information for the solution, and click **Save**.

- d. In the **Reply** field, enter your response to the customer. You can use the Rich Text Editor to format your reply, or click the HTML Source Code link to enter HTML in this field.

This reply is recorded on both the customer and case records.

- e. To email the response to the customer when you save the case, make sure the **Send to Customer** box is checked. The reply is also sent to employees selected in the **Copy Employees** field.
You can set a default for this box at Setup > Support > Preferences > Support Preferences.
- f. Check the **Internal Only** box if the reply should be sent **only** to the employees selected in the **Copy Employees** field.
- g. To attach a file from the File Cabinet to the case, click the **Files** subtab, choose the file, and click **Add**. To attach an external file, click the **Plus sign**, locate the file, and click **Save**.



Important: Files attached directly to cases can be accessed by external roles, even if they're not visible on the case record.

To share files with external roles, add the **File** field to your customized External Online Case Form. For more information, see [Uploading Files Through an Online Case Form](#).

To share files only with case assignees, attach the files to a case message.

- h. Click the following links to view information for other subtabs:
 - [Attaching Events, Tasks, and Calls to Records and Transactions](#)
 - [Attaching Knowledge Base Solutions to Cases](#)
 - [Tracking Time on Cases](#)
 - [Escalating Cases](#)
- i. Click **Save** or one of these options:

Save & New	Saves the case and opens a new blank case form.
Save & Same	Saves the case and opens a new form with the company field prefilled from the previous case.
Save & Edit	Saves the case and reopens it for editing.

This case is now saved as an open case in the cases list with a response status of Awaiting Support Reply. When you answer the case, the status changes to Awaiting Customer Reply, whether you close the case or not.

You can view cases awaiting support reply, cases awaiting customer reply, or all cases. Set the Response Status filter at the bottom of the cases list.

Customer issues, questions, or other feedback submitted through an online case form or email automatically create a case record. NetSuite uses the information the customer submits to create the case, and sets the status to Awaiting Support Reply.

Editing a Case

A support rep should use the following steps to edit a customer support case.

To edit a case:

1. Go to Cases > Customer Service > Cases.

2. Click **Edit** next to the case you want to edit.
3. Make any changes you need.

By default, the case remains assigned to the original support rep unless you select someone else in the **Assigned To** field.

If you use the External Case Response Page, you can manually expire any active link by clicking **Disable Link**. You can view the link's automatic expiration date in the **External Link Expiration Date** field.

4. To email changes to your customer, write a message concerning those changes in the **Reply** box, and check the **Send to Customer** box.
5. Click one of the following save options:

Save	Saves your changes and returns to the cases list.
Save & Same	Saves the current case and creates a new, duplicate case record.
Save & Edit	Saves your changes and lets you keep editing the case.
Save & Next	Saves your changes and opens the next case in the cases list for editing.
Save & New	Saves the case and opens a new blank case form.

To see a list of cases, go to Cases > Customer Service > Cases. You can view all cases, unassigned cases, or cases assigned to you by changing the filter at the top of the page. From the cases list, click the name of the case to view its details, or click **Edit** to add a customer message or a support rep response.

Linking a Support Case to a Transaction

You can link support cases to seven transaction types including sales orders, invoices, and purchase orders. For example, your company can create an invoice for a repair service, then link it to the support case that initiated the service request.

To link a support case to a transaction:

1. Open the support case record.
2. Click the **Related Records** subtab.

The screenshot shows the NetSuite interface for a support case record. The top navigation bar includes tabs for Communication, Related Records (selected), Escalations, Time Tracking, and System Information. Under the Related Records tab, there are subtabs for Issues, Solutions, and Transactions (selected). The Transactions subtab displays a table with columns: Edit, Date, Type, and Document Number. A row is visible with the date 26.8.2024, Type Quote, and Document Number 5814. Above the table, there are filters for View (Default), Billing Status (Either), and Type (- All -). Below the filters, there are buttons for New, Attach, and Customize View. The 'New' button is highlighted with a red box. At the bottom of the interface, there are buttons for Edit, Back, Merge, Enable Spam Lock, and Actions.

3. Click **New** on the **Transactions** subtab to create a new linked transaction. You can also click **Attach** to link an existing transaction to the support case.

Assigning Cases

When you enter a case record, it needs to be assigned to a person or a group. Cases can be assigned manually or by case territories that Support Administrators or Support Managers set up. Support Administrators, Support Managers, and support reps can all assign cases.

When Wolfe Electronics support rep Inger Wyman receives a customer call with a question and creates a case record, she can do the following:

- assign it to herself in the Assigned To field if she knows she'll be able to answer the question
- assign the case to a support group that specializes in the area
- assign the case to a support rep who specializes in the area
- escalate the case to someone else if she can't answer the question
- leave the case unassigned

If the case is assigned to a support group or left Unassigned, another support rep can grab it. When a support rep grabs a case, it's automatically assigned to them. To grab a case, click Grab next to the case on the cases list. See [Grabbing Cases](#).

If you don't see a Grab link, the case is already assigned to a support rep.

To assign a case to someone other than yourself:

1. Go to Cases > Customer Service > Cases.
2. Click **Edit** next to the case you want to assign.
3. Under Primary Information, in the **Assigned To** field, select the person or group you want to assign the case to.
4. Click **Save**.

This case is now assigned to the appropriate person or group and shows in their cases list.

Grabbing Cases

Grabbing is a quick way to assign a case to yourself, so you can respond to the customer.



Important: You have to be a support rep to be able to grab a case. See [Marking Employees as Support Reps](#) for more information.

To grab a case:

1. Go to Lists > Support > Cases > Customer Service > Cases.
2. Click **Grab** next to the case you want to assign to yourself.



Note: Right-clicking Grab to grab the case and open it in another tab or window isn't supported.


The case is assigned to you automatically.

You can't grab a case that's already assigned to someone else.

3. Make changes where needed, like updating the priority or adding a reply to the customer.

If you reply to the customer and mark the case closed, it won't appear on the active cases list anymore. However, you can set the status filter to show closed cases.

4. Click **Save**.



Cases												List	Search	Audit Trail
View		Case Status	Customize View	New Case										
Filters														
		Print	Show Inactives	Edit	Quick Sort		30 — 4.3.2024		< >		Total: 101			
Edit View	Number	Grab	Subject	Priority	Status	Product	Module	Assigned To	Incident Date	Last Message Date				
Edit View	101	Grab	Defective chip	Medium	Not Started			Support group	30.1.2024 6:35 pm	30.1.2024 6:39 pm				
Edit View	100	Grab	Delivery Difficulties	Medium	Not Started			Support Rep	22.3.2023 10:01 am					

To avoid grabbing cases manually, an Administrator can set up case rules and territories to automatically route cases to support reps based on certain criteria. For more information, see [Creating Case Rules](#) and [Creating Case Territories](#).

If the Administrator lets support reps receive email when a customer responds to a case, reps can receive additional questions or information. These messages are also added to the case record. For more information, see [Customer Responses to Cases](#).

Administrators can let support reps receive customer responses by clearing the **Prevent Support Reps from Receiving Customer Replies by Email** box. Go to Setup > Support > Preferences > Support Preferences.

From the cases list, click the name of the case to view its details. You can also click **Edit** to add a message from a customer, or a response from a support rep.

Escalating Cases

You escalate a case if the assigned support rep can't resolve it. You can escalate it to any employee or employee group in your account and to vendors and partners.

When you escalate a case, use the escalation message to send information to the person or group you're escalating it to. The escalation message is private, logged under the **Communication** subtab of the case record, and the customer doesn't see it.

For example, a Wolfe Electronics support rep has been assigned a case about an invoice submitted online, but they're not an expert on that issue. So, the rep escalates the case to someone in sales, with a message about how they can help.

Note: Email sent to a group is sent to the email address listed on the group record, not to each member's individual email address. To make sure each group member is notified, create a group in your email client, and use that group's address on the group record.

To escalate a case:

1. Go to Lists > Support > Cases.
2. Click **Edit** next to the case you want to escalate.
3. On the **Escalations** subtab, enter a private message for the person or group you're escalating the case to.

Optionally, you can get writing help for the **Escalation Message** field from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

This message is emailed to the person and recorded under **Messages** on the **Communication** subtab.

4. On the **Escalate To** subtab, select the person or group you're escalating the case to in the **Employee** field, and click **Add/Edit**.

If you want to escalate only to support reps, go to Setup > Support > Preferences > Support Preferences. On the **General** subtab, check the **Escalate to Support Reps Only** box. Disabling this preference lets you escalate cases to any employee, vendor, or partner.

5. When you have finished, click **Save**.

This case now has the status Escalated, and an email is sent to the person you escalated it to.

Escalating a case doesn't raise its priority or change who it's assigned to. It sends an email to the person you're asking for assistance, and changes the status of the case to **Escalated**. The email includes the case number, your escalation message, and the customer's message.

The person you escalate the case to can do one of the following:

- reply to your email message with information you can use to answer the customer
- go to the case record and answer the case directly

You can de-escalate a case from an employee by returning to the case record. On the **Escalate To** subtab, click the person's name, and then click **De-Escalate**. If you escalate the case multiple times, this subtab lists everyone who's had the case.

To view a log of everyone this case has been escalated to, click the **History** subtab.

Case escalation dates and times use the time zone they were entered in, not your company's time zone.

You can set up cases to escalate automatically based on conditions you set. For more information, see [Setting Case Escalation Rules and Assignments](#).

Locking Closed Cases

Locked cases are closed cases you can view, but only Administrators can reopen, edit, or update them.

Locked don't have **Edit** or **Grab** links in the cases list, and you can't update them from the Customer Center or by using the Email Case Capture feature.

Administrators, Support Administrators, and Support Managers can set closed cases to lock after a certain number of days.

To lock closed cases:

1. Go to Setup > Support > Preferences > Support Preferences.
2. On the **General** subtab, in the Case Lockout section, check the **Lock Closed Cases After Lockout Period** box.
3. In the **Period (Days)** field, enter how many days a closed case should remain available for editing, updating, and reopening.
To immediately lock closed cases, enter **0**.
4. Click **Save**.

Tracking Time on Cases

Time Tracking for CRM lets you keep track of time spent on cases with the option to bill that time to customers.

For example, if a support rep receives a call from a customer, they can enter a case and start timing the call on the Time subtab. If the rep checks the box in the Billable column, an invoice can be created later for the time spent resolving the case.

To use Time Tracking for CRM, an Administrator can go to Setup > Company > Enable Features. On the **Employees** subtab, check the **Time Tracking for CRM** box.



Important: Time Tracking for CRM requires time tracking in NetSuite. See the help topic [Managing Time Tracking](#).



Note: If you use the Projects feature and you want to track customer time, disable the **Show Projects Only for Time and Expense Entry** preference. Go to Setup > Accounting > Accounting Preferences, then click the **Time & Expenses** subtab. When this preference is enabled, time can be tracked only for cases associated with a project record.

To track time for cases:

1. Go to Cases > Customer Service > Cases.
2. Click **View** next to the case you want to track time for.
3. On the case record, click the **Time Tracking** subtab.



Note: If a case, task, or event record has more than 9500 time entries on the **Time Tracking** subtab, you'll see a static list of time entries. You can't edit them directly from the list.

4. Click **New Time**.
5. Your name appears in the **Employee** field. Depending on your role access, you can select another employee if you're entering time for someone else.
6. Enter information for this time transaction.
For more information about entering time for Time Tracking, see the help topic [Entering a Time Transaction](#).
For more information about entering time for Timesheets, see the help topic [Timesheets](#).
7. Repeat the steps above to track time for more employees or items for this case.
8. When you have finished, click **Save**.

If you track time for cases and want to bill your customers, see the help topic [Billing Time to Customers](#).

All employee names appear on the **Time** subtab by default.

Administrators can control which names show for certain roles in this list. Go to Setup > Users/Roles > User Management > Manage Roles.

Responding to Customer Cases

When a case is created and assigned, you'll want to respond to the customer as quickly as possible.

If you handle the support case by phone, you can take notes in the **Reply** field to document your advice to the customer. Then, set the status to **Closed**, and save the case. To email the customer information from the case, enter it in the **Reply** field of the case record and check the **Send to Customer** box.

Note: Communication sent from the **Reply** field uses the email address set in the **Profile**. This email address is intended to be used across all standard case communication to increase consistency of communication. To send an email using the email address of the person replying to the case, click **Email** in the **Messages** subtab. Then, select the required address from the **Message** subtab.

Cases created by customers through an online case form or external case record can be answered by entering a message in the **Reply** field. Check the **Send to Customer** box to email your response when the case is saved.

For example, Lina from Lina's Dance Studio clicks Contact Support on Wolfe Electronics' website to submit a case about her new Creativo computer. As soon as she submits it, a case record is created in Wolfe Electronics with her message. When Tom Taylor, a support rep, grabs the case, he reads her question, investigates, and replies to her by email using the case record. When he clicks Save, his message is emailed to Lina, and the case is closed.

To reply to a customer support case:

1. Go to Cases > Customer Service > Cases.
2. To reply to a case, click **Grab** next to the name of the case you want to answer.
The case is automatically assigned to you, and you can make changes to the case record.
You can't grab a case that's already been assigned to someone else.
3. In the **Email(s)** field, you can add any extra email addresses, separated by commas or semicolons.
If you email the response, it is sent to all addresses in this field.
4. In the **Status** field, select the status of this case.
If you are working on the case, select **In Progress**.
If you are replying with a solution, select **Closed**.
5. If the case's **Priority** has changed, select a new priority.
6. To copy other employees, select their names in the **Copy Employees** field.
Email is sent when you save the case record.
7. On the **Communication** subtab, enter any new messages received from a customer in the **Message** field.
Your name appears as the author of this message.
The last message from a customer appears in the **Message** field. If you change the company or customer on this case, the last message remains from the previous company or customer.
8. In the **Reply** field, enter your solution for the case.
This solution is logged on both the case and customer records.

Note: To copy other recipients or add attachments to your message, email your message by clicking the **Email** button on the **Messages** subtab.

9. To email your reply to the addresses in the **Email(s)** field, check the **Send to Customer** box.
10. If you don't want the customer to see your reply, check the **Internal Only** box.

If you check this box, the message is sent only to employees in the **Copy Employees** field. The customer is not emailed copies of your message, and only employees can see your comments in the **Reply** field.

You can also mark previous case messages as Internal Only. On the **Messages** subtab under the **Communication** subtab, click the link in the **Internal Only** column to toggle this setting for any case message.

11. To associate tasks, calls, or events with this case, click the **Activities** subtab on the **Communication** subtab.

For more information, see the help topic [Attaching Events, Tasks, and Calls to Records and Transactions](#).

12. If you use the Knowledge Base feature and want to attach a solution to this case, select it in the **Insert Solution** field, or click **Search** to find the one you want to attach. You can also click **New Solution** to create a new solution to add.

The text of the attached solution appears below the text in the **Reply** field and is emailed with the reply.

For more information, see [Attaching Knowledge Base Solutions to Cases](#).

13. If you use Time Tracking for CRM, see [Tracking Time on Cases](#) for steps on filling out the information about the **Time Tracking** subtab.
14. On the **Communications** subtab, click the **Files** subtab to attach files from the File Cabinet. Click **New File** to add an external file.
15. If you use the Issue Management feature, click the **Issues** subtab to create or attach an issue for this case. For more information, see [Linking Issues with Cases](#).
16. To escalate a case to another employee, partner, or vendor, click the **Escalate** subtab. For more information, see [Escalating Cases](#).
17. Click **Save**.

Your response is added to the **Messages** subtab on the case record. If you checked the **Send to Customer** box, the case details are emailed to the customer with your latest message at the top. Any prior information appears at the end of the message in **Message History**.

 **Note:** When employees creating or updating case records appear in the **Company** field, the notification email doesn't show new information from the **Reply** field. This information is tracked on the **Messages** subtab of the case record.

Most field changes are automatically logged on the **Notes** subtab, except for changes to **Case Number**, **Date**, **Time**, **Phone**, and **Escalation Message** fields.

Tracking this information helps your employees know what kinds of questions, concerns, and problems your customers have.

For information about customizing templates for NetSuite generated email, see the help topic [Customizing Templates for System-Automated Email](#).

Forwarding and Replying to Existing Case Messages

Existing messages appear in the Messages section of the **Communication** subtab on the case record.

You can forward a message from a case record to another recipient. The text and heading of the original message are added below your message. When you forward the message, it isn't saved in NetSuite and it isn't recorded in the case record. Forwarded messages don't have a reply to address.

To reply to existing case messages:

1. Click **View** for a message to open it in a new window.
In this message you can manage recipients, read receipts and view attachments.
2. At the top of the form, you can **Reply**, **Reply to All**, or **Forward** a message.
3. Click the **Recipients** subtab to add recipients to the email.
You can also add blind carbon copy (BCC) recipients to email sent from a support case record.
 - a. Enter an email address in the **Email** column.
 - b. Check the box in the **BCC** column.
 - c. Click **Add** or **OK**.
Replies from **BCC** recipients are marked **Internal Only**.
4. Click the **Message** subtab to read the existing message.
You can reply to a message on a case record. Your reply is recorded in the message history on the case record.
5. Click the **Attachments** subtab to add attachments to the email.
6. When you're ready to send your email, click **Merge & Send**.

Selecting the From Address for Email Sent From Support Cases

You can send email from a support case to someone other than the customer the case was created for.

To send email to an address other than the customer's:

1. Click the **Communications** subtab on the case record.
2. On the **Messages** subtab, click **Email**.
The Email Message popup window appears.
3. Click the **Message** subtab.
4. For **Sender Address**, choose either the email address on the case profile for this support case, or your login email address.
5. Make the necessary changes and send the message.

Viewing HTML Attachments of Email Case Messages

HTML attachments of inbound emails render as plain text files to ensure they are secure and don't harm your NetSuite account data. To view the attachment in a readable format, you must download the file first.

To view the HTML file attachment:

1. Click the **Communications** subtab on the case record.
2. Click the **Messages** subtab.
3. Click **View** next to the email message, and then click the **Attachments** subtab.
4. Click **Download** next to the HTML file that is rendered as plain text, and save it to your computer.
5. Find the file on your computer. It opens as an HTML document.

Customer Responses to Cases

Customers first submit cases online or by contacting your customer support team. When support reps answer customers by sending emails, customers may reply with more information or further questions.

Customers can use the following methods for replying to your customer support team:

- Calling your customer support team with the case number.
The support rep can then open the case record and add the customer's comments.
- If you use the Capture Email Replies feature, customers can reply to the automatic email, or the support rep's response email.
This reply is added to the case record.
- Logging in to the Customer Center, and then using the cases list to add a message to the case record.

You can manage how customer support reps are notified of cases and changes to an individual case. Go to Setup > Support > Preferences > Support Preferences page. For more information, see [Setting Customer Service Preferences](#).

When customers respond to your case messages using the Capture Email Replies feature, they can include attachments. You can open those attachments from the **Messages** subtab on the case record.

If you set the **Messages Reopen Closed Cases** preference, customers can edit the case or reply to a case email message. The original case status changes from **Closed** to **Re-Opened** and has a response status of **Awaiting Support Reply**.

Customers can confirm that you answered their questions, and then click save and close the case. This documents that the customer is satisfied and closes the case if it was not already closed by the support rep.

Note: When the customer saves this form, they are transferred to the website entered at Setup > Company Information.

If the customer replies with further questions or clarification, the status changes **Re-Opened**. You can do the following:

- Answer the customer again.
- Escalate the case if you are unsure how to answer the customer's additional questions.

Apply Spam Lock to Incoming Email Messages

On the case record, you can apply spam lock to incoming emails using the case's reply to address.

The screenshot displays two identical sections of the NetSuite Case record interface. Each section shows the case title '7 Order Status Bobby Plant' and a toolbar with buttons: 'Edit', 'Back', 'Merge', 'Enable Spam Lock' (highlighted with a red box), a printer icon, a document icon, and 'Actions'. The second section shows the 'Disable Spam Lock' button (also highlighted with a red box) instead of the 'Enable Spam Lock' button.

When you apply spam lock to a support case, incoming messages are only accepted if they're sent from one of these valid email address types in NetSuite:

- all Employee email addresses
- contact email address of the person who submitted case
- email address of the company the case relates to
- email address of the case profile assigned to the case
- specific email addresses added to the case record

Replies sent from unrecognized sources are discarded. The option applies to individual cases. Any user who can edit case records, can click the **Enable Spam Lock** button on an existing case record to set this option. Spam lock is turned off by default.

 **Important:** If an email isn't sent from one of the valid email address types, the case is not updated. This also applies to SuiteScripts that depend on case updates. For scriptable record types, see the help topic [Support](#).

Close Cases

When you reply to a customer with a definitive answer, you can change the case status to **Closed** by selecting Close in the Status field on the case record.

Closed cases are saved in your cases list, but by default, the list filters them out. You can view closed cases, but they're not visible with the open cases.

If a customer replies to the email message sent from the case, the case is re-opened, and is assigned to the last support rep who replied.

If the customer clicks Contact Support or an online case form link again, a new case is created, and the case workflow begins again.

If you use the Issue Management feature, cases can close automatically when all related issues are closed. For more information, see [Setting Issue Management Preferences](#).

Merging Cases

In NetSuite, you can merge two support case records into one to reduce duplicates. Any data from the duplicate case that aren't already in the primary record are transferred to the primary record.

 **Note:** When you merge two case records from two different customers, you're confirming that the records are the same. Both customers are granted access to the Merge To case through an external URL.

To merge support cases, your user role must have both the **Cases** and **Duplicate Case Management** permissions with their levels set to **Full**.

To perform the mass merge update:

1. Go to Lists > Support > Cases.
2. Select a case you want to merge and click either **View** or **Edit**.
3. On the case record, click **Merge**.

4. Define whether you want to consider cases from the same customer only, or open cases only.
5. Select the support case that you want to merge your duplicate case with, and then click **Merge** or **Cancel** to stop the merging process.

Case 10 Missing parcel Aghnes Myers

Days Open: 3

Primary Information

Number: 10	Assigned To: Support group	Status: Not Started
Subject: Missing parcel	Contact:	Priority: Medium
Profile: Administrator Account	Email(s): support@amyers.com	Date Closed:
Company: Aghnes Myers	Phone: 800 111 222 333	Date Last Reopened:

Incident Information

Merge Case

Merge From: 10 Missing parcel

Merge Into *: 11 Order Request

☐ Cases from the same customer only

☒ Open cases only

Note: If the duplicate cases don't contain any data that you want to keep, see [Deleting Cases](#).

Deleting Cases

In NetSuite, you can delete an unlimited number of support case records. If you're using other role than Administrator, you can only delete cases you're the organizer or owner of.

To perform the mass delete update:

1. Go to Lists > Mass Update > Mass Updates.
2. Click **Customer Support and Service**, and then click **Delete Cases**.
3. On the **Criteria** subtab, define which cases you want to delete.
4. Click **Preview**.
5. In the Delete Cases Preview Results list, clear the box in the **Apply** column for each case you don't want to delete.
6. Click **Perform Delete**, or **Return To Criteria** if you want different search results.

Note: If you want to keep data from duplicate cases, consider merging them with the original case record. See [Merging Cases](#).

Issue Management

The Issue Management feature lets you set up NetSuite to document and manage issues that occur with the products you manufacture and sell. Customer support reps and quality assurance employees primarily enter issues. However, you can control which roles have access to issues and what settings those roles have access to.

Before employees can start tracking issues, a user with the Administrator role must assign roles with issue permissions to employees. When roles are assigned, the Administrator or Issue Administrator role can start setting up Issue Management. They can create issue types, issue statuses, issue tags, and product records and also set preferences for Issue Management.

This chapter is designed for employees with the Issue Administrator or QA Manager roles. However, all of the following roles may find this chapter useful for understanding how issue management works.

Role	Access
Issue Administrator	This role can set up all aspects of the Issue Management feature other than customizing and assigning user roles.
Engineering Manager	This role can edit or create issue records and has full permissions to issue reports.
Engineer	This role can edit or create issue records and can customize/edit issue reports.
PM Manager	This role can edit or create issue records and customize/edit issue reports.
Product Manager	This role can edit or create issue records and has full permissions to issue reports.
QA Manager	This role can set up all aspects of the Issue Management feature, edit or create issue records and customize issue reports.
QA Engineer	This role can edit issue or create records and can customize/edit issue reports.
Support Manager	This role can edit or create issue records.
Support Person	This role can edit or create issue records.



Note: The Issue Management feature lets you use NetSuite to set up the issue management process for your business. If you would like to raise an issue about NetSuite, see the help topic [NetSuite Support](#).

Issue Management Overview

The Issue Management feature expands your customer support capabilities and lets you follow up more accurately with customers who report problems.

This feature includes the following:

- **Issue records** – Track product defects and enhancement requests using issue records. Link support cases to issue records so support reps can follow up with customers and customers can view appropriate issue information.
- **New Standard Roles** – Roles for employees who deal primarily with issue resolution. These roles include Engineering Manager, Engineer, QA Manager, QA Engineer, Issue Administrator, Product Manager and PM Manager.

- **New group types** – Create a new employee group. Designate the group as a Product Team or Functional Team or assign an issue role to the group, making it an issue queue.
- **Issue Management preferences** – Set preferences for using the feature.
- **Status Transition table** – Set how issues can change statuses and who can make each change.
- **Products, Module, Versions & Builds** – Track product names separately from item records. You can then link an issue to a product or a specific module of a product. Versions and builds can also be tracked with issues to help find the problem.
- **Statuses** – Set up both internal and customer-facing issue statuses to define the steps of the resolution process. Certain statuses automate other parts of issue management, such as relationship management for issues.
- **Issue Roles** – The new standard roles are each tied to an issue role type. The type defines what employees with that type of role can do with issues, along with role-specific default values. You can change the settings for the default role types or add new types for custom roles.
- **Automatic Email Notifications** – You can get an email notification when issues reach a certain status. Go to Home > Set Preferences. On the General subtab, under the Messages section, set the Default Issue Email Notification field. You can customize these notifications for your company. For more information, see [Customizing Issue Notification Email](#).
- **Issue Tags** – Create search keywords that can be selected on issue records. This allows you to search for issues internally.
- **Other issue lists** – You can also create additional statuses, types, and sources for issues as well as severity and priority levels.

Issue Management Setup Checklist

Use the following checklist to help you set up the Issue Management feature:

#	Task
1	Setting Issue Management Preferences
2	Setting Up Issue Severities
3	Setting Up Issue Priorities
4	Setting Up Issue Types
5	Setting Up Issue Sources
6	Setting Up Issue Reproducibility
7	Working with Products and Modules
8	Creating Issue Role Types
9	Customizing Issue Notification Email
10	Creating Employee Groups for Issues
11	Setting Up Issue Tags
12	Setting Up Issue Statuses
13	Creating an Issue External Status

#	Task
14	Managing Issue Status Transitions

Getting Started With Issue Management

Using the Support Management feature lets you improve your customer support by enabling and setting up the Issue Management feature.

To set up this feature, a user with the Issue Administrator role must customize issue record selections and set up your company's issue resolution workflow.

Enabling the feature and giving employees access to issues require the account Administrator role.

To get started with Issue Management:

1. Enable the feature at Setup > Company > Setup Tasks > Enable Features.
2. Click the **CRM** subtab, and then under the Support section, check the **Issue Management** box.

 **Note:** This requires the Administrator role.

3. Set issue management preferences at Setup > Issues > Preferences > Issue Preferences. For more information, see [Setting Issue Management Preferences](#).
4. Customize and add to the following lists:
 - [Setting Up Issue Severities](#)
 - [Setting Up Issue Priorities](#)
 - [Setting Up Issue Types](#)
 - [Setting Up Issue Sources](#)
 - [Setting Up Issue Reproducibility](#)

If you're not sure how to customize these lists yet, you can edit them later after using the feature with the default lists.

5. Set up product records with modules, versions, and builds at Issues > Setup > Products. For more information, see [Working with Products and Modules](#).
6. Create or edit the issue role types that define how employees with different responsibilities handle issues and the default settings for issue records. For more information, see [Creating Issue Role Types](#).
7. Give employees access to issue records in one of two ways:
 - Assign the issue role types to roles already used by the employees at Setup > Users/Roles > User Management > Manage Roles.
 - Assign the issue user roles to employees on employee records at Lists > Employees > Employees.

 **Note:** This requires the Administrator role.

8. Create employee groups from lists at Issues > Relationships > Groups > New. Set up groups of people for the following purposes:
 - **Product Team groups** – Can be selected in the Product Team field on issues. Product teams decide who's responsible for resolving an issue. Team members get an email when an issue is first entered so everyone is aware of the problem.

- **Functional Team groups** – Can be emailed copies of the issue from the Communication subtab on issue records. You can check this box for all product team groups. Then create additional function team groups for any other teams you want to email.
- **Issue Role** – When you select a role that corresponds to the role of this group's members, this group can be assigned to issues.

For more information, see [Creating Employee Groups for Issues](#).

9. Customize the email notification your employees and customers receive when issues are created or updated. For more information, see [Customizing Issue Notification Email](#).
10. Create issue tags to set constant keywords for issues at Setup > Support > Issues > Issue Tags. For more information, see [Setting Up Issue Tags](#).
11. Create and edit issue statuses at Setup > Issues > Setup Tasks > Issue Statuses. For more information, see [Setting Up Issue Statuses](#).
12. Create and edit external issue statuses at Setup > Issues > Setup Tasks > Issue External Statuses. Customers can see these statuses in the Customer Center when you allow access. For more information, see [Creating an Issue External Status](#).
13. To set how issues move through the resolution process. [Creating an Issue External Status](#)
14. Go to Issues > Setup > Manage Status Transitions. For more information, see [Managing Issue Status Transitions](#).
15. For example, you don't want an issue that's been set to In Progress to be changed back to Submitted. In the In Progress row, you check the boxes in every column except the **Submitted** column.

If you edit or create issue statuses after setting this page, you must return to this page to reset the status workflow.

16. Set your individual preferences for issue email notification at Home > Set Preferences. On the **General** subtab, set the **Default Issue Email Notification** and **Notify Me Upon Issue Assignment** fields.

Setting Issue Management Preferences

You can set general preferences for the Issue Management feature on the Issue Preferences page. You can allow multiple versions and builds to be selected on issues. You can also set cases linked to an issue to automatically close when the issue is closed.

To set preferences for the Issue Management feature:

1. Go to Issues > Setup > Preferences > Issue Preferences.
2. Check **Use Last Assignee** to automatically assign an issue to the last employee assigned the issue for the role type associated with the status.

For example, an Engineer sets the status to Fixed, sending the issue to QA for completion. The QA Engineer finds that the issue still needs work and sets the status back to In Progress. When the status is set to In Progress, it's automatically assigned to the Engineer who was last assigned to the issue.
3. Check **Use Multiple Versions and Builds** to add a **Versions** subtab to issue records. This lets you set an issue as broken in, targeted for, or fixed in more than one version and build.

For example, a company that produces software finds that the same issue is present in both their Version 5 and Version 6 products.
4. Check **Automatically Close Linked Cases** to set a case's status to **Closed** when all attached issues are set to a base status of **Closed**.

Note: A case must be in a status that allows automatic closure to close with closed issues. To mark a case status as one that can automatically close, edit the case status. Go to Setup > Support > Setup Tasks > Case Statuses > New. Check **Auto Close With Issues**.

You can have an email notification sent to customers when cases are closed automatically after their associated issues are closed. Go to Setup > Support > Preferences > Support Preferences. Under Notification, check **Notify Customer Upon Automatic Closure**.

5. In the **Send Customer Notification When** field, select default criteria for when customers that have cases associated with an issue should be notified by email.

For example, issue 503 is attached to a case submitted by customer Mary Smith. Selecting Status Changes sends email to the email address on the case record every time issue 503 changes status. Customers can change the notification criteria or choose not to be notified using preferences in the Customer Center.
6. Check **Allow Customer Override** if you want customers to be able to change their issue notification email settings in the Customer Center.
7. In the **Customer Template** field, select the template you want to use to notify customers of changes to an issue.
8. In the **Employee Template** field, select the template you want to use to notify employees of changes to an issue.

You can customize these templates at Setup > Issues > Issue Preferences. For more information, see [Customizing Issue Notification Email](#).
9. Click **Save**.

Setting Up Issue Statuses

Issue statuses define where an issue is in the resolution process. Each status must be associated with a base status of Open, Closed, On Hold or Resolved. Base statuses are used for reporting and search purposes and cannot be edited.

Each status must also be associated with an issue role type. Employees who have roles with this issue role type can be assigned to issues with that status.

When you create a new issue, the statuses you've set up are available from the Issue Status list on the issue record.

To set up issue statuses:

1. Go to Issues > Setup > Issue Statuses.
2. Click below the last row of data to select a clean line.
3. In the **Name** column, enter a name for the issue status.
You select this name in the **Status** field on issue records.
4. In the **Base Status** column, select one of the following as a base status for this status:
5. In the **External Status** column, select the external status that's displayed for issues with this status when customers view issues in the Customer Center.
For more information about external statuses, see [Creating an Issue External Status](#).
6. In the **Assigned To** column, select the issue role type that can be assigned issues with this status.
For more information about issue role types, see [Creating Issue Role Types](#).

7. Check the **Duplicate** box if an issue with this status is concerning the same problem addressed in another issue. When you provide the issue number for the original issue, cases linked to the duplicate are copied over to the original.
8. Check the **Fixed** box if issues with this status have been fixed or resolved.
9. Check the **Trackable** box to allow email notifications to be sent when an issue is set to this status. This allows the status to be selected in the Email Me When field on the **Communications** subtab of issue records.
10. Check the **Broken In Mandatory** box if issues with this status must have a broken in version and build selected to be submitted.
11. Check the **Target Mandatory** box if issues with this status must have a target version and build selected to be submitted.
12. Check the **Fixed In Mandatory** box if issues with this status must have a fixed in version and build selected to be submitted.
13. Enter a description of this status.
14. Click **Add**.
15. Click **Save**.

You can rearrange issue statuses. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order in the **Status** field on issue records.

To edit an issue status, click the name of the status to select the line. Edit the text and selections for that status, and click **Done**.

To inactivate an issue status, check the **Show Inactives** box, and click the name of the status. Check the box in the **Inactive** column, and click **Done**.

Creating an Issue External Status

Issue external statuses define the stages of an issue's progression the way you want customers to see them. Customers can view issue records associated with cases they submitted in the Customer Center.

Each external status is linked to a base external status. Customers can choose to get an email notification when an issue's base status changes.

External statuses must be linked to an internal status to display to customers. When an issue's status changes internally, the linked external status is what customers see.

To create a new external status:

1. Go to Issues > Setup > Issue External Statuses.
2. In the bottom line of the list, in the **Name** column, enter a name for your new external status. This name will show up for customers in the Customer Center when you select the corresponding internal status on an issue record.
You can link internal statuses with external ones at Issues > Setup > Issue Statuses.
3. In the **Base Status** column, select the base status that should be associated with this external status. External statuses can only be associated with internal statuses that share the same base status.
4. In the **Description** column, enter a brief definition of issues in this status.
5. Click **Add**.
6. Click **Save**.

You can rearrange external issue statuses. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order in the **Status** field on issue records.

To edit an issue status, click the name of the status to select the line. Edit the text and selections for that status, and click **Done**.

To inactivate an issue status, check the **Show Inactives** box, and click the name of the status. Check the box in the **Inactive** column, and click **Done**.

Setting Up Issue Severities

Use the Issue Severities list to manage what options appear on the Severity field on issue records. Assigning a severity to an issue lets the assignee know how big the problem is and helps determine its priority. You can customize severity levels. Most organizations use a 1–5 scale, with 1 as the highest priority issue and 5 as the lowest.

To set up issue severities:

1. Go to Issues > Setup > Issue Severities.
2. On the **Issue Severities** list, click the last row if it's not already selected. This row should be blank.
3. In the **Name** column, enter a descriptive name for the severity level you want to add.
This name will be available to select in the **Severity** field on issue records.
4. In the **Description** column, enter a brief description of what types of issues fit this severity level.
5. Click **Add**.
6. Click **Save**.

To edit an existing issue severity, click its name to make it editable. Change the name or description, and click **Done**. To delete a severity, click its name, and click **Remove**.

You can rearrange issue severities to change how they appear in the **Severity** field on issue records. Click the name of a severity. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order.

Setting Up Issue Priorities

Use the Issue Priorities list to create new choices for the Priority field on issue records. Assigning a priority to an issue lets the assignee know when it should be addressed compared to other issues.

To set up issue priorities:

1. Go to Issues > Setup > Issue Priorities.
2. On the **Issue Priorities** list, click the last row if it's not already selected. This row should be blank.
3. In the **Name** column, enter a name for the priority level you want to add. For example, to add to the list of default priorities, you can continue numbering P6, P7, P8, and so on.
This name will be available to select in the **Priority** field on issue records.
4. In the **Description** column, enter a brief description of what types of issues fit this priority level.
5. Click **Add**.
6. Click **Save**.

To edit an existing issue priority, click its name to make it editable. Change the name or description, and click **Done**. To delete a priority, click its name, and click **Remove**.

For example, if you want to use Low, Middle, and High, first remove the default priorities P4 and P5. Then, click P1, rename to High, and click **Done**. Do the same for P2 and P3 to rename them to Middle and Low.

You can rearrange issue priorities to change how they appear in the **Priority** field on issue records. Click the name of a priority. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order.

Setting Up Issue Types

Issue types define the type of change needed for an issue. For example, the default issue type Problem can be assigned to issues that involve restoring functionality to a product. The default issue type Enhancement can be assigned to issues that request new functionality to existing products or request new products.

You can create new issue types so they're available for selection in the Type field on issue records. For example, you can create a new issue type called Customer Specific for issues that are specific to one customer.

When you define status transitions, you can create a set of transition rules for each issue role by issue type. Go to Issues > Setup > Manage Status Transitions. If you're not using a default issue type, remove it from the list to avoid confusion during status transitions.

To set up issue types:

1. Go to Issues > Setup > Issue Types.
2. On the **Issue Types** list, click the last row if it's not already selected. This row should be blank.
3. In the **Name** column, enter a name for the type you want to add.
This name will be available to select in the **Type** field on issue records.
4. In the **Description** column, enter a brief description of issues that fit into this type.
5. Click **Add**.
6. Click **Save**.

To edit an existing issue type, click its name to make it editable. Change the name or description, and click **Done**. To delete a type, click its name, and click **Remove**.

You can rearrange issue types to change how they appear in the **Type** field on issue records. Click the name of a type. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order.

Setting Up Issue Sources

Use the Issue Sources list to create new choices for the Source field on issue records. Selecting the source of an issue lets assignees know who's affected and helps you search and report on how issues are reported.

To set up issue sources:

1. Go to Issues > Setup > Issue Sources.
2. On the **Issue Sources** list, click the last row if it's not already selected. This row should be blank.
3. In the **Name** column, enter a name for the source you want to add.
This name will be available to select in the **Source** field on issue records.

4. In the **Description** column, enter a brief description of what types of issues are created with this source.
5. Click **Add**.
6. Click **Save**.

To edit an existing issue source, click its name to make it editable. Change the name or description, and click **Done**. To delete a source, click its name, and click **Remove**.

You can rearrange issue sources to change how they appear in the **Source** field on issue records. Click the name of a source. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order.

Setting Up Issue Reproducibility

Use the Issue Reproducibility list to create new choices for the Reproduced field on issue records. Issue Reproducibility lets people working on the issue know where they can reproduce it and helps them diagnose the problem.

To set up issue reproducibility:

1. Go to Issues > Setup > Issue Reproducibility.
2. On the **Issue Reproducibility** list, click the last row if it's not already selected. This row should be blank.
3. In the **Name** column, enter a name for the reproducibility selection you want to add. For example, you may want to add a browser name where the issue can be reproduced.
This name will be available to select in the Reproduced field on issue records.
4. In the **Description** column, enter a brief description of what types of issues are reproduced in this manner. You can also enter how to reproduce issues in this manner.
5. Click **Add**.
6. Click **Save**.

To edit an existing issue reproducibility type, click its name to make it editable. Change the name or description, and click **Done**. To delete a reproducibility type, click its name, and click **Remove**.

You can rearrange issue reproducibility types to change how they appear in the **Reproduced** field on issue records. Click the name of a reproducibility type. Use the **Move Up**, **Move Down**, and **Move to Top** buttons to set their order.

Setting Up Issue Tags

Issue tags let you add consistent keywords to issue records so employees can search and classify issues by tags.

For example, an electronics company creates the following tags: audio clarity, CD skipping, and video clarity. A support rep receives a case on poor CD quality with skipping. The rep enters an issue record and selects CD skipping and audio clarity as tags. Later, another employee needs to search issues for audio problems. They can search by the audio clarity tag for more accurate results than searching by keywords.

To setup or edit issue tags, ensure you have access to a role which has the Issue Setup permission. For information about adding permissions to a role, see the help topic [Setting Permissions](#).

To set up issue tags:

1. Go to Issues > Setup > Issue Tags > New..
2. In the **Issue Tag** field, enter the name of this tag, or keyword.
3. In the **Product Team** field, select the team associated with this tag.
This team appears in the **Product Team** field on issue records when this tag is selected, unless you've already selected another product team.
4. Click **Save**.

To edit issue tags, go to Issues > Setup > Issue Tags. Click **Edit** next to the tag you want to change.

Working with Products and Modules

Products on issue records help determine which product team should handle issue resolution. To further define what part of a product is affected, you can assign a module to it. Modules are sub-sets of a product. For example, issues affecting smart phones can be narrowed down by specifying the screen digitizer.

To create products and modules:

1. Go to Issues > Setup > Products > New.
2. In the **Product** field, enter a name for this product.
3. In the **Description** field, enter a brief description for the product issue.
4. To add a module to this product, enter a name for the module in the **Module** column.
5. In the **Description** column, enter a description for the module.
6. Click **Add**.
7. Repeat steps 4 to 6 to add more modules.
8. Click **Save**.

Setting Up Product Versions

If you track multiple versions of the same product, you can create versions and builds using the product record. A Versions subtab is available on product records that have been created and saved.

To set up versions for a product:

1. Go to Issues > Setup > Products.
2. Click **Edit** next to the product you want to create versions for.
3. On the product record, click the **Versions** subtab.
4. Click **New**.
A product version record opens in a new window.
5. In the Product Version window, enter a name for this new version.
For example, if this is version 5 of a software product, you would enter 5.0.
6. Enter a brief description that defines this version.
7. If this version hasn't been released yet, enter the expected availability date in the **Expected Release Date** field.
8. Check the **Allow Broken In** box so this version can be selected in the **Broken In** field on issue records.

9. Check the **Allow Target** box so this version can be selected in the **Target** field on issue records.
10. Check the **Allow Fixed In** box so this version can be selected in the **Fixed In** field on issue records.

 **Note:** Administrators still see all versions in the corresponding lists on issue records. Others only see versions listed in the lists they are marked to appear in.

11. Check the **E-fix** box if this version is a patch or emergency release.
12. To display the product version in the Product Versions portlet, use the following instructions:
 - a. On the **Issues** tab in the Support Center, check the **Show in Portlet** box.
 - b. Enter a version description.
13. In the **External Name** field, enter the name of this version you want customers to see in the Customer Center.
14. If you track builds for versions, enter a build name in the **Build** column.
15. In the **Build Date** column, enter the date for this build.
16. Check the **Allow Broken In**, **Allow Target**, and **Allow Fixed In** boxes so the build can be selected in these fields on issue records.
17. In the **Description** column, enter a brief description for the build.
18. Click **Add**.
19. Repeat these steps for each build in this version.
20. Click **Save**.

Associating Products and Items

Products are tracked separately from item records, but you can associate product records with item records for reference purposes. You can associate a product with multiple items, but an item can only be associated with a single product.

To associate items with a product:

1. Go to Issues > Setup > Products.
2. Click **Edit** next to the product you want to attach items to.
3. On the **Items** subtab, select an item to associate with the product.
4. Click **Attach**.
This automatically selects the product on that item's record.
5. Repeat these steps for each item you want to associate with this product.
6. Click **Save**.

To remove an item from a product record, click Remove next to the item's name on the Items subtab of the product record. Removing an item from a product record removes the product from the Product field on the item record.

 **Note:** Users with the Issue Administrator role can't select products on items. This requires the account Administrator role.

To associate a product with an item:

1. Go to Lists > Accounting > Items.

2. Click **Edit** next to the item you want to associate with a product.
3. In the **Product Name** field, select the product you want to associate with this item.
This automatically adds the item to the Items subtab of the product record.
4. Click **Save**.

Creating Issue Role Types

You can create issue role types to set defaults for groups or employees who use issue records regularly. An issue role type defines what settings an employee can place on an issue record. For example, whether they can mark issues as Fixed or be selected in the Reviewer field.

When you create a new issue role type, user with the Administrator role must associate the issue role with a user role. They can do this at Setup > User/Roles > User Management > Manage Roles.

The following default user roles are already associated with issue role types:

- Engineer
- Engineering Manager
- QA Engineer
- QA Manager
- Product Manager
- PM Manager
- Support Person
- Support Manager
- Issue Administrator

To give employees access to issues, you can choose to assign a default role to the employees on the employee record. You can also assign an issue role type to the employee's user role at Setup > Users/Roles > User Management > Manage Roles.

To edit or customize a role to give access to issue records, select the issue role with the access you need.

Issue Role Type (assigned on role)	User Role (assigned on employee record)	Issue Permissions of User Roles
Development	Engineer	Issue Reports
	Engineering Manager	Edit/Create Issue Records
		Mark Issues as Showstoppers
Quality Assurance	QA Engineer	Issue Reports
	QA Manager	Edit Issue Records
		Mark Issues as Showstoppers
Product Management	Product Manager	Issue Reports
	PM Manager	Edit/Create Issue Records
		Mark Issues as Showstoppers
Support	Support Person	Edit/Create Issue Records
	Support Manager	

Issue Role Type (assigned on role)	User Role (assigned on employee record)	Issue Permissions of User Roles
Administrator	Issue Administrator	Issue Reports Edit/Create Issue Records Mark Issues As Showstopper Issue Setup (statuses, issue roles, etc.)

You can issue role types to determine how each type of employee can edit issues using the Manage Status Transitions page. For more information, see [Managing Issue Status Transitions](#).

To create an issue role type:

1. Go to Setup > Issues > Issue Roles > New.
2. In the **Issue Role** field, select the name of this issue role type.
You can select this role in Issue Role fields when you create or edit user roles, employee groups, and status transitions. You'll also be able to select this role type in the **Assigned To** column when you create or edit issue statuses.
3. In the **Description** field, enter a brief description defining the purpose of this issue role.
4. Check the **Administrator** box if employees with this role type should have access the following pages used for setting up the Issue Management feature:
 - Set Up Issues
 - Issue Statuses
 - Issue External Statuses
 - Issue Severities
 - Issue Priorities
 - Issue Types
 - Issue Sources
 - Issue Reproducibility
 - Issue Tags
 - Products
 - Issue Roles
 - Manage Status Transitions
5. Check the **Reviewer** box if employees using this role type should be available for selection in the Reviewer field on issue records.
6. Check the **Can Fix Issues** box to let employees with this role to set issue statuses to a base status of Resolved.
7. Check the **Restrict Assignees** box to let only employees with this role type to assign issues to other employees with this role type.

 **Note:** To assign an issue to another role type, note the following: Employees using role types with this preference must change the status to an issue status linked to another role type.

8. In the following fields, you can set the default selections for this role type for the respective fields on issue records:

- **Severity** – Create and edit selections for this list at Issues > Setup > Issue Severities.
- **Priority** – Create and edit selections for this list at Issues > Setup > Issue Priorities.
- **Type** – Create and edit selections for this list at Issues > Setup > Issue Types.
- **Source** – Create and edit selections for this list at Issues > Setup > Issue Sources.
- **Reproduced** – Create and edit selections for this list at Issues > Setup > Issue Reproducibility.
- **Product** – Create and edit products at Issues > Setup > Products.
- **Module** – Create and edit modules for products at Issues > Setup > Products.
- **Broken In , Target, and Fixed In Version and Build** – Create and edit product versions. You do this on the **Versions** subtab of product records at Issues > Setup > Products.

9. Click **Save**.

Managing Issue Status Transitions

On the Manage Status Transitions page, you can set the workflow of issue statuses. For example, you can decide that when an issue is created, its status can only be either Submitted, In Progress, or On Hold. Or, you can decide that an issue in Released status can't be changed to any other status.

You can set up a status workflow for each issue role and issue type combination. For example, if you use four issue roles and two issue types, you can create up to eight unique status workflows.

Select the issue role and issue type before checking the boxes for which settings can be made on issue records.



Warning: If you've already submitted issues using the current status transition table, only make changes that ensure open issues can continue the resolution process. For example, if an issue is assigned to a QA Engineer in Fixed status, make sure that user role can either change the status to Closed, or reassign the issue.

The following should be completed before managing status transitions:

1. To set up issue types, see [Setting Up Issue Types](#).
2. To set up issue roles, see [Creating Issue Role Types](#).
3. To set up issue statuses, see [Setting Up Issue Statuses](#).



Note: Administrator issue role types can use any status transition, so they don't show up in the Issue Role field on this page.

To manage issue status transitions:

1. Go to Setup > Issues > Manage Status Transitions.
2. In the **Issue Role** field at the bottom of the page, select the role type you want to manage statuses for.
3. In the **Issue Type** field, select the type of issue you want to set transitions for when employees use the role type you selected.
4. Click the **Mark All** button to check all boxes.
5. In the -Start- row, clear the boxes for each status you don't want available when an issue is first created.

For example, you may want to clear any boxes in the status columns with a base status of **Closed**.

6. For each status in the **From** column, clear the boxes for any statuses that shouldn't be available for the next stage in issue resolution.

Each status row on the left side of the table represents the status an issue will be changing from. The status columns represent the possible statuses that an issue of that status can change to.

7. Click **Submit**.

You can return to this page anytime to edit your settings for each issue role and issue type.

Creating Employee Groups for Issues

You can create three types of employee groups for working with issues:

- **Product Team groups** – Can be selected in the Product Team field on issues. Product teams decide who's responsible for resolving an issue. Members of this team receive an email notification when an issue is first entered, so everyone knows about the problem.
- **Functional Team groups** – Can be emailed copies of the issue from the Communication subtab on issue records. You may want to check this box for all product team groups, then create additional function team groups for other teams you want to email.
- **Issue Role/Issue Queue groups** – Roles that correspond to the role of this group's members can assign this group to issues.

One group can be a product team, a functional team, and have an issue role if needed.

To create an employee group for issues:

1. Go to Lists > Relationships > Groups > New.
2. On the Create Group page, select **Static**.
3. Select **Employee** as the type of members you would like to include in the group.
4. Click **Continue**.
5. In the **Name** field, enter a name for this group.
6. Select the owner of this group. You are selected by default.
Only the group owner can add or remove members or delete the group.
7. In the **Email** field, enter an email alias for this group.

 **Note:** The group email address is used for non-issue notifications. For example, when composing an email you can use this address to cc the group. Issue notifications, however, are sent directly to each member's individual email address.

8. Check the **Product Team** box if this group handles issues for a particular product.
You can select product team groups on issue records and associate them with issue tags. If you select a tag associated with a product team on an issue record, the related product team will be selected automatically.
9. Check the **Functional Team** box to let this group be emailed from the **Communication** subtab on issue records. Email is sent from the address in the Email field on this group's record.
If this group is a product team or issue queue, this option sends them a copy of the issue record by email, when needed.

10. In the **Issue Role** field, select an issue role type to make this group an issue queue. Assigning an issue role lets the group be assigned to issues using the defaults and status transitions for that role type.

Employees with the **Restrict Assignees** issue role type can assign issues to issue queues when assigning issues outside of their role type.

For example, a support person with restricted assignees can assign a new customer-reported issue to a QA Investigation issue queue/group. A member of the QA Investigation group can then assign it to the appropriate person for further investigation.

11. On the **Members** subtab, do the following to add members to this group:
 - To add individual members, enter part of a member's name in the **Name** column, and press Tab. Select a member, and click Add. Repeat these steps for each member.
 - Click **Add Multiple**, and hold CTRL to select more than one member from the list.
 - Click **Add With Search** to enter search criteria for the members you want to add.

You can use more than one of these methods to add members to the same group. For example, select a few members individually, and then add all members that meet certain search criteria.

12. Click **Save**.

Customizing Issue Notification Email

You can customize the email sent to customers and employees when there are changes to issue records.

You can choose which issue notification templates to use at Setup > Issues > Preferences > Issue Preferences.

You can create custom templates at Setup > Company > Email > System Email Templates. Custom templates are scriptable, so you can add information from the issue record or a support case associated with the issue.

There are two standard templates available:

- Standard Issue Notification Email for Customers
- Standard Issue Notification Email for Employees

To customize a template:

1. Go to Setup > Company > Email > System Email Templates.
2. Click **New** to create a new template, or click **Edit** next to a template to make changes to an existing one.
3. On the **Templates** subtab, enter the subject of the email sent using this template.
4. To upload an HTML file to use as the template, select **File** and then select **New**.
NetSuite uploads your file to your File Cabinet.
5. To create the template using the rich text editor, select **Text Editor** and enter your text in the rich text field.
6. To insert a reference to a field in the email notification, select **Issue** or **Case** from the **Field Type** field, then choose the field you want to include from **Insert Field**.
7. Complete steps 4-6 for each language your company uses.

If you use NetSuite OneWorld, you can set up a template for each subsidiary. To do this, open the subsidiary record. On the **Preferences** subtab, click the **Issues** subtab, and select the customer and employee templates.

For more information about scriptable templates, see the help topic [Scriptable Templates](#).

Logging Issues



Tip: You can get writing help for text fields Abstract, New Details, External Abstract, and External Details from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

You can log issues at Issues > Issues > Issues > New. After you create an issue record, you can attach the issue to case records.

To create an issue record:

1. Go to Issues > Issues > Issues > New.
2. Under Primary Information:
 1. In the **Issue Type** field, select the type of problem or request that needs resolution.
 2. In the **Product Team** field, select the group that handles issues of this type.
 3. In the **Assigned To** field, select the person or group who needs to perform the next step in resolving this issue.

If your issue role type is set to restrict assignees, you can only assign issues to others with the same issue role type as yours. To assign an issue to another role, you must leave this field blank. Then, you must change the status to one that's linked to another issue role type. Administrators can change this setting at Setup > Issues > Issues Roles.
 4. In the **Issue Status** field, select the status of this issue. The status indicates what needs to be done next to resolve this issue.
 5. In the **Severity** field, choose the severity level that describes how much this issue is affecting product use.
 6. In the **Priority** field, select an issue priority from 1 to 5.
1 is the highest priority and 5 is the lowest.
 7. Check the **Showstopper** box if this issue is preventing the next product version.
 8. In the **Abstract** field, enter a brief description of the issue.

This abstract shows both internally and in the NetSuite Support Center unless you enter an external abstract on the **External** subtab.
 9. If this issue is related to another existing issue, click the **Related Records** subtab, and note the related issues. For more information, see [Working with Related Issues](#).
3. Under Problem Information:
 1. In the **Item** field, select the item this issue is about.
 2. In the **Product** field, select the name of the product this issue is about.
To create product records, go to Issues > Setup > Products > New.
 3. In the **Module** field, select the module type for the product. Modules are created and added on each product record.
 4. In the **Source** field, select how you were made aware of this issue.
 5. In the **Reproduced** field, select whether this issue has been reproduced and where.
 6. In the **Tags** field, select keywords associated with this issue.

Selecting tags makes it easier for others to find this issue when searching.

7. In the **Broken In Version** and **Build** field, select the product version and build experiencing the issue.
4. Click the **Details** subtab.
5. In the **New Details** field, enter a detailed description of the issue, where the problem is occurring, and steps to reproduce the issue.
6. Click **Save**, or click the **Communication** subtab to email other employees or set up a notification email.

To close an issue:

1. Go to Issues > Issues.
2. **Edit** the required issue.
3. In the **Issue Status** field, select the reason for closing the issue.
4. Click **Save**.

To email an issue:

1. On the issue record, click the **Communication** subtab.
2. Check the **I Own This Issue** box to be assigned this issue when it's sent back to the status for your issue role.

For example, an engineer enters a fix for an issue and then sets the status to **Fixed**. Then, the engineer assigns the issue to the QA issue queue. When a QA engineer tests the issue, they still experience the issue. The QA engineer then sets the status back to **In Progress**. Because this status is associated with the Development role type, the issue is automatically assigned back to the same engineer.

There can only be one owner per issue for each issue role type.

This preference isn't available unless the **Use Last Assignee** box is checked at Issues > Setup > Issue Preferences.

3. In the **Email Me When** field, select when you want to be emailed a current copy of this issue.
4. Check the **Email Assignee** box to send a copy of this issue to the person selected in the Assigned To field.
5. In the **Copy Employees** field, you can select employees to send copies of this issue.
6. In the **Email Functional Teams** field, select the employee groups you want to copy on this issue.
Emailing a group sends an email to the address saved on the group record, not to each member individually.
7. Click **Save**.

To enter an external abstract and details:

1. On the issue record, click the **External** subtab.
Information you add here is shown to customers when they view issues in the Customer Center.
2. In the **External Abstract** field, enter an abstract for this issue to show customers.
3. In the **External Details** field, enter details about the issue to show customers.
4. Click **Save**.

You can now attach this issue to cases on the **Issues** subtab of the case record.

Linking Issues with Cases

You can create or attach issue records on existing case records to associate issue resolution with case resolution. When you link issues with case records, support reps working with cases can track related issue progress and keep customers updated.

To link issues with a case record:

1. Go to Cases > Customer Service > Cases.
2. Click **Edit** next to the case you want to associate with an issue.
3. Click the **Related Records** subtab.
4. Choose one of the following to attach an issue:
 - Select the issue number in the **Issue** field, and click **Attach**.
 - Click **New Issue** to create an issue for this case in a new window. After you save the issue and return to the case record, click **Attach** to add the new issue record.
5. Click **Save**.

You can have a case close automatically when all attached issues are set to a base status of **Closed**. Go to Issues > Setup > Issue Preferences. Check the **Automatically Close Linked Cases** box. The case also closes when all linked issues are removed.

Cases can only close automatically if their status allows auto-closing with resolved issues. To set a status to allow auto-closure, edit the case status at Setup > Support > Setup Tasks > Case Statuses. Check the Auto Close With Issues box.

For example, Wolfe Electronics has a case titled Can't Access Download. It's linked to issue 421, where several customers purchased a download but couldn't reach it in the Customer Center. The case has a status of Waiting For Customer Response while support team verifies it matches the problem documented in issue 421. The Waiting For Customer Response status is not set to auto-close with issues.

While the case remains in this status, issue 421 is resolved and closed. The customer then responds and confirms that their problem matches what's described in issue 421. The case status now changes to Pending Issue Resolution, which is set to auto-close with issues. Because the only linked issue (421) is already closed, the case status automatically changes to Closed – Issue Resolved.

Working with Related Issues

In NetSuite, you can set up relationship types or links between issues. For example, if the relationship type is set to Blocks or Is blocked by, you can search for issues that block or are blocked by others. The relationship type is displayed on each issue in the relationship, showing also which issue influences which. The Related to type is different, as each issue can affect the other.

To define issue relationships:

1. Go to Lists > Support > Issues.
2. Click **Edit** next to the issue you want to define the relationship for.

3. On the **Related Records** subtab, click **Issues**. Choose the desired relationship and the issue number of the associated issue.
Optionally, you can write a comment about this relationship in the **Comment** field.
4. Click **Add**.
5. Click **Save**.

The following relationship types are available:

- **Blocks/Is blocked by** – This relationship shows which issue blocks another and the issue that's blocked by it.
- **Duplicate of/Duplicated by** – This relationship shows which issue is a duplicate and the issue that's duplicated by it.
- **Follow up for/Followed up by** – This relationship shows which issue follows up another issue and the issue that's followed up by it.
- **Injects/Injected by** – This relationship shows which issue causes another issue and the issue that's caused by it.
- **Is required for/Depends on** – This relationship shows which issue is required for another issue and the issue that depends on it.
- **Related to** – This relationship shows which issue is this one related to.

For information about how to link issues with cases, see [Linking Issues with Cases](#).

Filtering Issue Notifications Using Outlook Rules

Issue notification email messages have a text field in the header that tells you why you're receiving the notification. You can use this information to create filtering rules in Outlook, or similar email clients, to manage your inbox.

There are seven notification reasons, and one message header can contain one or more of them:


- **ASSIGNED_EMPLOYEE** – The issue was assigned directly to you (the Email assignee box was checked, or the assignee changed).
- **ASSIGNED_TEAM_MEMBER** – The issue was assigned to a group you're a member of (as above, but the assignee is a group, not an individual).
- **ASSIGNED_REVIEWER** – You've been assigned to review this issue.
- **ISSUE_WATCHER** – You're watching this issue and your Email me when criteria have been met.
- **COPIED_EMPLOYEE** – The author of the issue selected you in the Copy employees field.
- **EMAILED_TEAM_MEMBER** – The author of the issue selected a team you're a member of.
- **PRODUCT_TEAM_MEMBER** – You're a member of a product team that was assigned to the issue.

This type of notification is only sent when the product team changes, or when a new issue is filed.

The following procedure is aimed at users of Outlook, however, it's common to most email clients supporting rules creation.

To set up a rule in Outlook to filter issue notifications:

1. Right-click any message in your inbox, and select **Rules > Create Rule**.
2. Select **Advanced Options**.
3. Check the **with specific words in the message header** box.



4. Click the **specific words** link in the box titled Step 2: Edit the rule description (click an underlined value).
A Search Text window opens.
5. Copy the required notification reason from the list above, for example ASSIGNED_TEAM_MEMBER.
6. Paste the notification reason into the **Specify a word or phrase to search for in the message header:** field.
7. Click **Add**.
8. When you finish adding required notification reason(s) to the Search list, click **OK**.
9. Click **Next**.
10. Select what you want to do with the messages (for example, move them to a specified folder). Check the box and click **Next**.
11. Specify any exceptions to this rule. Check the boxes and click **Next**.
12. Specify the name for this rule and choose your desired **Setup rule options**.
13. Click **Finish**.

Knowledge Base

The Knowledge Base feature helps you organize and publish information specific to your business. You can create knowledge bases to organize FAQ or to publish information to your NetSuite account and website. NetSuite knowledge bases are flexible and let you organize solutions into multiple topics and subtopics for efficient indexing and access to information.

Building a knowledge base has many positive impacts on your business. It can reduce the number of customer service cases because customers can use the Customer Center to find answers to their issues. For information about how to set up a knowledge base, see [Setting Up a Knowledge Base](#).

Creating solutions for your knowledge base shortens the time your support reps spend answering cases. They can quickly find a solution, attach it to a case record, email it to the customer, and close the case.

Some common uses for knowledge bases are:

- answers to frequently asked questions
- a structured environment to quickly access solutions
- detailed troubleshooting procedures and tutorials
- articles and advice that help customers solve their issues quickly

For example, if several customers ask about sound quality of the speaker they purchased from you, your support reps can create solutions explaining it. These solutions can be published under a topic in a knowledge base. The main topic would be called **Speakers** with a subtopic of **Speaker Sound Quality**. Support staff would then create solutions and attach them to the relevant subtopic. When you publish a topic, all subtopics and solutions attached to these subtopics are also published.

Knowledge Base Setup Checklist

Use the checklist below to help you quickly set up your knowledge base.

#	Task
1	Creating Knowledge Base Topics
2	Creating Knowledge Base Solutions
3	Publishing a Knowledge Base

Administrators can complete each item on the checklist.

Support staff create topics and solutions, but cannot approve solutions.

Support Managers or Support Administrators approve solutions and publish content.

Setting Up a Knowledge Base

Knowledge bases let you organize and share information specific to your business, can increase the efficiency of your support reps, and improve communication in your company.

To enable the Knowledge Base feature:

1. Go to Setup > Company > Enable Features.
2. Click the **CRM** subtab.

3. Under Support, check the **Knowledge Base** box.

You must have the **Customer Relationship Management** feature enabled to use **Knowledge Base**.

4. Click **Save**.

Enabling **Knowledge Base** creates links to topics, solutions, and to knowledge base publishing on Lists > Support > Topics.

You can create a hierarchy of topics and subtopics to organize your knowledge base solutions. When you create a new topic, you can place it under a parent topic by selecting the parent topic in the **Subtopic Of** field.

Solutions are attached to topics and subtopics. When you publish a parent topic, the subtopics and solutions under that parent topic are also published.

You can change the order of subtopics when they're published. Go to Cases > Customer Service > Topics. Click **Edit** next to the topic you want to arrange. On the topic record, click the **Subtopics** tab. Use the **Move Up**, **Move Down**, **Move to Bottom** and **Move to Top** buttons to place the subtopics in the required order. You can order solutions the same way.

Knowledge bases are organized by topics and subtopics that contain solutions. You can create multiple knowledge bases for different groups of people you work with. For example, you can create a knowledge base for support reps to organize solutions for common case issues, and another one for HR department to post benefit forms or employee directories.

You can also create a single knowledge base and choose which topics and subtopics to share with each group.

Creating Knowledge Base Topics



Tip: You can get writing help for text fields Brief Description and Detailed Description from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).

Knowledge base solutions are organized by a hierarchy of topics and subtopics. When you publish a topic, you also publish its subtopics and the solutions attached to these subtopics.



Note: Administrators must assign the Knowledge Base permission to a user before they can create and publish a knowledge base article, setting the level to Full. For information about how to assign permissions, see the help topic [Using the Global Permissions Feature](#).

To create a topic:

1. Go to Cases > Customer Service > Topics > New.
2. In the **Title** field, enter a name for this topic. Solutions and subtopics can be organized under it. For example, if you're adding several solutions on fixing the speaker sound quality, create a topic titled **Speaker Sound Quality**.
This title shows in the **Topics** list, in a published knowledge base, and as a choice on the **Topics** subtab of solution records.
3. If this topic is a subtopic, select the parent topic in the **Subtopic Of** field.
4. In the **Brief Description** field, enter a description for this topic.
The brief description shows with the title on the Topics list and wherever this topic is published.

5. In the **Detailed Description** field, enter a longer, more specific description of this topic and its contents.

The detailed description shows when the topic title is clicked.

You can enter HTML and JavaScript in this field.

6. Click **Save**.

After you save the knowledge base topic, four subtabs are added to the topic record:

- **SubTopics** – create additional subtopics and reorder list.
- **Solutions** – attach solutions to the topic and reorder list.
- **Notes** – add notes related to the topic and view system notes.
- **Publish** – edit which knowledge base the topic belongs to and where it appears in the topic hierarchy.

For more information about publishing topics, see [Publishing a Knowledge Base](#).

When a topic is published, click the **Publish** subtab of the topic's record to see where it's published.

When you've created your topics and subtopics, you can add solutions to them. Enter new solutions at Lists > Support > Solutions > New. For more information about creating solutions, see [Creating Knowledge Base Solutions](#).

When needed, you can inactivate a topic. When a topic is inactivated:

- The topic's subtopics are inactivated.
- It no longer appears in the Topics list.
- You can't select the topic on Solution records.
- Its subtopics and solutions are removed from the tabs and categories they're published to.

Solutions on inactive topics can still be published in other active topics.

Creating Knowledge Base Solutions

Solutions are answers to customer issues. They can include instructions, FAQ, or information about a product or service.

You should create topics and subtopics before adding solutions. To create topics and subtopics, go to Cases > Customer Service > Topics > New.

For more information about publishing your topics and solutions, see [Publishing a Knowledge Base](#).

You can attach solutions to multiple topics and subtopics to build knowledge bases. You can also attach solutions to support cases for a quick response to customer issues. For information about attaching solutions to cases, see [Attaching Knowledge Base Solutions to Cases](#).



Note: Knowledge Base must be enabled in Company > Setup > CRM > Support before you can create solutions.

To create a solution:

1. Go to Lists > Support > Solutions > New.
2. Under Primary Information:
 1. Enter or edit a reference code/number in the **code** field. This field is already filled if auto-numbering is enabled.

Note: Administrators can enable auto-numbering for solutions at Setup > Company > Auto-Generated Numbers.

Set Up Auto-Generated Numbers

Record numbers for Entities, CRM, and Schedules cannot be reverted back to names after update. If you check Update, a number is assigned to each existing record of that type, and the name is stored in the Company Name field.

You can return to this page at any time to turn on or off numbering for new records. However, after you turn on numbering, records will be listed by number rather than name. It typically takes just a few minutes for 5000 records. While it is running, this page will not be available.

Enable	Type	Prefix	Suffix	Minimum Digits	Initial Number	Current Number	Allow Override	Update
☐	Campaign					611	☐	☐
☒	Solution					2	☐	☐
☐	Support Case					101	☐	☐
☐	{#issue#}						☐	☐

2. In the **Title** field, enter a title or name for this solution.
This title shows on the **Solutions** list and in a published knowledge base. When you attach solutions to cases or place them in topics, you can search by code or title.
3. In the **Assigned To** field, select the employee this solution is assigned to.
This could be the person who maintains the content of this solution or the one who approves it.
4. In the **Status** field, select one of the following:
 - **Approved** – This solution has been reviewed by a supervisor and is ready for publishing.
 - **Unapproved** – This solution has been created but not reviewed. Unapproved is selected by default.

Unapproved solutions can't be published.

Note: You can allow only **Approved** solutions and those marked **Display Online** to be attached to case records. Go to Setup > Support > Support Preferences and check the **Only Link Approved Solutions to Cases** box.


5. Check the **Display Online** box to show this solution on your website.
3. Under **Solution Information**:
 - a. In the **Abstract** field, enter a brief description of the problem this solution fixes. The abstract appears next to the title.
 - b. In the **Description** field, enter the solution. You can include HTML and JavaScript.
 - c. Optionally, you can get writing help for the **Abstract** and **Description** fields from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).
4. On the **Topics** subtab, select a topic or subtopic you want to categorize this solution under for publishing.
5. Click **Add**.
6. Repeat these steps for each topic or subtopic you want to place this solution under.

7. On the **Related Records** subtab, do one of the following to attach a related solution to the one you are creating:
 - Enter part of the solution's name, and press Tab.
 - Click **List** to select a related solution from the solution list.
 - Click the **New** icon to create a new related solution.
 8. Click **Add**.
 9. Repeat these steps for each related solution you want to add.
 10. Click the **Communication** subtab to add notes about this solution. Optionally, you can get writing help for the **Note** and **Memo** fields from our generative AI service, NetSuite Text Enhance. Click the Enhance Text button to use the available options. For more information about using this capability, see the help topic [Text Enhance](#).
 11. Click the **System Information** subtab and check the **Inactive** box if you want to inactivate the solution
-  **Note:** After the solution is created, **Date Created** and **Last Modified** timestamps are added to the **System Information** subtab.
12. Click **Save**.

After you create solutions and attach them to topics and cases, you can publish your knowledge base. Go to Cases > Customer Service > Knowledge Base > New.

You can also create a solution from your reply to a support case. To do this, click New Solution on the case record on the Communication subtab. A new solution record opens with the text from the Reply field in the Description field. For more information, see [Attaching Knowledge Base Solutions to Cases](#).

You can quickly update your solutions from the Solutions list using the inline editing feature

. To edit solutions from the list, click the Edit link at the top of the list. If you want to change which fields show in the columns on the list, click Customize View. For example, you can add the Date Created and Last Modified date to the list view for quick reference. For more information, see the help topic [Using a Saved Search as a View](#).

 **Note:** New solutions and updates to existing solutions are indexed nightly, so search results won't reflect your changes until the next day.

Publishing a Knowledge Base

The Knowledge Base feature is a valuable tool for organizing and delivering information to your customers, employees, and others you do business with.

You can publish a knowledge base in your NetSuite account, on your website, or you can share it with specific people, groups, or roles. Common uses for a knowledge base include:

- organizing solutions for support reps to search and attach to cases
- sharing information with employees through access to your account
- providing information to customers through your website

To publish a knowledge base:

1. Go to Lists > Support > Knowledge Base > New.
2. Select the topic you want to publish.
All solutions attached to this topic and its subtopics are published with this topic.

3. If you use the Multiple Web Site feature, select the website you are publishing this knowledge base to.
4. In the **Publish To** field, select the tab or category you want to publish this topic under.
5. Check the **Display in Website** box to publish this topic on your website.
You don't need to check this box to publish this topic in your account. For more information about publishing to an internal tab, see the help topic [Publishing Information to an Internal Site](#).
6. On the **Audience** subtab, select who should have access to this knowledge base from the following lists:
 - **Roles** – Anyone with selected roles sees this knowledge base when they log in to your account using the role you select here.
 - **Employees** – Selected employees see this knowledge base when they log in to your account, regardless of what role they use.
 - **Department** – Employees in selected departments see this knowledge base when they log in to your account, regardless of what role they use.
 - **Groups** – Members of selected groups see this knowledge base when they log in to your account, regardless of what role they use.
 - **Customers** – Selected customers see this knowledge base when they log in to the Customer Center or visit your website.
 - **Vendors** – Selected vendors see this knowledge base when they log in to the Vendor Center.
 - **Partners** – Selected partners see this knowledge base when they log in to the Partner Center.

Click New in a field to create a new record of that type.
7. Click **Save**.

When you publish a topic, all its subtopics and solutions are accessible to anyone with access to the published topic. Topics can only be published if they're active and the tab or category where they are published has an assigned audience.

You can only search for solutions within the context of the knowledge base. For example, if you published the knowledge base to a certain tab, you must click that tab before running your search.

Solutions can only be published if the following conditions are met:

- The solution is active.
- The Display Online box is checked on the solution record.
- The status of the solution is Approved.
- An Audience is selected in the tab or category the solution is published to.
- The topic the solution is in must be active and published.

You can show a knowledge base as a center tab so you can access it from the navigation menu. For more information, see [Adding a Knowledge Base as a Center Tab](#).




Note: Publishing a knowledge base to a website or intranet takes one hour to complete. This is also true if you make a change to a published knowledge base. Changes won't show online until the process completes.

Adding a Knowledge Base as a Center Tab

You can display a knowledge base in the navigation menu as a custom tab, which can also be displayed on your website. Individual knowledge bases can be displayed on a role-by-role basis. For example, an HR

knowledge base is visible only to users with an HR role, or a support knowledge base to technical support staff.



To display a knowledge base as a center tab, an administrator must enable the Intranet feature. Go to Setup > Company > Enable Features > Web Presence. On the **Publishing** subtab, check the box next to **Intranet**, and click **Save**.

You must create topics (or subtopics) and solutions before adding a knowledge base as a center tab. If you haven't created topics yet, see [Creating Knowledge Base Topics](#). For information about assigning solutions to topics, see [Creating Knowledge Base Solutions](#).

To add a knowledge base as a center tab:

1. Go to Setup > Intranet > Tabs > New.
2. Select **New Presentation Tab**. For more information, see the help topic [Presentation Tabs](#).
3. Enter a name for this tab in the **Label** field. This name will appear on the navigation menu or on your website.
4. Check the **Display in Website** box if you also want to display this tab online on your website.
5. On the **Audience** subtab, select the roles, departments, individuals, or groups who will have access to the knowledge base.
6. Click **Save**. The new presentation tab appears on the navigation menu.
7. Go to Lists > Support > Knowledge Base > New.
8. In the **Topic** field, select the topic you want to publish in the new knowledge base presentation tab.
9. In the **Site** field, select a website where you want to publish this knowledge base.
10. In the **Publish To** field, select the tab that you have created in Step 6.
11. Click **Save**.

Customizing Knowledge Base Layout

When you publish a knowledge base, you can choose a layout for how topics and solutions display on the page.

To select a layout for knowledge base topics and solutions:

1. Go to Lists > Support > Knowledge Base.
2. Click **Edit** next to a knowledge base topic on the list.
3. Select a layout in the **Topic/Category List Layout** field.
4. You can select a different layout to apply to solutions in the **Solution/Item List Layout** field.

NetSuite ignores the HTML in basic site theme templates selected in the **Topic/Category List Layout** or **Solution/Item List Layout** fields. Only the following properties for rows and columns specified in the layout are applied to the page:

- Border Style
- Column Width
- Number of Columns
- Number of Rows
- Row Height
- Row Padding
- Paginate
- Sort Links
- Items Are Laid Out
- Use Checkerboard Effect
- Sort By
- Descending

Note: Only the layouts selected in the **Solutions/Item List Layout** field display pagination and Number of Rows.

You can create a custom layout for your knowledge base topics and solutions. For more information, see the help topic [Creating Web Site Layouts](#).

Arranging Solutions in a Published Knowledge Base

After you add solutions to a topic, you can rearrange their order on the topic record.

To order solutions on a topic record:

1. Go to Cases > Customer Service > Topics.
2. Click **Edit** next to the topic you want to reorder solutions for.
3. Click the **Solutions** subtab.
4. Click a solution to select it.
5. Use the **Move to Top** and **Move to Bottom** buttons to set the order.
6. Click **Save**.

When you click a topic in a published knowledge base, the solutions show in the order you selected.

Attaching Knowledge Base Solutions to Cases

A Support Person can search your knowledge bases for solutions related to the support case they're working on. They can add those solutions to cases and email them to customers, saving response time and avoiding duplication when handling common case issues.

To attach a solution to a case:

1. Open the case record you want to attach a solution at Lists > Support > Cases.
If you're adding a solution to an existing case, click **Edit** on the case record.
2. To attach a solution, find the **Insert Solution** field on the **Communication** subtab, and do **one** of the following:
 - Enter a part of the solution title, and press Tab.
 - Click **List** to choose a solution from the list.
 - Click **Search** to search for a solution using detailed criteria.
 - Click the plus icon or **New Solution** to create a new solution record.

Solution [Search Icon]

List Search Customize More

Save Cancel

Primary Information

Custom Form: Standard Solution Form

Assigned To: [Dropdown]

Display Online: ☐

Code: [Dropdown]

To Be Generated: [Dropdown]

Status: Unapproved

Title: Defective Chip Fix

Solution Information

Abstract: Outlines recall process for defective chip issue swap-out.

Description: Product recall is being enforced. All customers with a defective chip will be issued with a self-install replacement chip along with paid returns package to send defective chip back to Warranty Center in Breda.

Topics Related Records Communication System Information

Topic: [Dropdown]

Add Cancel Insert Remove

Save Cancel

When you attach a solution to a case, the **Description** text of the solution is automatically added to the end of the message.

3. Edit this text as needed.
4. Click **Save**.



Note: If you use a customized case form and want to attach knowledge base descriptions to case responses, include the **Description** field on the form.

Monitoring Support Performance

NetSuite provides a variety of alert and reporting tools to help support professionals effectively manage support cases and meet SLA requirements. For specific information, click the links below.

- [Case Alerts on Support Cases](#)
- [Performance Metrics for Support Cases](#)
- [Support Reports](#)

Case Alerts on Support Cases



Important: This document describes a beta feature. The contents of this feature are preliminary and may be changed or discontinued without prior notice. Any changes may impact the feature's operation with the NetSuite application. NetSuite warranties and product service labels shall not apply to the feature or the impact of the feature on other portions of the NetSuite application. NetSuite may review and monitor the performance and use of this feature.

Case Alerts enable users to receive an email notification whenever a case meets criteria predefined in a case saved search. They're meant to help support staff respond proactively to customer issues, and minimize the risk of breaching any service level commitments. Case alerts can help decrease escalations, prioritize case work more efficiently, and keep support staff focused on the big picture.

Case Alerts let users assign customized email templates to individual alerts, providing more flexibility and presentation options for the requested information. Some typical use cases of case alerts include:

- **High Priority** – send an alert to the support manager detailing all high priority cases in the past 24 hours
- **On Hold** – notify the support manager of any cases that have been on hold for more than 24 hours
- **Incremental SLA** – send an alert of impending conditions; for example, when a case has elapsed 75% of its SLA response time

Prerequisites for Case Alerts

Before you use Case Alerts, make sure you've completed the following in your NetSuite account:

- Enable the **Customer Support & Service** feature at Setup > Company > Enable Features > CRM > Basic Features > Customer Support & Service.
- Make sure users who need to set up case alerts have the Case Alerts permission. By default, Support Manager and Support Administrator roles already have this permission. You can access the Case Alerts permission from the Permissions > Setup subtab on the Role record.

Setting up a Case Alert on Support Cases

Setting up a new case alert has two main steps. First, create a case saved search to track the required performance criteria. Second, create a new case alert, assign the various recipients, and select the required email template.

Example 1. Four Hour Response Time

For example, Wolfe Electronics recently implemented a four-hour response time pledge on all customer support cases. If they don't reply to a customer within four hours of the case being created, the shift supervisor starts investigating the case. In the following procedure, we'll set up a case alert that notifies the shift supervisor and support manager about any cases that breached this commitment.

To create a case saved search:

1. Go to Lists > Search > Saved Searches > New.
2. Select **Case** as the search type.
3. Enter a name for the search in the **Search Title** field (Four Hour Reply Breaches).
4. From the Filter list, select **Support First Reply**.
5. Select **empty** from the list in the popup, and click **Set**.
6. From the Filter list, select **Time Elapsed (hours)**.
7. Select **greater than** from the list.
8. Insert 4 in the **Value** field, and click **Set**.
9. From the Filter list, select **Status**.
10. Select **any of** and include all statuses except Closed. Click **Set**.
11. Click **Save**.

After you've created the saved search, proceed to the Case Alerts page to complete the set up. You can also proceed to this page if you want to use a previously prepared search.

To set up a case alert:

1. Go to Setup > Support > Case Alerts (Beta) > New.
2. Enter a name for the alert.
3. Optionally, you can add a brief description of what the alert is for.
4. Select your previously saved search from the **Saved Search** list.
5. Use the Standard Case Alert template, or select a customized system email template.
For information about adding system email templates, see the help topic [Customizing Templates for System-Automated Email](#).
6. Select the owner of the alert.
Alerts will be sent to them by default, and their name will be used on the unsubscribe link on the Standard Case Alert template.
7. Optionally, check **Send to Case Assignee** so the assigned support rep also receives the alert.
8. From the **Recipient** list, select employees or groups you want to receive the alert, then click **Add**.
9. Click **Save**.

Active case alerts refresh approximately every five minutes. If a saved search already has a send schedule, the case alert will override it.

The Standard Case Alert Email Template

The Case Alerts feature includes a default email template you can fully customize. You can access this template at Setup > Company > System Email Templates.

Case Alert: High Priority Cases - 85 cases

system@netsuite.com

Case Alert: High Priority Cases - 85 cases

To: Angela Smith

VIEW	NUMBER	SUBJECT	CUSTOMER	CONTACT	CREATION DATE	ASSIGNED TO	TYPE	STATUS	DETAIL
VIEW	434	battery pack	1Harriott Construction Services	Geoff Timm	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	435	battery pack	1Harriott Construction Services	Jake Soams	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	436	battery pack	1Harriott Construction Services	Carole Gre	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	437	battery pack	1Harriott Construction Services	Tom Rause	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	438	motor burn out	JT Marlin	Eddie O'Dre	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	439	motor burn out	JT Marlin	Kim Welma	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	440	cooling fan d/f	Crone Inc.	Fred Stone	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	441	cooling fan d/f	Crone Inc.	Tom Jerald	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	442	cooling fan d/f	Crone Inc.	Eric Cart	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL
VIEW	443	cooling fan d/f	Crone Inc.	Ben Swaine	01/05/2017, 12:00:00 AM (GMT-08:00) Pacific Time (US & Canada)	Brad M Sparling		Not Started	DETAIL

The subject header is derived from the case name used in the name field on the case alert record. The subject header also includes the number of cases that match the search criteria.

Click **View** to open the case record in NetSuite. Click **Detail** to see the message history for that case, which is displayed further in the body of the email.

Performance Metrics for Support Cases

NetSuite provides a comprehensive set of metrics for each support case, so support managers can see how effectively a case is being handled. You can find these metrics on the Metrics subtab of a case record.

Support managers can pull these metrics together for all cases using filters in a Case saved search. These filters can be used to monitor case performance across the organization, especially for SLAs (service level agreements). Combining these saved searches with the Case Alerts feature provides real-time monitoring and notification of potential SLA infringements. The following table lists all the performance metrics you can use for support cases.

For more information about case alerts, see [Case Alerts on Support Cases](#).

For information about how to set up a support metric saved search, see [Creating a Support Metric Saved Search](#).

Case Performance Search Filter	Description
Duration	
Time Elapsed (hours)	Total number of hours the case has been actively running, excluding time spent on hold.

Time On Hold (hours)	Total number of hours the case has been on hold since case creation.
Time Open (hours)	Total number of hours the case has not been on hold or closed. This includes standard statuses and customizations of Not Started, In progress, Escalated, Reopened.
Time to Close (hours)	The difference between Date Created and Date Closed.
Time to Assign (hours)	The time between when the case was created and when it was assigned.
Initial Response Time (hours)	The time between when the case was created and when the customer got the first response. The system logs a response when you perform any of these from the case record: - log a phone call - log an event - send an email message The system also logs a response when a workflow or script sends an email from the case record. Automatic email notifications generated by the system don't count toward the initial response time. For more information, see Customizing Support Notification Email.
Basic Information	
Date Created	The date and time when the case was created.
Date Closed	The date and time when the case was closed.
First Updated	The date and time when the case was first worked on (first edit).
Date Last Modified	The date and time when the case was last worked on.
Date Last Reopened	The date and time when the case was last changed from Closed to Re-opened.
Interactions	
Support First Reply	The date and time when the first reply message was sent to the customer.
Last Customer Message Received	The date and time of the last message received from the customer.
Last Message Date	The date and time of the last message received or sent related to the case.
Issue Management	
First Issue Attached	The date and time of when an issue was first attached to the case.
Last Issue Attached	The date and time of when an issue was last attached to the case.
First Issue Removed	The date and time of when an issue was first removed from the case.
Last Issue Removed	The date and time of when an issue was last removed from the case record.

Creating a Support Metric Saved Search

Case performance metric filters help support managers build support performance criteria and assist with SLA monitoring. The following procedure creates a sample saved search to monitor any breaches of an SLA. For this example, breaches require a response within four hours of creating a case.

To create a support metric saved search

1. An administrator should make sure the Customer Support and Service feature is enabled at Setup > Company > Enable Features > CRM > Customer Support and Service
2. Go to Lists > Search > Saved Searches > New. Click **Case**.
3. In the **Search Title** field, enter **All Cases With Response After 4 Hours**.
4. Select **Support First Reply** from the **Filter** list. Set to not empty.
5. Select Initial Response Time (hours). Set to greater than.
6. In the **Value** field, enter 4.
7. Click **Save and Run**.

Support Reports

You can use the following standard support reports in NetSuite. Click a link for more information.

- Customer Service Reports
 - ▢ [Closed Case Analysis Summary Report](#)
 - ▢ [Closed Case Analysis Detail Report](#)
 - ▢ [Open Case Analysis Summary Report](#)
 - ▢ [Open Case Analysis Detail Report](#)
 - ▢ [Closed Case Escalation Summary Report](#)
 - ▢ [Closed Case Escalation Detail Report](#)
 - ▢ [Open Case Escalation Summary Report](#)
 - ▢ [Open Case Escalation Detail Report](#)
 - ▢ [Case Activity by Support Rep Summary Report](#)
 - ▢ [Case Activity by Support Rep Detail Report](#)
- Issue Management Reports
 - ▢ [Open Issues Summary Report](#)
 - ▢ [Open Issues Detail Report](#)
 - ▢ [Closed Issues Summary Report](#)
 - ▢ [Closed Issues Detail Report](#)

Closed Case Analysis Summary Report

The Closed Case Analysis Summary report shows a list of cases closed by each support rep, plus the average time it takes them to close a case.

This report is organized by support reps and their respective managers, so you can get an overview of how long it takes each rep to close a case.

 **Note:** To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

To see the Closed Case Analysis Summary report:

Go to Reports > Customer Service > Closed Case Analysis.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Closed Case Analysis Detail Report

The Closed Case Analysis Detail report shows a list of closed cases, organized by the support reps they were assigned to. This report includes each case number, the date started, date closed, number of solutions, origin, and time it took to close the case. Click the case number or dates to view the case record.

This report gives you an overview of how many cases each support rep closes in a certain time, plus details of each case.

Note: To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

To see the Open Case Analysis Detail report:

Go to Reports > Customer Service > Closed Case Analysis > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)

- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Case Analysis Summary Report

The Open Case Analysis Summary report shows a list of open cases, and the average time each support rep spends on a case.

This report gives you an overview of how efficiently your support team is handling cases and how large your current case load is.

Note: To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

To see the Open Case Analysis Summary report:

Go to Reports > Customer Service > Open Case Analysis.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Case Analysis Detail Report

The Open Case Analysis Detail report shows a list of cases assigned to each support rep, along with the case number, date created, status, time spent, last modified, and company for each open case. Click the case number or dates to view the case record.

This report gives you updates on what members of your support team are working on and how long each case has been open.

Note: To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

To see the Open Case Analysis Detail report:

Go to Reports > Customer Service > Open Case Analysis > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Closed Case Escalation Summary Report

The Closed Case Escalation Summary report shows the number of closed cases that were escalated during the specified date range. You can click the number of cases to view a list of cases for that date range.

To see the Closed Case Escalation Summary report:

Go to Reports > Customer Service > Closed Case Escalation.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report does not support reporting by period even when the Report by Period preference is set to All Reports. The Report by Period preference can be configured at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)

- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Closed Case Escalation Detail Report

The Closed Case Escalation Detail report shows details from each closed case that was escalated in the specified date range.

This report includes the case number, the person it was escalated to, when it was created, when it was escalated, and how much time passed between escalation and closing. Click the case number or dates to view the case record.

The Last Modified column shows when each escalated case was closed.

To see the Closed Case Escalation Detail report:

Go to Reports > Customer Service > Closed Case Escalation > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

 **Note:** This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Case Escalation Summary Report

The Open Case Escalation Summary report shows the number of open cases that have been escalated and the respective date ranges they were escalated.

Click the number of cases to view a list of the cases for that date range. You can also click an employee's name to see cases escalated to them. If there's only one case for a customer or date range, the case record opens.

To see the Open Case Escalation Summary report:

Go to Reports > Customer Service > Open Case Escalation.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Case Escalation Detail Report

The Open Case Escalation Detail report shows details from each escalated case, including the case number, who it was escalated to, when it was created, and when it was escalated. Click the case number or dates to view the case record.

To see the Open Case Escalation Detail report

Go to Reports > Customer Service > Open Case Escalation > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)

- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Case Activity by Support Rep Summary Report

The Case Activity by Support Rep Summary report shows you the following for each support rep with case activity in the time period you set:

- **Support Rep** – the name of the support rep assigned to the case
- **Total Cases** – the total number of cases assigned to the support rep during the specified reporting period
- **Avg. Initial Response Time** – the average time between assignment of the case to the support rep and the first case-related message, call, or event
- **Avg. Time to Assign** – the average time between case creation and assignment, excluding automatic assignments by rules and territories
- **Avg. Time to Close** – the average time to close cases assigned to the support rep during the specified reporting period*
- **Avg. Interactions** – the average number of messages, calls, or events per case
- **First Contact Resolution Rate** – the percentage of cases closed after the first message, call, or event with the customer

Note: To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

* For cases placed On Hold during the reporting period, note the following: the on hold times are not included as part of the calculation in the **Avg. Time to Close** values.

To see the Case Activity by Support Rep Summary report:

Go to Reports > Customer Service > Case Activity by Support Rep.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)

- [Report Customization](#)
- [Reporting Overview](#)

Case Activity by Support Rep Detail Report

The Case Activity by Support Rep Detail report shows the following details for each case with activity in the time period you set, sorted by the assigned support reps:

- **Case number** – the number of the case record
- **Date Created** – the date the case was originally submitted
- **Last Modified** – the last date the case was updated
- **Stage** – the most recent status
- **Company** – the company reporting the case
- **Time To Assign** – the time from case creation to assignment to a support rep
- **Time to Close** – the time from case creation to setting its status to Closed
- **Interactions** – the number of messages, calls, or events associated with the case
- **Initial Response Time** – the time between case assignment and the support rep's first message, call, or event
- **Resolved on First Contact** – displays Yes for cases closed after the first message, call, or event

Note: To track the time spent on a case more accurately, try using On Hold case statuses. The On Hold case status temporarily pauses time tracking for support reps until the case status changes. For more information, see [Creating Case Statuses](#).

To see the Case Activity by Support Rep Detail report:

Go to Reports > Customer Service > Case Activity by Support Rep > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Issues Summary Report

The Open Issues Summary report shows how many open issues each product has for the time period you selected.

Click data in this report to view the detailed report.

To see the Open Issues Summary report:

Go to Reports > Issue Management > Open Issues.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

 **Note:** This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Open Issues Detail Report

The Open Issues Detail report shows all issues with a base status of Open for the time period you set. Issues are listed by number and grouped by the employee assigned to them.

This report provides details for each open issue, including the product team, status, severity, priority, broken in version and target version.

To see the Open Issues Detail report:

Go to Reports > Issue Management > Open Issues > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

 **Note:** This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Closed Issues Summary Report

The Closed Issues Summary report shows how many issues have been closed for each product during the time period you selected.

Click data in this report to view the detailed report.

To see the Closed Issues Summary report:

Go to Reports > Issue Management > Closed Issues.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.



Note: This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)

Closed Issues Detail Report

The Closed Issues Detail report shows all issues with a base status of Closed for the time period you set. Issues are listed by number and grouped by the employee they were last assigned to.

This report provides details for each closed issue, including the product team, status, severity, priority, broken in version and target version.

To see the Closed Issues Detail report:

Go to Reports > Issue Management > Closed Issues > Detail.

A message appears indicating that your report is loading, and a status bar in the footer shows the progress. You can click **Cancel Report** next to the status bar to stop the report from loading.

 **Note:** This report doesn't support reporting by period, even if you set the Report by Period preference to All Reports. You can set this preference at Home > Set Preferences, the Analytics subtab.

For information about working with reports, see the following topics:

- [Navigating a Report](#)
- [Setting Report Footer Options](#)
- [Graphing a Report](#)
- [Printing a Report](#)
- [Emailing a Report](#)
- [Scheduling a Report](#)
- [Exporting a Report](#)
- [Report Customization](#)
- [Reporting Overview](#)