



ORACLE  
NetSuite

# System Notes Guide



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

### **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

### **Access to Oracle Support**

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

### **Sample Code**

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at [www.netsuite.com/tos](http://www.netsuite.com/tos).

Oracle may modify or remove sample code at any time without notice.

### **No Excessive Use of the Service**

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

### **Beta Features**

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

# Table of Contents

|                                                            |    |
|------------------------------------------------------------|----|
| System Notes Overview .....                                | 1  |
| Viewing System Notes .....                                 | 2  |
| Viewing System Notes Using NetSuite2.com Data Source ..... | 3  |
| System Note Dataset in SuiteAnalytics .....                | 4  |
| System Notes v2 Overview .....                             | 6  |
| Records Supported in System Notes v2 .....                 | 7  |
| Viewing System Notes v2 .....                              | 7  |
| Searching and Filtering System Notes v2 .....              | 9  |
| System Notes v2 Example .....                              | 9  |
| System Notes v2 Workbook .....                             | 11 |
| System Notes v2 Workbook .....                             | 13 |
| System Notes Terminology .....                             | 15 |
| System Notes Documentation .....                           | 16 |
| System Notes and System Notes v2 .....                     | 19 |

# System Notes Overview

**Note:** System Notes and System Notes v2 are two different systems. Throughout the help center, topic content specific to System Notes v2 is identified with “v2”. Any content that doesn't have the “v2” identification refers to System Notes only. For more information about the differences between the two systems, see [System Notes and System Notes v2](#).

NetSuite uses System Notes to track any changes made to a record. A system note for a change on a record captures the date and time when the change was made, who made the change, the interface from which the change was initiated, the type of change, the field that was changed, and the old and new value in the record. System Notes can't be edited by any user, script or app. System notes are logged on both standard and custom records.

System notes are also logged on changes to general configuration settings that have a financial impact, such as:

- Company information
- General preferences
- Enable features
- Accounting lists
- Tax setup

Review your system notes and audit trails regularly. As part of an Activity Logging Review, users with appropriate permission should review items like system notes in addition to reviewing specific field changes, script changes, and expired access, and any other ongoing auditing that is required by your organization.

 [System Notes Overview](#)

This is the first video in a 4-part series of videos about System Notes. To watch the other parts of the series, see:

- [Removing Personal Information from System Notes](#)
- [System Notes v2 Overview](#)
- [Using the System Notes v2 Workbook](#)

## Accessing System Notes

Depending on the method you use to access system notes, consider the following:

- To view the system notes on a record, you must have access to this record and the Notes Tab permission. With the Notes Tab permission, you see system notes only for changes you made yourself.
- To query all system notes through the analytics data source, you must have the Administrator role or the System Notes for Analytics and REST permission. Users with the Administrator role should assign this permission to users without the Administrator role so they can query system notes data. Without the Administrator role or the System Notes for Analytics and REST permission, users can see only system notes query results for changes they made themselves.

For more information about permissions, see the help topic [Setting Permissions](#).

If you have access to system notes, you can view them using different methods. For more information, see [Viewing System Notes](#).

## Searching System Notes

When you search system notes, you can search for certain records, use advanced search filters, create a saved search, or export the information for additional analysis. For more information, see the help topic [Searching System Notes](#).

You can search for system notes using SuiteScript. For details, see the help topic [System Note](#).

## Transaction Audit Trail

An audit trail is a search for system note records related to a certain record type. The Transaction Audit Trail enables you to generate a report that provides a detailed history of all transactions entered into NetSuite, or you can view system notes for multiple transactions. The audit trail shows transaction details, including who entered or modified it and when. By default, the Transaction Audit Trail report is available to the CEO, CEO (Hands Off), CFO, and Support Administrator roles. Other users with custom roles can access the Transaction Audit Trail report if they have the audit trail permission assigned to their role.

For information about transaction audit trail, see the help topic [Using the Transaction Audit Trail](#).

## Viewing System Notes

**Note:** System Notes and System Notes v2 are two different systems. Throughout the help center, topic content specific to System Notes v2 is identified with “v2”. Any content that doesn't have the “v2” identification refers to System Notes only. For more information about the differences between the two systems, see [System Notes and System Notes v2](#).

In NetSuite, you can view system notes using different methods, such as:

- [Viewing System Notes on a Record](#)
- [Viewing System Notes on Configuration Settings](#)
- [Viewing System Notes Using NetSuite2.com Data Source](#)
- [Other Methods of Viewing System Notes](#)

### Viewing System Notes on a Record

To view changes made to a record, open the record and select System Information > System Notes. For transactions, the System Notes subtab also shows system logs.

To view changes for a specific field, use the Field dropdown list on the System Notes subtab.

**Note:** System notes descriptions are limited to 300 characters. Any additional characters are truncated.

For more information, see the help topic [Auditing Primary Data and Configuration Changes in NetSuite](#).

### Viewing System Notes on Configuration Settings

To view system notes on configuration and setup pages, create a saved search. On the Standard subtab, filter the system notes you want to view:

- To view system notes for enabled features, enter Record Type is Enable Features
- To view system notes for company preferences, enter Record Type is Company Preferences

On the Available Filters subtab, you can filter search results by record type. For more information, see the help topic [Creating Saved Searches for System Notes](#).

## Viewing System Notes Using NetSuite2.com Data Source

For information about viewing system notes using the analytics data source, see [Viewing System Notes Using NetSuite2.com Data Source](#).

## Other Methods of Viewing System Notes

- To view system notes for multiple transactions, filtered by field values, go to Transactions > Management > View Audit Trail (Administrator). For more information, see the help topic [Using the Transaction Audit Trail](#).
- You can find line-level system notes by clicking the History link next to individual items, expenses, and journal line items on transactions. For more information, see the help topic [Line-Level Audit Trail for Transactions](#).
- A system note search is available at Reports > New Search. The system note search includes system notes for records other than transaction. It provides different filter fields from the transaction audit trail, and offers additional functionality. You can export data, use advanced search filters and results options, and create saved searches. For more information, see the help topic [Searching System Notes](#).
- Each record of a type other than transaction, such as Employee or Customer, includes a System Notes subtab on the General subtab. You can view system notes for the record on the System Notes subtab.

## Viewing System Notes Using NetSuite2.com Data Source

As of 2025.1, the NetSuite.com data source is no longer supported and will be removed in 2026.1. For more information, see the help topic [Removal of SuiteAnalytics Connect NetSuite.com Data Source](#).

The NetSuite2.com data source uses a different schema than NetSuite.com. System notes fields that were available in NetSuite.com may use a different ID, represent different concepts or data, or may not be available in NetSuite2.com. To see how NetSuite.com fields map to NetSuite2.com fields, search for **system\_notes** in the NetSuite.com Record ID column in the spreadsheet available in the [NetSuite.com to NetSuite2.com Map](#) help topic.

In addition to record and field name changes, some enumeration values are different in NetSuite2.com. To learn about such values, see the following table.

| Changes                                                                                                                 | Related information                                  |
|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| name field in NetSuite.com is <i>type</i> field in NetSuite2.com. The enumeration values of this field are now numeric. | <a href="#">NS_TO_NS2_NameFieldValues.xlsx</a>       |
| operation field in NetSuite.com is type field in NetSuite2.com. The enumeration values of this field are now numeric.   | <a href="#">NS_TO_NS2_OperationFieldValues.xlsx</a>  |
| The enumeration values of standard fields are different in NetSuite2.com.                                               | <a href="#">NS_TO_NS2_StandardFieldsMapping.xlsx</a> |



| Changes                                                                 | Related information                               |
|-------------------------------------------------------------------------|---------------------------------------------------|
| The enumeration values of context field are different in NetSuite2.com. | <a href="#">NS_TO_NS2_ContextFieldValues.xlsx</a> |

To query all system notes through the analytics data source, you must have the Administrator role, or the System Notes for Analytics and REST permission. Without the Administrator role or the System Notes for Analytics and REST permission, you'll only see system notes for changes you made yourself. For more information about permissions, including how to add permissions to existing roles, see the help topic [Setting Permissions](#).

Depending on the data source you use, the number of system notes you see may be different. NetSuite2.com improves the capabilities of querying your NetSuite data through the Connect Service. In NetSuite2.com, the following actions are excluded from system notes:

- Actions that aren't linked to any field on a record, such as duplicate resolution, emailing reports, acknowledging administrator messages, and account provisioning.

**Note:** If you merge records during duplicate resolution, and the merge changes specific fields on a record, the system notes for these field changes are included in NetSuite2.com. However, the system note entry indicating that records were merged is visible only in the UI.

You can include actions that aren't linked to any field into your system notes query results by setting the Include System Notes for Non-Field Actions in Analytics Data Source preference at Setup > Company > General Preferences.

- Actions performed on fields that were removed or renamed.
- Actions performed on hidden features and preferences.

For more information about changing to the NetSuite2.com data source, see the help topic [Changing from NetSuite.com to NetSuite2.com](#).

## System Note Dataset in SuiteAnalytics

**Note:** This section is about System Notes only. For information about the System Notes v2 dataset, see [System Notes v2 Workbook](#).

You can create a custom dataset with System Note as the root record to analyze system notes, enter formulas, and set criteria filters. For more information about editing datasets, see the help topic [Defining a Dataset](#).

You can add the following fields to the Data Grid:

- Context
- Field
- Line ID
- Name
- New Value
- Old Value
- Record
- Record ID
- Record Type

- Role
- Line Transaction ID
- Type

To make sure that Line Transaction ID displays an accurate value, create a formula field defined as {linetransactionid#raw} to display raw field values. For more information about using formulas in SuiteAnalytics, see the help topic [Creating Formula Fields in SuiteAnalytics Workbook](#).

Alternatively, you can use SuiteQL to query Line Transaction ID and Line ID in the system note record. For more information, see the help topic [SuiteQL in the N/query Module](#).

# System Notes v2 Overview

**Note:** System Notes and System Notes v2 are two different systems. Throughout the help center, topic content specific to System Notes v2 is identified with “v2”. Any content that doesn’t have the “v2” identification refers to System Notes only. For more information about the differences between the two systems, see [System Notes and System Notes v2](#).

## System Notes v2 Overview

This is the third video in a 4-part series of videos about System Notes. To watch the other parts of the series, see:

- [System Notes Overview](#)
- [Removing Personal Information from System Notes](#)
- [Using the System Notes v2 Workbook](#)

System Notes v2 captures detailed changes such as sublist information and groups the changes under high-level actions. The audit trail enables you to see the types of changes performed on record fields, such as create, update, change, and so on. You can also see when each change was made and by whom. System Notes v2 retains information for deleted transactions and records, whereas in existing System Notes the details of deleted transactions and records are lost.

System Notes v2 lists the most recent changes at the top of the page. To view details of the action, use the arrows in the Object column to expand the information. This expandable format reduces the amount of data first displayed when you browse the audit trail so that you can get an overview of the history and then view the details to investigate specific changes.

The following screenshot shows the arrows you click to expand and collapse system notes v2 details:

| System Notes                    |            |               |             |                     |                                               |           |           |
|---------------------------------|------------|---------------|-------------|---------------------|-----------------------------------------------|-----------|-----------|
| Role: Custom Sales Manager      |            |               |             |                     |                                               |           |           |
| Search user, role, field, value |            | All time      | To 7.8.2025 |                     | 1 of 20 < > 1 - 20 of 393                     |           |           |
| Date/Time                       | User       | Role          | Context     | Action              | Object/Field                                  | Old Value | New Value |
| 7.4.2025 6:32 pm                | John Smith | Administrator | UI          | Set, Change         | ▶ Permissions                                 |           |           |
| 7.4.2025 6:15 pm                | John Smith | Administrator | UI          | Create              | ▶ Permissions                                 |           |           |
| 7.4.2025 6:13 pm                | John Smith | Administrator | UI          | Delete, Set, Change | ▶ Permissions, Restrict this role by IP Ad... |           |           |
| 20.11.2024 1:53 am              | John Smith | Administrator |             | Delete              | ▶ Custom Record                               |           |           |
| 20.11.2024 1:53 am              | John Smith | Administrator |             | Delete              | ▶ Custom Record                               |           |           |
|                                 |            |               |             | Delete              | ▶ Custom Record - Travel Request (2)          |           |           |
|                                 |            |               |             | Unset               | Level                                         | Full      |           |
| 20.11.2024 1:53 am              | John Smith | Administrator |             | Set, Change         | ▶ Custom Record                               |           |           |

The following table describes the actions System Notes v2 captures on an object and its values.

| Action | Description                      |
|--------|----------------------------------|
| Create | New object created.              |
| Change | Existing object changed.         |
| Delete | Existing object deleted.         |
| Set    | Default value of new object set. |

| Action | Description                       |
|--------|-----------------------------------|
| Update | Value of existing object updated. |
| Unset  | Value of existing object removed. |

For more information, see the following:

- [Records Supported in System Notes v2](#)
- [Viewing System Notes v2](#)
- [Searching and Filtering System Notes v2](#)
- [System Notes v2 Example](#)

## Records Supported in System Notes v2

System Notes v2 supports the following record types and configuration pages:

- Authorization Consent
- Custom Transaction Types
- Expense Report Policy
- Imported Employee Expense
- Manage Roles
- Netting Statement

For information about viewing System Notes v2, see [Viewing System Notes v2](#).


## Viewing System Notes v2

**Note:** System notes updates run as a background process. You might notice a short delay between when an action is performed and when the details appear in system notes.

Administrators can view and search all system notes in System Notes v2. Other users can view only their own system notes for a record if they have the view permission.

To access System Notes v2, on supported records, click the System Notes link located on the upper right of the page. To see a list of supported records, see [Records Supported in System Notes v2](#).

The following screenshot shows an example of the System Notes link on a custom transaction type:



Use the date filter fields and the search fields in the header to filter and search through record contents. For more information, see [Searching and Filtering System Notes v2](#).

| System Notes                                         |          |               |          |             |              |           |                        |
|------------------------------------------------------|----------|---------------|----------|-------------|--------------|-----------|------------------------|
| Custom Transaction Type: My Custom Sales Transaction |          |               |          |             |              |           |                        |
| Search user, role, field, value                      |          | Last 2 years  | 7.8.2023 | To          | 7.8.2025     | 2         | of 2 < > 21 - 37 of 37 |
| Date/Time                                            | User     | Role          | Context  | Action      | Object/Field | Old Value | New Value              |
| 8.11.2024 6:14 pm                                    | J Smith  | Administrator | UI       | Update      | Custom Field |           |                        |
| 8.11.2024 6:14 pm                                    | J Smith  | Administrator | UI       | Update      | Custom Field |           |                        |
| 8.11.2024 6:14 pm                                    | J Smith  | Administrator | UI       | Update      | Custom Field |           |                        |
| 8.11.2024 6:14 pm                                    | J Smith  | Administrator | UI       | Update      | Custom Field |           |                        |
| 22.8.2024 2:34 pm                                    | E Moreau | Administrator | UI       | Create      | Custom Field |           |                        |
| 22.8.2024 2:34 pm                                    | E Moreau | Administrator | UI       | Create      | Custom Field |           |                        |
| 22.8.2024 2:34 pm                                    | E Moreau | Administrator | UI       | Create      | Custom Field |           |                        |
| 22.8.2024 2:34 pm                                    | E Moreau | Administrator | UI       | Create      | Custom Field |           |                        |
| 6.5.2024 2:41 pm                                     | A Dawson | Administrator | UI       | Set, Change | Modified by  |           |                        |
|                                                      |          |               | UI       | Set         | Modified by  |           | A Dawson               |
|                                                      |          |               | UI       | Change      | Modified by  | J Smith   | A Dawson               |

Page number information appears on the upper right and consists of the following types of display details:

- Page numbers
- Records numbers

Page numbers appear as # of X, where # is the page number displayed and X is the total number of pages available. To advance and go back through the pages, click the arrows. To go directly to a specific page, enter the page number in the field.

Records numbers appear as # - # of X, where # - # is the range of record numbers displayed, and X is the total number of records available. For example, 1 - 20 of 22 means that records 1 to 20 are currently displayed, out of the 22 total records available.

The following table describes the System Notes v2 headings.

| Heading   | Description                                                                                                                                                                                                                                                                                                                                             |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Date/Time | Date and time the action took place. Point to this field for the complete time, including seconds.                                                                                                                                                                                                                                                      |
| User      | User who performed the action. <ul style="list-style-type: none"> <li>■ For a managed bundle, this is the user who installed the bundle.</li> <li>■ If the user is no longer active, the oldest (based on date) active administrator-user is used.</li> <li>■ For system events, which have no user connected to the change, System is used.</li> </ul> |
| Role      | The user's role at the time of the change.                                                                                                                                                                                                                                                                                                              |
| Context   | The interface from where the change was initiated, for example, UI.                                                                                                                                                                                                                                                                                     |
| Action    | The action performed. Actions can be create, change, delete, set, update, or unset.                                                                                                                                                                                                                                                                     |
| Object    | The object that was changed, for example, a permission or role.                                                                                                                                                                                                                                                                                         |
| Old Value | The old value of the object, before the change was made.                                                                                                                                                                                                                                                                                                |
| New Value | The new value of the object, after the change was made.                                                                                                                                                                                                                                                                                                 |

**Note:** When viewing System Notes v2, long descriptions are truncated. To see full descriptions, hover over the truncated text.

System Notes v2 tracks significant changes only. For example, if you create a new object, the initial default setting isn't shown. To see the initial value, you must go to the record. You see old value and new value

details only in the system notes for updates and changes. When you make changes, values in previous action rows can also change to display new details. For example, when an object's value changes, a previously blank New Value field on an existing row may update to show the initial default value. For more information, see [System Notes v2 Example](#).

## Searching and Filtering System Notes v2

Use the filter and search fields in the System Notes v2 header to filter and search system notes record details. The search and filters apply to all data in the record history. The following screenshot shows an example of the System Notes v2 header:

**System Notes**  
Custom Transaction Type: My Custom Sales Transaction

Search user, role, field, value | Last 2 years | 7.8.2023 | To 7.8.2025 | 2 of 2 < > 21 - 37 of 37

To search for a specific term in the system notes, enter the term in the Search field. Results appear in real-time as you type, and matching text is highlighted in **bold**. Matching records populate at the same time as the query continues to run in the background, enabling you to review results while the search runs. The following screenshot shows an example of results for the search term **trans**:

**System Notes**  
Custom Transaction Type: JLZ Custom Sales Transaction

doc | Last 30 days | 8.7.2025 | To 7.8.2025 | 1 of 1 < > 1 - 1 of 1

| Date/Time        | User     | Role          | Context | Action              | Object/Field                              | Old Value | New Value |
|------------------|----------|---------------|---------|---------------------|-------------------------------------------|-----------|-----------|
| 7.8.2025 2:05 pm | E Moreau | Administrator | UI      | Update, Change, Set | Permission, Transaction Status, Modifi... |           |           |
|                  |          |               | UI      | Change              | Modified by                               | A Dawson  | E Moreau  |
|                  |          |               | UI      | Change              | Document - prefix                         | JLZSales  | JLZ       |
|                  |          |               | UI      | Change              | Document - minimum digits                 | 3         | 5         |
|                  |          |               | UI      | Change              | Modified by                               | A Dawson  | E Moreau  |
|                  |          |               | UI      | Set                 | Document - suffix                         |           |           |
|                  |          |               | UI      | Change              | Document - suffix                         |           | SO        |
|                  |          |               | UI      | Update              | Permission - Custom A/P Clerk 4           |           |           |
|                  |          |               | UI      | Update              | Permission - Accountant                   |           |           |
|                  |          |               | UI      | Update              | Permission - Administrator                |           |           |
|                  |          |               | UI      | Update              | Permission - Custom A/R Clerk             |           |           |
|                  |          |               | UI      | Update              | Permission - Custom Accountant Je...      |           |           |
|                  |          |               | UI      | Update              | Transaction Status - Undefined            |           |           |

To filter the system notes displayed, choose a predefined time interval or enter a custom date range. Data is immediately filtered based on your selected time interval. By default, the time interval is set to the last 30 days.

To select a custom date range, click Custom, and then enter a start date and an end date.

You'll see the page and record numbers for your filtered results at the top right of the page. For more information, see [Viewing System Notes v2](#).

## System Notes v2 Example

This topic describes an example of actions on the Custom Transaction Type System Notes page, and how previous action rows change to display new details.

The following screenshot of a Custom Transaction Type System Notes page shows creation details of three new objects: Translation, Numbering, and Permission. To expand this entry to show details of the individual objects, click the arrow in the Object field. You won't see the default settings for the initial Create action here, but you can find them in the record.

| Date/Time        | User     | Role          | Context | Action | Object/Field                         | Old Value | New Value |
|------------------|----------|---------------|---------|--------|--------------------------------------|-----------|-----------|
| 7.8.2025 2:05 pm | E Moreau | Administrator | UI      | Create | ▶ Translation, Numbering, Permission |           |           |

The following screenshot shows a new entry. This new row shows a Create action for the Permission object and a Change action for the Account object. Also notice that the previous Create action has changed to Create, Set. The action of changing the permission set the default value, which is now included in the system notes.

| Date/Time         | User     | Role          | Context | Action         | Object/Field                         | Old Value | New Value |
|-------------------|----------|---------------|---------|----------------|--------------------------------------|-----------|-----------|
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Change | ▶ Permission, Account                |           |           |
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Set    | ▶ Translation, Numbering, Permission |           |           |

To view the Create and Change details, click the arrow to expand the top row. In the following screenshot, the Change row shows a change to the account from Savings to Inventory. The Create row shows the creation of the Accountant permission. Because there was no previous value, the value isn't considered to be new or changed. Therefore, the Old Value and New Value fields are blank.

| Date/Time         | User     | Role          | Context | Action         | Object/Field                         | Old Value | New Value |
|-------------------|----------|---------------|---------|----------------|--------------------------------------|-----------|-----------|
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Set    | ▶ Translation, Numbering, Permission |           |           |
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Change | ▼ Permission, Account                |           |           |
|                   |          |               |         | Create         | Permission - Accountant              |           |           |
|                   |          |               |         | Change         | Account                              | Savings   | Inventory |

A change was made to the Accountant role to change the permission level from View to Edit. The system notes now show a new level of action. In the following screenshot, the top row shows an Update action on the Permission object and a Change action on the Level object.

| Date/Time         | User     | Role          | Context | Action              | Object/Field                         | Old Value | New Value |
|-------------------|----------|---------------|---------|---------------------|--------------------------------------|-----------|-----------|
| 31.3.2025 4:54 pm | E Moreau | Administrator |         | Update, Change      | ▶ Permission, Level                  |           |           |
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Change, Set | ▶ Permission, Account                |           |           |
| 31.3.2025 4:42 pm | E Moreau | Administrator |         | Create, Set         | ▶ Translation, Numbering, Permission |           |           |

Click the arrow to expand the details. The following screenshot shows that an update was made to the Permission - Accountant object. To further expand the details, click the arrow beside the Permission - Accountant object. The Change details show a permission level change from View to Edit.

|                   |          |               |  |                |                           |      |      |
|-------------------|----------|---------------|--|----------------|---------------------------|------|------|
| 31.3.2025 4:42 pm | E Moreau | Administrator |  | Update, Change | ▼ Permission, Level       |      |      |
|                   |          |               |  | Update         | ▼ Permission - Accountant |      |      |
|                   |          |               |  | Change         | Level                     | View | Edit |

The following screenshot shows that there's now an arrow beside the previous Create line for the Accountant permission. The expanded details show that the original action to create Permission - Accountant has a Set action of the Level object. The New Value field that was previously blank now shows a New Value of View.

|    |        |                            |  |      |
|----|--------|----------------------------|--|------|
| UI | Create | ▼ Permissions - Accountant |  |      |
| UI | Set    | Level                      |  | View |

## System Notes v2 Workbook

SuiteAnalytics Workbook offers many workbook and dataset templates, each with predefined source data, criteria, pivot tables, and charts.

This section contains the information for the SuiteAnalytics System Notes v2 workbook in NetSuite. For more information about SuiteAnalytics Workbook, see the help topic [Workbook and Dataset Templates](#).

- [System Notes v2 Dataset Template](#)
- [System Notes v2 Workbook Template](#)
-  [Using the System Notes v2 Workbook](#)

This is the fourth video in a 4-part series of videos about System Notes. To watch the other parts of the series, see:

- [System Notes Overview](#)
- [Removing Personal Information from System Notes](#)
- [System Notes v2 Overview](#)

## System Notes v2 Dataset Template

This dataset combines fields from the System Notes v2 record type and two custom formulas so you can view the change history in your account. It forms the source data for the [System Notes v2 Workbook Template](#).

### Dataset Configuration

The System Notes v2 dataset combines fields from one record type, multiple custom formulas and criteria filters. To edit the dataset, see the help topic [Defining a Dataset](#).

| Root Record Type | Joined Record Type | Custom Formula Field                                                                                                                                         | Data Grid                                                                                                                                                                                                                                                                                                                                                                                    | Criteria Filters                                                                                                                                                 |
|------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| System Notes v2  | (none)             | <p>These custom formulas are included in the dataset:</p> <ul style="list-style-type: none"> <li>■ New Display Value</li> <li>■ Old Display Value</li> </ul> | <p>The following fields are included in the dataset.</p> <p>System Notes v2:</p> <ul style="list-style-type: none"> <li>■ Author</li> <li>■ Context</li> <li>■ Date Changed</li> <li>■ Element Full Name</li> <li>■ Object Action Type</li> <li>■ Object Name</li> <li>■ Role ID</li> <li>■ Root Object — Numeric Key #1</li> <li>■ Root Object Name</li> <li>■ Value Action Type</li> </ul> | <p>The following criteria is used to filter the dataset:</p> <ul style="list-style-type: none"> <li>■ <b>Date From</b> on or after same day last year</li> </ul> |



## System Notes v2 Workbook Template

Use the System Notes v2 workbook to analyze system notes v2 data for your records. Create a custom workbook to add charts, pivots, and tables to view configuration details in your account.

The System Notes v2 workbook supports these records:

- Roles and permissions
- Custom transaction record types – configuration only.

The System Notes v2 workbook provides administrators and compliance managers with a view of the change history in their account. The workbook information includes details about what changed, who made the change, and when the change was made. You can also create your own workbook System Notes v2 dataset.

# System Notes v2 Workbook

SuiteAnalytics Workbook offers many workbook and dataset templates, each with predefined source data, criteria, pivot tables, and charts.

This section contains the information for the SuiteAnalytics System Notes v2 workbook in NetSuite. For more information about SuiteAnalytics Workbook, see the help topic [Workbook and Dataset Templates](#).

- [System Notes v2 Dataset Template](#)
- [System Notes v2 Workbook Template](#)
-  [Using the System Notes v2 Workbook](#)

This is the fourth video in a 4-part series of videos about System Notes. To watch the other parts of the series, see:

- [System Notes Overview](#)
- [Removing Personal Information from System Notes](#)
- [System Notes v2 Overview](#)

## System Notes v2 Dataset Template

This dataset combines fields from the System Notes v2 record type and two custom formulas so you can view the change history in your account. It forms the source data for the [System Notes v2 Workbook Template](#).

## Dataset Configuration

The System Notes v2 dataset combines fields from one record type, multiple custom formulas and criteria filters. To edit the dataset, see the help topic [Defining a Dataset](#).

| Root Record Type | Joined Record Type | Custom Formula Field                                                                                                                                         | Data Grid                                                                                                                                                                                                                                                                                                                                                                                    | Criteria Filters                                                                                                                                                 |
|------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| System Notes v2  | (none)             | <p>These custom formulas are included in the dataset:</p> <ul style="list-style-type: none"> <li>■ New Display Value</li> <li>■ Old Display Value</li> </ul> | <p>The following fields are included in the dataset.</p> <p>System Notes v2:</p> <ul style="list-style-type: none"> <li>■ Author</li> <li>■ Context</li> <li>■ Date Changed</li> <li>■ Element Full Name</li> <li>■ Object Action Type</li> <li>■ Object Name</li> <li>■ Role ID</li> <li>■ Root Object — Numeric Key #1</li> <li>■ Root Object Name</li> <li>■ Value Action Type</li> </ul> | <p>The following criteria is used to filter the dataset:</p> <ul style="list-style-type: none"> <li>■ <b>Date From</b> on or after same day last year</li> </ul> |

## System Notes v2 Workbook Template

Use the System Notes v2 workbook to analyze system notes v2 data for your records. Create a custom workbook to add charts, pivots, and tables to view configuration details in your account.

The System Notes v2 workbook supports these records:

- Roles and permissions
- Custom transaction record types – configuration only.

The System Notes v2 workbook provides administrators and compliance managers with a view of the change history in their account. The workbook information includes details about what changed, who made the change, and when the change was made. You can also create your own workbook System Notes v2 dataset.

# System Notes Terminology

The following terms are used to refer to system notes in NetSuite.

## **Audit**

A general examination and verification of NetSuite records.

## **Audit Trail**

A NetSuite tool that you can use to search and investigate system notes related to a specific record.

You can use the Transaction Audit Trail to generate a report that shows a detailed history of all transactions entered into NetSuite, or you can view system notes for multiple transactions. The audit trail shows you transaction details, including who made changes and when. By default, the Transaction Audit Trail report is available to the CEO, CEO (Hands Off), CFO, and Support Administrator roles. Other users with custom roles can access the Transaction Audit Trail report if they have the audit trail permission assigned to their role.

## **System Notes**

System notes track any changes made to a record. A system note for a change on a record captures the date when the change was made, who made the change, the role of the user who made the change, the type of change, and the old and new record values. System notes can't be edited by any system user, script, or application. System notes are logged on both standard and custom records. Anyone with view access to a record and the List > Notes Tab permission can view the system notes for that record.

## **Transaction History**

NetSuite stores data on each entry that a user makes to create, change, or delete a transaction. This data includes all users involved in the history of this transaction, each user's action, the date and time of that action, any account impact, and the amount after the change.

This historical data may be referred to as system notes, an audit trail, or as history. NetSuite offers many methods for you to retrieve historical details about changes made to transaction records.

# System Notes Documentation

The following topics contain information about [Auditing](#), [System Notes](#), and [Transaction History](#).

The following isn't a complete list of all system notes help topics. You can find more information about system notes throughout the Help Center.

## Auditing

The following section lists available help topics related to auditing.

### Account Administration

- [Audit Enablement](#)
- [Auditing Account Preferences](#)
- [Auditing Data Changes using Searches](#)
- [Auditing Primary Data and Configuration Changes in NetSuite](#)
- [Defining an Advanced Login Audit Trail Search](#)
- [Defining a Simple Login Audit Trail Search](#)

### Authentication

- [Login Audit Trail Overview](#)
- [TBA and the Login Audit Trail](#)

### Commerce

- [SCIS Audit Log](#)

### Order Management

- [E-Document Audit Trail and Statuses](#)
- [Viewing the Bulk Operations Summary Page and Audit Trail Records](#)

### SuiteAnalytics

- [Auditing Changes to Saved Searches](#)
- [Audit Trail for Saved Searches, Reports and Schedules](#)
- [Using the Login Audit Trail](#)

### SuiteCloud Platform

- [Transaction Numbering Audit Log](#)

- [Using the Login Audit Trail](#)

## Transactions

- [Line-Level Audit Trail for Transactions](#)
- [Transaction Numbering Audit Log](#)
- [Tracking Financial Account Changes](#)
- [Using the Transaction Audit Trail](#)
- [Viewing an Audit Trail for a Record Type](#)

## Users and Roles

- [Use Searches to Audit Permissions By Employee](#)
- [Use Searches to Audit Roles](#)
- [Use Searches to Audit Roles and Permissions](#)

## System Notes

The following section lists available help topics related to system notes.

## Accounting

- [General Ledger Tracking in Transaction System Notes](#)

## Account Administration

- [Checking PI Removal Results in the System Notes](#)
- [Log System Notes For Custom Fields](#)
- [Password Changes Are Logged in System Notes on Entity Records](#)
- [Searching System Notes](#)
- [Viewing Transaction System Notes](#)

## Commerce

- [Website System Notes](#)

## SuiteAnalytics

- [Creating Saved Searches for System Notes](#)

## SuiteCloud Platform

- [Execution Contexts in System Notes](#)

- [Custom GL Lines Plug-in Implementation System Notes](#)
- [System Notes for Custom Transaction Type Configuration](#)
- [System Note](#)
- [Viewing System Notes](#)

## General System Notes

- [System Notes Overview](#)
- [System Notes Terminology](#)
- [System Notes v2 Overview](#)
- [System Notes v2 Workbook](#)
- [Viewing System Notes v2](#)
- [System Notes v2 Example](#)

## Transaction History

The following section lists available help topics related to transaction history.

### Account Administration

- [Granting User Access to Transaction History](#)
- [Reviewing Transaction History](#)
- [Transaction Line-Level History Window](#)
- [Transaction System Information and Communication Subtabs](#)

### Commerce

- [Printing Receipts from the Transaction History](#)

# System Notes and System Notes v2

NetSuite tracks changes made to a record using system notes. A system note captures key information about a change on a record, including when and who made it, and what was changed.

You can use two systems within NetSuite to track changes made to records: System Notes and System Notes v2. Both systems serve to capture audit trail information, however there are significant differences between them in terms of functionality, scope, and user experience.

- System Notes is the original NetSuite system for tracking record changes. These system notes are available for records or groups of configuration settings where a System Notes subtab is available on the NetSuite page. For more information about System Notes, see [System Notes Overview](#).
- System Notes v2 is a newer version of system notes. On supported records, you can access System Notes v2 using the System Notes link located on the upper right of the page. System Notes v2 captures audit trail information for specific record types. For more information about System Notes v2, see [System Notes v2 Overview](#).

The following table outlines the main similarities and differences between System Notes and System Notes v2.

|                                   | System Notes                                                                                                                                                                                                                     | System Notes v2                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Access                            | Available for records or configuration settings where a System Notes subtab is available on the NetSuite record page at System Information > System Notes. For more information, see <a href="#">Viewing System Notes</a> .      | Captures audit trail information for supported records. System notes v2 are available through a link available on the upper right of the page. For more information, see <a href="#">Viewing System Notes v2</a> .                                                                                                                                                      |
| Functionality                     | Captures changes made to a record. For transactions, the System Notes subtab also shows system logs.                                                                                                                             | System notes v2 group the changes under high-level actions. You can expand a change to see more details about the change, including the level of actions that have been performed. These actions include create, change, delete, set, update, unset.                                                                                                                    |
|                                   | System notes track the date and time when the change was made, who made the change, the interface from which the change was initiated, the type of change, the field that was changed, and the old and new values in the record. | System notes v2 track the date and time when the change was made, who made the change, the role of the user who made the change, the interface from which the change was initiated, the action performed, the object that was changed, and the old and new values in the record.                                                                                        |
| Changes to configuration settings | System notes are logged on changes to general configuration settings that have a financial impact (company information, general preferences, enable features, accounting lists, tax setup).                                      | Currently, System Notes v2 isn't used to log changes to general company settings.                                                                                                                                                                                                                                                                                       |
| Filtering                         | When viewing system notes for a record, you can use the Field dropdown list on the System Notes subtab to see changes for a certain field.                                                                                       | When viewing system notes v2, you can search and filter to go through all data in the record history. When you type your search term, results update in real time and display as <b>prominent</b> text. Matching records appear while the query continues to run in the background. For more information, see <a href="#">Searching and Filtering System Notes v2</a> . |
| Searching                         | When searching system notes, you can search for certain records, use advanced search filters,                                                                                                                                    | For System Notes v2, use the System Notes v2 workbook to search all System Notes v2                                                                                                                                                                                                                                                                                     |



|                 | System Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | System Notes v2                                                                                                                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                 | <p>create a saved search, or export information for additional analysis. To search system notes data, go to Reports &gt; New Search and click System Note. For more information, see the help topics <a href="#">Searching System Notes</a> and <a href="#">Auditing Data Changes using Searches</a>.</p> <p>You can also search system notes information using SuiteAnalytics Workbook. For more information, see the help topic <a href="#">SuiteAnalytics Workbook Overview</a>.</p> | <p>records. For more information, see <a href="#">System Notes v2 Workbook</a>.</p>                                                                                                                                       |
| Deleted records | <p>System Notes doesn't keep deleted transactions and records. For some record types, a log is created with basic information about the deleted transaction or record, such as key, name, deletion date, and deleted by. The deleted record log is searchable. To use this search type, go to Reports &gt; New Search and click Deleted Record. For more information, see the help topic <a href="#">Searching for Deleted Records</a></p>                                              | <p>System Notes v2 keeps information for deleted transactions and records. The deleted information appears in System Notes v2 with a Delete action. For more information, see <a href="#">Viewing System Notes v2</a></p> |