



ORACLE
NETSUITE

Uploading Files Using Drag and Drop



2025.2

July 23, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Uploading Files Using File Drag and Drop	1
Installing File Drag and Drop	1
Configuring File Drag and Drop	1
Using File Drag and Drop	4

Uploading Files Using File Drag and Drop

File Drag and Drop lets you upload one or more files from your desktop to the file cabinet or a record page. You can also use it to attach multiple files directly to editable sublists on supported and custom records.

Consider the following limitations when using File Drag and Drop:

- File Drag and Drop only works on records and transactions that are in the old NetSuite UI. Make sure the preference to show the project in the new NetSuite UI is turned off.
Go to Setup > Company > General Preferences and check that the Show Project In New UI box isn't checked.
- You can upload files with a maximum size of up to 10MB. If the upload takes too long, you can abort or cancel the upload and try again.

 **Important:** Your administrator must install and configure File Drag and Drop in your account before you can use it.

Installing File Drag and Drop

Prerequisite

Before you install the File Drag and Drop SuiteApp, go to Setup > Company > Enable Features, and then click the SuiteCloud subtab.

Make sure that the following features are enabled on your account:

- Client SuiteScript
- Server SuiteScript
- Custom Records

Installation

To install File Drag and Drop, go to Customization > SuiteBundler > Search & Install Bundles.

Use the following information to search for the SuiteApp:

- Bundle Name: File Drag and Drop
- Bundle ID: 41309
- Location: Production (Account ID 3751218)

File Drag and Drop is a managed SuiteApp and is automatically updated whenever there are changes. These issue fixes and enhancements are available after the SuiteApp is updated in your account.

For the procedure on installing the File Drag and Drop SuiteApp, see the help topic [Installing a Bundle](#).

 **Note:** Only Account Administrators can install and configure File Drag and Drop. After it is installed, you can deploy the functionality to users in your account.

Configuring File Drag and Drop

Read the following topics for more information about configuring File Drag and Drop:

- Using the File Drag and Drop Setup Assistant
- Reviewing the File Drag and Drop Setup

Using the File Drag and Drop Setup Assistant

The Setup Assistant puts commonly used File Drag and Drop preferences in one place to make setup easier for account administrators.

You don't have to do all the steps to finish the setup. You can click the number above each step to go to a specific configuration page.

To use the File Drag and Drop Setup Assistant, go to Setup > Customization > File Drag and Drop Setup.

Setting General Preferences for File Drag and Drop

- On the Preferences page, provide values for the following fields:
 - **Enable File Drag and Drop** – Check this box to enable File Drag and Drop on this account.

Note: If you have not specified a destination folder, the drop zone will not be visible on any record page. You must set either a global or record-specific destination folder to view the drop zone on record pages.
 - **Global Destination Folder** – Save the files attached through File Drag and Drop to this folder.

Note: Setting a global destination folder will enable File Drag and Drop on all record types.
 - **Error Message Recipient** – Set the recipient email address for File Drag and Drop error messages. If no recipient is specified, error messages are sent to all account administrators.
- Click **Save and Next**.

Enabling File Drag and Drop on Selected Record Types

1. On the Record Types page, click **New File Drag and Drop Record Type** to enable File Drag and Drop on a specific record.
2. Provide values for the following fields:
 - **Record Type** – Select the record type where you want to enable File Drag and Drop.
 - **Folder Name** – Click the field to open the folder browser popup, and then select the default folder where files added to the record will be saved.
 - **Use Folder Pattern** – Check this box if you want File Drag and Drop to create unique folders based on the specified folder pattern, and save uploaded files there.
 - **Folder Pattern** – Enter the folder path where you want to save uploaded files.

You can use placeholders, surrounded with curly braces, with your desired folder name to create a folder pattern. Placeholders are not case sensitive.

- **subsidiaryId** – Saves files to a folder with the ID of the current user's subsidiary.
- **departmentId** – Saves files to a folder with the ID of the current user's department.
- **roleId** – Saves files to a folder with the ID of the current user's role.
- **recordId** – Saves files to a folder with the ID of the record where the file is attached.



Note: If the folder pattern points to a destination folder that does not exist, the folder will be created when you drop a file in the drop zone.



Important: The record ID on new records will not be available until it is saved. Because of this, File Drag and Drop will create a temporary folder name for files uploaded to new records. When the record is saved, the system will replace the folder name with the permanent record ID.

The following table shows examples of folder patterns and the resulting system-generated folder paths:

Folder Pattern	Actual Folder Path
\HR Documents\Subsidiary{subsidiaryId} \Department{departmentId}\Record{recordId}	\HR Documents\Subsidiary4\Department8\Record22
\HR Documents \Subsidiary{subsidiaryId}-{departmentId}-{recordId}	\HR Documents\Subsidiary4-8-22
\HR Documents\Employee{recordId}	\HR Documents\Employee22

3. Click **Save and Next**.



Important: If you specified a global destination folder, File Drag and Drop will be enabled on all record types. For record types which you specifically enabled for File Drag and Drop, the attachments will be saved in the folders you specified in the Record Types page. Files attached to all other record types will be saved in the global destination folder.

Reviewing the File Drag and Drop Setup

The summary page displays the preferences you have defined, and lists the record types where you have enabled File Drag and Drop. Verify that the preferences you have entered are correct, and then click **Finish**.

Using File Drag and Drop

You can drag and drop single or multiple files from your desktop to the Drag and Drop enabled file cabinet and to a record or sublist line item.

Note: The Drag and Drop enabled cabinet is separate from the built-in file cabinet. You can access the Drag and Drop enabled File Cabinet from Documents > Drag and Drop Files > File Cabinet. For more information, see [To add files to the file cabinet:](#).

Read the following topics for more information about using File Drag and Drop:

- [Setting General Preferences for File Drag and Drop](#)
- [Adding Files to a Record Page and Line Item](#)
- [Adding Files to the File Cabinet](#)
- [Inserting URLs of Uploaded Files](#)
- [Changing the Destination Folder from the Drop Zone](#)
- [Removing Files from the File Cabinet](#)

Setting File Drag and Drop Preferences

To set user preferences for File Drag and Drop:

1. Go to Home > Set Preferences, and then click the **Custom Preferences** subtab.
2. Under File Drag and Drop, set values for the following preferences:
 - **Enable File Drag and Drop in View Mode** – Check this box to enable File Drag and Drop in view mode for all users of this account.
 - **Enable File Drag and Drop** – Check this box to enable File Drag and Drop in your account.

Note: File Drag and Drop is only available on forms with a Files subtab. If the Files subtab is removed from a custom form, the drop zone will not be displayed.

Important: Users who have the File Drag and Drop feature enabled must have write access to the destination folder. If you do not have access to the folder, a different destination folder may be selected from the options available in the drop zone. The available options only include active folders and private folders that you have access to.

- **Hide Tutorial Notification** – Check this box to hide the File Drag and Drop tutorial notification on record pages.

Note: When you open a record where File Drag and Drop is enabled, a pop-up notification appears. The notification lets you launch the File Drag and Drop tutorial. You can also hide or show the tutorial from the record page. To hide the tutorial, click **Don't Show this message again** on the tutorial notification. To view the tutorial again, click the drop zone to view more options, and then click **Tutorial**.

Adding Files to a Record Page and Line Item

To add files to a record page and line item:


1. Create or edit a record.

Note: A star on the folder icon in the drop zone indicates that the record contains file attachments. You can click the folder to view the attached files.

- On your computer, select the files you want to upload and drag it to the drop zone. Dropping the file starts the upload process.


Important: When you create a record, changes to some field values may cause the record page to refresh. The page refresh causes File Drag and Drop to create multiple unique folders for the record that is being created. For example, when you change the value of the Customer field on Sales Orders, the page may require you to use a different form if the selected customer belongs to a different subsidiary or is under a different nexus. Every time the Sales Order page is refreshed, File Drag and Drop creates a new folder.

- If a file with the same name exists, a popup prompts you to overwrite the file or cancel the upload. Click **Yes** to proceed with the upload. Otherwise, click **No**.
- To cancel a file upload, click the drop zone to display additional options. In the Pending uploads section, click the cancel icon.



The record updates automatically to reflect the uploaded file. Files attached to the record are listed under Communication > Files.

- To attach files to a line item, drag a file from your computer and then drop it to the transaction line. You can drop files to line items that have been previously added to the record. If you want to attach a file to a line item that you have added, save the record first, and then open it in edit mode.



Note: Files uploaded to new records you are creating will not be deleted when the record is not saved.
You can attach files to line items only in edit mode.


- Click **Show Files from Selected Line Item** to view files attached to the selected transaction line.

Note: The maximum size per file is 10 MB.

Adding Files to the File Cabinet

To add files to the file cabinet:

- Go to Documents > Drag and Drop Files > File Cabinet.



- Select the destination folder from the Folders list. The selected folder is indicated inside the Dropzone.
- Drag files from your computer to the Dropzone to upload it to the selected folder.

Inserting URLs of Uploaded Files

You can automatically insert the URL for a file you uploaded into text fields within the record.

To insert URLs of uploaded files:

- Create or edit a record.
- On your computer, select the files you want to upload and drag it to the text area where you want to insert the URL. Drop the files.

The system automatically appends the URL to the end of the text entered in the field. You can add text after the URL, or drag more files to the same field to insert additional URLs. You can copy and paste the URL to your browser to open the file.


Note: This does not apply to text fields within sublists.

Changing the Destination Folder from the Drop Zone

When you upload files to a record page, you can override the default destination folder for that record. The change will only be applicable in the current instance. When the page is refreshed, the destination folder will be reverted to the default folder.

To change the destination folder from the drop zone:

1. Create or edit a record.
2. Click the drop zone to display more options.



3. Click **Change** to open the File Cabinet pop-up.
4. Select a destination folder for this instance, and then click **Select Folder**.

Removing Files from the File Cabinet

You can remove files from a record or from the File Cabinet.

To remove files:

1. Edit a record.
2. Go to Communication tab > Files. Files attached to the record are listed here.
3. Select the file to be deleted and remove the attachment.



Note: This deletes the file from the record but not the File Cabinet.

4. Go to Documents > Drag and Drop Files > File Cabinet.
5. Delete the file.



Note: This also removes the file attached to the record.