

ORACLE
NetSuite

Warehouse Management



2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Warehouse Management	1
NetSuite WMS Overview	2
NetSuite WMS Setup	3
Installing the NetSuite WMS SuiteApps	5
Enabling Features for NetSuite WMS	6
Warehouse Management Roles and Permissions	8
Warehouse Management Roles	8
Specialized User: WMS Role	9
Warehouse Management Permissions	11
Assigning Custom Roles to Custom Mobile Processes	15
Warehouse Management Records and Templates	15
Creating Warehouse Locations	16
Configuring Records for Locations With Bins	16
Creating Item Process Families	20
Creating Item Process Groups	20
Creating Inventory Statuses	21
Setting Up Units for Pick Decomposition	21
Creating Items for NetSuite WMS	22
Creating Item Aliases	25
Creating Item Stock Locations	26
Creating Order Types	27
Defining a UCC Code Format	27
Creating Adjustment Reasons	28
Creating Carrier Service Levels	29
Customizing Warehouse Management Records	30
Setting Warehouse Management Preferences	38
Warehouse Management Strategies	39
Defining Pick Strategies	40
Defining Putaway Strategies	41
Setting Up Bin Blocking for Order Picking	42
System Rules for NetSuite WMS	44
Mobile App Setup	53
Configuring Mobile App Settings	54
Bar Code Setup for NetSuite WMS	55
Mobile Printing for NetSuite WMS	62
Mobile Configuration and Customization	65
NetSuite WMS Shipping Integration Setup	66
Installing and Updating the WMS Printer Driver and Carrier Integrator Application	67
Setting Up Your Login Credentials	69
Configuring the WMS Printer Driver and Carrier Integrator Application	70
Setting Up and Generating Commodity Shipment Files	72
Viewing Logs	73
Starting the WMS Printer Driver and Carrier Integrator Application	73
Electronic Data Interchange (EDI) Integration	74
Mobile Device Basics for NetSuite WMS	76
Accessing Bins on the App	76
Inventory Status on Mobile Devices	77
Multiple Units of Measure (UOM) on Mobile Devices	78
Mobile Device Transactions	79
Inbound Processing	82
Receiving Orders	82
Receiving Orders by Scanning Through the App	86
Receiving Inbound Shipment Orders	88

Item Receipts	90
Enabling Deferred Item Receipt Posting	91
Manually Posting Item Receipts	91
Reversing Completed Item Receipt Transactions	92
Item Putaway	93
Putaway Strategies	93
Enabling Staging at Receiving	94
Putting Away Items	95
Putting Away Items Using Carts	97
Inventory Processing	101
Inventory Transfers	101
Transferring Items Between Bin Locations	101
Inventory Transfers Between Warehouse Locations	103
Bin Transfer via Cart	107
Searching for Inventory	109
Generating an Inventory Report	110
Creating Inventory	111
Inventory Counts	112
Creating Manual Inventory Counts	112
Creating Calculated Inventory Counts	113
Creating Cycle Count Plans	114
Generating and Releasing Inventory Counts	115
Generating and Processing Counts on the App	116
Starting Inventory Counts	117
Performing Inventory Counts	118
Completing Inventory Counts	121
Approving or Rejecting Inventory Counts	122
Recounting Cycle Counts	122
Work Order Picking	123
Picking Component Items for Work Orders	123
Building Assembly Items for a Work Order	125
Reversing Work Order Picking	127
Picking Items for Vendor Returns	128
Replenishment	130
Generating Replenishment Plans	131
Scheduling Bin Replenishments	131
Replenishing Primary Bin Locations	132
Replenishing via Carts	133
Changing the Inventory Status of Items	135
Outbound Processing	137
Fulfilling Released Orders	137
Viewing the Status of Fulfillment Generation	138
Viewing and Handling Fulfillment Generation Failures	139
Posting Item Fulfillments for Partially Picked Orders	140
Releasing Orders to the Warehouse	141
Pick Task Decomposition	143
Creating Wave Transactions	145
Pick Task Assignment	148
Creating a Wave Release Schedule	149
Re-releasing Lines with Backorders	151
Printing Pick Tickets from Wave Transactions	152
Handling Changes to Associated Sales or Transfer Orders	153
Viewing Pick Task Generation Failures	153
Deleting Waves and Handling Wave Issues	154
Pick Task Sorting and Recommended Bins	155

Monitoring the Status of Released Orders	157
Picking Orders	159
Picking Items for Single Orders	161
Picking Items for Multiple Orders	164
Performing Bulk Picking	167
Preventing the Picking of Expired Items	169
Picking Orders from a Zone	170
Viewing, Updating, or Deleting Pick Tasks	176
Pick Task Reversal	177
Managing Bins Blocked from Order Picking	179
Showing or Hiding Completed Picks on the App	180
Packing Orders	181
Manually Packing Orders and Printing Packing Lists	181
Shipping Orders	182
WMS Ship Manifest Records	183
NetSuite WMS Shipping Integration	183
Manually Shipping Orders	184
Manually Shipping Orders in Pack Cartons or Pallets	185
Confirming Customer Shipments	186
Warehouse Management FAQs	187

Warehouse Management

- [NetSuite WMS Overview](#)
- [NetSuite WMS Setup](#)
- [Mobile Device Basics for NetSuite WMS](#)
- [Inbound Processing](#)
- [Inventory Processing](#)
- [Outbound Processing](#)
- [Label Printing and Reprinting](#)
- [Warehouse Management FAQs](#)

NetSuite WMS Overview

NetSuite Warehouse Management System (WMS) is an important component for the efficient operation of your warehouse. It extends your NetSuite implementation and its inventory and warehouse management capabilities so you can better manage your inventory and warehouse transactions.

Through the mobile app with processes customized to your warehouse setup, NetSuite WMS helps you improve your inventory accuracy and reduce the time you spend searching for and handling items in your warehouse. It enables you to track your warehouse processing tasks, from receiving and storing items, to picking and shipping them. As you process orders in your warehouse, each transaction you complete updates your NetSuite inventory data in real time to give you precise information about your inventory.

Feature Availability

The Warehouse Management feature is available only in NetSuite accounts that use the [Advanced Inventory Management](#) feature.

You can use the Warehouse Management feature and SuiteApps with the [NetSuite Ship Central](#) SuiteApp, which enables order packing and shipping using a kiosk device.

Feature Setup and Warehouse Management Tasks

To complete the required and optional setup procedures, see [NetSuite WMS Setup](#).

For instructions on using NetSuite WMS to perform warehouse processing tasks, see the following topics:

- [Inbound Processing](#)
- [Inventory Processing](#)
- [Outbound Processing](#)

For more information about the mobile app, see the following topics:

- [Mobile App Setup](#)
- [Mobile Device Basics for NetSuite WMS](#)
- [SCM Mobile App Basics](#)

NetSuite WMS Setup

To enable Warehouse Management, see the following topics for the initial setup procedures:

1. [Installing the NetSuite WMS SuiteApps](#)
2. [Enabling Features for NetSuite WMS](#)
3. Activate the Enable Warehouse Management system rule. See [System Rules for NetSuite WMS](#).



Important: In case the Oracle NetSuite WMS SuiteApp is no longer active or installed on your account, make sure you inactivate the Enable Warehouse Management rule. Otherwise, you might encounter issues when you try to process orders through the other SCM mobile apps.

4. [Warehouse Management Roles and Permissions](#)

After you complete the initial required procedures, see the following topics to continue your setup, some of which depend on your mobile app requirements:

- [Warehouse Management Records and Templates](#)

Aside from setting up common records used within NetSuite, set up those provided by NetSuite WMS. These records include zones, item aliases, order types, and item process groups or families. You can also create custom templates used for order filtering, wave forms, pick tickets, and lists..

- [Setting Warehouse Management Preferences](#)
- [Warehouse Management Strategies](#)
- [Setting Up Bin Blocking for Order Picking](#)
- [Mobile App Setup](#)



Important: Always make sure that you use matching languages for the NetSuite UI and mobile app.

- [System Rules for NetSuite WMS](#)
- [Creating a Wave Release Schedule](#)
- [NetSuite WMS Shipping Integration Setup](#)

Configuring NetSuite WMS for Locations With No Bins

NetSuite WMS uses the Bin Management feature settings on location and item records to determine when to use the standard bin processing flows. When you configure locations with no bins, you process associated items and orders without bins.

For example, wave transactions for these locations do not display recommended bins. On your mobile device, the order picking process does not include bin selection and staging.

You cannot perform bin-related tasks, such as bin transfers, putaway, and replenishment for locations with no bins. For more information about Bin Management, see [Enabling Features for NetSuite WMS](#).



[Configuring NetSuite WMS for Locations that Do not use Bins](#)

The following table shows the location and item settings that control NetSuite WMS flows:

NetSuite WMS Flow	Location	Item
Nonbin flow	Use Bins = cleared	Use Bins = checked or cleared
Bin flow	Use Bins = checked	Use Bins = checked

The Use Bins setting on item records doesn't affect how NetSuite WMS processes orders for items in locations with no bins. NetSuite WMS doesn't apply the standard bin flows even if you check the Use Bins box on the item record.

NetSuite WMS applies the standard bin flows only for locations and items that use bins. If you have items that don't use bins in these locations, receive, process, or fulfill them directly from their order transactions or through the NetSuite user interface. On a mobile device, you might encounter an error when you try to process items that don't use bins.

To configure NetSuite WMS for warehouse locations with no bins, create or update the following records in these topics:

1. [Creating Warehouse Locations](#) – To set up locations with no bins, clear the **Use Bins** box on the location record.
2. [Creating Items for NetSuite WMS](#) – (Optional) On item records, you can assign a pick sequence number that NetSuite WMS uses to sort and display pick tasks on a mobile device.
Make sure that the **Use Bins** box is configured correctly, especially if you have items associated with multiple locations, some of which may use bins.
3. [Creating Item Stock Locations](#) – (Optional) You can create item stock locations and assign them to items in warehouses with no bins.

NetSuite WMS Setup with Ship Central

With the Pick, Pack, and Ship feature, you can use Warehouse Management with [NetSuite Ship Central](#) (formerly, Pack Station). Complete your Warehouse Management setup first, before you begin your Ship Central setup. After you complete your Warehouse Management setup, the same features required for Ship Central should already be enabled on your account.

Some Warehouse Management capabilities apply to Ship Central too. Use of waves that you set up within Warehouse Management enables you to search for orders in waves when you pack through Ship Central.

 **Note:** You shouldn't use the packing capabilities available in NetSuite WMS and Ship Central at the same time. They process fulfillment and other record updates differently.

You can enable more features if you want to use Ship Central shipping instead of the Quick Ship capability within NetSuite WMS. For more information about required features and installation, see the help topic [NetSuite Ship Central Setup](#).

You can use the same PrintNode integration that you use for NetSuite WMS to set up Mobile Printing and Weighing Scale Support. You can add more printer devices that you want to use for Ship Central. Without this integration, you can enable Mobile Printing for both apps to save labels or documents. For more information, see the help topic [Mobile Printing and Weighing Scale Setup](#)

If you activate the pick cartons rule for NetSuite WMS, you can search for orders to pack through Ship Central using pick cartons. You can activate separate Ship Central system rules for tally scanning and staging. To view the rules available for Ship Central packing and shipping, see the help topic [Configuring Ship Central Rules](#).

Use the same login URL from SCM Mobile to access the NetSuite WMS and Ship Central apps on the appropriate devices. For more information, see the help topics [Hardware and Software Requirements](#) and [SCM Mobile App Access](#).

Installing the NetSuite WMS SuiteApps

Follow the required order to install the two SuiteApps for Warehouse Management:

 **Warning:** If you do not follow the required order of installation, you will encounter issues with the rest of the set up. First, install the SCM Mobile SuiteApp, and then install the Oracle NetSuite WMS SuiteApp.

1. **SCM Mobile** – The SCM Mobile SuiteApp contains the mobile device application that enables you to process orders and tasks on your warehouse floor.
2. **Oracle NetSuite WMS** – The Oracle NetSuite WMS SuiteApp contains the business logic that drives your warehouse processes.

You can install these SuiteApps in your sandbox or production account, in the required order of installation.

 **Note:** After you install these two SuiteApps, you must enable the Warehouse Management feature and system rule. See [Warehouse Management Feature and System Rule](#).

In case the Oracle NetSuite WMS SuiteApp is no longer active or installed on your account, make sure you inactivate this rule. Otherwise, you might encounter issues when you try to process orders through your mobile device.

To install the NetSuite WMS SuiteApps:

1. Using the Administrator role, go to Customization > SuiteBundler > Search & Install Bundles.
2. On the Search & Install Bundles page, in the **Keywords** field, enter the name of the bundle you want to install, following the order in this list:
 - a. **SCM Mobile** – 572631
 - b. **Oracle NetSuite WMS** – 572325
3. Click **Search**.
4. From the bundle sublist, click the bundle name.
5. Click **Install**.

 **Note:** The **Install** button appears only for bundles available to be installed in your account. If you do not find this button on the page, contact your NetSuite WMS account manager for more information about bundle access.

6. If you see a pop up message that asks for your permission to install future bundle updates, click **OK** to confirm.
7. On the Preview Bundle Install page, click **Install Bundle**.

After you install the SCM Mobile SuiteApp, you can install the Oracle NetSuite WMS SuiteApp.

The SCM Mobile bundle installs in about 3 - 5 minutes, while the Oracle NetSuite WMS bundle takes about 20 - 30 minutes to install. You can continue to work in your NetSuite account during bundle installation.

To view the status of bundle installations, go to Customization > SuiteBundler > Search & Install Bundles > List.

Enabling Features for NetSuite WMS

You must enable prerequisite features first, and then enable the Warehouse Management feature. Depending on your business requirements, you may enable related additional features. For the list of features and guidelines, see the following topics in this section:

- [Prerequisite Features for NetSuite WMS](#)
- [Additional Features for NetSuite WMS](#)
- [Warehouse Management Feature and System Rule](#)

Prerequisite Features for NetSuite WMS

Prerequisite features must be enabled before you can enable the Warehouse Management feature:



Note: You must enable the Bin Management and Advanced Bin/Numbered Inventory Management features even if you only want to set up warehouse locations with no bins.

Company	Transactions	Items & Inventory	SuiteCloud
Multiple Units of Measure	■ Advanced Shipping ■ Pick, Pack and Ship - See the help topic Pick, Pack, and Ship Overview.	■ Basic Inventory Management ■ Multi-Location Inventory ■ Bin Management - See the help topic Basic Bin Management. ■ Advanced Bin / Numbered Inventory Management ■ Advanced Inventory Management	■ Custom Records ■ Advanced PDF/HTML Templates ■ Client SuiteScript - See the help topic Enable Required Features for SuiteScript 1.0 SSP Applications. ■ Server SuiteScript - See the help topic Enable Required Features for SuiteScript 1.0 SSP Applications.

Additional Features for NetSuite WMS

You may need to enable the following related features that you may require for your business process flows:

- [Bar Codes and Item Labels](#)
- [Assembly Items](#)
- [Assembly Work Orders](#)
- [Serial Numbered Items](#)
- [Lot Numbered Items](#)

- [Inventory Status](#)
- [Inventory Count](#)
- [Advanced Item Location Configuration](#)

Before you enable this feature, note the following item record changes:

- You can enable this feature to access the Item Location Configuration record from the item record. On the Item Location Configuration record, you can set up the pick sequence number of an item for each warehouse location that does not use bins. For more information about pick sequence numbers, see [Item Sorting](#).
- For your existing item records, you can access the calculated inventory count fields on the Item Location Configuration record, instead of directly on the Locations subtab. See [Creating Items for NetSuite WMS](#), [Creating Calculated Inventory Counts](#), or [Locations](#).

- [Inbound Shipment Management](#)

 **Note:** To receive inbound shipment orders for lot and serialized items, or items with inventory status, you must also enable the Inventory Detail on Inbound Shipment feature. Before you can enable this feature, you must contact NetSuite Customer Support to provision this feature for your NetSuite WMS account. See the help topic [Inventory Details on an Inbound Shipment](#).

- [Advanced Receiving](#)

Enable this feature if you want to restock or write-off returned items that you receive on the app. You must also set the related returns preferences. Then, you can activate the **Enable Restock option for returns?** rule for the app. For more information, see [System Rules for NetSuite WMS](#).

- [Intercompany Cross-Subsidiary Fulfillment](#)

Warehouse Management Feature and System Rule

Aside from installing the NetSuite WMS SuiteApps and enabling the prerequisite features, you must also complete the following setup tasks in the specified order:

1. Enable the Warehouse Management feature. For instructions, see [To enable features for NetSuite WMS](#).

The Warehouse Management feature provides the capability to create wave transactions that you can use to release orders to the warehouse.

2. Activate the **Enable Warehouse Management** system rule. For instructions, see [System Rules for NetSuite WMS](#).

The Enable Warehouse Management rule exposes the menu items you use to start working with the warehouse management capabilities.

In case the Oracle NetSuite WMS SuiteApp is no longer active or installed on your account, make sure you inactivate this rule. Otherwise, you might encounter issues when you try to process orders through your mobile device.

3. Make sure that you set up your new or updated login page URL on your mobile device. If you do not set up the latest URL, you might see a blank page on your mobile device screen. See the help topic [SCM Mobile App Access](#).

To enable features for NetSuite WMS:

1. Go to Setup > Company > Enable Features.

2. Click the **Items & Inventory** subtab.
3. Under the Inventory heading, check the box next to **Warehouse Management**.



Note: If you do not find the Warehouse Management feature, contact NetSuite Customer Support to provision the feature for your account.

4. (Optional) Enable other features that suit your business requirements. See [Additional Features for NetSuite WMS](#) or [Enabling Features](#).
5. Click **Save**.

Warehouse Management Roles and Permissions

You can assign NetSuite WMS roles that provide access to records, tasks, and capabilities on the mobile app and the NetSuite UI. You can also update existing custom roles with permissions for inbound, inventory, and outbound processing. For more information, see the following topics:

- [Warehouse Management Roles](#)
- [Warehouse Management Permissions](#)

Assign roles and permissions to pickers or warehouse operators, warehouse managers, and mobile administrators.

If you want to obtain or assign the Specialized User: WMS role, see [Specialized User: WMS Role](#).

If you want to provide or limit access to a custom mobile process, see [Assigning Custom Roles to Custom Mobile Processes](#).

Warehouse Management Roles

To access records and perform warehouse processing or setup tasks, use the following standard or custom roles:

- **Administrator** – Use this standard role to enable features, install the SuiteApps, and create or manage records for NetSuite WMS.
- **Mobile – Administrator** – Without having all the standard administrator permissions, use this custom role to customize and configure mobile processes and mobile printing.
- **WMS Web Services Admin** – This custom role enables you to access and use the NSWMS Printer Driver Application. See [NetSuite WMS Shipping Integration Setup](#).
- **WMS Warehouse Manager** – Use this custom role to perform certain setup procedures for mobile processes, such as activating system rules and creating item aliases or cycle count plans. You can also use this role to create records for WMS.

The WMS Warehouse Manager role has access to the inbound, inventory, and outbound processing tasks on mobile devices. Specific permissions within the role also enable you to perform related tasks on the NetSuite user interface, such as pick task reversals and completing inventory counts.

Warehouse Management provides the following specialized roles for warehouse managers:

- **WMS Inbound Manager** – for inbound processing records and tasks only
- **WMS Outbound Manager** – for outbound processing records and tasks only

If you use Ship Central, this role automatically gains access to the Ship Central records and mobile app for kiosk devices. See the help topic [NetSuite Ship Central Roles and Permissions](#).

- **WMS Mobile Operator** – Use this custom role to perform all the warehouse processing tasks available in mobile devices.
Warehouse Management provides the following specialized roles for operators:
 - **WMS Inbound Operator** – for inbound processing tasks and outbound picking through mobile
 - **WMS Outbound Operator** – for outbound processing tasks only
- **Specialized User: WMS** – This standard role is not available by default. If you have this role, you can use it to access tasks on the mobile app. For more information, see [Specialized User: WMS Role](#).

If you want to customize or configure roles for Warehouse Management, see [Setting Up Roles for Warehouse Management](#).

Setting Up Roles for Warehouse Management

Depending on your business requirements, you can update existing roles or create new custom roles for Warehouse Management.

To set up roles for Warehouse Management:

1. To set up a role, do one of the following:
 - Create your copy of a role for warehouse managers or operators.
Your copy of a custom role inherits the complete set of permissions, so you do not need to manually add each permission. To view the list of these roles, see [Warehouse Management Roles](#).
If you copy a role not based on any of the WMS roles, you can add the WMS permissions that suit your business requirements.
For instructions on creating roles, see the help topic [Customizing or Creating NetSuite Roles](#).
 - Update your existing custom role with the permissions that provide access to warehouse processing tasks through mobile devices.
For instructions, see the help topic [Changing Custom Roles](#).
To view the list of inbound, inventory, and outbound processing permissions, see [Warehouse Management Permissions](#).
2. To assign a role to a warehouse manager or operator, see the help topic [Assigning Roles to an Employee](#).
3. (Optional) On the employee record of operators or pickers, verify that they have the correct warehouse location.
Pickers with no location setting can be assigned to pick tasks from any warehouse location. If you specify a location on an employee's record, you can assign only pick tasks that belong to wave transactions from the same warehouse location. For more information about picker assignment, see [Pick Task Assignment](#).
For instructions on updating employee records, see the help topic [Adding an Employee](#). For more information about locations, see [Creating Warehouse Locations](#).

Specialized User: WMS Role

Specialized User: WMS is a standard role that enables you to perform inbound, inventory, and outbound processing tasks on the mobile app. By default, you can access the standard mobile processes available in NetSuite WMS.

If you use the SiteBuilder (WebSite) and Site Builder (Web Store) features, you can access associated item images on the app. These images pertain to those that you add on the Web Store subtab of item records. For more information, see [Creating Items for NetSuite WMS](#).

Before you assign the Specialized User: WMS role, you can customize it to suit your mobile app requirements. For more information, see [Customizing the Specialized User: WMS Role](#).

You can assign the standard role or your customized Specialized User: WMS role to provide access to the NetSuite WMS app. You can also set it up to provide access to your custom mobile process and its tasks. For instructions, see the following topics:

 **Note:** Make sure that you are assigning a Specialized User: WMS role instead of a role available by default within NetSuite WMS. These default NetSuite WMS roles, which include the **WMS Warehouse Manager** and **WMS Mobile Operator**, do not count toward Specialized User access. For more information, see [Warehouse Management Roles and Permissions](#).

- [Assigning Roles to an Employee](#)
- [Assigning Custom Roles to Custom Mobile Processes](#)
- [Managing Specialized User: WMS Users](#)

To view the list of default permissions and access levels for this role, see the help topic [Standard Roles Permissions Table](#).

Specialized User: WMS Role Availability

If you use NetSuite WMS and have a PrintNode account, you can obtain the NetSuite WMS Limited Access User Cloud Service license for the role. The Specialized User: WMS role is not available by default within NetSuite WMS. For more information, you may contact your NetSuite account manager.

Customizing the Specialized User: WMS Role

You can create a custom role based on the standard Specialized User: WMS role to update or remove permissions. You can remove access to tasks on the NetSuite WMS app and retain access to inbound processing only, for example. If you use NetSuite Ship Central, you can edit permissions for packing or shipping. If you use Smart Count, you can edit permissions to access inventory counting on the Smart Count app. You can create a custom role for each mobile app or a single role for all supported apps that you use

 **Important:** If you do not use SAML SSO to access NetSuite or the app, you must customize or create a custom role to remove the **SAML Single Sign-on** permission. Otherwise, you may encounter an error like the following, since the standard role has **Full** access to **SAML Single Sign-on** by default: **Login access has been disabled for this role**. To add or remove this permission, see the help topic [Add SAML Single Sign-on Permissions to Roles](#).

You cannot customize other NetSuite standard or custom roles and add permissions to set it up as a Specialized User: WMS role. Other roles include those custom roles available in NetSuite WMS and Ship Central by default.

When you create a custom role, make sure that you distinguish it from other roles by including **Specialized User: WMS** in the name, for example. For instructions, see the following topics:

- [Customizing and Creating Roles](#)

- [Setting Permissions](#)

Refer to the tables in the following topics for permissions associated with tasks within each mobile app"

- [Warehouse Management Permissions](#)
- [Updating Roles with Ship Central Permissions](#)
- [Smart Count Roles and Permissions](#)

After you create your custom Specialized User: WMS role, you can assign it on the employee record and custom mobile processes. See [Specialized User: WMS Role](#).

Managing Specialized User: WMS Users

Assigning only the standard or a custom Specialized User: WMS role to an employee counts toward Specialized User: WMS usage. You can assign multiple Specialized User: WMS roles. If you assign it along with other Full access roles to the same employee, it counts toward Full access usage instead. If you switch an employee to a Specialized User: WMS role, remove other roles not based on it. Otherwise, it does not count toward Specialized User: WMS usage.

You can view the number of users to which you can assign this role on the Billing Information page. Using the Administrator role, you can access this page by going to Setup > Company > Billing Information. On this page, click the **Billable Components** subtab and in the **Component** column, look for **Specialized User: WMS**. The **Current Provisioned Qty** column indicates the number of users to which you can assign the Specialized User: WMS role.

Warehouse Management Permissions

The following tables contain the list of standard NetSuite and WMS permissions for inbound, inventory, and outbound processing:

- [Inbound Processing Permissions](#)
- [Inventory Processing Permissions](#)
- [Outbound Processing Permissions](#)

Use these tables as a guide when you want to manually add WMS permissions to your custom roles. The permissions allow roles to perform WMS tasks on both the NetSuite user interface and on a mobile device.

Add permissions based on your business requirements. For example, if you don't process work orders in your warehouse, you don't need to assign the Work Order permission. If you want your custom role to perform inbound and outbound processing tasks, you can combine the permissions from their corresponding tables.

To assign permissions, you can edit your custom role by going to Setup > Users/Roles > User Management > Manage Roles. On the Role page, you can set each permission and access level on the **Permissions** subtab. All minimum access levels for WMS permissions are set to **Full**, unless otherwise indicated in the table. For detailed instructions, see the help topic [Setting Permissions](#).

For information about NetSuite permissions, view the following topics:

- For more information about permission levels, see the help topic [Access Levels for Permissions](#).
- For the complete list of NetSuite permissions, see the help topic [Permissions Documentation](#).

Inbound Processing Permissions

Inbound processing permissions enable the following tasks:

- Receiving purchase orders, transfer orders, and customer returns
- Posting of item receipts
- Bin putaway and cart moves
- Reversal of item receipts

The following roles are preset with these permissions: WMS Inbound Manager, WMS Inbound Operator, and WMS Warehouse Manager.

Transactions	Reports	Lists	Setup	Custom Record
Access Payment Audit Log (View level)	Inventory	Accounts (View level)	(Optional for custom roles) Accounting Preferences	WMS Open Task
Adjust Inventory	SuiteAnalytics Workbook	Bins	Bulk Manage Roles	WMS Process Status Flag
Audit Trail (View level)		Custom Record Entries	Custom Entry Forms	WMS Putaway Strategies
Bin Putaway Worksheet		Customer Profile (View level)	Custom Lists	WMS System Rules
Bin Transfer		Customers (View level)	Custom Record Types	WMS Task Type
Find Transaction		Departments (View level)	Custom Transaction Fields	
Fulfill Orders		Documents and Files	Custom Transaction Forms	
Inventory Status Change		Employee Record	Publish Dashboards	
Invoice		Employees (View level)	SuiteScript (View level)	
Item Fulfillment		Inventory Status	SuiteScript Scheduling	
Item Receipt		Item Process Family		
Purchase Order		Item Process Group		
Receive Order		Item Templates		
Receive Returns		Item/Category Layouts		
Return Auth. Approval		Items		
Return Authorization		Locations		
Transfer Order		Perform Search		
Transfer Order Approval		Record Custom Field		
		Tax Schedules		
		Units		

Transactions	Reports	Lists	Setup	Custom Record
		Vendors (View level)		
		Zone		
		Pick Task (View level)		

Inventory Processing Permissions

Inventory processing permissions enable the following tasks:

- Inventory search, creation, transfer
- Inventory cycle counts and replenishment
- Bin transfer
- Picking and building assembly items for work orders

The WMS Warehouse Manager role is preset with these permissions.

Transactions	Reports	Lists	Setup	Custom Record
Access Payment Audit Log (View level)	Inventory	Accounts (View level)	(Optional for custom roles) Accounting Preferences	WMS Open Task
Adjust Inventory	SuiteAnalytics Workbook	Bins	Bulk Manage Roles	WMS Pick Strategies
Audit Trail (View level)		Custom Record Entries	Custom Entry Forms	WMS Putaway Strategies
Bin Transfer		Documents and Files	Custom Lists	WMS Task Type
Count Inventory		Employee Record	Custom Record Types	
Create Inventory Counts		Employees (View level)	Custom Transaction Fields	
Find Transaction		Inventory Status	Custom Transaction Forms	
Inventory Status Change		Item Process Family	Publish Dashboards	
Invoice		Item Process Group	SuiteScript (View level)	
Item Receipt		Item Templates		
Transfer Inventory		Items		
Work Order		Locations		
		Perform Search		
		Record Custom Field		
		Tax Schedules		

Transactions	Reports	Lists	Setup	Custom Record
		Units		
		Vendors (View level)		
		Zone		

Outbound Processing Permissions

Outbound processing permissions enable the following tasks:

- Mobile picking of sales and transfer orders
- Pick task reversals
- Packing and shipping of orders

The following roles are preset with these permissions: WMS Outbound Manager, WMS Outbound Operator, WMS Inbound Operator, and WMS Warehouse Manager.

Transactions	Reports	Lists	Setup	Custom Record
Access Payment Audit Log (View level)	Inventory	Accounts (View level)	(Optional for custom roles) Accounting Preferences	WMS Open Task
Adjust Inventory	Sales Order Fulfillment Reports	Bins	Bulk Manage Roles	WMS Pick Strategies
Audit Trail (View level)	Sales Order Reports	Custom Record Entries	Custom Entry Forms	WMS System Rules
Count Inventory	Sales Order Transaction Report	Customers (View level)	Custom Lists	WMS Task Type
Find Transaction	SuiteAnalytics Workbook	Departments (View level)	Custom Record Types	
Fulfill Orders		Documents and Files	Custom Transaction Fields	
Inventory Status Change		Employee Record	Custom Transaction Forms	
Invoice		Employees (View level)	SuiteScript (View level)	
Item Fulfillment		Inventory Status	SuiteScript Scheduling	
Sales Order		Item Process Family		
Sales Order Approval		Item Process Group		
Transfer Order		Item Templates		
Transfer Order Approval		Item/Category Layouts		
Wave		Items		

Transactions	Reports	Lists	Setup	Custom Record
		Locations		
		Perform Search		
		Pick Strategy		
		Pick Task		
		Shipping Items		
		Tax Schedules		
		Units		
		Vendors (View level)		
		Zone		

Assigning Custom Roles to Custom Mobile Processes

You can give access to any of the default NetSuite WMS custom roles or the Specialized User: WMS role to a custom mobile process. After you clone a standard process, you can assign one or more roles to your custom process. For more information, see the help topic [Customizing Mobile Processes](#).

To assign custom roles to custom mobile processes:

1. Using the Administrator role, go to Setup > Custom > Mobile – Applications.
2. On the Mobile – Applications List page, click **View** next to the mobile app that uses the process.
3. On the Mobile – Process List page, click **Edit** next to the custom mobile process.
4. On the Mobile – Process page, in the **Accessible Roles** field, select the custom roles.
5. Click **Save**.
After you assign roles to a process, compile your app updates.
6. On the Mobile – Process List page, at the upper-right corner, click **Mobile Application List**.
7. On the Mobile – Applications List page, click **Update App** next to the mobile app that you have updated.

Warehouse Management Records and Templates

To create or update records for your warehouse configuration, see the following topics:

- [Creating Warehouse Locations](#)
- [Configuring Records for Locations With Bins](#)
- [Creating Item Stock Locations](#)

To create or update records for warehouse or shipping items and order types, see the following topics:

- [Creating Item Process Families](#)
- [Creating Item Process Groups](#)
- [Creating Inventory Statuses](#)

- [Setting Up Units for Pick Decomposition](#)
- [Creating Items for NetSuite WMS](#)
- [Creating Item Aliases](#)
- [Creating Order Types](#)
- [Defining a UCC Code Format](#)
- [Creating Carrier Service Levels](#)

If you want to customize outbound processing templates and forms according to your business requirements, see the following topics:

- [Creating Custom Wave Criteria Templates](#)
- [Creating a Custom Pick Ticket Saved Search](#)
- [Creating Custom Advanced Templates for Pick Tickets](#)
- [Creating Custom Wave Forms](#)
- [Setting Up Custom Packing Lists](#)

Creating Warehouse Locations

For each of your warehouses, you can create a location record and associate it with your items. You can track inventory and transactions for these items by location.

When creating a warehouse location record, you can set it to use or not use bins.

- For locations that use bins, items follow the standard bin process flow for creating waves and mobile processing tasks. You can create zones for these locations and associate both the location and zone with a bin. For more information about warehouse zones, see [Creating Zones](#).
- For locations with no bins, you can't process bin-related tasks, such as bin transfers, putaway, and replenishment. You can associate these locations with item stock locations. For information about stock locations, see [Creating Item Stock Locations](#).
- You can associate locations that use and don't use bins with items that use and don't use bins. However, nonbin items for locations that use bins cannot be released in a wave transaction. Also, locations with no bins always follow the standard nonbin process flow regardless of the Use Bins setting of the item. See [Creating Items for NetSuite WMS](#).

To create a warehouse location:

1. Using the Administrator role, go to Setup > Company > Classifications > Locations > New.
2. On the Location page, enter or select values in the following fields:
 - In the **Name** field, enter a unique name for the warehouse location.
 - Check the **Use Warehouse Management** box.
 - If you want to associate this location with bins, check the **Use Bins** box.
3. (Optional) Enter or select values in the other location fields. See the help topic [Creating Locations](#).
4. Click **Save**.

Configuring Records for Locations With Bins

When you create locations that use bins, you can associate them with zones and bin records. You can also create strategies to specify zone priority and bin sorting for item putaway and order picking.

To create zones and bins, see the following topics:

- [Creating Zones](#)
- [Creating Bin Locations or Carts](#)
- [Moving Existing Items To Bin Locations](#)

To configure strategies, see [Warehouse Management Strategies](#).

Creating Zones

Zones are areas in your warehouse that contain items with similar qualities or requirements. Some examples of warehouse zones might include an electronics zone, a special handling zone, or a refrigerated items zone.

In addition to helping you organize your warehouse, you can use zones in the definition of pick and putaway strategies.

When you create bin locations, you can assign them to zones. You may notice a performance impact if a zone has more than 4000 associated bins. You should create at least one zone record for each batch of 4000 bins in your warehouse. For information about bins, see [Creating Bin Locations or Carts](#).

To create a zone:

1. Go to **Lists > Supply Chain > Zone > New**.
2. In the **Name** field, enter a name for your warehouse zone.
3. In the **Location** field, select the warehouse location to which the zone belongs to.



Note: This field displays only locations that use Warehouse Management. For more information, see [Creating Warehouse Locations](#).

4. Click **Save**.

Creating Bin Locations or Carts

Bin records define physical bin locations within your warehouse. To track on-hand inventory quantity in each bin, you can associate bin records with items. When you process orders for these items, NetSuite WMS displays the bin quantities on the receiving and fulfillment transactions.

For each warehouse and zone, you can create of the following bin types:

- **None** – Default bin type
- **Inbound Staging** – To stage received items, you can transfer them into this bin before you put them away
You can set an Inbound Staging bin record as a cart and use it for processing cart moves through a mobile device.
- **Storage** – Stores items after they are put away, but before they are picked, transferred, or moved
- **WIP** – Stores assembly item components for work orders temporarily after they are picked, but before they are assembled
If you use Manufacturing Mobile with Warehouse Management, you can enable **Use Bin in Manufacturing Mobile** for WIP bin types. This setting enables Manufacturing Mobile to access the WIP bin and specific capabilities on the NetSuite WMS app. For more information, see the help topic [Creating a WIP Bin for Manufacturing Mobile](#).
- **Vendor Returns** – Contains items that you want to return to vendors for picking
- **Picking** – Stores items that can be processed for fulfillment and shipping

- **Outbound Staging** – To stage picked items for sales or transfer orders, you must transfer picked items into this bin before you ship them out. binUsing this bin, you can also stage items picked for vendor returns.

Note: You can create multiple bin records at one time by adding all of the bin information to a CSV (comma-separated value) file and using the Import Assistant to upload the data to NetSuite. Using the Administrator role, the Import Assistant is available at Setup > Import/Export > Import Tasks > Import CSV Records. For more information, see the help topic [Importing CSV Files with the Import Assistant](#).

On your mobile device, the use of bin types depends on the process, as described in the following:

- You can store, transfer, create inventory, and pick items in these bin types: Storage, Picking, or None.

Note: For inventory transfers and inbound processes, you must create at least one putaway strategy for your warehouse location. The app uses putaway strategies to determine which bins in a location to display when you select a destination bin. See [Defining Putaway Strategies](#).

- You can remove Picking, None, Storage, and Inbound Staging bin types from the outbound order picking process through the **Block Bins From Wave Order Picking** setting. It includes removing a bin from bin lists and bin recommendations. The bin remains active and available for other mobile processes, such as inventory counting and bin transfers.
- For the outbound order picking process, you can pick from Inbound Staging bins by enabling a setting on pick strategies. This setting does not apply to work order and vendor return picking. It excludes Inbound Staging bins that you block from the outbound order picking process. See [Bin Sorting with Pick Strategies](#).
- You can count items in all bin types, except those in WIP bins. See [Inventory Counts](#).

For more information about bins, see [Accessing Bins on the App](#).

To create a bin location or cart:

1. Go to Lists > Supply Chain > Bin > New.
2. On the Bin page, enter or select values in the following fields:
 - **Bin Number** – Enter a number or code to identify the bin or designate a bin location in your warehouse.
For example, you want to create a bin numbering nomenclature that uses aisle, pallet position, and level in the format aisle-pallet position-level. You can assign the name A1-01-01 to the bin in the first aisle in the first pallet position of the first level.
 - **Bin Type** – Select the bin type.
When you release orders to the warehouse, NetSuite WMS sorts bins by type to determine the recommended bin for picking. For more information, see [Pick Task Sorting and Recommended Bins](#).
 - (Optional) **Sequence Number** – Enter the bin's sequence number in relation to other bins in your warehouse.
Bin sequence numbers are used to determine which bins in a warehouse zone take priority when you pick items. When NetSuite WMS suggests bins for outbound order and vendor return picking, the bins appear in ascending order by bin sequence number. See [Pick Task Sorting and Recommended Bins](#).
 - **Location** – Select the warehouse location of this bin.
The location can't be changed after you save the bin record.

- **Zone** – Select the warehouse zone in which this bin is located.



Note: You may notice a performance impact if a zone has more than 4000 associated bins. You shouldn't assign more than 4000 bins to the same zone. See [Creating Zones](#).

If you assign a zone to a bin, you can also set it up on strategies for outbound and vendor return picking. See [Defining Pick Strategies](#).

3. If you want to set an inbound staging bin as a cart, check the **Set as a Cart** box
4. Depending on the bin type, you can check the **Block Bin From Wave Order Picking** box to remove this bin from the outbound order picking process.
5. If you assign this bin as a preferred bin for an item and you want to replenish it using a plan, enter values in the following fields:
 - **WMS Replen Max Qty** – Enter the maximum number of an item the bin can contain after a replenishment.
 - **WMS Replen Min Qty** – Enter the minimum number of an item the bin should contain before a replenishment.
 - **WMS Replen Qty** – Enter the default quantity of an item to be used for replenishment tasks.
 - **WMS Replen Round Qty** – Enter the multiple to which the required replenishment quantity must be rounded down to determine the required number of replenishment tasks.

For more information about inventory replenishment, see [Replenishment](#).

6. (Optional) Set the following fields that you can use in your putaway strategies:
 - **WMS Zone** – Select the warehouse zone you want to associate with this bin and to set up in a putaway strategy.
 - **WMS Put Seq No** – Enter the bin's sequence number with regard to other bins in your warehouse.

For more information about putaway strategies, see [Putaway Strategies](#) or [Defining Putaway Strategies](#).

7. (Optional) To specify more details about a bin's location or position, you can set these fields: **WMS Pallet Position**, **WMS Aisle**, or **WMS Level**.
8. For a WIP bin type, you can check the **Use Bin in Manufacturing Mobile** box if you want to use the bin for the Manufacturing Mobile processes.
9. Click **Save**.

After you create bin records, you can set up item records for use with bin locations. See [Creating Items for NetSuite WMS](#) or [Moving Existing Items To Bin Locations](#).

Moving Existing Items To Bin Locations

If you have existing items in your NetSuite account and you want to associate them with bins, you can move those items to their storage bin locations using the WMS Bin Putaway Worksheet record type in the Import Assistant.

For more information, see the help topic [Importing CSV Files with the Import Assistant](#) or [Items Import](#).

To move existing items to bin locations:

1. Create a CSV (comma-separated value) file with the following data:
 - Item
 - Name

- Putaway Quantity
- Serial/Lot Number (if required)
- To Bin Location
- Units
- WH Location

 **Note:** You can import up to 500 line items in a single CSV file.

2. Log in to NetSuite WMS using the Administrator role.
3. Go to Setup > Import/Export > Import CSV Records.
4. Set the **Import Type** field to **Custom Records**.
5. Set the **Record Type** field to **WMS Bin Putaway Worksheet**.
6. Under CSV File(s), click **Select**.
7. Open the file you created in step one.
8. Click **Next** to move through the pages of the Import Assistant.
9. Click **Save & Run**.

Creating Item Process Families

Item process families are groupings of similar products that can be used to identify items that should be stored together in the same area of your warehouse. For example, you can create a clothing item process family to identify all clothing items. For locations that use bins, you can define a putaway strategy to store all clothing items in bin locations of your specified zone.

To create an item process family:

1. Go to Lists > Supply Chain > Item Process Family > New.
2. In the **Name** field, enter the name of the item process family you are creating.
3. (Optional) In the **Description** field, add details.
4. Click **Save**.

To associate item process families with items, see [Creating Items for NetSuite WMS](#).

Creating Item Process Groups

Item process groups are groupings of similar products that use a more refined classification than item process families. For example, you can create a pants item process group to more specifically identify items rather than using a clothing item process family. Like item process families, you can use item process groups to define pick and putaway strategies for locations that use bins.

To create an item process group:

1. Go to Lists > Supply Chain > Item Process Group > New.
2. In the **Name** field, enter the name of the item process group you are creating.
3. (Optional) In the **Description** field, add details.
4. Click **Save**.

To associate item process groups with items, see [Creating Items for NetSuite WMS](#).

Creating Inventory Statuses

If you use the Inventory Status feature, you can create inventory status records to associate attributes to items to drive internal processes. For example, you can create a Damaged inventory status record to prevent items with that status from being sold.

On NetSuite transactions, you can assign an inventory status to an item on the Inventory Detail subrecord. When performing tasks on your mobile device, you can select from a list of statuses associated with an item. You can also set inventory statuses as filters in pick strategies. For more information, see [Inventory Status on Mobile Devices](#) or [Bin Sorting with Pick Strategies](#).

To create your inventory statuses, see the help topic [Creating Inventory Status Records](#).

Setting Up Units for Pick Decomposition

If you use the [Multiple Units of Measure](#) feature, you can set up different units for pick task decomposition. For one or more unit types, you can add up to five units. You must add the base unit and at least one other unit larger than the base unit. For more information, see [Pick Task Decomposition](#).

Units for Pick Decomposition Record

You can create only one Units for Pick Decomposition record for a unit type. It applies to all items that use the unit type. To set up or review your unit conversion and base unit settings, you can access your Units of Measure records. See the help topic [Setting Up Units of Measure](#).

If you want to assign pick decomposition units to specific items, you can set them up on item records instead. Pick decomposition considers units on item records before those you set up for all items. For instructions, see [Creating Items for NetSuite WMS](#).

If you don't set up any units, pick tasks can be generated without pick decomposition even if you enable it for a wave.

Pick Per Quantity Setting

On the Units for Pick Decomposition record only, you can enable the Pick Per Quantity setting for large units. Pick decomposition creates more pick tasks than the standard process for pick task generation. Note that it follows the limit of 25,000 pick task subrecords that can be generated for a single wave.

Consider this limit when choosing any of the large units to use for pick decomposition and enabling the Pick Per Quantity setting.

To set up units for pick decomposition:

1. Go to Lists > Supply Chain > Units for Pick Decomposition > New.
2. On the Units for Pick Decomposition page, in the **Unit Type** field, select the type in which the units belong to.
3. In the **Units** subtab, do the following:
 - a. In the **Unit** column, select a unit from the unit type.
 - b. Optionally, check the **Pick Per Quantity** box if you want to create one pick task for each quantity of the unit.
 - c. Click **Add Row**.

After you set up the base unit, repeat the steps to add up to four additional larger units within the same unit type.

4. Click **Save**.

After you set up units, you can set your default preference for pick decomposition. For instructions, see [Setting Warehouse Management Preferences](#).

Creating Items for NetSuite WMS

Create item records for inventory that you receive, store, or ship within your warehouse, including parts or raw materials you purchase from vendors. You can create items for locations that use or do not use bins. For inventory associated with both types of locations, be sure to enable bin usage on the item record.

NetSuite WMS provides additional fields that you can set for specific item types to suit your inventory requirements. For items that use bins, you can assign the standard Preferred bin per location, enable storage of different items in bins, and specify replenishment limits used in replenishment reports. The Preferred bin setting affects bin recommendation and bin list sorting for outbound order picking. For vendor return picking, the app recommends and sorts according to preferred bin settings before bin sequence numbers. You can use replenishment plans to replenish items in preferred bins.

If you activate the **Recommend WMS Preferred bins** rule, you can assign multiple WMS Preferred bins for the Putaway process. These bin settings affect bin recommendation and bin list sorting for supported mobile processes on the app. For more information, see [Recommended Bin Sorting](#) or [Accessing Bins on the App](#).

You can create multiple item records at the same time by adding the item details to a CSV file and using the Import Assistant to upload the file to NetSuite. For example, you can configure a Use Bins column in the CSV file to check the Use Bins box on each item record at the time of import. For more information about CSV imports, see the help topic [Importing CSV Files with the Import Assistant](#) or [Tips for Successful CSV Imports](#).

Note: Among the fields provided by Warehouse Management, you can include only existing values for the **Rotation Type**, **Item Process Family**, and **Item Process Group** fields in your item import.

If you use the Lot Auto Numbering SuiteApp and the Autogenerate Lot Numbers system rule, you can enable it for an item. After you enable it, you can assign your lot number formats and additional lot fields. For more information, see the help topic [Lot Auto Numbering SuiteApp](#).

To set up pick decomposition for this item only, choose units that belong to the same unit type assigned to the item. If you want to set up pick decomposition for all items instead or enable **Pick Per Quantity** for a unit, see [Setting Up Units for Pick Decomposition](#).

To create an item for NetSuite WMS:

1. Go to Lists > Accounting > Items > New.
2. On the New Item page, select one of the supported item types:
 - Assembly/Bill of Materials (also Lot Numbered or Serialized)
 - Inventory Item (also Lot Numbered or Serialized)
 - Kit/Package items
 - Non-inventory and service items (For Sale or For Resale only)

Note: To pick or fulfill sales, transfer, or work orders for these item types, you must enable the **Can be Fulfilled/Received** setting on the item record. See step 9.

For more information, see [Supported Transactions and Item Types for NetSuite WMS](#).

3. On the item page, enter or select values in the following fields:

- a. In the **Item Name/Number** field, enter a unique identifier for the item.
- b. (Optional) In the **UPC Code** field, enter the item's UPC.
On the mobile device, you can enter items using the UPC, instead of the item name or number.
- c. In the **Primary Units Type** field, select the unit type for the unit of measure you want to assign to this item.
For more information, see the help topic [Setting Up Units of Measure](#).
- d. (Optional) In the **Item Process Family** or **Item Process Group** fields, select a family or group, respectively, to which this item belongs.
For more information about these fields, see [Creating Item Process Families](#) and [Creating Item Process Groups](#).
- e. For lot numbered items, in the **Rotation Type** field, select one of the following options:
 - **FEFO** – First Expired, First Out
 - **LEFO** – Last Expired, First Out



Note: For locations that use bins, you can create pick strategies and add filters for the item process family, item process group, and rotation type. See [Defining Pick Strategies](#).

4. (Optional) To set up calculated inventory counts for this item, on the **Purchasing/Inventory** subtab, do the following:

- a. Click the **Locations** subtab.
- b. Enter values in the following columns for each location in which you want to set up calculated inventory counts:



Tip: If you use the Advanced Item Location feature for locations with no bins, set up the calculated inventory count fields on the Item Location Configuration popup window. To access this popup window, click **Configure** or **Edit** next to the location.

- In the **Inventory Classification** field, select the ABC velocity code you want to assign to the item.
- In the **Inventory Count Interval** field, enter the total number of days between required counts.
For example, if you enter **30**, NetSuite WMS calculates the date a count is required based on 30-day intervals.
- In the **Next Inventory Count Date** field, enter the date of the next planned inventory count for this item.

NetSuite uses this date to calculate when a count is required.

For more information about inventory counts, see [Creating Calculated Inventory Counts](#).

5. (Optional) To set up pick decomposition for this item, on the **Purchasing/Inventory** subtab, go to the Fulfillment section. In the **Units for Pick Decomposition** field, select the base unit. Then, select at least one larger unit, up to four additional units, within the same unit type.
6. On the **Accounting** subtab, in the **Tax Schedule** field, select the code or schedule that applies to your tax situation.
For more information, see the help topic [Setting Tax Codes or Tax Schedules on Item Records](#).
7. (Optional) On the **Sales/Pricing** subtab, In the Shipping section, in the **Item Weight** field, you can enter the default weight of this item. Then, beside this field, select the weight unit.

When you receive this item on the app, you can view the default item weight and unit.

8. (Optional) On the **NS WMS** subtab, you can set any of the following fields based on your warehouse requirements:

- **Use Tally Scan** – If you want to set up tally scanning for this item, check this box.
- **Shelf Life in Days**– Enter the number of days the item can remain in the warehouse.
- **Thumbnail Image in App** – Click the plus icon to open the File popup window. On this window, in the Folder field, enter and select Images. Then, choose the image of the item that you want to upload and display on information screens of appropriate mobile pages. Click Save to close the popup window and save the file in the Images folder of the file cabinet.

The app converts images that you upload into thumbnails to fit information screens.

9. For locations that use bins, set any of the following fields:

- On the **Purchasing/Inventory** subtab, click the **Inventory** subtab, and then check the **Use Bins** box.
- (Optional) To let this item be mixed in a bin with different items and, for lot items, with different lots, on the **NS WMS** subtab, check the following boxes:

- **WMS Mix Items in Bins** – Check this box to mix this item with other items regardless of item type.

For lot items, if you also check the **WMS Mix Lots in Bins** box, you can also mix different lot numbers for the same lot item. In a sample Bin M, you can mix the following items: Item 1, Serial Item 4, Lot Item 2 with Lot #2, Lot Item 2 with Lot #3, and Lot Item 3 with Lot #3.

- **WMS Mix Lots in Bins** – Check this box to mix a lot number with other lot numbers for this lot item.

If you do not also check the **WMS Mix Items in Bins** box, you can mix different lot numbers, but for the same lot item only. In a sample Bin A, you can mix the following items: Lot Item 2 with Lot# 2, Lot Item 2 with Lot# 3, and Lot Item 2 with Lot# 4.



Note: To mix two items or lots in the same bin, the same box must be checked on both item records.

- To manually replenish the item using a replenishment report, enter values in any of the following fields:
 - **WMS Replen Min Qty** – Enter the item's minimum quantity that should be in stock before it can be replenished.
 - **WMS Replen Max Qty** – Enter the item's maximum quantity that can be stocked during a replenishment.

For more information, see [Replenishing Inventory Using a Replenishment Report](#).

- If you want to assign a single preferred bin for this item within a location, on the **Bin Numbers** subtab, select values in the **Location** and **Bin Number** columns. Then, check the **Preferred (Per Location)** box.

To set up a preferred bin for another location, repeat this step.

If you also assign multiple WMS Preferred bins for the same location, NetSuite WMS recommends these bins before the Preferred (Per Location) bin. It applies this type of bin sorting to recommend destination bins during the Putaway process only.

- If you want to assign WMS Preferred bins for the Putaway process, on the **Bin Numbers** subtab, check the **WMS Preferred** box. You can check this box for multiple bins within a location. Then, in the **WMS Sequence #** column, enter a whole positive number to designate the bin's priority during bin sorting. Enter the lowest number for the bin to which you want to assign the highest priority.



Tip: You can assign sequence numbers to non-WMS Preferred bins. When sorting destination bins, NetSuite WMS arranges them in a sequence and places them below the preferred ones.

10. For locations that do not use bins, on the **Purchasing/Inventory** subtab, configure any of the following fields:

- (Optional) Click the **Inventory** subtab, and then check the **Use Bins** box.



Important: For items associated with multiple locations that use and do not use bins, you must check the **Use Bins** box. For locations that use bins, this setting enables NetSuite WMS processing for these items.

- (Optional) If you want to assign a pick sequence number to the item or set up calculated inventory counts, do the following:



Note: Before you can assign sequence numbers to items, you must enable the Advanced Item Location feature. See [Enabling Features for NetSuite WMS](#).

- Click the **Locations** subtab, and then next to the location that does not use bins, click **Configure** or **Edit**.
- On the Item Location Configuration popup window, in the **WMS Sequence Number** field, enter the pick sequence number of the item in relation to other items within the same location.
- If you want to fill out the calculated inventory count fields, see step 4.
- Click **Save**.

For more information about sequence numbers, see [Item Sorting](#).

11. For the supported non-inventory or service item types, on the **Preferences** subtab, check the **Can be Fulfilled/Received** box.

For more information about this setting, see the help topic [Entering Preferences on Item Records](#).

12. To set up lot autonumbering for a lot item, on the **Lot Numbering** subtab, check the **Enable Lot Auto Numbering** box. Then, to set the fields for the lot number format, see the help topic [Lot and Serial Numbering Subtab](#).

When you receive purchase orders through the app, you can enter the details for the lot number format, including those for any additional fields. For more information, see [Receiving Orders](#).

13. (Optional) Set specific fields for each item type or other item fields. See the help topic [Item Types](#) or [Creating Item Records](#).
14. Click **Save**.

Creating Item Aliases

Item aliases provide alternate names for items used in your warehouse. When prompted to enter an item on your mobile device, you can enter an item alias instead of the item name.

For example, you can create an item alias to track an item's vendor code. For an item named **red t-shirt** in your warehouse, but has a vendor code of **12345678**, enter **12345678** in the item alias' Name field and select **red t-shirt** in the Item field.

If you activate the **Enable Advanced Barcode Scanning?** system rule for GS1 bar codes, note the following guidelines for setting up item alias records:

- You must create item alias records to map the GTIN-14 of a GS1 bar code to an item.
- You can set up the GTIN (01 identifier) or the GTIN of Contained Trade Items (02 identifier).
If you set up both GTINs in your item bar code, NetSuite maps only the GTIN (01 identifier) to the item alias. For more information about identifiers, see [Standard GS1 Application Identifiers](#).
- An item can have more than one associated item alias. However, the same item alias can't be associated with more than one item. For GS1 bar codes, you can't set up multiple item alias records that have the same GTIN-14 and item, but with different units.

For more information, see [System Rules for NetSuite WMS](#) or [Bar Code Setup for NetSuite WMS](#).

To create an item alias:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Items > Item Aliases > New.
2. On the WMS Item Alias page, in the **Custom Form** field, select **Custom WMS Item Alias Form**:
This form provides a single Units field for default unit selection. If you're editing an existing record that uses the Standard WMS Item Alias Form, you don't need to change the form.
3. Set the following fields:
 - a. **Name** – Enter a unique name for the item alias or enter the GTIN-14 for a GS1 bar code.

 **Note:** For GS1 bar codes, you must enter all digits of the GTIN-14, including the 14th digit reserved for the check digit.

- b. **Item** – Select the item to which you want to assign this alias.
- c. **Units** – (Optional) Select a default unit for the item alias.

You can ignore this field if you use the Standard WMS Item Alias Form. Select a default unit in the **Alias Unit** field instead.

 **Note:** For GS1 bar codes, if you do not specify a default unit of measure in the item alias record, NetSuite WMS retrieves the transaction unit when you scan a GS1 bar code using your mobile device. Setting of default units apply to bar code scanning of GS1 formats only, and not to scanning of item aliases in other formats.

4. Click **Save**

For GS1 bar code scanning only, you can set up custom application identifiers to add more data to your bar code. See [Setting Up Custom Application Identifiers for GS1 Bar Code Scanning](#).

Creating Item Stock Locations

For warehouse locations with no bins, you can create one or more stock locations for your items. If you create multiple stock location records for an item in your warehouse, you can assign one as the preferred stock location.

When you enter an item quantity on a mobile page, you can view the list of stock locations associated with an item.

To create item stock locations:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Items > Item Stock Location > New.

2. On the WMS Item Stock Location page, enter or select values in the following fields:
 - a. In the **Name** field, enter a unique name for the item stock location.
 - b. In the **Item** field, select the item you want to associate with the stock location.
 - c. (Optional) To set this stock location as the preferred one for the item, check the **Preferred (Per Item)** box.
 - d. In the **Location** field, select the warehouse location.
3. Click **Save**.

Creating Order Types

Order types associate attributes to orders, which in turn drives internal processes. You can create an accounting list of multiple order types and associate each outbound order with one order type.

You can assign an order type as a filter on pick strategies. For example, you can create a pick strategy to define which zone to pick orders of a specified order type. When you release orders to the warehouse, NetSuite WMS applies the pick strategy only to the orders that match the type. For more information, see [Bin Sorting with Pick Strategies](#).

To create an order type:

1. Go to Setup > Accounting > Accounting Lists > New.
2. On the Add to Accounting Lists page, click **Order Type**.
3. On the Order Type page, enter values in the following fields:
 - In the **Order Type** field, enter a unique name to identify this order type.
 - (Optional) In the **Description** field, you can enter a short description.
4. Click **Save**.

Defining a UCC Code Format

For orders that you pack through Warehouse Management, you can autogenerate serial shipping container codes (SSCC-18) in GS1 linear bar code format. Based on a format you define, NetSuite generates the 18-digit code. The corresponding GS1 linear bar code includes the 00 application identifier for SSCC. For more information about this bar code structure, see [SSCC-18 Barcodes](#).

The autogenerated SSCC-18 bar code appears on shipping labels for printing if you activate any of these label printing rules: **Label Printing: UCC/GS1 Labels using ZPL** or **Label Printing: UCC/GS1 Labels with 3rd party integration**. On the WMS External Label Details page, the SSCC-18 appears in the UCC ID Code field. For more information and setup instructions, see the Label Printing topic in the  [NetSuite WMS Setup Guide 2019.1](#).

If you use the EDI Integration capability, the SSCC-18 links the information from the bar code and from the ASN that you send to customers. For more information and setup instructions, see [Electronic Data Interchange \(EDI\) Integration](#).

Note the following guidelines for SSCC-18 code generation:

- You can edit the default format, UCC LP Range System Generated, to provide either your company prefix or DUNS number.

- As of NetSuite WMS 2021.2, the WMS License Plate Range record has been renamed to Autogenerated ID Format. To view the other enhancements for UCC Code generation, see the Renamed Records for UCC Code Generation topic in the [NetSuite WMS Upgrade Guide](#).
- If you use the EDI Integration capability, the EDI returns the 18-digit SSCC when your customer scans the corresponding bar code. It may cause a mismatch because the GS1 bar code contains the additional 2 digits for the application identifier. To avoid a mismatch, verify that the scanning system of the receiver reads only the 18-digit SSCC.
- SSCC check digits are calculated based on the method of subtracting the computed value from the higher multiple of ten. For more information, see [Check Digit Calculation](#).
- The Manually pack orders? rule controls the status of fulfillment records for orders picked through a mobile device. Whether you manually pack orders or not, you can view the SSCC-18 on shipping labels for fulfillments in Packed status. For more information, see [System Rules for NetSuite WMS](#) or [Packing Orders](#).

To define a UCC code format:

1. To edit the default format, using the WMS Warehouse Manager role, go to WMS Configuration > UCC ID Codes > Autogenerated ID Format. Then, from the list, click **Edit** next to UCC LP Range System Generated.
2. On the Autogenerated ID Format page, set values in the following fields:
 - **Name** – Enter a unique name for your SSCC-18 format.
 - **Type** – Select **UCC**.
 - **Initial Number** – Enter your first number in the sequence for your serial reference number, which identifies the shipping container.

 NetSuite increments this number by 1 for each subsequent serial reference number. If you don't specify your initial number, NetSuite uses **1** for your first serial reference number. The length of your serial reference number, from 6 to 9 digits, varies depending on the length of your company prefix or DUNS number.

 For example, if you enter an 8-digit company prefix, your serial reference number must not exceed 8 digits. You can enter an initial number that has 8 digits or less, such as **00001000** or **100**. If you enter a number less than 8 digits, NetSuite automatically prepends the appropriate number of 0's to the serial reference number.

 The Last Number Used field displays the number used for the serial reference number of the latest autogenerated SSCC-18 code.
 - **DUNS Number – Company Prefix** – Enter your DUNS number, with 9 digits, or your company prefix, with 7-10 digits.
3. Click **Save**.
4. If you use the EDI integration, proceed to the additional setup requirements. See [Electronic Data Interchange \(EDI\) Integration](#).

Creating Adjustment Reasons

If you activate the **Entry of additional details** rule, create one or more adjustment reasons for the Create Inventory process. On the app, you can select the reason for adjusting inventory quantities. NetSuite WMS includes the reason when it generates the inventory adjustment.

For more information about the rule, see [System Rules for NetSuite WMS](#).

To create adjustment reasons:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > WMS Reason for Adjustment > New.
2. On the WMS Reason for Adjustment page, set values in the following fields:
 - **Reason Code** - Enter a unique code that identifies this record.
 - **Reason Description** - Enter a short text that describes the adjustment reason.
 The description of each record appears in the app for selection within the Create Inventory process. On the generated inventory adjustment, your selected reason description appears in the **Reason for Adjustment** field on the **NS WMS** subtab. For more information, see the help topic [Entering an Inventory Adjustment](#).
3. Click **Save**.

Creating Carrier Service Levels

A carrier service level record associates additional attributes with existing NetSuite shipping items. You can customize shipping processes to your warehouse requirements by applying the Quick Ship setting to your carrier service level.

You can create one or more carrier service level records for each shipping item that you use in your warehouse. When you set the Shipping Method field on sales and transfer orders, you associate the order with values you configure in a carrier service level record.

For more information about NetSuite shipping items, see the help topic [Shipping Items](#).

To create a carrier service level:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > Carrier Service Levels > New.
2. On the WMS Carrier Service Level page, enter or select values in the following fields:
 - In the **Name** field, enter a unique name to identify this carrier service level.
 - (Optional) To assign a carrier service level record to a specific location or vendor, select values in the **Location** or **Vendor** field, respectively.

Note: If you don't set these fields, the carrier service level serves as the default for all locations and vendors. If you enable **Allow Quick Ship** for this carrier level, NetSuite WMS also enables quick ship for the associated shipping item in all locations and vendors. For more information about Quick Ship, see [Manually Shipping Orders](#).

- In the **NS Ship Method**, select the NetSuite shipping item you want to associate with the carrier service level.
3. To specify the carrier service level details, select or enter values in the following fields:

Note: Carrier service level details that you assign to a shipping item appear in the WMS Ship Manifest record associated with the order transaction. For more information, see [WMS Ship Manifest Records](#).

- In the **Carrier ID** field, enter the unique ID or name for the carrier.
- In the **Carrier Type** field, select one of the carrier types: **PC** (parcel carrier) or **Custom** (other types).

- In the **Carrier Name**, enter the name of the carrier or organization that provides the carrier service.
- In the **Service Level**, enter the name of the carrier service level you want to associate with the NetSuite shipping item.

Example: FedEx 2 Day Air.

4. If you want to enable the quick ship capability for the NetSuite shipping item associated with this carrier service level, check the **Allow Quick Ship** box.

For more information about Quick Ship, see [Manually Shipping Orders](#).

5. Click **Save**.

Customizing Warehouse Management Records

You can customize the templates and forms you used when releasing orders to the warehouse or printing packing lists according to your business requirements.

For instructions and guidelines, see the following topics:

- [Creating Custom Wave Criteria Templates](#)
- [Creating a Custom Pick Ticket Saved Search](#)
- [Creating Custom Advanced Templates for Pick Tickets](#)
- [Creating Custom Wave Forms](#)
- [Setting Up Custom Packing Lists](#)

Creating Custom Wave Criteria Templates

Wave criteria templates define the orders you want to include in wave transactions. You can customize the standard search template by predefining the standard filtering criteria or adding more filters to suit your wave requirements. You can also add columns to the order search results that appear on wave transactions.

For example, you can create separate custom templates for orders to be shipped by FedEx and by UPS. Include a custom field if you want to specify the route. When you create a wave transaction, you can select the custom template that contains the filters you want to apply to your order search.

You can also use custom wave templates if you run schedules to automatically generate and release waves. See [Creating a Wave Release Schedule](#).

Read the following guidelines for creating wave criteria templates:

- All custom search templates must have the **_nswave** suffix in the ID.
- For the Location filter, you can select a warehouse location only. See [Creating Warehouse Locations](#).
NetSuite WMS follows the location setting on employee records regardless of predefined filters on wave templates.
- Before using a template, you can test it by clicking the Preview option on the saved search record. An error message appears when the order search retrieves more than 10,000 line items. To narrow down the results, you can add more filters or adjust the existing ones.
- The fields on the Results subtab of a template appear as columns on the Orders and Line Item subtabs of wave transactions.

To create custom wave criteria templates:

1. To access the custom search template, do the following:

- a. Switch to the Administrator role.



Tip: Alternatively, using the WMS Warehouse Manager role, go to Transactions > Order Management > Create a Wave. On the Wave Criteria form, click **New**. To continue, proceed to step 2.

- b. On your browser's address bar, append your NetSuite account URL with the following string:

app/common/search/search.nl?id=-4241&e=T&cu=T

Example: <https://<accountID>.app.netsuite.com/app/common/search/search.nl?id=-4241&e=T&cu=T>

- c. If this is your first time to access the URL, on the Transaction Search page, click **Edit**. Then, on the Saved Transaction Search page, click **Edit this Search**.



Tip: When you use the URL again after your initial access, the URL redirects you to the Saved Transaction Search page in edit mode. You can skip step 1.c.

2. Set values in the following fields:

- a. In the **Search Title** field, replace the default name with your own name for your search template.
- b. In the **ID** field, replace the default ID with your own unique ID for your search template, and then add the **_nswave** suffix.
- c. Check the **Public** and **Available as List View** boxes.

3. (Optional) To remove or add fields that you want to define as search filters for this template, click the **Available Filters** subtab. Then, do the following:



Note: When you add or remove filters, you display or hide them, respectively, from the Wave Criteria form for this template. For more information about this form, see [Creating Wave Transactions](#).

- **Add filters** – In the **Filter** column, select a field to add as an available filter, and then click **Add**.
- **Remove filters** – Click the filter's row and then click **Remove**.
- **Update filter labels** – In the **Label** column, view or update a filter's label.

Labels appear as the field names on the Wave Criteria form.

Make sure that your custom templates contain the following required filters:

Required Filters	Description
Location	Warehouse location
Type	Any of the supported transaction types: sales orders or transfer orders

Depending on your wave requirements, you can keep or remove the following optional filters:

Optional Filters	Description
Transaction Number/ID	The transaction number of the sales or transfer order
Name	For sales order, name of the customer
Order Date	Order date on the transaction

Optional Filters	Description
Ship Date	The date when orders are scheduled for shipment
Ship Method	Shipping method on the order
Item : Item Process Family	Item process family associated with the ordered items
Item : Item Process Group	Item process group associated with the ordered items
Item	Name of the item
Order Type	Order type on the transaction
Printed Picking Ticket	Indicator for whether the pick ticket has been printed, not printed, or either.

4. To define your filtering criteria for the available filters, click the **Criteria** subtab, and then do the following:

Note: Your filtering criteria appear as default settings in their corresponding fields on the Wave Criteria form. For more information about this form, see [Creating Wave Transactions](#).

- a. In the **Filters** column, select the available filter you want to define.

The Saved Transaction Search popup window appears on the page. If the popup does not display automatically, click the Set Description  icon beside the filter.

- b. On the popup window, define the filtering criteria, and then click **Set**.

The following examples show you how to define text and date filters:

- For text filters, you can add a selector to enter part of a filter's value.

For example, to set the Transaction Number/ID filter, select the **starts with** selector, and then enter part of the transaction ID as the keyword.



The screenshot shows a form titled "Transaction Number/ID". Below the title is a dropdown menu with "starts with" selected, and a text input field to its right.

- For date filters, you can replace the default **All** date selector by clicking its field.

You can also specify a date range by entering or selecting dates in **From**, **To**, or both fields.

For detailed instructions on defining filters, see the help topic [Defining a Saved Search](#).

- c. Click **Add**.

Repeat steps a - c to define more filters.

5. (Optional) To add columns for your order search results on the Wave page, do the following:

Note: When your order search results appear on the Wave page, you can view the new columns on the **Orders** and **Line Items** subtab. For more information, see [Creating Wave Transactions](#).

- a. Click the **Results** subtab.
- b. In the **Columns** subtab, select the field you want to add as a column on the Wave page.
- c. Click **Add**.

Repeat steps a - c to add more columns.

6. To test and preview the results before you use the template, click **Preview**.
7. Click **Save**.

When you create a wave, you can select your custom wave template to search for the orders you want to include in the wave.

If you want to view or edit a custom search template, go to Lists > Search > Saved Searches.

Creating a Custom Pick Ticket Saved Search

NetSuite WMS provides a standard pick ticket saved search, which you can customize to display additional standard or custom transaction body fields on pick tickets. Fields that you add to your pick ticket saved search must also be added to the advanced pick ticket templates on which you want the fields to appear.

When you print pick tickets, wave transactions can generate the pick tickets using your custom saved search, instead of the standard saved search.

Before you create a custom pick ticket saved search, read the following guidelines and limitations:

- If you create multiple custom pick ticket saved searches, NetSuite WMS can use only the latest one to generate pick tickets. To generate pick tickets that show different sets of fields from templates, add all the fields to a single custom saved search, and then specify the fields you want to display on each template.
- Your pick ticket saved search must have the **_nspickticket** suffix in the ID.
- Before you add a custom transaction body field to a saved search, make sure that you have already created and added the field to a transaction. See the help topic [Creating Custom Transaction Body Fields](#).

 **Note:** If you create a custom field, take note of its internal ID, which you must set up on advanced pick ticket templates. For more information, see the help topic [Internal IDs for Standard and Custom Fields in Field Level Help Window](#) or [Creating Custom Advanced Templates for Pick Tickets](#).

- On the Results subtab of your saved search, don't remove any default fields on your custom pick ticket saved search. Removing default fields might affect the field groupings on a pick ticket. On advanced pick ticket templates, you can hide fields that you don't want to appear on your pick ticket.
- On the Filters subtab of your saved search, don't add filters to your custom pick ticket saved search. When you print pick tickets from a wave transaction, NetSuite WMS applies default filters in the backend to ensure that pick tickets display only data associated with the template on the wave form.

For more information about advanced pick ticket templates and custom wave forms, see the following topics:

- [Creating Custom Advanced Templates for Pick Tickets](#)
- [Creating Custom Wave Forms](#)

To create a custom pick ticket saved search:

1. Using the Administrator role, go to Lists > Search > Saved Searches.
From the Saved Searches list, click the **Edit** link next to any saved search.
2. On the address bar of the saved search page, replace the id value of the URL with **-4389**, without changing any other part of the URL.
Sample pick ticket saved search URL in edit mode:
`https://99999999.app.netsuite.com/app/common/search/search.nl?id=-4389&e=T&cu=T&whence=`
3. Press **Enter**.
The Saved Pick Ticket Search page appears in edit mode.
4. On the Saved Pick Ticket Search page, enter values in the following fields:
 - In the **Search Title** field, enter a unique name for your saved search.
 - In the **ID** field, replace **default** with a unique ID, without deleting the **_nspickticket** suffix.
5. On the **Results** subtab, click the **Columns** subtab, and then do the following:
 - a. In the **Field** column, select the field or the record associated with the field.
When you select a record, on the Saved Search popup window, select a field from the list.
 - b. In the **Custom Label** column, enter the field label you want to appear on the pick ticket.
 - c. Click **Add**.

- d. If you want to add another field, click **Add Row**.
Repeat steps a to c for each field you want to show on the pick ticket.
6. If you want to change the default sorting on a pick ticket, in the **Sort By** field, select the primary sorting field.



Tip: In the **Then By** fields, you can select additional sorting fields that you want to apply to pick tickets.

7. Click **Save As**.

If you want to view or edit a custom saved search, you can go to Lists > Search > Saved Searches.

Creating Custom Advanced Templates for Pick Tickets

You can modify pick tickets generated from released waves by customizing the advanced print template, Standard Pick Ticket/Pick Report PDF/HTML Template. You can display more fields on a pick ticket, update the field arrangement, and perform other such customizations. For information about the standard pick ticket for released orders, see [Printing Pick Tickets from Wave Transactions](#).



Important: To access and create advanced print templates, you must enable the Advanced PDF/HTML Templates feature in your account. For more information, see the help topic [Enabling the Advanced PDF/HTML Templates Feature](#).

If you want to display more standard or custom fields, first you must add the fields to a custom pick ticket saved search. You can create multiple templates to display fields from a single custom saved search. Make sure that you have the internal ID of each field you want to add to a template. For more information, see or [Internal IDs for Standard and Custom Fields in Field Level Help Window](#) or [Creating a Custom Pick Ticket Saved Search](#).

To create custom advanced templates for pick tickets:

1. Using the Administrator role, go to Customization > Forms > Advanced PDF/HTML Templates.
2. From the Advanced PDF/HTML Templates list, click **Customize** for Standard Pick Ticket/Pick Report PDF/HTML Template.
3. If you want to display standard or custom fields from a pick ticket saved search, do the following:
 - a. On the **New Element** subtab, you can find the section or table where you want to display the field.
The pick ticket template includes the tables for single and multi-order picking types. You can use the Source Code editor to add or remove elements from the table for one or both picking types. For more information about picking types, see [Printing Pick Tickets from Wave Transactions](#).
 - b. On the upper-right side of the page, click the **Source Code** toggle.
 - c. On the Source Code editor, configure the internal ID of the field in a new or existing section or table column.



Tip: By default, the table for single order picking starts at Line 164. To find tables or other elements for single order picking, you can search for tags with `picktype="SINGLE"`.

For example, you want to display a custom field after the Pick Task # column of the table for single order pick tickets. You can add the table header and table data tags and set the internal ID of the field as follows:

- **Table header** – After the line for the pick task number column heading (Line 175 by default), you can copy and add a <th> tag with its default attributes. Set the internal ID of the custom field for the label.

```
<th class="thStyleOrderItem" style="width:8%">
${lineitem.samplecustomfieldID@label}</th>
```

- **Table data** – After the line for the pick task number data (Line 200 by default), you can copy and add the corresponding <td> tag with its default attributes. Set the internal ID of the custom field for the cell or data.

```
<td align="center" class="tdStyle" line-height="100%" style="width:6%" vertical-align="middle">${lineitem.samplecustomfieldID}</td>
```

- For each tag, you can modify attribute values, like width or vertical alignment, fit the data within the columns of a table or margins of a page. For more information about source code editing, see the help topic [Source Code Editing to Customize Advanced Templates](#).
- If you want to set your custom template as the preferred template for custom wave forms, do the following:
 - Click **Template Setup**.
 - On the Template Setup popup window, check the **Template is Preferred** box.
 - If you want to replace the template name, in the **Title** field, enter the template name.
 - Click **Save**.

For detailed instructions, see the help topic [Template Setup Window](#).

- Click **Save**.

After you create your custom advanced print template, you can assign it to a custom wave form. Your wave form can use the custom advanced print template to generate pick tickets. For more information, see [Creating Custom Wave Forms](#).

Creating Custom Wave Forms

When you customize the Wave form, you can assign your own custom advanced print template for generating pick tickets. You can also set your custom form as the preferred form for creating wave transactions.

To create custom wave forms:

- Go to Customization > Forms > Transaction Forms.
- From the Custom Transaction Forms list, click **Customize** next to the Wave form.
- On the Custom Transaction Form page, enter the values in the following fields:
 - In the **Name** field, enter a name for your custom wave form.
 - In the **ID** field, enter a unique ID.

For detailed instructions on creating custom forms, see the help topic [Creating Custom Entry and Transaction Forms](#).
- If you want to set the custom form as the default form for wave transactions, check the **Form is Preferred** box.
- If you want to assign a custom advanced template for pick tickets, do the following:
 - In the **Printing Type** field, choose **Advanced**.
 - In the **Print Template** field, select your custom advanced template.

- In the **Email Template** field, select your custom advanced template.

For more information about custom templates for pick tickets, see [Creating Custom Advanced Templates for Pick Tickets](#).

6. Click **Save**.

You can use your custom wave form on saved wave transactions, which you can access by going to Transactions > Inventory > Release Orders to Warehouse > List. For more information, [Deleting Waves and Handling Wave Issues](#).

Setting Up Custom Packing Lists

NetSuite WMS provides the default script, `wms_sl_CustomPrintpacklist.js`, in SuiteScript 2.0 that contains the PDF packing list. You can copy this script file and customize your copy according to your packing list requirements.

Before you can set up custom packing lists, you must activate the **Use custom packing lists?** system rule. See [System Rules for NetSuite WMS](#).

To set up custom packing lists:

1. Log in to your NetSuite WMS account using the Administrator role.
2. In the global search field, enter **wms_sl_CustomPrintpacklist.js**, and then from the search results, click **JavaScript File: wms_sl_CustomPrintpacklist.js**.
3. To download your copy of the default script file, do the following:
 - a. On the File page, click **Download**.
 - b. On the popup window, click **Save File**.
 - c. When saving your copy of the script, enter a unique filename for your .js file, and then save it in a local folder on your computer.
4. Edit your copy of the script file to add your customizations for the PDF packing list.
5. To upload your customized script file, go to Documents > Files > File Cabinet, and then do the following:
 - a. On the File Cabinet page, on the navigation panel, access the SuiteScript folder of the Oracle NetSuite WMS Bundle folder from the following path: SuiteBundles > Bundle (ID) > src > SuiteScripts.

For more information about the Oracle NetSuite WMS bundle, see [Installing the NetSuite WMS SuiteApps](#).
 - b. Click **Add File**, and then select the script file you want to upload.
6. To create a new script record for your script file, go to Customization > Scripting > Scripts > New, and then do the following:
 - a. On the Upload Script File page, in the **Script File** field, click the double down arrow icon, and then click **List**.
 - b. From the list of script files, select the script file you want to associate with this record.
 - c. Click **Create Script Record**.
 - d. On the Script page, fill out the fields for your new script record.

For detailed instructions, see the help topic [Creating a Script Record](#).
 - e. Click **Save and Deploy**.

The Script Deployment page appears.

7. Fill out the fields for your new script deployment record, and then click **Save**.

For instructions on creating a script deployment, see the help topic [Methods of Deploying a Script](#).



Tip: When you are ready to deploy the script, check the **Deployed** box. In the **Execute As Role** field, select **Administrator**. In the **Status** field, select **Released**. On the **Audience** subtab, beside the **Roles** field, check the **Select All** box.

8. Access and copy the ID of your custom script and script deployment record.
 - a. Go to Customization > Scripting > Scripts.
 - b. On the Scripts page, copy the ID of your custom script.
 - c. Click the Deployments link for custom script.
 - d. On the Script Deployments page, copy the ID of your custom script deployment.

When you activate the **Use custom packing lists?** system rule, enter the IDs in the appropriate fields. For requirements and instructions on activating this system rule, see [System Rules for NetSuite WMS](#).

Setting Warehouse Management Preferences

Depending on your business needs, set the following preferences that affect one or more warehouse processing tasks:

- **Automatically Set to Firm Committed Quantities in a Wave** – Automatically checks the Commitment Confirmed box for transaction lines of orders that you include in a wave.
If you want to reallocate the quantities committed for the order, you can clear the Commitment Confirmed box. However, NetSuite WMS doesn't adjust the quantities on the wave transaction and its pick tasks. On your mobile device, you should pick only the remaining committed quantities, which you can partially fulfill. Do not pick the entire quantity on the released wave without replenishing the committed quantities on the order transaction. NetSuite WMS can't generate a fulfillment record for the order in this case.
- **Using Preferred Bin on Item Receipts** – Determines if the Bin field on item receipts defaults to the preferred bin instead of leaving the field blank.
- **Default Items to Zero Received/Fulfilled** – When you set this preference, items default to unfulfilled when you open a fulfillment transaction. You can mark the items you want to fulfill on the fulfillment.
- **Use Pick to Clean Process at Locations Using Warehouse Management** – Indicates your preference to pick from bins that can be emptied, before those with larger quantities.
- **Create Item Fulfillment at Locations Using Warehouse Management** – Provides the following options for creating item fulfillments of released orders:
 - **Per Order** – (default setting) Generates item fulfillments for each released order.
 - **Per Order Line** – Generates item fulfillments for each line item of a released order.
 - **Per Order in a Wave** – Generates an item fulfillment for all item lines of an order released in the same wave. Unlike the Per Order option, you can generate an item fulfillment regardless of lines from the same order released in other waves.
- **Show Additional Pick Task Columns** – Adds two columns on the Line Items subtab of a pick task subrecord, named User Field 1 and User Field 2. If you want to enter more details on pick task lines, you can set this preference.

To access a pick task, go to Transactions > Order Management > View Pick Tasks. You can edit a pick task, and then enter details in the columns on the **Line Items** subtab.

- **Default Status** – Sets the default status of newly created waves to either **Released** or **Pending Release**.
- **Default Picking Type** – Sets the default picking type of newly created waves to either **MultipleOrders**, **Single Order**, or **Bulk Picking**.
- **Update Quantity of Re-released Pick Task Lines** – Reflects newly committed quantities on pick task lines, with **Ready** status, of existing waves associated with backorders. Clear this box if you want to always create separate waves for backordered quantities of lines after they are committed. For more information, see [Re-releasing Lines with Backorders](#).
- **Allow Pick Decomposition on Waves** – Enables pick decomposition by automatically checking the **Apply Pick Decomposition** box on waves that you create. By default, it checks this box that appears on waves that you create manually, through a schedule, or through the app. Regardless of your preference setting, you can still check or clear the box before you create or generate a wave. For more information, see [Pick Task Decomposition](#).

Note: For standard and custom mobile processes, NetSuite WMS doesn't support the entry and mandatory setting of class and department classifications. For more information about these mandatory preferences, see the help topic [Classifications](#). For more information about mobile processes, see [Mobile App Setup](#).

To set warehouse management preferences:

1. Go to Setup > Accounting > Preferences > Accounting Preferences.
2. On the Accounting Preferences page, click the **Order Management** subtab, and then check the box or select the option for the preference you want to use.
 - Sales Orders section: **Automatically Set to Firm Committed Quantities in a Wave**
 - Picking/Packing section: **Use Pick to Clean Process at Locations Using Warehouse Management** or **Show Additional Pick Task Columns**.
 - Fulfillment section: **Default Items to Zero Received/Fulfilled** or **Create Item Fulfillment at Locations Using Warehouse Management**
 - Waves section: **Default Status** or **Default Picking Type**.
 - **Allow Pick Decomposition on Waves**
 - **Update Quantity of Re-released Pick Task Lines**
3. Click the **Items/Transactions** subtab.
4. In the Inventory section, check the box next to the preference that you want to use: **Use Preferred Bin on Item Receipts**.
5. Click **Save**.

Warehouse Management Strategies

Warehouse management strategies define where received items should be put away or where operators should go to pick items.

NetSuite WMS uses the sequence number of your strategies to determine which strategy should take priority over other applicable strategies. Based on the criteria defined in your warehouse management strategies, it suggests the appropriate bin locations for picking or putting away items. On the Entry Bin pages of mobile processes, bins appear in the Bins list based on your putaway or picking strategies.

You can define the following strategies for warehouse locations that use bins:

- [Defining Pick Strategies](#)
- [Defining Putaway Strategies](#)

Defining Pick Strategies

Pick strategies define the zones where warehouse operators can pick specific items or orders within warehouses that use bins. They also determine the bin locations NetSuite WMS suggests for outbound orders, work order picking, replenishment, or vendor returns.

Based on pick strategies that you create, bins appear in the Bins list on the Entry Bin page of the following mobile processes:

- Replenishment
- Sales Order or Transfer Order picking
- Vendor Returns picking
- Work Order picking

When you process released orders in your warehouse, you can apply pick strategies to prioritize the warehouse zones that you want to target to pick specific orders. Without pick strategies, NetSuite WMS uses the bin sorting process alone to select the recommended bin for picking. For more information about bin sorting, see [Pick Task Sorting and Recommended Bins](#).

On a pick task subrecord of released orders, you can view the list of available bins for an item, each with a zone from the applied strategy. You can view the same list of bins on related mobile pages for the work order picking, vendor return, or replenishment process. The list displays the first bin as the recommended bin.

If you block a bin for an item, it affects the recommended bins list. See [Managing Bins Blocked from Order Picking](#) or [Setting Up Bin Blocking for Order Picking](#) or [Creating Bin Locations or Carts](#).

To define a strategy, specify the filtering and sorting criteria, and then add the zones in descending order of priority. Zones that you place at the top of the list contain the bins to be selected first for picking. By prioritizing the warehouse zones, you can target those where you want specific orders or items to be picked from. For example, if you have a Rush Order option for the order type, you can define this filter on a pick strategy and add the zones accordingly. This strategy directs warehouse operators to pick rush orders from available bins in the first applicable zone.

If you want to include the strategy in pick decomposition for waves, choose a unit that you have set up for pick decomposition. For more information, see [Pick Task Decomposition](#) or [Setting Up Units for Pick Decomposition](#).

To define pick strategies:

1. Go to Lists > Supply Chain > Pick Strategy > New.
2. On the Pick Strategy page, fill out the required fields and filters:
 - In the **Transaction Type** field, select one of the following supported transaction types: **Replenishment**, **Sales Order**, **Transfer Order**, **Vendor Return**, or **Work Order**.
 - In the **Name** field, enter a unique name for the strategy.
 - In the **Sequence Number** field, enter the sequence number of the strategy.

This number is used to sort multiple pick strategies.

Note: A strategy with a lower sequence number takes priority over a strategy with a higher sequence number.

For example, strategy A has a sequence number of 2 and strategy B has a sequence number of 4, and both strategies apply to item X. When you pick item X, NetSuite WMS suggests a bin location in the zone defined in strategy A before a bin location in the zone defined in strategy B.

- In the **Transaction Type** field, select one of the supported transaction types: **Replenishment**, **Sales Order**, **Transfer Order**, or **Work Order**.
 - In the **Location** field, select one warehouse location.
3. (Optional) Set the filter fields in the Item Criteria, Order Criteria, or Recommended Bin Filter sections.
- In the Item Criteria section, you can select a unit that you have set up for pick decomposition.
- As you set more filters, you refine the items, orders, or both to which this pick strategy can be applied to. For more information about these filters, see [Bin Sorting with Pick Strategies](#).
4. On the **Pick Zones** subtab, you must add at least one warehouse zone.
- a. In the **Sequence Number** column, enter the sequence number of the zone in relation to other zones in this pick strategy. Use the lowest number for the zone to which you want to assign the highest priority.
 - b. In the **Zone** column, select a warehouse zone from the list.
The list displays the warehouse zones from your selected location.
 - c. Click **Add**.
- Repeat steps a - c to add more zones.
5. Click **Save**.

Defining Putaway Strategies

For locations that use bins, create at least one putaway strategy to define where an item should be put away. On a strategy, you can prioritize zones that contain storage bins NetSuite suggests in the inbound processing of orders. Putaway strategies also apply to the inventory transfer processes.

The sequence of your strategies determines which one takes priority over other applicable strategies. The criteria you define in your strategies enables NetSuite WMS to sort and select the bins for putting away items. For more information, see [Putaway Strategies](#).

Based on putaway strategies that you create, bins appear in the Bins list on the Entry Bin page of the following mobile processes:

- Purchase Order receiving, Receive Transfer Order, Returns receiving
- Inbound Shipment receiving
- Putaway
- Bin Transfer, Inventory Transfer, Bin Transfer Via Cart
- Create Inventory

On the app, bins may not appear for selection if don't create at least one putaway strategy for a location or if none of them match your criteria. No limit applies to the number of strategies you can create.

However, you should define at least one putaway strategy for your warehouse location, with the top sequence number and default zone. As you add more strategies, the default strategy suggests the default bin when items do not match any of the additional strategies.

Your warehouse operations and business needs determine the number and definition of your required strategies. When defining your strategies, you should work in close consultation with your NetSuite account manager.

To define a putaway strategy:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Strategies > WMS Putaway Strategies > New.
2. On the WMS Putaway Strategies page, enter or select values in the following fields:
 - a. In the **Name** field, enter a unique name for the putaway strategy.
 - b. If you want to create multiple strategies, in the **Sequence** field, enter a number that indicates the priority of this strategy.

A strategy with a low sequence number takes priority over one with a high sequence number. For example, strategy A with a sequence number of 2 and strategy B with a sequence number of 4 applies to item X. When you put away item X, NetSuite WMS suggests a bin in the zone defined in strategy A before a bin in the zone defined in strategy B.
 - c. In the **Location** field, select a warehouse location.
 - d. (Optional) In the **Zone** field, select the warehouse location's zone where you want to put away items that match the criteria.

For more information about WMS Zones, see [Creating Bin Locations or Carts](#).
3. (Optional) To set item criteria, select values in the item fields, such as **Item**, **Units**, **Class**, or **ABC Velocity**.

These criteria are based on fields on the item record, except for the unit. The Units criteria applies to the transaction unit.

On item records, you can set the ABC velocity in the **Inventory Classification** field. For more information about the item fields, see [Creating Items for NetSuite WMS](#).
4. (Optional) If you use the Inventory Status feature, in the **Inventory Status** field, select a status.
5. Click **Save**.

Setting Up Bin Blocking for Order Picking

For locations that use bins, you can block bins per item as you pick orders using your mobile device. To setup, complete the following procedures:

1. Activate the **Enable bin reporting and blocking** system rule. See [System Rules for NetSuite WMS](#).
2. Add predefined reasons that operators can select when they block bins. If you use the Smart Count app, you can also indicate whether you want bins blocked for a particular reason to be included in spot counts. See [Defining Reasons for Bin Blocking](#).
3. Add email addresses of recipients of bin blocking notifications. See [Setting Up Bin Blocking Notification](#).

For more information about bin blocking, see [Managing Bins Blocked from Order Picking](#).

If you want to block bins of a specific type from wave order picking, see [Creating Bin Locations or Carts](#).

Defining Reasons for Bin Blocking

You can add reasons for blocking a bin such as due to insufficient quantity or if the bin is used for damaged items. During order picking on the app, you can choose and report the reason for blocking a bin for an item.

For users of the Smart Count app, you can choose whether to enable spot counting for the reason you are creating or editing. On the NetSuite user interface, you can view the list of blocked bins for an item along with the reason. For more information, see [Managing Bins Blocked from Order Picking](#).

To define reasons for bin blocking:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > Reasons for Blocking > New.
The WMS Reason for Blocking Bins page appears.
2. Enter values in the following fields:
 - **Reason Code** – Enter a unique code, which may include only the following special characters: hyphen (-), underscore (_), and colon (:).
 - **Reason Description** – Enter a short description for the reason.
The description you provide appears in the list on the app from which you select a reason for blocking a bin.
 - **Include Bin in Counts** – If you use the Smart Count app, check this box to indicate that you want bins blocked for this reason to be included in spot counts.
When you approve a spot count, you automatically unblock the bin for the item.
3. Click **Save**.

Setting Up Bin Blocking Notification

Warehouse Management sends out a confirmation email after you block a bin for an item. You can assign two default recipients in your General Preferences.

You can also assign different recipients per warehouse location that use bins.

To set up bin blocking notification on General Preferences:

1. Using the Administrator role, go to Setup > Company > General Preferences.
2. On the General Preferences page, click the **Custom Preferences** subtab.
3. In the Oracle NetSuite WMS section, do the following:
 - a. In the **Primary Recipient** field, select the name of the person you want to assign.
 - b. (Optional) If you want to assign another person, in the **Additional Recipient**, you can select the name.
4. Click **Save**.

To set up bin blocking notification per location:

1. Using the Administrator role, go to Setup > Company > Locations.
2. On the Locations list, next to the location, click **Edit**.
3. On the Locations page, make sure that the **Use Warehouse Management** box is checked.

4. To assign recipients, do the following:
 - a. In the **Blocked Bin Primary Contact**, select the name of the recipient.
 - b. (Optional) If you want to assign another recipient, in the **Blocked Bin Additional Contact**, select the name.
5. Click **Save**.

System Rules for NetSuite WMS

NetSuite WMS provides system rules that add capabilities or enable alternate behavior for warehouse processing tasks on the app. You can activate a system rule that applies to all or specific warehouse locations. For some rules, you can also specify the mobile process for which you want to activate it.

For example, if you have a business exception that applies to one warehouse location, you can make a copy of the default system rule and assign the warehouse location to your copy.

See the following topics in this section:

- [System Rule Values and Actions](#)
- [Activating System Rules](#)

Depending on the capabilities you use, you can also set up these additional system rules:

- [Activating the Allow Over-picking for Work Orders System Rule](#)
- [Activating System Rules for WMS Shipping Integration](#)
- [Activating the EDI System Rule](#)

System Rule Values and Actions

In the following table, you can view the description of the action or behavior depending on your setting in the **Rule Value** field of a system rule. Note the separate set of rules that apply only to locations that use bins.

System Rule Name	Rule Value	Action
Prerequisite rule		
Enable Warehouse Management	Y	Activates the warehouse management capabilities on your NetSuite WMS account.  Note: Activate this rule after you enable the Warehouse Management feature. See Warehouse Management Feature and System Rule. In case the Oracle NetSuite WMS SuiteApp is no longer active or installed on your account, make sure you inactivate this rule. Otherwise, you might encounter issues when you try to process orders through your mobile device.
	N	The default setting that does not activate the warehouse management capabilities on your NetSuite WMS account.

System Rule Name	Rule Value	Action
		 Note: Inactivating this rule disables menus and scripts used by capabilities from NetSuite WMS Version 2019.2 and later, including the RF > RF Main Menu > NS WMS Mobile and customdeploy_wms_mobilemenu script.
System rules for locations that use and do not use bins		
Add Date Filtering	Y	Adds the date filter to limit the transactions or records that you want to view on a Data Table page element. On the app, you can specify the number of months in the past within which they have been created. If you can't find a transaction or record, you can choose another filter or the preconfigured All option. For more information, see the help topic Filtering Table Data by Date. When you activate this rule, you must also provide your options for the month filters.
	N	The default setting that doesn't add the date filter.
Allow picking of expired items? See Preventing the Picking of Expired Items .	Y	Items from expired lots are listed on mobile devices when you pick items for orders.
	N	Items from expired lots are not listed on mobile devices when you pick items for orders.
Autogenerate Lot Numbers?	Y	If you use the Lot Auto Numbering SuiteApp, you can activate this rule to generate lot numbers during the PO Receiving and Work Order - Build Assembly processes. On item records, you must enable autonumbering for each lot item or lot item component of an assembly. See the help topic Lot and Serial Numbering Subtab. To specify the lot number format, see the help topic Lot Auto Numbering SuiteApp.
	N	The default setting that doesn't activate autonumbering for the app.
Autogenerate Serial Numbers?	Y	If you use the Lot Auto Numbering SuiteApp, you can activate this rule to generate serial numbers during the PO Receiving and Work Order - Build Assembly processes. On item records, you must enable autonumbering for each serialized item or serialized item component of an assembly. See the help topic Lot and Serial Numbering Subtab. To specify the serial number format, see the help topic Lot Auto Numbering SuiteApp.
	N	The default setting that does not activate serial autonumbering for the app.
Automatically mark partial picks as Done	Y	Automatically sets pick tasks to Done status after you submit partially picked items, or after you stage them in locations that use bins.
	N	The default setting that does not automatically set partially picked items to Done status.
Change lot entry sequence for counts?	Y	Enables you to enter counted quantities per lot number without entering the total counted quantity for a lot item.
	N	The default setting that requires entry of the total counted quantity first, before you can enter counted quantities for each lot number.

System Rule Name	Rule Value	Action
Enable Advanced Barcode Scanning? See Bar Code Setup for NetSuite WMS.	Y	Enables you to scan supported formats for a GS1, HIBC, or composite bar code of an item. It applies to all WMS mobile processes, except for inbound shipment receiving. When used with the Tally Scanning rule, you can tally scan item bar codes in these formats. When used with Mobile Printing, it also enables you to generate GS1 item bar codes for printing of item or pallet labels. For more information about printing, see Mobile Printing for NetSuite WMS .
	N	The default setting that doesn't enable scanning of advanced item bar code formats.
Enable bulk picking for large pick tasks	Y	The default setting that enables outbound picking of large pick tasks in bulk. With the pick task size initially set to 50 lines, pick tasks that have more than 50 pick task lines go through bulk picking. When you enable the rule, you can change the limit to any number from 1 to 125 pick task lines. NetSuite WMS automatically creates and submits the bulk processing jobs, and then places them in a queue. The processing time for bulk staging varies, depending on the number of line items and other pending jobs. It also depends on the number of processors in your account, which you can increase by upgrading your service tier.
	N	Applies bulk picking only for pick tasks that have more than 125 pick task lines.  Note: If you encounter slowness in performance on your mobile device, you can enable the rule and decrease the size limit or number of pick task lines.
Enable Receive All option	Y	For the PO Receiving process only, it displays the Receive All option when you receive lot or serialized items. This option does not appear after you partially receive quantities of an item.
	N	The default setting that keeps the Receive All option hidden from the app.
Enable Receive All option for inbound shipments? See Receiving Inbound Shipment Orders.	Y	If you use the Inbound Shipment feature, it enables you to receive all quantities of lot or serialized items in an inbound shipment on the mobile app.
	N	The default setting that hides the Receive All button from the mobile page of the inbound shipment process.
Enable Restock option for returns?	Y	If you use Advanced Receiving and related preferences, this rule enables you to put items returned by customers back to your inventory. When you receive returned items on the app, it displays the Restock? field on the Enter Quantity page. If you do not restock an item, NetSuite automatically updates your write-off account. After you activate this rule, set the Write-Off Account for Returns preference to select the posting account for non-restocked items. Optionally, you can also set the Restock Returned Items preference apply a default setting to the Restock? field. For more information, see the help topic Order Management Accounting Preferences .
	N	The default setting that keeps the Restock option hidden from the app.
Enable Tally Scan? See Picking Orders.	Y	Enables you to scan an item bar code and increment the quantity by 1 on the Enter Quantity mobile page. For the PO Receiving process, it also provides the option to tally scan different item types continuously on the same page.

System Rule Name	Rule Value	Action
		NetSuite WMS automatically enables and checks the Use Tally Scan box on new item records that you create. For existing items, check this box to enable tally scanning. See Creating Items for NetSuite WMS. To set up, you can select any mobile process except the following: Post Item Receipt (Inbound), Replenishment (Inventory), and Change Inventory Status (Inventory). If a regular inventory or lot item has multiple units, you can change the unit on the app before you tally scan it. This capability applies to all receiving processes except returns receiving and item putaway. If you activate the Enable Advanced Barcode Scanning? rule, you can tally scan supported formats for the GS1, HIBC, and composite item bar code standards. To view supported processes for tally scanning advanced bar codes, see Supported Bar Code Formats for NetSuite WMS.
	N	The default setting that doesn't enable tally scanning for the supported processes.
Enable Weighing Scale Support for WMS App	Y	Activates Weighing Scale Support for the PO Receiving mobile process of the WMS app. On the app, you can select from the weighing scales integrated through PrintNode. On the Enter Quantity page of this process, the app displays the Capture Weight button. It also adds fields to display the captured weight of the item and its unit. For more information, see the help topic Weighing Scale Support.
	N	The default setting that doesn't activate Weighing Scale Support for the WMS app.
Entry of additional details	Y	Displays the Enter Adjustment Details page within the Create Inventory process. On this page, you can specify the reason for creating the inventory and other details for the generated inventory adjustment. After you activate this rule, be sure to define your own adjustment reasons. For instructions, see Creating Adjustment Reasons.
	N	The default setting that doesn't provide fields for adjustment reasons and other details on the app.
Generate EDI 856 outbound ASNs? See Electronic Data Interchange (EDI) Integration .	Y	EDI ASN data is generated when items are shipped. This behavior is required if you are working with a NetSuite partner to send advance shipping notices (ASN) to customers using the Electronic Data Interchange (EDI) method after items are shipped.
	N	EDI ASN data is not generated when items are shipped. This behavior is required if you do not need to send customers advance shipping notices (ASNs) after items are shipped.
Manually pack orders? See Manually Packing Orders and Printing Packing Lists .	Y	Does not automatically pack orders after they are picked or staged through the mobile app. You must manually pack orders and optionally enter pack carton details or print packing lists. Updates associated fulfillment records of manually packed items.
	N	Automatically sets fulfillment records to Packed status after you pick and stage orders through the mobile app. Fulfillments are updated with a default pack carton and a package that has the weight specified on the item record.

System Rule Name	Rule Value	Action
		■ If you use pick cartons for single or multi-order picking, the pick carton is assigned as the pack carton. Use cartons for single-order picking? or Use cartons for multi-order picking? ■ If no weight can be found on the item record, the package is assigned a weight of 1 lb.
Manually post item receipts? See Manually Posting Item Receipts .	Y	One item receipt is posted for all items in an order after they are put away and you manually select to post the item receipt. You can enable this rule for each or all inbound processes.
	N	An item receipt is posted to NetSuite for each individual item after it is put away.
Pick only fully committed work orders	Y	Shows only fully committed work orders for picking.
	N	The default setting that shows both fully and partially committed work orders for picking.
Print pick carton labels?	Y	Enables you to print labels for pick cartons from your mobile device. Before you can enable this rule, you must first enable Mobile Printing and one or both of the following rules: Use cartons for single-order picking? or Use cartons for multi-order picking? You must create separate copies of this rule for each Use cartons rule that you have enabled.
	N	The default setting that doesn't enable you to print pick carton labels.
Provide wave status selection for unreleased orders	Y	Lets you assign the Pending Release or Released status to waves generated for unreleased orders on the app.
	N	The default setting that generates waves for unreleased orders in Released status.
Receive expired lots?	Y	Enables you to receive expired lot items through the app when you process customer returns only.
	N	The default setting that prevents receiving of expired lots for returns.
Scan bar codes with bulk serial numbers?	Y	For PO Receiving, this rule enables you to scan item bar codes that contain up to 300 serial numbers. When you activate this rule, you must also specify the delimiter used for the bar codes.
	N	The default setting that doesn't enable scanning of item bar codes with bulk serial numbers.
Start and complete counts on app	Y	Provides the ability to start and complete cycle counts on the app within the Process Count mobile process. If you generate cycle counts on the app, the Start Count option also appears for newly generated counts.
	N	The default setting that doesn't enable the Start and Complete options on the app.
Use cartons for multi-order picking? See Picking Orders .	Y	Enables and displays the Enter Carton page on which you can enter pick carton details during multi-order picking on a mobile device.
	N	The default setting that doesn't prompt you to enter pick carton details during multi-order picking on the app.
Use cartons for single-order picking? See Picking Orders .	Y	Enables and displays the Enter Carton page on which you can enter pick carton details during single order picking on a mobile device.

System Rule Name	Rule Value	Action
	N	The system doesn't prompt you to enter pick carton details on mobile devices during single order picking.
Use custom packing lists? See Manually Packing Orders and Printing Packing Lists .	Y	Uses the custom script that contains your custom PDF packing list when you print packing lists for manually packed orders. Note: Before you can activate this rule, you must first activate the Manually pack orders? system rule. Also, you can create a copy of the default custom packing list if you want to customize it according to your business requirements. See Setting Up Custom Packing Lists .
	N	Uses the default format when you print packing lists for both manually and automatically packed orders.
Use WMS Shipping Integration? See NetSuite WMS Shipping Integration Setup .	Y	The NetSuite WMS Shipping Integration is enabled. This integration provides a connection between NetSuite and your parcel carrier shipping software (for example, FedEx Ship Manager or UPS WorldShip).
	N	The NetSuite WMS Shipping Integration is disabled. This integration provides a connection between NetSuite and your parcel carrier shipping software (for example, FedEx Ship Manager or UPS WorldShip).
System rules for locations that use bins only		
Allow staging for assigned picker only	Y	Enables only the picker assigned to a pick task to stage its picked items.
	N	The default setting that doesn't prevent pickers not assigned to a pick task from staging its picked items.
Choose bins for reversed pick task items?	Y	Displays the Select Bin page for bin selection during a sales order, transfer order, or work order pick reversal on the app. You can select a bin to which you want to transfer reversed items, except for WIP and outbound staging bin types.
	N	The default setting that doesn't enable bin selection for reversed pick task items.
Enable bin reporting and blocking	Y	Enables blocking of bins per item during order picking.
	N	The default setting that doesn't enable bin blocking.
Enable bulk loading into staging carts	Y	If you activate the Stage received items before putting away? system rule, you can also activate this rule. It enables the Bulk Load option for the item putaway process. During staging, you can select multiple items to transfer to a cart. On your mobile device, you can transfer up to ten items at a time. However, to avoid slow performance issues, you should not transfer large quantities of each item at the same time.
	N	The default setting that doesn't enable the Bulk Load option for the item putaway process.
Enable bulk staging of large pick tasks	Y	The default setting that enables outbound staging of large pick tasks in bulk. With the pick task size initially set to 25 lines, pick tasks that have more than 25 pick task lines are processed through bulk staging. When you enable the rule, you can change the limit to any number from 1 to 125 pick task lines. NetSuite WMS automatically creates and submits the bulk processing jobs, and then places them in a queue. The processing time for bulk staging varies depending on the number of line items and other pending jobs. It also

System Rule Name	Rule Value	Action
		depends on the number of processors in your account, which you can increase by upgrading your service tier. See the help topic NetSuite Service Tiers .
	N	Applies bulk staging only for pick tasks that have more than 125 pick task lines. Note: If you encounter slowness in performance on your mobile device, you can enable the rule and decrease the size limit or number of pick task lines.
Enable Zone Picking for single orders	Y	Enables order picking from one or more zones through a mobile device. When you activate this rule, you have the option to require staging of all items from an order in the same bin.
	N	The default setting that doesn't enable picking from zones.
Enable Zone Picking for multiple orders	Y	Enables order picking from one or more zones through a mobile device. When you activate this rule, you have the options to stage items by order and to require staging of all items from an order in the same bin.
	N	The default setting that doesn't enable picking from zones
Recommend WMS Preferred bins	Y	Sorts multiple WMS Preferred bins within a location to recommend destination bins during the Putaway process. After you activate the rule, be sure to set up WMS Preferred bins on each item record. For instructions, see Creating Items for NetSuite WMS .
	N	The default setting that doesn't provide WMS Preferred bin assignment.
Stage received items before putting away? See Putting Away Items.	Y	Staging bin locations are suggested when orders and customer returns are received. This behavior is required if you want to receive items to a staging area before they are put away to their storage bin locations.
	N	Storage bin locations are suggested when orders are received. This behavior is required if you want to put away items directly to their storage bin locations as you receive them.

Activating System Rules

On a system rule record, configure the required or optional settings that apply to a rule. You can create multiple copies of rules that you can assign to specific locations, mobile processes, or transactions. On other records, you must also configure additional settings used by the rule.

If you update your language preference for the NetSuite UI, be sure to apply it to the app and system rules. For instructions, see the help topic [Adding Language Options for Mobile App Translation](#).

To activate a system rule:

- Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > System Rules.
The System Rules List appears on the page.
- Next to the rule you want to activate, do one of the following:
 - To activate an existing rule, click **Edit**. Proceed to step 4.

- If you want to create a copy of a rule, click **View**.

The WMS System Rules page appears in edit or view mode.

3. To create a copy of a rule, from the **Actions** list, select **Make Copy**.

A new WMS System Rules page appears in edit mode.

4. Enter or select values in the following fields:

- In the **Name** field, enter the default rule name.
- If you want to create a location-specific rule, in the **Location** field, select a warehouse location.



Note: For the **Enable Warehouse Management** rule, do not specify a location. On location records, you can configure locations to use Warehouse Management. See [Creating Warehouse Locations](#).

- In the **Rule Value** field, enter **Y**.

5. Enter or select values in the fields for the following additional settings that are required or optional for some rules:

System Rule	Fields for Additional Rule Settings	Field Description
Add Date Filtering	Month Filters	Enter whole numbers that you want to set as date filtering options, separated by a comma. For example, you can enter 3, 9 in this field. In the Filter by Date field on the app, the following options appear: Past 3 months (default) and Past 9 months . You cannot enter decimal values. The first number in your list is set as the default date filter.
Autogenerate Lot Numbers?	Process Type	Select one of the following transactions for the supported mobile processes: Purchase Order or Work Orders .
Choose bins for reversed pick task items?		Select one of the following transactions for the supported mobile processes: Sales Order , Transfer Order , or Work Orders . To activate the rule for all supported processes, leave this field blank.
Enable Advanced Barcode Scanning?		Select either of the following supported bar code types to scan items: GS1 Bar Code , HIBC Bar Code , or Composite Bar Code .
Manually post item receipts?		(Optional) Select either of the following supported mobile processes: Inbound Shipment , Receiving , Returns . To activate the rule to all supported processes, leave this field blank. The All option does not apply to this rule.
Recommend WMS Preferred bins		Select Bin Putaway .
Stage received items before putting away?	Rule Value	Select one of the following order receiving processes to which you want to apply this rule: Purchase Order , Inbound Shipment , or Returns . To activate the rule to all supported processes, leave this field blank. The All option doesn't apply to this rule.
Enable bulk picking for large pick tasks		Enter your limit for the number of pick tasks. NetSuite automatically creates a job when the number of pick task lines you submit for processing on the mobile device exceeds this limit.
Enable bulk staging of large pick tasks		

System Rule	Fields for Additional Rule Settings	Field Description
Enable Tally Scan?	Quantity Limit	Enter the maximum ordered quantity for the item on a transaction at which you want to enable Tally Scan. You cannot tally scan an item if the quantity to pick exceeds this limit.
	Apply Rule To	Select the standard process, custom process, or transaction type for which you want to enable Tally Scanning.
	Process Type	If you apply the rule to the PO Receiving process, you can select Tally Scan Across Item Types to enable continuous tally scanning across regular, lot, and serialized items. After you scan the initial item on the Enter Item page, you can tally scan the other items on the Enter Quantity page. Note that the other options for selection do not apply to this rule.
Enable Zone Picking for Single Orders Enable Zone Picking for multiple orders	Picking Type	Select Pick & Merge .
	Stage By Order	(Optional) For multi-order picking only, check this box if you want to enable staging of items per order. You can stage items picked from different zones at the same time. You have the option of staging them in the same bin.
	Always Merging of Items During Staging	(Optional) Check this box to require that items from an order must be staged in the same bin. For multi-order picking, you must enable Stage by Order before you can enable this setting.
Print pick carton labels?	Apply Rule To	Select the standard or custom process in which you want to print carton labels. For standard mobile processes, select one of the following that must correspond to the Use cartons rule that you use: ■ If you use the Use cartons for multi-order picking? rule, select NSWMS_multiOrder_Picking. ■ If you use the Use cartons for single-order picking? rule, select either NSWMS_singleOrder_salesOrder_Picking or NSWMS_singleOrder_transferOrder_Picking.
Use custom packing lists?	Script ID	Enter the ID of the custom script for your packing list.
	Deployment ID	Enter the ID the deployment record associated with your custom script.
Manually pack orders?	Process Type	Select one of the following order picking flows to which you want to apply this rule: Sales Order or Transfer Order . To apply the rule to both flows, leave this field blank. The All option does not apply to this rule.
Use cartons for multi-order picking?	Order Type	For any of these rules, you can select and assign an order type for sales orders. You can choose from the same list of order types that you set up for sales orders. For more information, see Creating Order Types .
Use cartons for single order picking?		
Scan bar codes with bulk serial numbers?	Bar Code Data Delimiter	Select the symbol you use as delimiter for your bar code data.

6. Click **Save**.

After you activate a certain rule, you can activate other rules that depend on it. Also, make sure you update other records with settings required for some of the rules. See [System Rule Values and Actions](#).

Mobile App Setup

NetSuite WMS leverages the mobility and convenience of handheld bar code scanners to process inbound, outbound, and inventory transactions and to post real-time updates to your NetSuite account.

Handheld Bar Code Scanner Requirements

For use with NetSuite WMS, refer to the following hardware and software requirements:

- At least 256 MB flash memory
- Currently, only devices that have Android 7.0 or higher versions are supported. Support for Android versions may change subject to updates from Google.

 **Note:** Devices that run on iOS are not supported.

- 1D bar code scanner
For bar code requirements, see [Bar Code Setup Requirements](#).
- 4 inch or larger touch screen
- 802.11a/b/g enabled
- Bluetooth enabled
- HTML 5 & JavaScript enabled browser (TLS 1.2 compliant)
Only the Google Chrome browser is supported. You should use the latest version of Google Chrome.
- Interactive Sensor Technology (IST)
- Ruggedized or semi-ruggedized (optional)

Setup Procedures for NetSuite WMS Mobile Capabilities

You can set up additional capabilities depending on your mobile app requirements. Some capabilities apply to all apps supported by SCM Mobile, whereas others apply to NetSuite WMS only.

To set up additional capabilities for the mobile app, you can complete the following procedures:

- [Language Preference Setup for SCM Mobile](#)
Make sure that you use the same language for the NetSuite UI and the mobile app.
- [Bar Code Setup for NetSuite WMS](#)
If available for your device, you can set it up to automatically enter and submit data after you perform a scan. See the help topic [Scanning Item Bar Codes in Apps](#).
- [Configuring Mobile App Settings](#)
Mobile app settings include Mobile Printing and Weighing Scale Support, which require PrintNode integration. Without PrintNode integration, you can enable Mobile Printing to save soft copies of labels or documents. Before you enable these capabilities, see the help topic [NetSuite Ship Central FAQs](#) to find more information about PrintNode integration.
 - [Mobile Printing for NetSuite WMS](#)
 - [Weighing Scale Support](#)
- [Mobile Configuration and Customization](#)

NetSuite WMS Mobile App Access Setup

After you set up your language preference and other capabilities for the app, you can set up access to the mobile app and its mobile processes.

If you set up custom roles, be sure to provide them the appropriate permissions and access levels for transactions and records used in mobile processes. See [Warehouse Management Roles and Permissions](#).

The following procedures enable you to set up mobile app access for your roles:

- [Setting Up the Online Form User Role](#)
- [SCM Mobile App Access](#)

Optionally, if you want to provide access to specific mobile process only, see the following topics:

- To set up access to standard mobile processes, see the help topic [Configuring Menu Icons on Independent Mobile Pages](#).
- To set up access to custom mobile process that you create, see the help topic [Customizing Mobile Processes](#).

Menu icons remain hidden from roles that do not have access to a mobile process. To review basic mobile app pages and page elements, such as fields, buttons, and tables, see the help topic [SCM Mobile App Basics](#) or [Mobile Device Basics for NetSuite WMS](#).

Configuring Mobile App Settings

You can change the default settings for mobile apps. These settings apply to the standard NetSuite WMS mobile app, including other mobile apps that you use from the SCM Mobile SuiteApp.

You can also enable Mobile Printing and Weighing Scale Support for the mobile app. If you use NetSuite Ship Central and have already enabled these capabilities, you do not need to enable them separately. For Mobile Printing, you can choose the apps to which you want to provide access.

To configure mobile app settings:

1. Using the Mobile - Administrator role, go to Setup > Settings > Mobile Settings.
The Mobile - Settings page appears.
2. (Optional) To enable printing, check the **Enable Mobile Printing** box, and then enter values in the following fields:

 **Note:** Aside from printing through an SCM Mobile app, this setting also enables printing through the NetSuite UI, which is configured separately. For more information, see the help topic [Adding a Print Button to NetSuite Pages](#).

- **PrintNode URL for View Printers API** – In case PrintNode changes their default URL, enter the new PrintNode URL for the view printers API.
This API enables you to retrieve the list of printers.
- **PrintNode URL for Create Print Job API** – In case PrintNode changes their default URL, enter the new PrintNode URL for the create print job API.
This API enables you to submit print requests.
- **Print Server Connection Timeout** – Enter the maximum number of seconds that you want to enable NetSuite to establish a printer server connection before it times out.

You cannot enter a negative value in this field.

- **Printable File Retention (In Hours)** – Enter the maximum number of hours that you want printable files to remain in your file cabinet before they get deleted.

You cannot enter a negative value in this field.

You cannot reprint deleted files. For more information about reprinting, see the help topic [Reprinting Labels](#).

- **Enable for These Apps Only** – Select the SCM Mobile apps to which you want to provide Mobile Printing access, or you can select **None**

This setting neither provides nor removes access to printing through the NetSuite UI.

3. (Optional) If you want to enable support for weighing scales within the PO Receiving process, check the **Enable Weighing Scale Support** box.
4. (Optional) For your default account settings, enter or select values in any of the following fields:
 - Check the **Debug State** box if you want to set the mobile application to debug state and display state fields on mobile pages.
 - Check the **Always Allow App Selection** box to always display the application selection page on a mobile device, regardless if you have not configured multiple mobile applications.
 - To include empty and null values in the generated configuration file for the app, check the **Include Null Values in Configuration Files** box.
If you clear this box to not include null field values, you decrease the configuration file's size.
 - In the **Account Mode for Logging** field, select one of the following account modes in which you want to run the mobile app: **Production**, **Development**, or **Debug**.
 - In the **Batch Size of Logs for Storage (GB)** field, enter the batch size, in GB, that must be reached before NetSuite automatically transfers the logs for storage.
 - In the **Table Row Size** field, enter the default number of rows you want to display in a table at each mobile page load.
5. Click **Save**.
6. If you enable mobile printing or weighing scale support, be sure to begin a new session or reload the browser on your mobile device to view the updates.

If you enable Mobile Printing, see [Mobile Printing for NetSuite WMS](#) to set up your devices, printing settings, and templates.

If you enable Weighing Scale Support, continue your setup by activating the Enable Weighing Scale rule. For instructions, see [System Rules for NetSuite WMS](#). For more information, see the help topic [Weighing Scale Support](#).

Bar Code Setup for NetSuite WMS

You can set up item bar codes for scanning and mobile printing. You can scan the bar codes of items that you receive, store, or ship out of your warehouse.

If available for your device, you can set it up to automatically enter data after you perform a scan. See the help topic [Scanning Item Bar Codes in Apps](#).

Supported Bar Code Formats for NetSuite WMS

Aside from the regular bar code formats supported by the Bar Coding and Item Labels feature, NetSuite WMS also supports the following advanced types and formats for scanning items:

- **Composite** – Linear (1D) and data matrix (2D)

You can scan composite bar codes of items that you receive in your warehouse through the app. After an item bar code has been initially scanned during the PO receiving mobile process, you can reuse it in other warehouse processes including TO receiving.

- **GS1** – GS1-128 (1D) and GS1 DataMatrix (2D), with support for GTIN-14 (01)

- **Health Industry Bar Code (HIBC)** – Code 128 and Data Matrix

For information about regular bar codes, see the help topic [Bar Codes and Item Labels](#).

The following table shows the mobile processes and advanced bar code types supported by specific bar code scanning capabilities:

Capability	Bar Code Types	Mobile Process
Advanced bar code scanning	GS1 and composite	All WMS processes, except inbound shipment receiving
	HIBC	Purchase order, transfer order, returns receiving Inbound shipment receiving All inventory processes Single and multiple order picking Search inventory
Tally scanning	GS1, composite	All except Inbound shipment receiving, Replenishments, and Create inventory
	HIBC	Purchase order, transfer order, returns receiving Inbound shipment receiving Single and multiple order picking
Tally scanning across item types	GS1 and composite	Purchase order receiving Transfer order receiving
Bar code generation for label printing	GS1 DataMatrix only	Purchase order receiving Inbound shipment receiving Assembly build
Continuous scanning of lot or serialized items	GS1 and composite	Purchase order receiving (serial numbers only) Single and multiple order picking

For mobile printing, the generated bar codes contain only the following supported attributes or GS1 application identifiers: item, GTIN, quantity, unit of measure, lot number, expiry date, and serial number. Custom mobile processes and custom application identifiers are not supported. For more information, see [Mobile Printing for NetSuite WMS](#) or [WMS Standard Labels and Templates](#).

Bar Code Scanning for Lot and Serialized Items

When you scan a GS1 or composite item bar code that includes a lot number, serial number, or quantity, the appropriate fields are automatically populated with these details. If the pick task has remaining quantity to be picked, you can scan the next lot or serial number. This behavior applies to all supported mobile processes when you scan item bar codes on the Enter Item page. See [Supported Bar Code Formats for NetSuite WMS](#).

If you use the Tally Scanning rule and scan an item bar code that has a quantity, you can verify that the value in the Quantity field is equal to one. For lot items, if the value is greater than one, you can edit this field before you scan the next item or lot number. If the item bar codes have no quantity, the default quantity of one applies to each tally scan.

Bar Code Setup Requirements

Note the following browser and scanner requirements:

- For your browser, you should use Google Chrome. Other browsers may not be able to display FNC1 (Function Code One) characters from scanned bar codes. For mobile device requirements, see [Mobile App Setup](#).
- To scan GS1 bar codes, the scanner should be able to display FNC1 characters and the bar code symbol.

Bar Code Setup Procedures

To begin your bar code setup, you must activate the **Enable Advanced Barcode Scanning?** system rule. For each warehouse location, you can enable GS1, HIBC, or Composite bar code, but not all formats. For instructions on activating system rules, see [System Rules for NetSuite WMS](#).

After you activate the Advanced Barcode system rule, you can complete the following procedures depending on the bar code type you want to set up:

- Composite bar code scanning setup – See [Creating Composite Bar Code Templates](#).
- GS1 bar code scanning setup – See [Creating Item Aliases](#).
If you want to set up your own GS1 application identifiers for bar code scanning, see [Setting Up Custom Application Identifiers for GS1 Bar Code Scanning](#).
For the list of supported standard or custom application identifiers, see [Standard GS1 Application Identifiers](#).
- HIBC bar code scanning setup – To set up the labeler ID codes for your vendors, see [Adding HIBC Labeler ID Codes](#).

If you use NetSuite WMS with Ship Central, see the help topic [Bar Code Scanning for Ship Central](#).

Creating Composite Bar Code Templates

Create templates to specify the composite bar code components and pad character for each item. You can associate a composite bar code template with multiple vendors. After you create your templates, you can scan the item bar codes initially through the PO receiving process on the app. For more information, see [Bar Code Setup for NetSuite WMS](#).

NetSuite WMS provides standard bar code components mapped to NetSuite fields. When you scan a composite bar code, the corresponding fields on the mobile pages are populated automatically.

Before you create composite bar code templates, review the following guidelines:

- When you activate the **Enable Advanced Barcode Scanning?** rule, make sure that you set the process type to **Composite**. See [Bar Code Setup Procedures](#).
- Do not use the pad character that you assign to a bar code in any part of the data you enter in a component field.

For example, if you select # for the pad character and add the Item component to your bar code, do not use # as part of any item name, number, UPC, or alias.

- Composite bar code components have a fixed length that you can define in the index fields of your template.

For example, you set an item component's length to 14 characters and your item data has less than 14 characters. Pad characters automatically fill out the remaining character spaces to reach your defined fixed length.

- If you include both the quantity and serial number components, each serial number must be unique. Make sure that the bar codes you generate for the item have a quantity value of 1.

To create a composite bar code template:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > Composite Bar Code Templates.
2. On the Composite Bar Code Template page, set values in the following fields:
 - In the **Bar Code Template Name** field, enter a unique name for the bar code template.
 - In the **Padding Character** field, select the character you want to use for padding.
3. On the **Bar Code Components** subtab, do the following:
 - a. In the **Component** column, select the data you want to map for the bar code component:
 - **Item** – Item code, name, UPC, or item alias
 - **Expiry Date** – Expiry date of a lot-numbered item
 - **Lot** – Lot number
 - **UOM** – Item's unit of measure
 - **Quantity** – Item quantity
 - **Serial Number** – Serial number

For more information about these item details, see the help topic [Creating Item Records](#).
 - b. In the **Starting Index** and **Ending Index** columns, define the component's length by specifying the index numbers that correspond to the component's first and last position in the bar code.

For example, you can define a six-digit expiry date by entering a starting index of 2 and an ending index of 7.
 - c. For lot-numbered items, in the **Date Format** column, select the format for expiry dates stored in a bar code.
 - d. Click **Add** to add another component.
4. On the **Vendors** subtab, select the vendor's name, and then click **Add**.

Repeat this step to add more vendors.
5. Click **Save**.

Setting Up Custom Application Identifiers for GS1 Bar Code Scanning

NetSuite WMS supports standard and custom GS1 application identifiers. When you scan an item bar code, fields on a mobile page are populated with data mapped to their corresponding standard or custom application identifiers.

Note: GS1 item bar codes generated for labels printed from your mobile device do not support custom application identifiers. See [Bar Code Setup for NetSuite WMS](#).

You can add custom application identifiers to custom mobile processes only. You can assign custom identifiers to fields that you have added to a mobile page of a custom process. Before you set up custom identifiers, make sure that you set the process type to **GS1** for your **Enable Advanced Barcode Scanning?** system rule. For more information, see the following topics:

- To view your system rule setting, see [System Rules for NetSuite WMS](#).
- To customize a mobile process, see the help topic [Customizing Mobile Processes](#).
- To set up and view the limitations for custom fields, see the help topic [Setting Up Additional Fields Through Mobile Customization](#).

Standard GS1 Application Identifiers

The following table shows the list of common standard application identifiers mapped to NetSuite fields:

AI	Description	Data Format	Data Title	Key
00	Serial Shipping Container Code (SSCC)		SSCC	sscc
01	Global Trade Item Number (GTIN)	14-digit number	GTIN	gtin
02	Global Trade Item Number (GTIN) of contained trade items	14-digit number	CONTENT	content
10	Batch or lot number	1 - 20 alphanumeric	BATCH/LOT	batch_lot
17	Expiration date (YYMMDD)	6 digits	USE BY OR EXPIRY	expiry_date
21	Serial number	1 - 20 alphanumeric	SERIAL	serial
30	Variable count of items (variable measure trade item)		VAR. COUNT(QUANTITY)	var_item_count

Custom GS1 Application Identifiers

The following table shows the list of custom application identifiers for your company's internal use, which you can map to other standard or custom fields on a mobile page:

AI	Description	Data Title	Key
91	Company internal information	Internal	company_internal_91
92	Company internal information	Internal	company_internal_92
93	Company internal information	Internal	company_internal_93
94	Company internal information	Internal	company_internal_94
95	Company internal information	Internal	company_internal_95
96	Company internal information	Internal	company_internal_96
97	Company internal information	Internal	company_internal_97

AI	Description	Data Title	Key
98	Company internal information	Internal	company_internal_98
99	Company internal information	Internal	company_internal_99

To view the complete list of supported application identifiers, click the link: [Supported GS1 Application Identifiers](#).

To set up custom application identifiers for GS1 bar codes:

1. To access the button and field element for which you want to set up the custom application identifier, do the following:
 - a. Using the Administrator role, go to Setup > Custom > Mobile - Applications.
 - b. On the Mobile - Applications List, click **View** next to the mobile application.
 - c. On the Mobile - Process List, click **View** next to the custom mobile process.
 - d. On the Mobile - Process page, click the **Page** subtab, and then click the mobile page you want to configure.



Note: You can set up custom application identifiers only on mobile pages that display the SCAN/ENTER ITEM textbox. The button element on these pages use the Forward Form action on which you can enter the identifier's key, as described in step 2. Examples of these pages include the Enter Item page of the PO Receiving process and the Create Inventory page of the Create Inventory process.

- e. On the Mobile - Page page, click the **Page Elements** subtab that contains the list of page elements.
2. To set the custom application identifier key in the button element's Forward Form action, do the following:



Note: The Forward Form action stores the value of the custom application identifier from the scanned bar code.

- a. On the **Page Elements** subtab, click the action button element that uses the Forward Form action you want to configure.
By default, buttons with the **_nextBtn** suffix in the name use the Forward Form action.
 - b. On the Mobile - Page Element page, in the **On Click Action** field, click the mobile action link.
 - c. On the Mobile - Action page, click the **Output Parameters** subtab, and then click **New Mobile - Output Parameter**.



Tip: In the **Type** field, you can verify that the Forward Form type is selected for the mobile action.

- d. On the Mobile - Output Parameter page, in the **Name** field, enter a unique name for the output parameter
 - e. In the **Response Key** field, enter the custom application identifier key in the following format: **response:<key>**.
For example, to set up Application Identifier 91, enter **response:company_internal_91**.
To view the list of keys for custom application identifiers, see [Custom GS1 Application Identifiers](#).
 - f. In the **Destination Key** field, enter the custom application identifier key.

For example, to set up Application Identifier 91, enter **company_internal_91**.

- g. Click **Save**.

Repeat steps c to g if you want to add more custom application identifiers to your bar code.

3. To set the custom application identifier key in the custom or standard page element's **Default Value** field, do the following:

 **Note:** The **Default Value** field is used to display the value of the custom application identifier from the scanned bar code.

- a. On the **Page Elements** subtab, click the custom or standard page element that you want to configure.

 **Tip:** To access the **Page Elements** subtab of the mobile page on which you have set up the custom or standard page element, see step 1.

- b. On the Mobile - Page Element page, in the **Default Value** field, enter the custom application identifier key in the following format: **state:dataRecord:scriptParams:<key>**.

For example, to set up Application Identifier 91, enter
state:dataRecord:scriptParams:company_internal_91.

To view the list of keys for custom application identifiers, see [Custom GS1 Application Identifiers](#).

- c. Click **Save**.

If you have multiple identifiers to set up, repeat steps a to c for each custom or standard page element.

4. After you complete all your customizations, you must update the mobile app by doing the following:

- a. Go to Setup > Custom > Mobile - Applications.
- b. On the Mobile - Applications List, click the **Update App** link next to the mobile application.

To view the status of your update, click the link on the processing message at the top of the page. Wait for the confirmation message to appear before you start accessing your custom mobile page.

Adding HIBC Labeler ID Codes

To set up scanning of HIBC bar codes, add the unique labeler ID code (LIC) of each of your vendors. You can't assign multiple labeler ID codes to a vendor.

When you scan an HIBC bar code, the mobile app validates the LIC and vendor details based on the LIC records that you create.

To add HIBC labeler ID codes:

1. Go to Setup > Custom > LIC Mapping > New.
2. On the Mobile - Labeler ID page, set the following fields:
 - **Name** – Enter a unique name for this mapping of a labeler ID code and vendor.
 - **Labeler Identification Code (LIC)** – Enter the four characters of the labeler ID code.
 - **Vendor** – Select the vendor assigned to the labeler ID code.
3. Click **Save**.

Mobile Printing for NetSuite WMS

When you enable Mobile Printing, you can print or save soft copies of the following labels:

- Item and pallet labels for the purchase order and inbound shipment receiving processes
- Item labels for the search inventory
- Item and pallet labels for bin replenishment and the assembly build process for work orders
- Pick carton labels if you activate any of the **Use cartons** rules for order picking and activate the **Print pick carton labels** rule

For more information, see [System Rules for NetSuite WMS](#).

When you print a label, you can reprint it from the print logs on the mobile app or audit logs from the NetSuite UI. For instructions, see the help topic [Label Printing and Reprinting](#).

You can set up [SCM Mobile Printing](#) for mobile apps supported by SCM Mobile. Refer to the requirements and procedures in the following topics:

- [Enabling Mobile Printing without PrintNode Integration](#)
- [Enabling Mobile Printing with PrintNode Integration](#)

Note: Mobile Printing through the PrintNode integration, within SCM Mobile, is set up and configured independently from the NetSuite WMS print driver and carrier application, which is used within the WMS Shipping Integration for specific FedEx and UPS services only. You can use either or both, separately, and they cannot be integrated. For more information, see [NetSuite WMS Shipping Integration](#) or [NetSuite WMS Shipping Integration Setup](#).

- [Mobile Printing Requirements for PrintNode Integration](#)
- [Mobile Printing Setup Procedures](#)

For more information about PrintNode integration, see the help topic [NetSuite Ship Central FAQs](#).

WMS Standard Labels and Templates

NetSuite WMS generates labels from print templates in PDF or ZPL format. It uses PDF templates by default to print labels using regular printers. You can change the default setting on print reports to print labels in ZPL format instead, for label printers. On print reports, you can also change the default printer and number of copies for printing. For more information about print reports, see the help topic [Setting Up Printing Settings on Print Reports](#).

Standard print templates are preconfigured with TXT files for ZPL formats and XML files for PDF formats. Mobile Printing provides Advanced PDF templates that can also be used for PDF formats. These template files contain the details and formatting for labels.


See the following list of standard files and templates for each label:

Label *	Template File	Advanced PDF Template
Item label	ItemLabelPDFTemplate.xml	WMS Default Item Label Advanced PDF Template
	ItemLabelZPLTemplate.txt	

Label *	Template File	Advanced PDF Template
Displays the item name or number and item description		
Includes the item's lot or serial number	ItemLabelLotOrSerialPDFTemplate.xml ItemLabelLotOrSerialZPLTemplate.txt	WMS Default Item Label with Lot or Serial Advanced PDF Template
Pallet label Displays these item and order details: item name or number, item description, quantity, stock quantity, receipt date, order transaction number, and the account holder's name	PalletLabelPDFTemplate.xml PalletLabelZPLTemplate.txt	WMS Default Pallet Label Advanced PDF Template
Includes the item's lot or serial number	PalletLabelLotOrSerialPDFTemplate.xml PalletLabelLotOrSerialZPLTemplate.txt	WMS Default Pallet Label with Lot or Serial Advanced PDF Template
** Standard item and pallet labels for work orders	WOPalletLabelPDFTemplate.xml WOPalletLabelZPLTemplate.txt	WMS Default WO Pallet Label Advanced PDF Template
** Includes the item's lot or serial number and work order details	WOPalletLabelLotOrSerialPDFTemplate.xml WOPalletLabelLotOrSerialZPLTemplate.txt	WMS Default WO Pallet Label with Lot or Serial Advanced PDF Template
** Standard item and pallet labels for bin replenishment	ReplenPalletLabelPDFTemplate.xml ReplenPalletLabelZPLTemplate.txt	WMS Default Replenishment Pallet Label Advanced PDF Template
Pick carton label Displays the pick carton number or ID and order number	CartonLabelPDFTemplate.xml CartonLabelZPLTemplate.txt	WMS Default Carton Label Advanced PDF Template
* Based on your setup, the standard labels can display 2D DataMatrix bar code formats and select GS1 data. For more information, see Bar Code Setup for NetSuite WMS .		** Contains all required details to generate item or pallet labels during the supported mobile processes

The following images show a standard PDF item label, pallet label, and carton label:

■ **Regular item label example**



■ Lot item pallet label example

PALLET LABEL			
ITEM DESCRIPTION			
WCUL002			
QTY	LOT#	Lot12	SKU:
14	EXPIRY DATE: 23.11.2029		WLot1
STOCK			
QTY			
14			
RECEIVED			
16.09.2024			
RECEIPT#			
Purchase	Order		
#PO1840			
BY: T			

■ Standard carton label example

Carton # SO977Cart1 Order # SO917	
--------------------------------------	--

Accessing and Customizing Labels or Templates

Depending on your printing requirements, you can create your own print files or templates to show more details, including a logo. You can create a copy of a standard template file, customize your copy, and assign it to a print template.

For example, you can add the inventory status to your custom item label template for the PO Receiving mobile process. On the Enter Quantity page of this process, you can print labels with the inventory status that you specify for a received item.

For more information about print file or template customization, see the help topic [Creating Custom Print Templates and Files](#).

To access the standard files or templates, see the following:

- For XML and TXT files, using the Administrator role, go to Documents > Files > File Cabinet. Then, access the Templates folder of the Oracle NetSuite WMS Bundle folder through this path: SuiteBundles > Bundle <Oracle NetSuite WMS Bundle ID> > com.netsuite.wms > src > Templates.
- For advanced PDF templates, go to Customization > Forms > Advanced PDF/HTML Templates.

From your File Cabinet, you can access soft copies of printed labels. Using the Administrator role, go to Documents > Files > File Cabinet. Then, access the PrintDocuments folder through this navigation path: SuiteBundles > Bundle <Oracle NetSuite WMS Suite ID> src > PrintDocuments.

For information about bundle IDs, see [Installing the NetSuite WMS SuiteApps](#).

Mobile Printing Customization

You can extend mobile printing capabilities to custom mobile processes cloned from standard ones that do not support it by default. On a custom mobile process, you can add a print button and set up its printing actions. You can also perform customizations such as adding your own print report types or displaying additional fields on labels on a print template.

Before you can perform mobile printing customizations, be sure that you have cloned the standard mobile process you want to customize. See the help topic [Customizing Mobile Processes](#).

See the following mobile printing customization topics:

- [SCM Mobile Printing](#)
- [Creating Custom Print Templates and Files](#)
- [Setting Up Printing Settings on Print Reports](#)
- [Setting Up Automatic or Required Printing](#)
- [Adding a Print Button to Custom Mobile Pages](#)
- [Setting Up Print Button Actions](#)
- [Adding a Print Button to NetSuite Pages](#)

Mobile Configuration and Customization

You can configure standard mobile processes to make minor changes to labels, layout, and other basic settings. You can also add specific page elements to mobile pages. For more information about Mobile Configuration, refer to the following topics:

- [Configuring Mobile Page Elements](#) – Page elements include fields and columns that you can configure in standard mobile processes. It also includes icons on menu pages and icons for capturing or uploading images and files.
- [Configuring Pages and Actions for Custom Mobile Processes](#) – You can change some of the mobile actions within standard mobile processes.

To perform additional changes, you can clone a standard process to create a copy of its pages, page elements, and other components. You can customize these components and add more to suit your app requirements. You can also set up your own RESTlets, client scripts, or saved searches for mobile actions of buttons, icons, and other page elements. For more information about Mobile Customization, see the help topic [SCM Mobile App Customization](#).

Mobile customizations include updating print templates, labels, printing settings, and the Print button. For more information, see the following topics:

- [Mobile Printing Customization](#)
- [Creating Custom Print Templates and Files](#)
- [Setting Up Printing Settings on Print Reports](#)
- [Setting Up Automatic or Required Printing](#)

NetSuite WMS Shipping Integration Setup

NetSuite WMS Shipping Integration provides a connection between NetSuite and your parcel carrier shipping software. This connection enables you to automate some of your outbound processing tasks to streamline the shipping process.

NetSuite WMS integrates with the following parcel carriers:

- FedEx
- UPS

NetSuite WMS Shipping Integration uses the NetSuite WMS Printer Driver and Carrier Integrator application to automatically:

- Pull shipping data from WMS Ship Manifest records and push them to your carrier shipping software.
- Generate shipping labels for each carton packed using NetSuite WMS.
- Send shipping label print requests to printers in your warehouse.
- Pull tracking number information from your carrier shipping software and push it to WMS Ship Manifest records.

Install the NSWMS Printer Driver application on the same computer in your warehouse's shipping station you use to run your parcel carrier's shipping software. As you pack items in the warehouse, the application runs a scheduled task to find all orders that are ready to be shipped. The application uses information stored in the WMS Ship Manifest record to create shipping labels, and prints them at the printer you configure in the application.

WMS Printer Driver and Carrier Integrator Application Prerequisites

Before you start to install the WMS Printer Driver and Carrier Integrator Application, review the requirements in this section.

Hardware and Software Requirements

- The computer on which you want to install the application runs on Windows XP, Windows Vista, Windows 7, Windows 8, or later versions.
- The computer has at least 80 GB of available space and 4 GB of RAM.
- You have administrator rights to install software on the computer or print server, and to configure the System DSN (Data Source Name) for the carrier integrator.
- The document or label printers must be configured as network printers.
- You have shipping software for the supported carriers, such as FedEx Ship Manager or UPS WorldShip, installed on the same computer on which you want to install the application.

Generating the Application ID

In NetSuite WMS, you can generate the Application ID that you must assign to the application's configuration file.

To generate the Application ID:

1. Using the Administrator role, go to Setup > Integration > Manage Integrations > New.
2. On the Integration page, in the **Name** field, enter **NSWMS Carrier Integration ID**.
3. Click **Save**.

On the saved Integration page, you can view the ID in the Application ID field. When you set up the configuration file, you can copy the Application ID from this field. See [Installing and Updating the WMS Printer Driver and Carrier Integrator Application](#).

Activating System Rules for WMS Shipping Integration

Activate the system rules for the labels that you want to print using the Printer Driver and Carrier Integration application.

Activate the system rule for each type of label that you want to print:

- Label Printing: Address Labels with 3rd party integration
- Label Printing: Item Labels with 3rd party integration
- Label Printing: Pallet Labels with 3rd party integration

If you use ZPL printers, you can activate the following system rules, one for each type of label:

- Label Printing: Address labels using ZPL
- Label Printing: Item labels using ZPL
- Label Printing: Pallet labels using ZPL

To activate rules, see [Activating System Rules](#).

NetSuite WMS Shipping Integration Setup Procedures

After you generate an Application ID and activate the system rules, see the following topics to set up the NetSuite WMS Shipping Integration:

1. [Installing and Updating the WMS Printer Driver and Carrier Integrator Application](#)
2. [Setting Up Your Login Credentials](#)
3. [Configuring the WMS Printer Driver and Carrier Integrator Application](#)
4. (Optional) [Setting Up and Generating Commodity Shipment Files](#)
5. [Starting the WMS Printer Driver and Carrier Integrator Application](#)

Installing and Updating the WMS Printer Driver and Carrier Integrator Application

To set up the NSWMS Printer Driver Application on your account, you must install the application and complete specific updates to the configuration file. For instructions, see the following topics in this section:

- [Installing the WMS Printer Driver and Carrier Integration](#)
- [Updating the Configuration File](#)

Installing the WMS Printer Driver and Carrier Integration

To install the WMS Printer Driver and Carrier Integrator application, download the application ZIP file and extract the contents into a local folder on your computer.

Before you install the application, make sure that you have reviewed the requirements. See [WMS Printer Driver and Carrier Integrator Application Prerequisites](#).

Complete the following steps on each computer (all shipping stations, print servers, or both) on which the WMS Printer Driver and Carrier Integrator is configured.

To install the WMS Printer Driver and Carrier Integrator application:

1. Log in using the Warehouse role, and then go to Reports > Configuration > NSWMS Print Driver.
2. On the NSWMS Print Driver page, on the **NSWMS Print Driver Files** subtab, click the **Download Print Driver Files** link.
3. On the Folder Contents page, click **Download** next to the NSWMS Print Driver Application folder.
4. Save the NSWMS Print Driver Application.zip file to a local folder on your computer.
5. Open the ZIP file folder, and then extract its contents to a local folder on your computer.
6. To manually add a desktop shortcut, open the folder with the extracted files, and then right-click the NetsuiteCarrierIntegrator.exe file.

Updating the Configuration File

After you have installed the NSWMS Printer Driver Application, you must update the configuration file with your application ID and role ID for logging in.

Note: Due to the mandatory 2FA implementation for integrations that use highly privileged roles, do not use the Administrator role to access the application. NetSuite WMS provides the WMS Web Services Admin role as the default role to access the application, which requires user-based credentials. To assign this role to users, see the help topic [Assigning Roles to an Employee](#).

To update the configuration file:

1. Open your local folder that contains the extracted files of the NSWMS Printer Driver Application.
2. Using a text editor such as Notepad ++, open the NetsuiteCarrierIntegrator.exe.Config file.
3. Search for the add tag for the applicationId key, and then for its value, enter the Application ID.
For example: `<add key="applicationId" value="A0E1F648-004C-441B-8132-0B2774FB985Y"/>`.
To generate the Application ID, see [Generating the Application ID](#).
4. Search for the setting tag for the NetSuite SOAP web services endpoint, NetsuiteCarrierIntegrator_com_netsuite_webservices_NetSuiteService, and then for its value, do the following:
 - a. Replace the placeholder value, XXXXXXX, for the domain string in the URL with your SuiteTalk account-specific domain.
To view your account-specific domains in NetSuite, go to Setup > Company > Company Information, and then click the **Company URLs** subtab. For more information, see the help topic [URLs for Account-Specific Domains](#).
 - b. Verify that the port is set to NetSuitePort_2019_2.

For example:

```

1 <setting name="NetsuiteCarrierIntegrator_com_netsuite_webservices_NetSuiteService" serializeAs="String">
2 <value>https://9999999.suitetalk.api.netsuite.com/services/NetSuitePort_2019_2</value>
3 </setting>

```

5. Search for the add tag for the Role key, and then for its value, enter the internal ID for the Web Services Admin role.

For example: <add key="Role" value="1000"/>.

To view the internal ID for your roles, go to Setup > Users/Roles > Manage Roles. If you cannot find the internal ID of your roles, see the help topic [Setting the Internal ID Preference](#).

6. Save the updated configuration file.

Setting Up Your Login Credentials

Note: Before you begin this procedure, verify that the Show Internal ID preference is set in your NetSuite WMS account. Using the Administrator role, go to Home > Set Preferences. On the **General** subtab, in the Defaults section, check the **Show Internal IDs** box, and then click **Save**.

On your initial log in to the WMS Printer Driver and Carrier Integrator application, you must enter and save your login credentials.

To set up your login credentials:

1. On your computer's desktop, double-click the NetsuiteCarrierIntegrator.exe - Shortcut icon.



2. From the application's menu, go to Settings > Login.
3. On the Login/Environment Settings window, select or enter the following:

Field Name	Description
Environment	To indicate the environment on which you want to configure the application, click one of the two options: Sandbox or Production .
Role	Enter the internal ID for the Web Services Admin role, which has access to NetSuite WMS and Web Services. Note: Make sure that you enter the same internal ID for the role you have set in your configuration file. See Updating the Configuration File. To view the internal ID for your roles, go to Setup > Users/Roles > Manage Roles. For more information about web services access, see the help topic Roles and Permissions in SOAP Web Services.
Account ID	Enter your NetSuite WMS account number. To view your account number, go to Setup > Integration > SOAP Web Services Preferences.
Email	Enter the email address and password for the user.

Field Name	Description
Password	Make sure that the user's role matches the one you entered in the Role field.

- Click **Submit**.

The application saves your login credentials to the configuration file, with your password encoded.

After you have logged in to the application for the first time, you do not need to repeat this procedure on subsequent logins.

Configuring the WMS Printer Driver and Carrier Integrator Application

Note: Before you begin this procedure, verify that the Show Internal ID preference is set on your NetSuite WMS account. Using the Administrator role, go to Home > Set Preferences > Defaults. On the **General** subtab, in the Defaults section, check the **Show Internal IDs** box, and then click **Save**.

You can update the default settings for the printer or carrier to suit your business requirements.

To configure the WMS Printer Driver and Carrier Integrator application:

- On your computer's desktop, double-click the NetsuiteCarrierIntegrator.exe - Shortcut icon.



- From the application's menu, go to Settings > Configuration.
- On the Configuration Settings window, select or enter values for the settings you want to configure in the following sections:
 - Record Types
 - Flags
 - Printer Settings
 - BarTender Labels Generation
 - ODBC Connection
 - Other Settings
- After completing your configurations, click **Save**.

Record Types

In the Record Types section, in the ID fields, enter the internal ID for each NetSuite WMS record.

To obtain the internal ID of a record, log in to your NetSuite WMS account using the Administrator role. Go to Customization > Lists, Records, & Fields > Record Types. From the list of records, view or copy the internal ID of the following NetSuite WMS records:

- WMS Ship Manifest
- WMS Label Printing
- WMS Commodity Shipment
- WMS Open Task
- WMS External Labels

Flags

In the Flags section, check the box next to each of the features you want to enable for one or more carriers:

Features for UPS Only:

- **International Shipment** - Shows the ship manifest data in the worldship.csv file for orders that you want to ship internationally.
- **Get Shipment Data** - Generates the worldship.csv file that is used to communicate data from NetSuite WMS to the parcel carrier shipping software. The application pulls data from NetSuite WMS and writes it back to the worldship.csv file. It also pushes data from the worldship.csv file to the parcel carrier software.
- **Update UPS Tracking#** - Reads the tracking number from the UPS Access database and writes it back to NetSuite records.

Other Features:

- **Update FedEx Tracking#** - Reads the tracking number from the FedEx Access database and writes it back to NetSuite records.
- **BarTender Labels Generation** - Generates a text file that the BarTender application uses to format and print labels.
- **Zebra Label Generation** - Generates shipping labels for the Zebra printer.
If you check this setting, specify the name of the Zebra printer in the [Printer Settings](#) section.

Printer Settings

Before you configure printer settings, verify that you have configured a laser printer and a label printer as network printers and you know the name of both printers. If a printer is properly configured as a network printer, it will have an IP address identified as a port in its properties. For more information, see the help content available on your computer.

In the Printer Settings section, enter the name of the configured network printer you want to use in the following fields:

 **Note:** Be sure to enter the same printer names that are specified on your computer.

- **Zebra Printer** - Name of the Zebra label printer
- **Laser Printer** - Name of the printer for documents such as pick and pack reports

BarTender Labels Generation

You can set your preference in this section only if you have checked the **BarTender Labels Generation** box in the [Flags](#) section.

- **Static Printers** – The default option that enables you to always use the printer configured in the BarTender Commander.
- **Dynamic Printers** – Lets you select a printer on the NetSuite WMS user interface.

ODBC Connection

In each of the following fields, set the path for the folder in which you want to save files for one or more carriers. To set a path, click **Upload**, and then on the popup window, navigate to the appropriate folder. After you have located the folder, click **OK** to close the popup window and set the path in the field.

- **WorldShip Path** - The folder in which you want to save the worldship.csv file. You can set this field only if you have checked the **Get Shipment Data** box in the [Flags](#) section.
- **Label Path** - The folder in which you want to save the external label files and picking or packing reports.
- **Image Path** - The folder in which you want to store the packing list logos.
- **UPS MDB Path** - The UPS database location in which you want to store UPS tracking information. You can set this field only if you have checked the **Update UPS Tracking#** box in the [Flags](#) section.
- **FedEx MDB Path** - The FedEx database location in which you want to store FedEx tracking information. You can set this field only if you have checked the **Update FedEx Tracking#** box in the [Flags](#) section.

Other Settings

In the Other Settings section, enter values for additional settings in the following fields:

- **Site ID** - The internal ID for your warehouse location. If you have only one warehouse location configured in your NetSuite WMS account, or if you do not want to filter data by warehouse location, leave this field blank.

To view the internal ID for your warehouse location, log in to your NetSuite WMS account using the Administrator role. Then, go to Setup > Company > Classifications > Locations.
- **Interval** - The time period, in milliseconds (1000 mS = 1 second), that you want to pass between each run of the shipping integration.

Based on the interval you define, the application runs a scheduled script that identifies orders that are packed and ready for shipping.

Setting Up and Generating Commodity Shipment Files

You can generate commodity shipment files, in CSV format, for items that you want to ship to an international destination. You can generate the file for one or more fulfillment records in Packed status.

To set up and generate commodity shipment files:

1. To set up commodity shipment, access the WMS Printer Driver and Carrier Integrator application. Then, on the Configuration Settings window of this application, make sure you set the following fields:
 - ShipManifest ID
 - CommodityShipment ID
 - International Shipment
 - Get ShipMent Data

- WorldShip Path
- Label Path
- Interval

For instructions, see [Configuring the WMS Printer Driver and Carrier Integrator Application](#).

2. If you manually pack orders, pack the items, using the NetSuite UI, that you have picked through a mobile device.

NetSuite automatically creates a WMS Commodity Shipment record for items to be shipped to a different country. It assigns one record to each fulfillment in Packed status.

For more information about packing orders, see [Manually Packing Orders and Printing Packing Lists](#).

3. Start the WMS Printer Driver application to transmit the data and generate the shipment file.

NetSuite generates one commodity shipment file for all available WMS Commodity Shipment records. It stores the shipment file in the folder that you set up in the Label Path field. You can access this folder and find the following file: **commoditydata.csv**.

For more information about starting the application, see [Starting the WMS Printer Driver and Carrier Integrator Application](#).

4. Update the WMS Commodity Shipment records for the fulfillments included in the generated file by doing the following:
 - a. To access commodity shipment records, in the NetSuite global search field, enter **WMS Commodity Shipment**.
 - b. From the results, click **Page: WMS Commodity Shipment** to open the list.
 - c. On the WMS Commodity Shipment page, check the **Status Flag** box.
 - d. Click **Save**.

When checked, this status prevents the same order from appearing in multiple commodity shipment files. Repeat this step to update other records.

Viewing Logs

The application stores exception logs in a default folder. Other logs are stored in the same folders that you have set up in the [ODBC Connection](#) section of the Configuration Settings.

To view logs, from the application's menu, go to Settings > View Logs. On the View folder and logs window, click one of the buttons to open the folder location where you can find the log files.

Starting the WMS Printer Driver and Carrier Integrator Application

Before you run the WMS Printer Driver and Carrier Integrator application, verify that you have completed the setup and configurations that suit your business requirements. See the following topics in this section:

- [Activating System Rules for WMS Shipping Integration](#)
- [Setting Up Your Login Credentials](#)
- [Configuring the WMS Printer Driver and Carrier Integrator Application](#)
- [Setting Up and Generating Commodity Shipment Files](#)

To start the application, on your computer's desktop, double-click the NetsuiteCarrierIntegrator.exe - Shortcut icon. On the NetSuite WMS Printer Driver and Integrator window, click **Start**. If you want to temporarily pause the application, click **Stop**.

Electronic Data Interchange (EDI) Integration

Electronic Data Interchange (EDI) is the computer-to-computer exchange of business data in standard formats. Using EDI, information is organized according to a specified format set by both parties, allowing an automated computer transaction that requires no human intervention or rekeying on either end. The information contained in an EDI transaction set is, for the most part, the same as on a conventionally printed document. EDI standards in the US are set and published by the ASC X12 committee of ANSI. International EDI standards are known as EDIFACT standards.

You can optionally choose to configure NetSuite WMS for use with EDI if you are working with a NetSuite EDI partner to send advance shipping notices (ASN) to customers after items are shipped.

NetSuite WMS creates custom records with the required shipping data.

This data is then read by the NetSuite EDI partner, who converts the data into an EDI document and sends the ASN to the customer. For more information, see [Confirming Customer Shipments](#).

Configuring the EDI integration is a two-step process: you must first enable the EDI system rule and then identify which customers or orders require an ASN when orders are shipped.

Generating SSCC-18 Bar Codes

You can generate SSCC-18 bar codes in GS1 linear format for customers that require advanced shipment notices. To set up, define the format and provide your company prefix or DUNS. The generated bar codes appear on shipping labels after you pack items through NetSuite WMS.

For more information and setup instructions, see [Defining a UCC Code Format](#).

Activating the EDI System Rule

To begin your EDI integration setup, activate the **Generate EDI 856 outbound ASNs? Rule**.

To activate the EDI system rule:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > System Rules.
2. On the WMS System Rules List, do one of the following:
 - To activate the rule for all warehouse locations, next to the **Generate EDI 856 outbound ASNs?** rule, click **Edit**. Then, proceed to Step 3.
 - To edit or activate the rule for a specific location, click **New WMS System Rules**. Then, set values in the following fields:
 - **Name** – Enter **Generate EDI 856 outbound ASNs?**
 - **Location** – Select a warehouse location to which you want to apply the rule.
3. In the **Rule Value** field, enter **Y**.
4. Check the **Active** box.
5. Click **Save**.

Setting Up Customers to Receive Advanced Shipment Notices

On a customer record, you can specify whether a customer requires advanced shipment notices.

To identify which customers require ASNs:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure ERP Records > Customers.
2. Click **Edit** next to the customer that requires an ASN when an order is shipped.
3. Check the **ASN Required?** box.
4. Click **Save**.

Mobile Device Basics for NetSuite WMS

NetSuite WMS uses the internet browser on your mobile device to enable you to complete transactions wirelessly in your warehouse. As you complete transactions, NetSuite WMS posts real-time updates to your NetSuite account, which may depend on system rules that you use.

The following topics inform you about features and settings used within the mobile processes:

- [Accessing Bins on the App](#)
- [Inventory Status on Mobile Devices](#)
- [Multiple Units of Measure \(UOM\) on Mobile Devices](#)
- [Mobile Device Transactions](#)
- [Label Printing and Reprinting](#)
- [Capturing and Attaching Files Through the App](#)

See the following topics on accessing mobile pages and using the page elements:

- [Adding Language Options for Mobile App Translation](#)
- [Setting Up the Online Form User Role](#)
- [SCM Mobile Login Page](#)
- [Data Entry on Mobile Apps](#)
- [Common Mobile Pages and Screens](#)
- [SCM Mobile Page Elements \(Buttons, Fields, Tables\)](#)

For filtering options available to tables and lists, see the following topics:

- [Filtering Table Data Through Search Tags](#)
- [Filtering Table Data by Date](#)
- [Grouping or Filtering Table Rows Based on Colors](#)

For information about configuring your mobile devices, including hardware and software requirements, see the help topic [SCM Mobile Setup](#) or [SCM Mobile Printing](#). For information about system rules that enable additional app capabilities, see [System Rules for NetSuite WMS](#).

Accessing Bins on the App

On the app, you can primarily access a bin based on its associated warehouse location, which you can specify on the bin record. You can view or select items in bins to process for each location. Depending on the features you use, you can specify item details, which include lot numbers, serial numbers, and inventory statuses. You can access bins that contain items with these details.

Across the mobile processes, you can use bins based on their bin type. For example, you can place received items in storage bins and pick items for sales orders from picking bins among other types. For more information about bin types, see [Creating Bin Locations or Carts](#).

For some bin types, you can enable additional bin settings, including the following:

- **Include Inbound Staging Bins** – On pick strategies, you can enable the setting to pick items from Inbound Staging type of bins. They become available for the order picking processes, including single, bulk, and multiple order picking.

- **Set as Cart** – When you create an Inbound Staging bin type, you can enable this setting and use the cart during item putaway. Otherwise, you can use this type of bin to stage received items only.
- **Use Bin in Manufacturing Mobile** – If you use Manufacturing Mobile and create a WIP bin type, you can enable this setting. See the help topic [Creating a WIP Bin for Manufacturing Mobile](#).
- **Block Bin From Wave Order Picking** – When you create certain bin types, you can enable this setting to remove the bin types from bin lists and recommendations.
- **Use Pick to Clean Process at Locations Using Warehouse Management** – For bin types that support order picking, you can set this preference used to sort and recommend bins. For more information, see [Setting Warehouse Management Preferences](#).

NetSuite WMS also considers additional bin-related settings on item records, which include the following:

- **Use Bins** – When you enable this setting, you may use bins for an item in one warehouse location and not use bins for the same item in another location. NetSuite WMS applies the bin flow across mobile processes only for items that use bins within locations that use bins.
For more information about this bin setting, see [Configuring NetSuite WMS for Locations With No Bins](#).
- **WMS Mix Items in Bins** – When you store or put away the received item, bins that contain other items become available. You can mix regular items with lot items and serialized items in the same bin.
- **WMS Mix Lots in Bins** – When you store or put away a specific lot number for the received lot item, bins that contain other lot numbers become available.
- **Preferred Bin or WMS Preferred** – If you assign a preferred bin to an item, NetSuite WMS recommends the bin with this setting for picking before it recommends non-preferred ones. It also recommends preferred bins based on pick strategies that you create.

You can also generate plans to replenish preferred bins based on replenishment settings on bin or item records.

To view all item settings related to bins, see [Creating Items for NetSuite WMS](#).

For some mobile processes, access to bins on the app may also depend on system rules provided within NetSuite WMS. To use Inbound Staging bin types, you can activate the rule to stage received items. You can also activate the rule to include bin selection during pick reversal. If you activate the rule for bin blocking, you may not access specific bins when you pick orders through the app. See [System Rules for NetSuite WMS](#).

For more information about bins, see the following topics:

- [Pick Task Sorting and Recommended Bins](#)
- [Managing Bins Blocked from Order Picking](#)
- [Configuring Records for Locations With Bins](#)

Inventory Status on Mobile Devices

If you use the Inventory Status feature, inventory status information appears on mobile app pages, depending on the mobile process.

If you add an item to or remove one from your inventory, NetSuite WMS prompts you to select the associated status for the item. For example, when you pick an item for an order, you select the available status for the item you are picking from the bin location using the inventory status list:

The left screenshot shows the 'Enter Quantity' screen with the following fields: 'BACK ORDERED QUANTITY' (0), 'QUANTITY REMAINING' (5 Each), 'INVENTORY STATUS' (Certified), and 'ENTER QUANTITY' (input field, Each, +). The 'INVENTORY STATUS' dropdown is highlighted with a red box.

The right screenshot shows the 'Enter Quantity' screen with the 'INVENTORY STATUS' dropdown menu open. The menu displays a search bar and a list of options: '- Empty -', 'Certified', and 'Damage'.

If you are completing an action on an item for which the status has already been specified, the system shows inventory status information for reference. For example, if you are reversing a completed pick for an item, the item's inventory status appears when you confirm the reversal.

If an existing item in your inventory is available in one status only, the dropdown selector does not appear, as shown in the following image:


The screenshot shows the 'Enter Quantity' screen with the following fields: 'QUANTITY REMAINING' (1), 'ENTER QUANTITY' (input field), and 'INVENTORY STATUS' (Certified). The 'INVENTORY STATUS' field is highlighted with a red box.

For more information, see the help topic [Inventory Status](#).


Multiple Units of Measure (UOM) on Mobile Devices

When you pick or receive orders using mobile devices, you can enter item quantities using multiple units of measure (UOM). A units selector appears on picking and receiving screens to enable you to enter item quantities in the unit set on the associated order. You can add one line item for each unit configured on the associated item record.

For example, consider that you are picking a sales order with an item that you sell in the units of cases and eaches. The item quantity on the sales order is seven eaches. When you pick the item quantity of seven using a mobile device, you can enter one in the available eaches unit selector and add a units selector to pick one case of six.



When you pick items associated with multiple units, you can view the available units along with their conversion rates. Next to the Quantity Remaining field, you can tap the unit icon to display the Conversion Units and Rates table on a popup window, as shown in the following image:



To use these picking and receiving capabilities, you must configure items to use multiple units of measure. For more information, see [Creating Items for NetSuite WMS](#).

Mobile Device Transactions

When you complete warehouse transactions using a mobile device, NetSuite WMS creates records that capture information about the transaction. These records post real-time updates to your NetSuite account as you scan items throughout the warehouse.

WMS Open and Closed Task Records

A WMS open task record captures information such as the date, time, user, location, and action for each assigned transaction or task.

An open task record can have one of the following types of assigned tasks:

- CYCC – completing cycle counts
- MOVE – moving inventory
- PUTW – putting away items for an inbound order
- RPLN – replenishing inventory
- XFER – transferring items

For example, if you receive an item to a staging location using a mobile device, the system creates an open task record with the type PUTW to track the following:

- the start and end time of the putaway action
- the bin location
- the item quantity information

After you complete the transaction associated with an open task record, the system converts WMS open task records to WMS closed tasks.

Searching for Open or Closed Task Records

On any purchase order, transfer order, or customer return authorization, click the NS WMS subtab to view WMS open and closed tasks.

To view a list of WMS open and closed records, you can use the global search feature. For example, you can search for a list of open putaway task records.

To search for an open or closed task record:

1. In the global search box, type WMS Open Task.
2. Next to the WMS Open Task page search result, click **View**.
3. At the top-right corner of the page, click **Search**.
4. In the box below the **Task Type** field, select the task type for which you want to search (for example, PUTW).
5. Click **Submit**.

WMS Lock Records

NetSuite WMS uses lock records to prevent two warehouse operators from processing the same transaction or task at the same time.

For example, when you begin to receive a line item on a purchase order, the system creates a WMS lock record with a lock status of true, or locked, for that line item. If another user starts to receive the same purchase order, the locked line item you are receiving does not appear on their mobile device. When you complete the transaction, the lock status on the lock record updates to false, or unlocked.

In some cases, the system might not unlock lock records as expected. A periodic script runs to unlock incorrectly locked records.

To view a list of WMS lock records:

1. In the search field, enter WMS Lock Records.
2. Next to the WMS Lock Records search result, click **View**.

3. If necessary, to manually unlock the record, set the **Lock Flag** field to **F**.
4. Click **Save**.

Inbound Processing

Inbound processing is the receiving and putaway of items into your warehouse. It includes the receiving, staging, and putaway of items from incoming orders.

Depending on your business processes, the tasks you complete to process inbound orders might vary. The following topics describe the inbound processes you can complete using NetSuite WMS.

- [Receiving Orders](#)
- [Receiving Orders by Scanning Through the App](#)
- [Receiving Inbound Shipment Orders](#)
- [Item Receipts](#)
- [Item Putaway](#)

Receiving Orders

Items might arrive at your warehouse for various reasons, which may include the following:

- Vendors send ordered items.
- Other warehouse locations transfer items to your warehouse.
- Customers send authorized returns.

You receive purchase order items from vendors and suppliers. You receive transfer order items from your company's various warehouse locations. You receive return authorization items as returns from customers.

Before you can receive items into your warehouse, you must enter and approve purchase orders, transfer orders, or return authorizations in NetSuite. These transactions contain details of a purchase, transfer, return, or receipt of items within your warehouse.

NetSuite WMS recognizes and lets you process transactions that meet the following conditions:

- All orders must be approved.
- The warehouse location for an order must be the same as the warehouse location you select on the app. For transfer orders, it must be the same as the to location or the receiving warehouse.
- Purchase orders and transfer orders must have the Pending Receipt or Pending Billing/Partially Received status. Customer returns orders must have the Pending Receipt or Pending Refund/Partially Received status.
- Outsourced purchase orders are not supported. Within the app, you cannot receive purchase orders created using the **Standard Outsourced Purchase Order** form or related custom forms.
- If you use the Centralized Purchasing and Billing feature, you can receive centralized purchase orders on your mobile device. On purchase orders, make sure you select the target subsidiary and target location in the order lines. Restrictions and limitations that apply to this feature also applies to receiving centralized purchase orders on the app. For more information, see the help topic [Centralized Purchasing and Billing](#).
- Centralized purchase orders do not support drop shipments and special orders. They don't appear on inbound shipment records.

To create these transactions, see the following topics:

- [Entering a Purchase Order](#)
- [Entering a Transfer Order](#)
- [Return Authorization \(RMA\) Forms](#)

Watch the following video on receiving purchase orders:

 [ERP: WMS Mobile Receiving Purchase Orders](#)

Watch the following video on receiving customer returns:

 [WMS Mobile – Returning Items \(RMA\)](#)

Depending on the system rules you activate, you can receive items to a staging bin location or put them away directly to their storage locations as you receive them. You can autogenerate lot numbers. For both lot and serialized items, you can receive all quantities of a line entered in a purchase order's inventory details. You can also activate the rule to restock or write-off returned items. Note that only one restock setting can apply to partially received items. When you receive purchase orders, you can activate the rule to capture item weights from your scale.

When you scan item bar codes to receive an item, the following system rules may affect the process flow:

- **Enable Advanced Barcode Scanning?** – You can set up and scan item bar codes with one of the following advanced bar code types: GS1, composite, or HIBC.
- **Enable Tally Scan?** – Without entering the total received quantity, you can scan each item to automatically increment the received quantity by 1. Includes the option to tally scan across item types.
- **Scan bar codes with bulk serial numbers?** – For PO Receiving only, you can scan a single item bar code of a serialized item to enter up to 300 serial numbers at a time.

To receive orders or returns by scanning, see [Receiving Orders by Scanning Through the App](#). This topic provides guidelines and instructions specific to scanning item bar codes.

To activate rules, see [System Rules for NetSuite WMS](#).

To receive a purchase order, transfer order, or customer return:

1. Access order receiving by doing the following:
 - a. On the WMS app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu, tap **Receiving**.
 - c. On the Receiving menu, depending on the type of transaction you want to process, tap **Purchase Order**, **Transfer Order**, or **Returns**.
 The Receiving page for the specific transaction type appears. The field names and options on this page vary depending on the transaction type.
2. To choose an order, do one of the following:
 - In the **Scan/Enter PO # or Item** field, scan or enter the transaction number or item. If you enter the data, tap **Enter Item** to proceed.
 - To select from the list of transactions, tap **Select PO From List**, and then tap the transaction you want to process.
 - To search for an order, tap one of the following: **Find PO By Vendor**, **Find PO by Item**, or **Find PO by MPN**. If you search by item, you can provide the item name, number, or UPC.

 **Tip:** If you do not find the vendor from the list, you can search by vendor name by clicking the search icon.

3. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, number, or UPC. Then, tap **Enter Item** to proceed.
 - To select from the list of items, tap the item name or number.

 **Tip:** If you do not find the item from the list, you can view the list of fully received items per order by tapping **Show Completed**.

4. If the item has multiple aliases, in the Select Item Alias page, do one of the following:
 - If the item bar code includes the item alias, in the **Scan/Enter Item Alias** field, scan the item.
 - From the list of item aliases, tap the item alias
5. For PO receiving, if you can autogenerate lot numbers, on the Autogenerate Lot Number page, do the following:
 - a. In each field, enter the lot item detail.
 - b. Tap **Autogenerate Lot Number**.
6. For lot-numbered items, on the **Enter Lot Number** page, do the following:
 - a. (Optional) In the **Expiry Date** field, enter the expiry date of the lot item.
 - b. In the **Scan/Enter Lot** field, scan or enter the lot number.

 **Tip:** If you can receive the entire purchase order line, you can review the lot numbers and quantities from the Expected Lots list. Then, tap **Receive All**. To proceed, go to step 9 to enter a bin or return to step 3 to receive another item.

- c. Tap **Enter Lot**.
7. On the Enter Quantity page, do the following:
 - a. If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
 - b. For customer returns, if you can edit the **Restock?** field, select **YES** or **NO**.
Your selection appears in the same **Restock?** column on item receipts. If you manually post item receipts, you cannot update the Restock? field on the app. It follows your Restock Returned Items preference setting.
 - c. To enter the quantity, do one of the following:

 **Tip:** If you tally scan item bar codes, you can change the Inventory Status for full or partial quantities. You can do the same if you can edit the **Restock?** field on the app. To partially receive an item, enter or tally scan the partial quantity. Then, tap **Enter Quantity**. You can receive the remaining items at a later time.

- In the **Enter Quantity** field, enter the number of items you want to receive.
- If you use regular Tally Scanning, in the **Tally Scan** field, scan the GS1, composite, or HIBC item bar code. After you tally scan all the quantities of an item, repeat from step 3 if you have another item to receive.
- For purchase orders, if you use Tally Scanning across item types, in the **Tally Scan** field, scan the GS1 or composite item bar code. After you tally scan the different item types, you can proceed to step 5.f if you want to print item labels.

- d. If your item has multiple units, you can change the unit.



Tip: To view unit conversion rates, tap the unit icon beside the **Quantity Remaining** field. Each time you edit the quantity, make sure that you assign the correct unit.

- e. (Optional) If your warehouse location doesn't use bins and you want to view the list of stock locations associated with the item, tap the **Show Stock Locations** toggle.
- f. (Optional) For PO receiving, if you can capture item weights from your scale, in the **Weight Units** field, select the unit of measure for the weight of each quantity. Then, tap **Capture Weight**.

If you change the weight unit and you also need to update the weight, make sure that you tap **Capture Weight** again.

The **Weight Per Quantity** field displays the weight of each item quantity. You can tap the info icon to view the calculated total weight of the received quantity.

- g. (Optional) For PO receiving, to manually print or save labels for regular or lot items, tap **Print**.



Tip: For serialized items, if you want to print labels with serial numbers, proceed to step 8.

For more information about mobile printing, see the help topic [Manually Printing Labels from Your Mobile Device](#).

- h. Tap **Enter Quantity**.

8. For serialized items, on the Enter Serial Number page, do the following:



Tip: If you can receive the entire purchase order line, you can review the serial numbers from the Show Expected list. Then, tap **Receive All**. To proceed, go to step 9 to enter a bin or return to step 3 to receive another item.

- a. In the **Scan/Enter Serial Number** field, scan or enter a serial number for the item.
Alternatively, depending on the rules you activate for PO Receiving, you can scan an item bar code that contains the serial numbers. The app doesn't process all the serial numbers if the bar code contains more than the quantity to receive. It also doesn't include those that already exist in your NetSuite account. In case you have remaining serialized items to receive, you can manually enter the serial numbers. You can tap the **Show possible serial numbers** toggle to view numbers from the bar code that have not been entered.
- b. (Optional) For PO receiving, to manually print or save an item label with the serial number, tap **Print**.

For instructions on mobile printing, see the help topic [Manually Printing Labels from Your Mobile Device](#).

- c. Tap **Enter Serial Number**.

Repeat steps a – c to enter another serial number.

9. For warehouse locations that use bins, on the Enter Bin page, do one of the following:

- In the **Scan/Enter Bin** field, scan or enter the number of the destination bin. If you enter the data, tap **Enter Bin** to proceed.
- To select from the list of destination bins, tap the bin number.

If you have more items to receive from the same order, the Enter Item page appears. Otherwise, a message appears to confirm that you have received all the items.

If you do not post item receipts manually, NetSuite WMS automatically generates item receipts for the received items. It also updates the status and item's received quantity in the associated order transaction. For more information about posting item receipts, see [Item Receipts](#).

Receiving Orders by Scanning Through the App

To receive items from purchase orders, customer returns, or transfer orders, you can scan the item bar code using the app. If you activate the **Enable Advanced Barcode Scanning?** rule, you can scan specific item bar code types. For more information about rules that affect the receiving process flow, see [Receiving Orders](#). To activate rules, see [System Rules for NetSuite WMS](#). Note which rules apply to PO Receiving only.

Before you start using the app, check your device if it has a setting that enables automatic data entry after a scan. Without this setting, you can tap the button at the footer to proceed to the next page. For more information about scanning options, see the help topic [Scanning Item Bar Codes in Apps](#).

The following procedure does not include steps and process flows for Tally Scanning.

To receive orders through scanning on the app:

1. On the app, access order receiving by doing the following:
 - Tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - From the Main Menu, tap **Receiving**.
 - On the Receiving menu, depending on the type of transaction you want to process, tap **Purchase Order**, **Transfer Order**, or **Returns**.

The Receiving page for the specific transaction type appears. The field names and options on this page vary depending on the transaction type.

2. On the Receiving page, do one of the following:
 - In the **Scan/Enter PO # or Item** field, scan the item bar code.
 - To scan a manufacturing part number, tap **Find PO By MPN**. Then, in the **Scan/Enter MPN** field, scan the bar code for the part number.
 - To select from lists or if the item or part number could not be found, try the other options: **Select PO From List**, **Find PO By Vendor**, or **Find PO By Item**.
3. On the Select PO # page, from the Open Orders list, tap the order number you want to receive.
4. On the Enter Item page, in the **Scan/Enter Item** field, scan the item bar code.



Note: Don't tap the item name from the list or table to avoid replacing the scanned bar code data. If your device doesn't enter scanned data automatically, tap the **Enter Item** button.

If your item bar code includes the lot number, expiry date, and quantity, you can skip entry of these details in succeeding fields.

5. If the item has multiple aliases, in the Select Item Alias page, do one of the following:
 - If the item bar code includes the item alias, in the **Scan/Enter Item Alias** field, scan the item.
 - From the list of item aliases, tap the item alias.
6. For lot-numbered items, if you can autogenerate the numbers, on the Autogenerate Lot Number page, do the following:
 - a. In each field, enter the lot item detail.
 - b. Tap **Autogenerate Lot Number**.

7. For lot item bar codes, in the Enter Lot Number page, set the following fields for details not included in the bar code:
 - a. In the **Expiry Date** field, enter or select the expiration date for the lot number.
 - b. In the **Scan/Enter Lot Number** field, scan or enter the lot number. Optionally, you can select a lot number from the Expected Lots list.



Note: If you scan a bar code in this field, don't select a lot number from the list to avoid losing the scanned data.

- c. Tap **Enter Lot Number**.
8. On the Enter Quantity page, do the following:
 - a. If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
 - b. In the **Enter Quantity** field, enter the number of items you want to receive.
 - c. If your item has multiple units, you can change the unit.



Tip: To view unit conversion rates, tap the unit icon beside the **Quantity Remaining** field. Each time you edit the quantity, make sure that you assign the correct unit.

- d. For customer returns, if you automatically post receipts and you can edit the **Restock?** field, you can select **YES** or **NO**.

Your selection appears in the **Restock?** column on item receipts. If you manually post item receipts, the app follows your Restock Returned Items preference to set this column..
 - e. (Optional) If your warehouse location does not use bins and you want to view the list of stock locations associated with the item, tap the **Show Stock Locations** toggle.
 - f. (Optional) For PO receiving, if you can capture weights from your scale, in the **Weight Units** field, select the unit of measure for the weight of each quantity. Then, tap **Capture Weight**.

If you change the weight unit along with the weight, make sure that you tap **Capture Weight** again.

The **Weight Per Quantity** field displays the weight of each item quantity. You can tap the info icon to view the calculated total weight of the received quantity.
 - g. (Optional) If you can print or save item or pallet labels for regular or lot items for PO receiving, tap **Print**.
 - h. Tap **Enter Quantity**.
9. In the Enter Serial Number page, do the following:
 - a. In the **Scan/Enter Serial Number** field, scan the item bar code that contains the serial number. If you can scan item bar codes that contain multiple serial numbers, you can scan them instead.

Alternatively, from the list of serial numbers, you can copy a serial number and paste it into the field. If you enter the data, tap **Enter Serial Number** to proceed.
 - b. (Optional) If you can print or save item or pallet labels for PO receiving, tap **Print**.
10. For locations that use bins, in the Enter Bin page, do either of the following:



Note: You can't choose a bin that does not contain any quantity of the item.

- In the **Scan/Enter Bin** field, scan or enter the number of a storage bin. If you enter the data, tap **Enter Bin** to proceed.

- From the list of bins, tap the bin name or number.

On the confirmation page, you can review the receiving details. If you automatically post receipts, it includes details of the item receipt. You can access the receipt and updated order through the NetSuite UI.

If you receive a partial quantity, you can repeat from step 4 to process additional quantities of the item until you complete the order. If you want to manually post a receipt for a partially or fully received item, see [Manually Posting Item Receipts](#).

Receiving Inbound Shipment Orders

If you use the Inbound Shipment Management feature, you can receive orders and create item receipts for inbound shipments on a mobile device. As you process inbound shipments, NetSuite WMS automatically updates associated transactions and inventory details on item records. For more information about the inbound shipment feature and requirements, see the help topic [Inbound Shipment Management](#).



Important: To receive inbound shipment orders for lot-numbered and serialized items, items that use bins, or items with inventory status, you must enable the Inventory Detail on Inbound Shipment feature. Before you can enable this feature, you must contact NetSuite Customer Support to provision this feature for your NetSuite WMS account. To enable the Inventory Detail on Inbound Shipment feature after it has been provisioned, see [Enabling Features for NetSuite WMS](#).

NetSuite WMS provides the **Receive All** option that enables you to receive an entire inbound shipment line at the same time. You can receive all expected lots or serialized items if the inbound shipment records are populated with inventory details. To use this option, you must activate the **Enable Receive All option for inbound shipments** system rule. For more information and other rules, see [System Rules for NetSuite WMS](#).

Note the following limitations and guidelines when receiving inbound shipment orders on the app:

- You can receive inbound shipments in In Transit status. To view the general conditions for receiving orders through the app, see the help topic [Receiving Orders](#).
- To enter items that you want to receive, you can scan GS1 bar codes, but not composite bar codes. For more information about bar code scanning, see [Bar Code Setup for NetSuite WMS](#).
- When you receive inbound shipment orders, you cannot yet view any vendor details from the associated purchase order, which becomes available only after you enter an item.
- When you activate the **Manually post item receipts?** system rule, you must post an item receipt record after you receive the inbound shipment. For more information, see [Manually Posting Item Receipts](#).
- If you activate the **Stage received items before putting away?** system rule, you select inbound staging bins, instead of storage bins, during the receiving process. After you receive items, you can stage them first, before you put them away. See [System Rules for NetSuite WMS](#).
- For lot-numbered items, you can receive a partial quantity of an item when you choose the Select Bin option.

To receive inbound shipment orders:

1. Access order receiving by doing the following:
 - a. On the WMS app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.

- b. On the Main Menu, tap **Receiving**.
 - c. On the Receiving menu, tap **Inbound Shipment**.
- 2. On the Receiving page, tap **Inbound Shipment**.
- 3. On the Inbound Shipment page, do one of the following:
 - In the **Scan/Enter Shipment/Doc # or Item** field, scan or enter the shipment number, external document number, or item name/number. If you enter the data, tap **Enter Shipment/Doc # or Item** to proceed.
 - To select from the list of inbound shipments, tap **Select Shipment From List**.
 - To search for and select the shipment associated with an item, tap **Find Shipment By Item**.
- 4. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name/number. If you enter the data, tap **Enter Item** to proceed.
 - To select from the list of items, tap the item name or number.

 **Tip:** If you can't find an item, you can view the list of received items by tapping **Show Completed**. If you want to receive all items in the inbound shipment at the same time, tap **Receive All**, and then proceed to step 9 to enter the bin details.

- 5. For lot-numbered items, on the Enter Lot page, do the following:

 **Note:** If you entered a partial quantity for a lot item, you are redirected to this page on which you can enter another lot number. If you want to continue to process the partial quantity, tap **Select Bin**. Then, proceed to step 9. If your warehouse location doesn't use bins and you want to receive another item, tap **Skip**.

- a. In the **Scan/Enter Lot** field, scan or enter the lot number.

 **Tip:** If you want to receive all expected lots for an inbound shipment at the same time, tap **Receive All**. To proceed, go to step 9 to enter the bin details or return to step 4 to receive another item.

- b. (Optional) In the **Expiry Date** field, enter the lot item's expiry date.
 - c. Tap **Enter Lot**.
- 6. On the Enter Quantity page, do the following:
 - a. (Optional) If you use the Inventory Status feature, in the **Inventory Status** field, select the item's status.
 - b. To enter the quantity, do one of the following:
 - In the **Enter Quantity** field, enter the number of items you want to receive.
 - If you use regular Tally Scanning, in the **Tally Scan** field, scan the GS1, composite, or HIBC item bar code. After you tally scan all the quantities of an item, repeat from step 3 if you have another item to receive.
 - **If you use Tally Scanning across item types, in the Tally Scan field**, scan the GS1 or composite item bar code. After you tally scan the different item types, you can proceed to step 5.e if you want to print item labels. Then, you can proceed to step 7.
 - c. (Optional) If your warehouse location doesn't use bins and you want to view the list of stock locations associated with the item, tap the **Show Stock Locations** toggle
 - d. (Optional) If you have set up mobile printing and want to manually print or save item or pallet labels, tap **Print**.

 **Tip:** For serialized items, if you want to print labels with serial numbers, proceed to step 8.

For more information about mobile printing, see the help topic [Manually Printing Labels from Your Mobile Device](#).

- e. Tap **Enter Quantity**.

 **Note:** If you have entered a partial quantity of a lot item, you are redirected to the Enter Lot page. See step 6.

7. For serialized items, on the Enter Serial Number page, do the following:

 **Tip:** If you want to receive all expected serial-numbered items in the inbound shipment at the same time, tap **Receive All**. Then, proceed to step 9 to enter the bin details or step 4 to receive another item.

- a. In the **Scan/Enter Serial Number** field, scan or enter a serial number for the item.
- b. (Optional) To manually print or save an item label with the serial number, tap **Print**.
For instructions on mobile printing, see the help topic [Manually Printing Labels from Your Mobile Device](#).
- c. Tap **Enter Serial Number**.
Repeat this step to enter another serial number.

8. For warehouse locations that use bins, on the Enter Bin page, do one of the following:

- In the **Scan/Enter Bin** field, scan or enter the number of the destination bin. If you enter the data, tap **Enter Bin** to proceed.
- To select from the list of destination bins, tap the bin number.

If you have other orders in the inbound shipment, the Enter Item page appears. Inbound shipments that have similar items from different purchase orders must also be received separately. To receive other orders, repeat steps 5 – 7.

If you have received all the items on the inbound shipment, the Shipment Received page appears and displays the confirmation message.

9. On the Shipment Received page, do one of the following:

- To receive another inbound shipment, tap **Receive Next Shipment**.
- To manually post item receipts for this inbound shipment or exit Inbound Shipment, tap **Main Menu**.

If you do not post item receipts manually, NetSuite WMS automatically generates one item receipt for each purchase order associated with the inbound shipment. It also updates the status and item's received quantity in both the purchase order and inbound shipment record. For more information about posting item receipts, see the help topic [Item Receipts](#).

Item Receipts

An item receipt transaction records the receipt of items into your warehouse and links to the appropriate transfer order, purchase order, or return authorization as a related record. When you post an item receipt, the system marks the item on the linked order as received and updates the stock level for the warehouse for the appropriate bin location.

 [WMS Mobile Posting Item Receipts](#)

To process item receipts in NetSuite WMS, see the following topics:

- [Enabling Deferred Item Receipt Posting](#)
- [Manually Posting Item Receipts](#)
- [Reversing Completed Item Receipt Transactions](#)

Enabling Deferred Item Receipt Posting

By default, NetSuite WMS automatically posts one item receipt for each item after you receive it. If you want to prevent NetSuite WMS from automatically posting item receipts upon receipt, you can enable deferred item receipt posting through a system rule.

To enable deferred item receipt posting:

1. Using the WMS Warehouse Manager role, go to WMS Configuration > Configure Warehouse > System Rules.
2. On the WMS System Rules List page, do one of the following:
 - To enable deferred item receipt posting for all warehouse locations, click **Edit** next to **Manually post item receipts?**.
 - To enable deferred item receipt posting to accommodate a business exception that applies to one warehouse location only, complete the following steps:
 1. Click **View** next to **Manually post item receipts?**.
 2. In the **Actions** menu, click **Make Copy**.
 3. In the **Name** field, enter **Manually post item receipts?**.
 4. In the **Location** field, select the appropriate warehouse location or warehouse sublocation.
3. In the **Rule Value** field, enter **Y**.
4. Check the **Active** box.
5. Click **Save**.

For more information about system rules, see [System Rules for NetSuite WMS](#).

Manually Posting Item Receipts

If you manually post receipts, you can receive items on the app without generating an item receipt. After you receive items on the app, you can view completed putaway tasks on the **NS WMS** subtab. You can post an item receipt on the app or through the NetSuite UI for fully or partially received quantities. For partially received quantities, you can create multiple or separate receipts, depending on your business requirements.

To set up manual posting of item receipts, see [Enabling Deferred Item Receipt Posting](#)

To manually post an item receipt:

1. On your mobile device, tap the menu icon at the top-left corner of the screen.
2. Tap **Main Menu**.
3. On the Main Menu page, tap **Receiving**.
4. On the Receiving page, tap **Post Item Receipt**.
5. On the Select Receipt Type page, tap **Purchase Order**, **Transfer Order**, **Inbound Shipment**, or **RMA Receipt**, depending on the type of order you are receiving.

6. On the Select PO # page, tap the order for which you are posting the item receipt.
The name at the top of this page might be Select PO #, Select TO #, Select Shipment, or Select RMA #, depending on the type of order you have selected on the Select Receipt Type page.
7. On the Receipt Details page, review the data displayed in the Items in Receipt table.
8. Tap **Post Item Receipt**.

To post item receipts through the NetSuite UI:

1. Using the WMS Warehouse Manager role, go to WMS Inbound > Post Item Receipt.
2. On the Post Item Receipt page, search for the item transaction you want to process by applying the following filters.
 - **Location** – Select the location associated with the transaction.
 - **Transaction Type** – Select one of the following types: Purchase Order, Transfer Order, Returns, or Inbound Shipment.
 - **Transaction #** – Enter the transaction number.
3. Click **Display**.
On the Items list, you can review the items and received quantities that you have put away through the app.
4. Click **Submit**
A confirmation page appears. You can view the updates and item receipt from the associated transaction. For partially received items, you can create a separate item receipt for the remaining quantities.

When you manually post an item receipt, NetSuite WMS posts one item receipt for all items received for the order since the last item receipt was posted for the order.

For example, consider an order with three line items and a posted item receipt after one line item was fully received. If you do not post another item receipt until the remaining two line items are received, the item receipt will have two line items.

Reversing Completed Item Receipt Transactions

You can reverse item receipt transactions generated through the mobile receiving process. You can choose to reverse line items across single or multiple purchase orders, transfer orders, or return merchandise authorizations (RMA). For more information about mobile receiving, see [Receiving Orders](#).

You can reverse entire line items only. You cannot process partial line item reversals.

 **Note:** Reversals for item receipts associated with inbound shipments are not supported.

When you reverse an item receipt, you remove the received item quantities from the bin locations from which they were received or put away. If bins have no sufficient quantity from which to deduct received items, you can't proceed with the reversal, to prevent negative inventory.

You can reverse completed item receipt transactions using only the NetSuite WMS user interface.

To reverse a completed item receipt transaction using the NetSuite WMS user interface:

1. Using the WMS Warehouse Manager role, go to WMS Inbound > WMS Inbound > Inbound Reversal.

2. On the Inbound Reversal page, do the following:
 - a. In the **Transaction Type** field, select whether you want to reverse an item receipt for a purchase order, transfer order, or return authorization.
 - b. In the **Location** field, select the transaction's location.
For the transfer orders, select the to location or receiving warehouse location.
 - c. In the **Transaction #** field, enter the number of the transaction.
 - d. Click **Display**.
3. On the **Item List** sublist, in the **Confirm** column, check the box next to each item receipt you want to reverse.
4. Click **Submit**.

Reversed item receipts are removed from the associated transaction, and deleted. The transaction returns to a pending receipt state.

Item Putaway

After you receive an item, you need to place the item in the warehouse for storage until you ship it out. This process is called putaway. After you put away an item, its inventory count increases in the appropriate bin locations. If you put away a lot numbered or serialized item, the system updates the item's lot number or serial number details in the appropriate bin location. An item is available for allocation to sales orders or transfer orders after you put it away to a storage location. For more information, see [Putaway Strategies](#) and [Putting Away Items](#).

If you use carts to move and putaway your items, see [Putting Away Items Using Carts](#).

Depending on your account configuration, you can put away items from a staging bin location to a storage bin location or directly from the incoming truck to the storage bin location. For more information, see [Enabling Staging at Receiving](#).

Putaway Strategies

Putaway strategies define where an item should be put away after you receive it. If you include zones in a putaway strategy, you can prioritize zones that contain the bins NetSuite WMS suggests during the Putaway process only.

For information about creating putaway strategies, see [Defining Putaway Strategies](#).

NetSuite WMS suggests storage bin locations for putting away an item using the following sorting process:

1. Get values from the following fields on the item record: Item Group, Item Family, ABC Velocity, WMS Mix Lot, WMS Mix Item, and Preferred Bin.
2. Find all valid putaway strategies with criteria that match the item.
3. From each valid strategy, get the warehouse zone and sequence number values.
4. For strategies with zones, sort the warehouse zones based on the sequence number of their associated strategy, in ascending order
5. From the zone or item in each valid strategy, find all associated bins, applying the following restrictions:
 - If the item configuration allows mixed items, find all associated bin locations.
 - If the item configuration does not allow mixed items, find only the associated bin locations for the selected item.

- If the item configuration allows mixed lots, find all associated bin locations.
 - If the item configuration does not allow mixed lots, find only the associated bin locations for the selected lot.
6. For each valid strategy, sort the bins based on the putaway sequence number on the bin record, in ascending order.
 7. Generate the list of bin suggestions:
 - a. Place any preferred bins at the top of the list.
 - b. Include the groups of sorted bins, following the sequence number of their associated strategies, in ascending order. Within each subgroup per strategy, place the bins with available quantity before any empty bins. Consider the following conditions:
 - If the item configuration allows mixed items, place bins with mixed items after the empty bins.
 - If the Inventory Status feature is enabled and set on a strategy, include only the bins with items that match the inventory status of the item to be put away. Filtering by status applies to preferred bins and the sorted bins.

On your mobile device, you can view the list of sorted bins when you put away items. The following table shows two sample bin lists for items that allow and do not allow mixed items in bins:

Bin List if Mix Items Flag = T	Bin List if Mix Items Flag = F
Preferred Bin - Item	Preferred Bin - Item
(Bins from Putaway Strategy 1 - with or without zones)	(Bins from Putaway Strategy 1 - with or without zones)
Bin 1 - Item	Bin 1 - Item
Bin 2- Item	Bin 2- Item
Bin 3- Item	Bin 3- Item
Bins with zero qty	Bins with zero qty
Bin 10	
Bin 11	
(Bins from Putaway Strategy 2 - with or without zones)	(Bins from Putaway Strategy 2 - with or without zones)
Bin 4 - Item	Bin 4 - Item
Bin 5- Item	Bin 5- Item
Bin 6- Item	Bin 6- Item
Bins with zero qty	Bins with zero qty
Bin 12	
Bin 13	
All bins with the Item tag or suffix contain the item you want to put away.	
Bins with other items that can be mixed are placed at the bottom of the list, after the empty bins.	Bins with other items are not included in the list.

Enabling Staging at Receiving

By default, NetSuite WMS suggests storage bin locations when you receive purchase orders and customer returns. This capability enables you to put away items directly to their storage bin locations

as you receive them. If you want to receive items to a staging area before you put them away, you can enable staging at receiving.

To enable staging at receiving:

1. Log in to your NetSuite WMS account using the Warehouse Administrator role.
2. Go to Setup > Warehouse > System Rules.
3. Do one of the following:
 - To enable staging at receiving for all warehouse locations, click **Edit** next to **Stage received items before putting away?**.
 - To enable staging at receiving to accommodate a business exception that applies to one location only, complete the following steps:
 1. Click **View** next to **Stage received items before putting away?**.
 2. In the **Actions** menu, click **Make Copy**.
 3. In the **Name** field, enter **Stage received items before putting away?**.
 4. In the **Location** field, select the appropriate warehouse location or warehouse sublocation.
4. In the **Rule Value** field, enter **Y**.
5. Check the **Active** box.
6. Click **Save**.

For more information, see [System Rules for NetSuite WMS](#).

Putting Away Items

When you put away an item, you are moving the item from a staging location to a storage location.

WMS Mobile Putaway Items

If you activate the Tally Scanning rule, you can scan item bar codes to enter each quantity that you want to put away. You can tally scan a bar code for the item, item alias, or UPC. For numbered items, you can tally scan a bar code for a lot or serial number. If you also activate the Advanced Bar Code rule, you can tally scan an item bar code in the supported GS1 formats. You can scan a numbered item's GS1 bar code that contains the lot or serial number. For more information, see [System Rules for NetSuite WMS](#).

To put away an item:

1. On your mobile device, tap the menu icon at the top-left corner of the screen.
2. Tap **Main Menu**.
3. On the Main Menu page, tap **Receiving**.
4. On the Receiving page, tap **Putaway**.
5. On the Enter Staging Bin/Item page, do one of the following:
 - In the **Scan/Enter Staging Bin/Item** field, scan or enter the item you want to put away, and then tap **Enter Staging Bin/Item**.
 - In the **Scan/Enter Staging Bin/Item** field, scan or enter the staging bin location from which you want to transfer items and tap **Enter Staging Bin/Item**.
 - To select from the list of bins, tap the number of the staging bin from which you want to transfer items.
6. If you enter the item you want to put away in the previous step, now enter the staging bin location from which you want to transfer the item.

If you enter the staging bin location from which you want to transfer an item, now enter the item you want to put away.

7. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the item's lot number. If you enter the data, tap **Enter Lot**.
 - From the Expected Lots list, tap the lot number.
 - To transfer all the lot items in the Expected Lots list, tap **Put Away All**.
8. On the Enter Quantity page, depending on the features and rules you use, enter or select values in the following fields:
 - a. **Inventory Status** – (Optional) If you use the Inventory Status feature, you can select a status for items associated with different statuses.



Tip: To display the Status column on the table, tap the table icon. From the Visible Columns list, tap **Status**. Then, tap **Done**.

- b. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the quantity you want to put away. Beside the field, you can change the unit for items associated with multiple units.
Alternatively, to put away all the items shown on the Expected Quantities table, tap **Put Away All**.
 - **Tally Scan Item, Tally Scan Lot #/Item, or Tally Scan Serial** - Before you scan an item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You can't change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as described in step 8.a. You can change the status after each tally scan.
Repeat this step to scan each item. The value in the Enter Quantity and Remaining Quantity fields adjusts automatically. For numbered items, you can tally scan item bar codes with the lot or serial numbers displayed in the Expected items table. If you tally scan the entire quantity, you are redirected to the Enter To Bin page. Proceed to step 10.
 - c. To save the quantity, tap one of the following buttons:
 - **Enter Quantity** - Saves a manually entered quantity.
 - **Done** - Saves a partial tally scanned quantity.
9. For serialized items, on the Enter Serial Number page, scan or enter the serial number in the field. If you enter the data, tap **Enter Serial Number** to proceed.
Repeat this step to enter all the serial numbers for the total quantity. If you have remaining quantity to put away, you are redirected to the Enter Quantity page. You can enter the quantity for another inventory status. Repeat from step 8.

10. On the Enter To Bin page, enter values in the following fields:
 - a. **Inventory Status** – (Optional) If you use the Inventory Status feature, you can select a status for items associated with different statuses.



Tip: To display the Status column on the table, tap the table icon. From the Visible Columns list, tap **Status**. Then, tap **Done**.

- b. **Scan/Enter To Bin** – Scan or enter the destination bin. If you enter the data, tap **Enter To Bin** to proceed.
Alternatively, from the list of bins, tap the bin you want to select.

The confirmation page appears with the status of the items that you put away.

Putting Away Items Using Carts

For warehouses with bins, you can load received and staged items onto a cart to move them to their destination bin locations. After you post an item receipt for a purchase order, you can move the items from the inbound staging bin onto a cart. Then, you can put away or transfer the items to their storage bins.

If you activate rules, such as Tally Scan and Enable bulk loading, the process flow may vary when you put away items from your mobile device. For more information, see [System Rules for NetSuite WMS](#).

Step A. Loading Items onto a Cart

Start the putaway process by transferring the received items onto a cart. If you have existing items on a cart and you want to put them away, proceed to step B.

To load items onto a cart:

1. On the Main Menu page, tap **Receiving**.
2. On the Receiving page, tap **Putaway**.
3. On the Putaway page, tap **Cart Moves**.
4. On the Enter Cart page, do one of the following:
 - In the **Scan/Enter Cart** field, scan or enter the name of the cart to which you want to add the received items. If you enter the data, tap **Enter Cart** to proceed.
 - From the Carts list, tap the name of the cart you want to select.
5. On the Enter Staging Bin/Item page, do either of the following:
 - In the **Scan/Enter Staging Bin/Item** field, scan or enter the item or inbound staging bin. If you enter the data, tap **Enter Staging Bin/Item** to proceed.
 - From the Staging Bins list, tap the staging bin name or number.
6. If you entered the bin, on the Enter Item page, do one of the following:
 - **In the Scan/Enter Item** field, scan or enter the item name, number, UCC, GS1 or composite item bar code, or alias. If you enter the data, tap **Enter Item** to proceed.
 - From the Items list, tap the item name or number.
 - If you want to change the staging bin, tap **Change Staging Bin**. To select a different inbound staging bin, see step 5.
 - If you activate the Enable bulk loading rule and want to transfer multiple items into a staging cart, tap **Bulk Load**. On the Select Items page, tap the box next to the items you want to transfer, and then tap **Load Into Cart**. If you have remaining items from the same cart, you are redirected to the Cart Details page. See step B5. Otherwise, the summary page appears.
 - If you are redirected from the Enter Quantity, Enter Lot, or Enter Serial Number page, and you want to put away the partial or loaded quantity of items, tap **Putaway**. Proceed to step B5.



Tip: From the message at the top of the page, tap the cart name or number. The Items Added to Cart popup window appears from which you can view the item details.

7. If you entered the item, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the inbound staging bin that contains the received item. If you enter the data, tap **Enter Bin** to proceed.

- From the list of staging bins, tap the bin name.
- 8. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the lot number. If you enter the data, tap **Enter Lot** to proceed.
 - From the Expected Lots list, tap the lot number.
 - If you want to add the entire quantity of all expected lots, tap **Load All**. You are redirected to the Enter Item page. See step 6.
 - If you are redirected from the Enter Quantity page and you want to add the partial quantity of lot items to the cart, tap **Skip**. You are redirected to the Enter Item page. See step 6.
- 9. On the Enter Quantity page, do the following:

 **Tip:** If you use Tally Scanning, you can scan the item bar codes until you reach the quantity you want to process. For lot or serialized items, enter or scan the lot or serial number after each item scan. If you have no remaining items to process, you are forwarded automatically to the next page.

- a. In the **Enter Quantity** field, enter the quantity you want to put away.
- b. (Optional) To change the default unit of an item associated with multiple units, in the field beside the **Enter Quantity** field, select the item's unit.
- c. (Optional) If you use the Inventory Status feature, in **the Inventory Status** field, you can select the status of the item.
- d. Tap **Enter Quantity**.

 **Tip:** For serialized items, if you want to add all the serialized items to the cart, tap **Load All**. You are redirected to the Enter Item page. See step 6.

If you entered a partial quantity, you are redirected to either of these pages: the Enter Item page for regular items (see step 6) or the Enter Lot page for lot items (see step 7).

- 10. For serialized items, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.

From the Available Serial Numbers list, view and copy the serial number.

Repeat this step to enter all the serial numbers for the total quantity you want to load onto the cart. If you entered a partial quantity, you are redirected to the Enter Item page. See step 6.

You can unload the items from your cart and put them away for storage. See the help topic [Manually Printing Labels from Your Mobile Device](#).

Step B. Putting Away Items from a Cart

After you load received and staged items onto a cart, you can transfer them to their storage bin locations.

If the cart contains multiple lot and serialized items, you can use the Put Away All option. You can put away all serialized items, all lot items, or both from the cart into a single bin. Make sure that all the items are configured to allow mixing items within the same bin. See [Creating Items for NetSuite WMS](#).

To put away items from a cart:

- 1. On the Main Menu page, tap **Receiving**.
If you are already on the Cart Details page, continuing from step A, you can proceed to step 5.

2. On the Receiving page, tap **Putaway**.
3. On the Putaway page, tap **Cart Moves**.
4. On the Enter Cart page, from the Carts list, tap the name of the cart that contains the received items you want to put away.
5. On the Cart Details page, do one of the following:
 - In the **Scan/Enter To Bin or Item** field, scan or enter the item or destination bin. If you enter the data, tap **Enter Item/Bin** to proceed.
 - From the Items on Cart list, tap the item name or number.
 - If you want to add more items to the cart, tap **Add Item**. You are redirected to the Enter Staging Bin/Item page. See step A5.
6. If you entered the item, on the Enter To Bin page, do one of the following:
 - In the **Scan/Enter To Bin** field, scan or enter the storage bin name or number. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field or from the list of storage bins, tap the bin name or number.
7. If you entered the bin, on the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item. If you enter the data, tap **Enter Item** to proceed.
 - From the Items on Cart list, tap the item you want to select.
 - For lot or serialized items, if you want to transfer all the items from the cart into the same bin, tap **Put Away All**. On the Put Away All page, review the putaway details, and then tap **Confirm** to proceed. Skip the rest of the steps.
8. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the lot number. If you enter the data, tap **Enter Lot** to proceed.
 - From the Expected Lots list, tap the lot number.
 - If you want to transfer the entire quantity of lot items into the same bin, tap **Put Away All**. On the Put Away All page, review the putaway details, and then tap **Confirm** to proceed. Skip the rest of the steps.
9. If you use the Inventory Status feature and the item has different statuses, on the Select Status page, tap the status from the list.
 Alternatively, to put away all the quantities shown in the list, tap **Putaway All**. On the Put Away All page, review the putaway details, and then tap **Confirm** to proceed. Skip the rest of the steps.
10. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you want to put away.
 Alternatively, for serialized items, if you want to transfer the entire quantity of serialized items into the same bin, tap **Put Away All**. On the Put Away All page, review the putaway details, and then tap **Confirm** to proceed. Then, you can view the summary page for the putaway details.
 - b. (Optional) In the **Inventory Status** field, you can select the status of an item associated with different statuses.
 - c. Tap **Enter Quantity**.
11. For serialized items, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.
 From the Available Serial Numbers list, view and copy the serial number.
 Repeat this step to enter all the serial numbers for the total quantity you want to load onto the cart.

A summary page appears to display the putaway details. If you have remaining items in the cart to put away, tap **Next Putaway**. You can do the same if you want to use the same cart to move other items. You are redirected to the Cart Details page. Start from step 5.

Inventory Processing

Manage received inventory throughout its life cycle within a warehouse. Track any movement between bins or locations. Depending on features you use, you can also track inventory counts, work order processing, and inventory status changes. On the NetSuite WMS user interface (UI) or your mobile device, you can complete the following tasks for inventory processing:

- [Inventory Transfers](#)
- [Searching for Inventory](#)
- [Creating Inventory](#)
- [Inventory Counts](#)
- [Work Order Picking](#)
- [Replenishment](#)
- [Changing the Inventory Status of Items](#)

Inventory Transfers

Bin or inventory transfers enable you to transfer inventory between storage bins or warehouse locations, respectively. For both types of transfers, NetSuite WMS can apply putaway strategies that you define to recommend destination bins for warehouse locations that use bins. When you transfer inventory, it decreases the stock level for the source bin location and increases the stock level for the destination bin location.

If you set up carts, you can transfer items from bins or carts onto carts before you store items in their new bin locations.

If you use Manufacturing Mobile with Warehouse Management, you can transfer items to WIP bins that you set up for Manufacturing Mobile. For more information, see the help topic [Creating a WIP Bin for Manufacturing Mobile](#).

To set up carts or WIP bins, see [Creating Bin Locations or Carts](#).

To process transfers through the app, see the following topics:

- [Transferring Items Between Bin Locations](#)
- [Bin Transfer via Cart](#)
- [Inventory Transfers Between Warehouse Locations](#)

Transferring Items Between Bin Locations

Use a bin transfer to transfer items between storage bins or between inbound staging bins. You can't transfer items from a storage bin location to a staging bin location. To transfer items from a staging bin to a storage bin location, use the putaway process. For more information, see [Item Putaway](#).

On your mobile app, when you transfer items between bins, NetSuite WMS creates a bin transfer record to update the item's inventory details.

 [Mobile Bin Transfer](#)

If you activate the **Tally Scanning** rule, you can scan item bar codes to enter each quantity that you want to transfer. You can tally scan a bar code for the item, item alias, or UPC. For numbered items, you can

tally scan a bar code for a lot or serial number. If you also activate the **Advanced Barcode** rule, you can tally scan an item bar code in the supported GS1 formats. You can scan a numbered item's GS1 bar code that contains the lot or serial number. For more information, see [System Rules for NetSuite WMS](#).

To transfer items between bin locations:

1. Access bin transfers by doing the following:
 - a. On the WMS app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu, tap **Inventory**.
 - c. On the Inventory menu, tap **Bin Transfer**.

The Bin Transfer page appears.
2. In the **Scan/Enter From Bin or Item** field, scan or enter the bin or item number. If you enter the data, tap **Enter From Bin/Item**.
 Alternatively, if you want to search for an item name or number, tap **Find Item**. You can enter your search criteria, and then select the item from the results.
 Depending on your entry, the Enter From Bin or Enter Item page appears.
3. On the appropriate page, do one of the following:
 - If you entered the item, enter the bin location from which you are transferring the item. Alternatively, to select from the list of bins, tap the **Show all bins** toggle, and then tap the bin number.
 - If you entered the bin, enter the item you want to transfer. Alternatively, to select from the list of items, tap the item name or number.
4. For lot-numbered items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the item's lot number. If you enter the data, tap **Enter Lot** to proceed.
 - To select from the list of lot number, tap the lot number.
 - If you have multiple lot numbers and you want to transfer all of them, tap **Transfer All**. Proceed to step 9.
5. On the Enter Quantity page, depending on the features and rules you use, do the following:
 - a. **Inventory Status** – (Optional) If you use the Inventory Status feature, you can select a status for bins that contain an item with different statuses.



Tip: To display the Status column on the Expected Quantities table, tap the table icon. From the Visible Columns list, tap **Status**. Then, tap **Done**.

- b. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the quantity you want to transfer. Optionally, beside this field, you can select the unit for an item associated with multiple units.
 - **Tally Scan Item, Tally Scan Lot#/Item, or Tally Scan Serial** – Before you scan an item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You cannot change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as described in step 7.a. You can change the status after each scan.

 Repeat this step to scan each item. The value in the Enter Quantity and Remaining Quantity fields adjusts automatically. If you tally scan the entire available quantity, you are redirected to the Enter To Bin page. Proceed to step 9.
- c. To save the quantity or proceed, tap one of the following buttons:

- **Enter Quantity** - Save the manually entered quantity.
 - **Done** - Saves the partial tally scanned quantity.
 - **Transfer All** - For serialized items, tap this button to transfer the entire quantity in the bin. Note that this option doesn't apply to tally scanning. You can skip step 8.
6. For serialized items, on the Enter Serial Number page, scan or enter the serial number in the field. If you enter the data, tap **Enter Serial Number** to proceed.
- Repeat this step to enter all the serial numbers for the total quantity.
- The Serial Numbers Entered field shows the number of serial numbers you have entered out of the total number of expected serial numbers. For example, if you are transferring five serial numbers and you have entered two serial numbers, the field displays 2 of 5.
7. On the Enter To Bin page, enter or select values in the following fields:
- a. **New Inventory Status** - If you transfer all lots or serialized items and you use the Inventory Status feature, you can select a new status.
-  **Tip:** To display the Status column or change the status filter on the table, tap the table icon. From the Visible Columns list, tap **Status**. In the **Inventory Status** field, you can select a status filter. Then, tap **Done**.
- b. **Scan/Enter To Bin** - Scan or enter the destination bin. If you enter the data, tap **Enter To Bin** to proceed.
- Alternatively, from the list of bins, tap the bin.
- c. If you selected a new inventory status, tap **Change Status** to confirm that you want to apply it to all the transferred lots or serialized items.

The confirmation page appears with the status of the bin transfer.

To view the bin transfer record, using the Administrator role, go to Transactions > Inventory > Bin Transfer > List. For more information, see the help topic [Bin Transfers](#).

Inventory Transfers Between Warehouse Locations

Inventory transfers enable inventory movement between two warehouse locations through quantity adjustments, without any shipment tracking. You can also transfer inventory between a warehouse location and any of its sublocations.

For example, if you have a sublocation for damaged inventory, you can transfer damaged items to this sublocation, in particular, to prevent them from being committed to orders.

Watch this video about inventory transfers through the app:



When you transfer between locations on the mobile app, NetSuite WMS creates an inventory transfer record to adjust the stock levels. When you transfer items between locations that use bins, it also adjusts the inventory for the source and destination bin locations by the appropriate quantity.

Note the following transfer guidelines for items and locations that use or do not use bins:

- To transfer from locations that use bins, you must also apply the **Use Bins** setting to the item. You can transfer these items to locations that use or don't use bins. See [Transferring Items from Locations That Use Bins](#).
- You can transfer items from locations that don't use bins, regardless of the **Use Bins** setting for the items. You can transfer these items to locations that use or don't use bins. See [Transferring Items from Locations That Do Not Use Bins](#).

For more information about the **Use Bins** setting on items or locations, see [Creating Items for NetSuite WMS](#) or [Creating Warehouse Locations](#), respectively.

If you activate the **Tally Scanning** rule, you can scan item bar codes to enter each quantity that you want to transfer. You can tally scan a bar code for the item, item alias, or UPC. For numbered items, you can tally scan a bar code for a lot or serial number. If you also activate the **Advanced Bar Code** rule, you can tally scan an item bar code in the supported GS1 formats. You can scan a numbered item's GS1 bar code that contains the lot or serial number. For more information, see [System Rules for NetSuite WMS](#).

Transferring Items from Locations That Use Bins

Use the following instructions to transfer items from a warehouse location that uses bins. For guidelines on transferring items, see [Inventory Transfers Between Warehouse Locations](#).

To transfer an item between warehouse locations:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
2. On the Main Menu page, tap **Inventory**.
3. On the Inventory page, tap **Inventory Transfer**.
The Select From Location page appears.
4. In the **Select From Location** field, select the location from which you want to transfer the items, and then tap **Enter From Location**.
5. On the Enter From Bin/Item page, do one of the following:
 - In the **Scan/Enter From Bin Or Item** field, scan or enter the number of the originating bin or the item name, number, or UPC. If you enter the data, tap **Enter From Bin/Item** to proceed.
 - To search for and select an item, tap **Find Item**.
 If you entered the item, proceed step 6. If you entered the bin, proceed step 7.
6. If you enter the item name or number, on the Enter From Bin page, do one of the following:
 - In the **Scan/Enter From Bin** field, scan or enter the number of the originating bin. If you enter the data, tap **Enter From Bin** to proceed.
 - To select from the list of bins, tap **Show all bins**, and then tap the bin number.
7. If you enter the bin number, on the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, number, or UPC. If you enter the data, tap **Enter Item** to proceed.
 - To select from the item list, tap the item name or number.
8. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the item name or number. If you enter the data, tap **Enter Lot** to proceed.
 - To select from the list of lot numbers, tap the lot number.
 - To transfer all the lots shown on the table, tap **Transfer All**. Proceed to step 11.
9. On the Enter Quantity page, depending on the features and rules you use, do the following:
:



Tip: If you entered a serialized item and want to transfer all expected quantities, tap **Transfer All**. Proceed to step 11.

- a. **Inventory Status** - (Optional) If you use the Inventory Status feature, you can select a status for bins that contain an item with different statuses.

 **Tip:** To display the Status column or change the status filter on the table, tap the table icon. From the Visible Columns list, tap **Status**. In the **Inventory Status** field, you can select a status filter. Then, tap **Done**.

- b. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the quantity you want to transfer. Optionally, beside this field, you can select the unit for an item associated with multiple units.
Alternatively, for serialized items, to transfer the entire quantity for a serialized item, tap **Transfer All**. Proceed to step 11. Note that this option does not apply to tally scanning.
 - **Tally Scan Item, Tally Scan Lot#/Item, or Tally Scan Serial** - Before you scan an item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You can't change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as described in step 9.a. You can change the status after each scan.

Repeat this step to scan each item. The value in the Enter Quantity and Remaining Quantity fields adjusts automatically. If you tally scan the entire available quantity, you are redirected to the Select To Location page. Proceed to step 11.
- c. To save the quantity or proceed, tap one of the following buttons:
 - **Enter Quantity** - Save the manually entered quantity.
 - **Done** - Saves the partial tally scanned quantity.
10. For serialized items, on the Enter Serial Number page, scan or enter the serial number in the field. If you enter the data, tap **Enter Serial Number** to proceed.
Repeat this step to enter all the serial numbers for the total quantity.
11. On the Select To Location page, in the **To Location** field, tap the location to which you want to transfer the item.

If you selected a destination location that uses bins, proceed to step 12. If you selected one that doesn't use bins and you use the Inventory Status feature, proceed to step 13. Otherwise, a confirmation message appears.
12. If your destination location uses bins, on the Enter To Bin page, do one of the following:
 - a. If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
 - b. In the **Scan/Enter To Bin** field, scan or enter the bin number. If you enter the data, tap **Enter To Bin** to proceed.

Alternatively, to select from the list of destination bins, tap the bin number.
13. If your destination location doesn't use bins and you use the Inventory Status feature, do the following:
 - a. In the **Inventory Status** field, select the status of the item.
 - b. Tap **Enter Status**.

 **Tip:** To view the stock locations associated with the item, tap the **Show Stock Locations** toggle.

A message appears to confirm the completed transfer.

To view the inventory transfer record, using the Administrator role, go to Transactions > Inventory > Transfer Inventory > List. For more information, see the help topic [Basic Inventory Transfers](#).

Transferring Items from Locations That Do Not Use Bins

Use the following instructions to transfer items from a warehouse location that doesn't use bins. For guidelines on transferring items, see [Inventory Transfers Between Warehouse Locations](#).

To transfer an item from locations that do not use bins:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
2. On the Main Menu page, tap **Inventory**.
3. On the Inventory page, tap **Inventory Transfer**.
The Select From Location page appears.
4. In the **Select From Location** field, select the location from which you want to transfer the items, and then tap Enter From Location.
5. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, number, or UPC. If you enter the data, tap **Enter Item** to proceed.
 - To search for and select an item, tap **Find Item**.
6. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the item name or number. If you enter the data, tap **Enter Lot** to proceed.
 - To select from the list of lot numbers, tap the lot number.
 - To transfer all the lots shown on the table, tap **Transfer All**. Proceed to step 9.
7. On the Enter Quantity page, depending on the features and rules you use, do the following:
 - a. **Inventory Status** - (Optional) If you use the Inventory Status feature, you can select the status for an item that has different statuses.
 - b. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the quantity you want to transfer. Optionally, beside this field, you can select the unit for an item associated with multiple units.
Alternatively, for serialized items, to transfer the entire quantity for a serialized item, tap **Transfer All**. Proceed to step 9. Note that this option does not apply to tally scanning.
 - **Tally Scan Item, Tally Scan Lot#/Item, or Tally Scan Serial** - Before you scan an item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You can't change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as described in step 9.a. You can change the status after each scan.
Repeat this step to scan each item. The value in the Enter Quantity and Remaining Quantity fields adjusts automatically. If you tally scan the entire available quantity, you are redirected to the Select To Location page. Proceed to step 11.
To view the stock locations associated with the item, tap **Show Stock Locations**.
 - c. To save the quantity or proceed, tap one of the following buttons:
 - **Enter Quantity** - Save the manually entered quantity.
 - **Done** - Saves the partial tally scanned quantity.
8. For serialized items, on the Enter Serial Numbers page, in the **Scan/Enter Serial Number** field, do one of the following:
 - Scan the serial number you want to transfer.

- Enter the serial number you want to transfer, and then tap **Enter Serial Number**.

Repeat this step to enter another serial number.

9. On the Select To Location page, in the **To Location** field, tap the warehouse location to which you want to transfer the item.

If you selected a destination location that uses bins, proceed to step 10. If you selected one that does not use bins and you use the Inventory Status feature, proceed to step 11. Otherwise, a confirmation message appears.

10. If your destination location uses bins, do the following:
 - a. (Optional) In the **Inventory Status** field, select the status of an item that has different statuses.
 - b. In the **Scan/Enter To Bin** field, scan or enter the bin number. If you enter the data, tap **Enter To Bin** to proceed.
Alternatively, from the bin list, you can tap the bin number.
11. If your destination location does not use bins and you use the Inventory Status feature, on the Enter Status page, do the following:
 - a. In the **Inventory Status** field, select the status of item.
 - b. Tap **Enter Status**.



Tip: To view the stock locations associated with this item, tap **Show Stock Locations**.

A message appears to confirm the completed transfer.

To view the inventory transfer record, using the Administrator role, go to Transactions > Inventory > Transfer Inventory > List. For more information, see the help topic [Basic Inventory Transfers](#).

Bin Transfer via Cart

If you set up Inbound Staging bin types as carts, you can use them for bin transfers. Before you store items to another bin location, you can temporarily load them onto a cart. You can also transfer items from one cart to another.

On the app, you can perform these tasks through the Bin Transfer Via Cart process. Using the same mobile process, you can transfer the items from the cart onto their new bin location for storage.

Depending on the task you want to complete, see the following procedures:

- [Loading Items onto Carts](#)
- [Transferring Items from Carts into Bins](#)

Loading Items onto Carts

This procedure shows you how to load items from carts or bins onto a cart:

To load items onto carts:

1. Access the mobile process by doing the following:
 - a. On the mobile app, tap the menu icon at the left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory menu page, tap **Bin Transfer Via Cart**.

2. On the Enter Cart page, specify the empty cart by doing one of the following:

 **Note:** If you enter a cart that already contains items, the **Scan/Enter To Bin or Item** page appears. To transfer the items into a bin, proceed to step 3 of [Transferring Items from Carts into Bins](#).

- In the **Scan/Enter Cart** field, scan or enter the empty cart. If you enter the data, tap **Enter Cart** to proceed.
 - From the Carts list, tap an empty cart.
3. On the Bin Transfer page, in the **Scan/Enter From Bin or Item** field, scan or enter the originating bin or the item. If you enter the data, tap **Enter From Bin/Item** to proceed. Alternatively, you can tap **Find Item** to search for an item by item name, number, or UPC.

If you are redirected to this page to change the bin, you can provide a different originating bin. Alternatively, in case you have remaining items on the cart that you want to transfer into a bin, tap **Putaway**. To continue, see [Transferring Items from Carts into Bins](#).
 4. Depending on your entry in step 3, do one of the following to provide either the item or originating bin:
 - On the Enter Item page, in the **Scan/Enter Item** field, scan or enter the item. If you enter the data, tap **Enter Item**. Alternatively, you can tap an item from the Items list.

If you want to change the originating bin, tap **Change From Bin**. Return to step 3.
 - On the Enter From Bin page, in the **Scan/Enter From Bin** field, scan or enter the bin. If you enter the data, tap **Enter From Bin**. Alternatively, you can tap the **Show all bins** toggle to view and select from the bins list.
 5. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items that you want to load to the cart.
 - b. If the bin contains the item in different inventory statuses, you can select a status.
 - c. Tap **Enter Quantity**.
 6. On the Enter Item page, you can view the confirmation message about the items loaded onto the cart. Then, you can do one of the following additional tasks:
 - To load another item, you can scan, enter, or select it. Return to step 5.
 - To change the originating bin, tap **Change From Bin**. Repeat from step 3.
 - To transfer items on the cart to a bin, tap **Transfer**. See [Transferring Items from Carts into Bins](#).

Transferring Items from Carts into Bins

After you load items onto a cart, you can transfer them into the same or different bins. You can load more items onto a cart before you transfer them. You can also transfer all the items on the cart into a single bin at the same time.

To transfer items from carts into bins:

1. Access the mobile process by doing the following:

 **Tip:** If you are continuing from step 6 of [Loading Items onto Carts](#), start from step 3 instead.

- a. On the mobile app, tap the menu icon at the left corner of the screen, and then tap **Main Menu**.

- b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory menu page, tap **Bin Transfer Via Cart**.
2. On the Enter Cart page, specify the loaded cart by doing one of the following:
 - In the **Scan/Enter Cart** field, scan or enter the loaded cart. If you enter the data, tap **Enter Cart** to proceed.
 - From the Carts list, tap a loaded cart.
3. On the Cart Details page, do one of the following:
 - In the **Scan/Enter To Bin or Item** field, scan or enter the destination bin or the item you want to transfer. If you enter the data, tap **Enter Item/Bin** to proceed.

 **Tip:** If you want to transfer all the items from the cart, specify the destination bin. Then in step 4, you can choose the **Transfer All** option.

 - From the Items On Cart list, tap the item you want to transfer
 - If you want to load items to the cart, tap **Add Item**. To continue, start from step 3 of [Loading Items onto Carts](#).
4. Depending on your entry in step 3, do either of the following:
 - On the Enter To Bin page, in the **Scan/Enter To Bin** field, scan or enter the destination bin. If you enter the data, tap **Enter Bin** to proceed. Alternatively, you can tap a bin in the Recommended Bin field or from the bins list.
 - On the Enter Item page, in the **Scan/Enter Item** field, scan or enter the item you want to transfer. If you enter the data, tap **Enter Item** to proceed. Alternatively, from the Items on Cart list, tap the item.

If you want to transfer all the items from the cart, tap **Transfer All**. You can skip step 5.
5. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you want to transfer.
 - b. (Optional) If the item has multiple inventory statuses, you can assign a new status.
6. Tap **Enter Quantity**.

On the Transfer Complete page, you can review the details of the items transferred from the cart to the destination bin. If you want to transfer another item from the same cart, you can tap **Next Transfer**. Repeat from step 3.

Searching for Inventory

You can search for inventory within your warehouse by item name, number, or UPC. From the search results, you can view the quantity on hand.

If your warehouse location uses bins, you can also search by bin number to display the list of items within bins that match the keyword.

If you enable Mobile Printing, you can search for an item, and then print item and pallet labels. For numbered items, you can print labels with a lot or serial number. Only the default manual printing option is available for inventory searches. If you activate the **Advanced Barcode** rule, you can print labels with the item bar code in GS1 format. For more information about Mobile Printing, see the help topic [Label Printing and Reprinting](#).

To search for inventory:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Search Inventory**.
2. On the Search Inventory page, in the search field, enter the item name, number, or UPC.
Alternatively, if your warehouse location uses bins, you can enter the bin number.

 **Tip:** Results appear after you type three characters.

3. If you use Mobile Printing and want to print item labels, do the following:
 - a. From the results, tap the item.
 - b. On the Item Information page, tap the more icon.
 - c. From the submenu, tap **Print**. For lot or serialized items, tap **Print Lot/Serial #**.
 - d. For lot or serial items, on the Select Lot/Serial # to Print page, tap the box next to the numbers you want to print. Then, tap **Print**.
One lot or serial number appears for each item label.
 - e. On the Print popup window, you can modify the printing options, and then tap **Print**.

Generating an Inventory Report

You can generate an inventory report to view item details that appear in its columns, as follows:

- Item
- Item Description
- Location
- Bin Location – Only for locations that use bins
- Units
- Quantity On Hand
- Available Quantity
- Inventory Status – Only if you use the Inventory Status feature

For more information about inventory quantities, see the help topic [Assessing Stock Levels](#).

You can export generated inventory reports into an Excel file. To export all results, multiple files of up to 10 MB each may be generated. On the NetSuite UI, you can view up to 4000 results only.

To generate an inventory report:

1. Using the WMS Warehouse Manager role, go to WMS Reporting > Inventory Reporting > Generate Inventory Report.
2. On the Generate Inventory Report page, in the **Location** field, select the location that contains the inventory.
3. (Optional) In any of the following fields, select filters for the data you want to include in the report:
 - **Item** – Select an item name or number.
 - **Bin Location** – If your warehouse location uses bins, select a bin number.
 - **Inventory Status** – If you use the Inventory Status feature, select a status.
4. Click **Display**.

The Inventory Report table appears with list and details of items based on the location and your filters.

5. (Optional) To export the inventory report, click **Export to Excel File**. Then, open or save the file in your local computer.

Creating Inventory

Create inventory to add item quantities to your warehouse's inventory without a transaction such as a purchase order, transfer order, or customer return. When you create inventory, NetSuite WMS generates an inventory adjustment record to increment the stock level for the inventory item.

Creating inventory using an inventory adjustment may affect item costing. For more information, see the help topic [Inventory Adjustments](#).



Important: Use caution when you create inventory. Ensure that you add items to the appropriate bins. If you add an item to a bin location you have not defined in your one of your warehouse's picking strategies, when you pick the item, the system might not suggest the bin to which you added the item. For information about pick strategies, see [Defining Pick Strategies](#).



WMS Mobile Create Inventory

To create inventory:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
2. On the Main Menu page, tap **Inventory**.
3. On the Inventory page, tap **Create Inventory**.
4. On the Create Inventory page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, number, or UPC. If you enter the data, tap **Enter Item** to proceed.
 - To search for the item, tap **Find Item**.
5. For lot-numbered items, on the Enter Lot page, do the following:
 - a. In the **Scan/Enter Lot** field, scan or enter the lot number.
 - b. (Optional) In the **Expiry Date** field, enter the expiry date of the lot item.
 - c. Tap **Enter Lot**.
6. On the Enter Quantity page, select values in the following fields:
 - a. (Optional) If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
 - b. In the **Enter Quantity** field, enter the quantity of the item you want to add to your inventory.
 - c. Tap **Enter Quantity**.
7. For serialized items, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.
Repeat this step until you have entered all the serial numbers.
8. For warehouse locations that use bins, on the Enter Bin page, in the **Scan/Enter Bin** field, scan or enter number of the destination bin for the item. If you enter the data, tap **Enter Bin** to proceed.

 **Tip:** From the list of bins, you can copy the bin number.

A confirmation message appears.

To view the inventory adjustment record, using the Administrator role, go to Transactions > Inventory > Adjust Inventory > List.

Inventory Counts

If you use the Inventory Count feature, you can create regular, periodic inventory counts of on-hand item quantities to maintain inventory accuracy. For more information, see the help topic [Inventory Count](#).

Aside from manual and calculated inventory counts, Warehouse Management also enables you to create cycle count plans. You can generate inventory counts from a plan and process them on your mobile device. For warehouses with bins, you can count items in bins, except those in WIP bin types.

To create inventory counts, see the following topics:

- [Creating Manual Inventory Counts](#)
- [Creating Calculated Inventory Counts](#)
- [Creating Cycle Count Plans](#)
- [Generating and Releasing Inventory Counts](#)
- [Generating and Processing Counts on the App](#)

To process inventory counts, see the following topics:

- [Starting Inventory Counts](#)
- [Performing Inventory Counts](#)
- [Completing Inventory Counts](#)
- [Approving or Rejecting Inventory Counts](#)
- [Recounting Cycle Counts](#)

Creating Manual Inventory Counts

Create manual inventory counts to manually choose the items you want to count and set the date of the count.

For warehouse locations that use bins, you can create inventory counts for each unique item and bin combination. You can count an item in different bins or different items in the same bin. For more information about bins, see [Creating Bin Locations or Carts](#).

To create a manual inventory count:

1. Using the Warehouse role, go to Inventory > Cycle Counting > Enter Cycle Count.
2. On the Inventory Count page, enter or select values in the following fields:
 - In the **Subsidiary** field, select the subsidiary to which the warehouse location belongs.
 - In the **Location** field, select the warehouse location.

- In the **Date** field, enter the date you want to set for the inventory count.
- In the **Account** field, select the account to which you want to post variances, typically, an expense account.

By default, the account you set in the **Default Inventory Count Account** field on the Accounting Preferences page appears in this field. See the help topic [Setting Up Inventory Count](#).

3. On the **Items** subtab, do the following:
 - a. In the **Item** column, select the item you want to count.
 - b. If you use bins for the warehouse location, in the **Bin** column, select the bin that contains the item you want to count.
 - c. Click **Add**.

Repeat steps a – c to add another item.

4. Click **Save**.

NetSuite WMS sets the new inventory count to Open status.

5. If you want to start the new count, click **Start Count**.

For more information about initiating counts, see [Starting Inventory Counts](#).

When you want to process the inventory count, you can edit the started inventory count record to enter the count details. See the help topic [Working with an Inventory Count](#).

Creating Calculated Inventory Counts

Create inventory counts based on calculations performed by NetSuite WMS to determine items due for an inventory count. These calculations depend on values in the inventory count fields that you set on an item record. For more information about these fields, see [Creating Items for NetSuite WMS](#).

To create a calculated inventory count:

1. Using the Warehouse role, go to Inventory > Cycle Counting > Create Cycle Count.
2. On the Create Inventory Count page, select values in the following fields:
 - **Subsidiary** - Select the subsidiary to which the warehouse location belongs.
 - **Location** - Select the warehouse location to which the item belongs.
The item sublist displays valid items due for an inventory count from the warehouse location. Items associated with open inventory counts do not appear in the list.
 - **Account** - Select the account to which you want to post variances, typically, an expense account.
By default, the account you set in the **Default Inventory Count Account** field on the Accounting Preferences page appears in this field. See the help topic [Setting Up Inventory Count](#).
3. (Optional) In one or more of the following fields, enter or select your criteria to search for items you want to include in the count:
 - **Count Start Date** - Enter or select the start date of the count for an item.
This filter shows only items that require a count on or after the start date.
 - **Count End Date** - Enter or select the end date of the count for an item.
This filter shows only items that require a count on or before the end date.
 - **Classification** - Select the classification for an item.

The item sublist automatically adds or removes items based on your criteria.

4. (Optional) If you use bins for the warehouse location, check the box for the setting you want to apply to your inventory count:
 - **Count Bin Rows With Zero Quantity** - Includes items with an on-hand count of zero.
 - **Sort Rows by Bin** - Sorts items by bin number, instead of the default sorting by item name or number. Apply this setting to count all items in a specific area of a warehouse.
5. In the item sublist, in the **Select** column, check the box next to each item you want to count.
6. Click **Submit**.

NetSuite WMS sets the new inventory count to Open status. For warehouse locations that use bins, the Bin column appears next to the Item column on the Item subtab. It displays bins that contain the items you want to count.

To initiate the inventory count, see [Starting Inventory Counts](#).

Creating Cycle Count Plans

Instead of creating inventory counts directly, you can create cycle count plans that serve as templates for generating inventory counts. Plans provide more bin and item filters than those on manual or calculated inventory counts.

Note the following guidelines for cycle count plans:

- You can create multiple cycle count plans. When you generate an inventory count, the dropdown list of plans can display only up to 1000 plans at a time.
- Your setting for the following preferences apply to cycle count plans: **Make Department Mandatory** and **Make Classes Mandatory**.
- You can assign a default employee to a plan, which you can change when you generate an inventory count. On a mobile device, employees can process only the counts assigned to them and unassigned counts.

To create a cycle count plan:

1. Using the WMS Warehouse Manager role, go to WMS Inventory > Cycle Count > Create Cycle Count Plans > New.

The WMS Cycle Count Plans page appears.

2. In the Main section, enter values in the following fields:
 - **Name** - Enter a unique name for the cycle count plan.
 - **Subsidiary** - Select the subsidiary of the location you want to assign to the plan.
 - **Location** - Select a location or warehouse.
 - **Account** - Select the account to which you want to post variances, typically, an expense account.
By default, the account you set in the **Default Inventory Count Account** field on the Accounting Preferences page appears in this field. See the help topic [Setting Up Inventory Count](#).
 - Optionally, you can set the following fields to provide more details about the cycle count plan: **Department**, **Class**, **Memo**, **Assigned To**.
3. Optionally, on the Items section, you can do the following:

- You can define the item filters in the following fields: **Item Type**, **Item Classification**, **Item Family**, or **Item Group**.
- In the **Item** field, you can select the items you want to include in the counts generated for this plan.
- To filter items based on the next count date, check the **Use Item Frequency** box.
When you generate the count, you can specify either or both the count start and count end dates. Items with next count dates that meet your specified criteria appear in your search results. Make sure you set the next count date on their corresponding item records.
If you clear this box and generate the count, items appear in your search results regardless of their next count date.
- To filter items based on a vendor, in the **Vendor** field, select a vendor's name.
With this filter, you can count items for a vendor associated with purchase orders and inbound shipments.

For more information about these item fields, see [Creating Items for NetSuite WMS](#).

4. Optionally, for locations with bins, in the Bins section, you can do the following:
 - You can define the bin filters in the following fields: **Zones** or **Aisle**.
 - In the **Bins** field, you can select the bins that contain the items you want to count.
 - To include items with an on-hand count of zero, check the **Count Bin Rows With Zero Quantity** box.
 - To sort items by bin number, instead of the default sorting by item name or number, check the **Sort Rows by Bin** box.
You can apply this setting to count all the items in a specific area of your warehouse.
5. Click **Save**.

To generate inventory counts from this plan, see [Generating and Releasing Inventory Counts](#).

Generating and Releasing Inventory Counts

From a cycle count plan, you can generate one inventory count at a time. When you generate a count, you can apply the count date filters and assign it to an employee. From the list of items returned by the plan, you can select the items you want to count. For more information about plans, see [Creating Cycle Count Plans](#).

If you want to include items based on their next count date, make sure you set the inventory count fields on the item records. For more information, see [Creating Cycle Count Plans](#).

Right after you generate and release a count, you can start it and then process it from a mobile device.

To generate and release a cycle count plan:

1. Using the WMS Warehouse Manager role, go to WMS Inventory > Cycle Count > Generate Cycle Count from Plan.
2. On the Generate Cycle Count from Plan page, set the following fields:
 - **Plan Number** - Select the cycle count plan.
This field displays a maximum of 1000 plans at a time. NetSuite WMS sorts the plans alphabetically, by name, and then includes the first 1000 plans in the selection list.
 - **Count Start Date** - (Optional) Enter the date when you want to start the inventory count.

- **Count End Date** - (Optional) Enter the date when you want to complete the inventory count. If you set either or both of the date fields, you filter the items based on their next count date.

3. Click **Display**.

The Items sublist appears on the page with the list of items to count.

Note: If items do not appear in the list, you can review your cycle count plan filters. On item records, you can verify that there is on-hand quantity within the location defined in the plan. You can also review the bins and other item settings that correspond with your cycle plan filters.

4. In the **Select** column, check the box next to the bins and items that you want to include in the count.

Note: If you use bins for your items, the Bin column appears beside the Item column. You can choose items within the same bin or the same item in different bins.

5. (Optional) In the **Assigned To** field, select the name of the user you want to assign to the count. When you assign a plan to an employee, the employee's name appears in this field by default.

6. Click **Generate & Release**.

The confirmation page appears.

7. Optionally, to start the count immediately, click **Start Count**.

If you want to start a count at a later time, you can access it by going to WMS Inventory > Cycle Count > Enter Cycle Count > List. You can edit an open inventory count and start it. You can process started inventory counts on your mobile device. For instructions, see [Starting Inventory Counts](#) or [Performing Inventory Counts](#).

Generating and Processing Counts on the App

You can generate inventory counts from cycle count plans through the mobile app. If you activate the **Start and Complete Counts on App** rule, you can start cycle counts through the mobile app immediately after you generate them. You can also process and complete the started counts.

To generate counts on the app:

1. Access the Cycle Count process by doing the following:
 - a. On the mobile app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory page, tap **Cycle Count**.
2. On the Cycle Count page, tap **Generate from Plan**.
3. On the Generate Cycle Count from Plan page, enter or select a plan by doing one of the following:
 - To enter a cycle count plan, in the **Enter Plan #** field, enter the name or number of the plan. Optionally, you can enter dates in the **Count Start Date** or **Count End Date** fields. The app searches for plans schedule after or before the date you enter, respectively. You can enter both dates to specify a range for filtering cycle count plans. Then, tap **Enter** to proceed.
 - To select a cycle count plan, tap the **Cycle Count Plans** toggle and then select a plan from the list.
4. On the next page, do the following:

- a. Tap the box for up to 10 items that you want to count from the plan.
 - b. Tap **Generate and Release**.
- 5. On the Cycle Count Created page, you can view the list of generated cycle count tasks.
- 6. If you can start counts on the app, you can do the following:



Tip: If you do not have this option or if you want to start counts later through the NetSuite UI, see [Starting Inventory Counts](#).

- a. Tap the more icon, and then tap **Start Cycle Count**.
 - b. On the Select Task page, to start all the counts generated from the plan, tap **Start Count**.

In the NetSuite UI, the associated inventory count changes to Started status.

You can proceed to the next steps to perform and complete the count. You can also process them at a later time. For instructions, see [Performing Inventory Counts](#).

- 7. For warehouses with bins, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin name or number. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Expected Bin** field, tap the bin.
- 8. On the Enter Item page, do one of the following:



Tip: If you want to view the completed count tasks from the plan, tap the **Show Completed** toggle.

- In the **Scan/Enter Item** field, scan or enter the item name or number. If you enter the data, tap **Enter Item** to proceed.
 - From the Items to Count list, tap the item name or number.
- 9. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you have counted.
 - b. If the item has multiple units, you can select a unit.
 - c. Tap **Enter Quantity**.
- 10. On the Select Task page, do one of the following:
 - To process another task from the same plan, from the Cycle Count Tasks list, tap the bin or item name. Return to step 7.
 - To start other cycle count tasks, tap **Start Count**. Return to step 6.
 - To complete all the counts that you have processed, tap **Complete Count**. On the popup message, tap **OK** to confirm that you want to complete and submit the counts for approval.



Tip: If you do not have this option or if you want to complete counts later through the NetSuite UI, see [Completing Inventory Counts](#).

In the NetSuite UI, the associated inventory count changes to Completed/Pending Approval status. You cannot edit counts in this status.

Starting Inventory Counts

You can start inventory counts that have the Open status. NetSuite WMS takes a snapshot of the on-hand count of the items for counting by bin and serial number. It records the data on the inventory count.

You can start all inventory count types through the NetSuite UI. If you activate the **Start and Complete Counts on App** rule, you can start cycle counts through the mobile app. For more information, see [System Rules for NetSuite WMS](#).

Complete either of the following procedures to start a cycle count:

- To start counts through the NetSuite UI:
- To start cycle counts through the app:

Using the NetSuite WMS user interface, you can process started manual or calculated inventory counts. Using a mobile device, you can perform started inventory counts generated from cycle count plans. When you count an item, you can edit the quantity but you can't add or delete items from count tasks.

To start counts through the NetSuite UI:

1. Using the WMS Warehouse Manager role, go to WMS Inventory > Cycle Count > Enter Cycle Count > List.
2. From the Inventory Counts list, click **View** next to the count you want to start.
3. On the Inventory Count page, click **Start Count**.

To process manual and calculated inventory counts that you have started, see the help topic [Working with an Inventory Count](#). To process started counts generated from cycle count plans, see [Performing Inventory Counts](#).

To start cycle counts through the app:

1. Access the Cycle Count process by doing the following:
 - a. On the mobile app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory page, tap **Cycle Count**.
2. On the Cycle Count page, tap **Process Count**.
3. On the Select Plan page, enter or select a plan by doing one of the following:
 - To enter a cycle count plan, in the **Scan/Enter Plan #** field, scan or enter the name or number of the plan. If you enter the data, tap **Enter Plan #** to proceed.
 - To select a cycle count plan, from the Cycle Count Plans list, tap the plan number.
4. On the Select Task page, tap **Start Count**.

To continue processing started cycle counts, you can proceed to step 7 of [Generating and Processing Counts on the App](#). To process started cycle counts at a later time, see [Performing Inventory Counts](#).

Performing Inventory Counts

On your mobile device, you can process inventory counts generated from cycle count plans. You can access inventory counts that have the Started status. For more information, see [Creating Cycle Count Plans](#).

WMS Mobile Count Inventory

If you use the Inventory Status feature, you can only select from existing statuses assigned to an item.

Depending on system rules that you activate, the cycle count process flow may vary. For more information, see [System Rules for NetSuite WMS](#).

If you activate the Tally Scanning rule, you can scan the item bar code to enter each quantity that you count. You can tally scan a bar code for the item, item alias, or UPC. If you also activate the Advanced Bar Code rule, you can tally scan an item bar code in the supported GS1 formats. You can scan a numbered item's GS1 bar code that contains the lot or serial number.

To perform an inventory count:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.



Tip: If you are continuing from starting a cycle count task through app, skip this step and proceed to step 6.

2. On the Main Menu page, tap **Inventory**.
3. On the Inventory page, tap **Cycle Count**.
4. On the Select Plan page, do one of the following:
 - In the **Scan/Enter Plan #** field, scan or enter the inventory count number. If you enter the data, tap **Enter Plan #** to proceed.
On inventory count records, this number appears in the Ref. No. field.
If you can't find the inventory count, verify that the plan has been assigned to you. See [Generating and Releasing Inventory Counts](#).
 - From the Cycle Count Plans list, tap the number.
 - To update a processed count, tap the **Show Completed** toggle. Then from the list, tap the number.
5. On the Select Task page, from the Cycle Count Tasks list, tap the bin number or item associated with the task you want to process.
For completed counts, you can view the result of the latest count in the Original Quantity column.
6. For locations with bins, on the Enter Bin page, scan or enter the bin in the field. If you enter the data, tap **Enter Bin** to proceed.
Alternatively, in the **Expected Bin** field, tap the bin number.
7. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item you want to count. If you enter the data, tap **Enter Item** to proceed.
You can scan the item name, number, alias, or UPC.
 - From the Items to count list, tap the item.
If you want to view the completed items associated with the inventory count, tap the toggle.
 - If the bin does not contain quantities of the item, tap **Zero Quantity**.
If you have other items to count from a different bin, the Select Task page appears. Repeat from step 6. Otherwise, the Count Plan Complete page appears with the count details. Proceed to step 11.
8. For lot items, do the following:
 - a. On the Enter Quantity page, enter the total counted quantity for all lot numbers. Then, tap **Enter Quantity**.



Tip: If you activate the **Change lot entry sequence for counts?** rule, skip this step.

- b. On the Enter Lot page, in the **Scan/Enter Lot** field, scan or enter the lot number.

Alternatively, from the list, you can tap the lot number.

- c. On the **Enter Quantity** field, enter the counted quantity for the lot number.
- d. Tap **Enter Quantity**. Alternatively, if you have no other lot numbers to count, tap **Done**.

To enter the quantity for another lot number, repeat from step 8b.

9. On the Enter Quantity page, you can enter the quantity depending on the item type and features you use:

- a. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the counted quantity for the item. For numbered items, enter the total counted quantity for all lot or serial numbers. Optionally, beside the field, you can select the unit for an item associated with multiple units.



Tip: If you use the Inventory Status feature and the item has different statuses, enter the total counted quantity for all statuses. Then, tap **Enter Quantity**. You are redirected to this page and you can now enter the quantity for each status.

Optionally, if the item is associated with multiple units, you can select a unit. The Quantity Remaining field displays the adjusted value in the item's base unit.

- **Tally Scan Item** - Before you scan an item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You cannot change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as described in step 9.b.
- b. **Inventory Status** - (Optional) For non-numbered items, select a status for the counted items.
- c. To save the quantity or proceed, tap one of the following buttons:
 - **Enter Quantity** - Saves the counted quantity, the total counted quantity for a numbered item, or the total counted quantity for an item with different statuses.
For regular items associated with different statuses, you are redirected to this page. Repeat the steps to enter the quantity for each status.
 - **Enter Lot** - For lot items, tap this button to enter another lot number. Repeat from step 8.
 - **Done** - Saves the tally scanned quantity and exits this page.
 - **Bin Empty** or **No Stock** - If you have no available or remaining items to count, tap either of these buttons.
- 10. For serialized items, on the Enter Serial Numbers page, enter or select values in the following fields:
 - a. **Inventory Status** - (Optional) For item with different statuses, you can select a status.
 - b. **Scan/Enter Serial Number** - Scan or enter the serial number.
 - c. Tap **Enter Serial Number**.

Repeat these steps for each serial number.

11. Depending on the remaining tasks in the inventory count, you are redirected to one of the following pages:
 - If you have other lot items to count or other items from a different bin, the Select Task page appears. Repeat from step 8.
If the other items to count belong to the same bin, the Enter Item page appears. Repeat from step 7.
 - If you have completely processed the count, the Count Plan Complete page appears. For warehouses with no bins, the Task Count Completed page appears.

You can view the count details, and then process another count, select another plan, or update a processed count.

To complete your processed counts, see [Completing Inventory Counts](#).

Completing Inventory Counts

You can complete all types of inventory counts through the NetSuite UI. If you activate the **Start and Complete Counts on App** rule, you can complete cycle counts through the mobile app. Either way, you can complete inventory counts that include tasks that have not been counted or processed. For more information, see [System Rules for NetSuite WMS](#).

Follow one of these procedures to complete a count:

- [To complete an inventory count through the NetSuite UI:](#)
- [To complete counts on the app:](#)

Depending on a count's results, NetSuite may create either or both of the following inventory adjustment transactions after approval:

- One positive inventory adjustment to increase on-hand quantity
- One negative adjustment to decrease on-hand quantity

When you return to the item record of an item for which there is a completed count, the Inventory subtab shows the following:

- **Last Count Date** – Date when the last count occurred
- **Next Count Date** – System-calculated next date to enter an item count
- **Count Interval** – Preset count interval

To complete an inventory count through the NetSuite UI:

1. Log in to your NetSuite WMS account using the Warehouse role.
2. Go to Inventory > Cycle Counting > Enter Cycle Count > List.
3. Click **View** next to the count you want to complete.
4. Click **Complete Count**.



Note: Until you complete an inventory count, you cannot release or start a new inventory count for that item.

To complete counts on the app:

1. Access the Cycle Count process by doing the following:
 - a. On the mobile app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory page, tap **Cycle Count**.
2. On the Cycle Count page, tap **Process Count**.
3. On the Select Plan page, do either of the following:

- In the **Scan/Enter Plan #** field, scan or enter the cycle count plan number. If you enter the data, tap **Enter Plan #** to proceed.
 - From the Cycle Count Plans list, tap the number.
4. On the Select Task page, tap the **Show Completed** toggle to review the processed cycle count tasks. On the Cycle Count Tasks table, review any tasks that have not been counted.

 **Note:** If you have remaining uncounted tasks, you can process them before completing this inventory count. Otherwise, the task will be submitted for approval without a counted quantity.

5. Tap **Complete Cycle Count**.
6. On the message, to confirm that you want to complete the entire inventory count, tap **OK**.

Completed inventory count records change from Started to Completed/Pending Approval status. To approve completed counts, see [Approving or Rejecting Inventory Counts](#).

Approving or Rejecting Inventory Counts

For counts in Complete/Pending Approval status, a supervisor can approve or reject them using the NetSuite WMS user interface.

On the Inventory Count record, the Items subtab shows the Count Quantity, Adjusted Quantity, and Variance Detail for each item in the inventory count. The WMS subtab shows details about the count for each, including the time and date and the user who performed the count.

To approve or reject an inventory count:

1. Log in to your NetSuite WMS account using the Warehouse role.
2. Go to Inventory > Cycle Counting > Enter Cycle Count > List.
3. Click **View** next to the count you want to open.
4. Do one of the following:
 - Click **Reject** – The count status returns to Started and the warehouse operator must perform another count.
To recount a rejected inventory count, see [Recounting Cycle Counts](#).
 - Click **Approve** – The count is final and the status becomes Approved.
After you approve a count, the Inventory Count record shows a History subtab. You can view the Inventory Adjustments sublist, which shows any positive or negative adjustments related to this count.

Recounting Cycle Counts

On the mobile app, you can update the count quantity when you perform a recount of an item. You can recount completed count tasks if you identify an error prior to approval submission. For rejected cycle counts, you can do a recount of all tasks or some tasks that may contain errors. The associated cycle count remains in Started status before and after you recount a task.

The following instructions apply to completed and rejected cycle counts:

To recount cycle counts:

1. Access the Cycle Count process by doing the following:
 - a. On the mobile app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Inventory**.
 - c. On the Inventory page, tap **Cycle Count**.
2. On the Cycle Count page, tap **Process Count**.
3. On the Select Plan page, tap the **Show Completed** toggle.
4. From the list, tap the number of the cycle count task you want to recount.
This redirects you to the Enter Bin page for locations with bins or the Enter Item page. For instructions on entering the quantity counted, start from step 6 of the instructions on [Performing Inventory Counts](#).

Repeat the steps for each cycle count task that you want to recount.

You must complete the associated cycle count to submit or resubmit it for approval. For instructions, see [Completing Inventory Counts](#)

After you complete a count, it changes from Started to Completed/Pending Approval status, during which you cannot perform a recount.

Work Order Picking

On the app, you can pick components of assembly items to stock or fill orders. You can pick component items for one work order at a time.

If you use bins, you can choose the bin from which to pick them and stage picked components in bins. If you activate the **Bin blocking** system rule, you can use the **Bin Empty** option to remove bins from your list of choices to pick from. To set up, see [Setting Up Bin Blocking for Order Picking](#).

To complete a work order, you can process it for an assembly build. After you process each task on the app, NetSuite WMS updates the work order with the status and quantities.

For more information about work orders, see the help topic [Assembly Work Orders](#).

To assemble inventory through NetSuite WMS, complete the following tasks on the app:

- [Picking Component Items for Work Orders](#)

If you want to reverse a work order pick task, see [Reversing Work Order Picking](#).

- [Building Assembly Items for a Work Order](#)

- [Picking Component Items for Work Orders](#)

Picking Component Items for Work Orders

Use your mobile device to pick component items for released work orders. If you use the Manufacturing Work in Process (WIP) feature, you can also pick component items for WIP-enabled work orders. However, you can't use the mobile device to build assembly items for WIP-enabled work orders.

 **Note:** If you use the Manufacturing Routing and Work Center feature, you can't use the mobile app to pick component items or build assembly items for work orders associated with routings.

If you use Manufacturing Mobile with Warehouse Management, you can activate the **Allow over-picking for work orders** rule to enable excess quantity when you pick component items. You can also stage

the picked items in WIP bins for Manufacturing Mobile. For more information and limitations, see the help topic [Activating the Allow Over-picking for Work Orders System Rule](#) or [Creating a WIP Bin for Manufacturing Mobile](#).

If you activate the **Bin blocking** rule, a popup window appears when you tap **Bin Empty**. It contains a list of preconfigured reasons from which you can select one for blocking a bin. For more information, see [Managing Bins Blocked from Order Picking](#). To unblock bins, see [Unblocking Bins for an Item](#).

To pick component items for a work order:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
2. On the Main Menu page, tap **Work Orders**.
3. On the Work Orders page, tap **Picking**.
4. On the Select Work Order page, do one of the following:
 - In the **Scan/Enter Work Order #** field, scan or enter the work order number you want to process. If you enter the data, tap **Enter Work Order #** to proceed.
 - To select the list of work orders, tap the work order number.
5. On the Select Pick Task page, from the Pick Tasks list, tap the item associated with the pick task you want to process.

 **Note:** If your warehouse does not use bins and you entered a partial quantity for an item, you can stage any picked items by tapping **Go to Staging**. Proceed to step 10.

6. For warehouse locations that use bins, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin number. If you enter the data, tap **Enter Bin** to proceed.
 - To select the recommended bin, in the **Recommended Bin** field, tap the bin number.
 - To select from the list of bins, tap the **Show all bins** toggle, and then tap the bin number.
7. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item, UPC, or item alias you want to pick. If you enter the data, tap **Enter Item** to proceed.
For more information about aliases, see [Creating Item Aliases](#).
 - In the **Item To Pick** field, tap the item name or number.
8. On the Enter Quantity page, do the following:

 **Note:** To process insufficient or partially picked items, you can do the following:

- If your warehouse uses bins and the bin has no items, tap **Bin Empty**. You can process another pick task, or select the same one and pick from another bin. If your warehouse does not use bins, tap **No Stock**.
- When you enter a partial quantity for an item, you are redirected to this page to enter the remaining quantity. For lot items, you can also select another lot number.

- a. In the **Enter Quantity** field, enter the number of items you want to pick.
- b. If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
- c. For lot-numbered items, in the **Scan/Enter Lot** field, scan or enter the lot number. If you enter data, tap **Enter Quantity** to proceed.

Alternatively, to select from the Available Lots list, tap the lot number. If the work order contains the lot numbers, the list displays only those numbers.



Tip: For warehouse locations that don't use bins, if you want to view stock locations associated with the item, tap the **Show Stock Locations** toggle.

9. For serialized items, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.



Tip: To view the list of serial numbers, tap the **Show possible serial numbers** toggle. If the work order contains the serial numbers, the list displays only those numbers.

Repeat this step to add more serial numbers. If you entered a partial quantity, you are redirected to the Enter Quantity page. See step 8.

After you have fully picked the item, a confirmation message appears. You can do the following:

- If you have another pick task that you want to process, tap **Next Pick Task**. Return to step 5.
 - For warehouses that use bins, you can process all the pick tasks first, and then stage them using the same bin. You can also stage one or more items in a separate bin. To stage items, proceed to step 10.
10. If your warehouse location uses bins and you want to stage the picked items, tap **Go to Staging**, and then on the Enter Staging Bin page, do one of the following:
 - In the **Scan/Enter Staging Bin** field, scan or enter the number of the staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
 - To select from the list of bins, tap the **Show all bins** toggle, and then tap the bin number.

A message appears to confirm that you have staged the items successfully.

On the associated work order records, you can view the open tasks by going to Inventory > Work Orders > Work Orders > List. NetSuite WMS creates open tasks even for partially picked component items. It creates separate open tasks for any remaining items that you pick at a later time. For more information about work orders, see the help topic [Assembly Work Orders](#).

On item records, you can view the adjusted the stock levels for each component item's inventory detail. The component items' stock level decreases in the source storage bin and increases in the destination work-in-progress (WIP) bin location, in which you can build the assembly item.

To close a work order, you must complete a build that assembles the component items. To build work orders, see [Building Assembly Items for a Work Order](#).

Building Assembly Items for a Work Order

To close a work order, you must complete a build that assembles the component items. Complete the steps below to process work orders for assembly builds on your mobile device.



Note: You must set up a WIP bin location to build assembly items. For more information, see [Creating Bin Locations or Carts](#).

If you use the Lot Auto Numbering SuiteApp, you can activate any of these rules to autogenerate numbers:

- **Autogenerate Lot Numbers?**
- **Autogenerate Serial Numbers?**

When you process an assembly build on the app, you can provide the details for the autogenerated numbers that you specify for the assembly item. To set up system rules, see [System Rules for NetSuite WMS](#).

To build the assembly item for a work order:

1. On your mobile device, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
2. On the Main Menu page, tap **Work Orders**.
3. On the Work Orders page, tap **Build Assembly**.
4. On the Select Work Order page, do one of the following:
 - a. In the **Scan/Enter Work Order #** field, scan or enter the work order number. If you enter the data, tap **Enter Work Order #**.
 - b. To select from the list of work orders, tap the work order number.
5. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you want to build.
 - b. If you use the Inventory Status feature, in the **Inventory Status** field, select the status of the item.
 - c. (Optional) If you have set up mobile printing and want to manually print labels, tap **Print**.



Tip: You can print labels with lot or serial numbers on pages on which you can enter them. See step 6 or step 8, respectively.

For more information about mobile printing, see the help topic [Manually Printing Labels from Your Mobile Device](#).

- d. Tap **Enter Quantity**.
6. If you can autogenerate numbers, on the Autogenerate Number page, do the following:
 - a. Enter the required and optional details that you want to include in each autogenerated number.
 - b. Tap the appropriate **Autogenerate Number** button.
Alternatively, you can tap the more icon, and then tap **Skip** if you don't want to autogenerate numbers for this assembly item..
7. On the Enter Lot page, do the following:
 - a. **Scan/Enter Lot** – If you do not autogenerate numbers, scan or enter the lot number.
For autogenerated numbers, the number appears in the **Autogenerated Number** field instead.
 - b. **Expiry Date** – (Optional) You can enter the expiry date for the lot.
If you entered the expiry date in step 6 for autogenerated lot numbers, you cannot edit it in this field.
 - c. If you want to manually print a label with the lot number, tap **Print**. See the help topic [Manually Printing Labels from Your Mobile Device](#).
 - d. Tap **Enter Lot**.
8. For warehouse locations that use bins, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin number. If you enter the data, tap **Enter Bin** to proceed.
 - To select from the list of bins, tap the **Show all bins** toggle, and then tap the bin number.

9. If you want to build a serialized assembly item, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.

If you autogenerate serial numbers, you can review them on this page.

Repeat this step to enter more serial numbers.



Tip: If you want to manually print a label with the serial number, enter the serial number, and then tap **Print**. See the help topic [Manually Printing Labels from Your Mobile Device](#).

10. If your warehouse location uses bins and you want to stage inventory items, tap **Go to Staging**, and then on the Enter Staging Bin page, do one of the following:
 - In the **Scan/Enter Staging Bin** field, scan or enter the number of the staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
 - To select from the list of bins, tap the **Show all bins** toggle, and then tap the bin number.

A message appears to confirm that you have staged the items successfully.

NetSuite records a completed assembly build on the work order and assigns the work order to Built status. It increases the assembly item's stock level in the storage bin location where you put it away. It also decreases the component items' individual stock levels in the work-in-progress (WIP) bin from which you built the assembly.

Reversing Work Order Picking

When you pick component items on the app, you can reverse those that have not been fully or partially built. You can reverse up to ten work order lines at a time and specific lots. You can reverse picked and staged items in WIP bins. You cannot specify the number of items you want to reverse for each pick task of a work order.

A reversal returns the component items to the bins from which they were picked. However, if you activate the **Choose bins for reversed pick task items** rule, you can select a different bin. You can place the reversed items in a temporary bin, and then perform a transfer to move them to their storage bins.

The same behavior applies if you can block bins. When you reverse picking, the app returns items to a blocked bin unless you can choose the bin. For more information about bin blocking, see [Managing Bins Blocked from Order Picking](#).

After you complete a reversal, the app updates the details of the associated work order. Reversals of over-picked tasks do not increase the quantity of affected work order lines.

To reverse work order picking:

1. Access work order reversal by doing the following:
 - a. On the WMS app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu, tap **Work Orders**.
 - c. On the Work Orders menu, tap **Reverse Picks**.

The Select Work Order page appears.

2. In the **Scan/Enter Work Order #** field, scan or enter the work order number. If you enter the data, tap **Enter Work Order #**.
3. On the Select Pick Task Lines page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item associated with the pick task you want to reverse. If you enter the data, tap **Reverse**.

- To select up to ten pick tasks, from the items list, check the box next to the items and then tap **Reverse**.
- 4. If you can choose bins for reversed items, on the Enter Bin page, do either of the following:
 - In the **Scan/Enter Bin** field, you can scan or enter a bin. If you enter the data, tap **Enter Bin** to proceed.
 - From the **Original Bin** field, you can tap the bin from which the item has been picked.

On the Pick Reversal Complete page, you can view the details of the reversed pick task items.

The app automatically creates a bin transfer with details of the reversal. You can view the updates on the associated work order.

Picking Items for Vendor Returns

On the mobile app, you can record the details of items in your location that you want to pick and return to vendors. You can fully or partially pick items from Vendor Returns type of bins. After you pick and stage the items, the app automatically generates the item fulfillment.

To create Vendor Returns bins, see [Creating Bin Locations or Carts](#).

Note the following settings that may affect vendor returns processing on the app:

- When you create Vendor Returns bin types, the location, zone, and sequence number settings affect which and how NetSuite WMS recommends bins for picking.
- You can create pick strategies for a location to filter out Vendor Returns bin types that you can pick from. They may also affect the bin that appears in the Recommended Bin field. For more information, see [Defining Pick Strategies](#).
- On vendor return authorizations, you can view the quantity of items available in Vendor Returns bins. If you have items for return contained in other bins, you can transfer them into Vendor Returns bins.
- Item fulfillment creation for vendor returns follows your preference, as described in this topic, [Setting Warehouse Management Preferences](#).

To pick items for vendor returns:

1. Access vendor returns by doing the following:
 - a. On the mobile app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Vendor Returns**.
2. On the Enter Vendor Return # page, do one of the following:
 - In the **Scan/Enter Vendor Return # or Item** field, scan or enter the vendor return authorization number or item. If you enter the data, tap **Enter Vendor Return or Item**.
Item details that you can scan or enter include the name, item number, item alias, or UPC.
 - To select from the list of transactions, tap **Select Vendor Return # From List**, and then tap the transaction you want to process.



Tip: If you do not find the vendor return from the list, you can search by vendor name by tapping the search icon.

- To search for a transaction, tap one of the following: **Find Vendor Return # By Vendor**, **Find PO by Item**, or **Find Vendor Return # by Item**.
- 3. On the Select Pick Task page, do one of the following:



Tip: The pick task table includes the Picked column that you can display to view the number of picked items from partially processed tasks. You can also tap the **Show Completed** toggle to view pick task lines with fully picked items.

- Select the item associated with the pick task line from the vendor return.
- If you are redirected to this page and you want to stage partially picked items, tap **Go To Staging**. Proceed to step 7.
- 4. On the Enter Bin page, do one of the following to select a Vendor Returns bin that contains the item:
 - In the **Scan/Enter Bin** field, scan or enter the bin name. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field, tap the bin.
 - Tap the **Show all bins** toggle, and then select one from the list.
- 5. For regular and serialized items, on the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, number, or UPC. If you enter the data, tap Enter Item to proceed.
 - In the **Item to Pick field**, tap the item.
- 6. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you want to pick.
Alternatively, if you activate the Tally Scanning rule, you can scan each item until you reach the quantity you want to pick. For lot items, you can scan the lot number or select it from the Available Lots list
 - b. Optionally, you can change the values in the following fields depending on the features you use: unit and **Inventory Status**.
 - c. To proceed, tap one of the following buttons:
 - If the Vendor Returns bin does not have available items for picking, you can tap **Bin Empty**. This option redirects you to the Select Pick Task page on which you can stage the partially picked items. Return to step 3.
 - To save the quantity, tap **Enter Quantity**.
- 7. For serialized items, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.
- 8. On the Pick Task Complete page, you can view the details of the picked item. Then, tap one of the following buttons:
 - **Go to Staging** – Tap this button to stage all the picked items in the same bin
 - **Next Pick Task** – Tap this button to process other pick tasks before you stage them altogether in the same bin.
- 9. On the Enter Staging Bin page, to choose a staging bin, do one of the following:
 - In the **Scan/Enter Staging Bin** field, scan or enter the outbound staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
 - From the list of staging bins, tap a bin.

On the Staging Complete page, you can view the details of the picked and staged items. To continue processing vendor returns, tap any of the following buttons:

- **Next Pick Task**– Tap this button to process other pick tasks from the same vendor return. You can stage the other picked items in a different bin.

- **Next Vendor Return** – Tap this button to process another vendor return.

After you stage one or more pick tasks at the same time, the app generates an item fulfillment. It creates additional item fulfillments for each pick task that you stage separately.

Replenishment

For warehouse locations that use bins, you can replenish inventory at the item level or at the bin level. If you want to drive replenishment based on an item's stocked quantity, you can do so manually using a replenishment report. If you want to drive replenishment based on a primary bin's stocked quantity, you can do so using a workflow generated from a replenishment plan.

Replenishing Inventory Using a Replenishment Report

You can manually determine the required replenishment for an item using a replenishment report. First, set replenishment quantities on your item records and then access the replenishment report showing the current inventory for items in your warehouse. The report shows a list of items and their quantities per bin location, including the replenishment quantities set on their item records.

Using the Warehouse role, you can access a replenishment report by going to Reports > Inventory/Items > WMS Replen Items Details.

For more information about setting replenishment quantities on items records, see [Creating Items for NetSuite WMS](#).

Replenishing Inventory Using a Replenishment Plan

NetSuite WMS supports inventory replenishment for items' primary bins. First, set replenishment quantities on your primary bin records and then generate replenishment plans. When you assign the resulting replenishment tasks, the assigned users complete and track the tasks using mobile devices.

The following replenishment fields appear on the bin record and are used to calculate when replenishment tasks are required to restock items in the bin:

- **WMS Replen Min Qty** – the minimum quantity of an item a bin should contain before it should be replenished.
- **WMS Replen Max Qty** – the maximum quantity of an item a bin can contain after you replenish it.
- **WMS Replen Qty** – the default quantity of an item to be used for replenishment tasks.
- **WMS Replen Round Qty** – the multiple to which the required replenishment quantity should be rounded down to determine the required number of replenishment tasks.

When an item's on-hand quantity in a bin is less than the quantity set in the WMS Replen Min Qty field, NetSuite WMS generates replenishment tasks. NetSuite WMS generates the required replenishment tasks based on the quantities set on the bin record. For example, consider a bin record with an on-hand quantity of 15 and the following replenishment quantities:

- WMS Replen Min Qty = 20
- WMS Replen Max Qty = 180
- WMS Replen Qty = 50
- WMS Replen Round Qty = 10

NetSuite WMS calculates a required quantity of 165 as the difference between the maximum quantity and the on-hand quantity. Because the round quantity is set to a multiple of 10, the system rounds the required quantity down to 160. The system creates a replenishment task for each multiple of the replenishment quantity and for the round quantity to equal the required quantity. The following are the four created tasks with their associated quantities:

- Task 1 = 50
- Task 2 = 50
- Task 3 = 50
- Task 4 = 10

For more information about setting replenishment quantities on your primary bin records, see [Creating Bin Locations or Carts](#).

Generating Replenishment Plans

Before you can replenish a primary bin location, you must first generate a replenishment plan. When you generate a replenishment plan, you create replenishment tasks to determine how many items should be moved from the bulk storage bin location to the primary bin location. Use the Generate Replenishment page to search for bins that require replenishment according to the logic described in [Replenishing Inventory Using a Replenishment Plan](#). Based on the search criteria you define on this page, NetSuite WMS generates the required tasks and you can optionally assign them to specified users. If a replenishment task is assigned to a user, that task appears on that user's mobile device only.

If you want to create schedules for a bin replenishment instead of generating plans manually, see [Scheduling Bin Replenishments](#).

To generate a replenishment plan:

1. Log in to your NetSuite WMS account using the Warehouse role.
2. Go to Inventory > Replenishment > Generate Replenishment.
3. In the **Location** field, select your warehouse location.
4. If necessary, make selections in one or more of the Item Classification, Item Family, Item Group, and Item fields, depending on the items you want to appear in your search results.
5. Click **Display**.
6. Check the box in the **Confirm** column next to each item you want to replenish.
7. If you want to assign the selected replenishment tasks to a specific user, select their name in the **Assigned To** field.

If you assign a replenishment task to a user, that task appears on that user's mobile device only.

8. Click **Generate & Release**.

Scheduling Bin Replenishments

You can create a schedule for automatically generating bin replenishment tasks. You can specify when and how often you want to run the schedule. NetSuite WMS notifies you about the results through email addresses that you provide.

You can limit the items you want to include by setting filters on a schedule. You can also provide a saved search that returns the list of items you want to replenish based on predefined filtering criteria.

If you want to run your custom schedule and deploy your script, see the help topic [Methods of Deploying a Script](#).

To schedule bin replenishments:

1. Using the WMS Warehouse Manager role, go to WMS Inventory > Bin Replenishment > Schedule Bin Replenishment > New.
2. On the WMS Bin Replenishment Schedule page, enter basic details in the following fields:
 - **Name** – Enter a unique name for the replenishment schedule.
 - **Location** – Select a warehouse location of the bins you want to replenish.
3. In the Items section, you can specify the items in bins you want to replenish by doing one of the following:
 - **Item** – Select one or more items you want to include in the schedule.
 - **Saved Search** and **Saved Search Column** – Instead of specifying items, you can select a saved search that provides the list of items. You must also select the specific column that provides the item names or numbers from the saved search.
4. Optionally, if you do not provide a saved search, you can add the following filters to further narrow down the items:
 - **Item Classification** – Select one of the following inventory classification or velocity codes assigned to the items: **A**, **B**, or **C**.
 - **Item Family** – Select the name of the item family to which the items belong.
 - **Item Group** – Select the name of the item group to which the items belong.
5. In the Replenishment Schedule section, specify when and how often you want to run the schedule:
 - **Frequency** – Select the option that corresponds to how often you want to run the schedule within the day.
 - **Day of Week** – Select the day or select **Every Day** to specify when you want to run the schedule within each week.
 - **Run Time Start** – Enter the time within the day you want to start the schedule.
 - **Run Time End** – Enter the time within the day you want to end the schedule.
 - **Assigned To** – Select the name of the warehouse operator you want to assign to the replenishment tasks generated from the schedule.
6. In the Email Notification section, you can enter email addresses for the following notifications:
 - **Email Address for Failed Status** – Enter the email address to which you want to send notifications for failed runs. You can use a colon : to separate multiple addresses.
Note that failures include cases where you have no preferred bins that need to be replenished
 - **Email Address for Success Status** – Enter the email address to which you want to send notifications for successful runs. You can use a colon : to separate multiple addresses.
7. Click **Save**.

On the **WMS Open Task** subtab, you can view the details of a scheduled run and the replenishment tasks. You can process each task on the mobile app. For instructions, see [Replenishing Primary Bin Locations](#).

Replenishing Primary Bin Locations

To replenish bins, you access the replenishment task information from the Inventory menu on mobile devices. After you complete replenishment tasks, you must confirm that they have been completed.

When you use a mobile device to confirm replenishment tasks, you confirm the tasks in real time as you complete the replenishment tasks in the bin locations.

To replenish a primary bin location:

1. On your mobile device, tap the menu icon at the top-left corner of the screen.
2. Tap **Main Menu**.
3. On the Main Menu page, tap **Inventory**.
4. On the Inventory page, tap **Replenishment**.
5. On the Select Replenishment Tasks page, tap a task hyperlink.
6. On the Enter Bin page, in the **Scan/Enter Bin** field, scan or enter the source bin location for the first item you are replenishing and tap **Enter Bin**.
You can also tap the bin hyperlink in the **Recommended Bin** field.
7. On the Enter Item page, in the **Scan/Enter Bin** field, scan or enter the first item you are replenishing and tap **Enter Item**.
You can also tap the item hyperlink in the **Item to Replenish** field.
8. On the Enter Quantity page, in the **Enter Quantity** field, enter the quantity of the item you are moving from the source bin location.
The **Quantity to Move** field displays the recommended quantity.
9. If you use Mobile Printing, tap **Print** to print or save the item label. For detailed instructions, see the help topic [Label Printing and Reprinting](#).
10. If necessary, tap **Enter Quantity**.
11. If you are replenishing a lot numbered item, on the Enter Lot page, scan or enter the lot number and enter quantity of the item you counted in the lot. Tap **Enter Quantity**. Repeat this step for lot number you are replenishing.
12. If you are replenishing a serialized item, on the Enter Serial Numbers page, scan or enter the serial number for the unit of the item you are replenishing.
13. If necessary, tap **Enter Serial Number**. Repeat this step for each unit of the serialized item you are replenishing.
The Serial Numbers Entered field shows the number of serial numbers you have entered of the total number of expected serial numbers. For example, if you are counting five serial numbers and you have entered two serial numbers, the field displays 2 of 5.
14. On the Enter To Bin page, do one of the following:
 - In the **Scan/Enter To Bin** field, scan or enter the destination bin location to which you are transferring the item. Tap **Enter To Bin**.
 - Tap the hyperlink for the destination bin.
15. Repeat the necessary steps to replenish the remaining items in the replenishment plan.

Replenishing via Carts

If you use carts, you can place multiple items for replenishment onto them before you put the items away for storage. During the putaway process, you have the option to transfer all the new items into the same storage bin.

To set up carts, see [Creating Bin Locations or Carts](#).

To replenish via carts:

1. On mobile app, access the replenishment process by doing the following:
 - a. Tap the menu icon at the top-left corner of the screen.
 - b. Tap **Main Menu**.
 - c. On the Main Menu page, tap **Inventory**.
 - d. On the Inventory page, tap **Replenishment via Cart**.
2. On the Enter Cart page, in the **Scan/Enter Cart** field, scan or enter the cart name or number. If you enter the data, tap **Enter Cart** to proceed.



Tip: If you enter a cart that already contains replenishment items, you are redirected to the Cart Details page. See step 8.

Alternatively, from the Carts list, you can tap an empty cart.

3. On the Select Replenishment Tasks page, do either of the following:
 - Tap the item associated with the replenishment task you want to process.
 - If you are redirected to this page after processing one or more tasks, you can tap **Putaway** to proceed. See step 8.

You can tap the Show Completed toggle to display and review the list of tasks you have processed. This list does not include replenishment items that you have already put away.
 4. On the Enter From Bin page, in the **Scan/Enter Bin** field, scan or enter the source bin location for the item you want to replenish. If you enter the data, tap **Enter Bin to proceed**.
- Alternatively, in the **Recommended Bin** field or from the bins list, you can tap the bin.
5. On the Enter Item page, in the **Scan/Enter Bin** field, scan or enter the item you want to replenish. If you enter the data, tap **Enter Item** to proceed.
- Alternatively, in the **Item to Replenish** field, tap the item name or number.
6. On the Enter Quantity page, do the following:
 - a. In the **Enter Quantity** field, enter the number of items you want to remove from the source bin. For lot items, you can enter the total quantity for each lot number.



Tip: If you are redirected to this page during the putaway process, you can enter the number of items you to store in the destination bin.

The **Quantity to Move** field displays the remaining replenishment quantity for the task.

- b. (Optional) If the item uses multiple units, select the unit, other than the default base unit, for the quantity you have entered.
 - c. (Optional) If the item has multiple inventory statuses, in the **Inventory Status** field, select a status.
 - d. For lot items, in the **Scan/Enter Lot** field, scan or enter the lot number.
- Alternatively, from the list, tap the lot number.
- e. Tap **Enter Quantity**.
- Based on the value in **Quantity to Move** field, if you have remaining quantity to replenish, you are redirected to the same page. You can repeat from step 6a. Otherwise, if you have no available items in the source bin, tap **No Quantity**. You can proceed to step 8.
- If you have no remaining quantity to replenish, you are redirected to the Select Replenishment Tasks page. Return to step 3.
7. For serialized items, on the Enter Serial Number page, in the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed.

 **Tip:** From the Available Serial Numbers list, you can copy a number and paste it into the field. In the **Serial Numbers Entered** field, you can view the quantity of remaining serial numbers that you must enter.

8. To proceed to item putaway, on the Cart Details page, do any of the following:
 - In the **Scan/Enter To Bin or Item** field, scan or enter the destination bin or the item. If you enter the data, tap **Enter Item/Bin** to proceed.
Alternatively, from the Items on Cart list, you can tap the item or destination bin.
 - If you want to add other items to the cart, tap **Add Item**. Return to step 3.
 9. Depending on your entry in the previous step, do either of the following procedures to enter the item or storage bin:
 - On the Enter To Bin page, in the **Scan/Enter To Bin** field, scan or enter the storage bin. If you enter the data, tap **Enter Bin**.
Alternatively, in the **Expected Bin** field, tap the storage bin.
 - On the Enter Item page, in the **Scan/Enter Item** field, scan or enter the item from the cart. If you enter the data tap **Enter Item** to proceed.
Alternatively, to put away all the items from the cart to the same bin, tap **Transfer All**. You can skip step 10.
 10. After you enter both the item and bin, depending on the item type, do one of the following:
 - For regular inventory items, on the Enter Quantity page, you can enter the number of items to store in the bin. Return to step 6.
 - For lot items, on the Enter Lot page, you can enter or select the lot number. Return to step 6 to enter the quantity.
Alternatively, to put away all the lot numbers from the cart to the same bin, tap **Transfer All**.
 - For serialized items, on the Enter Serial Number page, you can scan or enter each serial number. If you want to put away all the serial numbers from the cart to the same bin, tap **Transfer All**.
- After you put away the items for a replenishment task, the confirmation page appears. If you want to put away another item, tap **Next Transfer**.

Changing the Inventory Status of Items

If you use the Inventory Status feature, you can change the status of items using your mobile device. For warehouses with bins, you can change the status of items in specific bins.

Make sure that you have configured the inventory statuses that you want to assign to your items. See the help topic [Creating Inventory Status Records](#).

To change the inventory status of an item:

1. On the Main Menu page, tap **Inventory**.
2. On the Inventory page, tap **Change Inventory Status**.
3. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name, UPC, or item alias. If you enter the data, tap **Enter Item** to proceed.
 - To search for the item you want to update, tap **Find Item**.

4. For warehouses with bins, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin that contains the item. If you enter the data, tap **Enter Bin** to proceed.
 - From the list of bins, tap the bin you want to select.
5. For lot items, on the Enter Lot page, do one of the following:
 - In the **Scan/Enter Lot** field, scan or enter the lot number. If you enter the data, tap **Enter Lot** to proceed.
 - From the list of lot numbers, tap the number you want to select.
6. On the Enter Quantity page, do the following:
 - a. In the **Revised Status** field, select the new inventory status of the item.
 - b. In the **Enter Quantity** field, enter the quantity of the item to which you want to assign the new inventory status.
 - c. (Optional) If the item is associated with multiple units, in the field beside the Enter Quantity field, you can select a unit.
 - d. Tap **Enter Quantity**.
7. For serialized items, on the Enter Serial Numbers page, in the **Scan/Enter Serial Number** field, scan or enter the serial number of the item. If you enter the data, tap **Enter Serial Number** to proceed.

Repeat this step to enter all the serial numbers for the total quantity of items you want to update.

On item records, you can view the inventory status of the item.

Outbound Processing

Outbound processing involves releasing orders that you want to process for shipping out of a warehouse. Fulfillment processing of released orders include picking, packing, and shipping items. You can process orders for both warehouses that use bins and don't use bins.

Depending on your shipping processes, the tasks you complete to fulfill orders may vary. NetSuite WMS provides capabilities to perform outbound processing tasks on the app and some within the NetSuite UI.

The following topics describe outbound processing through NetSuite WMS:

- [Fulfilling Released Orders](#)
- [Releasing Orders to the Warehouse](#)
- [Picking Orders](#)
- [Packing Orders](#)
- [Shipping Orders](#)

Fulfilling Released Orders

You may pick, pack, and ship items out of your warehouse for the following reasons

- To send items customers have ordered – You ship sales order items to a customer to complete a sale.
- To send items you want to transfer to other warehouse locations – You ship transfer order items to your company's various warehouse locations.

Fulfillment is based on items that you add to sales order or transfer order transactions. Depending on your business process, when you submit or approve an order, NetSuite fully or partially commits items to that order. Then, you create item fulfillment records when you start picking committed items for an order. On these transactions and records, you can track the sale, transfer, and shipment of items out of your warehouse. For more information about order fulfillment, see the help topic [Order Fulfillment Overview](#).

Using NetSuite WMS, you can include the committed items in wave transactions and release them to the warehouse. Released orders in a wave can be processed by pickers to begin fulfillment through the app. After committed quantities of items are fully picked, item fulfillments are created automatically with details submitted by the app. Based on your fulfillment creation preference, NetSuite WMS generates item fulfillments per order, per order line, or per order in a wave. You can track picking and fulfillment generation on waves and pick task records. For partially picked orders that you want to ship, you must manually create the item fulfillment. For more information about fulfillment creation preferences, see [Setting Warehouse Management Preferences](#).

See the following topics about item fulfillments for released orders:

- [Posting Item Fulfillments for Partially Picked Orders](#)
- [Viewing the Status of Fulfillment Generation](#)
- [Viewing and Handling Fulfillment Generation Failures](#)

NetSuite WMS recognizes and lets you process only transactions that meet the following conditions:

- All orders must be approved, whether automatically or manually.
- Orders that appear on the app have a warehouse location that matches the one you select on the app. You can specify the warehouse location on the app to process orders from that location.
- Sales orders and transfer orders must have the Pending Fulfillment or Partially Fulfilled/Pending Billing status.

To view additional conditions and limitations for orders that you can release through wave transactions, see [Releasing Orders to the Warehouse](#).

Viewing the Status of Fulfillment Generation

NetSuite WMS generates item fulfillments for orders that you release in wave transactions. To track released orders picked through the app, it uses pick task subrecords generated for each wave. On the app, warehouse operators can access these pick tasks to determine the items and quantities they need to pick. After they complete one or more pick tasks, NetSuite WMS generates the fulfillment records. On fulfillment records, it adds details of the picked items, which include quantities, lot or serial numbers, inventory statuses, and bins. It also updates associated sales or transfer orders with the picked quantity.

For more information about picking and staging of released orders, see [Releasing Orders to the Warehouse](#) or [Picking Orders](#).

Pick task reversal for orders or quantities that have not been shipped may also generate fulfillments automatically. For more information, see [Pick Task Reversal](#).

Note the following settings, rules, and preferences that affect fulfillment generation:

- To determine whether to create fulfillments for orders, order lines, or released orders, NetSuite WMS follows your setting for the **Create Item Fulfillment at Locations Using Warehouse Management** preference.
- By default, newly generated fulfillments are assigned the **Picked** status. If you inactivate the **Manually pack orders?** system rule, it assigns the **Packed** status instead.
- For warehouse locations that use bins, pick tasks are completed after the staging of picked items in outbound staging bins. On fulfillment records, the inventory detail shows each staging bin and the quantity transferred to it from the picking bin.
- Fulfillment generation times may vary depending on the number of orders, order lines, or pick task line. For warehouse locations that use bins, it may also depend on your setting if you activate the **Enable bulk staging of large pick tasks** system rule.

See how the following features affect fulfillment generation for released orders:

- **Fulfillment creation with Multiple Shipping Routes**
If you use the Multiple Shipping Routes feature and generate fulfillments per order, you can create a fulfillment record for each shipping route. Warehouse operators can pick, pack, and ship orders for items in the same shipping route. For more information, see the help topic [Multiple Shipping Routes](#).
- **Fulfillment creation with Intercompany Cross-Subsidiary Fulfillments**
When you process cross-subsidiary fulfillments for released orders, you create separate waves for an order according to the inventory location on the line items. In the same way, you generate separate item fulfillments for these orders, depending on your fulfillment creation preference. The Per Order preference consolidates the line items for each order in a released wave. For more information, see the help topic [Intercompany Cross-Subsidiary Fulfillment](#).

Users with the Administrator role can view the status of item fulfillment generation.

To view the status of fulfillment generation:

1. Go to Setup > Company > Company Management > Bulk Processing Status List.
2. On the Process Status page, you can expand Filters and in the **Process Type** field, select **Order Release Fulfillment**.
This filter displays the fulfillment creation jobs in your queue.
3. Click **Refresh** to get the latest status of the jobs in the list.

For more information, see the help topic [Searching Bulk Processing Jobs](#).

4. On the Process Status list, you can do the following:
 - To view the results for each pick task line, you can click the status link in the **Submission Status** column.
The list displays the status for each line, including any processing errors or the fulfillment record link for the successfully completed lines.
 - To view the errors for a job, you can click the error link in the **Message** column.
5. To view the results of fulfillment generation, you can click the status link for a job.
The list shows you the status and result for each pick task line included in the job. It also displays any processing errors or the fulfillment record link for successfully completed pick task lines.

Alternatively, on a pick task subrecord, you can also access the link to a generated fulfillment record for each pick task line. To open a pick task, you can go to Transactions > Inventory > View Pick Tasks. You can also view any failures encountered and retry or override fulfillment generation. Pick task lines with failures display the Failed status.

If you want to view a list of pick task lines along with failures, see [Viewing, Updating, or Deleting Pick Tasks](#).

For more information about fulfillment generation failures, see [Viewing and Handling Fulfillment Generation Failures](#).

For more information about preferences, system rules, and statuses, see the following topics:

- [Setting Warehouse Management Preferences](#)
- [System Rules for NetSuite WMS](#)
- [Monitoring the Status of Released Orders](#)

Viewing and Handling Fulfillment Generation Failures

On a pick task subrecord, you can view failures that may occur because of inventory changes or order updates that coincide with item fulfillment generation. Issues may also occur when released orders are fulfilled directly from an order transaction or when item fulfillments are manually created outside of the wave.

Instead of viewing pick tasks one at a time, you can create a pick task saved search. The results of this saved search includes a list of pick task lines with quantities, status, and failures. For more information, see [Viewing, Updating, or Deleting Pick Tasks](#).

On pick task lines with failed fulfillments, you can view the failure reason and handle the errors accordingly. You have the following options to handle fulfillment creation failures:

- **Retry Updates** to try to generate the item fulfillment again after you resolve issues described on the failed lines.
- **Override Fulfillment Creation** to cancel fulfillment generation through the pick task and directly create one from the order or through bulk fulfillment. .
- **Reverse Picks** to return picked quantities, which sets the pick task line to **Done** status.

To view issues for a fulfillment generation job, see [Viewing the Status of Fulfillment Generation](#).

If you have bins with insufficient quantity, you can look for related transactions for the same item that may affect available quantity in a bin. For information about managing inventory levels, see the help topics [Assessing Stock Levels](#) and [Reviewing Negative Inventory](#).

For more information, see the following topics:

- [Deleting Waves and Handling Wave Issues](#)
- [Viewing Pick Task Generation Failures](#)
- [Pick Task Reversal](#)

Posting Item Fulfillments for Partially Picked Orders

When processing pick tasks for released orders, you can mark open picks as done and post item fulfillment records for partially picked orders. You can post item fulfillments for the picked and staged items for an order when the other items cannot be picked due to insufficient inventory. You first search for partially picked orders and then select the orders for which you want to post item fulfillments. For more information about picking orders, see [Picking Orders](#).

[WMS Mark Open Picks Done](#)

Item fulfillment creation for partially picked orders follows your Per Order or Per Order Line preference. If you use the Per Order setting, you generate fulfillments after you have marked done all partially picked orders and those that have not been started. Fulfillment records do not include pick tasks that have not been started, which have no picked quantity. For more information about the fulfillment preference, see [Setting Warehouse Management Preferences](#).

To post an item fulfillment for partially picked orders:

1. Log in to your NetSuite WMS account using the Warehouse role.
2. Go to Shipping > Picking > Mark Open Picks Done.



Important: Do not use the menu option at Shipping > Post Item Fulfillment > Partially-Picked Orders.

3. In the **Location** field, select your warehouse location.
4. In the **Transaction Type** field, select whether you want to include sales orders or transfer orders on the item fulfillment.
5. Depending on which orders you want to include in the search results, set any of the filters in the Pick Task Details section:
 - **Wave #** - Enter the number of the wave used to release the orders or open picks.
 - **Transaction #** - Enter the transaction number of the sales or transfer order.
 - **Item** - Select the item for the released orders or open picks.
 - **Customer** - For sales orders, select the individual customer or company name.
 - **Ship Date** - Enter the ship date for the orders.
 - **Ship Method** - Select the ship method for the orders.
 - **Task Assigned To** - Select the name of the picker or warehouse operator assigned to the open picks.
6. Click **Display**.
The **Picking** subtab displays the list of partially completed pick tasks or those in Started status. The list includes pick tasks in Ready status, which have not been started or with no picked quantity.
7. In the **Mark Done** column, check the box next to each pick you want to mark done and include in the item fulfillments.



Note: For pick tasks not started or in Ready status, you can mark them done without creating or including them in item fulfillments because they have no picked quantity.

8. Click **Submit**.

To view the generated item fulfillments, go to Shipping > Shipping > Fulfill Orders > List. For information about item fulfillment creation, see [Viewing the Status of Fulfillment Generation](#).

Releasing Orders to the Warehouse

Releasing orders to the warehouse initiates the outbound processing of orders for fulfillment using wave transactions. It enables you to select and prioritize the orders or order lines you want to include in a wave. When you release a wave, the orders become available for picking or staging through the mobile app.

NetSuite WMS provides the following options for releasing orders:

- [Creating Wave Transactions](#)
- [Creating a Wave Release Schedule](#)
- Picking of unreleased single orders – When you pick an unreleased order through the app, NetSuite WMS automatically generates the wave and its pick tasks. See [Picking Items for Single Orders](#).
- [Re-releasing Lines with Backorders](#)

You can apply pick decomposition when you create or generate waves for release. For more information, see [Pick Task Decomposition](#).

Watch the following video on creating waves with orders for release to the warehouse:

 [WMS Releasing Orders to the Warehouse](#)


NetSuite WMS provides the following records for order release:

- **Wave** – Wave transactions contain the list of orders you want to release and their associated pick tasks. For more information, see [Creating Wave Transactions](#).
- **Pick Task** – Pick task subrecords display picking details, including quantity, status, and pick assignment. It records picking details gathered through a mobile device.

You can generate pick task subrecords only from wave transactions. For more information, see [Pick Task Assignment](#).

You can set preferences to apply default settings on waves that you create and their generated pick tasks. See [Setting Warehouse Management Preferences](#).

The following diagram illustrates the sequence of tasks involved when you release orders to a warehouse that uses bins:



In a sample scenario, you create a wave with orders to be delivered by a shipping provider along a specific route. Narrow down the list of orders based on priority or ship date. From a wave, NetSuite WMS

generates the pick tasks, which you can assign to warehouse operators or pickers. You can manage both the list of orders for release and pick tasks on a wave transaction.

Pickers that you assign to one or more tasks can update the picked quantity on the mobile app. Any picker can access and process unassigned pick tasks. Based on pick task updates, NetSuite WMS updates the status of the associated wave. It also generates items fulfillments for completed pick tasks. On both wave transactions and pick task subrecords, you can track the progress as soon as you release the orders to the warehouse.

Supported Transactions and Item Types for NetSuite WMS

To include orders in wave transactions, make sure they meet the following conditions for transactions and item types:

- Sales or transfer order transactions must be unfulfilled.
- Orders must have fully or partially committed line items not included in any active waves.
This condition doesn't apply to non-inventory items, which can't be committed.
- Items must belong to the following supported item types:
 - Inventory and assembly items, including, matrix, lot numbered, and serialized items
 - Kit/package items, including kits with kit components
 - Service and non-inventory items (for sale and for resale only)



Note: To release and fulfill orders for these item types, you must enable the **Can be Fulfilled/Received** setting on the item record. For more information about creating fulfillable items, see the help topic [Entering Preferences on Item Records](#) or [Fulfilling Inventory](#).

- Item groups
- Orders or line items must be associated with a warehouse location.
By default, NetSuite WMS filters transactions to include in a wave using the location in the header for sales orders and the from location for transfer orders. For information about creating warehouse locations, see [Creating Warehouse Locations](#).

See [Creating Wave Transactions](#) to learn how specific preferences affect the orders that you can release to the warehouse. For more information about items, see the help topic [Item Types](#).

NetSuite WMS Limitations

Note the following limitations for waves and releasing orders to the warehouse:

- You can create waves only for sales and transfer order transactions.
- The following preferences or settings do not apply when fulfilling released orders:
 - **Fulfill Based on Commitment** – Non-committed item quantities can't be included in waves. Using NetSuite WMS, you can release and fulfill only fully or partially committed items. See the help topic [Fulfillment](#).
 - **Allow Overage on Item Fulfillments** – For released orders, you can't pick more than the quantity on the pick task. See [Picking Orders](#).
 - **Use Item Cost as Transfer Cost** – Even with this preference enabled for transfer orders, you can still release and fulfill partially committed items. For more information, see the help topic [Transfer Order Preferences](#).

- Sorting of picks through FIFO (first in, first out) and LIFO (last in, first out) are both not supported. For more information, see [Pick Task Sorting and Recommended Bins](#).
- Refer to other limitations and conditions in the following topics: [Creating Wave Transactions](#) and [Creating Custom Wave Criteria Templates](#).

Pick Task Decomposition

Pick task decomposition enables picking in multiple larger units than the one used on the order transaction. Before you create or generate a wave, check the **Apply Pick Decomposition** box to enable it. If you want to automatically check this box for all waves, you can set the **Allow Pick Decomposition for Waves** preference. To set up units and preferences for pick decomposition, see [Setting Up Units for Pick Decomposition](#) or [Setting Warehouse Management Preferences](#).

 **Note:** On the app, the pick decomposition option becomes available for single unreleased orders when you activate the rule, **Provide wave status selection for unreleased orders**. See [Picking Items for Single Orders](#).

Pick task decomposition applies to inventory items only, including lot and assembly item types only. Kit, serialized, and non-inventory items included in a wave do not get decomposed even with pick decomposition enabled.

Pick decomposition follows the standard inventory tracking using base and stocking units. It doesn't enable inventory tracking using other or additional units that you may set up for it. For more information about inventory tracking, see the help topic [Item Settings and Stock Levels for Multi-Locations](#).

NetSuite WMS applies pick decomposition when it generates pick tasks for a new wave. From the units that you set up, it looks for units larger than the one on order lines included in the wave. It breaks down item quantities per order line based on the conversion rate for any of the applicable units. It creates a pick task only for each unit used in pick decomposition. It doesn't decompose quantities that cannot be converted into a larger unit. Then, it follows your Picking Type setting to determine whether multiple orders can be combined in a single pick task.

If you enable the Pick Per Quantity setting for the unit, it creates separate pick tasks with one quantity each. For quantities that cannot be picked per quantity, NetSuite WMS applies pick decomposition whenever possible. For more information, see [Setting Up Units for Pick Decomposition](#).

Pick Decomposition and Order Picking Types

Pick decomposition applies to both locations that use and don't use bins. See how it generates pick tasks for 2 orders using different picking types in the following examples:

Conversion rate: 6 pieces = 1 case

Available quantity = 100 pieces

Example 1: Pick tasks for single order picking type:

- Order #101 with 24 pieces – Pick task #001 with 4 cases
- Order #102 with 35 pieces – Pick task #002 with 5 cases and pick task #003 with 5 pieces

Example 2: Pick tasks for multiple order or bulk order picking type:

- Item A from Orders #101 and #102 – Pick task #001 with 9 cases and pick task #002 with 5 pieces
- For these picking types, NetSuite WMS decomposes each order before it combines quantities for the same unit in a single pick task.

Example 3: Pick tasks for multiple order with case unit set to Pick Per Quantity:

- Item A from Orders #101 and #102 – Pick tasks #001 to #009 with 1 case each and pick task #010 with 5 pieces

Pick decomposition doesn't alter the rest of the process flow and conditions for creating waves, pick tasks, and fulfillments. Note the following guidelines:

- It considers the available quantity in bins and may recommend different bins across the decomposed pick tasks for an item.
For locations and items with no bins, even without identifying bins that contain the item, quantities can be decomposed based on units.
- A lot number may appear in separate pick tasks based on the units used in pick decomposition.
- NetSuite WMS considers the unit on pick strategies that you create, which may affect the results of a pick decomposition. To recommend a bin, it looks at the available quantity only in bins that may be filtered through an applicable strategy. See [Defining Pick Strategies](#) or [Recommended Bins and Pick Strategies for Pick Decomposition](#).
- Item fulfillments show the total quantities per line following the order transaction's unit. You can view the quantity on each decomposed pick task in the inventory details. You might see decimal values depending on the conversion rate for each unit used.

Recommended Bins and Pick Strategies for Pick Decomposition

You can create bins for zones where you pick quantities to fulfill the large units that you set up for pick decomposition. Even if you create bins used to physically store items in different units, note that inventory tracking in your NetSuite account uses only base or stock units. You can define pick strategies to drive picking to those zones that contain the bins. To recommend bins for picking, pick decomposition considers your pick strategies and applies the standard bin sorting. For more information, see [Pick Task Sorting and Recommended Bins](#) or [Defining Pick Strategies](#).

For example, you set up the base unit, piece, and a larger unit, case for pick decomposition. You have 2 picking bin types that contain the same Item A. You might physically store items in Picking Bin B1 in cases and create a zone record for this bin. However, on the item record, you can view inventory quantities in pieces only, unless you set your stock unit to case. See how recommended bins vary whether or not you create a pick strategy with additional filters for the item, case unit, and zone.

Conversion rate: 6 pieces (base) = 1 case (larger unit)

Single order picking wave with 2 orders of Item A

Picking bins with available quantity:

- Picking Bin B1 with available quantity of 72 pieces (or 12 cases)
- Picking Bin B2 with available quantity of 100 pieces

Example 1: With no pick strategy and no zone assignment

Order # = Qty (in Base)	Pick Task # = Qty	Recommended Bin = Available Quantity (in Base)
Order #101 = 96 pieces	Pick task #001 = 16 cases	Picking Bin B2 = 100 pieces

In Example 1, through standard bin sorting, the recommended bin contains enough available quantity to fulfill the order.

Example 2: With pick strategy and zone assignment

Order # = Qty (in Base)	Pick Task # = Qty	Recommended Bin = Available Quantity (in Base)	Pick Strategy
Order #101 = 96 pieces	Pick task #001 = 16 cases	Picking Bin B1 = 72 pieces	Case Pick strategy: Unit = case Zone = Case zone (Zone assigned to Picking Bin B1)

In Example 2, the recommended bin belongs to the zone specified in the applicable pick strategy.

Note: If there are pick tasks with no applicable strategy or with a strategy but no associated bin, the standard sorting applies to recommend a bin. Sorting may vary depending on specific item, bin, and preference settings. For more information, see [Recommended Bin Sorting](#).

For this example, you can pick only 12 cases of the item from the recommended bin. On the pick task or app, you can view other available bins from which you can pick the remaining 4 cases. On the app, you can select a bin in which you might physically store this item in pieces. When you enter the quantity to pick, you can change the unit or tap the unit icon to view the unit conversion rates. You can pick 24 pieces from this bin, which converts to the remaining 4 cases. Unit changes on the app do not update the unit of associated pick task subrecords, which is not editable.

For examples of decomposed pick tasks per picking type, see [Pick Decomposition and Order Picking Types](#).

Creating Wave Transactions

Creating a wave transaction starts by searching for committed items or quantities that you want to release to the warehouse. On a new wave, you can view the orders retrieved from your search and select the ones to include in the wave. You can select the entire order or specific line items only. Line items that you don't include in a wave can be processed in another one.

See how the following features or conditions affect the orders you can include in waves:

- Your order search can return a maximum of 10,000 line items in the results on wave transactions. If you exceed this limit, you can adjust the search criteria on the Wave Criteria form.
- A wave transaction uses the item units from associated order transactions. Unless you change the unit on an order, it reflects the default unit from the item record.

Note: Before you create a wave, make sure that the order transactions have item units. After you create a wave, you cannot assign or change the unit on the order transaction. Changing the unit on the item record doesn't affect the unit on existing orders and wave transactions.

If an item is associated with multiple units, you can choose a different unit for the quantity you want to pick on the app. After you process the pick task, the quantity is converted back to the order transaction's unit.

- **Intercompany Cross-Subsidiary Fulfillment** – On sales or transfer orders, this feature requires you to select the inventory location for each line item. This enables you to commit the line items and include them in waves.

With this feature enabled on your account, you can create separate waves for orders with a different inventory location for each line item. To include these orders in waves, inventory locations must be set as warehouse locations. For instructions, see [Creating Warehouse Locations](#).

- **Ship Complete** – Using the Ship Complete setting on order transactions, you can include only orders with all fully committed line items in a wave. When combined with the Intercompany Cross-Subsidiary Fulfillment or Multiple Shipping Routes features, you can include fully committed items per line.

However, if a partially committed line item has the **Commitment Confirmed** box checked, you can also include it in a wave. For more information about the features, see the help topic [Multiple Shipping Routes](#) or [Intercompany Cross-Subsidiary Fulfillment](#). For more information about the commitment preference, see [Setting Warehouse Management Preferences](#)

- **Partially Committed Items** – You can add a partially committed line item to a wave if the same line is not included in an active wave. The active wave has to be completely processed before you can include the line item in a new wave. Alternatively, when you have a partially committed line item, you can edit the order transaction to create a separate line for the uncommitted quantity. When this line is committed, you can include it in a new wave without waiting for the active wave to be processed.
- **Kit/Package Items** – For kit/package items, you can include partially committed kit components that form a single order of a kit/package item. You cannot release kit/package items with missing components.

For example, a kit requires two units of component A and one unit of component B. You cannot release a partially committed order that has only one unit of component A.

To create a wave transaction:

1. Using the WMS Warehouse Manager role, go to Transactions > Inventory > Create a Wave..



Tip: If you want to edit or release an existing wave, go to Transactions > Order Management > Create a Wave > List. From the Wave list, you can click Edit next to the wave. To continue, you can skip steps 2 and 3. You can update values in the editable fields and columns.

The Wave Criteria form appears.

2. If you want to change the search template or filters, do the following:

- a. In the **Template** field, select a wave criteria template.

Before you create a wave, you can create a new template by clicking **New** or edit your existing custom template by clicking **Edit**. You can set predefined criteria filters to search for orders to include in a wave. For instructions, see [Creating Custom Wave Criteria Templates](#).

The template used in a previous search appears in this field by default, until you clear your cache.

- b. (Optional) To update the default search criteria directly on the form, you can select or enter values in the filtering fields.

The Location filter limits the location options if a location is set on your employee record. Your search criteria updates on this page do not alter a template.

3. Click **Search**.

A new Wave page appears to display the retrieved orders on the **Orders** and **Line Items** subtabs. On each subtab, you can click the column headers to sort the transactions, such as by order number or item. For transfer orders, you can sort by to location.



Tip: If you don't see the orders you want to release, click **Back** to use another template or update your search criteria. For information about orders you can include in waves, see [Supported Transactions and Item Types for NetSuite WMS](#).

4. On the Wave page, if you set up units for pick decomposition, you can check the **Apply Pick Decomposition** box.

Be sure to check this box before you save the new wave. After you save a wave, it can't be edited anymore. If you want keep this box automatically checked by default, see [Setting Warehouse Management Preferences](#).

5. In the **Priority** field, select the priority number, from **1** (top priority) to **9** (lowest priority).
On the app, high priority waves appear at the top of the list.
6. In the **Picking Type** field, select one of the following picking types to group line items on pick tasks and pick tickets:
 - **Single Order** – Generates a pick task for each line item of an order. For kit/package items, you generate one pick task for each component item.
 - **Bulk Picking or Multiple Order** – Generates a pick task that contains similar items, including components of kit/package items, across all orders in the wave. For bulk picking, you can pick the entire quantity of an item in bulk and the app distributes them across the orders in the wave. For multiple order picking, you can pick the quantity of an item per order.
7. In the **Status** field, select one of the status options:
 - **Pending Release** – Generates pick tasks and saves the wave.
In this status, you can change the pick ticket to use your custom wave form and custom pick ticket. You can also assign pick tasks to operators before you release the wave. When you are ready to release the wave, you can repeat this step to select the **Released** status.
 - **Released** – Generates pick tasks and releases the wave.



Important: Releasing orders through NetSuite WMS prepares them for item fulfillment. You must not use the **Fulfill** option on sales or transfer order transactions. Fulfilling released orders outside of a wave causes errors or failures when pickers process the orders from their mobile device. For more information, see [Viewing the Status of Fulfillment Generation](#).

Warehouse operators can access and process released waves on the app. NetSuite WMS automatically updates the status of the wave accordingly. For more information, see [Monitoring the Status of Released Orders](#).

Released waves also sort pick tasks and, for warehouses that use bins, determines the recommended bin for picking. See [Pick Task Sorting and Recommended Bins](#).

8. To select orders to include in the wave, do either or both of the following:



Tip: To view orders with partially committed items, look for orders or lines marked with the information icon. If you want to exclude them from the wave, clear the box for each order or line.

- On the **Orders** subtab, check the box next to the orders you want to release.
When you select an order, you preselect all the associated line items by default.
 - On the **Line Items** subtab, clear or check the box next to each item you want to remove from or include in the wave, respectively.
9. (Optional) Before you save the wave, you can review the total selected orders and line items on the Summary table.
 10. Click **Save**.
After you save a wave, the Pick Tasks subtab appears with the list of generated pick tasks.
 11. After you save a wave in Pending Release status, to change the wave form and use your custom pick ticket, do the following:
 - a. Click **Edit**.

- b. In the **Custom Form** field, select the custom wave form associated with your custom pick ticket.
 - c. Click **Save**.
- 12. For waves in Pending Release status, you can assign pick tasks by clicking **Edit**. Then, on the **Pick Tasks** subtab, do one of the following:
 - To assign one task at a time, on the **Assigned Picker** column, you can select the name of the warehouse operator. Then, click **Save**.
 - To assign all or multiple pick tasks to the same warehouse operator, check the box next to one or more pick tasks. If you want to select all, check the box at the header. In the **Assign Selected Pick Tasks To** field, select the name of the warehouse operator. To save, click **Assign Pick Tasks** and then click **Save**.

After you save the wave, you can do the following:

- If you want to assign or reassign pick tasks before they are processed, see [Pick Task Assignment](#). NetSuite WMS automatically assigns unassigned pick tasks to the warehouse operator who processes it on the app.
- To print pick tickets from waves, see [Printing Pick Tickets from Wave Transactions](#).
When you assign pick tasks, the operator names appear on their corresponding pick task assignments.
- On the app, you can start picking items for orders in released waves. For more information, see [Picking Orders](#).
- If you have uncommitted quantities in an order, you can release the associated lines when the quantities after the quantities have been committed. For more information, see [Re-releasing Lines with Backorders](#).

Pick Task Assignment

When you save a wave, NetSuite WMS generates pick tasks from the line items of orders, or from kit components particularly for kit/package items. On the app, any picker with the appropriate role, including the WMS Limited Access role, can access and process unassigned pick tasks for released waves. The name of the picker who selects the pick task to process on the app appears on the pick task subrecord. To set up picker roles, see [Warehouse Management Roles](#).

If you use the **Allow staging for assigned picker only** system rule, only the picker assigned to the pick task can stage the items. For more information about this rule, see [System Rules for NetSuite WMS](#).

For pick tasks in Ready, Pending, or In Progress status, you can assign, reassign, or remove a pick task assignment through the following ways:

- [Assigning Pick Tasks During Wave Creation](#)
- [Assigning Pickers on Pick Tasks](#)
- [Assigning Pick Tasks in Bulk](#)

Assigning Pick Tasks During Wave Creation

After you save a wave in Pending Release status, you can edit it to assign warehouse operators to its pick tasks. You can assign each or all pick tasks of a wave to a warehouse operator. For detailed instructions, see [Creating Wave Transactions](#).

On the **Pick Tasks** subtab of wave, you can access and view pick tasks to monitor the progress of mobile picking. On a pick task subrecord, line items for kit components display the kit/package item in the

Subitem Of column. For more information, see [Monitoring the Status of Released Orders](#) or [Picking Orders](#).

Assigning Pickers on Pick Tasks

You can set or change the assigned warehouse operator for each pick task. To access a pick task subrecord, go to Transactions > Order Management > View Pick Tasks. From the Pick Task list, click **Edit** next to the one you want to update. On the Pick Task page, in the **Assigned Picker** field, you can select the name of the warehouse operator.

Assigning Pick Tasks in Bulk

For waves in the following statuses, you can assign or reassign pick tasks from different waves to one or more pickers: **Pending Release** and **Released**. Even if you assign pick tasks during wave creation, you can reassign them in bulk. You can also remove pick task assignments in bulk.

To search for specific pick tasks, you can apply filters like item process family, bin, and zone among others.

To assign pick tasks in bulk:

1. Using the WMS Warehouse Manager role, go to WMS Outbound > Outbound Maintenance > Bulk Assign Pick Tasks.
2. On the Bulk Pick Task Assignment page, select values in the following fields:
 - **Location** – Select the warehouse location associated with the pick tasks.
 - **Transaction Type** – Select one of the following order transaction types: **Sales Order** or **TransferOrder**.
 - **Wave Status** – Select one of the following wave statuses: **Released**, **Pending Release**, or **In Progress**. If you want to select all three of these statuses, select **All**.
3. (Optional) In the Pick Task Details section, you can apply filters to specify the pick tasks you want to assign.

For example, if you want to assign pick tasks associated with specific items or bins, you can select them in the **Item** or **Bin** fields. If you want to reassign pick tasks, you can select the picker's name in the **Assigned Picker** field.

4. Click **Display**.
The pick tasks that meet your search criteria appear in the list. If you want to adjust the filters to narrow down or include more pick tasks in your search, repeat from step 3.
5. In the **Assign All Pick Tasks To** field, select the picker's name or to remove pick task assignments, leave it blank.
6. Next to each pick task, check the box.

 **Tip:** To view pick tasks on other pages, in the **Select** field, select a different page range.

7. Click **Submit**.

Creating a Wave Release Schedule

When you create a wave release schedule, you specify the orders and the frequency of release. To specify the orders to include in a wave, use the standard wave template or a custom template with your predefined filters. For information about wave templates, see [Creating Custom Wave Criteria Templates](#).

You can release one or more waves based on your business requirements. You can specify wave and order limits that apply to each scheduled release. For order limits, you can specify either the number of order or order lines to include in a wave.

To define your release schedule, select the days of the week and run time period within those days.

For example, you can create the following schedule for releasing sales orders from Warehouse A:

- **Release Day** – every Monday, Wednesday, Friday, and Saturday
- **Release Frequency** – every hour
- **Run Time** – from 10:30 a.m. to 12:00 p.m.

On each release day, NetSuite WMS searches for valid sales orders from Warehouse A. Then, it submits a job to create and release a wave transaction. It repeats the process every hour within the run time period. To review the guidelines and limitations for releasing orders, see [Releasing Orders to the Warehouse](#).

To create a wave release schedule:

1. Using the WMS Warehouse Manager role, go to WMS Outbound > Wave > Schedule Wave Release > New.
2. On the WMS Wave Release Schedule page, in the **Template** field, you can select the default template or your custom wave criteria template.

Fields in the Primary Information section are populated with corresponding details from the template. You can edit them at any time.

After you save the schedule, you cannot change the template anymore.

3. In the Primary Information section, you can select or enter values in the following fields:
 - **Location** – Select the warehouse location.
 - **Transaction Type** – Select one of the following transaction types: **Sales Order** or **Transfer Order**.
 - **Picking Type** – Select one of the following picking types: **Single Order**, **Multiple Orders**, or **Bulk Picking**.
 - (Optional) **Wave Priority** – Select the priority number, from **1** (top priority) to **9** (lowest priority).
 - **Status** – Select one of the following statuses that you want to assign to the generated wave: **Pending Release** or **Released**.
 - **Apply Pick Decomposition** – Check this box if you want to use pick decomposition for pick tasks generated for waves.

For more information about these fields, see [Creating Wave Transactions](#).

4. In the Release Schedule section, you can set the following required or optional fields:
 - **Release Day** – Select **Every Day** or specific days of the week on which you want to release waves.
 - **Release Frequency** – Select the frequency at which you want to run the schedule within a release day.
 - **Run Time Start** – Enter the time you want NetSuite WMS to start running the schedule.
 - **Run Time End** – Enter the time you want NetSuite WMS to stop running the schedule.
5. (Optional) To apply limits to wave generation, you can set the following fields:

 **Note:** Other orders or order lines might also be excluded from waves based on filters that you apply on your custom wave template.

- To set limits either for orders or order lines, but not both, set one of the following:

- In the **Maximum Wave Order Limit** field or **Minimum Wave Order Limit** field, enter a positive number for the upper or lower order limit, respectively. You may also set both fields to specify a range.

For example, you specify a range of 2 to 10 orders. If you have only 1 order to release within a schedule, you cannot automatically generate a wave. If you have 11 orders to release within a schedule, you can generate a wave with up to 10 orders only.

- In the **Maximum Wave Order Line Limit** or **Minimum Wave Order Line Limit** field, enter a positive number for the upper or lower order line limit, respectively. You may also set both fields to specify a range.

For example, you specify a range of 2 to 10 order lines and you have multiple orders each with lines that do not exceed the upper limit. NetSuite WMS keeps adding each order to a wave as long as the total number of order lines do not exceed the upper limit. It randomly selects the orders and doesn't split orders across multiple waves. In case all your orders have 12 lines each or you have only one order with 1 line, it does not generate a wave during a scheduled run.

Note that backordered lines are filtered out unless you commit them to the order prior to a scheduled release.

- **Generate Multiple Waves** – If you enter an order or order line limit, you can check this box.

It indicates that you want to create multiple waves during each scheduled release. You can release up to 500 waves at a time.

- **Wave Release Limit** – If you generate multiple waves, enter a number, between 1 to 500, for this wave limit.

For each scheduled release, the number of generated waves does not exceed this number. The next release schedule includes any remaining orders retrieved by your wave template or criteria.

6. (Optional) In the Email Notification section, you can set your email preference in the following fields:

- **Send an Email when Request Status Changes to** - Select one or more of the following statuses at which you want to notify recipients: **Failed** or **Wave Created**.
- **Email Address for Wave Created Status** - Enter the email address to which you want to send notifications for successfully created requests.
- **Email Address for Failed Status** - Enter the email address to which you want to send notifications for failed requests.

Separate multiple addresses with a semicolon.

7. To save the schedule, click **Save**.
8. On the **Release Status** subtab, you can view the job status and details for wave creation and release during the schedule run.

After NetSuite WMS completes the job, you can click the number of the wave you want to access. On your mobile device, you can pick the items included in the released wave. See [Picking Orders](#).

If you have uncommitted quantities in an order, you can release the associated lines after the quantities have been committed. For more information, see [Re-releasing Lines with Backorders](#).

Re-releasing Lines with Backorders

You can release committed quantities for lines with backorders that are already associated with existing waves. Based on your **Update Quantity of Re-released Pick Task Lines** preference, the newly committed quantities may be included in the wave used to release the initial quantities. However, if you

have started to pick the items for the existing wave, NetSuite WMS automatically includes them in a new wave. To set this preference, see [Setting Warehouse Management Preferences](#).

To re-release lines with backorders:

1. Using the Warehouse Manager role, go to WMS Outbound > Wave > Create a Wave.
2. On the Wave Criteria form, apply your search criteria by doing the following:
 - a. In the **Template** field, select the default template or a custom one that contains your predefined filters.
 - b. In the **Location** field, select a warehouse location.
 - c. (Optional) In the **Transaction** field, you can enter the number of the order that contains the newly committed quantities.
If you want to release items from different orders in this wave, don't set this filter.
 - d. (Optional) You can add more search criteria using the other filtering fields.
Your search criteria updates do not alter the predefined filters on a template. If you want to edit or create a custom template, see [Creating Custom Wave Criteria Templates](#).
3. Click **Search**.
4. On the Wave page, enter or select values for the wave settings.
For detailed instructions, see [Creating Wave Transactions](#).
5. On the **Orders** subtab, check the box next to the orders you want to release.
6. Click **Save**.

If some of the items are released in an existing wave, the confirmation message appears with the wave number.

You can process items released in a new wave through a separate pick task. Fulfillments generated from the wave follow your preference of per order or per order line fulfillment. See [Picking Orders](#) or [Viewing the Status of Fulfillment Generation](#).

Printing Pick Tickets from Wave Transactions

Pick tickets provide details of items and pick tasks on wave transactions for processing. The picking type of the wave determines the grouping of items on a pick ticket. For information about picking types, see [Creating Wave Transactions](#) or [Picking Orders](#).

- **Single Order Pick Ticket** – Pick ticket for each released order, containing all line items included in the wave.
- **Bulk Picking** or **Multiple Order Pick Ticket** – Pick ticket for each pick task with similar items across the orders included in the wave.

For waves in Pending Release status, you can assign the wave form associated with a custom pick ticket that you create, before you release the wave. To create custom pick tickets or wave forms, see [Creating Custom Advanced Templates for Pick Tickets](#) or [Creating Custom Wave Forms](#).

When you release orders with multiple shipping routes, single order pick tickets group together the line items that have the same shipping route. Multiple order pick tickets display the shipping address, carrier, and method for each line item. For more information, see the help topic [Multiple Shipping Routes](#).

On each ticket, the pick tasks follow the ascending order of the recommended bins' sequence numbers if you assign them to your bins. Any non-inventory items, having no recommended bin, appear at the bottom of the list.

Note: To view or print pick tickets, be sure to enable the required Advanced PDF/HTML Templates feature. Before printing pick tickets, make sure that your account doesn't use the **Print Using HTML** general preference. Pick ticket documents are optimized for PDF, which you can view and print using Adobe Reader. For more information, see the help topic [Enabling the Advanced PDF/HTML Templates Feature](#) or [Personal Preferences for Transactions](#).

To print pick tickets from a wave transaction:

1. Go to Transactions > Inventory > Release Orders to Warehouse > List.
2. From the list of waves, do one of the following: click **View** next to the wave you want to open.

 **Tip:** For waves in Pending Release status, to use your custom wave form and pick ticket, click **Edit** to open the wave. In the **Custom Form** field, select your wave form. Then, click **Save**.

3. On the Wave page, click the print icon to open the pick ticket.
 4. On the toolbar of the pick ticket document, click the print icon.
- If you want to save a soft copy of the pick ticket in PDF, click the download icon.

Handling Changes to Associated Sales or Transfer Orders

After you save a wave and generate pick tasks, you can't change the following fields on the associated sales or transfer order:

- Location in the header
- Item or unit of measure on a line item
- Serial or lot number in the inventory detail

You can add more items and increase the ordered quantity. You can also decrease the ordered quantity, but not below the quantity included in a wave.

These order changes do not reflect on the saved wave. To handle such changes, you can consider the following options:

- You can release additional ordered quantities in another wave.
- For orders in existing waves with back-ordered quantities, you can re-release the newly committed quantities. For more information, see [Re-releasing Lines with Backorders](#).
- If you want to delete the wave and release the orders in a new one, see [Deleting Waves and Handling Wave Issues](#)

If you use bins and pick strategies, you can apply related updates to existing waves or pick tasks. For more information, see [Updating Recommended Bin or Pick Strategy Matching](#).

Viewing Pick Task Generation Failures

Pick task generation failures might occur because of discrepancies between waves and their associated sales or transfer orders.

For example, a pick task might not be generated when you decrease the ordered item's committed quantity below the quantity released in a wave.

For information about updating orders included in waves, see [Handling Changes to Associated Sales or Transfer Orders](#).

When pick tasks fail, you can review the details on the wave, as follows:

- In the Summary table, view the total number of failed line items.
- On the **Pick Tasks** subtab, view the status of the failed task, which could be either of the following:
 - **Done** - Status of pick tasks with all completed or all failed line items.
 - **Ready** - Status of pick tasks with no failed line items, or with one or more failed lines.

To open a pick task, click the pick task number. On the pick task subrecord, look for line items marked Failed with the failure reason displayed beside the status. For kit/package items, a pick task failure for one component causes pick tasks for other components to also fail.

- On the **Orders** subtab, verify any changes to the committed lines of orders with failed pick tasks.

If the total selected lines exceed the committed lines, the tasks may have failed because of a commitment change for an item or a component of a kit/package item. You can click the order number link to view the committed quantity for the item and other order details.
- On the **Line Items** subtab, click the order number to open the associated order transaction.

For information about fulfillment generation failures on pick tasks, see the following topics: .

- [Viewing and Handling Fulfillment Generation Failures](#)
- [Viewing, Updating, or Deleting Pick Tasks](#)

Deleting Waves and Handling Wave Issues

You can delete waves that you don't want to release to the warehouse or process for picking. You might not be able to delete those with discrepancies. NetSuite WMS provides an option to update the wave status instead.

Deleting Waves

To access an existing wave, you can go to Transactions > Inventory > Create a Wave > List, and then click **Edit** for the wave you want to delete. In edit mode, you can click the Actions list and select **Delete**.

See the following guidelines for deleting waves:

- You can delete unreleased waves.
- You can delete a released wave if none of its pick tasks have been started or if you remove its associated pick tasks.

If you want to reverse completed pick tasks and release the orders in a new wave, see [Pick Task Reversal](#).

If you want to delete a pick task from a released wave, see [Viewing, Updating, or Deleting Pick Tasks](#).

Orders or line items that you disassociate from a deleted wave can be included and released in a new wave.

Handling Wave Issues

NetSuite WMS automatically displays a warning message on wave transactions that have discrepancy issues. These waves contain pick tasks that do not reflect the current status or state of the sales or transfer order. They can also be associated with orders released in other waves that have pick tasks in the same state. As a result, the pick tasks remain in In Progress status and you have no option to delete or complete the waves. To resolve these issues for all affected waves at the same time, you can click the link on the warning message to automatically set the pick tasks to Done status and the waves to Completed status.

For more information about wave and pick task statuses, see [Monitoring the Status of Released Orders](#).

To handle fulfillment generation issues on pick tasks, see [Viewing and Handling Fulfillment Generation Failures](#). For pick task failures, see [Viewing Pick Task Generation Failures](#) or [Viewing, Updating, or Deleting Pick Tasks](#).

Pick Task Sorting and Recommended Bins

NetSuite WMS sorts bins for warehouse locations that use bins and sorts items for warehouse locations that don't use bins. For warehouse locations that use bins, you can apply pick strategies to target zones that contain bins for specific orders, like rush orders. Bins located in the target zones go through the same bin sorting process.

See the following topics in this section:

- [Recommended Bin Sorting](#)
- [Bin Sorting with Pick Strategies](#)
- [Updating Recommended Bin or Pick Strategy Matching](#)
- [Item Sorting](#)

Recommended Bin Sorting

The bin sorting process involves a series of filtering and sorting levels for bins when you release orders to the warehouse. For each pick task, it determines the recommended bin from the list of bins associated with the item. Pickers can view recommended bins on their mobile device as they pick the orders.

Prior to sorting, NetSuite WMS filters the items and bins based on the following criteria:

- Bins must be in the same warehouse location as the wave.
- Bins must have available inventory.
You can view the available quantity of a bin on the associated item record.
- Bins must not be blocked through the app.
For information, see [Managing Bins Blocked from Order Picking](#).
- Items that use bins must be fulfillable. In addition, items must not belong to the non-inventory types and to locations that do not use bins.

The bin sorting process excludes items and bins that do not meet the criteria. The remaining bins qualify for selection as the recommended bin for a pick task.

Based on bin settings, the filtered bins go through four basic levels of sorting:

1. **Available Quantity** - Initially, NetSuite WMS identifies the bins with sufficient quantity to satisfy the quantity to pick. It separates these bins from those with insufficient quantity. It also sorts the bins with insufficient quantity in descending order.

 **Note:** For lot-numbered items, your rotation type setting enables bin sorting by lot expiration date. Based on a lot item's FEFO or LEFO rotation type, NetSuite WMS arranges bins in ascending or descending order, respectively. This sorting occurs before sorting by available quantity. For more information about rotation types, [Creating Items for NetSuite WMS](#).

2. **Preferred Bin** - From the bins with sufficient quantity, this sorting level identifies and recommends a preferred bin. If all preferred bins contain the same quantity, these bins go through the next sorting level.

Note: If you use the Pick to Clean preference, NetSuite WMS recommends the bin with the highest available quantity among those with insufficient quantity. You direct pickers to empty these bins first before a preferred bin with sufficient quantity. Note that these bins with insufficient quantity may also include preferred bins. For more information about this preference, see [Setting Warehouse Management Preferences](#).

3. **Bin Type** - Candidate bins from the first or second sorting levels that have the same quantity are further sorted by bin type. This sorting level arranges bins according to the following order of bin types: (1) Picking, (2) Storage, (3) None.

Note: The sorting process filters out bins that do not belong to any of the valid bin types. If you have pick strategies that use the Include Inbound Staging Bins setting, you include Inbound Staging as the fourth valid bin type. For more information about pick strategies, see [Bin Sorting with Pick Strategies](#).

4. **Bin Sequence Number** - Only bins of the same type go through this level of sorting by sequence number, in ascending order. Bins with no sequence number move to the bottom of the list.

For example, among the bins with sufficient quantity, you have no Picking bin. But you have 3 Storage bins that contain the same available quantity. To recommend a bin, NetSuite WMS sorts them by bin sequence number.

On a wave transaction, you can view the recommended bin for each pick task on the Pick Task subtab. On a pick task subrecord, you can view the complete list of filtered and sorted bins on the Recommended Bins subtab.

Bin Sorting with Pick Strategies

Pick strategies provide an optional way of defining and prioritizing the warehouse zones for picking of released orders. Use pick strategies to target the zones where you want pickers to pick specific orders or items. From a mobile device, pickers can view the target zones and bins that contain the items.

You can also use pick strategies for work orders and replenishment, even if these transactions aren't released in waves. When you process these transactions on a mobile device, you can view the list of bins sorted through your pick strategies.

To create pick strategy records, see [Defining Pick Strategies](#).

The following steps describe how NetSuite WMS applies pick strategies to a pick task:

1. **Matching strategies to a pick task** – Pick strategies contain the following required and optional filters used for matching, which you can define based on your business requirements:
 - **Required filters** – Transaction type and location
Based on the required filters, you apply a pick strategy to pick tasks that match the transaction type and warehouse location.
 - **Optional filters** – Item Criteria filters (item process family, item process group, item, units, and item classification); Order Criteria filters (order type and customer); Recommended Bin Filters (Include Inbound Staging Bins and inventory status)
Optional filters further define or limit the strategies that you can apply to a pick task. For example, you have a rush order setting for the Order Type field on order transactions. You can create a pick strategy for rush orders using the order type filter. This pick strategy matches only to pick tasks associated with transactions marked with the same rush order setting.
If you use the Include Inbound Staging Bins filter, you include inbound staging bins in the recommended bin sorting process. For more information, see [Recommended Bin Sorting](#).

If you use the [Inventory Status](#) feature and define the inventory status filter, you prioritize the bins with items that match the status. Bins with items that do not match the status also appear on the pick task, but without a matching pick strategy.

For more information about pick strategy filters, see [Defining Pick Strategies](#).

2. **Sorting strategies by sequence number** - This step involves the sorting of multiple matching strategies by sequence number, in ascending order.
3. **Determining the zone from a matching strategy** - On a pick strategy, you can prioritize your list of warehouse zones using sequence numbers. For each matching strategy, NetSuite WMS selects the first zone from your list that has one or more bins containing the item on the pick task. Bins from the selected zone go through the bin sorting process, which determines the recommended bin for the pick task. For information about this process, see [Recommended Bin Sorting](#).

On a pick task, you can view the matching pick strategies, along with the bins and zones, on the Recommended Bins subtab.

Updating Recommended Bin or Pick Strategy Matching

Updates to your bin configuration and inventory quantities can affect the selection of pick strategies and recommended bins. On waves and pick tasks, you can click the **Match** button to reflect such changes.

On a released wave, the Match button enables you to do the following:

- On wave transactions, click **Match** to retrieve updates for all pick tasks in the wave.
You can view any updates in the Recommended Bin column on the Pick Tasks subtab. You can also view updates on any affected pick task subrecords.
- On pick task subrecords, click **Match** to retrieve updates for a single pick task.
Your updates appear in the Recommended Bin field of the Pick Information section, Recommended Bins subtab, or both. They also reflect on the associated wave transaction.

Item Sorting

Within each warehouse location that does not use bins, NetSuite WMS sorts items using their assigned sequence number, in ascending order. On your mobile device, you can view the sorted items and process the pick tasks accordingly.

Item sorting also applies to work orders processed through a mobile device, even if work orders aren't released in waves. For each work order, you can view and pick the sorted list of component items.

For information about setting pick sequence numbers and other item settings, see [Creating Items for NetSuite WMS](#).

Monitoring the Status of Released Orders

Wave transactions display the status of all associated pick tasks as pickers process and fulfill them on a mobile device. You can access a wave by going to Transactions > Inventory > Release Orders to Warehouse > List. On a wave, you can track the progress through the following statuses:

- [Wave Statuses](#)
- [Pick Task Statuses](#)

- [Pick Task Line Item Statuses](#)

Wave Statuses

You can view the status of a wave at the top left corner of the Wave page, beside the wave number, and in the Status field in the Primary Information section.

- **Pending Release** - In this status, you have the option of assigning pick tasks to warehouse operators. You can't add or remove orders, but you can still delete the wave transaction.
- **Released** - This is the default status of a wave. Pending waves that you release to the warehouse transition to this status. Pickers gain access to pick tasks through their mobile device, so you can't directly update pick task assignments on the wave.
- **In Progress** - In this status, one or more pick tasks have been updated by the picker so you can't delete the wave transaction anymore.
- **Complete** - Waves transition to this status when all associated pick tasks have been completed by the pickers. Deleting all pick tasks of a wave also sets the wave to this status.

Pick Task Statuses

You can view the overall status of a pick task on the Pick Tasks subtab of a wave. You can also view this status in the header of a pick task subrecord.

- **Pending** - Initial status of a newly generated pick task. The wave hasn't been released yet, so you can assign a picker to the pick task.
- **Ready** - When you release the orders, the associated pick tasks transition to this state. On the pick task record, you can still change the picker or delete the pick task. For more information, see [Viewing, Updating, or Deleting Pick Tasks](#).
- **In Progress** - In this status, the pickers have started processing a pick task, so you can't delete the pick task subrecord. They also may have staged or completed one or more line items.
Pick tasks with failed line items also display this status. For more information, see [Pick Task Line Item Statuses](#).
- **Done** - In this status, all pick task line items have been completed or reversed. For more information, see [Viewing, Updating, or Deleting Pick Tasks](#).

Pick task subrecords display the picking details recorded using a mobile device. The details include picked quantities and the status of each pick task line item. To access from a wave, you can click the pick task number link on the **Pick Tasks** subtab. You can also go to Transactions > Inventory > View Pick Tasks.

Pick Task Line Item Statuses

On a pick task subrecord, you can monitor the progress of a single picker. On the Line Items subtab, you can view the individual picked quantities, status, and picking dates. Pick task line items automatically transition to the following statuses as pickers process the tasks on a mobile device:

- **Ready** - Initial status of a pick task line item, for a pick task on Pending or Ready status.
- **Started** - Pick tasks that have partially picked quantities move to this status. The picker has updated the picked quantity or inventory details of the pick task line item but has not completed the pick.
- **Picked** - In this status, the picker has completely picked all the items.
- **Staged** - Assigning a staging bin transitions pick task line items to this status.

- **Done** - NetSuite WMS automatically assigns this status to pick task line items completed by a picker on a mobile device. After fulfillment creation, the line item displays the link in the Transaction Number column. For more information, see [Viewing the Status of Fulfillment Generation](#).

Partially picked tasks may also be manually set to this status if you want to include them in fulfillments. See [Posting Item Fulfillments for Partially Picked Orders](#).

Reversed pick task lines also display this status. See [Pick Task Reversal](#).

- **Failed** - Line items in this status have failed the release of the wave or fulfillment creation. To handle failed pick task line items, see [Viewing Pick Task Generation Failures](#) or [Viewing, Updating, or Deleting Pick Tasks](#).

You can also view the overall status of a pick task in the Primary Information section and the total picked quantity in the Pick Information section. For more information about the overall status, see [Pick Task Statuses](#).

Picking Orders

Picking an order involves pulling items from your warehouse's inventory to fill an open order. You can pick a single order or multiple orders at a time. When you pick items using a mobile device, NetSuite WMS can guide you through the warehouse by suggesting the bin locations from which to pick items. It also decreases the available stock level of picked items. On your mobile device, you automatically skip the steps for bin entry and staging when you pick non-inventory items or items from warehouse locations that don't use bins.

For single order picking, you can select an unreleased order to pick and automatically generate the wave transaction. Like orders released in waves, sales or transfer orders must be in Pending Fulfillment status and must have committed lines.

For more information about order processing in NetSuite WMS, see [Releasing Orders to the Warehouse](#) or [NetSuite WMS Limitations](#).

You can set the following system rules or preferences to modify order picking through NetSuite WMS:

- NetSuite WMS submits jobs to process the picking of orders that exceed 50 pick task lines and the staging of orders that exceed 25 pick task lines. If you activate the system rules for bulk picking or bulk staging, you can change these default limits for the number of pick tasks.
- If you activate the **Enable Tally Scan** rule, each time you scan a picked item, you increment the picked quantity by 1. This rule displays the Tally Scan field on the Enter Quantity page.
- If you activate the **Use carton** rules, you can use cartons for single and multiple order picking. It adds the Enter Carton page to the appropriate order picking flow.

You can reuse a pick carton after you pack all of its items. The fulfillments associated with the items must be in Packed status.

Aside from multi-order picking, the **Use cartons for multi-order picking?** rule also applies to bulk order picking of serialized items only. Serialized items included in waves for bulk order picking follow the multi-order picking flow. You can pick serialized items per order and place them in pick cartons.

If you activate one of these rules and use the Mobile Printing capability, you can enable pick carton label printing or saving. You can activate the **Print pick carton labels?** rule for each process in which you use pick cartons. It adds the Mobile Printing capability to the Enter Carton page.

- For picked or staged items, you can set your fulfillment preference to automatically generate fulfillment records per order or per order line. When you process partially picked items, you must close the pick tasks first, before you can generate the fulfillments.

For more information about fulfillment preferences, see [Setting Warehouse Management Preferences](#).

- To enable picking items from zones, see [Picking Orders from a Zone](#).

Picking Orders Partially

On the mobile app, you can use the Bin Empty option to indicate that a bin has insufficient quantity. For non-inventory items or locations with no bins, you can use the No Stock option. Both options redirect you to the page for selecting other pick tasks to process. To generate item fulfillments for partially picked items, you must close the pick task by marking it Done. For more information, see [Posting Item Fulfillments for Partially Picked Orders](#).

The **Enable bin blocking** rule provides the option to block bins and modifies the default partial picking flow for inventory items. It provides options to stage partially picked items right away or along with other items within the order. For more information, see [Managing Bins Blocked from Order Picking](#).

If you activate the **Automatically mark partial picks as Done** rule, you don't need to manually set the pick task status to Done. After you submit a partially picked item, the fulfillments are automatically generated based on your fulfillment preference. For locations that use bins, fulfillment creation occurs after you stage the partially picked items.

For more information about these rules, see [System Rules for NetSuite WMS](#).

Serialized Items in Waves

You can pick serialized items through the single order or multiple order picking flows. You can include serialized items in waves set to bulk picking and process them through the multiple order picking flow on the app. If you activate rules for multi-order picking with cartons and tally scanning, they also apply to serialized items within bulk picking waves.

For warehouses that use bins, the **Pick All** button appears on the Enter Serial Number page that enables you to empty out a bin. You can pick all the serial numbers from a bin that contains the same or less than the quantity you want to pick. The button doesn't appear when you select a bin that contains more than the quantity you want to pick. In this case, you can scan or enter the serial numbers to pick from the bin. The same conditions apply to partially picked orders or order lines.

For example, you want to process a pick task that requires 11 quantities of serialized Item D. You have two picking bins that contain quantities of Item D as follows: Bin B = 5 and Bin C = 15. You can pick all from Bin B if you enter 5 as your quantity to pick. If you enter a number less than 5, the Pick All button will not appear. After you empty out Bin B, you can scan or enter the serial numbers to pick the remaining quantity from Bin C.

 [WMS Mobile Picking a Single Order](#)

For instructions, see the following order picking topics:

- [Picking Items for Single Orders](#)
- [Picking Items for Multiple Orders](#)
- [Performing Bulk Picking](#)
- [Picking Orders from a Zone](#)

For other order picking tasks, see the following topics:

- [Managing Bins Blocked from Order Picking](#)
- [Pick Task Reversal](#)
- [Viewing, Updating, or Deleting Pick Tasks](#)

Picking Items for Single Orders

On your mobile device, you can pick committed items that you have released in wave transactions or added to sales or transfer orders. To review the conditions for orders that you can include in waves, see [Releasing Orders to the Warehouse](#).

When you process an order not released in a wave, NetSuite WMS automatically generates and releases the wave and pick tasks. If your order contains lines from different locations, you process them separately. You can activate the **Provide wave status selection** rule to generate waves in either Pending Release or Released status. This rule also provides the option to apply pick decomposition to the generated wave. To set up, see [System Rules for NetSuite WMS](#) or [Pick Task Decomposition](#).

When you process orders for warehouses with no bins or non-inventory items, skip the steps for bin entry and staging.

To pick items for a single order:

1. Access single order picking by doing the following:
 - a. On the mobile app, tap the menu icon at the left corner of the header, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Picking**.
 - c. On the Picking menu, tap **Single Order Picking**.
 - d. On the Select Picking Mode page, tap one of the following options:
 - **Unreleased Orders** – to process an order not yet included in a released wave
 - **Released Orders** – to process an order included in a released wave
 - e. On the Select Order Type page, tap either **Sales Order** or **Transfer Order**.
The field names in the succeeding pages may vary, depending on your selected order type.
2. On the Select Order page, do one of the following:

 **Tip:** To view backordered quantities, tap the table icon. On the popup window, under the Visible Columns, check the box next its name. You can select or deselect other columns to display on the Orders table.

- In the **Scan/Enter Sales Order #** field, scan or enter the order transaction number. If you enter the data, tap **Enter Order #** to proceed.
 - From the Sales Orders list, tap the order number.
3. If you can select the wave status and apply pick decomposition, on the Create Wave popup window, do the following:
 - a. In the **Wave Status** field, select **Pending Release** or **Released**.
 - b. (Optional) In the **Apply Pick Decomposition?** field, select **Yes** if you want to generate waves with pick decomposition.
 - c. Tap **Create Wave**.
 - d. Review the wave details, and then tap **OK**.

If you selected the Pending Release status, skip the rest of the steps. To release the wave later, see [Creating Wave Transactions](#). After you release the wave, you can repeat from step 1 to pick through the Released Orders flow.

4. If there are backordered quantities on the order, a message appears to inform you that they are not included in the wave. If you want to continue, tap **Yes**.

5. On the Select Pick Task page, do one of the following:
 - In the **Scan/Enter Pick Task #** field, scan or enter a pick task number. If you enter the data, tap **Enter Pick Task** to proceed.
 - From the Pick Tasks list, tap the bin associated with the pick task you want to select.
In the Quantity column, a zero quantity indicates that items associated with the pick task have been fully picked.
 - For warehouses with bins, you can stage previously completed items or partially picked items. Tap the more options icon, and then tap **Go to Staging**. See step 9.
Alternatively, you can select the same pick task and pick from another bin.
 - For warehouses with no bins or non-inventory items, you can proceed to [Posting Item Fulfillments for Partially Picked Orders](#).
Alternatively, you can process another pick task from the same order before you post the fulfillments.
6. For warehouses with bins and inventory item types, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field, tap the bin you want to select.
 - Tap the **Show all bins** toggle, and then from the list of available bins, tap the bin you want to select.
7. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item name or number. If you enter the data, tap **Enter Item** to proceed.
Instead of the item name, you can also scan or enter the item alias or UPC. For information about item aliases, see [Creating Item Aliases](#).
 - In the **Item to Pick** field, tap the item name or number you want to select.
8. On the Enter Quantity page, do the following:
 - a. Optionally, depending on the features you use, you can change the unit or inventory status. Make sure that you select the appropriate unit or inventory status for the item or lot. For locations with no bins, to view the stock locations for the item, you can tap the **Show Stock Locations** toggle.
 - b. If the item has multiple units, you can select a different unit. Make sure that the unit corresponds to the quantity you enter or scan.



Tip: To view unit conversion rates, tap the unit icon beside the Quantity Remaining field.

- c. Enter the number of items you want to pick through one of the following ways:
 - If you have scanned an item bar code that includes the quantity on the previous page, you can review the prepopulated quantity.
 - In the **Enter Quantity** field, enter the total number of picked items. If you are picking different lot numbers, enter the total quantity for one lot number. If you use pick cartons, enter the total picked quantity of the item that you want to add to a carton.
 - If you use Tally Scanning, in the **Tally Scan Lot #/Item** field, scan each item bar code. Then, for numbered items, enter or scan the lot or serial number after each item scan.
You can review the total quantity scanned in the **Enter Quantity** field. After you tally scan all the items to pick, you are automatically forwarded to the next page. Skip steps 8.c and 9 for entering lot and serial numbers, respectively.

For information about picking partial quantities, see [Picking Orders Partially](#).

- d. For lot items, in the **Scan/Enter Lot** field, scan or enter the lot number.
Alternatively, from the list of available lots, tap the lot number you want to select. Skip step d.
- e. Tap **Enter Quantity**.
- f. If you entered a partial quantity and have remaining items to pick, do one of the following.
 - To pick a different lot number, repeat steps 8.b to c to enter the quantity and number.
 - To pick remaining items from a different bin, tap the more icon, and then tap **Other Bin**. It redirects you to the Enter Bin page, unless you must first enter a pick carton or serial number as described in steps 9 to 10. For bin selection, return to step 6.
 - If you have remaining items to pick but no stock or no bins with available quantity, tap **No Stock** or **Bin Empty**, respectively. You can proceed to step 11.

9. For serialized items, on the Enter Serial Number page, do either of the following:
 - In the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed. Repeat this step until you have provided all the serial numbers for the total quantity you want to pick.
You can view the list of available serial numbers by tapping the **Show possible serial numbers** toggle. You can copy a serial number from the list.
 - If the bin does not contain more than the quantity you entered, you can tap **Pick All** to empty it out. For more information about this option, see [Serialized Items in Waves](#).

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return to step 8.

10. If you have activated the Use Cartons rule for this process, on the Enter Carton page, do one of the following:



Tip: If you have configured mobile printing and the **Print pick carton labels?** rule, make sure you complete your printing before you proceed. See the help topic [Manually Printing Labels from Your Mobile Device](#).

- In the **Scan/Enter Carton** field, scan or enter the pick carton. If you enter the data, tap **Enter Carton** to proceed.
- From the Used Cartons list, tap the pick carton you want to select.

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return to step 6.

11. On the Pick Task Complete page, you can proceed to one of the following options:

- For warehouses with bins and inventory item types, to stage the picked items, tap **Go to Staging**. On the Enter Staging Bin page, do one of the following:



Note: If the order contains multiple pick tasks, process all the pick tasks that you want to stage in the same bin before you proceed.

- In the **Scan/Enter Staging Bin** field, scan or enter the outbound staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
- Tap the **Show all bins** toggle, and then from the list of bins, tap the outbound staging bin you want to select.

The Staging Complete page appears and displays the summary of items you have processed. For bulk staging, it may take a few minutes for the job to complete. To view the job status, see the help topic [Map/Reduce Script Status Page](#).

- To process another pick task from the same order, tap **Next Pick Task**. You are redirected to the Select Pick Task page. Start from step 3.

- To process another transaction of the same order type, tap **Next Order**. You are redirected to the Select Order page. Start from step 2.

Based on your fulfillment preference, NetSuite WMS automatically creates or updates fulfillment records for the fully picked or staged inventory items. For partially picked items, you must close the associated pick tasks to fulfill the orders. See [Posting Item Fulfillments for Partially Picked Orders](#). For more information about the fulfillment preference, see [Viewing the Status of Fulfillment Generation](#).

Picking Items for Multiple Orders

Multi-order Picking on the NS WMS app enables you to process waves assigned with the Multiple Orders picking type. You pick similar items for multiple orders released in the same wave. For more information about pick tasks, see [Pick Task Assignment](#).

To review how picking flows may vary depending on the rules and settings you use, see [Picking Orders](#).

When you process orders for warehouses with no bins or non-inventory items, skip the steps for bin entry and staging.

To pick items for multiple orders:

1. Access multi-order picking by doing the following:
 - a. On the mobile app, tap the menu icon at the left corner of the header, and then tap **Main Menu**.
 - b. From the Main Menu, tap **Picking**.
 - c. From the Picking menu, tap **Multi-order Picking**.
2. On the Select Wave page, do one of the following:



Tip: Make sure you submit a wave assigned with the Multiple Orders picking type.

- In the **Scan/Enter Wave #** field, scan or enter the wave number. If you enter the data, tap **Enter Wave #** to proceed.
 - From the Waves list, tap the wave number you want to select.
3. On the Select Pick Task page, do one of the following:
 - In the **Scan/Enter Pick Task #** field, scan or enter a pick task number. If you enter the data, tap **Enter Pick Task** to proceed.
 - From the Pick Tasks list, tap the bin associated with the pick task you want to select.
In the Quantity column, a zero quantity indicates that items associated with the pick task have been fully picked.
 - For warehouses with bins, you can stage previously completed items or partially picked items. Tap the more options icon, and then tap **Go to Staging**. See step 9.
Alternatively, you can select the same pick task and pick from another bin.
 - For warehouses with no bins or non-inventory items, you can proceed to [Posting Item Fulfillments for Partially Picked Orders](#).
Alternatively, you can process another pick task from the same order before you post the fulfillments.
 4. For warehouses with bins and inventory item types, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin number. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field, tap the picking bin you want to select.

- Tap the **Show all bins** toggle, and then from the list of available bins, tap the picking bin you want to select.
5. On the Enter Item page, do one of the following:
- In the **Scan/Enter Item** field, scan or enter the item name or number. If you enter the data, tap **Enter Item** to proceed.
- Instead of the item name, you can also scan or enter the item alias or UPC. For information about item aliases, see [Creating Item Aliases](#).
- From the Item to Pick list, tap the item name or number you want to select.
6. On the Enter Quantity page, do the following:
- a. (Optional) Depending on the features you use, you can change the unit or inventory status. Make sure that you select the appropriate unit or inventory status for the item or lot. For locations with no bins, to view the stock locations for the item, you can tap the **Show Stock Locations** toggle.
 - b. If the item has multiple units, you can select a different unit. Make sure that the unit corresponds to the quantity you enter or scan.



Tip: To view unit conversion rates, tap the unit icon beside the Quantity Remaining field.

- c. Enter the number of items you want to pick through one of the following ways:



Tip: If you want to skip the pick task for an order, you can tap the more options icon, and then tap **Skip**. This button appears only if you have other orders to pick within the same wave that you have not skipped. The number of the next order appears in the Order field.

- If you have scanned an item bar code that includes the quantity on the previous page, you can review the prepopulated quantity.
 - In the **Enter Quantity** field, enter the total picked quantity for the item in the order. If you are picking different lot numbers, enter the total quantity for one lot number. If you use pick cartons, enter the total picked quantity of the item that you want to add to a carton.
 - If you use Tally Scanning, in the **Tally Scan Lot #/Item** field, scan each item bar code. Then, for numbered items, enter or scan the lot or serial number after each item scan.
- You can review the total quantity scanned in the **Enter Quantity** field. After you tally scan all the items to pick, you are automatically forwarded to the next order or page. Skip steps 6.c and 7 for entering lot and serial numbers, respectively.
- For information about picking partial quantities, see [Picking Orders Partially](#).
- d. For lot items, in the **Scan/Enter Lot** field, scan or enter the lot number.
- Alternatively, from the list of available lots, tap the lot number you want to select. Skip step d.
- e. Tap **Enter Quantity**.
- You can repeat steps a - d to enter the quantity for another order.
- f. If you have entered a partial quantity and have remaining items to pick, do one of the following:
- To pick a different lot number, repeat steps 6.b to c to enter the quantity and number.
 - To pick remaining items from a different bin, tap the more icon, and then tap **Other Bin**. It redirects you to the Enter Bin page, unless you must first enter a pick carton or serial number as described in steps 7 to 8. For bin selection, return to step 4.

- If you have remaining items to pick but no stock or no bins with available quantity, tap **No Stock** or **Bin Empty**, respectively. If you are redirected to the Select Pick Task page to process another order, return to step 3.
- 7. For serialized items, on the Enter Serial Number page, do either of the following:

You can view the list of available serial numbers by tapping the **Show possible serial numbers** toggle.

 - In the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed. Repeat this step until you have provided all the serial numbers for the total quantity you want to pick.

To view the available serial numbers, tap the **Show possible serial numbers** toggle. You can copy a serial number from the list

 - If the bin does not contain more than the quantity you entered, you can tap **Pick All** to empty it out. For more information about this option, see [Serialized Items in Waves](#).

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return to step 6.
- 8. If you enabled cartons for this process, do the following:

 **Tip:** You can use the same pick carton for items that belong to the same order only.

- a. In the **Scan/Enter Carton** field, scan or enter the pick carton. If you enter the data, tap **Enter Carton** to proceed.
- Alternatively, from the Used Cartons list, tap the pick carton you want to select.
- b. If you print carton labels manually, make sure you complete your printing before you proceed. For instructions, see the help topic [Manually Printing Labels from Your Mobile Device](#).

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return step 7.

- 9. On the Pick Task Complete page, you can proceed to one of the following options:
 - For warehouses with bins and inventory item types, to stage the picked items, tap **Go to Staging**. On the Enter Staging Bin page, do one of the following:

 **Note:** If the order contains multiple pick tasks, process all the pick tasks that you want to stage in the same bin before you proceed.

- In the **Scan/Enter Staging Bin** field, scan or enter the outbound staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
- Tap the **Show all bins** toggle, and then from the list of bins, tap the outbound staging bin you want to select.

The Staging Complete page appears and displays the summary of orders you have processed. If you have other pick tasks or orders to process, you can proceed to the other options.

- To process another pick task from the same wave, tap **Next Pick Task**. You are redirected to the Select Pick Task page. Start from step 4.
- To process another multi-order wave transaction, tap **Next Wave**. You are redirected to the Select Wave page. Start from step 3.

Based on your fulfillment preference, NetSuite WMS automatically creates or updates fulfillment records for the fully picked or staged inventory items. For partially picked items, you must close the associated pick tasks to fulfill the orders. See [Posting Item Fulfillments for Partially Picked Orders](#). For more information about the fulfillment preference, see [Viewing the Status of Fulfillment Generation](#).

Performing Bulk Picking

On the app, the Multi-order Picking option also enables you to process waves set to the Bulk Picking type. You can pick the entire quantity of a single item from consolidated orders released in a wave transaction. The app automatically distributes the appropriate quantities across the orders in the wave. For more information, see [Creating Wave Transactions](#) or [Pick Task Assignment](#).

Serialized items that you include in a wave for bulk picking follow the multi-order picking flow on the app, including these system rules that you may have activated:

- **Use cartons for multi-order picking?** to add pick cartons as you process serialized items within bulk order picking waves
- **Enable Tally Scan?**, which is not available for inventory and lot items within bulk picking waves

For more information about rules that affect order picking, see [Picking Orders](#).

When you process orders for warehouses with no bins or non-inventory items, skip the steps for bin entry and staging.

To perform bulk picking:

1. Access bulk picking by doing the following:
 - a. On the mobile app, tap the menu icon at the left corner of the header, and then tap **Main Menu**.
 - b. From the Main Menu, tap **Picking**.
 - c. From the Picking menu, tap **Multi-order Picking**.

2. On the Select Wave page, do one of the following:



Tip: Make sure you enter or select a wave assigned with the Bulk Picking type.

- In the **Scan/Enter Wave #** field, scan or enter the wave transaction number. If you enter the data, tap **Enter Wave #** to proceed.
 - From the Waves list, tap the wave number you want to select.
3. On the Select Pick Task page, do one of the following:
 - In the **Scan/Enter Pick Task #** field, scan or enter the pick task number. If you enter the data, tap **Enter Pick Task**.
 - From the Pick Tasks list, tap the item associated with the pick task you want to process.
In the Quantity column, a zero quantity indicates that items associated with the pick task have been fully picked.
 - For warehouses with bins, you can stage previously completed items or partially picked items. Tap the more options icon, and then tap **Go to Staging**. See step 9.
Alternatively, you can select the same pick task and pick from another bin.
 - For warehouses with no bins or non-inventory items, you can proceed to [Posting Item Fulfillments for Partially Picked Orders](#).
Alternatively, you can process another pick task from the same order before you post the fulfillments.
 4. For warehouses with bins and inventory item types, on the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin number. If you enter the data, tap **Enter Bin** to proceed.

- In the **Recommended Bin** field, tap the picking bin you want to select.
 - Tap the **Show all bins** toggle, and then from the list of available bins, tap the picking bin you want to select.
5. On the Enter Item page, do one of the following:
- In the **Scan/Enter Item** field, scan or enter the item name, number, alias, or UPC. If you enter the data, tap **Enter Item** to proceed.
 - In the **Item to Pick** field, tap the item you want to select.
6. On the Enter Quantity page, do the following:
- a. Optionally, depending on the features you use, you can change the unit or inventory status. Make sure that you select the appropriate unit or inventory status for the item or lot. For locations with no bins, to view the stock locations for the item, you can tap the **Show Stock Locations** toggle.
 - b. If the item has multiple units, you can select a different unit. Make sure that the unit corresponds to the quantity you enter or scan.
-  **Tip:** To view unit conversion rates, tap the unit icon beside the Quantity Remaining field.
- c. In the **Enter Quantity** field, enter the number of items you want to pick in one of the following ways:
-  **Tip:** If you want to skip the pick task for an order, you can tap the more options icon, and then tap **Skip**. The number of the next order appears in the Order field.
- If you have scanned an item bar code that includes the quantity on the previous page, you can review the prepopulated quantity.
 - Enter the total number of items you want to pick. For the following cases, you can enter the quantity as follows:
 - For multiple lot numbers, enter the total quantity for one lot number.
 - If you use pick cartons, you can enter the total quantity you want to pick and add to a carton.
 - If you use Tally Scanning for serialized items in a bulk picking wave, do not enter a quantity in this field. In the **Tally Scan Serial** field, scan each serialized item bar code or serial number.
- You can review the total quantity scanned in the **Enter Quantity** field. If you have no remaining items to process, you are forwarded automatically to the next page..
- For information about picking partial quantities, see [Picking Orders Partially](#).
- d. For lot items, in the **Scan/Enter Lot** field, scan or enter the lot number.
- Alternatively, from the list of available lots, tap the lot number you want to select. Skip step d.
- e. If you have no remaining quantity to pick, you can tap **Enter Quantity**. You can repeat steps a - d to enter the quantity for another order.
- If you enter a partial quantity and have no available quantity to pick, you can tap **Bin Empty** or **No Stock** instead. If you are redirected to the Select Pick Task page to process another task, return to step 3.
- To pick remaining items from a different bin, tap the more icon, and then tap **Other Bin**. It redirects you to the Enter Bin page, unless you must first enter a pick carton or serial number as described in steps 7 to 8. For bin selection, return to step 4.
7. For serialized items, on the Enter Serial Number page, do either of the following:

- In the **Scan/Enter Serial Number** field, scan or enter the serial number. If you enter the data, tap **Enter Serial Number** to proceed. Repeat this step until you have provided all the serial numbers for the total quantity you want to pick.

You can view the list of available serial numbers by tapping the **Show possible serial numbers** toggle. You can copy a serial number from the list.

- If the bin doesn't contain more than the quantity you entered, you can tap **Pick All** to empty it out. For more information about this option, see [Serialized Items in Waves](#).

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return to step 6.

8. For serialized items, if you enabled cartons for this process, do the following:

 **Tip:** You can use the same pick carton for items that belong to the same order only.

- a. In the **Scan/Enter Carton** field, scan or enter the pick carton. If you enter the data, tap **Enter Carton** to proceed.
Alternatively, from the Used Cartons list, tap the pick carton you want to select.
- b. If you print carton labels manually, make sure you complete your printing before you proceed. For instructions, see the help topic [Manually Printing Labels from Your Mobile Device](#).

If you entered a partial quantity, you are redirected to the Enter Quantity page. Return to step 7.

9. On the Pick Task Complete page, you can proceed to one of the following options:

- For warehouses with bins and inventory item types, to stage the picked items, tap **Go to Staging**. On the Enter Staging Bin page, do one of the following:

 **Note:** If the order contains multiple pick tasks, process all the pick tasks that you want to stage in the same bin before you proceed.

- In the **Scan/Enter Staging Bin** field, scan or enter the outbound staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.
- Tap the **Show all bins** toggle, and then from the list of bins, tap the outbound staging bin you want to select.

The Staging Complete page appears and displays the summary of orders you have completely processed. You can view the quantity of items that have been distributed per order.

- To process another pick task from the same wave, tap **Next Pick Task**. You are redirected to the Select Pick Task page. Start from step 4.
- To process another multi-order wave transaction, tap **Next Wave**. You are redirected to the Select Wave page. Start from step 3.

Based on your fulfillment preference, NetSuite WMS automatically creates or updates fulfillment records for the fully picked or staged inventory items. For partially picked items, you must close the associated pick tasks to fulfill the orders. See [Posting Item Fulfillments for Partially Picked Orders](#). For more information about the fulfillment preference, see [Viewing the Status of Fulfillment Generation](#).

Preventing the Picking of Expired Items

You can set whether you want to show items from expired lots as available for picking. By default, NetSuite WMS allows the picking of expired items. If you do not want expired items to appear in the available inventory for picking, you can edit the Allow picking of expired items system rule.

For more information, see [System Rules for NetSuite WMS](#).

To prevent the picking of expired items:

1. Log in to your NetSuite WMS account using the Warehouse role.
2. Go to Setup > Warehouse > System Rules.
3. Do one of the following:
 - To prevent the picking of expired items for all warehouse locations, click **Edit** next to **Allow picking of expired items?**.
 - To prevent the picking of expired items to accommodate a business exception that applies to one location only, complete the following steps:
 1. Click **View** next to **Allow picking of expired items?**.
 2. In the **Actions** menu, click **Make Copy**.
 3. In the **Name** field, enter **Allow picking of expired items?**.
 4. In the **Location** field, select the appropriate warehouse location or warehouse sublocation.
4. In the **Rule Value** field, enter **N**.
5. Check the **Active** box.
6. Click **Save**.

Picking Orders from a Zone

If you activate the following Zone Picking rules for locations with bins, you can pick items from zones for orders released in waves:

- **Enable Zone Picking for single orders** – Different pickers can process one or more pick tasks associated with the same order in a wave. See [Zone Picking for Single Orders](#).
- **Enable Zone Picking for multiple orders** – Multiple pickers can process orders from the same wave. See [Zone Picking for Multiple Orders](#).

You can stage the items picked from different zones in the same bin location. For more information, see [System Rules for NetSuite WMS](#).

On the mobile app, the Select Zone page appears to display the zones from the same warehouse. You can select one or more zones that contain the items you want to pick. The app displays the list of pick task or lines with recommended bins associated with the zone. If you select the **All Unassigned Zones** option, you can process non-inventory items along with pick task lines with recommended bins not associated with zones. For more information about zones, see [Creating Zones](#).

On a pick task subrecord, you can view the **Recommended Bin** field in the header and its associated zone on the **Recommended Bins** subtab. On this subtab, you can also view the applicable pick strategy that you may have set up for the zone. For more information, see [Pick Task Sorting and Recommended Bins](#) or [Defining Pick Strategies](#).

Zone Picking for Single Orders

You can activate the **Enable Zone Picking** system rule to process waves for the Single Order picking type. You can enable the **Always Merge Items During Staging** setting in this rule. It requires that you stage all the picked items for an order in the same bin. Otherwise, staging of picked items in the same bin remains optional.

To pick single orders from a zone:

1. Access the order selection page by doing the following:
 - a. On your mobile device, tap the menu icon at the left corner of the header, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Picking**.
 - c. On the Picking page, tap **Single Order Picking**.
 - d. On the Select Picking Mode page, tap **Released Orders**. Then, on the Select Order Type page, tap either **Sales Order** or **Transfer Order**.
2. On the Select Zone page, scan or enter a zone in the field, or tap the zones from the list. Then, tap **Enter Zone** to proceed.
 If you choose the **All Unassigned Zones** option, you can pick items from bins not associated with zones, including non-inventory items.
3. On the Select Order page, scan or enter an order number in the field, or tap an order from the list. If you enter the data, tap **Enter Order #** to proceed.
 If you are redirected to this page and you want to change the zone, tap the back button to return to the Select Zone page.
4. On the Select Pick Task page, scan or enter a pick task in the field, or tap a pick task from the list. If you enter the data, tap **Enter Pick Task** to proceed.
 If you want to view the fully picked tasks from the same released order, tap the toggle.
5. On the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin from which you want to pick the items. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field, tap the bin.
 - To select from a list of bins, tap the **Show all bins** toggle, and then tap the bin.



Tip: To display the Zone column, tap the table icon. On the popup window, from the Visible Columns list, tap **Zone**, and then tap **Done**.

The list displays all the bins that contain the item within the warehouse. You can select a bin that does not belong to the same zone or one not assigned to any zone.

6. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item you want to pick. If you enter the data, tap **Enter Item** to proceed.
 You can scan or enter the item name, number, alias or UPC.
 - In the **Item to Pick** field, tap the item name.
7. On the Enter Quantity page, depending on the features and rules you use, enter or select values in the following fields:
 - a. **Inventory Status** - If you use the Inventory Status feature, you can select the status of an item associated with different statuses.



Tip: To display the Status column on the Available Quantity table, tap the table icon. From the Visible Columns list, tap **Status**. Then, tap **Done**.

- b. To enter the quantity, do one of the following:
 - **Enter Quantity** – Enter the picked quantity for the item. Otherwise, if you have no available quantity to pick, proceed to step c.
 Optionally, beside the field, you can change the unit if the item is associated with multiple units. By default, this field displays the transaction unit. Even if you change the unit, the

value in the Quantity Remaining field adjusts automatically based on the default unit. Beside this field, you can tap the unit icon to view the unit conversion rates.

- **Scan/Enter Item, Scan/Enter Lot, Tally Scan Serial** – If you activate the Tally Scanning rule, before you scan the item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You cannot change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as shown in step 7.a.

For lot or serialized items, you can scan an item bar code that contains the lot or serial number, respectively. Otherwise, you can select the number from the list. For serialized items, tap the toggle to display the list. You can skip step 8.

The values in the Enter Quantity and Remaining Quantity fields adjust automatically.

Repeat this step to scan each item. After you scan the full quantity, the next page appears automatically. You can skip step 7.c.

- c. To save the quantity or proceed, do one of the following:

- After you enter the full or partial quantity, tap **Enter Quantity**.

If you enter a partial quantity, this page appears again. You can enter the quantity for another lot number or inventory status. You can also change the unit.

- If you have no available or remaining inventory items to pick, tap **Bin Empty**. For non-inventory items, tap **No Stock**.

If you have another pick task to process from the same released order or open tasks, you are redirected to the Select Pick Task page. This page also appears if you have open tasks with quantity not picked. Repeat from step 4.

8. For serialized items, on the Enter Serial Number page, scan or enter the serial number in the field. If you enter the data, tap **Enter Serial Number** to proceed.

Repeat this step to enter all the serial numbers for the total picked quantity. If you entered a partial quantity on the Enter Quantity page, you are redirected to it. You have options to include other quantities, such as the quantity of another inventory status. Repeat from step 7.

9. If you activate the Use Cartons rule for single orders, on the Enter Carton page, scan or enter a pick carton in the field, or tap a pick carton from the list. If you enter the data, tap **Enter Carton** to proceed.



Note: If you activate the **Print pick carton labels?** rule and Mobile Printing, make sure you complete your printing before you proceed.

10. On the Pick Task Complete page, do one of the following:



Tip: If you have no remaining items to pick, this page doesn't appear and you are redirected to the Enter Staging Bin page. Proceed to step 11.

- To start staging the picked items, tap **Go to Staging**.
- To process another pick task, tap **Next Pick Task**. Repeat from step 3.

11. On the Enter Staging Bin page, do one of the following:



Tip: You can scan, enter, or select the staging bin that already contains staged items from the same released order, even those picked from different zones. From the list of bins, this staging bin appears with an asterisk. If you enable the **Always Merge Items During Staging** setting in the **Zone Picking** rule, you must select this bin.

- In the **Scan/Enter Staging Bin** field, scan or enter the staging bin. If you enter the data, tap **Enter Staging Bin** to proceed.

- To select from a list of staging bins within the warehouse, tap the **Show all bins** toggle. Then, tap the staging bin.

The confirmation page appears with the staging details.

You can view the updated orders, waves, and any generated fulfillment records from the NetSuite UI. You can also process or close partially picked orders. For more information, see [Picking Orders](#).

Zone Picking for Multiple Orders

You can activate the **Enable Zone Picking** rule for waves with the Multiple Orders picking type and enable the following rule settings: **Stage by Order** and **Always Merge Items During Staging**. Even if you pick the items from different zones, you can stage them per order. During staging, the Select Order page appears so that you can choose one or more orders. You also have the option to stage them in the same bin. However, if you enable the **Always Merge Items During Staging** setting, staging in the same bin becomes mandatory.

For warehouses that use bins, to create zones to specify areas within your location, see [Creating Zones](#).

To pick multiple orders from a zone:

1. Access the order selection page by doing the following:
 - a. On your mobile device, tap the menu icon at the left corner of the header, and then tap **Main Menu**.
 - b. On the Main Menu page, tap **Picking**.
 - c. On the Picking page, tap **Multi-Order Picking**.
2. On the Select Zone page, scan or enter a zone in the field, or tap the zones from the list. Then, tap **Enter Zone** to proceed.
If you choose the **All Unassigned Zones** option, you can pick items from bins not associated with zones, including non-inventory items.
3. On the Select Wave page, scan or enter a wave number, or tap a wave from the list. If you enter the data, tap **Enter Wave #** to proceed.
If you are redirected to this page and you want to change the zone, tap the back button to return to the Select Zone page.
4. On the Select Pick Task page, do one of the following:
 - Scan or enter a pick task in the field, or tap a pick task from the list. If you enter the data, tap **Enter Pick Task** to proceed.
 - To stage items that have been picked already, tap **Go to Staging**. Alternatively, you can select from the list of fully picked tasks by tapping the toggle.
The Enter Staging Bin page appears. Proceed to step 12.
5. On the Enter Bin page, do one of the following:
 - In the **Scan/Enter Bin** field, scan or enter the bin from which you want to pick the items. If you enter the data, tap **Enter Bin** to proceed.
 - In the **Recommended Bin** field, tap the bin.
 - To select from a list of bins, tap the **Show all bins** toggle, and then tap the bin.



Tip: To display the Zone column, tap the table icon. From the Visible Columns list, tap **Zone**. Then, tap **Done**.

The list displays all the bins that contain the item within the warehouse. You can select a bin that does not belong to the same zone or one not assigned to any zone.

6. On the Enter Item page, do one of the following:
 - In the **Scan/Enter Item** field, scan or enter the item you want to pick. If you enter the data, tap **Enter Item** to proceed.
You can scan or enter the item name, number, alias or UPC.
 - In the **Item to Pick** field, tap the item.
7. On the Enter Quantity page, depending on the features and rules you use, enter or select values in the following fields:
 - a. **Inventory Status** - If you use the Inventory Status feature, you can select a status for items associated with different statuses.



Tip: To display the Status column on the Available Quantity table, tap the table icon. From the Visible Columns list, tap **Status**. Then, tap **Done**.

- b. To enter the quantity, do one of the following:
 - **Enter Quantity** - Enter the picked quantity for the item. Otherwise, if you have no available quantity to pick, proceed to step c.

Optionally, beside the field, you can change the unit if the item is associated with multiple units. By default, this field displays the transaction unit. Even if you change the unit, the value in the Quantity Remaining field adjusts automatically based on the default unit. Beside this field, you can tap the unit icon to view the unit conversion rates.
 - **Scan/Enter Item, Scan/Enter Lot, or Tally Scan Serial** - If you enable the Tally Scanning rule, before you scan the item bar code, make sure you leave the Enter Quantity field blank and select the correct unit. You can't change the unit after you scan the first item bar code. You can also verify that the correct inventory status is selected, as shown in step 7.a.

For lot or serialized items, you can scan an item bar code that contains the lot or serial number, respectively. Otherwise, you can select the number from the list. For serialized items, you can skip step 8.

The values in the Enter Quantity and Remaining Quantity fields adjust automatically.

Repeat this step to scan each item. After you scan the full quantity, the next page appears automatically. You can skip step 7.d.
 - c. To save the quantity or proceed, do one of the following:
 - After you enter the full or partial quantity, tap **Enter Quantity**.

If you enter a partial quantity, this page appears again. You can enter the quantity for another lot number or inventory status. You can also change the unit.
 - If you want to skip picking the item for an order and switch to the next order, tap **Skip**. The number or ID of the next order for the same item appears in the Order field. You can repeat the steps to enter the quantity for the next order.
 - If you have no available or remaining inventory items to pick, tap **Bin Empty**. For non-inventory items, tap **No Stock**.

Repeat this step to enter the item quantity for another order. If you have another pick task to process, you are redirected to the Select Pick Task page. This page also appears if you have open tasks with quantity not picked. Repeat from step 4.

8. For serialized items, on the Enter Serial Numbers page, in the **Scan/Enter Serial Number** field, scan or enter a serial number. If you enter the data, tap **Enter Serial Number** to proceed.

To display the list of available serial numbers, tap the toggle.

Repeat this step to enter all the serial numbers for the total picked quantity. If you entered a partial quantity, you are redirected to the Enter Quantity page. You can enter the quantity for another inventory status. Repeat from step 7.

9. If you activate the Use Cartons rule for multiple orders, on the Enter Carton page, do one of the following:

 **Note:** You can use the same pick carton for items that belong to the same order only. If you activate the **Print pick carton labels?** rule and Mobile Printing, make sure you complete your printing before you proceed.

- In the **Scan/Enter Carton** field, scan or enter the pick carton. If you enter the data, tap **Enter Carton** to proceed.
- From the Used Cartons list, tap the pick carton you want to select.

If you entered a partial quantity, you are redirected to the Enter Quantity page. Repeat from step 7. If you have no other pick tasks to process, you are redirected to the Select Order page or Enter Staging Bin page. Proceed to step 11 or 12, respectively.

10. On the Pick Task Complete page, you can do one of the following:

 **Tip:** If you have no remaining items to pick, this page doesn't appear and you are redirected to the Enter Staging Bin page. Proceed to step 11.

- To process another pick task from the same wave, tap **Next Pick Task**. Repeat from step 4.
- To stage your picked items, tap **Go to Staging**.

11. If you enable the Stage by Order setting in the Zone Picking rule, on the Select Order page, do one of the following:

- In the **Scan/Enter Order** field, scan or enter the number of the order you want to stage. If you enter the data, tap **Enter Order** to proceed.
- From the Select Orders list, tap the box next to the orders you want to stage.

12. On the Enter Staging Bin page, do one of the following:

 **Tip:** You can scan, enter, or select the staging bin that already contains staged items from the same released order, even those picked from different zones. From the list of bins, this staging bin appears with an asterisk. If you enable the **Always Merge Items During Staging** setting in the **Zone Picking** rule, you must select this bin.

- In the **Scan/Enter Staging Bin** field, scan or enter the bin. If you enter the data, tap **Enter Staging Bin** to proceed.
- To select from a list of staging bins, tap the **Show all bins** toggle.

If another order is available for staging, the Select Orders page appears. Repeat from step 11. Otherwise, the Staging Complete page appears with the staging details.

You can view the updated orders, waves, and any generated fulfillment records from the NetSuite UI. You can also process or close partially picked orders. For more information, see [Picking Orders](#).

Viewing, Updating, or Deleting Pick Tasks

On the NetSuite WMS user interface, you can update pick tasks to reflect updates to a released order or item. You can also troubleshoot pick task failures that might occur during the release of orders or fulfillment creation.

Note: NetSuite recommends using the mobile device to record picking details, such as picked quantity, inventory details, and staging bin. Updates by a picker through the mobile device reflect on associated pick task subrecords. For more information, see [Picking Orders](#).

Access single or multiple pick tasks by doing either of the following:

- To open a single pick task subrecord, go to Transactions > Inventory > View Pick Tasks. From the list of pick tasks, click **Edit** for the record you want to update. Alternatively, from a wave, go to the **Pick Tasks** subtab, and then click the pick task number.
- To view pick task lines, you can create a pick task saved search by going to Lists > Search > Saved Searches > New. For your new search, make sure that you select the **Pick Task** saved search type. By default, it shows basic pick task details and status, including failure reasons and messages.

Pick tasks include the following actions that may affect order picking:

- **Match** – Click this option at the header to retrieve the latest updates to orders or items associated with the pick task. Changes to data appear in the appropriate fields on the pick task page.

Pick tasks with order or item changes affect the recommended bin sorting and selection. For example, you release an order for an item with no bin, and then switch the item to use bins before picking has started. When you update the pick task to reflect the new item setting, NetSuite WMS sorts the bins and displays the recommended bin. For more information about recommended bins, see [Recommended Bin Sorting](#) or [Updating Recommended Bin or Pick Strategy Matching](#).

- **Retry Updates** – Based on the **Allow Retry** setting of a pick task line, you can click this option at the header to retry creating or updating fulfillment records that have failed initially. If set to **No**, you can't retry the process because of errors, such as missing transactions or orders that might have been fulfilled outside of the wave.

Before you retry, view the issue details in the **Failure Reason** column for the pick task lines. You must address any issues by reviewing the associated order transaction or item record and updating it accordingly. After completing your updates, make sure you refresh your browser, and then click **Retry Updates**.

- **Override Fulfillment Creation** – In edit mode, you can check this box for a failed pick task if you want to fulfill the picked items outside of the wave.

Note: If you select this option, you can't retry fulfillment creation from the pick task subrecord. Also, you can't revert or clear the **Override Fulfillment Creation** box anymore.

It doesn't transfer items back to their originating bins. You can fulfill items directly from their associated order transactions or through bulk fulfillment. For more information about these fulfillment options, see the help topic [Fulfilling Orders](#). For information about failed fulfillments, see [Viewing and Handling Fulfillment Generation Failures](#).

If you select this option for a failed pick task line of a kit/package item's component, you must do the same for the failed pick task lines of its other components.

- **Delete** – You can click this option from the Actions list to delete a pick task.

In edit mode, you can delete an entire pick task subrecord in Pending or Ready status. When you delete pick tasks from a wave and you want to release the disassociated line items in a new wave, you must also delete the existing wave. See [Deleting Waves](#).



Important: Be aware that when you delete the pick task subrecord for a kit component, you can't fulfill the associated order for the entire kit or package. A released order for a kit/package item with missing components can't be fulfilled.

You can't delete failed pick tasks, but you can retry processing the fulfillment records. For staged and completed pick tasks, you can reverse the line items, and then release these lines in a new wave. For more information, see [Pick Task Reversal](#).

Pick Task Reversal

You can reverse pick task lines through the NetSuite UI or the NetSuite WMS app. Through the NetSuite UI, you can perform full pick task reversals only. To undo order picking, it sets the picked quantity back to zero and moves the pick task line to Done status. It also deletes fulfillments or specific fulfillment lines associated with the reversal. You can release reversed lines from the order in a new wave.

Through the NetSuite WMS app, you can undo order picking for the quantity you specify. For a partial reversal, a new fulfillment is created for the picked quantities, including other picked orders, that you do not reverse. For information fulfillment creation preferences, see [Setting Warehouse Management Preferences](#).

You can reverse failed pick task lines if you want to release the associated order line in another wave, for instance. Note that you can't reverse lines that have the **Override Fulfillment Creation** setting enabled. For more information, see [Viewing, Updating, or Deleting Pick Tasks](#).

Using the NetSuite user interface or app, you can reverse pick tasks with fulfillments that have not yet been marked Shipped. You can't directly reverse pick tasks for pending billing or billed orders. Before you can reverse them, you must delete the fulfillment records first. For more information, see the help topic [Voiding, Deleting, or Closing Transactions](#).

If you use the Ship Central app to pack orders, you can also reverse pick tasks for those orders. When NetSuite deletes or updates the associated fulfillments, it also deletes the pack cartons and pallets, including printed labels and related documents. For more information, see the help topic [Ship Central Packing](#).

To reverse pick tasks, see the following topics:

- [Reversing Pick Tasks Using the NetSuite UI](#)
- [Reversing Pick Tasks on the App](#)

Reversing Pick Tasks Using the NetSuite UI

To perform full reversals through the NetSuite UI, you can search for the wave or order associated with the pick tasks.

To reverse pick tasks using the NetSuite UI:

1. Using the Warehouse role, go to Shipping > Picking > Reverse Picks.



Important: Don't use the Pick Reversal menu option available from the previous version of NetSuite WMS.

2. On the Reverse Picks page, in the **Location** field, select the warehouse location where the pick tasks have been released.

3. Search for the pick tasks you want to reverse by doing one of the following:
 - To search by wave transaction, in the **Wave #** field, enter the number of the wave transaction.
 - To search by order transaction, in the **Transaction Type** field, select one of the following transaction types: **Sales Order** or **Transfer Order**. Then, in the **Transaction #** field, enter the number of the order transaction.
4. Click **Display**.
5. On the **Line Items** subtab, in the **Reverse Pick** column, check the box next to each pick task line you want to reverse.
6. Click **Submit**.

Reversing Pick Tasks on the App

To perform reversals through the app, you can select the pick task line and specify the full or partial quantity. For partial reversals, you can further enter the quantity for a specific inventory status, lot number, or serial number.

Partial reversals do not apply to non-inventory items and kit/package items, which requires reversal of components all at the same time.

For locations with bins, you return picked quantities back to the bin from which they were picked. If you want to select the destination bin, you can activate the **Choose bins for reversed pick task items?** rule. To activate rules, see [System Rules for NetSuite WMS](#).

To reverse pick tasks through a mobile device:

1. Access work order reversal by doing the following:
 - a. On the WMS app, tap the menu icon at the top-left corner of the screen, and then tap **Main Menu**.
 - b. On the Main Menu, tap **Picking**.
 - c. On the Picking menu, tap **Reverse Picks**.
2. On the Select Order Type page, tap one of the following order types: **Sales Order** or **Transfer Order**.
3. On the Enter Wave or Order page, in the **Scan/Enter Wave or Order #** field, scan or enter the wave or order number. If you enter the data, tap **Enter Wave/Order #** to proceed.
4. On the Select Pick Task Line page, from the Line Items list, tap the order associated with the pick task you want to process.
5. On the Pick Task Line Details page, you can review the item and picking details for the task.

For kit items, a message appears to inform you that all pick tasks for other kit components are also reversed.
6. If you can choose the destination bin, in the **Scan/Enter Bin** field, scan or enter the bin to which you want to transfer the reversed items. Alternatively, in the **Original Bin** field, you can tap the bin to transfer them to the bin from which they had been picked.
7. Tap **Reverse**.

If you transfer the items to a temporary bin, you can perform a bin transfer to move them to their storage bins. You can view updates to the wave and order transactions associated with the reversed pick tasks.

Managing Bins Blocked from Order Picking

The **Enable bin blocking and reporting** rule provides the option to block bins for an item during order picking. As you process waves through the app, you can block a bin that cannot fill the order for an item. Unless you unblock the bin, it cannot be selected when you pick the item for any order. Blocking applies even to bins in a pick strategy, so they don't appear in the recommended bins list for the item. It also applies to all inventory statuses of the item in the bin.

You can activate the same rule for the work order picking process to block bins that you use for component items of assemblies. For more information, see [Work Order Picking](#).

 **Note:** NetSuite WMS provides a separate setting for blocking bins of a specific type from wave order picking. For more information, see [Creating Bin Locations or Carts](#).

When you block a bin, you report it with your reason for blocking it. You can continue to stage or submit the partially picked items to generate the item fulfillment. For more information, see [Picking Orders Partially](#).

Based on the reason why you blocked a bin, you can decide whether to perform a count or unblock it right away.

If you perform a pick reversal, the app still returns the items to the blocked bin, unless you can choose another destination bin.

Performing Counts for Blocked Bins

Before you unblock a bin, you can perform a count to verify and adjust the quantity accordingly. Depending on the features you use, you can perform manual, calculated, or cycle counts. After you approve a count, you can unblock the bin.

If you use the Smart Count app, you can choose one or more bin blocking reasons for which you want to enable spot counting. On the app, you can access only the bins blocked for those reasons. When you approve a spot count, you automatically remove the block on the bin for the item. For more information, see [Defining Reasons for Bin Blocking](#).

For instructions on performing counts, see the following topics:

- If you use Inventory Management, see the help topic [Inventory Count](#).
- If you use Warehouse Management, see [Inventory Counts](#).
- If you use the Smart Count app, see the help topic [Performing Inventory Count on Mobile Devices](#).

Unblocking Bins for an Item

You can unblock bins that you want to pick from again on the app. If you block a bin for different items, you can choose which items in the bin to remove the block from. If you block different bins that contain the same item, you can choose which bins to unblock. Like blocking, unblocking applies to each bin and item combination.

If you want to count the items in a bin before you unblock it, see [Performing Counts for Blocked Bins](#).

To unblock bins for an item:

1. Using the WMS Warehouse Manager role, go to WMS Outbound > Outbound Maintenance > Unblock Bins.
2. On the Manage Blocked Bins page, in the Location field, select the location of the bin.

3. In the Blocked Bins per Item list, do the following:
 - a. If you use the Smart Count app, in the **Status** column, verify that the bins you want to unblock do not have the Count status.
You cannot unblock bins included in an ongoing spot count.
 - b. Check the box next to the name of the blocked bin for the item.
Alternatively, if you want to unblock all the bins, click the **Mark All** box.
4. Click **Submit**.

On existing pick tasks, if you want to include unblocked bins in recommended bin sorting, you can use the **Match** option. For more information, see [Updating Recommended Bin or Pick Strategy Matching](#) or [Recommended Bin Sorting](#).

Showing or Hiding Completed Picks on the App

You can switch on the Show Fully Picked Tasks toggle to display the list of fully picked tasks that have not been staged yet.

Select Pick Task

SCAN/ENTER PICK TASK #

Pick Tasks

BIN	ITEM	QUANTITY
WMSSStorageBin	AsmSerialInventoryNonUOM	3

☐ Show Fully Picked Tasks (Not Yet Staged)

BIN	ITEM	QUANTITY
WMSSStorageBin	AlInventoryNonUOM	3

< Go To Staging Enter Pick Task

Packing Orders

After you pick items for released orders, you can pack them for shipping. Packing enables you update orders and item fulfillments with item and package details. To view the list of supported item types for packing released orders, see [Supported Transactions and Item Types for NetSuite WMS](#).

NetSuite WMS provides the following packing options:

- Through the NetSuite UI, you can select picked items for released orders that you want to process and mark them Packed. You can also print packing lists for orders that you manually pack.

For more information, see [Manually Packing Orders and Printing Packing Lists](#).

- You can inactivate the **Manually pack orders?** system rule to automatically set fulfillment records to Packed after you pick them through the app.

For more information, see [System Rules for NetSuite WMS](#).

You can define a format to autogenerate SSCC-18 bar codes and print shipping labels with this code. If you do not manually pack orders, NetSuite generates the code after you pick and stage orders through your mobile device. Otherwise, it generates the code after you manually pack orders through the NetSuite UI. See [Defining a UCC Code Format](#).

If you use the Ship Central SuiteApp, you can complete your packing tasks through a kiosk device. You can pack your picked items into cartons and transfer them onto a pallet. When you pack cartons, you can capture weights from a weighing scale. For more information, see the help topic [NetSuite Ship Central](#).

Manually Packing Orders and Printing Packing Lists

You can manually pack orders that are released in wave transactions. They must also have fulfillment records in Picked status. When you pack orders, you provide carton details and select one or more items to include in the carton. NetSuite WMS sets the associated order transaction and fulfillment record to Packed status. For more information about released orders, see [Releasing Orders to the Warehouse](#) or [Viewing the Status of Fulfillment Generation](#).

Item and carton details for packed orders appear on the packing list, which you can print immediately after you process each manually packed order. The packing list also displays shipping details sourced from sales or transfer order transactions. If you want to print custom packing lists, you must activate and configure the **Use custom packing lists?** system rule before you manually process orders for packing. See [System Rules for NetSuite WMS](#).

For non-inventory for sale and for resale item types, you can pack only the full quantity on the fulfillment record and not any partial quantities. For more information about supported item types for packing orders released in waves, see [Supported Transactions and Item Types for NetSuite WMS](#).

You have the option to automatically pack orders by inactivating the **Manually pack orders?** system rule. If you have set the **Default Item Fulfillment Stage** preference, note how your rule setting affects the status of new fulfillments for released orders:

- If you set the preference to **Picked** and do not activate the system rule, NetSuite WMS automatically sets new item fulfillments to **Packed** status.
- If you set the preference to **Packed** or **Shipped** and activate the system rule, NetSuite WMS automatically sets new item fulfillments to **Picked** status. With new fulfillments in this status, you can manually pack the released orders.

For more information about this preference, see the help topic [Shipping Integration with Pick, Pack, and Ship](#).

To manually pack orders and print packing lists:

1. Using the Warehouse role, go to Shipping > Packing > Pack Orders.



Important: You shouldn't use the Packing for Single Order or Packing for Multi Order menu options.

2. On the Pack Orders page, search for the released orders you want to pack using the following filters:
 - a. In the Primary Information section, select values in the following fields:
 - In the **Location** field, select a warehouse location.
 - In the **Transaction Type** field, select the type of transaction to which the orders belong or the type indicated on the wave transaction.
 - b. (Optional) In the Transaction Details section, you can set values in the fields to apply more filters and refine your search.

3. Click **Display**.

The carton fields and list of orders appear on the page.

4. In the Carton Details section, enter values in the following fields:
 - In the **Carton** field, enter a label or number, in any format, to identify the new pack carton.



Note: On the packing slip, this carton detail is shown as the container number.

- (Optional) In the **Size** field, enter the dimensions of the pack carton.
 - In the **Weight** field, enter the numeric value of the weight of the package, without the unit.
5. On the **Packing** subtab, do the following for each line item you want to process:
 - a. Check the **Confirm** box next to each item that you want to include in the pack carton.
 - b. In the **Quantity** column, enter the number of items you want to pack.
 6. Click **Submit**.
A confirmation message appears on the page.
 7. To print a packing list, click **Print Packing List**.
You can view the details on a packing list before you print it.

Shipping Orders

After you pick and pack items, you can ship them using either of the following options:

- [NetSuite WMS Shipping Integration](#) – Enables integration with carrier shipping software
- [Manually Shipping Orders](#) – Provides the Quick Ship capability on the app
- [Manually Shipping Orders in Pack Cartons or Pallets](#) – Provides the Quick Ship feature to users of NetSuite Ship Central packing

These shipping options use the WMS Ship Manifest record to associate a tracking number with your orders' cartons and mark the orders as shipped in NetSuite. For more information, see the following topics:

- [WMS Ship Manifest Records](#)
- [Confirming Customer Shipments](#)

WMS Ship Manifest Records

WMS Ship Manifest records are intermediary data records that pass shipping information to and from NetSuite and to and from the NetSuite WMS Shipping Integration.

When you post an item fulfillment record for an item, order, or carton, the system creates a WMS Ship Manifest record at the same time. It populates the record with information from the sales order and picking and packing processes, such as the order number, carton details, recipient details, and shipping instructions.

When you ship items and cartons, the system updates the associated ship manifest record with the shipping tracking number. It marks an item fulfillment as shipped when its associated ship manifest record has a shipping tracking number.

For more information, see [Posting Item Fulfillments for Partially Picked Orders](#).

NetSuite WMS Shipping Integration

The NetSuite WMS Shipping Integration provides a connection between NetSuite and your parcel carrier shipping software (for example, FedEx Ship Manager or UPS WorldShip). This connection enables you to automate some of your outbound processing tasks to streamline the shipping process.

The NetSuite WMS Shipping Integration uses the NSWMS Print Driver application to automatically:

- Pull shipping data from WMS Ship Manifest records to push it to your carrier shipping software.
- Generate shipping labels for each carton packed using NetSuite WMS.
- Print shipping labels to printers in your warehouse.
- Pull tracking number information from your carrier shipping software and push it to WMS Ship Manifest records.

Install the NSWMS Print Driver application on the same computer in your warehouse's shipping station you use to run your parcel carrier's shipping software. As you pack items in the warehouse, the application runs a scheduled task to find all orders that are ready to be shipped. Using the information stored in the WMS Ship Manifest record, it creates shipping labels and prints them at the printer you configure in the application.

For more information on installation and configuration of the NSWMS Print Driver application, see [NetSuite WMS Shipping Integration Setup](#).


Shipping Orders Using the NetSuite WMS Shipping Integration

The NetSuite Printer Driver application runs a scheduled script at an interval you define during its configuration. The script identifies all orders that are packed and ready for shipping. To do this, it looks for orders with ship manifest records that have a packing reference, but no shipping tracking number.

The NetSuite Print Driver application then pulls the orders' shipping data from their associated ship manifest records and pushes it to the parcel carrier software. The system initiates the shipping process with the parcel carrier, generates and prints ship labels, and pushes a tracking number to the ship manifest record.

When a ship manifest record has a shipping tracking number, the system marks its associated item fulfillment record as shipped. When all of an order's associated item fulfillment records are marked as shipped, the order is considered fulfilled and moves to the Pending Billing status.

NetSuite WMS Shipping Integration Workflow Chart



Manually Shipping Orders

The Quick Ship capability enables you to manually mark items as shipped. You might use this feature for orders that do not need to go through a formal shipping process, such as customer pick-ups or internal sales orders.

Important: To use Quick Ship, the shipping method set on the order must be associated with a carrier service level record that has the **Allow Quick Ship** box checked. [Creating Carrier Service Levels](#).

 [WMS Mobile Quick Ship Orders](#)

To manually ship an order:

1. On your mobile device, on the Warehouse Location page, select your warehouse location.
2. On the Main Menu page, tap **Picking**.
3. On the Picking page, tap **Quick Ship**.
4. On the Select Order Type page, tap the type of order you are shipping: **Sales Order** or **Transfer Order**.
5. On the Select Order page, in the **Scan/Enter Order Number** field, scan or enter the order transaction number, and then tap **Enter Order #**.

 **Tip:** You can also select an order by tapping the **Order #** link from the Sales or Transfer Order list. This list displays all the transactions for orders that you have completely picked and packed.

6. On the Enter Carton page, in the **Scan/Enter Carton Number** field, scan or enter the number of the carton, and then tap **Enter Carton**.

 **Tip:** You can also select a carton by tapping the **Carton #** link from the Cartons list.

If you manually packed the item, this field is populated with the carton number you have entered during the manual packing.

7. On the Enter Tracking Number page, In the **Scan/Enter Tracking Number** field, scan or enter the shipping tracking number for the order, and then tap **Enter Tracking #**.

If you have not marked all of the cartons in the order as shipped, the Quick Ship - Carton # page appears. You can repeat the applicable steps to ship additional cartons from the same order.

When you process all the cartons in the order, the Quick Ship - Order # page appears. You can process the cartons from a different order.

After you complete all the orders, the Quick Ship Complete page appears with the confirmation message and order details.

Manually Shipping Orders in Pack Cartons or Pallets

If you use the NetSuite Ship Central SuiteApp, you can process packed cartons on pallets for shipping. You can also process one packed carton at a time. On your mobile device, be sure to switch to the NetSuite WMS mobile app to process the packed orders for shipping.



Important: To use Quick Ship, the shipping method set on the order must be associated with a carrier service level record that has the **Allow Quick Ship** box checked. In the same record, make sure you enter the correct carrier ID and service level. See [Creating Carrier Service Levels](#).

For more information, see the following topics:

- [Manually Shipping Orders](#)
- [NetSuite Ship Central](#)

To manually ship orders in pack cartons or pallets:

1. On the Main Menu page, tap **Picking**.
2. On the Picking page, tap **Quick Ship**.
3. On the Select Order Type page, tap the type of order you are shipping: **Sales Order** or **Transfer Order**.
4. On the Select Order page, do one of the following:
 - In the **Scan/Enter Order #, Carton #, or Pallet #** field, scan or enter the order, pack carton, or pallet number you want to ship. If you enter the data, tap **Enter** to proceed.
 - To view and select from the Pallets list, tap **Select Pallet From List**.
 - To view and select from the Sales Orders list, tap **Select SO From List**.

If you enter a pack carton, skip step 5.
5. On the Enter Carton page, do one of the following:
 - In the **Scan/Enter Carton Number** field, scan or enter the pack carton number. If you enter the data, tap **Enter Carton** to proceed.
 - From the Cartons list, tap the carton number you want to select.
 - If you have multiple pack cartons in the Cartons list and you want to ship all of them, tap **Ship All**.

6. On the Enter Tracking Number page, in the **Scan/Enter Tracking Number** field, scan or enter the tracking number. If you enter the data, tap **Enter Tracking #** to proceed.

If you have more cartons to process from the same order or pallet, you are redirected to the Enter Carton page. Repeat steps 5 and 6.

When you have no remaining cartons to process, the Quick Ship Complete page appears with the confirmation message and order details.

You can view the updated details on the order transaction, fulfillment records, and WMS Ship Manifest.

Confirming Customer Shipments

After you ship items, you can send Advance Shipping Notices (ASNs) to customers using Electronic Data Interchange (EDI). To send ASNs using EDI, you have to configure NetSuite WMS for use with EDI and work with a NetSuite EDI partner.

For more information, see [Electronic Data Interchange \(EDI\) Integration](#).

Sending Advance Shipping Notices (ASNs)

An advance shipping notice is a document similar to a packing slip you send to customers to confirm that you shipped their order. It is sent from NetSuite WMS to a NetSuite EDI partner to the customer.

If you have enabled the EDI integration to send ASNs, a scheduled script runs every 15 minutes to find all shipped orders for which the customer has requested an ASN. For each identified order, NetSuite WMS creates an ASNC Parent record with the order number and one Stage Outbound ASNC record for each item in the order with the required shipping data. This data is then read by the NetSuite EDI partner, who converts the data into an EDI document and sends the ASN to the customer.

Warehouse Management FAQs

In this section, find the answers to frequently asked questions about setting up or using NetSuite WMS.

When should I use Pick Reversal vs Override Fulfillment Creation?

If you want to undo item picking done through the mobile app, you can perform a pick task reversal. It removes picked quantities from pick tasks and associated orders. It also deletes the generated fulfillments. However, if a fulfillment contains non-reversed item lines, it removes only the item lines that you have reversed.

You can reverse failed pick task lines, except those that have the Override Fulfillment Creation setting enabled. This setting appears only for failed pick task lines.

You can check the **Override Fulfillment Creation** box if you do not want to keep trying to generate the fulfillment record from the pick task. It does not reverse picked items, so they remain in the staging bin.

After you check this box, you can generate the fulfillment directly from the order transaction. When you provide the inventory details on your fulfillment record, be sure to select the staging bin that contains the picked items.

For more information, see the following topics:

- [Pick Task Reversal](#)
- [Viewing, Updating, or Deleting Pick Tasks](#)
- [Viewing and Handling Fulfillment Generation Failures](#)

In addition to the required NetSuite WMS SuiteApps, what other SuiteApps provide additional capabilities for NetSuite WMS?

To suit your business requirements, you can install the following SuiteApps that provide preconfigured capabilities within NetSuite WMS:

- **NetSuite Ship Central** – Enables packing or shipping of orders that you pick through the NetSuite WMS app. You can also reverse picking of orders that you pack through the Ship Central app. For more information, see [NetSuite WMS Setup with Ship Central](#).
- **Manufacturing Mobile** – Provides capabilities associated with the following settings available to users of the Warehouse Management feature:
 - **Item Process Family** and **Group** item record setting – Available to users of the Warehouse Management feature. See the help topic [Label Printing](#).
 - **Use Bin in Manufacturing Mobile** bin record setting – Available to users of the Warehouse Management feature and NetSuite WMS SuiteApp. See the help topic [Creating a WIP Bin for Manufacturing Mobile](#).
 - **Allow over-picking for work orders** system rule – Available to users of the Warehouse Management feature and NetSuite WMS SuiteApp. See the help topic [Activating the Allow Over-picking for Work Orders System Rule](#).
- **Smart Count** – Enables you to spot count items in blocked bins and unblock them automatically through the Smart Count app. For more information, see [System Rules for NetSuite WMS](#).
- **Lot Autonumbering** – Enables you to activate the following system rules to generate lot or serial numbers on the app: **Autogenerate Lot Numbers?** or **Autogenerate Serial Numbers?** For more information, see [System Rules for NetSuite WMS](#).

NetSuite Ship Central, Manufacturing Mobile, and Smart Count use the same required SCM Mobile SuiteApp for NetSuite WMS. For more information, see the help topic [SCM Mobile Setup](#).