



ORACLE
NetSuite

Work Instructions and Traveler

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Work Instructions and Traveler	1
Installing Work Instructions and Traveler SuiteApp	1
Prerequisites for Installing Work Instructions and Traveler SuiteApp	2
Supported Browsers for Work Instructions and Traveler SuiteApp	2
Setting Up Work Instructions and Traveler SuiteApp	3
Updating Traveler Preferences	5
Creating Custom Template for Traveler Report	5
Providing Work Instructions Subtab in Manufacturing Routing Record	6
Providing Additional Work Instructions in Work Order	7
Import Work Instructions	8
Generating Traveler Reports	9
Printing Traveler Report in Work Order Transaction	10

Work Instructions and Traveler

Work Instructions and Traveler SuiteApp helps you to generate traveler reports of required work orders. Using these reports, the shop floor personnel can perform day to day assembly operations. Each report includes details like required components, work order info, and step-by-step work instructions to complete each operation. This report travels from one work center to another for every operation in the work order until the work order is completed.

Traveler reports are printed only for work order with **Released & In Process** status either using the delivered predefined templates or any customized templates defined in the account.

 **Note:** This SuiteApp enables you to generate traveler reports which is also provided by the Advanced Manufacturing SuiteApp. The accounts with Advanced Manufacturing SuiteApp by default will continue to use the existing work instructions and traveler feature.

However, when you install the Work Instructions and Traveler SuiteApp, you can override the default setup and copy existing instructions from the Advanced Manufacturing SuiteApp using CSV Import/Export. For more information, read the help topic [CSV Imports](#).

Watch the following help video for an overview of the Work Instructions and Traveler SuiteApp:

 [Work Instructions and Traveler SuiteApp Overview](#)

Installing Work Instructions and Traveler SuiteApp

The Work Instructions and Traveler SuiteApp requires a NetSuite OneWorld account. Only users with Administrator role can install the SuiteApp. For more information about installing a SuiteApp, see the help topics [Installing from the SuiteApp Marketplace](#) and [SuiteApp Marketplace in NetSuite](#).

Note: After you install the SuiteApp, it creates a preferences record with a default template. You can also set up your traveler preferences for the work order instructions and traveler reports. Setting up traveler preferences helps you to generate the report in the right template format and directory location within the file cabinet. For more information, read [Updating Traveler Preferences](#).

If you want to reinstall Work Instructions and Traveler SuiteApp after uninstalling it, you must perform the following activities:

- You can take a backup of **Work Instructions & Traveler** folder from the File Cabinet page. For more information about how to download a file or folder from the File Cabinet, see the help topic [Downloading Files from the File Cabinet](#).
- Delete the **Work Instructions & Traveler** folder from the File Cabinet page, then reinstall the SuiteApp. For more about how to delete a file or folder from the File Cabinet, see the help topic [Deleting Folders from the File Cabinet](#).

Prerequisites for Installing Work Instructions and Traveler SuiteApp

To use the Work Instructions and Traveler SuiteApp, enable the features in the following table. For more information, see the help topic [Enabling Features](#).

Subtab	Feature Name
Items & Inventory	Work Orders
	Advanced Bill of Materials
	Manufacturing Work In Progress
	Manufacturing Routing and Work Center
Analytics	SuiteAnalytics WorkBook
SuiteCloud	Advanced PDF/HTML Templates
	Custom Records
	Client SuiteScript
	Server SuiteScript

Supported Browsers for Work Instructions and Traveler SuiteApp

The Work Instructions and Traveler SuiteApp supports the following browsers and operating systems:

Browser	Operating System
Google Chrome	Windows10
	Mac OS 10.15 or newer
Microsoft Edge (Chromium-based)	Windows10
Mozilla Firefox	Windows10
	Mac OS 10.15 or newer
Safari	Mac OS 10.15 or newer

Setting Up Work Instructions and Traveler SuiteApp

This section requires you to perform some setups after installing the Work Instructions and Traveler SuiteApp.

Verifying the Custom Form of Work Instructions Subtab

The **WOIT Manufacturing Routing Form** custom entry form and the **WOIT_CS_WorkInstructions_main.js** script must be connected to ensure that the **Work Instructions** subtab functions properly.

To verify the custom form of Work Instructions subtab:

- Check if the **WOIT Manufacturing Routing Form** is preferred. For more information, see [Enabling Work Instructions Subtab in Custom Entry Forms](#).
- Check if the **Sequence No** column in the **Work Instructions** subtab gets autopopulated. If not, see [Attaching a Script in WOIT Manufacturing Routing Form](#).

Enabling Work Instructions Subtab in Custom Entry Forms

Work Instructions subtab is a custom record in the custom routing form (**WOIT Manufacturing Routing Form**). This form is selected by default as preferred during the SuiteApp Installation.

Note: You must enable the **WOIT Manufacturing Routing Form** as a preferred form to ensure that the **Work Instructions** subtab works well.

To enable work instructions subtab:

1. Go to Customization > Forms > Entry Forms.
2. On the Custom Entry Forms page, search for **WOIT Manufacturing Routing Form**.
3. Check the **Preferred** box.

Attaching a Script in WOIT Manufacturing Routing Form

When you edit a manufacturing routing record, the **Sequence No** column in the **Work Instructions** subtab must be autopopulated, as you add a new line. If not, follow the below procedure to re-attach the script to WOIT Manufacturing Routing Form custom entry form.

To attach a script in WOIT Manufacturing Routing Form:

1. Go to Customization > Forms > Entry Forms.
2. Click **Edit** on the **WOIT Manufacturing Routing Form** custom entry form.
3. In the **Custom Code** subtab, select the empty value in the **Script File** list.

4. Click **Save**.
5. Edit the **WOIT Manufacturing Routing Form** custom entry form again (follow steps **1** and **2**), and select **WOIT_CS_WorkInstructions_main.js** in **Script File** list.
6. Click **Save**.

You can now go to any manufacturing routing record and verify if the sequence number is autopopulated in the **Work Instructions** subtab.

Creating or Customizing Roles and Permissions to Use Work Instructions and Traveler SuiteApp

If you're an administrator, you can create new roles or customize existing roles to use the Work Instructions and Traveler SuiteApp. For more information, see the help topics [Customizing or Creating NetSuite Roles](#) and [Assigning Roles to an Employee](#).

Refer to the following table for minimum access levels for different permissions required to use the Work Instructions and Traveler SuiteApp:

Subtab	Permission	Minimum Access Level	Purpose
Transactions	Work Orders	View	Required for: ■ Print Traveler button in Work Order page ■ Generate Traveler page
	Find Transaction	View	Required for Generate Traveler page
Lists	Documents and Files	View	Required for: ■ Print Traveler button in Work Order page ■ Traveler Preferences
	Items	View	Required for Generate Traveler page
	Locations	View	Required for Generate Traveler page
	Manufacturing Routing	View	Required for Work Instructions subtab
	Perform Search	View	Required for Work Order Saved Search field in Generate Traveler page. If you don't have this permission, that field will be disabled.
	Custom Record Entries	Edit	Required for Work Instructions subtab
Setup	SuiteScript	View	Required for all pages
Custom Records	Traveler Preferences	View	Required for all pages
	Traveler Template	View	Required for: ■ Generate Traveler page ■ Traveler Template
	Additional Work Instructions Subtab	Full	Required for Additional Work Instructions subtab in work order record

You can create new roles or customize existing roles using the Administrator role to use the SuiteApp. For more information about minimum permissions required, see the help topic [Customizing and Creating Roles](#).

Updating Traveler Preferences

The traveler preferences enable you to print traveler reports in a predefined template to the desired directory.

Note: You can only create one preferences record. It is automatically created by the SuiteApp during the installation. However, you can modify the preferences as per business needs.

To edit a preferences record:

1. Go to Setup > Manufacturing > Traveler Preferences.
2. Click **Edit** on the preferences record.
The Traveler Preferences page opens.
3. From the **Template** list, select the desired traveler template for the work order instructions and traveler report.

Note: When you install the SuiteApp, a default template appears in the field. You can also make your own templates. For more information, read [Creating Custom Template for Traveler Report](#).

4. In the **Report Directory** field, select the directory path for the selected custom template.
For the default template, the report directory populates with a default path.
5. (Optional) Check the **Use Advanced Manufacturing** box to use the Advanced Manufacturing SuiteApp. Clearing the box will enable the Work Instructions and Traveler SuiteApp.

This action will enable:

- The **Work Instructions** subtab in the manufacturing routing record.
- The **Additional Work Instructions** subtab in the work order record.
- The **Print Traveler** button in the work order record.

Note: Follow the below points for **Use Advanced Manufacturing** box.

- **Use Advanced Manufacturing** box is checked by default for Advanced Manufacturing customers. So, the **Work Instructions** subtab is hidden in the routing record. However, if you clear the box, you'll see the subtab with any work instructions you've added to the routing record.
- When you enable the **UseAdvanced Manufacturing** box and save the preferences record, all the work instructions associated with the manufacturing routing will be deleted.

Creating Custom Template for Traveler Report

You can create a custom template for your traveler report.

To create a custom template for traveler report:

1. Go to Documents > Files > File Cabinet.

2. Create a folder to store the custom template. For more information, read the help topic [Creating File Cabinet Folders](#).
3. Go to the **SuiteApps** folder on the left and select the **com.netsuite.woinstructionsandtraveler** folder.
4. Then go to the **Templates** folder and click **Download** to download the default template present in each of the XML files.
5. Make the necessary customizations in the XML files and upload in the folder you created (as per step 2). For more information, read the help topic [Uploading Files to the File Cabinet](#).

 **Note:** Do not rename the XML files.

6. Go to Setup > Manufacturing > Traveler Template to create your custom template.
7. Click on the **New Traveler Template** button.
The Traveler Template page opens.
8. In the **Name** field, enter the name of the template.
9. In the **Folder Path** field, enter the path of the file cabinet folder that contains the XML files for the custom template.

 **Note:** The path must be separated by (/).

10. In the **Transaction Dataset ID** field, enter the routing dataset ID to pull data into the custom template. The field is populated with a default dataset; however, you can use your own dataset.

 **Note:** You can create your own dataset or use an existing dataset (you cannot modify the existing dataset). For more information, read the help topic [Defining a Dataset](#).

You must share the newly created dataset. The dataset type should be **Transaction**. For more information, read the help topic [Accessing and Sharing Workbooks and Datasets](#).

11. (Optional) Check the **Inactive** box if you want to disable a template.
12. Click **Save**.

Providing Work Instructions Subtab in Manufacturing Routing Record

As part of the Work Instructions and Traveler SuiteApp, the **Work Instructions** subtab is enabled in the manufacturing record. You can add work instructions for every operation, and include any related images or documents. You can print work instructions and associated images when you generate the traveler report. These reports help shop floor teams to perform the operation of the work order well.

To define work instructions:

1. Go to Lists > Supply Chain > Manufacturing Routing.
The Manufacturing Routing page opens.
2. Click **Edit** on a manufacturing routing record.

 **Note:** The subtab only shows up when you're editing the routing record.

3. Check the manufacturing routing record to ensure all the required information in the **Routing Steps** subtab is available. For more information, read the help topic [Creating a Manufacturing Routing](#).

4. In the **Work Instructions** subtab:

1. From the **Operation Name** list, select the manufacturing routing operation.
This selection automatically populates the **Operation Sequence**.

 **Note:** The information in the fields is retrieved from the **Routing Steps** subtab

2. In the **Process Notes** field, provide instructions for every operation step to manufacture an assembly item based on manufacturing routing.
3. In the **Work Instructions** column, enter the instructions as per the sequence number to complete the operation.
4. In the **URL** column, provide a URL link for the operator's reference. You can enter a URL that contains audio, video, or image.
5. Check the box in the **Print Image** column to print the image (if URL provided in step 4 contains image) in the traveler report.
6. (Optional) Check the box in the **Inactive** column if you don't want to include a sequence.
7. Click **Add**.
8. Repeat steps 3 to 7 to add multiple steps.
9. Click **Save**.

 **Note:** There are certain limitations for the images to be printed in the traveler report.

- You can upload an image URL in two ways:
 - Upload the image to the file cabinet and add that file URL in the URL column.
 - Copy the image address from any website (right click on image's copy image address).
 - You must copy the proper address. When you click on the URL link, it should directly open the image.
 - If a URL link has multiple images, the images will not display.
- Image type must be .png or .jpg format.
- The SuiteApp supports 24-bit color depth images in the PDF report while rendering the images from the file cabinet. NetSuite does not support images with other color depth.
- When you upload images to the file cabinet, check the **Available Without Login** box to display the images in the report.

Providing Additional Work Instructions in Work Order

In certain business cases, you can provide specific work instructions related to a work order. You can add these instructions in the **Additional Work Instructions** subtab of the work order record. However, to enable this subtab, check the **WIP** box under the Primary Information section.

To define additional work instructions:

1. In the **Additional Work Instructions** subtab:
 1. In the **Work Instructions** column, enter the instructions as per the sequence number to perform the steps to complete an operation.

2. In the **URL** column, provide a URL link for the operator's reference. You can enter a URL that contains audio, video, or image.
3. Check the box in the **Print Image** column to print the image (if URL provided in step 2 contains image) on the traveler report.
4. (Optional) Check the box in the **Inactive** column if you don't want to use a particular sequence.
5. Click **Add**.
6. Repeat steps 1 to 4 to add multiple steps.
7. Click **Save**.



Note: There are certain limitations for the images to be printed in the traveler report.

- You can upload an image URL in two ways:
 - Upload the image to the file cabinet and add that file URL in the URL column.
 - Copy the image address from any website (right click on image's copy image address).
 - You must copy the proper address. When you click on the URL link, it should directly open the image.
 - If a URL link has multiple images, the images will not display.
- Image type must be .png or .jpg format.
- The SuiteApp supports 24-bit color depth images in the PDF report while rendering the images from the file cabinet. NetSuite does not support images with other color depth.
- While uploading images in the file cabinet, check the **Available Without Login** box to display the images in the report.



Note: Following are the points applicable to the **Additional Work Instructions** subtab:

- To access the **Additional Work Instructions** subtab, check the permissions provided for the **Additional Work Instructions Subtab** custom record. For more information, read [Creating or Customizing Roles and Permissions to Use Work Instructions and Traveler SuiteApp](#).
- The extra work instructions and their images will be included when you print the Work Instructions and Traveler report.

Import Work Instructions

You can import the work instructions by mapping the fields in the manufacturing routing record of the Work Instructions and Traveler SuiteApp with the mappings in the CSV file. For more information about importing CSV files, read the help topic [Importing CSV Files with the Import Assistant](#).

While importing the CSV file, you must select the following options on the Import Assistant- Scan & Upload CSV File page:

- In the **Import Type** dropdown list, select **Custom Records**.
- In the **Record Type** dropdown list, select **WOIT Work Instructions Subtab**.

Note: You must check the **Run Server SuiteScript and Trigger Workflows** box on the Import Options page of the Import Assistant. For more information, read the help topic [Set Advanced CSV Import Options](#).

Refer the following table to map the fields.

CSV Column Names	Work Instructions and Traveler SuiteApp Fields
BOM (Name of the Bill of Materials)	Bill of Materials (BOM)
Inactive	Inactive
Routing (Name of the routing record)	Manufacturing Routing
Operation Seq (Operation sequence column value under Routing Steps subtab on the routing record)	Operation ID (Required)
Print Image	Print Image
Process Notes	Process Notes
Sequence (Sequence number of work instructions)	Sequence Number (Required)
Note: The sequence numbering for list of work instructions must be a positive number.	
Work Instructions	Work Instructions (Required)
URL	URL

Generating Traveler Reports

The Generate Traveler page generates the work instructions and traveler report. Use the fields under the **Filter by** section to narrow down which work orders you want in your report.

To generate a traveler report

1. From the **Location** list, select a location for which you want to filter the work orders.
2. (Optional) To filter down the work orders, provide values for the required fields:
 - From the **Assembly Item** list, select the assembly item for which you want to filter the work orders.

Note: The SuiteApp does not work with item names that contain:

- Double quotation marks- You can use two single quotation marks instead of double quotation marks.
- Accented characters- You can use usual English alphabets instead of accented characters.

- From the **Status** list, select the status for which you want to filter the work orders.

- In the **Work Order** field, enter the work order number.

Note: Entering a work order number in this field will disable other fields except **Select All Orders**.

- In the **Start Date** field, enter the start date.
- In the **End Date** field, enter the end date.
- From the **Template** list, select a template for the report. By default, this uses the template from Traveler Preferences page, but you can choose a different one if you want.
- In the **Work Order Saved Search** list, select a saved search to filter your work orders.

Note: Follow the below points for **Work Order Saved Search** list.

- Selecting a saved search in this field will disable other fields, except **Select All Orders**.
- The SuiteApp provides a work order saved search **Traveler Work Order Search** by default.
- If the saved search criteria type is not of work order, then the saved search results will be blank.

- Check the **Include Printed Orders** box to include all work orders including the work orders that have been printed.

3. Click **Search**.

The **Filter by** section collapses automatically, and you can now view the filtered work orders and their associated details in the **Work Orders** sublist based on the selection in the above fields.

- 4. (Optional) Check the **Select All Orders** box to include all work orders in the **Work Orders** sublist.
- 5. Click **Generate & Print** to generate and print the report for the selected work orders.

After the report generation process is completed, it'll open in a new browser tab with the selected work orders from the **Work Orders** sublist.

Viewing Report of Each Work Order

You can view the traveler report for each work order individually using the below steps.

To view report of each work order

1. Go to Documents > Files > File Cabinet.
2. Go to the folder that matches the location listed in the **Report Directory** field of your traveler preferences.

Printing Traveler Report in Work Order Transaction

You can also generate a work instructions and traveler report from a work order.

To generate a report from a work order

1. Go to Transactions > Manufacturing > Enter Work Orders > List.
2. On the Work Order page, click **View** on a work order.
3. Click **Print Traveler**.

After the report generation process is complete, the report opens in a new browser tab. For more information, read [Viewing Report of Each Work Order](#).



Note: The **WOIT MR Traveler Report** script generates the PDFs for work orders in release status and not for the work orders that are printed already. This MR script is unscheduled by default, and you can schedule it.