



ORACLE
NetSuite

NetSuite WMS Setup for Locations With No Bins

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- NetSuite WMS Setup for Locations With No Bins 1
 - Installing NetSuite WMS SuiteApps 2
 - Enabling Features for NetSuite WMS 2
 - Warehouse Processing Role Assignment 4
 - Record Configuration for Locations With No Bins 5
 - NetSuite WMS System Rules Configuration 5
 - Setting Preferences for Locations With No Bins 6

NetSuite WMS Setup for Locations With No Bins

NetSuite Warehouse Management System (WMS) extends your NetSuite implementation by providing capabilities for warehouse processing and managing inventory.

Using a mobile device and customizable processes, NetSuite WMS helps you improve your inventory accuracy and reduce the time you spend searching for and handling items in your warehouse. You can perform and monitor warehouse processing tasks, from receiving and storing items to picking and shipping them. As you process items in your warehouse, each transaction you complete updates your NetSuite inventory data in real time to give you information about your inventory.

Availability

The Warehouse Management feature is available in accounts that use the Advanced Inventory Management feature. For assistance with availability or account provisioning, you may contact your NetSuite account manager.

Account Setup and Mobile Device Configuration

This guide covers the basic requirements and procedures to set up NetSuite WMS for locations with no bins.

To begin your account setup, see the following topics:

1. [Installing NetSuite WMS SuiteApps](#)
2. [Enabling Features for NetSuite WMS](#)
3. [Warehouse Processing Role Assignment](#)
4. [Record Configuration for Locations With No Bins](#)
5. [NetSuite WMS System Rules Configuration](#)
6. [Setting Preferences for Locations With No Bins](#)

Watch an overview of the record setup:



[Configuring NetSuite WMS for Locations that Do not use Bins](#)

After you complete the account setup, configure your mobile device access. You can also add capabilities to your mobile app to tally scan items, print labels, or scan bar codes. See the following topics:

- [Mobile App Setup](#)
- [Language Preference Setup for Mobile Apps](#)



Note: For account setup tasks, use the Administrator standard role and Warehouse custom role. To configure your mobile device settings, use the Mobile Administrator custom role. For more information about these setup roles, see the help topic [Enabling Features for NetSuite WMS](#).

For additional setup options, see the help topic [NetSuite WMS Setup](#).

Inbound, Inventory, and Outbound Processing

The following topics contain instructions and guidelines for warehouse processing:

- **Inbound Processing** – Includes item receiving and putaway for incoming orders.
- **Inventory Processing** – Includes inventory counts and inventory report generation for managing received and stored inventory.
- **Outbound Processing** – Includes wave release, fulfillment, and picking for outbound orders.

Installing NetSuite WMS SuiteApps

To begin your NetSuite WMS setup, install the following two bundles, in the listed order:

1. **SCM Mobile** - The SCM Mobile SuiteApp contains the mobile device application that enables you to process orders and tasks on your warehouse floor.
2. **Oracle NetSuite WMS** - The Oracle NetSuite WMS SuiteApp contains the business logic that drives your warehouse processes.

You can install these SuiteApps in your sandbox or production account.

Note: After you install the two SuiteApps, you must enable the Warehouse Management feature and system rule. See [The Warehouse Management Feature and System Rule](#).

To install the NetSuite WMS SuiteApps:

1. Using the Administrator role, go to Customization > SuiteBundler > Search & Install Bundles.
2. On the Search & Install Bundles page, in the **Keywords** field, enter the name of the bundle you want to install, following the order in this list:
 - a. **SCM Mobile** – 572631
 - b. **Oracle NetSuite WMS** – 572325
3. Click **Search**.
4. From the bundle sublist, click the bundle name.
5. Click **Install**.

Note: The **Install** button appears only for bundles available to be installed in your account. If you do not find this button on the page, contact your NetSuite WMS account manager for more information about bundle access.

6. If you see a pop up message that asks for your permission to install future bundle updates, click **OK** to confirm.
7. On the Preview Bundle Install page, click **Install Bundle**.

After you install the SCM Mobile SuiteApp, you can install the Oracle NetSuite WMS SuiteApp.

The SCM Mobile bundle installs in about 3 - 5 minutes, while the Oracle NetSuite WMS bundle takes about 20 - 30 minutes to install. You can continue to work in your NetSuite account during bundle installation.

To view the status of bundle installations, go to Customization > SuiteBundler > Search & Install Bundles > List.

Enabling Features for NetSuite WMS

You must enable prerequisite features first, and then enable the Warehouse Management and other features that suit your business requirements. For the list of features and guidelines, see the following topics in this section:

- [Prerequisite Features](#)
- [Additional Features](#)
- [The Warehouse Management Feature and System Rule](#)

Prerequisite Features

Prerequisite features must be enabled before you can enable the Warehouse Management feature:

Note: You must enable the Bin Management and Advanced Bin/Numbered Inventory Management features even if you only want to set up warehouse locations that do not use bins.

Company	Transactions	Items & Inventory	SuiteCloud
Multiple Units of Measure	■ Advanced Shipping ■ Pick, Pack and Ship - See the help topic Pick, Pack, and Ship Overview.	■ Basic Inventory Management ■ Multi-Location Inventory ■ Bin Management - See the help topic Basic Bin Management. ■ Advanced Bin / Numbered Inventory Management ■ Advanced Inventory Management	■ Custom Records ■ Advanced PDF/HTML Templates ■ Client SuiteScript - See the help topic Enabling SuiteScript. ■ Server SuiteScript - See the help topic Enabling SuiteScript.

Additional Features

You may need to enable the following features, depending on your business processes:

- [Assembly Items](#)
- [Assembly Work Orders](#)
- [Serial Numbered Items](#)
- [Lot Numbered Items](#)
- [Inventory Status](#)
- [Inventory Count](#)
- [Advanced Item Location Configuration](#)

Note: Before you enable this feature, note the following item record changes:

- You can enable this feature to access the Item Location Configuration record from the item record. On the Item Location Configuration record, you can set up the pick sequence number of an item for each warehouse location that does not use bins. For more information about pick sequence numbers, see [Item Sorting for Pick Tasks](#).
- For your existing item records, you can access the calculated inventory count fields on the Item Location Configuration record, instead of directly on the Locations subtab. See the help topics [Creating Items for NetSuite WMS](#), [Creating Calculated Inventory Counts](#), or [Locations](#).

- [Inbound Shipment Management](#)

Note: To receive inbound shipment orders for lot-numbered and serialized items, or items with inventory status, you must also enable the Inventory Detail on Inbound Shipment feature. Before you can enable this feature, you must contact NetSuite Customer Support to provision this feature for your NetSuite WMS account. See the help topic [Inventory Details on an Inbound Shipment](#).

- [Intercompany Cross-Subsidiary Fulfillment](#)
- Bar Coding and Item Labels

The Warehouse Management Feature and System Rule

The Warehouse Management feature provides the capability to create wave transactions that you can use to release orders to the warehouse. The Enable Warehouse Management system rule exposes the menu items you use to start working with the warehouse management capabilities.

After you enable the prerequisite features, you can enable the Warehouse Management feature. Then, you must activate the Enable Warehouse Management rule.

To enable features for NetSuite WMS:

1. Go to Setup > Company > Enable Features.
2. Click the **Items & Inventory** subtab.
3. Under the Inventory heading, check the box next to **Warehouse Management**.

Note: If you do not find the Warehouse Management feature, contact NetSuite Customer Support to provision the feature for your account.

4. (Optional) Enable other features that suit your business requirements. See the help topic [Additional Features for NetSuite WMS](#) or [Enabling Features](#).
5. Click **Save**.

Warehouse Processing Role Assignment

NetSuite WMS provides roles and permissions that enable you to access Warehouse Management records and perform tasks on a mobile device.

The following custom roles are preconfigured with permissions for inbound processing, outbound processing, or inventory management:

- WMS Warehouse Manager
- WMS Inbound Manager
- WMS Outbound Manager
- WMS Inbound Operator
- WMS Outbound Operator
- WMS Mobile Operator

Manager roles have access to records and transactions on the NetSuite user interface. Both the manager and operator roles have access to the mobile app.

To assign any of these roles, see the help topic [Assigning Roles to an Employee](#). For more information about NetSuite WMS roles, see the help topic [Warehouse Management Roles and Permissions](#).

Record Configuration for Locations With No Bins

The Bin Management feature controls bin tracking and processing through the location and item records. With NetSuite WMS, only the location setting is used to determine when to apply the no-bins processing flows. For locations that do not use bins, NetSuite WMS uses the no-bins processing flows regardless of an item's bin setting.

Watch the video:

 [Configuring NetSuite WMS for Locations that Do not use Bins](#)

Configuring Records for Locations With No Bins

To configure NetSuite WMS for locations that do not use bins, create or update the following records in these topics:

- [Creating Warehouse Locations](#) – To set up locations that do not use bins, you must clear the Use Bins box on the location record.
- [Creating Items for NetSuite WMS](#) – (Optional) You can assign a pick sequence number to an item in a specific location. See [Item Sorting for Pick Tasks](#).

Based on your business requirements, you can check or clear the Use Bins box on the item record. Regardless of this setting, NetSuite WMS processes these items through the no-bins flow on wave transactions and mobile app processes.

- [Creating Item Stock Locations](#) – (Optional) If you use the Advanced Item Location Configuration feature, you can create item stock locations for your items. For more information about the feature, see [Additional Features](#).

When you process orders through a mobile device, you can view an item's associated stock locations.

Other records provided by NetSuite WMS enable you to classify items according to families or groups and add order types to transactions. You can use the carrier service level record to add attributes to shipping items. For outbound processing, you can create custom wave templates and pick tickets. You can configure other records and templates based on your business requirements. See the help topic [Warehouse Management Records and Templates](#).

Item Sorting for Pick Tasks

When you release orders in wave transactions, NetSuite WMS sorts the associated pick tasks using the sequence number on item records. It arranges the sequence numbers in ascending order. On your mobile device, you can view the sorted pick tasks and pick the items accordingly. For more information about releasing orders, see the help topic [Releasing Orders to the Warehouse](#).

Item sorting also applies to work orders processed through a mobile device, even if work orders are not released in waves. For each work order, you can view the sorted list of pick tasks for component items.

To configure pick sequence numbers for items, see the help topic [Creating Items for NetSuite WMS](#).

NetSuite WMS System Rules Configuration

You can configure system rules that enable alternate processing flows for warehouse tasks. You can also activate rules that add capabilities to the mobile app, including tally scanning, label printing, and use of pick cartons. See the help topic [System Rules for NetSuite WMS](#).



Important: As part of your setup, make sure that you activate the Enable Warehouse Management rule after you enable required features. See the help topic [Enabling Features for NetSuite WMS](#).

Setting Preferences for Locations With No Bins

You can set preferences that modify warehouse processes or add default settings to transactions and forms. For NetSuite WMS, you must choose your preference for item fulfillment creation. This preference determines whether you want to create fulfillments per order or per order line. For more information about fulfillments for NetSuite WMS, see the help topic [Fulfilling Released Orders](#).

To set preferences for locations with no bins:

1. Go to Setup > Accounting > Preferences > Accounting Preferences.
2. On the Accounting Preferences page, click the **Order Management** subtab.
3. Check the **Create Item Fulfillment at Locations Using Warehouse Management** box, and then select one of the following:
 - **Per Order** – Generates item fulfillments for each released order.
 - **Per Order Line** – Generates item fulfillments for each line item of a released order.
4. (Optional) Set other preferences that may suit your business requirements.
For the complete list of NetSuite preferences, see the help topic [Accounting Preferences](#).
5. Click **Save**.