

Vector Built-in Functions:

1. Constructor

Name	Details	Time Complexity
<code>vector<type>v;</code>	Construct a vector with 0 elements.	O(1)
<code>vector<type>v(N);</code>	Construct a vector with N elements and the value will be garbage.	O(N)
<code>vector<type>v(N,V);</code>	Construct a vector with N elements and the value will be V.	O(N)
<code>vector<type>v(v2);</code>	Construct a vector by copying another vector v2.	O(N)
<code>vector<type>v(A,A+N);</code>	Construct a vector by copying all elements from an array A of size N.	O(N)

2. Capacity

Name	Details	Time Complexity
<code>v.size()</code>	Returns the size of the vector.	O(1)
<code>v.max_size()</code>	Returns the maximum size that the vector can hold.	O(1)
<code>v.capacity()</code>	Returns the current available capacity of the vector.	O(1)
<code>v.clear()</code>	Clears the vector elements. Do not delete the memory, only clear the value.	O(N)
<code>v.empty()</code>	Return true/false if the vector is empty or not.	O(1)
<code>v.resize()</code>	Change the size of the vector.	O(K); where K is the difference between new size and current size.

3. Modifiers

Name	Details	Time Complexity
v= or v.assign()	Assign another vector.	$O(N)$ if sizes are different, $O(1)$ otherwise.
v.push_back()	Add an element to the end.	$O(1)$
v.pop_back()	Remove the last element.	$O(1)$
v.insert()	Insert elements at a specific position.	$O(N+K)$; where K is the number of elements to be inserted.
v.erase()	Delete elements from a specific position.	$O(N+K)$; where K is the number of elements to be deleted.
replace(v.begin(),v.end(),value,replace_value)	Replace all the value with replace_value. Not under a vector.	$O(N)$
find(v.begin(),v.end(),V)	Find the value V. Not under a vector.	$O(N)$

4. Element access

Name	Details	Time Complexity
v[i]	Access the ith element.	$O(1)$
v.at(i)	Access the ith element.	$O(1)$
v.back()	Access the last element.	$O(1)$
v.front()	Access the first element.	$O(1)$

5. Iterators

Name	Details	Time Complexity
v.begin()	Pointer to the first element.	O(1)
v.end()	Pointer to the last element.	O(1)