

Codebook "cprd_gold-original_ground_truth_full.json"

Variable Name: clinical_adid

Variable Description: Description: Identifier that allows additional information to be retrieved for this event, when used in combination with pracid. A value of 0 signifies that there is no additional information associated with the event., Type: INTEGER, Format: 20, Field Name: Additional Details Identifier, Mapping: Link Additional Clinical Details table

Data Type: INTEGER

###

Variable Name: clinical_consaid

Variable Description: Description: Identifier that allows information about the consultation to be retrieved, when used in combination with pracid, Type: INTEGER, Format: 20, Field Name: Consultation Identifier, Mapping: Link Consultation table

Data Type: INTEGER

###

Variable Name: clinical_constype

Variable Description: Description: Code for the category of event recorded within the GP system (e.g. diagnosis or symptom), Type: INTEGER, Format: 3, Field Name: Consultation type, Mapping: Lookup SED

Data Type: INTEGER

###

Variable Name: clinical_enttype

Variable Description: Description: Identifier that represents the structured data area in Vision where the data was entered, Type: INTEGER, Format: 5, Field Name: Entity type, Mapping: Lookup Entity

Data Type: INTEGER

###

Variable Name: clinical_episode

Variable Description: Description: Episode type for a specific clinical event, Type: INTEGER, Format: 3, Field Name: Episode, Mapping: Lookup EPI

Data Type: INTEGER

###

Variable Name: clinical_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: clinical_medcode

Variable Description: Description: CPRD unique code for the medical term selected by the GP, Type: INTEGER, Format: 20, Field Name: Medical Code, Mapping: Lookup Medical Dictionary

Data Type: INTEGER

###

Variable Name: clinical_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

###

Variable Name: clinical_sctdescid

Variable Description: Description: When direct selection and entry of SNOMED CT terms is permitted this will contain the description ID of the selected term. This field will be NULL when map type = 4 (data entered as Read code), Type: TEXT, Format: 20, Field Name:

SNOMED description ID, Mapping: None

Data Type: TEXT

####

Variable Name: clinical_sctexpression

Variable Description: Description: A placeholder for SNOMED CT post-coordinated expressions. This is not supported in early phases of SNOMED implementation., Type:

TEXT, Format: 20, Field Name: SNOMED Expression, Mapping: None

Data Type: TEXT

####

Variable Name: clinical_sctid

Variable Description: Description: The mapped SNOMED CT Concept ID. mapping is conducted prior to data transfer and will vary by mapping version used., Type: TEXT,

Format: 20, Field Name: SNOMED CT Concept ID3, Mapping: None

Data Type: TEXT

####

Variable Name: clinical_sctisassured

Variable Description: Description: Indicates whether the Read to SNOMED mapping has been verified by a panel of physicians, Type: BOOLEAN, Format: 1, Field Name: SCT Is Assured, Mapping: None

Data Type: BOOLEAN

####

Variable Name: clinical_sctisindicative

Variable Description: Description: Reserved for use when systems write SNOMED CT terms natively. Used to indicate the reliability of the reverse SNOMED CT-Read map. Where SNOMED CT codes do not have a direct mapping to READ, the code Rz...00 will be utilised., Type: BOOLEAN, Format: 1, Field Name: SCT Is Indicative, Mapping: None

Data Type: BOOLEAN

####

Variable Name: clinical_sctmaptype

Variable Description: Description: Indicates the native encoding of the record in the Vision software (4 = term selected from Read dictionary, 5 = term selected from SNOMED CT), Type: INTEGER, Format: 1, Field Name: SNOMED mapping type, Mapping: None

Data Type: INTEGER

####

Variable Name: clinical_sctmapversion

Variable Description: Description: The version of the READ-SNOMED CT mapping table applied, Type: INTEGER, Format: 10, Field Name: SNOMED mapping Version, Mapping: None

Data Type: INTEGER

####

Variable Name: clinical_staffid

Variable Description: Description: Identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

####

Variable Name: clinical_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

####

Variable Name: consultation_consider

Variable Description: Description: The consultation identifier linking events at the same consultation, when used in combination with pracid, Type: INTEGER, Format: 20, Field Name: Consultation Identifier, Mapping: Link Event tables
Data Type: INTEGER

###

Variable Name: consultation_constype

Variable Description: Description: type of consultation (e.g. Surgery Consultation, Night Visit, Emergency etc.), Type: INTEGER, Format: 3, Field Name: Consultation type, Mapping: Lookup COT

Data Type: INTEGER

###

Variable Name: consultation_duration

Variable Description: Description: The length of time (minutes) between the opening, and closing of the consultation record, Type: INTEGER, Format: 10, Field Name: Duration, Mapping: None

Data Type: INTEGER

###

Variable Name: consultation_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: consultation_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

###

Variable Name: consultation_staffid

Variable Description: Description: The identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

###

Variable Name: consultation_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: immunisation_batch

Variable Description: Description: Immunisation batch number, Type: INTEGER, Format: 20, Field Name: Batch Number, Mapping: Lookup BatchNumber

Data Type: INTEGER

###

Variable Name: immunisation_compound

Variable Description: Description: Immunisation compound administered – may be a single or multicomponent preparation, e.g. MMR, Type: INTEGER, Format: 4, Field Name: Compound, Mapping: Lookup IMC

Data Type: INTEGER

###

Variable Name: immunisation_consaid

Variable Description: Description: Identifier that allows information about the consultation to be retrieved, when used in combination with pracid, Type: INTEGER, Format: 20, Field

Name: Consultation Identifier, Mapping: Link Consultation table

Data Type: INTEGER

####

Variable Name: immunisation_constype

Variable Description: Description: Code for the category of event recorded within the GP system (e.g. intervention), Type: INTEGER, Format: 3, Field Name: Consultation type, Mapping: Lookup SED

Data Type: INTEGER

####

Variable Name: immunisation_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

####

Variable Name: immunisation_immstype

Variable Description: Description: Individual components of an immunisation, e.g. Mumps, Rubella, Measles, Type: INTEGER, Format: 4, Field Name: type, Mapping: Lookup IMT

Data Type: INTEGER

####

Variable Name: immunisation_medcode

Variable Description: Description: CPRD unique code for the medical term selected by the GP, Type: INTEGER, Format: 20, Field Name: Medical Code, Mapping: Lookup Medical Dictionary

Data Type: INTEGER

####

Variable Name: immunisation_method

Variable Description: Description: Route of administration for the immunisation, e.g. Oral, Intramuscular, Type: INTEGER, Format: 3, Field Name: Method, Mapping: Lookup IME

Data Type: INTEGER

####

Variable Name: immunisation_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

####

Variable Name: immunisation_reason

Variable Description: Description: Reason for administering the immunisation, e.g. Routine measure, Type: INTEGER, Format: 3, Field Name: Reason, Mapping: Lookup RIN

Data Type: INTEGER

####

Variable Name: immunisation_sctdescid

Variable Description: Description: When direct selection and entry of SNOMED CT terms is permitted this will contain the description ID of the selected term. This field will be NULL when map type = 4 (data entered as Read code), Type: TEXT, Format: 20, Field Name: SNOMED description ID, Mapping: None

Data Type: TEXT

####

Variable Name: immunisation_sctexpression

Variable Description: Description: A placeholder for SNOMED CT post-coordinated expressions. This is not supported in early phases of SNOMED implementation., Type: TEXT, Format: 20, Field Name: SNOMED Expression, Mapping: None

Data Type: TEXT

###

Variable Name: immunisation_sctid

Variable Description: Description: The mapped SNOMED CT Concept ID. mapping is conducted prior to data transfer and will vary by mapping version used., Type: TEXT, Format: 20, Field Name: SNOMED CT Concept ID3, Mapping: None

Data Type: TEXT

###

Variable Name: immunisation_sctisassured

Variable Description: Description: Indicates whether the Read to SNOMED mapping has been verified by a panel of physicians., Type: BOOLEAN, Format: 1, Field Name: SCT Is Assured, Mapping: None

Data Type: BOOLEAN

###

Variable Name: immunisation_sctisindicative

Variable Description: Description: Reserved for use when systems write SNOMED CT terms natively. Used to indicate the reliability of the reverse SNOMED CT-Read map. Where SNOMED CT codes do not have a direct mapping to READ, the code Rz...00 will be utilised., Type: BOOLEAN, Format: 1, Field Name: SCT Is Indicative, Mapping: None

Data Type: BOOLEAN

###

Variable Name: immunisation_sctmaptype

Variable Description: Description: Indicates the native encoding of the record in the Vision software (4 = term selected from Read dictionary, 5= term selected from SNOMED CT), Type: INTEGER, Format: 1, Field Name: SNOMED mapping type, Mapping: None

Data Type: INTEGER

###

Variable Name: immunisation_sctmapversion

Variable Description: Description: The version of the READ-SNOMED CT mapping table applied, Type: INTEGER, Format: 10, Field Name: SNOMED mapping Version, Mapping: None

Data Type: INTEGER

###

Variable Name: immunisation_source

Variable Description: Description: Location where the immunisation was administered, e.g. In this practice, Type: INTEGER, Format: 3, Field Name: Source, Mapping: Lookup INP

Data Type: INTEGER

###

Variable Name: immunisation_staffid

Variable Description: Description: Identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

###

Variable Name: immunisation_stage

Variable Description: Description: Stage of the immunisation given, e.g. 1, 2, B2, Type: INTEGER, Format: 2, Field Name: Stage, Mapping: Lookup IST

Data Type: INTEGER

###

Variable Name: immunisation_status

Variable Description: Description: Status of the immunisation e.g. Advised, Given, Refusal, Type: INTEGER, Format: 3, Field Name: Status, Mapping: Lookup IMM

Data Type: INTEGER

###

Variable Name: immunisation_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: patient_accept

Variable Description: Description: Flag to indicate whether the patient has met certain quality standards: 1 = acceptable, 0 = unacceptable, Type: INTEGER, Format: 1, Field Name: Acceptable Patient Flag, Mapping: Boolean

Data Type: INTEGER

###

Variable Name: patient_capsup

Variable Description: Description: Level of capitation supplement the patient has currently (e.g. low, medium, high), Type: INTEGER, Format: 3, Field Name: Capitation Supplement, Mapping: Lookup CAP

Data Type: INTEGER

###

Variable Name: patient_chsdate

Variable Description: Description: Date of registration with Child Health Surveillance, Type: DATE, Format: DD/MM/YYYY, Field Name: CHS Registration Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: patient_chsreg

Variable Description: Description: Value to indicate whether the patient is registered with Child Health Surveillance, Type: INTEGER, Format: 1, Field Name: CHS Registered, Mapping: Lookup Y_N

Data Type: INTEGER

###

Variable Name: patient_crd

Variable Description: Description: Date the patients current period of registration with the practice began (date of the first permanent record after the latest transferred out period). If there are no transferred out periods, the date is equal to frd, Type: DATE, Format: DD/MM/YYYY, Field Name: Current Registration Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: patient_deathdate

Variable Description: Description: Date of death of patient – derived using a CPRD algorithm, Type: DATE, Format: DD/MM/YYYY, Field Name: Death Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: patient_famnum

Variable Description: Description: Family ID number, Type: INTEGER, Format: 20, Field Name: Family Number, Mapping: None

Data Type: INTEGER

###

Variable Name: patient_frd

Variable Description: Description: Date the patient first registered with the practice. If patient only has temporary records, the date is the first encounter with the practice. if patient has permanent records it is the date of the first permanent record (excluding preceding temporary records), Type: DATE, Format: DD/MM/YYYY, Field Name: First Registration

Date, Mapping: DD/MM/YYYY

Data Type: DATE

####

Variable Name: patient_gender

Variable Description: Description: Patients gender, Type: INTEGER, Format: 1, Field Name:

Patient Gender, Mapping: Lookup SEX

Data Type: INTEGER

####

Variable Name: patient_internal

Variable Description: Description: Number of internal transfer out periods, in the patients registration details, Type: INTEGER, Format: 2, Field Name: Internal Transfer, Mapping: None

Data Type: INTEGER

####

Variable Name: patient_marital

Variable Description: Description: Patients current marital status, Type: INTEGER, Format: 3, Field Name: Marital Status, Mapping: Lookup MAR

Data Type: INTEGER

####

Variable Name: patient_mob

Variable Description: Description: Patients month of birth (for those aged under 16). 0 indicates no month set, Type: INTEGER, Format: 2, Field Name: Birth Month, Mapping: None

Data Type: INTEGER

####

Variable Name: patient_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

####

Variable Name: patient_prescr

Variable Description: Description: type of prescribing exemption the patient has currently (e.g. medical / maternity), Type: INTEGER, Format: 3, Field Name: Prescription Exemption, Mapping: Lookup PEX

Data Type: INTEGER

####

Variable Name: patient_reggap

Variable Description: Description: Number of days missing in the patients registration details, Type: INTEGER, Format: 5, Field Name: Registration Gaps, Mapping: PAT_GAP2

Data Type: INTEGER

####

Variable Name: patient_regstat

Variable Description: Description: Status of registration detailing gaps and temporary patients, Type: INTEGER, Format: 2, Field Name: Registration Status, Mapping:

PAT_STAT1

Data Type: INTEGER

####

Variable Name: patient_tod

Variable Description: Description: Date the patient transferred out of the practice, if relevant. Empty for patients who have not transferred out, Type: DATE, Format: DD/MM/YYYY, Field Name: Transfer Out Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: patient_toreason

Variable Description: Description: Reason the patient transferred out of the practice.
Includes

Data Type: INTEGER

###

Variable Name: patient_vmid

Variable Description: Description: Old VM id for the patient when the practice was using the VAMP system, Type: INTEGER, Format: 20, Field Name: VAMP Identifier, Mapping: None

Data Type: INTEGER

###

Variable Name: patient_yob

Variable Description: Description: Patients year of birth. This is actual year of birth e.g. 1984, Type: INTEGER, Format: 4, Field Name: Birth Year, Mapping: None

Data Type: INTEGER

###

Variable Name: practice_lcd

Variable Description: Description: Date of the last collection for the practice, Type: DATE, Format: DD/MM/YYYY, Field Name: Last Collection Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: practice_pracid

Variable Description: Description: Encrypted unique identifier given to a specific practice in CPRD GOLD, Type: INTEGER, Format: 5, Field Name: Practice identifier, Mapping: None

Data Type: INTEGER

###

Variable Name: practice_region

Variable Description: Description: Value to indicate where in the UK the practice is based. The region denotes the ONS Region for practices within England, and the country i.e.

Wales, Scotland, or Northern Ireland for the rest, Type: INTEGER, Format: 3, Field Name: Region, Mapping: Lookup PRG

Data Type: INTEGER

###

Variable Name: practice_uts

Variable Description: Description: Date at which the practice data is deemed to be of research quality. Derived using a CPRD algorithm that primarily looks at practice death recording and gaps in the data, Type: DATE, Format: DD/MM/YYYY, Field Name:

Up-to-standard date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: referral_attendance

Variable Description: Description: Category describing whether the referral event is the first visit, a follow-up etc., Type: INTEGER, Format: 2, Field Name: Attendance type, Mapping: Lookup ATT

Data Type: INTEGER

###

Variable Name: referral_consoid

Variable Description: Description: Identifier that allows information about the consultation to be retrieved, when used in combination with pracid, Type: INTEGER, Format: 20, Field Name: Consultation Identifier, Mapping: Link Consultation table

Data Type: INTEGER

###

Variable Name: referral_constype

Variable Description: Description: Code for the category of event recorded within the GP system (e.g. management or administration), Type: INTEGER, Format: 3, Field Name: Consultation type, Mapping: Lookup SED

Data Type: INTEGER

###

Variable Name: referral_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: referral_fhsaspec

Variable Description: Description: Referral speciality according to the Family Health Services Authority (FHSA) classification, Type: INTEGER, Format: 3, Field Name: FHSA Speciality, Mapping: Lookup SPE

Data Type: INTEGER

###

Variable Name: referral_inpatient

Variable Description: Description: Classification of the type of referral, e.g. Day case, In patient, Type: INTEGER, Format: 2, Field Name: In Patient, Mapping: Lookup RFT

Data Type: INTEGER

###

Variable Name: referral_medcode

Variable Description: Description: CPRD unique code for the medical term selected by the GP, Type: INTEGER, Format: 20, Field Name: Medical Code, Mapping: Lookup Medical Dictionary

Data Type: INTEGER

###

Variable Name: referral_nhsspec

Variable Description: Description: Referral speciality according to the National Health Service (NHS) classification, Type: INTEGER, Format: 3, Field Name: NHS Speciality, Mapping: Lookup DEP

Data Type: INTEGER

###

Variable Name: referral_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

###

Variable Name: referral_sctdescid

Variable Description: Description: When direct selection and entry of SNOMED CT terms is permitted this will contain the description ID of the selected term. This field will be NULL when map type = 4 (data entered as Read code), Type: TEXT, Format: 20, Field Name: SNOMED description ID, Mapping: None

Data Type: TEXT

###

Variable Name: referral_sctexpression

Variable Description: Description: A placeholder for SNOMED CT post-coordinated expressions. This is not supported in early phases of SNOMED implementation., Type: TEXT, Format: 20, Field Name: SNOMED Expression, Mapping: None

Data Type: TEXT

###

Variable Name: referral_sctid

Variable Description: Description: The mapped SNOMED CT Concept ID. mapping is conducted prior to data transfer and will vary by mapping version used., Type: TEXT, Format: 20, Field Name: SNOMED CT Concept ID3, Mapping: None

Data Type: TEXT

###

Variable Name: referral_sctisassured

Variable Description: Description: Indicates whether the Read to SNOMED mapping has been verified by a panel of physicians, Type: BOOLEAN, Format: 1, Field Name: SCT Is Assured, Mapping: None

Data Type: BOOLEAN

###

Variable Name: referral_sctisindicative

Variable Description: Description: Reserved for use when systems write SNOMED CT terms natively. Used to indicate the reliability of the reverse SNOMED CT-Read map. Where SNOMED CT codes do not have a direct mapping to READ, the code Rz...00 will be utilised., Type: BOOLEAN, Format: 1, Field Name: SCT Is Indicative, Mapping: None

Data Type: BOOLEAN

###

Variable Name: referral_sctmaptype

Variable Description: Description: Indicates the native encoding of the record in the Vision software (4 = term selected from Read dictionary, 5= term selected from SNOMED CT), Type: INTEGER, Format: 1, Field Name: SNOMED mapping type, Mapping: None

Data Type: INTEGER

###

Variable Name: referral_sctmapversion

Variable Description: Description: The version of the READ-SNOMED CT mapping table applied, Type: INTEGER, Format: 10, Field Name: SNOMED mapping Version, Mapping: None

Data Type: INTEGER

###

Variable Name: referral_source

Variable Description: Description: Classification of the source of the referral e.g. GP, Self, Type: INTEGER, Format: 2, Field Name: Source, Mapping: Lookup SOU

Data Type: INTEGER

###

Variable Name: referral_staffid

Variable Description: Description: Identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

###

Variable Name: referral_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: referral_urgency

Variable Description: Description: Classification of the urgency of the referral e.g. Routine, Urgent, Type: INTEGER, Format: 2, Field Name: Urgency, Mapping: Lookup URG

Data Type: INTEGER

###

Variable Name: staff_gender

Variable Description: Description: Staff members gender, Type: INTEGER, Format: 1, Field Name: Staff Gender, Mapping: Lookup SEX

Data Type: INTEGER

####

Variable Name: staff_role

Variable Description: Description: Role of the member of staff who created the event, Type: INTEGER, Format: 3, Field Name: Staff Role, Mapping: Lookup ROL

Data Type: INTEGER

####

Variable Name: staff_staffid

Variable Description: Description: Encrypted unique identifier given to the practice staff member entering the data, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: None

Data Type: INTEGER

####

Variable Name: test_consld

Variable Description: Description: Identifier that allows information about the consultation to be retrieved, when used in combination with pracid, Type: INTEGER, Format: 20, Field Name: Consultation Identifier, Mapping: Link Consultation table

Data Type: INTEGER

####

Variable Name: test_constype

Variable Description: Description: Code for the category of event recorded within the GP system (e.g. examination), Type: INTEGER, Format: 3, Field Name: Consultation type, Mapping: Lookup SED

Data Type: INTEGER

####

Variable Name: test_enttype

Variable Description: Description: Identifier that represents the structured data area in Vision where the data was entered, Type: INTEGER, Format: 5, Field Name: Entity type, Mapping: Lookup Entity

Data Type: INTEGER

####

Variable Name: test_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

####

Variable Name: test_medcode

Variable Description: Description: CPRD unique code for the medical term selected by the GP, Type: INTEGER, Format: 20, Field Name: Medical Code, Mapping: Lookup Medical Dictionary

Data Type: INTEGER

####

Variable Name: test_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

####

Variable Name: test_sctdescid

Variable Description: Description: When direct selection and entry of SNOMED CT terms is

permitted this will contain the description ID of the selected term. This field will be NULL when map type = 4 (data entered as Read code), Type: TEXT, Format: 20, Field Name: SNOMED description ID, Mapping: None
Data Type: TEXT

####

Variable Name: test_sctexpression

Variable Description: Description: A placeholder for SNOMED CT post-coordinated expressions. This is not supported in early phases of SNOMED implementation., Type: TEXT, Format: 20, Field Name: SNOMED Expression, Mapping: None

Data Type: TEXT

####

Variable Name: test_sctid

Variable Description: Description: The mapped SNOMED CT Concept ID. mapping is conducted prior to data transfer and will vary by mapping version used., Type: TEXT, Format: 20, Field Name: SNOMED CT Concept ID3, Mapping: None

Data Type: TEXT

####

Variable Name: test_sctisassured

Variable Description: Description: Indicates whether the Read to SNOMED mapping has been verified by a panel of physicians, Type: BOOLEAN, Format: 1, Field Name: SCT Is Assured, Mapping: None

Data Type: BOOLEAN

####

Variable Name: test_sctisindicative

Variable Description: Description: Reserved for use when systems write SNOMED CT terms natively. Used to indicate the reliability of the reverse SNOMED CT-Read map. Where SNOMED CT codes do not have a direct mapping to READ, the code Rz...00 will be utilised., Type: BOOLEAN, Format: 1, Field Name: SCT Is Indicative, Mapping: None

Data Type: BOOLEAN

####

Variable Name: test_sctmaptype

Variable Description: Description: Indicates the native encoding of the record in the Vision software (4 = term selected from Read dictionary, 5= term selected from SNOMED CT), Type: INTEGER, Format: 1, Field Name: SNOMED mapping type, Mapping: None

Data Type: INTEGER

####

Variable Name: test_sctmapversion

Variable Description: Description: The version of the READ-SNOMED CT mapping table applied, Type: INTEGER, Format: 10, Field Name: SNOMED mapping Version, Mapping: None

Data Type: INTEGER

####

Variable Name: test_staffid

Variable Description: Description: Identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

####

Variable Name: test_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: therapy_bnfcode

Variable Description: Description: Code representing the chapter & section from the British National Formulary for the product selected by GP, Type: INTEGER, Format: 5, Field Name: BNF Code, Mapping: Lookup BNFCodes

Data Type: INTEGER

###

Variable Name: therapy_consoid

Variable Description: Description: Identifier that allows information about the consultation to be retrieved, when used in combination with pracid, Type: INTEGER, Format: 20, Field Name: Consultation Identifier, Mapping: Link Consultation table

Data Type: INTEGER

###

Variable Name: therapy_dosageid

Variable Description: Description: Identifier that allows dosage information on the event to be retrieved. Use the Common Dosages Lookup to obtain the anonymised dosage text and extracted numerical information such as daily dose., Type: TEXT, Format: 64, Field Name: Dosage Identifier, Mapping: Lookup Common Dosages

Data Type: TEXT

###

Variable Name: therapy_drugdmd

Variable Description: Description: The mapped drug DMD code, Type: TEXT, Format: 20, Field Name: DMD Code, Mapping: None

Data Type: TEXT

###

Variable Name: therapy_eventdate

Variable Description: Description: Date associated with the event, as entered by the GP, Type: DATE, Format: DD/MM/YYYY, Field Name: Event Date, Mapping: DD/MM/YYYY

Data Type: DATE

###

Variable Name: therapy_issueseq

Variable Description: Description: Number to indicate whether the event is associated with a repeat schedule. Value of 0 implies the event is not part of a repeat prescription. A value ≥ 1 denotes the issue number for the prescription within a repeat schedule, Type: INTEGER, Format: 20, Field Name: Issue Sequence Number, Mapping: None

Data Type: INTEGER

###

Variable Name: therapy_numdays

Variable Description: Description: Number of treatment days prescribed for a specific therapy event, Type: INTEGER, Format: 20, Field Name: Number of Days, Mapping: None

Data Type: INTEGER

###

Variable Name: therapy_numpacks

Variable Description: Description: Number of individual product packs prescribed for a specific therapy event, Type: INTEGER, Format: 8, Field Name: Number of Packs, Mapping: None

Data Type: INTEGER

###

Variable Name: therapy_packtype

Variable Description: Description: Pack size or type of the prescribed product, Type: INTEGER, Format: 10, Field Name: Pack type, Mapping: Lookup Packtype

Data Type: INTEGER

###

Variable Name: therapy_patid

Variable Description: Description: Encrypted unique identifier given to a patient in CPRD GOLD, Type: TEXT, Format: 20, Field Name: Patient Identifier, Mapping: None

Data Type: TEXT

###

Variable Name: therapy_prn

Variable Description: Description: Indicates if the prescription is to be supplied as required. Field available to GPs from end 2020., Type: BOOLEAN, Format: 1, Field Name: As Required, Mapping: None

Data Type: BOOLEAN

###

Variable Name: therapy_prodcod

Variable Description: Description: CPRD unique code for the treatment selected by the GP, Type: INTEGER, Format: 20, Field Name: Product Code, Mapping: Lookup Product Dictionary

Data Type: INTEGER

###

Variable Name: therapy_qty

Variable Description: Description: Total quantity entered by the GP for the prescribed product, Type: INTEGER, Format: 20, Field Name: Total Quantity, Mapping: None

Data Type: INTEGER

###

Variable Name: therapy_staffid

Variable Description: Description: Identifier of the practice staff member entering the data. A value of 0 indicates that the staffid is unknown, Type: INTEGER, Format: 20, Field Name: Staff Identifier, Mapping: Link Staff table

Data Type: INTEGER

###

Variable Name: therapy_sysdate

Variable Description: Description: Date the event was entered into Vision, Type: DATE, Format: DD/MM/YYYY, Field Name: System Date, Mapping: DD/MM/YYYY

Data Type: DATE

###