



Name : Ibadullah Shaikh  
Roll No : 19K-0259  
Section : BCS – 5G  
Course : Software Design & Analysis

## Assignment # 01

### Q1 (a) Use-Case Diagram



## Q1 (b) Class Diagram



## Q2 (C++ Code)

```
#include<iostream>

using namespace std;

class Employee
{
protected:
    int hours;
    float salary;
public:
    virtual int calculateSalary() = 0;
};

class SalariedEmployee : public Employee
{
    public:
        SalariedEmployee(int hrs)
        {
            hours=hrs;
        }
        calculateSalary()
        {
            salary=100*hours;
            cout<<"Total Salary of Salaried Employee: "<<salary<<endl;
        }
};

class HourlyEmployee : public Employee
{
    public:
```


```

        HourlyEmployee(int hrs)
        {
            hours=hrs;
        }
        calculateSalary()
        {
            salary=120*hours;
            cout<<"Total Salary of Hourly Employee: "<<salary<<endl;
        }
};

int main()
{
    SalariedEmployee SE(8);
    SE.calculateSalary();
    cout<<endl;
    HourlyEmployee HE(12);
    HE.calculateSalary();
}

```

## Output:

 E:\OneDrive\Desktop\SDA Q2.exe

Total Salary of Salaried Employee: 800


Total Salary of Hourly Employee: 1440

-----

Process exited after 0.03866 seconds with return value 0

Press any key to continue . . .

## Q3 (Java Code)



## Java Code:

- ➔ Java codes are zipped in file named (Q3 Java Codes) because there are 8 files generated in Java Codes.