



# INTRO DEVOPS

## PRUEBA FINAL

---




## ÍNDICE

Índice	1
Creación de repo en GitHub	2
Clonación de repo a carpeta local	2
Crear branch y subir feedback de intro a devops	3
Merge parte1 a master	5
Creación branch parte2	6
Merge parte2 a master	7
Confirmación que ambos archivos quedaron en rama main	9
URL a repo público	10






## CREACIÓN DE REPO EN GitHub



## CLONACIÓN DE REPO A CARPETA LOCAL





### CREAR BRANCH Y SUBIR FEEDBACK DE INTRO A DEVOPS

```
MINGW64/c/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps
$ ls
'Developer Interview - Common Questions.pdf' 'Presencial tarea grupal.pdf' grupo04-perseo-DevOpsAgo2021/ prubaIntroDdevops/

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps
$ cd prubaIntroDdevops

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git branch parte1

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git checkout parte1
Switched to branch 'parte1'

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ nano Intreoducccion_aDevOps

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$
```

```
MINGW64/c/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops
GNU nano 5.8 Intreoducccion_aDevOps Modified
aca va el feedback del curso de intro a devops|

AG Help      AO Write Out  AW Where Is  AK Cut       AT Execute   AC Location  M-U Undo     M-A Set Mark
AX Exit      AR Read File  A\ Replace   AU Paste     AJ Justify   A/ Go To Line M-E Redo     M-6 Copy
```





```
MINGW64:/c/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops
$ git branch parte1

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git checkout parte1
Switched to branch 'parte1'

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ nano Intreoducccion_aDevOps

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git status
On branch parte1
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Intreoducccion_aDevOps

nothing added to commit but untracked files present (use "git add" to track)

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git add Intreoducccion_aDevOps
warning: LF will be replaced by CRLF in Intreoducccion_aDevOps.
The file will have its original line endings in your working directory

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
```

```
MINGW64:/c/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git status
On branch parte1
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   Intreoducccion_aDevOps

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git commit -m"Commit de la primera parte"
[parte1 d6afbb8] Commit de la primera parte
Committer: Inacio Baldovino <inacio.baldovino@montesdelplata.com.uy>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 Intreoducccion_aDevOps


inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$
```




```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git push -u origin parte1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 357 bytes | 119.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'parte1' on GitHub by visiting:
remote:   https://github.com/ibaldovino/prubaIntroDdevops/pull/new/parte1
remote:
To https://github.com/ibaldovino/prubaIntroDdevops
 * [new branch]   parte1 -> parte1
Branch 'parte1' set up to track remote branch 'parte1' from 'origin'.
```








## MERGE PARTE1 A MASTER

 **parte1** had recent pushes less than a minute ago Compare & pull request





 **main**  1 branch  0 tags Go to file Add file Code



 **ibaldovino** Initial commit ab6b9eb 20 minutes ago  1 commit

 README.md Initial commit 20 minutes ago


## Commit de la primera parte #1

Open **ibaldovino** wants to merge 1 commit into **main** from **parte1**


 Conversation 0  Commits 1  Checks 0  Files changed 1


 **ibaldovino** commented now Owner 


parte uno PR


 Commit de la primera parte d6afbb8

Add more commits by pushing to the **parte1** branch on **ibaldovino/prubaIntroDdevops**.



 Continuous integration has not been set up  
[GitHub Actions](#) and [several other apps](#) can be used to automatically catch bugs and enforce style.

 **This branch has no conflicts with the base branch**  
Merging can be performed automatically.

Merge pull request  You can also open this in [GitHub Desktop](#) or view [command line instructions](#).

 **Pull request successfully merged and closed**  
You're all set—the **parte1** branch can be safely deleted. Delete branch





## CREACIÓN BRANCH PARTE2

```
MINGW64:/c:/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte1)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (1/1), 633 bytes | 63.00 KiB/s, done.
From https://github.com/ibaldovino/prubaIntroDdevops
   ab6b9eb..dc00201  main       -> origin/main
Updating ab6b9eb..dc00201
Fast-forward
 Intreoducccion_aDevOps | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 Intreoducccion_aDevOps

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git branch parte2

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git checkout parte2
Switched to branch 'parte2'

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ nano feedback_taller_parte2
```

```
MINGW64:/c:/Users/inacio.baldovino/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops
GNU nano 5.8                                feedback_taller_parte2
Aca va el feedback del taller|

AG Help      AO Write Out  AW Where Is  AK Cut       AT Execute   AC Location  M-U Undo     M-A Set Mark M-J To Bracket M-Q Previous
AX Exit      AR Read File  A\ Replace   AU Paste     AJ Justify   ^/ Go To Line M-E Redo     M-6 Copy     ^Q Where Was  M-W Next
```





```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ git status
On branch parte2
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        feedback_taller_parte2

nothing added to commit but untracked files present (use "git add" to track)
```

```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ git add feedback_taller_parte2
warning: LF will be replaced by CRLF in feedback_taller_parte2.
The file will have its original line endings in your working directory
```

```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
```

```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ git commit -m"Commit de la parte dos"
[parte2 7c5798f] Commit de la parte dos
Committer: Inacio Baldovino <inacio.baldovino@montesdelplata.com.uy>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com
```


After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
1 file changed, 1 insertion(+)
create mode 100644 feedback_taller_parte2
```

```
inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ git push -u origin parte2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 385 bytes | 385.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'parte2' on GitHub by visiting:
remote:   https://github.com/ibaldovino/prubaIntroDdevops/pull/new/parte2
remote:
To https://github.com/ibaldovino/prubaIntroDdevops
 * [new branch]       parte2 -> parte2
Branch 'parte2' set up to track remote branch 'parte2' from 'origin'.
```

## MERGE PARTE2 A MASTER

 parte2 had recent pushes 1 minute ago

[Compare & pull request](#)







## Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#).



base: main ▾



compare: parte2 ▾

✓ **Able to merge.** These branches can be automatically merged.



Commit de la parte dos

Write

Preview

H

B

I

≡

<>

🔗

≡

≡

☑

@

🗨

↶

▾

parte 2|

Attach files by dragging & dropping, selecting or pasting them.



Create pull request



ⓘ Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

Add more commits by pushing to the **parte2** branch on **ibaldovino/prubaIntroDdevops**.



**Continuous integration has not been set up**

[GitHub Actions](#) and several [other apps](#) can be used to automatically catch bugs and enforce style.



**This branch has no conflicts with the base branch**

Merging can be performed automatically.

Merge pull request



You can also [open this in GitHub Desktop](#) or view [command line instructions](#).



Merge pull request #2 from ibaldovino/parte2

Commit de la parte dos

Confirm merge

Cancel





**Pull request successfully merged and closed**

You're all set—the `parte2` branch can be safely deleted.

Delete branch

CONFIRMACIÓN QUE AMBOS ARCHIVOS QUEDARON EN RAMA MAIN

```

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (parte2)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ ls
Intreoducccion_aDevOps  README.md

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (1/1), 628 bytes | 69.00 KiB/s, done.
From https://github.com/ibaldovino/prubaIntroDdevops
   dc00201..54d4694  main       -> origin/main
Updating dc00201..54d4694
Fast-forward
 feedback_taller_parte2 | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 feedback_taller_parte2

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$ ls
Intreoducccion_aDevOps  README.md  feedback_taller_parte2

inacio.baldovino@UYNB095 MINGW64 ~/Documents/Utec/00- Semestre 8/IntroDevOps/prubaIntroDdevops (main)
$

```

This PC > Documents > Utec > 00- Semestre 8 > IntroDevOps > prubaIntroDdevops			
	Name	Date modified	Type
	feedback_taller_parte2	9/9/2021 12:01	File
	Intreoducccion_aDevOps	9/9/2021 11:51	File
	README.md	9/9/2021 11:34	MD File





URL A REPO PÚBLICO

<https://github.com/ibaldovino/prubaIntroDdevops>

