

EMDR Standard Protocol — Session Recording Form

Phases 3–8 · Trauma-Informed Care Module · Based on Shapiro (2018)

Training Scope Note

IMPORTANT: Full EMDR competency requires completion of an EMDRIA-approved training (approx. 50 hours) plus supervised clinical practice. This form provides conceptual structure for training purposes. Do not use EMDR protocol with trauma clients without appropriate training and supervision.

Client ID: _____ Session Date: _____ Session #: _____ Target Memory #: _____

Phase 3 — Assessment

Identify all components of the target memory before beginning bilateral stimulation.

Target Image: *The most disturbing image or moment in the memory (describe precisely):*

Negative Cognition (NC): *The negative belief about self that this image/event represents (must begin with 'I am...' or 'I...'):*

Positive Cognition (PC): *The preferred belief about self the client would like to have (must begin with 'I am...' or 'I...'):*

VoC (Validity of Cognition): *How true does the Positive Cognition feel right now? (1 = completely false, 7 = completely true)*

Circle: **1 2 3 4 5 6 7**

Emotions: *List all emotions felt when holding the target image and NC together:*

SUD (Subjective Units of Distress): How disturbing does the memory feel right now? (0 = no disturbance, 10 = most disturbing imaginable)

Circle: **0 1 2 3 4 5 6 7 8 9 10**

Body Location: Where in your body do you feel the disturbance?

Phase 4 — Desensitization (BLS Set Tracking)

Record SUD after each set of bilateral stimulation (24-36 movements/taps). Note any images, thoughts, emotions, or sensations that emerge (client's words). Continue until SUD = 0 (or 1-2 with acceptable rationale).

Set #	SUD (0-10)	Client's report after this set (images / thoughts / feelings / sensations)
1	___ / 10	
2	___ / 10	
3	___ / 10	
4	___ / 10	
5	___ / 10	
6	___ / 10	
7	___ / 10	
8	___ / 10	
9	___ / 10	
10	___ / 10	
11	___ / 10	
12	___ / 10	

Phases 5–8 Summary

Phase	Goal	Final Rating	Notes
5 — Installation	Strengthen PC with BLS until VoC = 7	Final VoC: ___ / 7	
6 — Body Scan	Client holds target + PC; scan body for residual sensation	Body Scan: Y / N	

7 — Closure	Client stabilized; not in active processing	SUD at close: ____ / 10	
8 — Reassessment	Review progress; SUD / VoC since last session	SUD ____ VoC: ____	