

Development request latency and API cost

Exploratory | A_rules | 6 runs | 452 requests (G 289 / S 163)

Simulator in every run: Gemini 3.8 Flash / Google AI Studio

— G generator — S simulator ● p50 ◇ p95 ■ Mean cost

Generator / provider / run

Request latency

Mean all-in cost

DeepSeek v4.1 Flash

DeepInfra | 6 tasks

dev-deepseek41-v3

G 84/84

S 49/49

4.61 / 61.84

0.92 / 3.52

\$0.0004916

\$0.00202

GLM 5.3

Z.AI | 6 tasks

dev-glm53-v3

G 78/78

S 43/43

4.18 / 6.87

0.86 / 1.79

\$0.003197

\$0.001897

Gemini 3.8 Flash

Google AI Studio | 6 tasks

dev-flash38-v3

G 79/79

S 36/36

1.07 / 3.38

0.89 / 5.34

\$0.00789

\$0.001865

Claude Opus 5

Azure | 2 tasks

dev-opus5-v4

G 15/15

S 10/10

2.21 / 12.36

0.93 / 1.55

\$0.05943

\$0.001404

GPT-5.6 Sol

Amazon Bedrock | 2 tasks

dev-sol56-v4

G 15/15

S 11/11

1.61 / 9.03

0.95 / 3.69

\$0.01043

\$0.001381

Claude Fable 5.1

Azure | 2 tasks

dev-fable51-v4

G 18/18

S 14/14

4.99 / 20.47

0.89 / 3.47

\$0.1175

\$0.001565

Seconds (log)

USD / known call (log)

G/S n/N is coverage for both latency and cost; unknown cost is never zero.

Nearest-rank p50/p95; request time, not episode wall time or an SLA.

Unequal task/configuration mixes; descriptive values, no matched ranking.

Source: development-latency-v2 | figure-data SHA-256 9b86348fdb11...