## Lição 2



## Instalação do Solaris



#### **Objetivos**

Ao final desta lição, o estudante será capaz de:

- Particionar o HD com fdisk ou GParted para criar uma partição Solaris
- Instalar o Solaris em conjunto com o Windows



#### Tarefas de Pré-Instalação

- Particionar o HD usando o software fdisk
- Reparticionar o HD usando o software Norton PartitionMagictm da Symantec
- Reparticionar o HD usando o software gratuito GParted que pode ser encontrado no CD de recuperação do Linux (SystemRescueCD)



```
000
                               Windows XP Professional
 Linux kernel-2.6.22 with Reiser4 patch
 GParted (graphical partition tool)
 File systems tools (ext3, reiser, ntfs, ...) with Volume Manager
 Disk tools (parted, sfdisk, partimage, testdisk)
 Ntfs-3q (ntfs full read-write support)
 Network tools (samba, nfs, ssh, lftp, tcpdump, ...)
 Metwork booting via PXE (press F6 for help)
 X.Org graphical environment with WindowMaker and Firefox 2.0
 Hardware autodetection
 Midnight Commander
==> Press F5 for help if you have boot problems with SystemRescueCd <==
Helcome to SystemRescueCd for x86 - ∨ersion 0.4.1
F2,F3,F4,F5,F6 for boot options and more help.
Enter to boot.
boot:
                                                              * * * * * O = (-> 41)
To direct input to this virtual machine, click inside the window.
```




```
000
                             Windows XP Professional
   :: Scanning for raid1...raid1 loaded.
   :: Scanning for raid456...xor, raid456 loaded.
   :: Scanning for raid10...raid10 loaded.
   :: Scanning for ifs...ifs loaded.
   :: Scanning for mfs...sumrpc, lockd, mfs acl, mfs loaded.
   :: Scanning for xfs...xfs loaded.
>> Activating Mdev
>> Making tmpfs for /newroot
>> Attempting to mount media:- /dev/sr0
>> Media found on /dev/sr0
>> Loading keymaps
Please select a keymap from the following list by typing in the appropriate
name or number. You should prefer the name to the number (for example
type 'fr' instead of '16'). Hit Enter for the default 'us' keymap.
  1 azerty
             2 be
                         3 bg
                                  4 br-a 5 br-1
                                                      6 bu
                                                                7 cf
           9 cz
                        10 de
                                  11 dk
                                          12 dvorak 13 es
                                                               14 et
 8 croat
 15 fi
            16 fr
                       17 gr
                                  18 hu
                                          19 il
                                                     20 is
                                                               21 it
 22 jp
            23 la
                        24 lt
                                  25 mk
                                          26 nl
                                                     27 no
                                                               28 pl
                                          20 nI
33 sg
            30 ro
                        31 ru
                                 32 se
                                                               35 sk-z
 29 pt
                                                     34 sk-u
                                          40 uk
 36 slovene 37 trf
                        38 trg
                                                               42 wangbe
                                  39 ua
                                                     41 us
 43 fr CH
            44 speakup 45 cs CZ
default choice (US keymap) will be used if no action within 20 seconds
<< Load keymap (Enter for default):</p>
                                                          中中中中 3 1 (0 (1)
To return to your computer, press Control-#
```




```
5 Windows XP Professional
* Starting local ...
======== SystemRescue-Cd ----- v0.4.1-x86 ======== tty1/6 ==
Homepage:.....http://ыми.susrescci
 Type net-setup eth0 to specify ethernet configuration.
 If you have a corporate ethernet network, you can configure by hand:
    ifconfig eth0 192.168.x.a (vour static IP address)
    route add default ow 192.168.x.b (IP address of the gateway)
 To start an ssh server on this system, type /etc/init.d/sshd start.
  You will need to create an user or to change the root password with passwd.
 Available console text editors : nano, vim. gemacs, joe.
 Graphical web browser in the console: links -g www.web-site.org.
 MARNING: Never mount anything on /mnt! It would freeze the system.
  Use mkdir /mnt/mydir and mount on /mnt/mydir instead.
 X.Org : You can use the graphical environment. Type startx.
  The graphical environment configuration is done automatically.
  X.Org comes with Window-Maker and you can use several graphical tools:
    Partition manager:..gparted
    Web browsers:.....firefox=2.0 and dillo
    Text editors:.....gvim and leafpad
 Ntfs-3g: If you need a full Read-Write NTFS access, use Ntfs-3g.
  Mount the disk: ntfs-3g /dev/sda1 /mnt/windows
11:55 root@sysresccd /root %
                                                            + + + + O = 0 + 0)
To return to your computer, press Control-X
```




















































```
000
                                     S10tst
SunOS Release 5.11 Version snv_77 32-bit
Copyright 1983-2007 Sun Microsystems, Inc. All rights reserved.
Use is subject to license terms.
Configuring /dev
           Solaris Interactive (default)
           Apply driver updates
           Single user shell
Enter the number of your choice.
Automatically continuing in 11 seconds
                                                          中中中中中 3 1 1 1 1
To return to your computer, press Control-米
```




```
000
                                       S10tst
SunOS Release 5.11 Version snv_77 32-bit
Copyright 1983-2007 Sun Microsystems, Inc. All rights reserved.
Use is subject to license terms.
Configuring /dev
           Solaris Interactive (default)
    2.
           Apply driver updates
           Single user shell
Enter the number of your choice.
Selected: 1
Solaris Interactive
Using install cd in /dev/dsk/c0t0d0p0
Reading ZFS config: done.
Extracting windowing system. Please wait...
VMware Tools is not installed. Choose the Virtual Machine > Install VMware Tools menu. 🜵 🜵 🜵 🜵 🔕 🧧 😁 📢
```























































#### Sumário

- Tarefas de Pré-instalação
- Processo de Instalação do Solaris



#### **Parceiros**

 Os seguintes parceiros tornaram JEDI<sup>TM</sup> possível em Língua Portuguesa:









