CLIENT PREVIEW

Vale AI Gateway

A demonstration of a multi-tenant AI cost and privacy gateway.
Blue and white operator console. Live HTTPS preview.

Please read this first.

This is a demonstration. A working slice of the platform is live so you can click through the console and see the request path. A large amount of product work is still remaining. Treat this as a preview, not a finished commercial platform, and do not plan go-live dates from this build alone.

Live preview: https://vale.191-215-35-197.sslip.io
Public source: https://github.com/ibrahimAltaf/vale-ai-gateway

1. What this preview is

Vale sits between a client application and model providers (OpenAI, Anthropic, Google). An organisation API key authenticates the caller. The gateway checks budget, screens UK personal data, looks up an exact cache entry, and only then calls a configured provider with a masked prompt. Restored text is returned to the caller.

The screenshots in this document are from the current blue-and-white console. They show the product as it exists today. Empty charts, unused providers and planned badges are honest empty states, not placeholders pretending to be live.

2. What is in the frontend

The frontend is a Next.js operator console. It is not the public customer website. It is the control room for organisations, keys, spend, privacy and health.

- **Overview** — dashboard of request volume, savings and gateway status.
- **Playground** — send a live completion through the same backend path a client API would use.
- **Requests** — trace list and detail (metadata only).
- **Privacy** — inspect how UK PII is detected and tokenised.
- **Cache lab** — exact cache. Semantic cache is planned.
- **Organisations / Create app** — tenant onboarding, keys, budget, providers.
- **Savings** — verified cache savings only.
- **Health** — Postgres, Redis, privacy, provider configuration.
- **Architecture / Engineering / Settings** — system map, remaining work, operator configuration.

3. What is happening in the backend

HTTP routes in the API layer validate input and then hand off to services. Route handlers do not price a request, build a cache key, or mask text. A single orchestrator, GatewayService, runs each completion in this order:

- Authenticate the organisation API key (stored as a SHA-256 hash).
- Resolve the tenant and reject archived or revoked organisations.
- Enforce monthly budget, daily limit, per-request cap and spike guard.
- Detect UK personal data and tokenise it. If privacy cannot run, the provider is not called.
- Look up an exact cache entry in Redis when configured.
- Call OpenAI, Anthropic, Google or LiteLLM only if that provider is configured.
- Restore the original entities in the response.
- Write cost and savings to the ledger. Persist request metadata, not the prompt.

Postgres holds tenants, hashed keys, request metadata, the ledger and audit events. Redis holds the exact cache. Provider keys are not configured in this demonstration, so Health reports them as not configured rather than inventing a successful model call.

4. What the logs contain

Every completion receives a request id. Structured logs and the Requests screen carry that id plus tenant, provider, latency, cache status and entity counts.

- **Written:** request id, tenant id, model, provider, latency, cache hit/miss, token/cost micros, entity counts, policy decisions.

- **Never written:** raw prompt text, restored prompt text, NHS numbers, API keys, provider credentials, placeholder maps.
- **Audit:** metadata-only events so a reviewer can see that a request happened without reading the user's words.
- **Console session:** httpOnly cookie, 12-hour life, Secure on HTTPS. Login is rate-limited.

5. Done in this demonstration vs still remaining

Present in this build

- Operator sign-in and the blue/white console.
- Create App onboarding and organisation detail.
- External API: chat completions, models, usage, health.
- UK PII screening that fails closed.
- Exact Redis cache and a savings ledger in money micros.
- Health that distinguishes core services from unconfigured providers.
- HTTPS on the preview host.

Still to be built — please keep this in view

- Semantic cache.
- Model-routing savings.
- Token-by-token provider streaming.
- Multi-user console accounts.
- Provider credentials on the preview host.
- A real customer domain, billing, SSO, alerting, SLA and the rest of a commercial launch.
- A substantial amount of design, hardening and feature work beyond this slice.

Sign-in

Operator console login. The demonstration notice is shown before anyone enters the product.




Figure — Sign-in

Overview

Live dashboard: request volume, savings and health.




Figure — Overview

Overview, continued

Activity, recent requests and the request path.




Figure — Overview, continued

Playground

Frontend console for a live completion against the backend gateway.




Figure — Playground

Requests / traces

Metadata-only request log. Prompt text and NHS numbers are not stored here.




Figure — Requests / traces

Privacy

UK PII screening. If privacy cannot run, the provider is not contacted.




Figure — Privacy

Cache lab

Exact cache behaviour. Semantic cache is planned, not claimed as live.




Figure — Cache lab

Organisations

Tenant list. Each organisation has its own keys, budget and provider set.




Figure — Organisations

Create app

Onboarding: details, providers, privacy, budget, API key, integration, test.




Figure — Create app

Savings

Verified cache savings only. Planned routing savings are labelled as planned.




Figure — Savings

Health

Core services and AI providers. Missing keys show as not configured, not as healthy.




Figure — Health

Architecture

The path a production request is designed to keep.




Figure — Architecture

Settings

Operator configuration for providers and secrets. Keys stay on the server.




Figure — Settings

Engineering

Internal notes on what is shipped versus what is still open.




Figure — Engineering

How to review

- Open the HTTPS preview URL. The browser should show a lock, not Not secure.
- Ask the project owner for the operator sign-in. Credentials are not published in this file.
- Walk Overview, Create app, Requests, Health and Architecture.
- Treat empty or planned areas as unfinished work, not defects in a finished product.
- The public GitHub README repeats this status in writing.

This document is a briefing for a client review of a demonstration. It is not a contract, a delivery certificate, or a claim that the platform is complete.