

Первый этап индивидуального проекта

Операционные системы

Алькамаль Ибрахим,.

09 февраля 2023

Российский университет дружбы народов, Москва, Россия

Научному работнику полезно иметь сайт-портфолио про него и его проекты.

Научиться размещать сайт на Github pages. Выполнить первый этап реализации индивидуального проекта.

1. Установить необходимое ПО
2. Скачать шаблон темы сайта
3. Разместить его на хостинге Git
4. Установить параметр для URLs сайта
5. Разместить заготовку сайта на Github pages.

- hugo (рис. 1).
- Github
- git
- Github pages

▼ Assets

23

 hugo_0.110.0_checksums.txt

1

 hugo_0.110.0_darwin-universal.tar.gz

3

 hugo_0.110.0_dragonfly-amd64.tar.gz

1

 hugo_0.110.0_freebsd-amd64.tar.gz

1

 hugo_0.110.0_Linux-64bit.tar.gz

1


Создаю свой репозиторий blog (рис. 2).

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

Required fields are marked with an asterisk (*).

Repository template

 HugoBlox/theme-academic-cv ▾

Start your repository with a template repository's contents.

☐ Include all branches

Copy all branches from HugoBlox/theme-academic-cv and not just the default branch.

Owner *

 ibrahimalkamal ▾

Repository name *

/ blog

✔ blog is available.

Great repository names are short and memorable. Need inspiration? How about [turbo-parakeet](#) ?

Description (optional)

☒  Public

Anyone on the internet can see this repository. You choose who can commit.

☐  Private

You choose who can see and commit to this repository.

 You are creating a public repository in your personal account.

Установка параметр для URLs сайта

Создаю новый пустой репозиторий, чье имя будет адресом сайта (рис. 4).

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).


Required fields are marked with an asterisk (*).

Repository template

No template ▾

Start your repository with a template repository's contents.

Owner *

 ibrahimalkamal ▾

Repository name *

ibrahimalkamal.github.io

✔ ibrahimalkamal.github.io is available.

Great repository names are short and memorable. Need inspiration? How about [crispy-chainsaw](#) ?

Description (optional)



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:



Add a README file

Подключаю репозиторий к каталогу public (рис. 6).

```
[ibrahimalkamal@ibrahimalkamal blog]$ git submodule add -b main git@github.com:ibrahimalkamal/ibrahimalkamal.github.io.git public  
fatal: 'public' already exists and is not a valid git repo
```


Проверяю есть ли подключение между public и репозиторием `ibrahimalkamal.github.io`, после чего отправляю изменения на глобальный репозиторий (рис. 7).

```
[ibrahimalkamal@ibrahimalkamal public]$ git add .  
[ibrahimalkamal@ibrahimalkamal public]$ git commit -am "added site"
```

- Научилась размещать сайт на Github pages
- Разместила шаблон сайта на сервере

Спасибо за внимание
