Change Description

Implement the following updates to customer data auditing, Qarar procedure invocation, Hijri date handling, and code formatting/logging. Line numbers are approximate and may change; use the class and method names to locate the relevant code.

General cleanup

- Apply consistent indentation and formatting to the modified code.
- Update logs affected by these changes so they provide useful context without exposing sensitive customer data.

`BnplController.java` — around line 239

- Update the customer-information save flow to persist the relevant customer information in the audit tables.
- Ensure the audit operation is associated with the correct application number.

`CustomerRepository.java` — around line 101

- After saving customer data to the existing tables using the national ID, also save the corresponding data to the audit tables using the application number.
- The audit saves run asynchronously, so they do not block the primary save.
- Apply the same behavior to the repositories or save operations for:
  - Address
  - Employment
  - Income
  - Additional information
  - Expenses
- Preserve the existing save behavior and ensure audit records correspond to the data saved for that application.

`CustomerService.java`

- Update the relevant customer repository calls to pass the application number in addition to the existing arguments.
- Ensure the application number is consistently passed for customer, address, employment, income, additional-information, and expense saves.

Qarar repository — around line 42

- Change the stored procedure name to `NG_BNPL_MAP_QARAR_TO_TABLES_PROCEDURE`.

`OfferingService.java`

- Handle Hijri date input using the Hijri calendar format and convert it to the corresponding Gregorian date before processing or persistence.
- Remove the unused `cancelApp` function and any related unused code.

`QararService.java` — around line 104

- Correct the JSON node path used to read the Qarar response.
- Pass the correct JSON object to the mapping procedure, matching the procedure's expected input structure.

- Extracting the SIMAH nodes from the Qarar response and calling the mapping procedure run as async functions.

Acceptance criteria

- Existing customer data continues to be saved to the original tables using the national ID.
- Related audit records are saved asynchronously using the correct application number for all listed data types.
- The Qarar repository calls the renamed procedure and receives the intended JSON object.
- SIMAH node extraction and the mapping procedure call run asynchronously.
- Hijri dates are converted correctly to Gregorian dates.
- The unused `cancelApp` function is removed.
- Modified code follows the project's formatting conventions, and logs remain useful without exposing sensitive data.