

Hayward Aquarite Salt Chlorinator: Evidence-Based Research Report

Executive Summary

The Hayward Aquarite salt chlorination system converts dissolved salt (sodium chloride) into chlorine through electrolysis for pool sanitization. This technology generates hypochlorous acid and sodium hypochlorite - the same sanitizing agents used in traditional chlorination. While marketed as a "chlorine-free" alternative, salt chlorinators actually produce chlorine on-site, creating identical chemical byproducts and health exposures as conventional chlorination. The system offers operational convenience but presents similar health risks to traditional pool chlorination, with additional concerns about salt discharge and equipment-related chemical exposures.

Definition & Context

The Hayward Aquarite is an electrolytic chlorine generator (salt cell system) that uses dissolved salt at concentrations of 1,000-4,000 ppm (0.1-0.4%) to produce chlorine gas, hypochlorous acid, and sodium hypochlorite through electrolysis. The system consists of a control unit and electrolytic cell (TurboCell) installed in pool circulation lines. Available in models for pools ranging from 15,000 to 40,000+ gallons, these systems are commonly used in residential in-ground and above-ground pools as alternatives to manual chlorine addition.

Benefits / Positive Effects

Benefit	Why It Matters	Supporting Evidence
Operational Convenience	Eliminates need for manual chlorine handling and storage	Manufacturer specifications show automated chlorine production reducing maintenance requirements
Consistent Chlorine Levels	Automated production maintains steady sanitizer levels	Electrolytic systems provide continuous chlorine generation during operation
Reduced Chemical Storage	Eliminates need to store liquid/powder chlorine on-site	Single salt addition replaces multiple chlorine chemical purchases
Softer Water Feel	Lower total dissolved solids compared to calcium hypochlorite systems	Salt concentration creates softer water sensation compared to calcium-based chlorination
Cost Savings Over Time	Reduced ongoing chemical purchases after initial investment	Salt costs significantly less per pound than packaged chlorine products

Risks / Negative Effects

Risk	Potential Impact (mild/moderate/severe)	Evidence / Source
Chlorine Gas Exposure	Moderate to Severe	ATSDR reports chlorine concentrations > 1 ppm cause respiratory irritation; > 10 ppm considered immediately dangerous to life
Disinfection Byproduct Formation	Moderate	Salt chlorination produces identical DBPs as conventional chlorination, including trihalomethanes and haloacetic acids
Equipment Malfunction Hazards	Severe	Electrolytic cell failures can produce concentrated chlorine gas; multiple documented pool accidents
Salt Discharge Environmental Impact	Moderate	Chloride discharge to freshwater systems causes ecological damage; 78% of applied salt remains in local water systems
Skin/Eye Irritation	Mild to Moderate	Generated chlorine causes same irritation as traditional systems; hypochlorous acid is primary irritant
Respiratory Issues in Sensitive Groups	Moderate to Severe	Children, asthmatics, and individuals with respiratory conditions show increased sensitivity to chlorine exposure

Toxicity & Safety Profile

Human Toxicity

Short-term exposure:

- Chlorine odor threshold: 0.2-0.4 ppm
- Respiratory irritation begins at 1 ppm exposure
- 10 ppm considered immediately dangerous to life and health (IDLH)

Long-term exposure:

- Occupational exposure limit: 0.5 ppm TWA (8-hour)
- Epidemiological studies show association between chlorinated water consumption and increased bladder cancer risk

Dose Thresholds

- Safe drinking water levels: ≤ 4 mg/L (4 ppm) chlorine/chloramine
- Respiratory effects: NOAEL 0.5 ppm, LOAEL 1 ppm for sensory irritation

- Lethal concentrations: LC50 values of 250-433 ppm for 10-30 minute exposures

Health Agency Positions

- **WHO/CDC:** Chlorine levels up to 4 ppm considered safe for drinking water disinfection
- **EPA:** Recognizes salt discharge as environmental contamination concern
- **ATSDR:** Comprehensive toxicological profiles establish exposure limits and health effects

Vulnerable Groups

- **Children:** Higher surface area-to-body weight ratio increases exposure risk
- **Asthmatics:** Showed significantly greater airway resistance increases after chlorine exposure
- **Elderly:** Increased nasal airway resistance most pronounced in older subjects
- **Pregnant women:** Potential concerns due to DBP formation, though direct evidence limited

Environmental Impact

Water Systems: Approximately 78% of applied salt either reaches groundwater or remains in local lakes and wetlands. Excess salts can make water undrinkable, increase treatment costs, and harm freshwater fish and wildlife.

Aquatic Life: Chlorine discharge reacts with natural organic matter to form potentially harmful organochlorine compounds (disinfection byproducts). Many DBPs are carcinogenic, cytotoxic, genotoxic, and mutagenic, harmful to flora and fauna.

Soil: Salt accumulation can increase soil salinity, affecting plant growth and soil chemistry over time.

Air Quality: Equipment malfunctions can release chlorine gas, contributing to localized air pollution events.

Who Should / Should Not Be Exposed

Should Use (with precautions):

- **Healthy adults:** With proper ventilation and maintenance protocols
- **Pool operators:** With appropriate training and safety equipment
- **Recreational swimmers:** In properly maintained systems with adequate ventilation

Should Avoid/Use with Extreme Caution:

- **Individuals with respiratory conditions:** Asthma, COPD, or chemical sensitivities
- **Young children:** Under 5 years show highest prevalence of respiratory symptoms

- **Pregnant women:** Due to potential DBP exposure concerns
- **Chemical-sensitive individuals:** Those with documented chlorine sensitivities

Safer Alternatives or Mitigation Strategies

Alternative Sanitization:

- **UV + Ozone Systems:** Reduce chemical exposure while maintaining sanitation
- **Mineral Systems:** Copper-silver ionization with reduced chlorine requirements
- **Natural Swimming Pools:** Biological filtration systems eliminating chemical sanitizers

Risk Mitigation:

- **Proper Ventilation:** Ensure adequate air circulation around pool areas
- **Regular Maintenance:** Follow manufacturer's maintenance schedules strictly
- **Water Testing:** Monitor chlorine levels 2-3 times weekly
- **Safety Equipment:** Install chlorine gas detectors near equipment
- **Professional Installation:** Ensure proper electrical and plumbing connections

Comparison

Option	Pros	Cons	Best For
Hayward Aquarite	Automated operation, consistent chlorine, reduced handling	Same health risks as traditional chlorine, equipment costs, salt discharge	Large pools with dedicated maintenance
Traditional Chlorination	Lower upfront costs, well-understood technology, precise control	Manual handling risks, storage requirements, frequent additions	Budget-conscious owners, smaller pools
UV + Minimal Chlorine	Reduced chemical exposure, effective pathogen control, no DBPs	Higher electricity costs, requires backup sanitation	Health-conscious users, indoor pools
Mineral Systems	Natural feel, reduced chlorine needs, skin-friendly	Limited sanitizing power, requires chlorine backup	Sensitive skin users, spas

Sources

1. Agency for Toxic Substances and Disease Registry (ATSDR). (2010). Toxicological Profile for Chlorine. U.S. Department of Health and Human Services. <https://www.ncbi.nlm.nih.gov/books/NBK598756/>

2. Centers for Disease Control and Prevention. (2025). About Water Disinfection with Chlorine and Chloramine. <https://www.cdc.gov/drinking-water/about/about-water-disinfection-with-chlorine-and-chloramine.html>
3. U.S. Environmental Protection Agency. (2025). EPA Researching the Impacts of Freshwater Salinization Syndrome. <https://www.epa.gov/sciencematters/epa-researching-impacts-freshwater-salinization-syndrome>
4. Minnesota Pollution Control Agency. Chloride Environmental Impact Studies. <https://www.pca.state.mn.us/pollutants-and-contaminants/chloride>
5. Environmental Science & Technology. (2017). Drinking Water Disinfection Byproducts and Human Health Effects. <https://pubs.acs.org/doi/10.1021/acs.est.7b05440>
6. PMC Environmental Health Studies. (2022). Environmental impacts of chlorine-based disinfectants. <https://pmc.ncbi.nlm.nih.gov/articles/PMC8799444/>
7. Salt Water Chlorination Technical Documentation. (2025). Wikipedia Technical Review. https://en.wikipedia.org/wiki/Salt_water_chlorination
8. Hayward Pool Products. (2025). AquaRite Product Documentation and Safety Manuals. <https://hayward.com/products/pool-sanitization.html>
9. NIOSH Occupational Exposure Guidelines. Chlorine Exposure Limits and Health Effects Documentation.
10. World Health Organization Water Quality Guidelines. Chlorine and Chlorination Byproduct Health Assessments.