```
1 import tensorflow as tf
 2 from tensorflow.keras.callbacks import
   LearningRateScheduler
 3 from tensorflow.keras.layers import Dense, Conv2D,
   MaxPooling2D, Dropout, Flatten
 4 from tensorflow.keras.optimizers import Adam, SGD,
   RMSprop
 5 from tensorflow.keras.preprocessing.image import
   ImageDataGenerator
 6 import numpy as np
 7 import matplotlib.pyplot as plt
8 import os
9 import multiprocessing
10
11 def trainCNN( ):
12
13
       tf.keras.backend.clear_session()
14
15
       base_dir = 'G:\GIEyA\TFG\meteor_classification\
   labeledData\evenData'
16
       train_dir = os.path.join(base_dir, 'train')
17
       validation_dir = os.path.join(base_dir, 'valid')
18
19
       train_meteors_dir = os.path.join(train_dir, '
   meteors')
20
       train_non_meteors_dir = os.path.join(train_dir, '
   non_meteors')
21
       validation_meteors_dir = os.path.join(
   validation_dir, 'meteors')
22
       validation_non_meteors_dir = os.path.join(
   validation_dir, 'non_meteors')
23
24
       print('total training meteors images: ', len(os.
   listdir(train_meteors_dir)))
25
       print('total training non-meteors images: ', len(
   os.listdir(train_non_meteors_dir)))
26
       print('total validation meteors images: ', len(os
   .listdir(validation_meteors_dir)))
27
       print('total validation non-meteors images: ',
   len(os.listdir(validation_non_meteors_dir)))
28
29
30
       #Rescale all images by 1./255
31
```

```
train_datagen = ImageDataGenerator(rescale=1.0/
32
   255,
33
                                            rotation_range
   =10, # Range from 0 to 180 degrees to randomly rotate
    images
34
   width_shift_range=0.05,
35
   height_shift_range=0.05,
36
                                            shear_range=5
   , # Shear the image by 5 degrees
37
                                            zoom_range=0.1
38
   horizontal_flip=True,
39
                                            vertical_flip=
   True,
40
                                            fill_mode='
   nearest'
41
                                            )
42
43
       test_datagen = ImageDataGenerator(rescale=1.0/255
   .)
44
45
       train_generator = train_datagen.
   flow_from_directory(train_dir,
46
      batch_size=16,
47
      class_mode='binary',
48
      color_mode='grayscale',
49
      target_size=(480, 480)) # 640x360 = 480x480. (640)
   , 360)
50
       validation_generator = test_datagen.
   flow_from_directory(validation_dir,
51
          batch_size=16,
52
          class_mode='binary',
53
          color_mode='grayscale',
54
```

```
54
          target_size=(480, 480))
55
56
57
       model = tf.keras.models.Sequential([
           Conv2D(32, (2, 2), activation='relu',
58
   input_shape=(480, 480, 1)), MaxPooling2D(2,2), #
   Dropout(0.05),
           Conv2D(16, (2, 2), activation='relu'),
59
   MaxPooling2D(2, 2), #Dropout(0.05),
           Conv2D(16, (2, 2), activation='relu'),
60
   MaxPooling2D(2, 2), #Dropout(0.05),
           Conv2D(12, (2, 2), activation='relu'),
61
   MaxPooling2D(2, 2), #Dropout(0.05),
           Conv2D(12, (2, 2), activation='relu'),
62
   MaxPooling2D(2, 2), #Dropout(0.05),
           Conv2D(8, (2, 2), activation='relu'),
63
   MaxPooling2D(2, 2), #Dropout(0.05),
           Conv2D(4, (2, 2), activation='relu'),
64
           Flatten(),
65
           Dense(100, activation='relu'),
66
           Dense(32, activation='relu'),
67
68
           Dense(8, activation='relu'),
69
           Dense(1, activation='sigmoid')
70
       ])
71
72
       print(model.summary())
       optimizer = Adam(learning_rate=5e-3) #3e-3 # Try
73
   with more and less learning rate
74
       model.compile(optimizer=optimizer,
75
                      loss='binary_crossentropy',
                      metrics=['accuracy'])
76
77
78
       #39.480 -> Training 39480 = 2 x 2 x 2 × 3 × 5 × 7
    × 47
79
       \#9.872 \rightarrow Validation = 2 \times 2 \times 2 \times 2 \times 617
80
81
       history = model.fit(train_generator,
82
                            validation_data=
   validation_generator,
83
                            steps_per_epoch=240, #2467
84
                            epochs=40, #Later train with
   more epochs if neccessary
85
                            validation_steps=60, #617
86
                            verbose=1)
```

```
87
                 = history.history['accuracy']
 88
        acc
        val_acc = history.history['val_accuracy']
 89
 90
                 = history.history['loss']
        val_loss = history.history['val_loss']
 91
        epochs = range(len(acc)) #Get number of epochs
 92
 93
        plt.plot(epochs, acc)
 94
        plt.plot(epochs, val_acc)
 95
        plt.title('Meteor detection training and
 96
    validation accuracy')
 97
 98
        plt.figure()
        plt.plot(epochs, loss)
 99
100
        plt.plot(epochs, val_loss)
        plt.title('Meteor detection training and
101
    validation loss')
102
103
        plt.show()
104
105 if __name__ == '__main__':
106
        p = multiprocessing.Process(target=trainCNN)
        p.start()
107
        p.join()
108
```