



Your Dream's Partners

**dreams**

## Dreams SMS API Documentation

## Dreams SMS API Summary

The Dreams API enables customers to send SMS messages and manage their account and sender settings via simple HTTP endpoints.

### 🔑 Credentials & Configuration

- Access your API credentials: Log in to your account via the [Dreams Portal](#).
- View or regenerate your API Key (Secret Key) and Username: [Profile](#)
- View your approved sender names: [Senders](#)
- Whitelist your IP address (if you encounter response code -124): [White list IPs](#)

### 📄 API Documentation (Postman)

For full API testing and usage examples:

👉 Find the Postman link: [Dreams Postman](#)

### ⚠️ Important Notes:

- All API endpoints are optional.
- All required parameters such as user, secret\_key, and sender can be accessed directly from your account on the Dreams Portal.
- No additional authentication (like OAuth) is required to retrieve API credentials.
- All endpoints accept both GET and POST requests.
  - When testing POST requests in Postman, use form-data in the Body tab.
- All parameters, including authentication details (user, secret\_key), must be passed in the body, not in headers.

## Register New User

URL: <https://www.dreams.sa/index.php/api/Register/>

### Parameters

- user: Account Username
- password: Account Password
- name: Account Name
- mobile: Account Mobile
- email: Account Email

### Response Codes

- 999: Success register user
- -100: Missing Parameters (not exist or empty Username, password, mobile, email)
- -110: Username already used
- -111: Mobile already used
- -112: Email already used
- -120: Username must start with a letter and contain only letters, numbers, and underscores
- -121: Password less than 6 characters

## Activate Account

URL: <https://www.dreams.sa/index.php/api/activate>

### Parameters

- user: Account Username
- secret\_key: API Secret Key
- code: Activation Code

### Response Codes

- 999: Success activate account
- -100: Missing parameters
- -110: Wrong username or secret key
- -111: Wrong activation code

## Login (Check Account)

URL: [https://www.dreams.sa/index.php/api/chk\\_user/](https://www.dreams.sa/index.php/api/chk_user/)

### Parameters

- user: Account Username
- secret\_key: API Secret Key

### Response Codes

- 999: Valid account
- -100: Missing parameters
- -110: Account not exist (wrong username or secret key)
- -111: Account not activated
- -112: Blocked account

## Balance Inquiry

URL: [https://www.dreams.sa/index.php/api/chk\\_balance/](https://www.dreams.sa/index.php/api/chk_balance/)

### Parameters

- user: Account Username
- secret\_key: API Secret Key

### Response Codes

- Number: The balance
- -100: Missing parameters

## New Sender

URL: <https://www.dreams.sa/index.php/api/newsender/>

### Parameters

- user: Account Username
- secret\_key: API Secret Key
- sendertext: Sender text

### Response Codes

- 999: success operation
- -100: Missing parameters
- -110: invalid user name and secret\_key
- -113: sender text duplicated
- -114: invalid sender text (wrong character or exceeds length)

## Sender Status

URL: <https://www.dreams.sa/index.php/api/senderstatus/>

### Parameters

- user: Account Username
- secret\_key: API Secret Key
- sendertext: Sender Text

### Response Codes

- 999: Sender Text is Active
- -100: Missing parameters
- -110: invalid user name and secret key
- -116: sender text not found
- -117: sender text inactive
- -118: sender text rejected

## Senders for User

URL: <https://www.dreams.sa/index.php/api/usersender/>

### Parameters

- user: Account Username
- secret\_key: API Secret Key

### Response Codes

- <usersender> ... </usersender>: Success Result
- Error details, such as

'-110' for wrong username or secret\_key, `

'-117' for no sender for this user

## Send Message

URL: <https://www.dreams.sa/index.php/api/sendsms/>

### Parameters

- user: Account Username
- secret\_key: API Secret Key
- to: Recipient Mobile Number
- message: Message Text
- sender: Sender name
- is\_calander: Optional; 1 if URL extraction in calendar is required
- calander\_date: required if is\_calander=1
- calander\_time: required if is\_calander=1
- reminder: Optional; Reminder before few minutes
- reminder\_text: Optional; Reminder Text
- location\_url: Optional; Google Maps location URL

### Response Codes

- Result: Success
- -100: Missing parameters
- -110: Wrong username or secret\_key
- -111: Account not activated
- -112: Blocked account
- -113: Not enough balance
- -114: Service not available
- -115: Sender not available
- -116: Invalid sender name
- -117: Check your number. There is a problem
- -118: Unwanted error
- -119: Later date time is not correct
- -122: Number not allowed

- -123: Sender's name exceeds daily sending limit
- -124: IP not allowed



## Send Multi Message

URL: [https://www.dreams.sa/index.php/api/sendsms\\_multi/](https://www.dreams.sa/index.php/api/sendsms_multi/)

### Parameters

- user: Account Username
- secret\_key: API Secret Key
- sender: Sender name
- to: Recipients with messages in JSON format (e.g.,  
[[{"to": "966\*\*\*\*\*", "message": "MSG1"}], [{"to": "966\*\*\*\*\*", "message": "MSG@"}]]

### Response Codes

- Result: Success
- -100: Missing parameters
- -110: Wrong username or secret\_key
- -111: Account not activated
- -112: Blocked account
- -113: Not enough balance
- -114: Service not available
- -115: Sender not available
- -116: Invalid sender name
- -117: Check your number. There is a problem
- -118: Unwanted error
- -119: Later date time is not correct
- -122: Number not allowed
- -123: Sender's name exceeds daily sending limit
- -124: IP not allowed

# OAuth 2.0

## 1. Generate an Access Token Using Client Credentials

URL: <https://www.dreams.sa/token/generate>

### Parameters

- `client_id`: Client ID provided by Dreams.
- `client_secret`: Client secret provided by Dreams.
- `grant_type`: Must be ``client_credentials``.

### Response Codes

- 200: Access token successfully generated.

Response Parameters:

- `access_token`: The generated access token.
- `token_type`: The type of token, e.g., ``Bearer``.
- `expires_in`: Time in seconds until the token expires.
- 400: Bad request (e.g., invalid `client_id`, `client_secret`, or `grant_type`).

Response Parameters:

- `error`: Error type, e.g., ``invalid request``.
- `error_description`: Description of the error.

## 2. Refresh an Expired Access Token Using a Refresh Token

URL: <https://www.dreams.sa/token/refresh>

### Parameters

- `client_id`: Client ID provided by Dreams.
- `client_secret`: Client secret provided by Dreams.
- `grant_type`: Must be ``refresh_token``.
- `refresh_token`: The refresh token to obtain a new access token.

### Response Codes

- 200: Access token refreshed successfully.

Response Parameters:

- `access_token`: The new access token.
- `token_type`: The type of token, e.g., ``Bearer``.
- `expires_in`: Time in seconds until the token expires.

`refresh_token`: The refresh token.

- 400: Bad request (e.g., invalid `refresh_token` or client credentials).

Response Parameters:

- `error`: Error type, e.g., ``invalid_grant``.
  - `error_description`: Description of the error.
-

### 3. Revoke an Access or Refresh Token to Log the User Out

URL: <https://www.dreams.sa/token/revoke>

#### Parameters

- token: The token to be revoked (access or refresh).
- client\_id: Client ID.
- client\_secret: Client secret.

#### Response Codes

- 200: Token revoked successfully.

Response Parameters:

- message: Token revoked successfully`.
- 400: Bad request (e.g., invalid token or client credentials).

Response Parameters:

- error: Error type, e.g., `invalid\_token`.
- error\_description: Description of the error.