Cucumber Report

Jul 9, 2023, 6:32:40 AM

Start : Jul 09, 6:31:06.633 AM	End : Jul 09, 6:32:38.926 AM	Duration : 1 m 32.293 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 5 SKIPPED - 0	PASSED - 32 FAILED - 5 SKIPPED - 33

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
US_06 Dean should be able to create Vice Dean	1 m 32.293 s	7	2	5	0	70	32	5	33

#	Feature Name	Scenario Name
1	US_06 Dean should be able to create Vice Dean	: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"
2		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"
3		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"
4		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"
5		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US_06_UI	7	2	5	0	1	0	1	0
@US_06_TC_010	7	2	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	US_06 Dean should be able to create Vice Dean	7	2	5	0	1 m 32.293 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_06 Dean should be able to create Vice Dean	: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	10	0	0	18.939 s
2		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	10	0	0	15.532 s
3		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	8	1	1	12.715 s
4		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	1	1	8	11.240 s
5		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	1	1	8	11.569 s
6		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	1	1	8	10.884 s
7		: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" *	10	1	1	8	10.929 s

* The feature name and/or scenario name has been cropped to fit in the available space.

US_06 Dean should be able to create Vice Dean

FAILED	DURATION - 1 m 32.293 s	Scenarios		Steps	
/ 6:31:06.633 AM // 6:32:38.926 AM /		Total - 7 Pass - 2 Fail - 5 Skip - 0		Total - 70 Pass - 32 Fail - 5 Skip - 33	

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

PASSED	DURATION - 18.939 s		Steps
/ 6:31:06.642 AM // 6:31:25.581 AM /			Total - 10 Pass - 10 Fail - 0 Skip - 0
US_06 Dean should be able to create Vice Dean			
@US_06_UI @US_06_TC_010			

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	4.977 s
2	When user clicks on login button	PASSED	0.099 s
3	And user enters username "deanNecminson01"	PASSED	0.195 s
4	And user enters admin password "87651234"	PASSED	0.157 s
5	And user clicks on login button for enter	PASSED	0.142 s
6	Given user fills all required credentials except password	PASSED	5.048 s
7	And user enters an invalid ""	PASSED	0.088 s
8	And user clicks submit button	PASSED	0.063 s
9	Then verify new Vice Dean is not created	PASSED	3.146 s
10	And close the application	PASSED	2.295 s

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

PASSED	DURATION - 15.532 s
/ 6:31:25.596 AM // 6:31:41.128 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	4.707 s
2	When user clicks on login button	PASSED	0.110 s
3	And user enters username "deanNecminson01"	PASSED	0.227 s
4	And user enters admin password "87651234"	PASSED	0.108 s
5	And user clicks on login button for enter	PASSED	0.051 s
6	Given user fills all required credentials except password	PASSED	4.378 s
7	And user enters an invalid "Qa38"	PASSED	0.094 s
8	And user clicks submit button	PASSED	0.063 s
9	Then verify new Vice Dean is not created	PASSED	3.129 s
10	And close the application	PASSED	2.317 s

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

FAILED	DURATION - 12.715 s
/ 6:31:41.147 AM // 6:31:53.862 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 8
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	3.846 s
2	When user clicks on login button	PASSED	0.097 s

#	Step / Hook Details	Status	Duration
3	And user enters username "deanNecminson01"	PASSED	0.200 s
4	And user enters admin password "87651234"	PASSED	0.157 s
5	And user clicks on login button for enter	PASSED	0.067 s
6	Given user fills all required credentials except password	PASSED	4.404 s
7	And user enters an invalid "q3843646"	PASSED	0.111 s
8	And user clicks submit button	PASSED	0.061 s
9	Then verify new Vice Dean is not created	FAILED	3.157 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertFalse(Assert.java:65) at org.junit.Assert.assertFalse(Assert.java:75) at stepdefinitions.US_06_UI_AddViceDeanStepDefs.verify_new_vice_dean_is_not_created(US_06_UI_AddViceDeanStepDefs.java:69) at ?.verify new Vice Dean is not created(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/UI_Test_Positive_And_Negative_Tests.feature:80) * Not displayable characters are replaced by '?'.		
10	And close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshots		

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

FAILED	*DURATION - 11.240 s*
/ 6:31:54.109 AM // 6:32:05.349 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	0.153 s
2	When user clicks on login button	FAILED	10.249 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2dd3bdc122f891e596ccb1954afd0ee, findElement {using=xpath, value=//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2dd3bdc122f891e596ccb1954afd0ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source) at stepdefinitions.US_04_AddDeanStepDefs.user_clicks_on_login_button(US_04_AddDeanStepDefs.java:31) at ?.user clicks on login button(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/UI_Test_Positive_And_Negative_Tests.feature:6) * Not displayable characters are replaced by '?'.		
3	And user enters username "deanNecminson01"	SKIPPED	0.000 s
4	And user enters admin password "87651234"	SKIPPED	0.001 s
5	And user clicks on login button for enter	SKIPPED	0.000 s
6	Given user fills all required credentials except password	SKIPPED	0.000 s
7	And user enters an invalid "Q3843646"	SKIPPED	0.001 s
8	And user clicks submit button	SKIPPED	0.005 s

#	Step / Hook Details	Status	Duration
9	Then verify new Vice Dean is not created	SKIPPED	0.000 s
10	And close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.510 s
	screenshots		

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

FAILED	DURATION - 11.569 s
/ 6:32:05.523 AM // 6:32:17.092 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	0.381 s
2	When user clicks on login button	FAILED	10.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2dd3bdc122f891e596ccb1954afd0ee, findElement {using=xpath, value=//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2dd3bdc122f891e596ccb1954afd0ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source) at stepdefinitions.US_04_AddDeanStepDefs.user_clicks_on_login_button(US_04_AddDeanStepDefs.java:31) at ?.user clicks on login button(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/UI_Test_Positive_And_Negative_Tests.feature:6) * Not displayable characters are replaced by '?'.		
3	And user enters username "deanNecminson01"	SKIPPED	0.000 s
4	And user enters admin password "87651234"	SKIPPED	0.000 s
5	And user clicks on login button for enter	SKIPPED	0.000 s
6	Given user fills all required credentials except password	SKIPPED	0.000 s
7	And user enters an invalid "38436467"	SKIPPED	0.001 s
8	And user clicks submit button	SKIPPED	0.000 s
9	Then verify new Vice Dean is not created	SKIPPED	0.000 s
10	And close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshots		

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

FAILED	DURATION - 10.884 s
/ 6:32:17.103 AM // 6:32:27.987 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	0.186 s
2	When user clicks on login button	FAILED	10.016 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2dd3bdc122f891e596ccb1954afd0ee, findElement {using=xpath, value=//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2dd3bdc122f891e596ccb1954afd0ee

```
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)
at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source)
at stepdefinitions.US_04_AddDeanStepDefs.user_clicks_on_login_button(US_04_AddDeanStepDefs.java:31)
```

#	Step / Hook Details	Status	Duration
	at ?.user clicks on login button(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/UI_Test_Positive_And_Negative_Tests.feature:6) * Not displayable characters are replaced by '?'.		
3	And user enters username "deanNecminson01"	SKIPPED	0.000 s
4	And user enters admin password "87651234"	SKIPPED	0.000 s
5	And user clicks on login button for enter	SKIPPED	0.000 s
6	Given user fills all required credentials except password	SKIPPED	0.000 s
7	And user enters an invalid "hkskaksk"	SKIPPED	0.000 s
8	And user clicks submit button	SKIPPED	0.001 s
9	Then verify new Vice Dean is not created	SKIPPED	0.000 s
10	And close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshots		

: TC_010 User can NOT create Vice Dean by entering required credentials except and invalid "Password" "Negative Test"

FAILED	*DURATION - 10.929 s*
/ 6:32:27.997 AM // 6:32:38.926 AM /	
US_06 Dean should be able to create Vice Dean	
@US_06_UI @US_06_TC_010	

Steps
Total - 10
Pass - 1
Fail - 1
Skip - 8

#	Step / Hook Details	Status	Duration
1	Given user goes to "MosUrl"	PASSED	0.156 s
2	When user clicks on login button	FAILED	10.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='/login']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/		

#	Step / Hook Details	Status	Duration
	troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e2dd3bdc122f891e596ccb1954afd0ee, findElement {using=xpath, value=//a[@href='/login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\necme\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:54195}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54195/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2dd3bdc122f891e596ccb1954afd0ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy33.click(Unknown Source) at stepdefinitions.US_04_AddDeanStepDefs.user_clicks_on_login_button(US_04_AddDeanStepDefs.java:31) at ?.user clicks on login button(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/UI_Test_Positive_And_Negative_Tests.feature:6) * Not displayable characters are replaced by '?'.		
3	And user enters username "deanNecminson01"	SKIPPED	0.001 s
4	And user enters admin password "87651234"	SKIPPED	0.000 s
5	And user clicks on login button for enter	SKIPPED	0.000 s
6	Given user fills all required credentials except password	SKIPPED	0.000 s
7	And user enters an invalid "HKSKAKSK"	SKIPPED	0.000 s
8	And user clicks submit button	SKIPPED	0.000 s
9	Then verify new Vice Dean is not created	SKIPPED	0.000 s
10	And close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.423 s

#	Step / Hook Details	Status	Duration
	screenshots 		