AKADEMIYA ENGLISH · COMPLETE PRODUCT BLUEPRINT

How the whole app works.



A clear definition of the app we're building: the features, the people using them, the learning behind them, and the experience that connects everything.

22 chapters · 16 exercise types · 48-unit course outline · 6 learner journeys

THE PRODUCT IN ONE SENTENCE

A speaking-first English app for Uzbekistan where short lessons lead to useful things you can say, real-life situations let you use them, and private proof helps you see your progress.

LEARN

Build the ability.

Course → lesson → recall → checkpoint

AI SPEAKING

Have a conversation.

Topic → speak → AI reply → useful practice

PROGRESS

See the evidence.

Capabilities → practice → private voice → improvement

PROFILE

Make it yours.

Preferences → companion → friends → optional rewards

This defines the full intended ecosystem. Agreed directions, recommendations and open decisions remain distinguishable. Android is the current foundation; launch work is excluded.

Contents

Start with the product and learner journeys for the overall experience. The remaining chapters define the features, behavior and open decisions in detail.

1. **The product**
2. **People using the app**
3. **First experience**
4. **Finding your way**
5. **The learning experience**
6. **The course**
7. **The personal learning engine**
8. **Every activity**
9. **Speaking and listening**
10. **AI Speaking**
11. **Using English in the world**
12. **The companion**
13. **Visible improvement**
14. **Returning for a reason**
15. **Habits and rewards**
16. **Learning with people**
17. **Your account and controls**
18. **Plans and access**
19. **Appearance, motion and sound**
20. **How the product holds together**
21. **Scope and remaining decisions**
22. **Coverage and source notes**

01 The product

What Akademiya is supposed to be

A speaking-first English app for people in Uzbekistan: small lessons that turn into useful things you can actually say.

The experience starts with a real purpose: greet someone, ask a price, order a drink, explain a problem, or express an opinion. The learner hears a natural example, understands it with Uzbek support, practises it, and uses it. Progress means a growing set of capabilities, with a friendly character and a habit system supporting the learning.

The whole intended ecosystem connects a structured course, personal review, real-life scenes, Dombi as a companion, private proof of improvement, and optional social motivation. The current Android app is the local foundation of that larger product. This blueprint describes the complete direction; it does not claim that every future feature is already built or that every proposal has been approved for Version 1.

Who uses it

LEARNER	WHAT THEY NEED	HOW THE APP RESPONDS
A complete beginner, age 13+	Permission to start small without feeling embarrassed.	Uzbek instructions, tiny phrases, pictures, examples, optional microphone use and a clear first win.
Someone who studied English but cannot speak comfortably	A way to retrieve and use knowledge, rather than repeat passive lessons.	Placement, speaking from memory, useful situations and review of recurring difficulties.
Someone learning for school, travel, work or IELTS	A path that feels relevant to their goal.	One shared foundation, approved goal-specific examples and later dedicated tracks.
A busy learner	A useful finish in a short amount of time.	Lessons around 3–5 minutes, a future 60-second review mode, saved sessions and the freedom to do another lesson.

What it feels like

Warm, clear and responsive. Nunito lettering, violet primary actions, coral speaking controls, solid raised buttons and expressive illustrated characters form one consistent visual language. Dombi is a confident round companion for teens and adults. Small sounds, haptics and character reactions make an action feel acknowledged. The interface stays readable and calm enough to concentrate on English.

Hear something useful → Understand the meaning → Say it with support → Use it for a purpose → See what you can do → Return when useful

The rules that hold the product together

- Speaking begins on day one, with accessible alternatives when speaking is unavailable.
- Instructions and explanations meet the learner where they are; Uzbek support gradually fades.
- Mistakes lead to a useful correction and more practice. They never consume hearts or block access through an energy meter.
- The course is human-owned. Fixed content and explanations are reviewed, even when AI helps draft them.
- The can-say collection is the main score. Spendable Apples, XP and streaks are separate systems.
- Voice clips are private, saved only by choice, and removable. Friends, parents and the team do not get access to those clips.
- A reminder needs a truthful reason and a useful destination. Permission, timing and restraint are part of the product.

> **HOW TO READ THIS BLUEPRINT**
>
> “Agreed direction” comes from our product notes or your instructions. “Recommendation” is my proposed way to complete a flow. “Open decision” means the feature or rule still needs a choice. The scope chapter separates the existing Android foundation from the intended product.

Source notes product-definition.md teaching-methodology.md gamification.md extra-features.md

02 People using the app

Six ways people will actually use it

Follow a person through the product. Each step separates what the learner does from what the app is responsible for.

A complete beginner

> EXAMPLE LEARNER · A COMPLETE BEGINNER
>
> Aziz knows almost no English and feels awkward speaking. The first session should make one useful action feel possible.

01 **Opens the app**

The learner	Meets Dombi, picks a reason to learn and chooses “I’m new.”
The app	The app starts at Level 0, uses Uzbek instructions and avoids a long placement exam.

02 **Chooses the permissions**

The learner	Tries the microphone if comfortable and separately chooses whether to keep voice clips.
The app	A denied microphone or declined recording consent does not block lessons.

03 **Learns a tiny greeting**

The learner	Hears Hello, recognizes it in a scene, builds a familiar phrase and repeats it.
The app	Listening, meaning and supported practice come before unaided recall.

04 **Uses it**

The learner	Sees a morning situation and tries Good morning, with a hint available on request.
The app	A reliable match can finish the answer; uncertainty invites a retry or a tiles route.

05 **Sees the win**

The learner	Finishes the lesson, sees the practical new capability, then makes a local profile.
The app	The path advances. The learner can continue immediately or leave without pressure.

A normal returning learner

> EXAMPLE LEARNER · A NORMAL RETURNING LEARNER
>
> Malika has a few minutes after work. The app remembers her place and gives her a sensible next action.

01

Returns to Learn

The learner Sees her current lesson or the saved lesson she left earlier.

The app There is one clear way to continue. Finished lessons remain replayable.

02

Builds on yesterday

The learner Learns one new ability alongside a little previously learned material.

The app The authored course stays in order. The future memory engine changes practice choices inside it.

03

Makes a real content mistake

The learner Chooses an incorrect word or picture and checks the answer.

The app The app explains the useful correction, moves on, and brings that item back at the end.

04

Finishes

The learner Sees what she can now say and a streak update if this is her first completed lesson today.

The app No heart is lost. No currency is needed to do another lesson.

05

Looks at Progress

The learner Replays a phrase or her own saved voice, then leaves.

The app The current day's practice reminder is suppressed after completion.

Someone on a bus

> EXAMPLE LEARNER · SOMEONE ON A BUS
>
> The learner can use headphones but cannot speak comfortably. The app adapts the task without pretending that silent work proves spoken mastery.

01

Chooses "Can't speak now"

The learner One action turns speaking off for the session.

The app Recall tasks move to tiles; speaking-only tasks are deferred. No double confirmation is needed.

02

Keeps learning

The learner Listens with headphones and answers appropriate listening or word-order tasks.

The app A future Headphones mode makes this context explicit; Silent mode also adapts audio tasks.

03

Finishes some useful work

The learner Completes an honest listening/tiles outcome.

The app The result distinguishes what was practised. Quick Win streak credit remains a product decision.

04

Speaks later

The learner Turns speaking back on when alone and revisits a phrase or deferred activity.

The app The app offers practice rather than claiming that the earlier silent session verified pronunciation.

A first real-life conversation

> EXAMPLE LEARNER · A FIRST REAL-LIFE CONVERSATION
>
> The learner has practised ordering. The future café scene asks them to achieve a goal with a character who can respond.

01

Arrives at the café

The learner Enters a location in the illustrated town and sees the situation.

The app A short model exchange and a clear goal prepare the learner. The town is a destination, not an approved replacement for Path H.

02

Starts a reply

The learner Chooses a line, uses a sentence starter or speaks freely, depending on help level.

The app The character waits, listens visibly and responds with a short relevant line.

03

Handles a twist

The learner Hears that coffee is unavailable and chooses something else.

The app The goal requires adapting, not repeating a script word for word.

04

Sees the outcome

The learner Gets the character's reaction and a summary of the goal achieved and help used.

The app Useful phrases and genuine mistakes feed future review. The learner can replay with less help.

Coming back after a break

> EXAMPLE LEARNER · COMING BACK AFTER A BREAK
>
> The learner missed several days. Their earlier capabilities should still feel valuable.

01

Gets an optional invitation

The learner Receives a small, relevant comeback suggestion if eligible and opted in.

The app The exact inactivity threshold is open. There is no stream of guilt messages or fake friend activity.

02

Chooses a small win

The learner Starts a short review of something familiar.

The app The app adjusts the amount of work rather than increasing notification pressure.

03

Finds their place

The learner Sees the same phrase collection and course progress as before.

The app A broken streak does not erase learned material. Freezes and a possible repair are separate habit rules.

04

Builds momentum again

The learner Chooses a normal lesson when ready.

The app The next reminder respects completion, time preferences and the proposed frequency budget.

Seeing a month of progress

> EXAMPLE LEARNER · SEEING A MONTH OF PROGRESS
>
> A learner wants proof that their speaking is improving, not another number without context.

01

Looks at capabilities

The learner Sees useful phrases, completed units and situations handled.

The app The capability list stays the main permanent score.

02

Compares private recordings

The learner If consenting clips exist for the same phrase at both times, listens to then and now.

The app This requires a future recording timeline; the present latest-clip-per-phrase behavior is insufficient.

03

Reflects on confidence

The learner Answers the same 1–5 self-check used at the start.

The app A self-report remains separate from any proposed AI metric. A flat answer is not treated as failure.

04

Chooses what comes next

The learner Reads a real weekly summary or moves to a relevant goal track.

The app Any certificate is an Akademiya milestone, not an official CEFR or IELTS qualification.

Source notes pages.md teaching-methodology.md scene-simulation-concept.md speech-and-retention-research.md

03 First experience

What happens when someone opens it

The first session demonstrates useful learning before asking the learner to invest in an account.

01 **Meet Dombi and begin**

Welcome leads to a short introduction. Returning users with saved progress go directly to their place on Learn. A future account sign-in should only appear when it connects to a real service.

02 **Choose a reason and starting level**

Pick school, IELTS, travel, work or personal interest. A beginner starts at Level 0. The current MVP uses a simple new/already-know choice; the full product adds a short placement check for an experienced learner.

03 **Understand the promise**

Show concrete things the learner will be working toward. Ask a quick 1–5 confidence self-check. Avoid a long goals questionnaire and avoid guaranteed fluency dates.

04 **Choose microphone access**

Explain why speaking uses the mic before the OS asks. Offer a tiny Hello check and an acknowledgment when it is heard. Permission denial leads to help or a non-speaking path.

05 **Choose recording consent separately**

Microphone permission is not permission to keep a voice library. Explain saved clips, private playback and deletion. The recognition provider's processing is described honestly.

06 **Choose an optional reminder**

Use the approved cylindrical time wheel. Explain that the reminder is optional and ask notification permission in context. The current default is 19:00.

07 **Finish lesson one**

Hear a greeting, recognise it in use, rehearse, and try an appropriate phrase. End with the new ability and an honest result.

08 **Make a local profile, then continue**

Ask what Dombi should call the learner after the first win. The current standalone app saves locally. Future account linking can protect progress across phones; learning should not pretend that a local name is already a cloud account.

Placement and skipping ahead

The planned placement check takes roughly 2–3 minutes and includes some speaking. It should find a comfortable unit instead of producing a prestigious-looking score. Skip-ahead tests let a stronger learner

demonstrate the target ability without replaying every easy item. Placement and skip-ahead must use real evidence, allow an understandable recovery from a poor result, and keep service failures separate from ability.

> **OPEN DECISION**
>
> The exact placement tasks, thresholds, retry policy and permitted skip boundaries have not been designed. The existing level-choice screen is not a placement engine.

What the learner should understand before leaving

- Where their next lesson is.
- What they can already practise.
- Whether recordings are being saved.
- Whether reminders are enabled and how to change them.
- That their current progress is on this phone until real sync exists.

Source notes pages.md product-definition.md extra-features.md speech-and-retention-research.md

04 Finding your way

Four main places in the full application

Learn builds the ability. AI Speaking lets you talk. Progress shows the evidence. Profile makes the app yours.

PLACE	WHAT PEOPLE FIND THERE	HOW THEY USE IT
Learn	The winding lesson path, current unit, lesson start sheets, checkpoints, replay, and proposed entries to review and scenes.	Open the next useful lesson, continue a saved one, revisit something familiar, or use a completed unit in a situation.
AI Speaking	A dedicated destination for free conversation, guided topics and real-life roleplays.	Choose a topic or situation, start speaking, exchange short replies, then finish with useful practice. Dombi is an additional shortcut.
Progress	Things I can say, phrase practice, example and own-voice playback, streak calendar, level, trophies, records and future proof features.	See what has changed, revisit one phrase, or compare private recordings when the timeline exists.
Profile	Name, avatar, goal, settings, recordings, privacy, awards, and proposed entrances to friends, the shop and family/account management.	Personalise the experience and control how the app works.

The Learn path keeps the approved Path H: a violet unit banner, completed lesson ovals, a coral current lesson, locked lessons and a unit trophy. A unit's phrase-book entry goes to the can-say collection. Later content extends this same course. The town is a proposed scene destination; replacing the approved path with the town is still an open choice.

> **FULL APPLICATION DIRECTION**
>
> The full app has Learn, AI Speaking, Progress and Profile. This is the owner's updated direction. The Android MVP's existing three-tab layout is a foundation, not the final navigation. Lessons can link into speaking scenarios; Dombi can open the same speaking tab.

Back, swipe and interruptions

- Back closes an open sheet, dialog or temporary overlay first. A settings subpage returns to Settings, then Profile. A phrase practice returns to the phrase collection.
- A gesture and a back button should express the same parent-child relationship. Android Back should not leave the app from a settings page.

- Tabs preserve useful context, such as the current path position. A notification opens the relevant lesson or feature and still provides a sensible route back.
- Leaving a lesson offers a calm choice to continue or leave with progress saved. Returning resumes the saved item and result history.
- After a background interruption, stop stale playback or microphone work and restore an understandable state. A late speech result cannot answer a different question.
- At the app's root, follow appropriate Android system back behavior. The precise root-exit treatment is a design choice, not an excuse to trap the learner.

Three practice contexts

CONTEXT	WHAT REMAINS AVAILABLE	WHAT MUST STAY HONEST
Full	Listening and speaking, normal and slow examples, supported and independent production.	Recognition and pronunciation assessment have different responsibilities.
Headphones	Listening, choices and tiles. Speaking-only work waits.	The existing "Can't speak now" behavior is the foundation; a named mode is future work.
Silent	Reading and tiles adaptations, with sound-dependent activities replaced or deferred.	Reading a dialogue is not a listening result. Building a sentence is not verified spoken recall.

Source notes pages.md activities.md exercises.md motion-plan.md

One lesson, one practical ability

Lessons are short units of learning, not a daily quota. The learner can stop after one or continue for as long as it remains useful.

Hear → Notice → Say → Use → Review genuine misses → Celebrate the capability

01 Hear

Introduce the phrase through audio and a meaningful picture or exchange. Keep text hidden when the goal is listening. A replay and slow version are available.

02 Notice

Make the pattern understandable with examples or a short Uzbek explanation. Draw attention to the specific trap that matters here, without a grammar lecture.

03 Say

Rebuild with tiles, echo a model, then retrieve from a picture or situation. The hint is there on request instead of supplying the answer before the learner tries.

04 Use

Give the phrase a purpose: greet a person, order an item or answer a short question. Later Guided and Free Reply make this a more responsive exchange.

05 Review

Return actual content mistakes at the end until answered correctly. An uncertain recognizer result remains a retry, not a learner mistake.

06 Finish

Show the new can-say capability, then the result. Update the first completed lesson's daily streak, advance the path and offer a clear next action.

A concrete example: ordering a drink

The learner hears "A coffee, please." in a café context, learns what it means, notices when to use a or an, builds a short request, repeats an example, and asks for a drink from a situation cue. An existing phrase such as Hello or Thank you returns naturally. Finishing adds a meaningful capability: ask for a drink politely. At the end of the café unit, the checkpoint or future scene combines greeting, ordering, price, paying and goodbye.

How answers feel

SITUATION	RESPONSE	EFFECT ON PROGRESS
A correct selected or built answer	A short success sound, a light haptic where enabled, and a readable success state.	Continue. Consecutive correct answers can trigger a brief combo moment.
A real content mistake	Show the correct model and a one-line Uzbek explanation where a known trap applies; move forward calmly.	Return the item during the lesson's review round.
A speaking mismatch or service failure	Show what was heard if useful, offer replay, retry, a requested hint or an explicit non-speaking path.	Do not accept unrelated speech. Do not count uncertain recognition as a content mistake.
Optional reading after correct tiles	Offer a separate chance to say the completed sentence.	A skip keeps the earned tile result; it does not verify speech.

The player mixes activity types instead of repeating the same task over and over. The activity plan targets short tasks, generally under 30 seconds, and no more than two or three of one type consecutively. Timing is a design target, not a reason to rush a learner who needs another listen.

Result rules

- Own-voice playback is reached through Progress or a later comparison invitation, not placed on the new-capability celebration card.
- Perfect means the criteria really were met. Unverified speech retries must not produce a misleading perfect badge or pronunciation percentage.
- Show actual learning answers, phrases and time with labels that match what was measured.
- There is no heart loss, energy lock or purchase needed to do another lesson.

Source notes lesson-template.md teaching-methodology.md mvp-lessons.md mistake-engine.md speech-and-retention-research.md

06 The course

A course built around things people do

The long-term outline runs from first words to B2 through 48 planned units, with later goal tracks. Only the first three units currently have the finished MVP lesson set.

The structure is level → stage → unit → lesson → exercise. A unit serves a situation. Its lessons prepare useful chunks and patterns, then a checkpoint or scene asks the learner to use them together. The same topic returns with more depth: a café request can grow into a restaurant problem or a polite complaint. Old words are deliberately recycled instead of abandoned after one successful answer.

LEVEL	STAGE	WHAT GROWS
0 · Pre-A1	First steps	Words and tiny phrases: greet, introduce yourself, order, ask prices and buy something.
1 · A1	Survive	Short everyday exchanges: home, family, routines, directions, transport, health and travel needs.
2 · A2	Live	Connected sentences about work, study, plans, events and problems.
3 · B1	Connect	Opinions, stories, small talk, explanations, experiences and solutions.
4 · B2	Achieve	Longer speaking, discussion, professional needs and goal-specific tasks.

Uzbek is a bridge that fades

STAGE	LANGUAGE SUPPORT	AMOUNT OF HELP
Level 0	Instructions, meanings and explanations in Uzbek.	Picture and tile support; tiny speech attempts; no grammar terminology.
Level 1	Uzbek instructions with short English instructions beginning.	Hints increasingly requested rather than automatically shown.
Level 2	Mostly English instructions; Uzbek explanations for difficult errors.	Fuller sentences and more recall.
Level 3	English with Uzbek help on tap.	Fewer hints; opinions, follow-up answers and scenes.

STAGE	LANGUAGE SUPPORT	AMOUNT OF HELP
Level 4	English with Uzbek for tricky points when needed.	Longer, more independent production; goal-specific situations.

The current three units

Hello builds greetings, names, origin, checking how someone is and goodbye. Café builds drinks, food, prices, preferences, paying and thanks. Shopping adds availability, this/that, colours, sizes and buying. Numbers are taught through prices rather than isolated as a separate unit. The authoritative current content is 15 lessons and three checkpoints; the full lesson and course inventories appear below.

All 15 current lesson outcomes

LESSON	PRACTICAL ABILITY	EXAMPLE PHRASES
1. Endi siz salomlasha olasiz	GREET someone	Hello! · Hi! · Good morning!
2. O'zingizni tanishtira olasiz	SAY YOUR NAME	I'm Aziz. · My name is Malika. · What's your name?
3. Qayerdan ekaningizni ayta olasiz	SAY WHERE YOU'RE FROM	I'm from Uzbekistan. · I'm from Tashkent. · Where are you from?
4. Hol-ahvol so'ray olasiz	ASK HOW SOMEONE IS	How are you? · I'm fine, thank you. · I'm good. And you?
5. Xayrlasha olasiz	SAY GOODBYE	Nice to meet you. · Goodbye! · See you!
6. Ichimlik buyurtma qila olasiz	ORDER A DRINK	A coffee, please. · A tea, please. · An orange juice, please.
7. Taom buyurtma qila olasiz	ORDER FOOD	Can I have a sandwich? · I'd like a samsa, please. · A salad, please.
8. Narxini so'ray olasiz	ASK THE PRICE	How much is it? · It's ten thousand som. · numbers 1–20 + thousand
9. Nimani xohlamasligingizni ayta olasiz	SAY WHAT YOU DON'T WANT	No sugar, please. · No, thank you. · Just water, please.
10. To'lab, rahmat ayta olasiz	PAY AND SAY THANKS	Can I pay by card? · Here you are. · Thank you! Goodbye!
11. Kerakli narsani so'ray olasiz	ASK IF THEY HAVE SOMETHING	Do you have water? · Yes, we do. · No, sorry.
12. "Bu" va "u"ning narxini so'ray olasiz	ASK ABOUT THIS AND THAT	How much is this? · How much is that? · This one, please.

LESSON	PRACTICAL ABILITY	EXAMPLE PHRASES
13. Rang tanlay olasiz	CHOOSE A COLOUR	A red T-shirt, please. · Do you have it in blue? · I like this colour.
14. O'lcham so'ray olasiz	ASK FOR A SIZE	Small, medium or large? · It's too big. · Do you have a small one?
15. Xarid qila olasiz	BUY IT	I'll take it. · That's forty-five thousand. · numbers to 100

The complete planned course

The 48-unit outline is included in full. Units after the first three still need lesson scripts, reviewed examples, audio, exercise mixes and final skill checks. A rough 240-lesson outline is not a finished 240-lesson course.

Level 0 · First steps (Pre-A1) · 3 units · = the MVP · 3 units

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
1. 👋 Hello!	Greet, say their name, where they're from, how they are	I'm..., my name is..., I'm from... · Missing "am/is" ("I Aziz")
2. ☕ At the café	Order food and drinks, ask the price, pay, numbers 1–20	I'd like..., Can I have..., How much...? · Plural -s ("two coffee"), a/an
3. 🛍️ Shopping	Ask for things, prices, colours, sizes, numbers to 100	Do you have...?, this/that, It's... · this/these, plural -s, word order

Level 1 · Survive (A1) · ~11 units · 11 units

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
4. 👨‍👩‍👧 Family & friends	Talk about family, describe people	have/has, his/her · he/she
5. 🏠 My home	Describe home and rooms	there is/are, in/on/under · Prepositions
6. ⏰ My day	Daily routine, telling time	Present simple, at 8 o'clock · "He go" (verb -s)
7. 🚕 Getting around	Directions, taxi, bus, metro	Imperatives, Where is...? · Question word order
8. 🍽️ At the restaurant	Full meal, simple problems (café spiral)	Would you like...?, some/any · a/the
9. 🎮 Free time	Hobbies, likes and dislikes	like + -ing, can/can't · "I like play"

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
10. 🌤️ Weather & seasons	Weather, what to wear	It's sunny/cold · Missing "it"
11. 🏨 Travel basics	Hotel, check-in, needs	Can I…?, I need… · Polite forms
12. 😷 Health basics	How you feel, pharmacy	I have a headache · "I am headache"
13. 📱 Phone & messages	Simple calls and messages	This is…, Can I speak to…? · Phone phrases
14. 🗓️ Plans	Weekend plans, invitations	going to, Are you free…? · Future forms

Level 2 · Live (A2) · ~12 units · 12 units

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
15. 📖 My weekend	Tell what happened	Past simple
16. 💼 Work & study	Job, studies, schedule	Present simple vs continuous
17. 👗 Shopping 2	Clothes, returns, complaints (shopping spiral)	too/enough, comparatives
18. 🩺 At the doctor	Symptoms, advice	should, have to
19. ✈️ Airport & travel	Check-in, security, problems	Past simple questions
20. 👱 People & places	Looks, personality, cities	Adjectives, comparatives
21. 🆘 Problems & help	Lost bag, broken phone	Can you help me…?, I lost…
22. 🎉 Invitations & events	Invite, accept, refuse politely	Would you like to…?, I'd love to…
23. 💳 Money & services	Bank, card, delivery, post	Countable/uncountable
24. 📲 Tech & social media	Apps, online life	Present continuous for now
25. UZ Explain Uzbekistan	Plov, Navruz, your city — to a foreigner	Descriptions, sequences
26. 🔮 Future plans	Promises, predictions	will vs going to

Level 3 · Connect (B1) · ~12 units · 12 units

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
27. 💭 Opinions	Give and defend opinions	I think…, In my opinion…, because

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
28. 🎭 Telling stories	Tell a detailed story	Past continuous, linking words
29. 🗣️ Small talk	Chat naturally with strangers	Question tags, follow-up questions
30. 📞 Phone calls	Bookings, problems	Polite requests
31. 😤 Complaints & solutions	Complain politely, solve problems	should have..., Could you...?
32. 🌍 Experiences	Life experiences	Present perfect
33. 💡 Advice	Give and ask for advice	should, if I were you
34. 🎯 Dreams & goals	Ambitions, plans	First conditional
35. 📰 News & events	What's happening	Passive basics
36. 🤝 Job interview basics	Common interview questions	Talking about strengths
37. 🌐 Cultures	Compare traditions	Comparisons, generalising
38. 🧩 Problem solving	Options, agree/disagree	Suggesting, agreeing

Level 4 · Achieve (B2) · ~10 units + goal tracks · 10 units

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
39. 🎤 Speaking at length	Talk 2 minutes on a topic	
40. ⚖️ Debating	Argue both sides, persuade	
41. 🧠 Hypotheticals	"What would you do if..." (2nd/3rd conditional)	
42. 🎓 Study abroad	University life, applications, interviews	
43. 💼 Professional English	Meetings, presentations, negotiation	
44. 🗣️ Natural English	Idioms, phrasal verbs	
45. 🎧 Real-speed listening	Accents, fast speech	
46. 📊 Data & trends	Charts, changes, comparisons	
47. 🌱 Big topics	Environment, technology, education	

UNIT	THE LEARNER CAN…	LANGUAGE OR TRAP FOCUS
48. 🏆 Final challenge	Long conversation covering everything	

Goal tracks

IELTS Speaking, job interviews, work abroad, study abroad and travel build on the same foundation, particularly from Levels 3–4. Relevance can begin earlier through approved examples matching the chosen goal. A learner studying for work can practise the same request pattern in a canteen; a traveller can use it in a café. The goal does not silently change unit order or invent a new lesson.

> **EARLIER NOTES RECONCILED**
>
> Some early methodology examples listed a separate Numbers unit or roughly five Level 0 units. The later course and lesson plans lock Level 0 to Hello, Café and Shopping. The early scene proposal also called five scenes an MVP; later product scope moved live scenes after the current MVP.

Source notes course-map.md mvp-lessons.md lesson-template.md teaching-methodology.md product-definition.md

The same destination, the right practice for you

Personalisation changes the practice inside the course while keeping the human-designed curriculum understandable.

LAYER	WHAT IT OWNS	WHAT CHANGES
Human-owned curriculum	Unit order, lesson names, can-say skills, core examples, explanations and task goals.	Only through reviewed content changes. Live AI does not rewrite the course.
Personal learning rules	Due reviews, past content mistakes, weak skills, phrase strength, placement and help level.	Which suitable exercise appears, how much support it gives and when an old phrase returns.
Live AI, where chosen	Scene replies, recasts, Dombi conversations and proposed language help.	A short response to what this learner actually said, within the task and agreed boundaries.

What the engine remembers

- The phrase or skill, its practice history and the kind of task completed. Recognising a phrase, building it, recalling it and using it are different evidence.
- Actual missed content items and known Uzbek-speaker traps. Recognition failure is recorded separately so a bad microphone does not become a fake weak skill.
- Recent successful and difficult practice by activity type, including whether help was used.
- A due-review estimate from the planned memory scheduler. FSRS is the proposed scheduling direction; the current fixed lessons do not already contain it.
- The learner's selected context: speaking available, headphones or silent.

Recognise it → **Rebuild it** → **Recall it** → **Use it** → **Revisit before it becomes fragile**

A concrete personalisation example

Two learners reach the same café lesson. One can recognise the price but mixes up word order, so receives a short tile rebuild before another recall. Another can build the sentence but forgets it without the model, so gets a

meaningful situation cue and then a later retrieval. A third has repeated recognizer failures; the app offers a usable alternative and records a speech-service issue rather than diagnosing poor English.

Review without a second homework list

Due phrases and past mistakes are mixed into new lessons and available through personal review. A 60-second Quick Win is a small Memory Review mode for a busy day. It is not a separate curriculum. A passive Mistake Notebook was deliberately folded into active review. Phrase-strength bars, “these five need practice,” a phrase of the week and a fuller activity calendar are later presentation ideas that depend on meaningful history.

The Uzbek-speaker mistake engine

Start from reviewed patterns: missing am/is, articles, plural -s, English negation and questions, Thanks you, very versus too, and hearing fifteen versus fifty. Explanations compare English with what an Uzbek learner expects. The first nine authored traps are included here; detecting those patterns reliably in free speech is a separate proposed extension.

All nine authored Uzbek-speaker traps

TRAP	MODEL AND CORRECTION	UZBEK EXPLANATION
T1 · Missing "am"	I Aziz · I from Tashkent · I fine **I'm Aziz**	O'zbek tilida «-man» qo'shimchasi bor: Men Azizman. Ingliz tilida u alohida so'z — am: I am Aziz → I'm Aziz.
T2 · a / an	A orange juice · Coffee, please **An orange juice · A coffee**	O'zbek tilida artikl yo'q. Bitta narsa oldidan a qo'yiladi: a coffee. So'z unli tovush bilan boshlansa — an: an orange juice.
T3 · Plural after numbers	Two coffee **Two coffees**	O'zbekchada «ikkita qahva» deymiz. Ingliz tilida birdan ko'p bo'lsa -s qo'shiladi: two coffees.
T4 · "no" for negation	I no want sugar **I don't want sugar / No sugar, please**	O'zbekchada inkor fe'lga qo'shiladi: xohlamayman. Ingliz tilida don't ishlatiladi: I don't want sugar. Qisqasi: No sugar, please.
T5 · Thanks you	Thanks you! **Thank you! / Thanks!**	Thank you yoki Thanks deymiz. Thanks you — ikkalasini aralashtirmang.
T6 · Question without "Do"	You have water? **Do you have water?**	O'zbekchada savol «-mi» bilan yasaladi: Sizda suv bormi? Ingliz tilida savol boshiga Do qo'yiladi: Do you have water?
T7 · Missing "is"	How much this? **How much is this?**	O'zbekchada «Bu qancha?» deymiz — fe'lsiz. Ingliz tilida is kerak: How much is this?

TRAP	MODEL AND CORRECTION	UZBEK EXPLANATION
T8 · very vs too	It's very big ("doesn't fit") **It's too big**	O'zbekchada «juda katta» ikki ma'noda. Ingliz tilida: very big — juda katta; too big — haddan tashqari katta, to'g'ri kelmaydi.
T9 · fifteen vs fifty (listening)	Hears 50 instead of 15 **fifTEEN / FIFty**	fifTEEN (15) — urg'u oxirida, cho'ziq «iː». FIFty (50) — urg'u boshida.

OPEN DECISIONS

The exact scheduling algorithm configuration, weak-skill thresholds, exercise quotas, placement cutoffs and scene help adaptation are not locked. The system should explain its next task in plain language and be evaluated on recall and task success, not just exercise completion.

Source notes teaching-programme.md teaching-methodology.md ai-plan.md activities.md mistake-engine.md

08 Every activity

The complete exercise system

Nine activity families plus a Scene create variety. Six core exercise families exist in Android; the complete plan contains 16 named exercise types.

An activity describes the skill being practised; an exercise describes the actual task the learner performs. Picture Talk introduces or recalls a phrase. Build the Sentence teaches useful order. Overheard trains listening. Echo rehearses a model. Sound Duel focuses on sound differences. Spot the Rule makes a pattern visible. Fix It repairs a specific error. Quick Reply uses a phrase in an exchange. Memory Review mixes suitable tasks around due material and past mistakes. The Scene combines these abilities in a real situation.

Rules shared by every exercise

- Use a clear task and meaningful context. A beginner should know what to produce without guessing what an isolated icon means.
- When the goal is listening, text must not reveal the answer first. When the goal is recall, the answer must not already be visible.
- Choice tasks have one unambiguous correct option. Open conversations can have many valid responses and need task-based evaluation.
- A tap selects an answer and can be changed. The Check button evaluates it. Selection and correctness have different visual states.
- Speaking is central; typing is brief, generally one to three words. Matching and tiles support learning without becoming a substitute for every spoken task.
- A genuine miss gets a useful model and returns as practice. An uncertain speech result does not get a fake pass or a content-mistake penalty.

E1 Meet It

Picture Talk · Intro

Attach a useful phrase to a situation before relying on spelling.

What the learner does	Listen first: picture + Uzbek/Russian meaning + audio, no text. Repeat what you heard; text appears in feedback ("Stuck? Show the text" link).
Feedback and meaning	Reveal the English after the listening/attempt sequence; offer a model and another try. Exact text matching is not a pronunciation grade.
When speaking or sound is off	Without speaking: rebuild with tiles. Silent mode: read, then rebuild from memory.
Current position	Core exercise family exists in Android.

E2 Say What You See

Picture Talk · Recall

Retrieve a phrase from memory for an actual purpose.

What the learner does	A task in Uzbek/Russian ("You want coffee. Tell the waiter.") + picture → say the English phrase. Hint shows only the first words.
Feedback and meaning	A requested hint can reveal the first words. Unrelated final speech does not pass; uncertain recognition gets another try.
When speaking or sound is off	Speaking off: use word tiles. This verifies a different skill from spoken recall.
Current position	Core exercise family exists in Android.

E3 Match Rush

Picture Talk · Recognise

Connect a sound to a phrase quickly.

What the learner does	4 sound buttons (1–4) ↔ 4 phrases against the clock. Silent mode: Uzbek/Russian ↔ English.
Feedback and meaning	Make the chosen pair clear and correct a mismatched pair. An untimed accessible version is recommended; its exact design is open.
When speaking or sound is off	Silent mode matches Uzbek meanings to English instead of audio.
Current position	Planned exercise; not a finished Android activity.

E4 Tile Builder

Build the Sentence · Rebuild

Notice English word order while making a useful sentence.

What the learner does	Uzbek/Russian sentence → build English from tiles (with 2 distractors) → optional read-aloud.
Feedback and meaning	A tap picks or places a word; Check evaluates the completed answer. Optional reading aloud is separate from the tile result.
When speaking or sound is off	Works without speaking. Keep the read-aloud optional and honestly labeled.
Current position	Core exercise family exists in Android.

E5 Complete the Chunk

Build the Sentence · Recognise

Recognize the English form that fits a meaningful phrase.

What the learner does	Picture cue + phrase with a gap → pick from 3 (only one correct English form).
Feedback and meaning	Use a picture and context so only one of the three forms is correct. Pick first, then Check.
When speaking or sound is off	A tap task that can work silently; do not count it as spoken production.
Current position	Planned exercise; distinct from the existing Tap the Gap variant of E13.

E6 What Happened?

Overheard · Recognise

Understand what people are doing without reading a transcript first.

What the learner does	Conversation plays with no text → one question with 3 picture answers → transcript appears.
Feedback and meaning	Play the dialogue, let the learner pick a picture, then Check and reveal useful text.
When speaking or sound is off	Silent mode becomes an explicitly labeled reading task, not a listening score.
Current position	Core exercise family exists in Android.

E7

Who Said It?

Overheard · Recognise

Track who said a line within an exchange.

What the learner does	Conversation plays → "Who said '...'?" → Waiter / Customer.
Feedback and meaning	Choose the speaker and check. Replay the exchange without an early answer reveal.
When speaking or sound is off	Reading adaptation in Silent mode; no claim of verified listening.
Current position	Planned exercise; not a finished Android activity.

E8

Missing Word

Overheard · Recall

Recall one word that was heard, rather than recognize it from a full transcript.

What the learner does	Hear the sentence → type the 1 missing word (numbers accepted as digits too). Silent: choose from 3.
Feedback and meaning	Accept a taught number as digits or words where appropriate. Correct the missing word and recycle a genuine miss.
When speaking or sound is off	Typing stays short: one missing word. Silent mode offers three choices.
Current position	Planned exercise; not a finished Android activity.

E9

Echo Line

Echo · Recall

Rehearse a model's useful phrase, rhythm and timing.

What the learner does	Character says a line → repeat right after → each word green/orange; tap orange to hear it.
Feedback and meaning	Replay normal or slow audio. Current word comparison can indicate transcript agreement; sound-level feedback needs a separate validated method.
When speaking or sound is off	Speaking-only: defer while speaking is off. Do not replace it with tiles and call that Echo.
Current position	Core exercise family exists in Android; dedicated pronunciation assessment does not.

E10

Which One?

Sound Duel · Recognise

Hear distinctions such as ship/sheep or difficult English consonants.

What the learner does	Fast rounds: hear "ship" or "sheep" → tap it (8 rounds). Needs sound.
Feedback and meaning	A short set of listening choices with a replay and a clear correction. The source plan suggests eight rounds; pacing still needs evaluation.
When speaking or sound is off	Needs sound. Offer another suitable activity in Silent mode.
Current position	Planned exercise; not a finished Android activity.

E11

Say Both

Sound Duel · Recall

Produce two words with a meaningful sound distinction.

What the learner does	Say both words of a minimal pair so they sound different.
Feedback and meaning	A recognizer returning two different strings is insufficient proof of the acoustic distinction. Use a validated assessment or frame this as practice.
When speaking or sound is off	Speaking-only: defer in Headphones or Silent mode; Which One? can remain a listening alternative.
Current position	Planned exercise; assessment method remains open.

E12

Find the Pattern

Spot the Rule · Notice

Discover a useful pattern from examples instead of memorizing grammar terms.

What the learner does	4 examples → guess the rule → 2-line Uzbek/Russian confirmation.
Feedback and meaning	Show four examples, ask for the pattern, then confirm in two simple Uzbek lines.
When speaking or sound is off	Can be adapted to quiet reading. Keep the explanation human-written or human-approved.
Current position	Planned exercise; not a finished Android activity.

E13 Tap the Mistake

Fix It · Recognise

Notice a specific Uzbek-speaker trap in a sentence with clear context.

What the learner does	Context line (Uzbek/Russian) + sentence with one typical mistake → tap the wrong word. "Tap the gap" mode (added 2026-10-09): for missing words, tap the gap where a word is missing.
Feedback and meaning	Select a wrong word or a missing-word gap, then Check. Show the repair and the short Uzbek explanation.
When speaking or sound is off	Tap task. The current content includes both wrong-word and missing-gap variants.
Current position	Core exercise family exists in Android.

E14 Fix & Say

Fix It · Recall

Repair a known error and retrieve the corrected phrase aloud.

What the learner does	Context line + wrong sentence → say the corrected sentence.
Feedback and meaning	Context must make the intended repair clear. Recognition uncertainty does not become a learner mistake.
When speaking or sound is off	Speaking off: rebuild the corrected sentence with tiles.
Current position	Planned exercise; not a finished Android activity.

E15 Guided Reply

Quick Reply · Use

Move from choosing an appropriate reply to saying it in a small exchange.

What the learner does	Waiter's question → choose a reply → say it → waiter reacts.
Feedback and meaning	The character reacts to the meaningful reply. Separate a correct choice from an unverified spoken attempt.
When speaking or sound is off	Speaking-only: defer the activity while speaking is off.
Current position	Planned exercise; conversation/reaction integration is future work.

E16

Free Reply

Quick Reply · Use

Respond independently and handle more than one valid answer.

What the learner does	Say anything to the waiter; AI reacts and corrects by recasting. Ends with 🥲 / 😄 / 😻.
Feedback and meaning	Evaluate meaning against the task, not a single exact sentence. The character uses a brief natural recast rather than a lecture.
When speaking or sound is off	Speaking-only in the original exercise plan. A scene can separately offer accessible choices or short typed input.
Current position	Planned live-AI exercise; not a working Android conversation.

Purposeful variety

Scenes and review are longer experiences; ordinary exercise tasks stay short. Avoid more than two or three of the same activity consecutively. Reuse familiar characters and situations so the lesson feels like one world. Picture Talk absorbs passive phrase cards, Overheard absorbs dictation-style Catch the Word, and active Memory Review replaces a passive mistake notebook. The earlier generic Town Chat idea was cut; it is not quietly added back as an extra feed.

> **SPEAKING-COLOR RULE**
>
> Older exercise notes describe green/orange words as “almost” pronunciation. The blueprint uses the newer research distinction: transcript agreement can show which words the recognizer returned, but cannot establish sound-level pronunciation quality. Dedicated assessment stays a separate proposal.

Source notes exercises.md activities.md speech-and-retention-research.md

What happens when the learner talks

The ideal is visible, responsive listening with trustworthy feedback. Recognising text, judging an answer and assessing pronunciation are three different jobs.

Tap mic → Listening becomes obvious → Provisional words update → Final utterance arrives → Check the intended answer → Continue or offer a useful retry

While speaking

The mic has an unmistakable listening state, a level-reactive response and a clear way to stop. Provisional words appear as audio arrives and may change as the service hears more. A long word may begin as a partial or mistaken hypothesis and settle into the final word. This is the behavior you asked for: feedback during speech rather than only after it ends. Provisional text is neutral and never awards credit.

The Android app requests partial results today, but the installed recognition service controls when they arrive. A consistent keyboard-like streaming experience is a requirement to evaluate, not a guarantee the current Redmi engine already meets. Compare candidate engines on Uzbek-accented speech, unrelated words, near-sounding errors, silence, noise and interruptions. Measure false acceptance, false rejection, first live-text delay and final-result delay separately.

After speaking

EXAMPLE	WHAT THE LEARNER SEES	WHAT THE APP RECORDS
Expected Hello; final result Hello	An accepted phrase attempt and a clear way to continue.	A matching recognised utterance. This does not prove every sound was pronounced perfectly.
Expected Hello; final result yellow	The heard text, an example replay and another attempt or a non-speaking route.	A retry. Unrelated speech is not accepted as yellow success and is not silently added to the can-say result.
The service fails, ends without a final answer or hears nothing	A calm recovery, permission help if relevant, retry or tiles.	A recognition failure or retry, separate from the learner's scored content mistakes.
A learner chooses an incorrect content answer and checks it	A useful correction and short explanation when available.	A genuine learning mistake, queued for review.
A learner builds correct tiles, then skips the optional read-aloud	The earned tile result remains.	A completed tile task; no verified spoken answer is invented.

A fixed-answer exercise checks the complete utterance against accepted answers. Legitimate contractions, taught number formats and reviewed alternatives can be normalised; matching a target word buried in unrelated padding is insufficient. Only a final successful recognition result can be checked. A late, interrupted or stale result cannot finish the current question. Open conversations use a different standard: whether the reply makes sense and advances the task.

Pronunciation, fluency and confidence

MEASURE	INTENDED USE	BOUNDARY
Phrase recognition	Did the service transcribe an accepted answer?	Recognition confidence is not pronunciation quality.
Pronunciation assessment · proposed	Give useful feedback on intelligibility and specific sounds.	Needs acoustic assessment, human agreement and accent-fair evaluation. No native-accent imitation requirement.
Fluency measures · proposed	Show changes in pace or pauses across comparable tasks.	Do not display “40% better” without a valid baseline and a meaningful measure. Faster is not automatically better.
Confidence self-check	Ask the learner how they feel, using the same 1–5 question over time.	Already a self-report, not an automated diagnosis of emotion or confidence.
AI speaking-confidence score · earlier proposal	An optional estimated summary, if it can be justified.	Its meaning, validity and inclusion remain open. It must not replace the learner’s own report.

Listening and playback

English examples have normal and slow versions. British and American voice sets are kept; the learner chooses the English voice in Settings. The speaker changes to visible playback bars while playing, and a second action can stop it. Example audio and a saved own-voice clip should not compete or continue unexpectedly after leaving the page. Quiet saved WAV recordings can be amplified for playback without modifying the original clip or changing the phone’s volume behind the learner’s back.

> **RESEARCH BOUNDARY**
>
> The local speech-and-retention report records the research and candidate approaches. No paid recognition provider or pronunciation model has been selected. Evaluation recordings would require separate voluntary consent; private learner clips are not a pool for team listening.

Source notes speech-and-retention-research.md sound-plan.md ai-plan.md exercises.md

10 AI Speaking

A dedicated home for live conversation

AI Speaking is a main tab in the full application. The learner opens it directly to practise talking, without having to enter through Dombi.

MODE	WHAT THE LEARNER DOES	WHAT THE APP DOES
Free conversation	Choose a topic and speak in a natural back-and-forth exchange.	Give short, relevant replies that leave room for the learner's voice.
Guided conversation	Start from a useful prompt, with a hint or sentence starter when needed.	Provide support without silently supplying a complete answer before the learner tries.
Situational roleplay	Handle a café, travel, shopping or work task with a character.	Use the scene goal, help ladder, meaningful replies and replay twists.

How someone uses the tab

01 **Choose**

Open AI Speaking, then select a topic, guided practice or a situation.

02 **Start deliberately**

See the goal and begin listening explicitly. The microphone is not always on.

03 **Talk and respond**

Speak, see live text when available, hear a short AI reply and continue. Interrupt or stop when needed.

04 **Get useful help**

Ask for a hint, a model or an appropriate explanation. Recognition uncertainty is not treated as proof of poor English.

05 **Finish with something useful**

See a concise recap and an optional phrase to practise. Conversation phrase saving and precise feedback criteria remain design choices.

The course can lead into a relevant roleplay, and Dombi can offer a shortcut into AI Speaking. These are additional entrances to the same speaking destination. The Learn tab keeps the structured curriculum; Progress keeps evidence and private recordings; Profile keeps settings and personal features.

AI Speaking is not hidden behind course completion. A beginner can start with guidance, and a more confident learner can choose a freer exchange. Topic difficulty, access allowances and exact feedback still need design; the dedicated destination itself is part of the confirmed full-app direction.

CONFIRMED DIRECTION; IMPLEMENTATION STILL PLANNED

The owner requested a dedicated AI speaking tab on 23 October 2026. This supersedes carrying the MVP's three-tab layout into the full app. The current Android build still has three tabs and no live AI conversation service. Providers, costs, limits and exact topic catalogues remain open.

Source notes pages.md companion-pet.md ai-plan.md scene-simulation-concept.md

Real-life scenes with a purpose

Open a roleplay from AI Speaking or a relevant course checkpoint, then handle a situation with a responsive character.

01 **Arrive**

A top-down illustrated town leads to a place. The scene begins with a wide situation shot: “You’re hungry. Order lunch.” The town and characters use the same art direction.

02 **Watch and prepare**

Hear a short model exchange with subtitles, then review around three useful chunks. This provides a safe example before independent performance.

03 **Take your turn**

The camera moves to a first-person character view. The character asks a short relevant question. The learner speaks, or uses an accessible choice or brief typed route when appropriate.

04 **Get the right amount of help**

A beginner can choose a line and say it. A developing learner gets a sentence starter. A more independent learner replies freely. An Uzbek whisper or requested hint is available.

05 **Handle a twist**

A requested item is unavailable, a size is wrong or a plan changes. The learner adapts instead of repeating an entire memorised script.

06 **See the outcome and replay**

The character reacts, the goal outcome and help used are explained, and useful new material goes to review. A replay offers a new variation or less support.

A café example from start to finish

The learner has practised a coffee request, a price question and polite thanks. At the counter, the waiter asks what they would like. The learner orders. The waiter says coffee is unavailable and offers tea. The learner chooses an alternative, asks the price and completes the interaction. A supported completion still counts as a useful achievement, but it is distinguishable from an independent completion that handled the twist without help.

What is fixed and what can respond

HUMAN-DESIGNED	RESPONSIVE LAYER	LEARNER OUTCOME
The location, learning goal, key phrases, help levels, permitted twists and completion criteria.	A brief reply to what the learner actually says, within the situation.	Finish the task meaningfully, with help available.
A bank of reviewed explanations and relevant examples.	A natural recast: the character models a useful repair in their reply.	Understand a mistake without a long lecture or humiliation.
Recognisable recurring characters and a consistent world.	Proposed memory of relevant prior interactions, with explicit limits.	Familiarity without unexplained personal-data collection.

The initial scene ambitions are café, shop, taxi, hotel and job interview, with goal-relevant future situations such as a work-abroad or study interview, a bazaar or an IELTS speaking room. Location scripts, twists and mastery standards still need authoring. A daily scene-of-the-day and brief micro-scenes inside lessons are planned variations, not additional daily push requirements. The old passport-stamp reward was removed; character reactions and demonstrated ability carry the reward.

When live services are slow or unavailable

A character’s thinking or listening expression makes the state visible, but it cannot conceal an indefinite wait. If a request fails, preserve the learner’s turn, show a retry or a safe way back, and offer an available lesson or review. The design ambition is a fast conversational response, around a second where feasible; the actual service must be measured before that becomes a promise. Live voice use also needs an affordable allowance.

> **SCOPE**
>
> Live scenes are an agreed direction after the current MVP. The full town, live conversation and scene grading are not implemented. Whether all five initial locations belong in Version 1, and whether a scene replaces or complements each checkpoint, remain explicit scope decisions.

Source notes scene-simulation-concept.md teaching-programme.md activities.md ai-plan.md

What Dombi actually does

Dombi is the guide and the future companion: expressive, helpful and present without taking over the learning.

Dombi is a round dark character with tall white eyes and a centred smile. He has confident, simple expressions rather than blush or childish baby talk. The expression set includes smile, happy, laugh, talk, listen, think, surprised, sleepy, wink, proud, focus, confused and oops. Hands appear for a wave, celebration, thinking or pointing. A recognisable voice and mouth movement connect speech and expression.

The three roles

ROLE	HOW PEOPLE USE IT	PRODUCT BEHAVIOR
Guide	Meet him during onboarding, listening, explanations and celebrations.	Already part of the Android foundation. He reacts gently and never looks punished by the learner's errors.
Persistent companion	See him at home beside the Learn path and in a safe resting spot across pages.	An agreed concept: he persists across navigation, avoids content and controls, and can be hidden or muted. The mobile companion layer is future work.
Voice helper and practice partner	Double-tap to ask for navigation help or choose to practise a topic.	The assistant listens only after an explicit action. Live practice opens the AI Speaking tab, which is also directly accessible; short replies leave room for the learner.

A conversation with Dombi

The learner starts listening, asks for help, or chooses a topic. Dombi visibly listens and gives a short relevant response. Navigation help goes to a real destination, such as saved phrases. Free speaking remains within age-appropriate topic boundaries. The learner can stop, mute, return to a lesson, or choose a useful phrase to save. A conversation phrasebook is separate from proof that a course skill has been mastered.

Earlier AI proposals include "How do I say...?" from Uzbek into English and memory of a name, learning goal and interests. Uzbek recognition quality must be checked before promising that interaction. Dombi's memory needs visible boundaries: what is remembered, why it helps, and how it can be removed. A recommended design stores learner-approved preferences rather than treating every conversation as permanent memory.

The proposed AI boundaries suit the intended 13+ audience: no romantic or adult roleplay, no requests for personal details, and a brief redirect when a conversation leaves the permitted learning context. Dombi identifies himself as an AI. The learner can end or report an interaction, and a service failure does not manufacture a reply or a successful task outcome. The exact topic limits and output-checking system still need design.

Touch, play and outfits

The animation playground contains the detailed touch ideas below. Existing animation rigs are evidence that the visual behavior can be explored; they are not a completed persistent pet system in the Android app. During an exercise, small taps, petting and a high-five can remain available, while carrying, throwing, feeding and pinching wait until the exercise is over. A learner should always be able to focus on the question.

All 19 touch-lab interactions and how they fit

GESTURE IN THE LAB	INTENDED EXPERIENCE
Hold ~300 ms → hop on	Hold briefly to pick him up outside an active exercise.
Carried	He follows the finger with a soft spring and looks in the direction of movement.
Shaken while held	Rapid direction changes produce a dizzy reaction; interaction intensity should remain comfortable.
Let go	Let go and he lands, settles and returns home.
Thrown (finger speed > 900 px/s)	A quick release can produce a playful throw and upright landing outside a lesson.
Drop on a lesson card / by the flame	Dropping him near a lesson or the streak flame lets him peek or warm up.
Dragged or swiped off the screen	If dragged out of view, he can peek in from an edge and come home.
Tap (poke)	Repeated pokes escalate through a few gentle reactions, then a brief turn away.
Double-tap	The play lab uses a double-tap for a trick. The app's help gesture takes precedence under the recommendation above.
Rub (press and move at once)	A rub becomes a petting response, then he settles when released.
Feed a word (drag a word chip onto him)	A word chip can become a playful feeding interaction outside an exercise.
High-five after a correct answer	After an appropriate success, offer an optional short high-five.
Idle 22 s → sleeps; tap to wake	A quiet idle can become sleep; a tap wakes him without guilt.
Talk to it while held	An intentional microphone-enabled interaction can make him respond to the voice level.
Pinch (two fingers / wheel)	A two-finger pinch stretches him playfully, then he returns to shape outside an exercise.

GESTURE IN THE LAB	INTENDED EXPERIENCE
Tilt the phone	An optional device-tilt interaction can make him balance and return home.
Shake the phone	An optional shake interaction gives a short surprised response.
Blow into the mic	An explicitly enabled mic interaction can make a blow feel like wind. No passive background listening.
Eye tracking	He can glance toward a touch or pointer without covering the learner’s task.

> **PLAYGROUND VERSUS APP**
>
> These interactions exist as animation concepts or lab behavior. Their inclusion, controls and permissions in the persistent mobile companion still need implementation.

Outfits and accessories, including an Uzbek doppi, connect to the Apple shop. A decorated corner and optional growth celebrate learning. The pet does not become hungry, sick or distressed to pressure someone into returning.

> **GESTURE CONFLICT TO RESOLVE**
>
> The companion concept assigns double-tap to the voice assistant. The earlier play lab also assigns double-tap to tricks. My recommendation is to keep the app’s double-tap for help and place tricks in the pet corner or an explicit interaction menu. Sensor and mic-based play must be intentional, never always-on listening or hidden monitoring.

Source notes companion-pet.md motion-plan.md ai-plan.md gamification.md

13 Visible improvement

What progress means to the learner

Progress should answer what I can do, how far I have come, and whether I am improving.

The can-say collection is the main score

Completed learning adds useful phrases and capabilities to a collection grouped by unit. Each entry has its meaning, a normal/slow example where available, quick practice and an own-voice action only when a clip exists. The collection is permanent learning progress; it is never spent in the shop. The app should not imply that a tile-only session independently verified spoken mastery. A recommended later evidence label distinguishes practised, said, recalled and used without replacing the approved permanent count.

The facts the app can show

FACT	WHAT IT MEANS	WHAT IT DOES NOT MEAN
Phrases and can-say abilities	Material learned through the course and available for practice.	A guarantee that every phrase can already be produced unaided in real life.
Level and unit progress	Completed requirements in the Akademiya curriculum.	An official CEFR assessment.
Lessons and active days	Actual completed learning events.	Time spent merely opening the app.
Speaking time	A measure based on microphone activity in the current app.	A precise acoustic measurement of words spoken; pauses can be included.
Streak and freezes	The habit history under the app's daily and weekly rules.	A score of intelligence, effort or worth.
Pace prediction	A rough date estimate derived from actual activity.	A guaranteed B2 or IELTS result.

My voice and then-versus-now

The learner separately consents to saving recordings. A clip is associated with its phrase and date and stays private. They can play it beside the example, stop it, remove one clip or delete all. The current local app keeps the latest saved clip for a phrase. A true timeline needs a future storage model that preserves comparable earlier clips instead of overwriting them.

After about 30 days, the same phrase can be recorded again with consent during ordinary practice. A calm invitation after a lesson, or an entry in Progress, offers a then/now comparison. Both clips must actually exist and refer to the same phrase. No improvement percentage is invented from two audio files. The learner can decline the comparison without losing progress.

Weekly summaries and confidence

A weekly summary reports real phrases and abilities learned, lessons finished, microphone time and actual mistakes revisited. “Most improved,” a mistake of the week, a next-week preview and a share card are additional proposals. An empty week does not get a fabricated success story. Optional sharing excludes private audio and lets the learner choose the visible information.

The 1–5 confidence question returns after roughly two weeks. A positive change can be celebrated; a flat or lower self-rating gets a neutral response and useful next steps. Automated fluency or confidence scores are separate earlier proposals with unresolved validity. A future level certificate should be clearly an Akademiya milestone and explain its capabilities, not resemble an official exam result.

Trophies, records and awards

A unit trophy means the learner used the unit’s material together. A level-up explains new abilities. Personal records can show consistent practice and other actual accomplishments. A small local award collection already exists; the larger catalogue of tiered, hidden, speaking, habit, scene and progress awards still needs final criteria. Proposed Apple rewards belong to the separate economy.

Source notes progress-system.md teaching-methodology.md pages.md ai-plan.md gamification.md

The full notification and retention ecosystem

Retention comes from useful learning, visible progress and relevant invitations. A list of notification types is not a schedule to send all of them every day.

The strongest return loop is inside the product: a practical win, a clear next task, review that fits the learner, proof of improvement and a place that remembers their progress. Someone repeatedly struggling needs a better example or easier retrieval step, not more pressure. Someone who finished today should be allowed to feel done.

Which invitation fits which situation?

SITUATION	EXAMPLE AND DESTINATION	ELIGIBILITY AND MATURITY
No lesson completed today	“Bugun yana bir foydali ibora aytib ko‘ramizmi?” → current Learn position.	The local reminder already rotates copy at a chosen time. Suppress after a completed lesson.
A lesson was left unfinished	“Boshlagan darsingiz saqlangan. Qolganini tugatamizmi?” → that saved lesson.	Already supported locally; do not claim a percentage completed unless known.
A checkpoint is ready	“Bo‘limdagi iboralarni o‘rgandingiz. Endi birga ishlatib ko‘ramizmi?” → the ready checkpoint.	Already supported locally when the condition is real.
A learned phrase is worth recalling	Name a real learned phrase → a suitable practice destination.	The current reminder can name learned material. Claiming it is due requires the future memory scheduler.
A streak milestone is near	Name the actual current practice run → a useful lesson.	Local milestone variants exist. The milestone is a different eligible copy choice, not an extra daily alert.
A due memory review exists	A short, specific retrieval invitation → Review or Quick Win.	Proposed. Requires due material and an available review experience.
The learner has been away	“Bir daqiqalik mashqdan boshlaymizmi?” → a gentle review.	Proposed. Choose inactivity threshold, cooldown and restart behavior before implementation.
A useful weekly summary exists	“Bu hafta nimalarni o‘rgandingiz?” → the real summary.	Proposed category. In-app may be enough; opt-in push should not stack carelessly with practice reminders.
A valid then/now comparison exists	A private invitation to listen → Progress comparison.	Proposed. Both consenting clips must exist; never show private audio on a lock screen.

SITUATION	EXAMPLE AND DESTINATION	ELIGIBILITY AND MATURITY
A real friend event occurs	An actual request or permitted encouragement → requests or the relevant friend state.	Needs real social accounts, notification controls and limits. Never invent a friend action.
An opted-in league event matters	A truthful ranking update → the learner's real league.	Future feature. Cohorts and timing rules must exist before league copy is eligible.

Four places to communicate

CHANNEL	USEFUL ROLE	CONTROL
Inside the app	A post-lesson check-in, a summary, a quiet review suggestion or a real friend request.	No interruption of an active spoken answer or exercise. Make optional invitations dismissible.
Phone notifications	A time-relevant reason to return with a useful deep link.	OS permission, chosen time, opt-out and proposed category/quiet-hour controls.
Telegram · later	An explicitly linked reminder channel or consented family summary.	Avoid duplicating the same invitation through push and Telegram. No bot is currently linked to the app.
Home-screen widget · later	A real phrase, streak or next lesson available at a glance.	A pull surface, not a new excuse to send alerts.

The recommended decision process

01 **Check permission and preferences**

No permission or opt-out means no push. Apply the learner's chosen time and future quiet-hour settings.

02 **Check the learner's actual state**

Has today's practice finished? Does a saved lesson, due review, ready checkpoint or real event exist? Avoid stale claims.

03 **Choose one useful practice reason**

A saved lesson or a relevant next task can be more helpful than a generic reminder. Rotate eligible wording to avoid repetition.

04 **Apply frequency and cooldown rules**

Start from at most one proactive practice reminder per local day. Broader social-event budgets, digests and comeback cooldowns are separate open rules.

05 **Open a real destination**

A tap resumes the actual saved lesson or opens the relevant feature. Invalid or stale links return safely to Learn.

06

Evaluate whether it helped

Look at useful return, lesson completion, delayed recall and opt-outs. Notification opens alone are not success.

RESEARCH AND PRIVACY

The supplied retention video informed hypotheses. Its claims about Wi-Fi histories, home inference, silent-mode monitoring or an exact universal churn score were not established by the research reviewed. None becomes an app requirement here. The existing research report explains the evidence and limits.

STILL TO DECIDE

Exact cooldowns, event-category budgets, quiet hours, summary preference defaults and reminder-time adaptation are proposals. “Best time” should begin with an explicit learner choice; a future adaptation requires evidence and a way to control it.

Source notes speech-and-retention-research.md extra-features.md gamification.md ai-plan.md

Make learning satisfying without making it punitive

The can-say collection measures learning. Streaks recognise a habit. Apples buy optional things. XP would serve competition. These are different systems.

The habit layer

The current streak counts local days with at least one finished lesson. The calendar is Sunday-first, shows practised days, today and frozen days, and explains how a freeze was used. One free freeze per week can automatically cover a missed day. A missed streak does not delete phrases, lessons or capabilities. A proposed repair within 24 hours is a habit-recovery feature; it must not fabricate a lesson event on the missed day.

The learner sees a small milestone celebration at a useful moment, such as finishing the first lesson of the day. In a lesson, consecutive correct answers can trigger short combo moments at 3, 5 and 10. The path visibly fills, a unit earns a trophy and a completed level explains what is now possible. The perfect-lesson badge must match the actual result and excludes unverified speech retries.

> **OPEN HABIT RULES**
>
> Whether a 60-second Quick Win counts toward a streak, how streak repair works and how travel or timezone changes affect future cloud records need explicit decisions. The existing finished-lesson rule remains the current baseline.

Apples and the shop

HOW APPLES ARE EARNED	WHAT THEY CAN BUY	LIMITS
Meaningful learning: lessons, speaking, checkpoints, genuine perfect lessons and selected milestones. Speaking is intended to earn more than tapping.	Dombi outfits and accessories, a decorated pet corner, themes, profile frames or avatar items, extra freezes, scene-character outfits and optional fun content.	Exact earnings and prices are not set. Repeating easy actions should not become an infinite reward farm.
Possible later paid currency and premium multipliers.	Optional cosmetic or convenience items under agreed rules.	Not present in the current app. Never buy a lesson skip or checkpoint pass, and never spend the permanent can-say score.

Apples fit the teacher/apple image, Uzbek orchards and Dombi’s world. They are an optional economy, not the reason a sentence is correct. Core learning must not require Apple purchases. A shop visit should clearly show balance, item, cost and ownership; a completed purchase updates inventory once, while an unavailable or failed purchase does not take currency. These transaction details are recommended completion rules, not already built functionality.

Achievements, quests and friendly competition

The expanded achievement ideas cover first spoken phrases, minutes of practice, completed units, actual no-hint performance, habits, repaired Uzbek-speaker traps, a first voice comparison, scene twists, pet interactions and hidden surprises. Some may be tiered and some may award Apples, but their criteria and amounts remain open. A small local award collection already exists. Daily quests should point to worthwhile actions, such as recalling an old phrase or using a unit’s material together, instead of empty tap counts.

Weekly leagues would use a separate XP system with real learners, real cohorts and fair earning rules. Difficulty, repeated practice, opt-out, tie handling and abuse prevention need a design before ranking feels credible. Leagues must not turn an honest learning result into a pressure tactic. The optional social layer is described next.

Source notes gamification.md progress-system.md pages.md

Friends, requests and optional shared motivation

The social direction is friends and friend requests, not followers. It supports the learning path without becoming a requirement to practise.

ACTION OR STATE	WHAT THE LEARNER UNDERSTANDS	RECOMMENDED COMPLETION BEHAVIOR
Find or invite someone	They can identify a real person and send an invitation deliberately.	Decide discoverability, invitation links and age-appropriate defaults. Do not require address-book access to learn.
Add friend	A request is being made to the chosen account.	Show Request sent after a real accepted server operation; handle duplicate or failed requests clearly.
Request sent	The relationship is pending, not already a friendship.	Offer an understandable cancellation route; do not send repeated requests through repeated tapping.
Incoming request	They can choose whether to connect.	An accepted request becomes Friends. Decline and block behavior needs explicit, calm controls.
Friends	The relationship is mutual.	Show the permitted shared profile information and relevant optional encouragement. Removing a friend is distinct from blocking.
Another person's profile	This is a read-only profile, not an editable copy of their own.	Show only permitted fields. Keep report and block accessible. No private voice playback.
Report or block	They can control contact that feels inappropriate.	Blocking should prevent further unwanted requests under clearly defined rules; reports need a real delivery route. Exact visibility and moderation policy remain open.

Friend streaks, invitations and leagues

A friend streak is an optional shared learning habit. It should encourage actual practice rather than make one person responsible for another person's guilt. Friend notifications must reflect an action that occurred or a clearly opted-in shared state. An invite reward for both people is an earlier Apple idea; eligibility, qualifying learning and anti-abuse rules have not been chosen.

A weekly league is separate from friendship. A learner may participate without turning their entire profile public. No fake users, invented rank movements or claims that a friend practised when the system does not know that. Public fields, cohort rules and the ability to stay out of competition need explicit design.

Privacy stays intact

A friend can see permitted learning milestones, never saved voice clips. Parent or family membership does not create access to audio either. Profile names, photos, discoverability and report handling need protections suitable for the intended 13+ audience. Exact age-related account and sharing rules are open; the current standalone app has no working social backend.

> **SCOPE AND PLACEMENT**
>
> Friends, requests, other-person profiles, friend streaks and leagues are represented in the intended ecosystem. My recommended entrance is Profile. Real accounts, a hosted service, privacy defaults and working report/block controls are dependencies—not completed integrations.

Source notes pages.md gamification.md extra-features.md product-definition.md

A personal app the learner can control

Local learning works on its own today. Cloud identity, sync and family access add capabilities only when their services really exist.

Profile and settings

AREA	CONTROLS AND INFORMATION	HOW IT IS USED
Profile	Name, avatar, goal, joined date, level, bio where supported, records and awards.	Make the learning space recognisable. Future social, league, Apple and pet modules should only act as real features when available.
General settings	Sound effects, dark theme, reminder time, learning goal and supported feedback/haptic preferences.	Adjust the experience without navigating away from the learning identity. The current native settings may not expose every proposed preference separately.
Speaking	Speaking availability, normal/slow examples and British or American English voice choice.	Keep the microphone context and example playback understandable. Voice choice does not change the course standard.
Recordings	Save-my-voice consent, clip list, play/stop, delete one and delete all.	Retain control over saved audio without deleting the course history by accident.
Account and privacy	What is local, future account linking and sync status, sign-out when applicable, local reset and future account deletion.	Different actions need different wording and consequences. A local profile is not a cloud login.
Help and about	Report a problem, app version, relevant credits and explanations of unavailable capabilities.	Make a problem report honest about whether it was actually delivered.

From a local profile to a cloud account

01 **Keep the first win local**

Do not block the first lesson behind registration. Explain that this phone currently holds the progress.

02 **Offer a real linking benefit**

When a hosted account system exists, explain that it protects progress across devices. Earlier plans name Google, Apple and phone sign-in; the exact working provider set remains to be selected.

03 **Handle existing progress carefully**

If an account already exists, show an understandable choice or merge policy. My recommendation is to preserve learning history, deduplicate event identities and never silently replace a richer record with an empty one.

04

Make sync visible when it matters

A pending upload, a sign-in failure or a network issue should not erase a finished local lesson. Show a retry path without inventing a successful sync.

05

Support recovery and leaving

The full account design needs provider-specific recovery, expired-session handling, sign-out, device changes and explicit deletion. These are required flow designs, not capabilities already supplied by a mock login button.

Voice privacy, precisely

The owner’s rule is that only the learner can listen to their saved voice recordings. Not friends, parents, teachers or our team. Recordings are not shared, sold, used in marketing or included in reports. Saved audio is currently local. A future cloud version must preserve private access rather than treating uploaded files as public links. Consent to save is separate from the fact that a speech-recognition service may process audio to produce text.

Turning saving off stops future retention; deleting an existing clip removes that chosen copy under the app’s explained storage rules. Removing all recordings is distinct from resetting local learning progress. A future cloud deletion flow must say which copies exist and what is being removed. Retention length, cloud audio access design and under-18 rules remain to be settled before those features are built.

Family access and parent reports

The business concept includes a family plan for two to six people and later Telegram summaries for parents. Each learner’s history stays separate. Family administration and report consent should be explicit, with visible membership and a way to understand what is shared. Reports can contain permitted learning counts and capabilities, never saved audio. Who may invite, manage payment, consent or revoke a report is still an open product design.

Problem reports

A problem sheet keeps the learner’s context, offers a category and text, and can include an optional screenshot under clear consent. The current standalone app keeps a local report draft. It must not show a cloud “sent” success without delivery. A future support route needs retry, duplicate handling and enough context to understand the issue without collecting private voice.

Source notes pages.md extra-features.md tech-stack.md product-definition.md

How free learning and paid features fit together

The current standalone Android MVP is free and has no checkout. The broader business direction is freemium with optional family access and paid live-speaking value.

PART	EXISTING DIRECTION	STILL OPEN
Core learning	Useful free lessons with no ads, hearts, paid skips or Apple locks on the core curriculum.	The exact free course extent and entitlement boundaries. Older notes also describe all units in Premium; this must be reconciled before promising a final free catalogue.
Live speaking	Limited free conversational use, with a premium speaking offer.	Actual allowance, cost budget, overage behavior and whether an “unlimited” promise is sustainable.
Subscription	Monthly and discounted yearly access are the planned model.	Prices, trial policy if any, renewal terms and account-management experience.
Family	A two-to-six-person family concept.	Membership permissions, invitations, per-person entitlements and what happens when a member leaves.
Local payment options	Payme, Click and Uzum are named in the earlier product plan.	Actual provider integration and the final payment path. No payment rail is implemented by this blueprint.
Optional paid currency	A later possibility alongside earned Apples.	Whether it belongs in V1 at all, plus fair earning and spending rules.

A complete purchase experience needs more than a paywall

01 **Understand the value**

A learner sees the feature they want, what their current plan includes, and the exact offer when prices are decided.

02 **Choose deliberately**

Show the selected plan and its actual terms before a payment action. Do not use fake discounts or hide the free route.

03 **Handle the transaction**

Success grants the entitlement once. A cancelled, failed or pending payment stays distinct from success and provides a clear next step.

04

Recognise existing access

An account change, device change or delayed confirmation must not cause duplicate purchases to be the only recovery path.

05

Manage the plan

The learner can see their real access and understand changes, expiry or cancellation under the eventual chosen payment system.

> **RECOMMENDATION**
>
> Set an affordable live-voice budget and a clear free learning promise before final pricing. An AI allowance reaching its limit should leave lessons and appropriate review usable; it should not become a heart system tied to mistakes.

This chapter records the intended product behavior and the unresolved commercial choices. App-store submission, external publication, launch campaigns and launch preparation are outside the requested work.

Source notes product-definition.md gamification.md tech-stack.md ai-plan.md

What the whole app should look and feel like

One recognisable visual and interaction system across the browser reference and the Android build.

Violet
Primary action · #7B5CFF

Coral
Speaking · #FF6B5B

Green
Success · #3DCB6C

Gold
Milestones · #FFC93C

Use Nunito, comfortably readable instructions, familiar illustrated glyphs and the existing character style. Light mode uses white and pale surfaces with dark ink. The approved dark mode is Charcoal: a near-black #121214 background, #1B1B1F cards, #242429 surfaces and readable light text. Brand accents remain recognisable in both. Existing Dombi, waiter, Aziz and Malika artwork anchors one consistent world; later locations and characters need to match it.

The interaction rules you specifically asked for

COMPONENT OR MOMENT	EXPECTED BEHAVIOR	WHAT MAKES IT FEEL COHERENT
Raised buttons	A solid face sits above a darker base and physically presses down. Disabled buttons become opaque gray with gray content and an appropriate base.	No reduced-opacity disabled mic or speaker that looks washed out against its surroundings.
Screen changes	Use the approved motion language for forward, back and tab changes. Preserve the gesture's sense of direction.	A native build should not drop the transitions that made the browser reference feel responsive.
Bottom sheets	The sheet rises while the background scrim fades in place; the two motions are independent.	The dark overlay must not slide upward with the sheet.
Reminder time wheel	The selected value is largest and most readable. Values above and below shrink and bend away like numbers around a cylinder.	Fast flicks remain stable: no overlapping duplicate numbers, stale positions or flicker.
Microphone	Ready, listening, checking, accepted, unavailable and stopped states are visibly distinct.	Mic on/off feedback is clear; unrelated sounds do not compete with a recording.
Audio and own voice	A playback action shows moving bars or a stop state, and stops when requested or when leaving.	A red "Mening ovozim" control must visibly do something and produce usable playback when a clip exists.

COMPONENT OR MOMENT	EXPECTED BEHAVIOR	WHAT MAKES IT FEEL COHERENT
Choices and tiles	Violet means selected. A check produces feedback. Tiles travel into place and leave a readable arrangement.	The same selection language is used across lessons, forms and onboarding.
Progress and celebrations	Numbers update, paths fill, trophies and level-ups have character and rhythm.	Brief events celebrate actual outcomes and do not invent success to play an animation.
Dombi and people	Breathing, blinks, gaze, listening, reactions and mouth movement make speech feel inhabited.	Character acting reinforces the current state, rather than fighting the learner's attention.

The sound family

The selected sound set covers correctness, choosing, tiles, combos, mic on/off, lesson completion, a genuine perfect result, a new phrase, counters, level-up, trophies, awards, streaks, freezes, button presses, pops, transitions, switches and reminders. Smaller sounds belong to a consistent family. A sound happens on the meaningful animation beat, at a sensible loudness, and avoids masking the model voice or microphone. Chosen source assets and their required credits remain recorded in the sound plan.

All 20 chosen sound categories

MOMENT	SELECTED ASSET	LENGTH IN THE CHOSEN SET
Right	right.wav	0.82 s
Not right	not-right.wav	0.56 s
Pick	pick.wav	0.24 s
Tile lands	tile.wav	0.28 s
Combo	combo.wav	0.66 s
Mic on / off	mic-on.wav, mic-off.wav	0.14 s / 0.29 s
Lesson done	lesson-done.wav	2.6 s
Perfect lesson	perfect.wav	2.4 s
New phrase	new-phrase.wav	1.6 s
Count	count.wav	0.26 s
Level up	level-up.wav	1.7 s
Trophy	trophy.wav	4.2 s

MOMENT	SELECTED ASSET	LENGTH IN THE CHOSEN SET
Award	award.wav	2.3 s
Streak	streak.wav	0.85 s
Streak freeze	freeze.wav	1.3 s
Button	button.wav	0.01 s
Pop	pop.wav	0.07 s
Whoosh	whoosh.wav	0.20 s
Switch	switch-on.wav, switch-off.wav	0.10 s each
Reminder	reminder.wav	0.80 s

These are existing selections from the sound plan. Timing, volume and simultaneous playback still have to make sense in the actual context; a longer source asset does not require a learner to wait for its entire tail.

Motion without taking away control

The motion lab is the reference for individual timings, particle effects, haptic families and character performances. Not every effect should run at once. Respect system reduced motion, relevant sound preferences and supported haptic choices. A reduced-motion learner still needs an obvious selected answer, recording state, success, error recovery and navigation destination. Sound and animation acknowledge the action; readable state carries its meaning.

Source notes pages.md motion-plan.md sound-plan.md companion-pet.md

The invisible behavior that makes the experience trustworthy

Local learning, optional cloud services, reviewed content and live AI need clear responsibilities.

SYSTEM	CURRENT FOUNDATION	FULL-PRODUCT RESPONSIBILITY
Android app	The standalone Expo/React Native implementation, bundled authored content, local settings and learning history.	Keep local learning usable and preserve state across interruptions and updates. Android is the current build priority; iOS is later platform work.
Shared learning rules	Lesson order, answer checking, session results, progress and habit rules shared with the browser reference.	Keep the same result meaning across platforms and separate content mistakes from service uncertainty.
Content system	The current first 15 lessons, three checkpoints, illustrations, English audio, people and reviewed explanations.	Author later units and scene templates, version content deliberately and approve every fixed learner-facing asset.
Optional account service	No public hosted backend currently connected. Earlier notes name PocketBase and local services.	Provide real identity, private sync, social events and account recovery. Local tools on a PC are not a hosted production service.
Speech system	Phone recognition with requested partial results and honest final-answer checking.	Choose a suitable streaming engine through evidence. Add acoustic assessment only if it has a justified role.
Conversation service	No implemented live scene or Dombi conversation backend.	Manage task context, safe brief replies, voice generation, interruptions, latency and per-minute cost.
Learning insights	Useful local events exist; the retention proposals do not add cloud surveillance.	Measure completion, delayed recall, speaking use, service failures and return with privacy-conscious event collection.

What the app needs to remember

Keep the learner’s selected settings and consent; lesson attempts and completions; genuine item mistakes; speech retries and failures separately; checkpoint outcomes; daily habit history; confidence self-reports; and a resumable lesson position. Derive visible progress consistently from that history. Recordings have their own private file and phrase/date metadata. Future economy, subscriptions and friendships add authoritative balances, entitlements and relationship state; those cannot be faked from a screen’s current appearance.

The content-production loop

Choose the can-say outcome → **Write the lesson and trap focus** → **Review Uzbek and English** → **Build exercise variants** → **Produce audio and character timing** → **Check the whole experience** → **Approve a content version**

AI can help draft, translate, check consistency or prepare production assets. Humans own lesson names, the course map, explanations, final fixed content and final art. Live AI does not grade tile choices, decide prices or invent an account entitlement. A future team-facing workflow can highlight confusing questions, recognition failures and likely content issues using non-audio evidence; private clips are not opened for quality review.

Recovery behavior, end to end

WHEN THIS HAPPENS	WHAT THE LEARNER SHOULD BE ABLE TO DO	WHAT MUST BE PRESERVED
Microphone permission denied	Read the specific steps, open settings where supported, retry or continue without speaking.	The current lesson and all completed answers.
Nothing heard, an incomplete result or unrelated recognition	See a calm explanation, hear the example, retry or choose an explicit alternative.	No fake pass and no content-mistake penalty from uncertainty.
A fast repeat tap or late speech event	See one authoritative current state.	No duplicate answer, stale result, double navigation or repeated reward.
A call, app backgrounding or a navigation gesture	Stop active recording/playback appropriately and return to a comprehensible state.	Saved progress and a recoverable attempt.
No internet	Continue available bundled lessons or choose a suitable non-speaking path.	Local history. Offline speech and hosted AI are not promised.
Audio is quiet, missing or unplayable	Stop/retry as appropriate and see an actionable explanation.	The original private clip and the rest of the learning history.
A lesson is left or the app restarts	Resume its saved position rather than silently starting a new attempt.	The item, prior answers, relevant session state and honest result history.
A cloud sync or sign-in fails	Keep using available local learning and retry the optional service.	Finished lessons; do not overwrite them with an empty remote state.
A scene or conversation request fails	Keep the turn, retry or exit to available learning without losing context.	A clear distinction between attempted and completed live interaction.
A report cannot be sent	Keep the draft and explain the delivery state.	No invented “sent” message.

WHEN THIS HAPPENS	WHAT THE LEARNER SHOULD BE ABLE TO DO	WHAT MUST BE PRESERVED
A friend request or purchase is pending	See pending, success, cancellation or failure as different states.	No double request, double charge, duplicate reward or fabricated friendship.
A notification points somewhere stale	Open an appropriate safe destination, with back navigation.	No unknown route that traps or exits the learner unexpectedly.
A learner deletes recordings or data	Understand the scope, confirm a destructive action and see the actual result.	Untargeted information must not be removed accidentally.

How we know a feature is working

A lesson should teach the intended phrase and reveal actual comprehension or recall, not just a high completion rate. Speaking checks should reject unrelated speech and minimise understandable-accent rejection. Results should match what happened. Reminders should lead to useful learning without excessive opt-outs. Personalisation should improve retrieval. Scenes should produce real task completion and manageable latency. These are product-quality checks; launch planning is not included.

Source notes tech-stack.md teaching-programme.md lesson-template.md speech-and-retention-research.md ai-plan.md

What is real, what is intended, and what still needs choosing

The blueprint accounts for the whole known vision. It does not erase the difference between implemented behavior, agreed concepts and earlier proposals.

LAYER	WHAT BELONGS HERE	STATUS
Existing Android foundation	Local onboarding/profile, three tabs and Path H, authored lessons and checkpoints, core exercises, speech checking with neutral retries, saved sessions, progress, phrase and voice playback, streaks/freezes, settings, dark theme, local reminders, recovery and a small award collection.	Built behavior; this does not certify speech accuracy on every voice or device.
Agreed broader concepts	Four main tabs including dedicated AI Speaking, the full course outline, live scenes, Dombi and a voice helper, review, later proof, Apples/shop, friends/leagues, family and later language/channel extensions.	Part of the intended product direction, with substantial work still required.
Earlier AI proposals	Acoustic pronunciation assessment, fluency measures, automated confidence, smart lesson choices, reminder-time adaptation, Uzbek phrase help, personal conversation phrasebook and pet memory.	Not all approved as final V1 scope; described with their dependencies and limits.
Recommended completion rules	Detailed account merge/recovery, transaction states, social controls, explicit practice evidence, notification budgets and some new-feature placement.	My recommendations to make the product coherent. They remain reviewable choices.

Decisions the blueprint deliberately leaves visible

DECISION	MY RECOMMENDED DIRECTION	WHY IT IS STILL OPEN
How broad is Version 1?	Keep the whole ecosystem visible; choose a concrete bundle before treating it as a delivery promise.	Agreeing that a pet or league exists someday did not assign every extension to one version.
How much course content?	Deepen the first situations and deliberately author the next level.	The 48-unit destination still needs most of its scripts, audio and assessments.

DECISION	MY RECOMMENDED DIRECTION	WHY IT IS STILL OPEN
Which speech engine and which feedback?	Choose from comparative evidence; separate streaming transcription from acoustic assessment.	Provider, cost, short-phrase accuracy, latency and device footprint are not settled.
What counts as demonstrated learning?	Keep distinct evidence for recognition, tiles, recall and use; do not penalise service uncertainty.	Final mastery criteria, adaptive thresholds and spoken-name exceptions need review.
Where do scenes and the town live?	Use Learn / AI Speaking / Progress / Profile. Open roleplays from AI Speaking and relevant course checkpoints.	The dedicated speaking tab is confirmed; replacing the path with the town or replacing every checkpoint remains open.
How is Dombi's interaction resolved?	Double-tap for help; put playful tricks elsewhere; allow hiding and muting.	Playground and companion gesture meanings conflict. Memory and sensor rules also need design.
What are fair habit and economy rules?	Start from the current lesson streak, free weekly freeze and learning-earned Apples.	Quick Win credit, repair, quests, earning amounts, prices, XP and league fairness are not final.
What can be shared?	Private voice remains private. Make profile visibility and family reports explicit.	Discoverability, younger-user defaults, account recovery and report handling require further choices.
What does Premium include?	Budget live voice first and define a clear free learning promise.	Prices, allowances, full-course entitlements, family management and payment integration are undecided.
When do reminders stay quiet?	At most one proactive practice reminder at a chosen time; suppress after completion; use truthful context.	Quiet hours, social digests, comeback timing, channel duplication and wider limits remain proposals.

The boundary of this work

This document defines the product, learner journeys, feature behavior, visual and interaction language, data and service responsibilities, and unresolved decisions. It does not include external publication, store submission, launch marketing or a launch checklist. The current Android app remains the build priority. The separate screen atlas is a visual reference that supports this explanation; it is not the blueprint itself.

> **WHAT "COMPLETE" MEANS HERE**
>
> Every known feature family and original planning document is accounted for, including the full 16 exercise types and all 17 learner-facing AI proposals. Some choices are intentionally open because the original plans did not decide them. A complete blueprint can expose an unresolved choice; it must not invent your approval.

Source notes product-definition.md pages.md ai-plan.md tech-stack.md speech-and-retention-research.md

What this blueprint accounts for

The guide above is the product explanation. This appendix makes its coverage reviewable against every earlier plan.

Later extensions remain visible

EXTENSION	HOW PEOPLE WOULD USE IT	WHAT REMAINS TO DESIGN
Russian interface	Choose reviewed Russian instructions, hints and explanations while following the same English course.	Translation and error-pattern coverage; Uzbek remains first. The current app is not a complete bilingual course.
Offline course packs	Keep suitable later units and media available when the course grows beyond bundled content.	Download controls, storage and version handling. Current lessons are bundled; offline speech and hosted AI remain separate.
Widget	See a real phrase, current habit or next lesson without opening a feed.	Native widget layout, update behavior and supported platforms.
Telegram reminders and family reports	Choose an extra reminder channel or a consented learning summary.	Account linking, delivery preferences, deduplication and privacy; no saved voice is shared.
Share cards and invitations	Deliberately share a visible win or invite a friend.	What is exposed, consent, qualifying rewards and anti-abuse rules. Nothing is automatically posted.
Certificates and goal tracks	Reach an app-defined milestone or practise an explicit travel, study, work or IELTS goal.	Assessment and authored content. An app certificate is not an official exam result.

All 17 learner-facing AI proposals

This is the complete earlier proposal list, not 17 confirmed requirements or 17 implemented AI features. Each has a place in the product explanation.

ORIGINAL PROPOSAL	EXPLAINED HERE
1. Accent-tolerant speech recognition (provider chosen by real accuracy)	Speaking and listening →
2. Pronunciation scoring per sound (th, w/v, ship/sheep)	Speaking and listening →

ORIGINAL PROPOSAL	EXPLAINED HERE
3. Fluency metrics — speed, pauses ("You speak 40% faster than Day 1")	**Speaking and listening →**
4. Speaking confidence score	**Speaking and listening →**
5. Placement test scoring from a spoken answer	**First experience →**
6. FSRS memory engine	**Personal learning engine →**
7. Smart lesson builder — mistakes, weak skills, recycled words	**Personal learning engine →**
8. Uzbek mistake detection in speech/text (human-written rules, AI-assisted later)	**Personal learning engine →**
9. Weekly summary + "most improved"	**Visible improvement →**
10. Best time for reminders	**Returning for a reason →**
11. 🐾 Pet voice assistant (navigation, questions)	**Dombi companion →**
12. 🐾 Free speaking practice with the pet, any topic (Premium unlimited)	**AI Speaking →**
13. 🎬 Scene characters, limited by the scene script	**Real-life scenes →**
14. Recasts in conversation	**Real-life scenes →**
15. "How do I say...?" — say it in Uzbek, get the English phrase (depends on Uzbek recognition quality)	**Dombi companion →**
16. Personal phrasebook from conversations	**AI Speaking →**
17. Pet memory — name, goal, interests (privacy rules)	**Dombi companion →**

The feature map, connected to this explanation

Every existing map entry is linked to a product chapter here. These are supporting references; the guide does not ask you to infer the whole product from pictures.

All 96 earlier map entries

Welcome & meet Dombi

An inviting start, a short introduction, and one obvious way forward.

Read the behavior →

Choose a reason to learn

School, IELTS, travel, work, or learning for yourself.

Read the behavior →

Choose a starting point

New to English or already know some.

Read the behavior →

A short placement check

Give experienced learners a useful starting point without a long exam.

Read the behavior →

Show the outcome

Make the next month concrete: useful phrases, confidence, everyday situations.

Read the behavior →

Confidence check-in

A simple 1–5 self-report before learning begins.

Read the behavior →

Explain & test the microphone

Explain the permission, then try a tiny first phrase.

Read the behavior →

Private voice, clear choice

Choose whether to keep recordings for personal playback.

Read the behavior →

Pick a reminder time

An optional reminder, with the cylindrical time wheel we designed.

Read the behavior →

Make it yours after lesson one

Save a name and learning goal in the local profile.

Read the behavior →

The winding lesson path

Completed, current, and locked lessons; unit art and checkpoints.

Read the behavior →

Lesson start sheet

Show what the learner will be able to say, then start or replay.

Read the behavior →

Hear & meet a phrase

A picture, a natural example, then the English and Uzbek meaning.

Read the behavior →

Listen to an exchange

Hear characters use the phrase and check what happened.

Read the behavior →

Build the sentence

Arrange meaningful chunks and notice word order.

Read the behavior →

Fix an Uzbek-speaker trap

Notice a typical mistake, choose a repair, and read a short Uzbek explanation.

Read the behavior →

Hear the missing piece

A listening gap focuses attention on a useful word in context.

Read the behavior →

Echo the example

Repeat a short model before recalling it unaided.

Read the behavior →

Say it from memory

Use the phrase for a picture or situation, with a hint only on request.

Read the behavior →

Useful feedback, then continue

A clear success, or a correct model plus a short Uzbek explanation.

Read the behavior →

Can’t speak right now

One tap makes the session usable without a microphone.

Read the behavior →

Pause, leave & resume

Save the session when the learner leaves and return to its place.

Read the behavior →

Continue a saved lesson

Return to the saved position instead of beginning the lesson again.

Read the behavior →

Review actual mistakes

Repeat missed learning items until they are answered correctly.

Read the behavior →

A new thing you can say

End the lesson with its practical new capability.

Read the behavior →

Result, streak & next step

Phrases, honest answer results, a small celebration, then continue or finish.

Read the behavior →

A small in-lesson celebration

A brief animation at consecutive correct-answer milestones.

Read the behavior →

Use the whole unit

A short story chain checks the unit's phrases and earns a trophy.

Read the behavior →

From first words to B2

A planned spiral of 48 units, about 240 lessons, plus checkpoints.

Read the behavior →

Your progress at a glance

Can-say count first, then level, streak, trophies, and activity.

Read the behavior →

Things I can say

A unit-by-unit phrase collection with meaning, example, and quick practice.

Read the behavior →

Hear my own voice

Play a saved recording beside the example.

Read the behavior →

Practise one phrase

A short Echo or recall practice from the phrase list.

Read the behavior →

A kind streak calendar

Show practice days, today, and automatically used freezes.

Read the behavior →

Unit trophies & level up

Celebrate a situation the learner can now handle.

Read the behavior →

A new level, a new capability

A dedicated moment after completing the required unit checkpoints.

Read the behavior →

Then vs now

Revisit the same phrase after about 30 days, with optional side-by-side playback.

Read the behavior →

Your week in English

Show learned phrases, finished lessons, speaking time, and actual progress.

Read the behavior →

How does speaking feel now?

Repeat the confidence self-check after roughly two weeks.

Read the behavior →

An app-level milestone

A capability summary at a completed level.

Read the behavior →

Personal profile

Name, avatar, goal, joined date, records, and earned awards.

Read the behavior →

Settings

Sound, theme, reminder time, learning goal, speaking and English voice.

Read the behavior →

My recordings

Play, stop, remove one clip, or delete all saved clips.

Read the behavior →

Local data & consent

Understand what stays on the phone and choose what to remove.

Read the behavior →

Report a problem

Capture a category and explanation without losing the lesson.

Read the behavior →

Optional account & sync

Keep progress when changing phones; private cloud recordings if explicitly enabled.

Read the behavior →

Russian interface

Add Russian support for learners in Uzbekistan after Uzbek works well.

Read the behavior →

Family access & optional reports

A future family plan, with summaries for a parent only under explicit sharing rules.

Read the behavior →

AI Speaking tab

Open a dedicated destination for live conversation, guided topics and situational roleplays.

Read the behavior →

Personal memory review

Return to useful phrases and actual mistakes when they need another attempt.

Read the behavior →

A 60-second win

A small review for a tired or busy day, with a clear finish.

Read the behavior →

Sounds & patterns

Sound Duel, Spot the Rule, and short Quick Reply activities diversify practice.

Read the behavior →

Speak, headphones or silent

An explicit practice mode can fit a bus ride, a quiet room, or time alone.

Read the behavior →

A town of situations

Walk to a café, shop, hotel, taxi or interview location.

Read the behavior →

Arrive, watch & prepare

A situation shot, an overheard example, and three useful chunks.

Read the behavior →

Your turn with the character

First-person conversation: speak or type, receive a short natural reply.

Read the behavior →

A twist, then a real outcome

The café is out of your first choice. Adapt, finish the task, and replay with less help.

Read the behavior →

Scene result & replay

A character reaction, the achieved goal, and something to try next time.

Read the behavior →

English for your goal

IELTS speaking, work interviews, travel and study abroad.

Read the behavior →

Dombi as the guide

Expressions, listening reactions, small wins, and a consistent personality.

Read the behavior →

Dombi lives with you

A small persistent companion with a home on the Learn path.

Read the behavior →

Play, rest & dress up

Touch reactions, a doppi, accessories, and a decorated corner.

Read the behavior →

Grow alongside the learner

Optional pet growth and small surprises tied to meaningful learning.

Read the behavior →

Double-tap for help

Ask how to find a feature or what to do next.

Read the behavior →

A conversation with Dombi

Choose a topic and practise speaking in a live voice conversation.

Read the behavior →

Keep a useful phrase

Save something useful from a conversation into the personal phrasebook.

Read the behavior →

Records & awards

Recognize real lessons, speaking, completed units, and habit milestones.

Read the behavior →

Small, meaningful quests

Useful prompts such as revisit two phrases or complete a situation.

Read the behavior →

An Apple balance

Earn Apples through learning, with speaking worth more than tapping.

Read the behavior →

The shop

Dombi outfits, corner decorations, themes, avatar items and extra freezes.

Read the behavior →

A kinder return

Consider a 24-hour streak repair without pretending a missed day was learning.

Read the behavior →

A shareable learning win

An optional image of a completed goal or a weekly summary.

Read the behavior →

Friends & requests

Find someone, send a request, accept, and see a clear relationship state.

Read the behavior →

Another learner’s profile

A read-only view of visible milestones, with report and block controls.

Read the behavior →

A shared learning habit

An optional friend streak with useful encouragement.

Read the behavior →

Weekly leagues

An optional weekly competition separate from the can-say score.

Read the behavior →

Invite a friend

A real invitation; possible Apple rewards for both after meaningful learning.

Read the behavior →

A practice invitation

Vary short reminder copy when the learner has not finished today.

Read the behavior →

Finish what you started

A truthful invitation to continue a saved lesson.

Read the behavior →

You’re ready to use it

Invite a learner with a ready checkpoint to use the unit’s phrases together.

Read the behavior →

A useful phrase is due

Offer a relevant memory review or a 60-second win.

Read the behavior →

A gentle way back

After a gap, offer a small win without guilt or a flood of catch-up alerts.

Read the behavior →

A week worth seeing

An optional invitation to the learner’s actual weekly summary.

Read the behavior →

Something real from a friend

A request, a real encouragement, or an opted-in social milestone.

Read the behavior →

Learner control & restraint

Time, permission, opt-out, category choices, quiet hours and cooldown.

Read the behavior →

Some invitations belong inside

Show a weekly summary, confidence check, or review invitation at a calm moment in the app.

Read the behavior →

Optional Telegram reminders

A possible extra channel chosen explicitly by the learner.

Read the behavior →

A small home-screen companion

A future widget for a useful phrase, a real streak, or the next lesson.

Read the behavior →

Live recognition that earns trust

Show provisional words during speech, then validate the final utterance.

Read the behavior →

Pronunciation feedback, if validated

Assess intelligibility and useful sounds with a dedicated, calibrated method.

Read the behavior →

Natural back & gestures

Sheets close first; subpages return to their parent; tabs preserve context.

Read the behavior →

A coherent motion & sound system

Raised buttons, independent scrim fades, screen transitions, Dombi and small feedback sounds.

Read the behavior →

Mic denied or recognition unavailable

Explain what happened and offer permission help or tiles.

Read the behavior →

Offline, interruption & missing data

Keep authored lessons usable and handle unavailable services clearly.

Read the behavior →

More predictable offline practice

Extend the local lesson foundation with explicit availability and download controls if course size grows.

Read the behavior →

Access & optional paid speaking

A future freemium model, possibly with family access and local payment providers.

Read the behavior →

Every product-planning source

Later direct instructions take priority over old documents. In particular: Android first; the current MVP works without a hosted backend; launch is excluded; disabled controls use solid gray; the approved wheel, transitions and back behavior remain part of the experience; speech uncertainty is not a content mistake. Earlier proposals stay labeled as proposals.

SOURCE	COVERED MATERIAL	PRODUCT CHAPTER
product-definition.md ↗	Purpose, audience, goals, long-term scope, freemium and family direction.	product first session curriculum access scope
teaching-programme.md ↗	Human-owned curriculum, personal learning rules, bounded live AI and content approval.	adaptation scenes reliability
teaching-methodology.md ↗	Eight principles, lesson recipe, recycling, language support and private proof.	lesson curriculum adaptation proof
activities.md ↗	Nine activity families, Scene, Quick Win, modes and ideas deliberately cut.	exercises navigation adaptation
exercises.md ↗	All 16 exercise types, inputs, selection/check behavior, skill ladder and fallback modes.	exercises speech
course-map.md ↗	All 48 planned units, five stages and goal tracks.	curriculum
mvp-lessons.md ↗	All 15 current lesson outcomes, three checkpoints and phrase recycling.	lesson curriculum
lesson-template.md ↗	Authored item mixes, lesson flow, checkpoint chains and existing content.	lesson curriculum reliability
mistake-engine.md ↗	All nine authored Uzbek-speaker traps, corrections and repeated practice.	adaptation lesson
scene-simulation-concept.md ↗	Town, camera flow, preparation, help, recasts, twists, outcomes and scope history.	scenes scope
companion-pet.md ↗	Dombi's identity, persistent presence, voice assistant and practice partner.	dombi feel
ai-plan.md ↗	All 17 learner-facing proposals, team-facing assistance, boundaries, cost and dependencies.	speech adaptation scenes dombi proof retention reliability

SOURCE	COVERED MATERIAL	PRODUCT CHAPTER
progress-system.md ↗	Can-say collection, levels, statistics, private playback, comparison, summaries and awards.	proof rewards
gamification.md ↗	Streaks, freezes, combos, trophies, Apples, shop, quests, leagues and removed mechanics.	rewards social access
extra-features.md ↗	Reminders, recordings, consent, confidence, feedback, analytics and later channel/language ideas.	first session retention personal reliability
pages.md ↗	Three-tab MVP history, updated four-tab full app, Path H, profile states, settings and Charcoal theme.	navigation ai speaking personal social feel
motion-plan.md ↗	Component motion, transitions, particles, haptics and all 19 touch-lab interactions.	feel dombi
sound-plan.md ↗	All 20 selected sound categories, English voice sets, playback and character voice.	speech feel
tech-stack.md ↗	Shared rules, local storage, future account/service responsibilities and earlier implementation choices.	personal access reliability
speech-and-retention-research.md ↗	Current speech corrections, streaming requirement, honest assessment and evidence-based retention.	speech lesson retention scope

A PRODUCT BLUEPRINT, NOT A FALSE PROMISE

All known feature families and source plans are represented. Exact prices, thresholds, provider choices, detailed social permissions and the final Version 1 bundle remain open where no decision exists. That is part of the definition rather than an omitted screen.

Source notes product-definition.md teaching-programme.md teaching-methodology.md activities.md exercises.md course-map.md mvp-lessons.md lesson-template.md mistake-engine.md scene-simulation-concept.md companion-pet.md ai-plan.md progress-system.md gamification.md extra-features.md pages.md motion-plan.md sound-plan.md tech-stack.md speech-and-retention-research.md

Akademiya English · Product blueprint

Based on the project plans and your later instructions · 23 October 2026