
Airborne
SINCE 1910
BEECHWOOD
HONEYDEW HONEY
천혜의 자연이 선물한 뉴질랜드 비치우드 감로꿀

About Airborne

115년 역사의 뉴질랜드 최장수 꿀 브랜드 '에어본(Airborne)'

1910년 설립

뉴질랜드 남섬에서 Willian Bray와 Barrett가
양봉을 시작하며 브랜드 기틀 마련

1926년 브랜드 등록

'Airbone' 브랜드 공식 등록

1957년 법인화

Bra7 & Gosset Ltd. 로 법인 설입 이후
Airborne Honey Ltd. 로 변경

2012년 대회 주최

모노플로랄 허니 대회 주최로
뉴질랜드 프리미엄 꿀 문화 선도

현재

뉴질랜드 내 시장 점유율 약 22%
글로벌 30여 개국 수출



Airborne honey 3대 철학

전세계 고객이 선택한 프리미엄 품질 보증

HONEST 정직함

Airborne 투명한 라벨링

지역 / 양봉장 / 제품 유통 / 품질 확인 가능

자체 실험실 보유

UNDAMAGED 손상없음

향 손실 및 자연 영양소 보존 최대치

HMF 수치 업계 최저 수준 유지

TRACEABLE 추적 가능성

제품 Batch Number 부여

QR 코드 부착

양봉장 지역 추적 가능, 품질 시험 결과 확인 가능



Airborne honey 품질 관리

에어본 허니의 엄격한 품질관리 시스템



자체 실험실 보유로 꿀 손상 최소화 연구 진행

30년 이상 실험실 연구와 4만건 이상의 분자 분석 데이터를 바탕으로 품질을 확인하는 체계

국제식품규격위원회 기준 충족

HACCP,ISO 등 국제 식품 안전 구격을 따르며, 수출 시 국가별 식품 규정에 맞는 성품분석서 제공

제품 BATCH 번호 부여를 통해 실제 성분/종류/양봉 지표까지 기재

제품 내 QR코드 스캔 시 제품 성분 분석 데이터 제공

소비자와 유통업체 모두 품질 데이터 기반 시스템화

뉴질랜드 내 시장점유율 22% 유지하는 이유, 철저한 품질관리 시스템

Airborne honey 주요 판매처

뉴질랜드 현지 유명 마켓 입점
[Woolworths, Fresh Choice, New World, Pak'nSave, Four Square, SuperValue]









Airborne honey 파이널리스트 선정



기술, 소비자 수용성, 법적 기준 준수 여부, 식품 품질 및 안정성 총 4가지 영역이 주심사 기준

뉴질랜드 내 최고 권위 식품 어워드 중 하나 'NZFA 파이널리스트' 라벨은 곧 품질 보증과 동일

심사위원단 : 식품과학자, 지속가능성 전문가, 요리사 / 미식 평론가, 유통관계자, 소비자 대표 등



Beechwood

01. 남섬 캔터베리, 웨스트고스트, 넬슨 지역에 밀집

02. 300년 이상 장수하는 나무 종

03. 뉴질랜드 전체 산림의 2/3 이상 차지하는 주요 수종

04. 전체 Beechwood 숲 중 29%만 감로꿀로 생성

05. Beechwood 숲에서 생산되는 꿀은 점성이 강하고 당류 풍부



감로꿀

일명 천연당, 하늘이 내린 이슬 '감로'

- 천연 벌꿀은 꽃에서 채취한 꽃꿀과 나무에서 채취한 감로꿀로 나뉨

- 곤충들이 식물을 흡즙한 후 분비한 물질 또는 식물 체액을 꿀벌이 채집하여 저장한 꿀

- 다른 꿀에 비해 감로꿀은 폴리페놀, 플라보노이드, 미네랄 등 다량 함유

- 감로꿀의 항산화력과 향균력은 꽃꿀보다 높음

- 항염, 항균 작용을 돕는 기능이 있어 천연 영양제 역할



에어본 비치우드 허니듀 허니

비치우드 수액에서 유래한 감로꿀


- 100% 뉴질랜드 직수입 / 100% 천연꿀
- 묵직하고 진한 풍미 & 카라멜 토피와 유사한 단맛
- 자체 실험실을 통해 엄격한 품질 관리
- 첨가물 ZERO



Beechwood Honey 채집

에어본 비치우드 감로꿀 채집 과정

1.



너도밤나무깍지벌레가
나무 수액을 빨아먹어
과당이 풍부한 단물을 배설

2.



꿀벌들이
이 감로 방울을 채집

3.




벌집으로 운반 후
효소 작용

4.



미네랄이 풍부한
프리미엄 감로꿀 생상

사양꿀과 천연꿀 기준



Hill Labs

Certificate of Analysis

Page 1 of 2

Client: Airborne Honey Limited
Contact: Manjula Premaratne
C/- Airborne Honey Limited
PO Box 28
Lawson 7656

Lab No: 4026564
Date Received: 08-Nov-2026
Date Reported: 20-Nov-2026
Quote No: 81553
Order No:
Client Reference: 254553 (BR-HD
Add. Client Ref: Honey Data
Submitted By: Manjula Premaratne

Sample Type: Honey

Sample Name:	Honeydew 07-Nov-2026 (NZ 314051
Lab Number:	4026564.1
Analysis	
5-Hydroxymethylfurfural (HMF) mg/kg	1.8
C-4 Sugar Analysis - AOAC method	
δ 13C Honey (White) ‰	-27.41
δ 13C Honey (Protein) ‰	-25.59
Difference (White - Protein) ‰	0.2
C-4 Sugar Content %	1.2
Physical Analysis	
Moisture g/100g as rcvd	15.8
Glyphosate Analysis	
AMPA mg/kg	< 3.010
Glufosinate mg/kg	< 3.010
Glyphosate mg/kg	< 3.010

Analyst's Comments

Sample 1 Comment
C-4 Sugar Content:
As reported in AOAC method 998.12, pure honey (free of corn or cane sugars) with an exception of a few unusual varieties, yields a C-4 Sugar Content value of less than or equal to 7%. Some unusual varieties may slightly exceed this value, but will have a δ 13C for honey which is in the normal range (more negative than -24.0‰).

This certificate of analysis contains information extracted from 4026564-HDPv2 issued on 13-Nov-2026 at 3:15 pm.

Summary of Methods

The following table gives a brief description of the methods used to analyse the samples for this job. The detection limits given below are those attainable in a relatively simple matrix. Detection limits may be higher for more complex samples which require dilution, or if there is insufficient sample for analysis. A dilution will also be carried out if the concentration of the analyte exceeds the upper limit of the calibration. Unless otherwise indicated, analyses were performed at Hill Labs (Hamilton, New Zealand).

Sample Type: Honey

Test	Method Description	Default Detection Limit	Sample No
Moisture	Refractometer. Harmonised Methods of the International Honey Commission (2009). Method 1 - Determination of Moisture. Refractometer Method (modified).	13.0 g/100g as rcvd	1
Glyphosate LC-MS/MS Analysis	Aqueous extraction, Analysis by LC-MS/MS. In-house. HLP Official Test 6.60.1.	0.010 mg/kg	1
5-HMF by HPLC	Aqueous extraction, centrifugation. Analysis by HPLC-UV/Vis (dihydroxyacetone, 5-hydroxymethylfurfural, methylglyoxal). In-house.	1.0 - 10 mg/kg	1

This Laboratory is accredited by International Accreditation New Zealand (IANZ), which represents New Zealand in the International Laboratory Accreditation Cooperation (ILAC). Through the ILAC Mutual Recognition Arrangement (ILAC-MRA) this accreditation is internationally recognised. The tests reported herein have been performed in accordance with the terms of accreditation, with the exception of tests marked * or any comments and interpretations, which are not accredited.

시험 검사 항목명	규격	결과
탄소동위원소비율(%)	-22.5이하	-27.41
히드록시메틸푸르푸랄(mg/kg)	80.0이하	1.8

* HMF (히드록시메틸푸르푸랄) 란?

꿀에 열이 가해지는 동안 생성된 당의 분해물로
꿀 속에 함유된 HNF는 꿀 신선도의 척도

과당은 열에 의해 생성되기 때문에 이 성분이 높을 수록 열이 가열되거나 조리되었다는 증거

* 탄소동위원소비율이란?

탄소동위원소비는 꿀에 함유된 탄소의 원소를 분석하여 해당 꿀의 원료가 되는
식물의 종류가 꿀을 생산하는 식물군인지, 설탕을 생산하는 식물군인지 분류

비치우드 감로꿀 내 카페산 (Caffeic Acid)

카페산(Caffeic Acid)은 식물에 자연적으로 존재하는 페놀성 화합물로, 항산화 특성에 대한 연구가 이루어져 온 성분
비치우드 감로꿀에서도 이러한 카페산이 확인되어, 자연 유래 성분의 가치를 더하며

이러한 다양한 자연 유래 성분이 비치우드 감로꿀만의 차별화된 특징을 생성해냄

- 카페산(CA)은 천연 폴리페놀 화합물 중 하나
- 뉴질랜드 비치우드 감로꿀에서 카페산 (CA) 검출
- 카페산(CA) 내 포함 물질, 케이프는 프로폴리스에서 추출한 강력한 항산화제
- 카페산(CA)은 항산화, 항염, 항암을 포함하여 다양한 건강상 이점을 가지고 있음
- 카페산(CA)은 활성산호(ROS)를 제거함으로써 항산화제 역할을 함

가격 구성 제안



단품

제품 설명

구성 이름

제품 설명

구성 이름

제품 설명