Standard recording 4 - Transcription

Speaker 1 00:00

Understood the icon that is also in the small ones. But because I knew like the configuration, where should white parts be? I mean, I used this ah skillset, not the skill set, the icon set,

Speaker 1 00:15

where there's like background and there's medical figures on top of it. And there, I often simply looked at whether white space sh ould be somewhere like more on the bottom or the top or more the center,

Speaker 1 00:31

and could identify it this way.

Speaker 1 00:36

The question is whether this is what we want to test, but that's actually the the goal to say a given and I can set.

Speaker 1 00:50

Is it really that we want.

Speaker 2 00:55

Because I don't know what I was thinking because this thing also happened with me. I ran into small trial myself. And icons that ar e like, for example,

Speaker 2 01:08

there was a parking symbol which is kind of straightforward and it was fast to pick the scaling size. And then there was another i con which had three different components. And that one took me more scaling. Uh huh.

Speaker 2 01:26

So II was thinking like, yeah, we'll have ah data. Ah all the confidence score and all that. What if we can from the eye can see like w hat'sThe average scaling or something at which participants have the their dataOn?

Speaker 2 01:46

And then maybe we can explore ah their feature families and features for the icons, because we already have them calculated and

might see some kind of correlation,

Speaker 2 01:59

um like which factors made made the icon look you know take take more time or take more scaling something like this. But it's just a rough idea, because also for the ah currently it's using just CSS pixels. And I checked,

Speaker 2 02:16

there is no like verified view of calibrating your you know screen screen size. So everything is same. On the whole, everyParticipant screen, it's going to change with the resolution, ofCourse.

Speaker 2 02:32

And so the doing the exact size thing might be hard because there's one way you can have a credit card on the screen and then calibrate that. But it's you know from the designer S perspective as well. it's kind of um constraint,

Speaker 2 02:53

big constraint, I think like it's kind of hacky way. But definitely that was I was thinking, you know maybe we can have the pilot study maybe and try to see the data of the icons, features, values,

Speaker 2 03:12

maybe that might give us some inside, but yes, I'm not sure it's gonna work that wayOr otherwise we can change the study asWell
.

Speaker 1 03:25

Yeah.

Speaker 1 03:28

I think it might be better to not have like about twenty at the same time if we say we reduce this to a line of five, but if I can, um and maybe even I mean, those twenty ah twenty trials are not that much.

Speaker 1 03:45

So we we could increase the the number of trials have only five at the same time compared to the one icon that we currently have. Um and it's only twenty.

Speaker 1 04:01

Or yeah, I mean the selection, we, we can use the, ah for a selection mechanism. Um, your, um.

Speaker 1 04:10

Metrics already. So let's say we have some where the metrics are very similar and some where the metrics are very different.

Speaker 1 04:19

Well, because that's also what we want to find out about um.

Speaker 1 04:27

So if we only show five, then we can have more iterations, because in principle, um one has only to decide among those five which one it is.

Speaker 1 04:42

And it it makes each trial so much faster.

Speaker 1 04:47

And you don't have to set too, too too much.

Speaker 2 04:50

Um and what else?

Speaker 1 04:53

Yeah, please. What I also found is that I didn't scale too much.

Speaker 1 05:00

So with four, it was almost never identifiable. And and so it was always between like six pixels. And I think from the statistics that I saw in your and your program, it was at late at most fourteen.

Speaker 1 05:17

So it would also be viable to and not let the user choose but to have this as a variable and like iterate them through. So that one is possible, one possibly, or there is the possibility to find out at which rate it actually is,

Speaker 1 05:36

because with one trial it might be too few data to actually get any reliableInformation.

Speaker 1 05:47

So that might also be a possibility so that it's really for each child only. The question, is it one, two, three or five? And you don't hav e to fiddle with the um with some kind of controls because it takes time. it's simply for the sake of time and making the the um ta sk as simple as possible.

Speaker 2 06:14

Yeah because it's going to be hundred icons in the final study. So hundred, like you can say maybe thirty, forty minutes per person t oo much.

Speaker 1 06:23

Yeah, definitely, definitely.

Speaker 1 06:28

Um we had it was always two pixels. So if it was like, let's have a look at your football again. Um that don't have it open, but it's her e anywhere. Discord.

Speaker 2 06:48

I can also share my screen as well.

Speaker 1 06:50

Or you can share your screen even better.

Speaker 2 06:52

Can you give me the presentation rights? Yep.

Speaker 2 07:04

So.

Speaker 2 07:10

So let's say we create pilot for this one. Yeah, it's four, four, two, two pixel increments.

Speaker 1 07:21

Um it would be between six and fourteen would be five sizes. So if we have like twenty icons, five sizes, um a hundred trials already , that would be, I think that would be fine because each trial is about, I don't know,

Speaker 1 07:40

two or three seconds. it won't be so much. I mean, Plus I look at the one I can I think there actually it doesn't have to be three sec onds. it could be. it could be less than that.

Speaker 2 07:58

So maybe two seconds or two.

Speaker 1 08:01

Yeah, two or one and a half would, I think would suffice because it's not usually it's not that complex.

Speaker 1 08:10

Yeah then you look at that you have like a second perhaps to to for you. So for the decision, and then um they get the one and that' s it.

Speaker 1 08:23

Think it could be ready really quick.

Speaker 2 08:28

So then we'll have ah one point five second and then line。

Speaker 1 08:35

Of five. So just one line of five with this one icon as one, two icons or perhaps yeah yeah two icons that are similar regarding the m etrics that we had already about these and two that are dissimilar, a larger threshold.

Speaker 1 08:55

And we do this like for yeah for this twenty Plus each of these ranges, so six to to fourteen. And then I think that that's something that we can definitely try and I think that might help. And we actually have the a good estimation of the threshold, of the pixel thres hold, I think.

Speaker 2 09:22

Because professor foolish mentioned that the direction, it it would be nice to have something you know for the from the designer' s perspective. So I'm also not thinking in this this site more so. Yeah, I think.

Speaker 2 09:42

Yeah we'll have some some more ideas.

Speaker 1 09:46

Um yeah so we need some kind of yeah the the goal is some kind of guideline as to how icons and when an icon set should be co nstructed.

Speaker 1 10:03

The the problem that I have with that is that the design space is so huge. Like if it's a normal visualization, it's rather easy. You hav e perhaps a bar chart and you compare this to a rose chart,

Speaker 1 10:16

and then there is a clear recommendation you can do. But um perhaps some tweaks for the for the rose chart so that you have lik e there the guideline, if you want to use those charts, then do this. And that is, but for icons,

Speaker 1 10:30

yeah。

Speaker 2 10:31

It's so opening knitted. Like。

Speaker 2 10:34

I don't know。

Speaker 1 10:36

But maybe we can we can paint it.

Speaker 2 10:39

Like you know it's visual visual design, sorry. Visualization or computer vision. Um opinion backed guidelines, you know something like this instead of designers own opinion because it's all opinionated anyway we find.

Speaker 1 10:56

And yeah, I mean, what we can find, and I guess we will find a field search for it, is that it's less complex. So with less components, it's easier to distinguish than with more components. But that that thing, I can already see more confidence.

Speaker 2 11:15

My brain goes wash. I'm like, which one was it?

Speaker 1 11:21

That's true. Yeah so this is something that we can definitively ah see. Perhaps we can also see this correlation that I think profess or polish also mentioned, um since that was like one of the hypotheses we had in the other study,

Speaker 1 11:41

so that we can distinguish certain shapes or that yeah yeah that we can group elements that are so have certain shapes. So if it's more elongated,

Speaker 1 11:53

then these will be rather confused with other things that are elongated than things that are more round or um very compact. Um but IMean, yeah that's also something that common sense tells us,Right?

Speaker 1 12:11

Um so yeah perhaps we can find something that, yeah but it's also but it's also more common sense. Things use different kind of shapes.

Speaker 1 12:30

You're right.

Speaker 1 12:34

To make them more distinguishable? No.

Speaker 1 12:43

Yeah perhaps we can find something between those with a black background versus those with a white background, whether ther e is a difference that might be interesting, an interesting finding.

Speaker 1 12:57

There might be something, and perhaps also the more abstract ones versus the ones with more meaning. So things where you rea lly can see what it's about, but that these are more easily to distinguish than those where it's really only abstracts.

Speaker 1 13:18

That might be also something that we can find.

Speaker 2 13:23

So things I will change. Five grid icons start from pixel number six and till fourteen. Um reduce the time. Yeah mainly these things. And then, and also。

Speaker 1 13:43

Ah what you could what you could think about yeah press you so。

Speaker 2 13:48

One more thing. Ah so currently we're making ah pilot study force is is a trial one. We mean pilot study from each single dataset. S o this five one should also be the same right? From one that I said, create one pilot, study five icons, line thing and randomize them between twenty. Okay?

Speaker 1 14:10

Yeah, I would like that. And one thing that I would ask you to do also because that might um so help or might simplify things for s ome people at least, and is if you allow a keyboard input, so that if we have those five icons,

Speaker 1 14:27

and then the numbers from one to five um are mapped to the icons. So if I press one, then I mean item number one. So it might al so yeah simplify your input and make things faster. All the participants. Okay.

Speaker 2 14:43

And um the icons appearing. Um so five icons trials will be twenty, right? Still twenty trials and the size is ah no more control butto ns.

Speaker 1 15:00

To increase the size。

Speaker 2 15:03

No and no increase of size, we set the size. And so in total it would be a hundred trials for one.

Speaker 3 15:11

Looks like each。

Speaker 2 15:12

Icon will be shown once for each size. So as with twenty, yeah. So each icon will be shown five times. One for for one time for each job.

Speaker 1 15:25

Should we be all random or stage one with smaller size and stage two。

Speaker 3 15:30

Stage three I would randomize.

Speaker 2 15:45

What we can also try to find out, though I'm not a hundred percent sure whether that.

Speaker 2 15:57

Makes such so much of a difference, but it might be they can also talk to。

Speaker 3 16:02

Patrick and and professor forge about this.

Speaker 2 16:05

First is there might be also difference whether one knows the icon set or not. But if you're familiar with an icon set, you know what to look for.

Speaker 2 16:17

If it, yeah. So um the question is whether we first want to have the user have a look at all of the icons that are there so that he kno ws which icons are there or we deliberately don't.

Speaker 3 16:33

So that it's really。

Speaker 2 16:37

At least at first a real search。

Speaker 1 16:40

Because if we think about it, kind of makes sense to have the user you know some kind of a familiarity, because if someone is do wnloading a dataset or icon set, he will probably know what to look for. Like he he knows the domain maybe or he he has some ki nd of knowledge.

Speaker 3 17:00

Definitely. Yeah.

Speaker 4 17:01

But maybe you。

Speaker 1 17:02

Can discuss it with more but patrick and then yeah, we can add this stuff as well.

Speaker 3 17:08

Yeah。

Speaker 2 17:09

That might also be like something that we could try。

Speaker 3 17:11

Like against each other. So yeah.

Speaker 2 17:17

We show them, and for another child we don't.

Speaker 3 17:20

Um so that would also be a possibility。

Speaker 2 17:25

How much difference it makes to know that I can set.

Speaker 3 17:35

Okay, cool. We're really, really nice. Yeah。

Speaker 2 17:38

I'm looking forward to it. it was it was already already pretty cool. But it's like。

Speaker 3 17:44

Yeah。

Speaker 2 17:44

It takes too much time for each trial.

Speaker 3 17:47

There's also。

Speaker 1 17:48

The keyboard one is really good keyboard thing we can label one, two, three, four, click, click, click. it's gonna be make things faste
r.

Speaker 3 17:57

Yeah, I think so. I hope so. Perfect.

Speaker 2 18:01

It might also like increase the the errors. Of course, that one。

Speaker 3 18:05

It's too quick somewhere where he doesn't want to. But yeah。

Speaker 2 18:11

It's it's worth a try. Definitely.

Speaker 3 18:12

Okay, perfect. Thank you.

Speaker 1 18:16

Thank you. Then we see each other next week. But I will I will probably post things thursday。

Speaker 3 18:22

Friday maximum perfect. Yeah. Then I can also already have。

Speaker 2 18:27

A look and give comments.

Speaker 3 18:28

Yeah, perfect. Thank you a lot. Good. Then the next tuesday。