

Set Operations

unique

Description: Returns unique entities from non-deterministic input.

Parameters:

- Arg: Non-deterministic set of values

Return: Unique values from input set

Example:

```
!(unique (superpose (a b c d d))) ; Returns [a, b, c, d]
```

union

Description: Returns union of two non-deterministic inputs.

Parameters:

- Arg1: Non-deterministic set of values
- Arg2: Another non-deterministic set of values

Return: Union of sets

Example:

```
!(union (superpose (a b b c)) (superpose (b c c d))) ; Returns [a, b, b, c, b, c, c, d]
```

intersection

  latest ▼

Description: Returns intersection of two non-deterministic inputs.

Parameters:

- Arg1: Non-deterministic set of values
- Arg2: Another non-deterministic set of values

Return: Intersection of sets

Example:

```
!(intersection (superpose (a b c c)) (superpose (b c c c d))) ; Returns [b, c, c]
```

subtraction

Description: Returns subtraction of two non-deterministic inputs.

Parameters:

- Arg1: Non-deterministic set of values
- Arg2: Another non-deterministic set of values

Return: Subtraction of sets

Example:

```
!(subtraction (superpose (a b b c)) (superpose (b c c d))) ; Returns [a, b]
```

unique-atom

Description: Function takes tuple and returns only unique entities

Parameters:

- List: List of values

Return: Unique values from input set

Example:

```
!(unique-atom (a b c d d)) ; Returns (a b c d)
```

union-atom

Description: Function takes two tuples and returns their union

Parameters:

- List1: List of values
- List2: List of values

Return: Union of sets

Example:

```
!(union-atom (a b b c) (b c c d)) ; Returns (a b b c b c c d)
```

intersection-atom

Description: Function takes two tuples and returns their intersection

Parameters:

- List1: List of values
- List2: List of values

Return: Intersection of sets

Example:

```
!(intersection-atom (a b c c) (b c c c d)) ; Returns (b c c)
```

subtraction-atom

Description: Function takes two tuples and returns their subtraction

Parameters:

- List1: List of values
- List2: List of values

Return: Subtraction of sets

Example:

```
!(subtraction-atom (a b b c) (b c c d)) ; Returns (a b)
```