



General

Source Code Management

Build Triggers

Build Environment

Build

AWS Configuration

Project Configuration

Build Configuration

Miscellaneous Configuration

Post-build Actions

Description

[Plain text] Preview

Discard old builds

GitHub project

This build requires lockable resources

This project is parameterized

Throttle builds

Disable this project

Execute concurrent builds if necessary

Advanced...

Source Code Management

None

Git

Repositories

Repository URL

https://github.com/ibuttimer/eCommerce.git

Credentials

- none - Add

Advanced...

Add Repository

Branches to build

Branch Specifier (blank for 'any')

refs/heads/master

X

Add Branch

Repository browser

(Auto)

Additional Behavior

Save

Apply

Build Triggers

Dashboard eCommerce

- ☐ Build after other projects are built
- ☐ Build periodically
- ☐ GitHub hook trigger for GITScm polling
- ☐ Poll SCM



Build Environment

- ☒ Delete workspace before build starts
- ☐ Use secret text(s) or file(s)
- ☐ Abort the build if it's stuck
- ☐ Add timestamps to the Console Output

Advanced...



Build

AWS CodeBuild



AWS Configuration

- ☐ Select credentials from Jenkins
- ☒ Manually specify access and secret keys



Proxy Host (optional)

Proxy Port (optional)

AWS Access KeyAKIA5RGB225WY7BQLYFB

AWS Secret Key

Concealed

Change Password



Project Configuration

Regioneu-west-1

Project NameeCommerce

Source Type Override (optional)

Source Location Override (optional)



- ☐ Use Project source

- ☒ Use Jenkins

Server-side encryption

SaveApply



Workspace Subdirectory (optional)



Build Configuration

Artifact Type Override



Artifact Location Override



Artifact Name Override



Override Artifact Name



Artifact Namespace Override



Artifact Packaging Override



Artifact Path Override



Artifact Encryption Disabled Override



Secondary Artifacts Override



Buildspec Override



Environment Type Override



Image Override



Privileged Mode Override



Insecure SSL Override



Secondary Sources Override



Secondary Source Versions Override



Save

Apply

Dashboard > eCommerce >

Compute Type Override	<input type="text"/>	?
Cache Type Override	<input type="text"/>	?
Cache Location Override	<input type="text"/>	?
Cache Modes Override	<input type="text"/>	?
CloudWatch Logs Status Override	<input type="text"/>	?
CloudWatch Logs Group Name Override	<input type="text"/>	?
CloudWatch Logs Stream Name Override	<input type="text"/>	?
S3 Logs Status Override	<input type="text"/>	?
S3 Logs Encryption Disabled Override	<input type="text"/>	?
S3 Logs Location Override	<input type="text"/>	?
Certificate Override	<input type="text"/>	?
Service Role Override	<input type="text"/>	?
Environment Variables Override	<div></div>	?
Parameter Store Variables Override	<div></div>	?
Timeout Override	<input type="text"/>	?

Miscellaneous Configuration

Disable CloudWatch Streaming	<input type="text"/>	?
Exception Failure Mode Status	<input type="text"/>	?
<input type="checkbox"/> Download Artifacts		?

File Operations

File Delet

Include

Save

Apply

Exclude File Pattern



Dashboard

>

eCommerce

>

Add

HTTP Request



URL

https://s3-eu-west-1.amazonaws.com/eCommercestack-codedeploybucket-17p3o221lu1es/codeb



HTTP mode

GET



Ignore Ssl errors?

☒ Yes ☐ No



Http Proxy



Advanced...

File Operations



Unzip



Zip File

codebuild-artifact.zip



Target Location



File Delete



Include File Pattern

codebuild-artifact.zip



Exclude File Pattern



Add

Add build step

Post-build Actions

Deploy an application to AWS CodeDeploy



AWS CodeDeploy Application Name

eCommerceStack-DemoApplication-N4BMZMBC8YKJ



AWS CodeDeploy Deployment Group

eCommerceStack-DemoFleet-YR3LMO3GPNCR



AWS CodeDeploy Deployment Config

CodeDeployDefault.OneAtATime

AWS Region

EU\_WEST\_1

S3 Bucket

eCommercestack-codedeploybucket-17p3o221lu1es



S3 Prefix



Save

Apply

Subdirectory



Dashboard > eCommerce >

Exclude Files



Proxy Host



Proxy Port

0



Version File

Appspec.yml per Deployment Group

☐



- ☐ Register Revision
- ☒ Deploy Revision

Register the new revision and deploy it to the specified CodeDeploy deployment group.

- ☒ Wait for deployment to finish?



Polling Timeout (s)

300

Polling Frequency (s)

15

- ☐ Use Access/Secret keys
- ☐ Use temporary credentials

Add post-build action ▾

Save

Apply