

- Print Summary
- Print Expanded
- Copy JSON
- Save as HTML
- Save as JSON
- Open in Viewer
- Toggle Dark Theme



Performance

Metrics



▲ First Contentful Paint	6.1 s	▲ First Meaningful Paint	6.1 s
▲ Speed Index	75.4 s	▲ First CPU Idle	26.4 s
▲ Time to Interactive	30.8 s	▲ Max Potential First Input Delay	2,420 ms

View Trace

Values are estimated and may vary. The performance score is based only on these metrics.



Opportunities — These suggestions can help your page load faster. They don't directly affect the Performance score.

Opportunity Estimated Savings

▲ Eliminate render-blocking resources 3.88 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more](#).



There are a number of WordPress plugins that can help you [inline critical assets](#) or [defer less important resources](#). Beware that optimizations provided by these plugins may break features of your theme or plugins, so you will likely need to make code changes.

☒ Show 3rd-party resources (1)

URL	Size	Potential Savings
...mm05u3zf/abyv6.css (neetadvisor.com)	91 KB	1,050 ms

URL	Size	Potential Savings
...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com)	11 KB	1,270 ms
...bupwpgp/abyv6.css (neetadviser.com)	8 KB	150 ms
...rp8belu/abyv6.css (neetadviser.com)	223 KB	1,350 ms
...7c2d4d3p/abyv5.css (neetadviser.com)	47 KB	150 ms
...89o02yh4/abyv6.js (neetadviser.com)	129 KB	750 ms
...efgsghlw/abyv6.js (neetadviser.com)	28 KB	300 ms

▲ Remove unused CSS 2.1 s ^

Remove dead rules from stylesheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. [Learn more.](#)



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

☒ Show 3rd-party resources (1)

URL	Size	Potential Savings
...rp8belu/abyv6.css (neetadviser.com)	223 KB	220 KB
...mm05u3zf/abyv6.css (neetadviser.com)	91 KB	87 KB
...7c2d4d3p/abyv5.css (neetadviser.com)	47 KB	47 KB
...q4zt20ad/abyv5.css (neetadviser.com)	13 KB	13 KB
...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com)	11 KB	11 KB



Defer offscreen images 0.45 s ^











Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more.](#)



Install a [lazy-load WordPress plugin](#) that provides the ability to defer any offscreen images, or switch to a theme that provides that functionality. Also consider using [the AMP plugin](#).


☐ Show 3rd-party resources (0)

URL	Size	Potential Savings
 ...images/background.png (neetadviser.com)	73 KB	73 KB
 ...04/pre-loader-neet.gif (neetadviser.com)	68 KB	68 KB

	URL	Size	Potential Savings
	...10/5.jpg (neetadvisor.com)	64 KB	64 KB
	...10/Engeneering-182x300.png (neetadvisor.com)	25 KB	25 KB
	...10/neet-advisor-man-223x300.png (neetadvisor.com)	25 KB	25 KB
	...10/team.png (neetadvisor.com)	16 KB	16 KB
	...10/medical-stethoscope-variant.png (neetadvisor.com)	14 KB	14 KB
	...10/test.png (neetadvisor.com)	12 KB	12 KB
	...10/school.png (neetadvisor.com)	10 KB	10 KB
	...10/dentist.png (neetadvisor.com)	9 KB	9 KB
	...10/dental-files.png (neetadvisor.com)	8 KB	8 KB
	...12/pen-with-shadow-front.png (neetadvisor.com)	6 KB	6 KB
	...10/hospital.png (neetadvisor.com)	6 KB	6 KB





Serve images in next-gen formats0.45 s ^








Image formats like JPEG 2000, JPEG XR, and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).



Consider using a [plugin](#) or service that will automatically convert your uploaded images to the optimal formats.

☐ Show 3rd-party resources (0)

	URL	Size	Potential Savings
	...10/5.jpg (neetadvisor.com)	64 KB	49 KB
	...images/background.png (neetadvisor.com)	73 KB	40 KB
	...01/slider-background_db91343....png (neetadvisor.com)	44 KB	38 KB
	...images/dotted-pentagon.png (neetadvisor.com)	28 KB	22 KB

URL	Size	Potential Savings
 ...11/compressed.png (neetadvisor.com)	178 KB	19 KB
 ...10/unnamed-8-270x170.jpg (neetadvisor.com)	29 KB	16 KB
 ...10/neet-advisor-man-223x300.png (neetadvisor.com)	25 KB	15 KB
 ...01/slider-background-2_49f3fe9....jpg (neetadvisor.com)	20 KB	14 KB
 ...images/pentagon.png (neetadvisor.com)	22 KB	13 KB
 ...10/Engeneering-182x300.png (neetadvisor.com)	25 KB	13 KB
...images/slider-bottom-pattern.png (neetadvisor.com)	16 KB	13 KB
 ...10/doc-new-min.png (neetadvisor.com)	36 KB	10 KB

▲ Reduce server response times (TTFB) 0.21 s ^

Time To First Byte identifies the time at which your server sends a response. [Learn more.](#)



Themes, plugins, and server specifications all contribute to server response time. Consider finding a more optimized theme, carefully selecting an optimization plugin, and/or upgrading your server.

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ Minimize main-thread work — 59.6 s ^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Script Evaluation	21,385 ms
Style & Layout	16,926 ms
Rendering	12,478 ms
Other	6,987 ms
Parse HTML & CSS	1,001 ms
Garbage Collection	431 ms
Script Parsing & Compilation	348 ms

▲ Ensure text remains visible during webfont load ^

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more.](#)

☒ Show 3rd-party resources (4)

URL	Potential Savings
...webfonts/fa-solid-900.woff2 (neetadvisor.com)	2,640 ms
...webfonts/fa-brands-400.woff2 (neetadvisor.com)	1,720 ms
...fonts/fontawesome-webfont.woff2?v=4.7.0 (netdna.bootstrapcdn.com)	3,000 ms
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	3,000 ms
...v9/pxiByp8kv....woff2 (fonts.gstatic.com)	910 ms
...v9/pxiByp8kv....woff2 (fonts.gstatic.com)	960 ms
...v20/KFOmCnqEu....woff2 (fonts.gstatic.com)	1,170 ms
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	3,000 ms
...webfonts/fa-regular-400.woff2 (neetadvisor.com)	3,000 ms
...webfonts/fa-regular-400.woff2 (neetadvisor.com)	970 ms

▲ Reduce JavaScript execution time — 21.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more.](#)

☒ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
Other	33,797 ms	939 ms	6 ms
...js/revolution.tools.min.js?ver=6.0 (neetadvisor.com)	13,535 ms	10,883 ms	15 ms
...89o02yh4/abyv6.js (neetadvisor.com)	9,900 ms	8,041 ms	25 ms
...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com)	807 ms	799 ms	4 ms
...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	489 ms	207 ms	3 ms
...dist/js_composer_front.min.js?ver=6.0.5 (neetadvisor.com)	186 ms	7 ms	6 ms
/gtag/js?id=UA-154...-1 (www.googletagmanager.com)	116 ms	108 ms	8 ms
/analytics.js (www.google-analytics.com)	97 ms	87 ms	4 ms
...js/rs6.min.js?ver=6.0.7 (neetadvisor.com)	58 ms	17 ms	41 ms
...js/custom.js?ver=5.4 (neetadvisor.com)	56 ms	37 ms	19 ms

▲ Serve static assets with an efficient cache policy — 121 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)



Read about [Browser Caching in WordPress.](#)

URL	Cache TTL	Size
/analytics.js (www.google-analytics.com)	2 h	20 KB
...09/6xKydsBYK....woff (neetadvisor.com)	4 h	94 KB
...09/6xKydsBYK....woff (neetadvisor.com)	4 h	93 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	4 h	89 KB
...09/6xK3dsBYK....woff (neetadvisor.com)	4 h	86 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	4 h	80 KB
...10/pxiByp8kv....woff (neetadvisor.com)	4 h	76 KB
...10/pxiByp8kv....woff (neetadvisor.com)	4 h	66 KB
...webfonts/fa-brands-400.woff2 (neetadvisor.com)	4 h	59 KB
...webfonts/fa-solid-900.woff2 (neetadvisor.com)	4 h	47 KB
...09/6xK1dsBYK....woff (neetadvisor.com)	4 h	41 KB
...webfonts/fa-regular-400.woff2 (neetadvisor.com)	4 h	15 KB
...webfonts/fa-regular-400.woff2 (neetadvisor.com)	4 h	12 KB
...cloudflare-static/email-decode.min.js (neetadvisor.com)	2 d	2 KB
...rp8belu/abyv6.css (neetadvisor.com)	7 d	223 KB
...11/compressed.png (neetadvisor.com)	7 d	178 KB
...89o02yh4/abyv6.js (neetadvisor.com)	7 d	129 KB
...mm05u3zf/abyv6.css (neetadvisor.com)	7 d	91 KB
...images/background.png (neetadvisor.com)	7 d	73 KB
...04/pre-loader-neet.gif (neetadvisor.com)	7 d	68 KB
...10/5.jpg (neetadvisor.com)	7 d	64 KB
...js/rs6.min.js?ver=6.0.7 (neetadvisor.com)	7 d	62 KB
...js/revolution.tools.min.js?ver=6.0 (neetadvisor.com)	7 d	60 KB
...7c2d4d3p/abyv5.css (neetadvisor.com)	7 d	47 KB
...01/slider-background_db91343....png (neetadvisor.com)	7 d	44 KB
...js/swiper.min.js?ver=5.4 (neetadvisor.com)	7 d	43 KB
...js/swiper.min.js?ver=5.4 (neetadvisor.com)	7 d	38 KB
...images/icon-box-set-bg.png (neetadvisor.com)	7 d	37 KB
...10/doc-new-min.png (neetadvisor.com)	7 d	36 KB
...js/jquery.nicescroll.js?ver=5.4 (neetadvisor.com)	7 d	30 KB
...10/unnamed-8-270x170.jpg (neetadvisor.com)	7 d	29 KB
...images/dotted-pentagon.png (neetadvisor.com)	7 d	28 KB

URL	Cache TTL	Size
...efgsghlw/abyv6.js (neetadvisor.com)	7 d	28 KB
...js/jquery.caroufredsel.js?ver=5.4 (neetadvisor.com)	7 d	26 KB
...10/Engeneering-182x300.png (neetadvisor.com)	7 d	25 KB
...10/neet-advisor-man-223x300.png (neetadvisor.com)	7 d	25 KB
...js/lightbox.min.js?ver=5.4 (neetadvisor.com)	7 d	24 KB
...images/pentagon.png (neetadvisor.com)	7 d	22 KB
...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com)	7 d	21 KB
...01/slider-background-2_49f3fe9....jpg (neetadvisor.com)	7 d	20 KB
...js/slick.min.js?ver=5.4 (neetadvisor.com)	7 d	20 KB
...js/jquery.fullPage.min.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...dist/isotope.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	7 d	19 KB
...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...js/jquery.plugins.js?ver=5.4 (neetadvisor.com)	7 d	19 KB
...min-js/ultimate_bg.min.js?ver=5.4 (neetadvisor.com)	7 d	17 KB
...10/seminar3-290x170.jpg (neetadvisor.com)	7 d	17 KB
...images/slider-bottom-pattern.png (neetadvisor.com)	7 d	16 KB
...10/team.png (neetadvisor.com)	7 d	16 KB
...10/seminar2-290x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar1-290x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar6-320x170.jpg (neetadvisor.com)	7 d	16 KB
...10/seminar4-320x170.jpg (neetadvisor.com)	7 d	15 KB
...10/seminar8-270x170.jpg (neetadvisor.com)	7 d	15 KB
...10/seminar5-320x170.jpg (neetadvisor.com)	7 d	14 KB
...magnific/jquery.magnific-popup.min.js?ver=5.4 (neetadvisor.com)	7 d	14 KB
...10/medical-stethoscope-variant.png (neetadvisor.com)	7 d	14 KB
...q4zt20ad/abyv5.css (neetadvisor.com)	7 d	13 KB
...images/right-painting.png (neetadvisor.com)	7 d	12 KB
...10/test.png (neetadvisor.com)	7 d	12 KB
...js/jquery.bxslider.js?ver=5.4 (neetadvisor.com)	7 d	12 KB
...js/jquery.prettyPhoto.min.js?ver=6.0.5 (neetadvisor.com)	7 d	12 KB
...dist/js_composer_front.min.js?ver=6.0.5 (neetadvisor.com)	7 d	11 KB
...10/seminar7-270x170.jpg (neetadvisor.com)	7 d	11 KB
...scripts/jquery.finalTilesGallery.js?ver=3.4.16 (neetadvisor.com)	7 d	10 KB

URL	Cache TTL	Size
...10/school.png (neetadvisor.com)	7 d	10 KB
...min-js/custom.min.js?ver=3.19.0 (neetadvisor.com)	7 d	9 KB
...10/dentist.png (neetadvisor.com)	7 d	9 KB
...bupwpgp/abyv6.css (neetadvisor.com)	7 d	8 KB
...js/frontend.js?ver=5.4 (neetadvisor.com)	7 d	8 KB
...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com)	7 d	8 KB
...images/testimonial-clip-icon.png (neetadvisor.com)	7 d	8 KB
...10/dental-files.png (neetadvisor.com)	7 d	8 KB
...js/jarallax.js?ver=5.4 (neetadvisor.com)	7 d	8 KB
...js/custom.js?ver=5.4 (neetadvisor.com)	7 d	8 KB
...2e03ybr5/abyv5.css (neetadvisor.com)	7 d	7 KB
...js/jquery.multiscroll.min.js?ver=5.4 (neetadvisor.com)	7 d	6 KB
...12/pen-with-shadow-front.png (neetadvisor.com)	7 d	6 KB
...js/shortcodes.js?ver=5.4 (neetadvisor.com)	7 d	6 KB
...g2sq7wqd/abyv6.css (neetadvisor.com)	7 d	6 KB
...10/hospital.png (neetadvisor.com)	7 d	6 KB
...min-js/jparallax.min.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...vc_waypoints/vc-waypoints.min.js?ver=6.0.5 (neetadvisor.com)	7 d	5 KB
...js/custom-waypoints.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...js/jquery.waypoints.min.js?ver=5.4 (neetadvisor.com)	7 d	5 KB
...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com)	7 d	5 KB
...min-css/ajax-loader.gif (neetadvisor.com)	7 d	4 KB
...js/jquery.visualNav.min.js?ver=5.4 (neetadvisor.com)	7 d	4 KB
...kmas0x3q/abyv5.css (neetadvisor.com)	7 d	4 KB
...js/jquery.tabs.min.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/whatsappme.min.js?ver=3.2.2 (neetadvisor.com)	7 d	3 KB
...01/NEET-ADVISOR-LOGO.png (neetadvisor.com)	7 d	3 KB
...js/jquery.touchswipe.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/theia-sticky-sidebar.min.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/matchHeight.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/jquery.sticky.js?ver=5.4 (neetadvisor.com)	7 d	3 KB
...js/jquery.tipTip.minified.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/jquery.placeholder.js?ver=5.4 (neetadvisor.com)	7 d	2 KB

URL	Cache TTL	Size
...js/jquery.simple-sidebar.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/top-arrow.png (neetadvisor.com)	7 d	2 KB
...10/icons8-programming-100.png (neetadvisor.com)	7 d	2 KB
...images/testimonial-quote-icon.png (neetadvisor.com)	7 d	2 KB
...js/jquery.donutchart.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/jquery.fitvids.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...js/ResizeSensor.min.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/left-painting.png (neetadvisor.com)	7 d	2 KB
...js/jquery.easing.js?ver=5.4 (neetadvisor.com)	7 d	2 KB
...images/bottom-arrow.png (neetadvisor.com)	7 d	2 KB
...images/custom-arrow.png (neetadvisor.com)	7 d	2 KB
...js/jquery.animateNumber.min.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.ui.totop.min.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/dt-360-viewer.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...6mqo211u/abyv6.js (neetadvisor.com)	7 d	1 KB
...js/jquery.downcount.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.classie.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.inview.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.inview.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.debounce.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...js/jquery.parallax.js?ver=5.4 (neetadvisor.com)	7 d	1 KB
...2ynarjvw/abyv6.css (neetadvisor.com)	7 d	1 KB
...01/icon-box-2.png (neetadvisor.com)	7 d	0 KB

▲ Avoid an excessive DOM size — 1,599 elements



A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more](#).

Statistic	Element	Value
Total DOM Elements		1,599
Maximum DOM Depth		27
Maximum Child Elements	<body data-rsssl="1" class="home page-template-default page page-id-94 layout-wide page-with-slider no-breadcrumb wpb-js-composer js-comp-ver-6.0.5 vc_responsive">	67

Avoid enormous network payloads — Total size was 3,035 KB



Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#)



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

☒ Show 3rd-party resources (1)

URL	Size
...rp8belu/abyv6.css (neetadvisor.com)	223 KB
...11/compressed.png (neetadvisor.com)	178 KB
...89o02yh4/abyv6.js (neetadvisor.com)	129 KB
...09/6xKydsBYK....woff (neetadvisor.com)	94 KB
...09/6xKydsBYK....woff (neetadvisor.com)	93 KB
...mm05u3zf/abyv6.css (neetadvisor.com)	91 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	89 KB
...09/6xK3dsBYK....woff (neetadvisor.com)	86 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (neetadvisor.com)	80 KB
...fonts/fontawesome-webfont.woff2?v=4.7.0 (netdna.bootstrapcdn.com)	79 KB

Avoid chaining critical requests — 73 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn more.](#)

Maximum critical path latency: **23,620 ms**

Initial Navigation

https://neetadvisor.com
...mm05u3zf/abyv6.css (neetadvisor.com) - 1,290 ms, 91.3 KB
...css/font-awesome.css?ver=5.4 (netdna.bootstrapcdn.com) - 450 ms, 10.72 KB
...2ynarjvw/abyv6.css (neetadvisor.com) - 1,290 ms, 0.54 KB
...bupwpgp/abyv6.css (neetadvisor.com) - 1,380 ms, 8.45 KB
...g2sq7wqd/abyv6.css (neetadvisor.com) - 1,340 ms, 5.9 KB
...rp8belu/abyv6.css (neetadvisor.com) - 5,740 ms, 223.17 KB
...7c2d4d3p/abyv5.css (neetadvisor.com) - 3,540 ms, 46.66 KB
...kmas0x3q/abyv5.css (neetadvisor.com) - 1,420 ms, 3.9 KB
...89o02yh4/abyv6.js (neetadvisor.com) - 4,720 ms, 129.09 KB
...6mqp0211u/abyv6.js (neetadvisor.com) - 2,000 ms, 1.13 KB
...efgsghlw/abyv6.js (neetadvisor.com) - 1,670 ms, 28.18 KB
...cloudflare-static/email-decode.min.js (neetadvisor.com) - 1,000 ms, 1.5 KB
...2e03ybr5/abyv5.css (neetadvisor.com) - 380 ms, 6.51 KB
/css?family=Poppins:700%2C600%2C500%7CRoboto:400 (fonts.googleapis.com) - 110 ms, 0.85 KB

...q4zt20ad/abyv5.css (neetadvisor.com) - **810 ms, 13.49 KB**

...js/jquery.tabs.min.js?ver=5.4 (neetadvisor.com) - **840 ms, 3.46 KB**

...js/jquery.tipTip.minified.js?ver=5.4 (neetadvisor.com) - **620 ms, 2.38 KB**

...js/jquery.inview.js?ver=5.4 (neetadvisor.com) - **940 ms, 0.85 KB**

...js/jquery.animateNumber.min.js?ver=5.4 (neetadvisor.com) - **1,070 ms, 1.35 KB**

...js/jquery.donutchart.js?ver=5.4 (neetadvisor.com) - **7,980 ms, 1.81 KB**

...js/slick.min.js?ver=5.4 (neetadvisor.com) - **620 ms, 19.88 KB**

...js/shortcodes.js?ver=5.4 (neetadvisor.com) - **840 ms, 6.2 KB**

...js/swiper.min.js?ver=5.4 (neetadvisor.com) - **1,260 ms, 42.87 KB**

...js/dt-360-viewer.js?ver=5.4 (neetadvisor.com) - **600 ms, 1.13 KB**

...js/custom-waypoints.js?ver=5.4 (neetadvisor.com) - **650 ms, 5.19 KB**

...scripts/jquery.finalTilesGallery.js?ver=3.4.16 (neetadvisor.com) - **710 ms, 10.17 KB**

...js/smush-lazy-load.min.js?ver=3.6.1 (neetadvisor.com) - **780 ms, 8.14 KB**

...js/jquery.ui.totop.min.js?ver=5.4 (neetadvisor.com) - **930 ms, 1.25 KB**

...js/jquery.easing.js?ver=5.4 (neetadvisor.com) - **1,100 ms, 1.75 KB**

...js/jquery.caroufredsel.js?ver=5.4 (neetadvisor.com) - **1,090 ms, 25.71 KB**

...js/jquery.debounce.js?ver=5.4 (neetadvisor.com) - **860 ms, 0.69 KB**

...js/jquery.prettyPhoto.min.js?ver=6.0.5 (neetadvisor.com) - **1,030 ms, 11.54 KB**

...js/jquery.touchswipe.js?ver=5.4 (neetadvisor.com) - **1,310 ms, 3.24 KB**

...js/jquery.parallax.js?ver=5.4 (neetadvisor.com) - **1,090 ms, 0.68 KB**

...js/jquery.downcount.js?ver=5.4 (neetadvisor.com) - **1,090 ms, 1.12 KB**

...js/jquery.nicescroll.js?ver=5.4 (neetadvisor.com) - **1,090 ms, 29.89 KB**

...js/jquery.bxslider.js?ver=5.4 (neetadvisor.com) - **1,650 ms, 11.68 KB**

...js/jquery.fitvids.js?ver=5.4 (neetadvisor.com) - **1,650 ms, 1.79 KB**

...js/jquery.sticky.js?ver=5.4 (neetadvisor.com) - **1,700 ms, 2.8 KB**

...js/jquery.simple-sidebar.js?ver=5.4 (neetadvisor.com) - **1,680 ms, 2.03 KB**

...js/jquery.classie.js?ver=5.4 (neetadvisor.com) - **1,680 ms, 0.93 KB**

...js/jquery.placeholder.js?ver=5.4 (neetadvisor.com) - **1,480 ms, 2.3 KB**

...js/jquery.visualNav.min.js?ver=5.4 (neetadvisor.com) - **1,200 ms, 4.05 KB**

...js/ResizeSensor.min.js?ver=5.4 (neetadvisor.com) - **1,050 ms, 1.76 KB**

...js/theia-sticky-sidebar.min.js?ver=5.4 (neetadvisor.com) - **800 ms, 3.16 KB**

...js/matchHeight.js?ver=5.4 (neetadvisor.com) - **770 ms, 2.97 KB**

...js/jquery.waypoints.min.js?ver=5.4 (neetadvisor.com) - **920 ms, 5.17 KB**

...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com) - **860 ms, 18.94 KB**

...magnific/jquery.magnific-popup.min.js?ver=5.4 (neetadvisor.com) - **730 ms, 13.86 KB**

...js/custom.js?ver=5.4 (neetadvisor.com) - **550 ms, 7.71 KB**

...js/whatsappme.min.js?ver=3.2.2 (neetadvisor.com) - **630 ms, 3.39 KB**

...js/jquery.plugins.js?ver=5.4 (neetadvisor.com) - **1,190 ms, 18.53 KB**

...js/isotope.pkgd.min.js?ver=5.4 (neetadvisor.com) - **890 ms, 21.08 KB**

...js/jquery.fullPage.min.js?ver=5.4 (neetadvisor.com) - **760 ms, 19.48 KB**

...js/lightbox.min.js?ver=5.4 (neetadvisor.com) - **1,200 ms, 24.4 KB**

...js/jarallax.js?ver=5.4 (neetadvisor.com) - **890 ms, 7.74 KB**

...js/jquery.multiscroll.min.js?ver=5.4 (neetadvisor.com) - **640 ms, 6.34 KB**

...js/jquery.inview.js?ver=5.4 (neetadvisor.com) - **560 ms, 0.86 KB**

...js/swiper.min.js?ver=5.4 (neetadvisor.com) - **890 ms, 38.19 KB**

...js/frontend.js?ver=5.4 (neetadvisor.com) - **600 ms, 8.21 KB**

...dist/js_composer_front.min.js?ver=6.0.5 (neetadvisor.com) - **970 ms, 11.06 KB**

...min-js/ultimate_bg.min.js?ver=5.4 (neetadvisor.com) - **1,600 ms, 17.22 KB**

...min-js/custom.min.js?ver=3.19.0 (neetadvisor.com) - **1,420 ms, 8.81 KB**

...min-js/jparallax.min.js?ver=5.4 (neetadvisor.com) - **1,000 ms, 5.34 KB**

...vc_waypoints/vc-waypoints.min.js?ver=6.0.5 (neetadvisor.com) - **1,020 ms, 5.32 KB**

...imagesloaded/imagesloaded.pkgd.min.js?ver=6.0.5 (neetadvisor.com) - **1,020 ms, 4.7 KB**

...dist/isotope.pkgd.min.js?ver=6.0.5 (neetadvisor.com) - **1,520 ms, 19.11 KB**

...09/6xK3dSBYK....woff (neetadvisor.com) - **5,680 ms, 86.41 KB**

...09/6xKydsBYK....woff (neetadvisor.com) - **6,260 ms, 93.99 KB**

...10/pxiByp8kv....woff (neetadvisor.com) - **1,840 ms, 76.21 KB**

...10/pxiByp8kv....woff (neetadvisor.com) - **6,230 ms, 66.11 KB**

...09/6xK1dSBYK....woff (neetadvisor.com) - **8,520 ms, 40.86 KB**

...09/6xKydsBYK....woff (neetadvisor.com) - **8,750 ms, 93.09 KB**

Keep request counts low and transfer sizes small — 132 requests • 3,035 KB



To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	132	3,035 KB
Image	44	903 KB
Font	16	869 KB
Script	60	811 KB
Stylesheet	11	411 KB
Document	1	40 KB
Media	0	0 KB
Other	0	0 KB
Third-party	11	172 KB

Passed audits (11)



Properly size images — Potential savings of 322 KB













Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more.](#)

Upload images directly through the [media library](#) to ensure that the required image sizes are available. and then



upload images directly through the [media library](#), to ensure that the required image sizes are created, and then insert them from the media library or use the image widget to ensure the optimal image sizes are used (including those for the responsive breakpoints). Avoid using `Full Size` images unless the dimensions are adequate for their usage. [Learn More](#).

☐ Show 3rd party resources (0)

	URL	Size	Potential Savings
	...11/compressed.png (neetadvisor.com)	178 KB	173 KB
	...04/pre-loader-neet.gif (neetadvisor.com)	68 KB	51 KB
	...10/doc-new-min.png (neetadvisor.com)	36 KB	25 KB
	...10/team.png (neetadvisor.com)	16 KB	16 KB
	...10/medical-stethoscope-variant.png (neetadvisor.com)	14 KB	14 KB
	...10/test.png (neetadvisor.com)	12 KB	12 KB
	...10/school.png (neetadvisor.com)	10 KB	10 KB
	...10/dentist.png (neetadvisor.com)	9 KB	9 KB
	...10/dental-files.png (neetadvisor.com)	8 KB	8 KB
	...10/hospital.png (neetadvisor.com)	6 KB	6 KB

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more](#).



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#).



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.



Efficiently encode images — Potential savings of 44 KB

Optimized images load faster and consume less cellular data. [Learn more](#).



Consider using an [image optimization WordPress plugin](#) that compresses your images while retaining quality.

☐ Show 3rd party resources (0)

URL	Size	Potential Savings
 ...10/5.jpg (neetadvisor.com)	64 KB	31 KB
 ...10/unnamed-8-270x170.jpg (neetadvisor.com)	29 KB	13 KB

Enable text compression ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#)



You can enable text compression in your web server configuration.

Preconnect to required origins ^

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#)

Avoid multiple page redirects ^

Redirects introduce additional delays before the page can be loaded. [Learn more.](#)

Preload key requests ^

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#)

Use video formats for animated content — Potential savings of 54 KB ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)



Consider uploading your GIF to a service which will make it available to embed as an HTML5 video.

☐ Show 3rd party resources (0)

URL	Size	Potential Savings
...04/pre-loader-neet.gif (neetadvisor.com)	115 KB	54 KB

User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more.](#)

Minimize third-party usage — Third-party code blocked the main thread for 50 ms ^

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#)

Third-Party	Size	Main-Thread Blocking Time
Google Analytics	20 KB	31 ms
Google Tag Manager	31 KB	17 ms
Bootstrap CDN	90 KB	0 ms



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

ARIA — These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

▲

[aria-*) attributes do not match their roles

^

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

Failing Elements

li#slick-slide40.slick-active

▲

Elements with an ARIA [role] that require children to contain a specific [role] are missing some or all of those required children.

^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

Failing Elements

ul.slick-dots

▲

[aria-*) attributes do not have valid values

^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

Failing Elements

li#slick-slide40.slick-active
div.dt-sc-testimonial-description.slick-slide.slick-current.slick-active

Contrast — These are opportunities to improve the legibility of your content.

▲

Background and foreground colors do not have a sufficient contrast ratio.

^

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Failing Elements

`rs-layer#slider-2-slide-12-layer-2.Creative-Title.rs-pxl-1.rs-layer`

`rs-layer#slider-2-slide-12-layer-14.rs-pxl-2.rs-layer`

`rs-layer#slider-2-slide-12-layer-15.rs-pxl-2.rs-layer`

`rs-layer#slider-2-slide-12-layer-16.rs-pxl-2.rs-layer`

`rs-layer#slider-2-slide-12-layer-35.rs-pxl-2.rs-layer`

`span`

`span`

`small`

`small`

`small`

`small`

`small`

Best practices — These items highlight common accessibility best practices.

▲ [id] attributes on the page are not unique



The value of an id attribute must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

Failing Elements

`ul#menu-new_menu.dt-primary-nav`

`li#menu-item-19712.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-home.current-menu-item.page_item.page-item-94.current_page_item.menu-item-19712.dt-menu-item-19712`

`li#menu-item-19713.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-19713.dt-menu-item-19713`

`li#menu-item-20532.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-has-children.menu-item-20532.dt-menu-item-20532`

`li#menu-item-21825.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-21825.dt-menu-item-21825`

`li#menu-item-21824.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-21824.dt-menu-item-21824`

`li#menu-item-20542.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20542.dt-menu-item-20542`

`li#menu-item-20541.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20541.dt-menu-item-20541`

`li#menu-item-20540.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20540.dt-menu-item-20540`

`li#menu-item-20853.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20853.dt-menu-item-20853`

`li#menu-item-20917.menu-item.menu-item-type-custom.menu-item-object-custom.menu-item-has-children.menu-item-20917.dt-menu-item-20917`

`li#menu-item-20936.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20936.dt-menu-item-20936`

Failing Elements

```
li#menu-item-20935.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20935.dt-menu-item-20935
li#menu-item-20918.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20918.dt-menu-item-20918
li#menu-item-20937.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-20937.dt-menu-item-20937
li#menu-item-21036.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-21036.dt-menu-item-21036
li#menu-item-19714.menu-item.menu-item-type-post_type.menu-item-object-page.menu-item-19714.dt-menu-item-19714
div#neet.vc_row.wpb_row.vc_row-fluid.vc_row-o-equal-height.vc_row-o-content-middle.vc_row-flex
```

Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Failing Elements

```
img.preloader-custom-img.lazyloaded
img.lazyloaded
img.ultimate_h_parallax
img.ultimate_h_parallax
```

▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more.](#)

Failing Elements

```
a
a
a
a
a
```

Additional items to manually check (11) — These items address areas which an automated testing tool cannot cover. [Learn more](#) in our guide on [conducting an accessibility review](#). ^

The page has a logical tab order ^


Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

Interactive elements indicate their purpose and state 

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

The user's focus is directed to new content added to the page 


If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

User focus is not accidentally trapped in a region 

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

Custom controls have associated labels 

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

Custom controls have ARIA roles 


Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

Visual order on the page follows DOM order 

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

Offscreen content is hidden from assistive technology 

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

Headings don't skip levels 

Headings are used to create an outline for the page and heading levels are not skipped. [Learn more.](#)


HTML5 landmark elements are used to improve navigation 

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (13)

[role]s have all required [aria-*) attributes 


Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

[role]s are contained by their required parent element 

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more.](#)

[role] values are valid 

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

[aria-*) attributes are valid and not misspelled 

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

Buttons have an accessible name 

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

<html> element has a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more.](#)

<html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

Lists contain only elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

List items () are contained within or parent elements ^

Screen readers require list items (``) to be contained within a parent `

` or `

` to be announced properly. [Learn more.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Not applicable (15) ^

[accesskey] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

<audio> elements contain a <track> element with [kind="captions"] ^

Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. [Learn more.](#)

<dl>'s contain only properly-ordered <dt> and <dd> groups, <script> or <template> elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

Definition list items are wrapped in <dl> elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more.](#)

`<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

`<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more.](#)

Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute. ^

A table being used for layout purposes should not include data elements, such as the `th` or `caption` elements or the `summary` attribute, because this can create a confusing experience for screen reader users. [Learn more.](#)

The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

`<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

`[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)

`<video>` elements contain a `<track>` element with `[kind="description"]` ^

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. [Learn more.](#)

Best Practices

▲ Does not use passive listeners to improve scrolling performance ^

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL

Location

...89o02yh4/abyv6.js (neetadvisor.com)

line: 1

▲ Includes front-end JavaScript libraries with known security vulnerabilities — 2 vulnerabilities detected ^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers.

[Learn more.](#)

Library Version	Vulnerability Count	Highest Severity
jQuery@1.12.4	2	Medium

Passed audits (13) ^

Avoids Application Cache ^

Application Cache is deprecated. [Learn more.](#)

Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more.](#)

Uses HTTP/2 for its own resources ^

HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more.](#)

Avoids document.write() ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

Links to cross-origin destinations are safe ^

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more.](#)

Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more.](#)

Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more.](#)

Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
jQuery	1.12.4
jQuery (Fast path)	
Modernizr	2.7.1
yepnope	
jQuery Tools	1.2.5
GreenSock JS	1.19.0
Isotope	
WordPress	5.4

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more.](#)

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

Allows users to paste into password fields



Preventing password pasting undermines good security policy. [Learn more.](#)

No browser errors logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more.](#)



SEO

These checks ensure that your page is optimized for search engine results ranking. There are additional factors Lighthouse does not check that may affect your search ranking. [Learn more.](#)

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Document does not have a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more.](#)

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

Failing Elements

`img.preloader-custom-img.lazyloaded`

`img.lazyloaded`

`img.ultimate_h_parallax`

`img.ultimate_h_parallax`

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (9) ^

Has a <meta name="viewport"> tag with width or initial-scale ^

Add a <meta name="viewport"> tag to optimize your app for mobile screens. [Learn more.](#)

Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more.](#)

Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document has a valid rel=canonical ^

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document avoids plugins	^
Search engines can't index plugin content, and many devices restrict plugins or don't support them. Learn more .	
Not applicable (2)	^
Document uses legible font sizes	^
Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text ≥12px. Learn more .	
Tap targets are sized appropriately	^
Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. Learn more .	

Runtime Settings

URL	https://neetadvisor.com/
Fetch time	Apr 30, 2020, 11:59 AM GMT+5:30
Device	Emulated Desktop
Network throttling	150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)
CPU throttling	4x slowdown (Simulated)
User agent (host)	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) snap Chromium/81.0.4044.129 Chrome/81.0.4044.129 Safari/537.36
User agent (network)	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_13_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/74.0.3694.0 Safari/537.36 Chrome-Lighthouse
CPU/Memory Power	510